

DOCKETED	
Docket Number:	21-AFC-02
Project Title:	Willow Rock Energy Storage Center
TN #:	265111
Document Title:	Willow Rock CURE Data Request 2 Response, Attachment DR136-1_Part 3_Appendix B-1
Description:	Resubmission of files previously submitted through Kiteworks
Filer:	Kathryn Stevens
Organization:	WSP USA Inc.
Submitter Role:	Applicant Consultant
Submission Date:	7/29/2025 8:40:47 PM
Docketed Date:	7/30/2025



**ROSAMOND ZEV-CH-06-24
BOREHOLE GEOPHYSICS
ROSAMOND, CALIFORNIA**

Prepared for

Crux Subsurface, Inc.
4308 N Barker Road
Spokane Valley, Washington 99027
509-892-9409

Prepared by

GEOVision Geophysical Services
1124 Olympic Drive
Corona, California 92881
(951) 549-1234

**October 31, 2024
Report 24017-03 Rev 0**

TABLE OF CONTENTS

TABLE OF CONTENTS.....	2
TABLE OF FIGURES	4
TABLE OF TABLES	4
APPENDICES	4
INTRODUCTION.....	5
SCOPE OF WORK	5
INSTRUMENTATION.....	6
TELEVIEWER / BOREHOLE DEVIATION INSTRUMENTATION	6
ELOG / NATURAL GAMMA INSTRUMENTATION	7
FLUID TEMPERATURE / FLUID CONDUCTIVITY INSTRUMENTATION	8
MEASUREMENT PROCEDURES.....	8
TELEVIEWER / BOREHOLE DEVIATION PROCEDURES	8
FLUID TEMPERATURE / FLUID CONDUCTIVITY PROCEDURES	8
ELOG / NATURAL GAMMA MEASUREMENT PROCEDURES.....	9
DATA ANALYSIS	10
TELEVIEWER / BOREHOLE DEVIATION ANALYSIS	10
FLUID TEMPERATURE / FLUID CONDUCTIVITY ANALYSIS	10
ELOG / NATURAL GAMMA DATA ANALYSIS	10
RESULTS	11
TELEVIEWER / BOREHOLE DEVIATION RESULTS.....	11
FLUID TEMPERATURE / FLUID CONDUCTIVITY/ ELOG / NATURAL GAMMA RESULTS	12
SUMMARY.....	13
DISCUSSION OF ACOUSTIC TELEVIEWER / BORING DEVIATION RESULTS.....	13

TELEVIEWER DATA RELIABILITY	13
DISCUSSION OF FLUID TEMPERATURE / FLUID CONDUCTIVITY RESULTS	13
DISCUSSION OF NATURAL GAMMA / ELOG RESULTS	13
QUALITY ASSURANCE.....	14
CERTIFICATION.....	15
FIGURES	16
TABLES.....	24

Table of Figures

Figure 1: Concept illustration of televiewer probe	17
Figure 2: Concept illustration of FTC probe.....	18
Figure 3: Concept illustration of Elog probe	19
Figure 4. Borehole ZEV-CH-06-24 Stereonet Diagram	20
Figure 5. Borehole ZEV-CH-06-24, Rose Diagram	21
Figure 6. Borehole ZEV-CH-06-24, Deviation Cylindrical Projection.....	22
Figure 7. Borehole ZEV-CH-06-24, Deviation Bullseye Projection.....	23

Table of Tables

Table 1. Borehole Logging Dates and Locations.....	25
Table 2. Logging Tools and Depth Ranges	25
Table 3. Televiewer Deviation Data Summary	25
Table 4. Borehole ZEV-CH-06-24, Televiewer Feature depth, dip azimuth, dip, aperture, and type	26

APPENDICES

APPENDIX A PROCESSED TELEVIEWER IMAGE LOGS, FTC, ELOG, AND NATURAL GAMMA LOGS

INTRODUCTION

Borehole geophysical measurements were acquired in one borehole in Rosamond, California. The work was performed for Crux Subsurface Inc. Data acquisition was completed by Colog and **GEOVision** on September 12th and 13th, 2024. Data acquired by Colog and was processed by **GEOVision**. Data analysis and report preparation were reviewed by a **GEOVision** Professional Geophysicist or Engineer.

SCOPE OF WORK

This report presents the results of borehole geophysical measurements collected as detailed in Table 1. Acoustic televiewer (ATV), Elog, Fluid Temperature / Conductivity (FTC), and Natural Gamma (NG) data were acquired. The purpose of these measurements was to supplement borehole data obtained during the drilling investigation, identify flow zones and stratigraphy, as well to obtain information about fracture location, dip, orientation and aperture, as a function of depth.

An ALT ABI-40 acoustic televiewer (ATV) was used to collect acoustic televiewer images and borehole deviation data in one borehole. Acquired data were analyzed and a profile of borehole deviation versus depth was produced. Borehole images were analyzed and features such as bedding planes and fractures were identified with calculated feature dip and azimuth.

Mt. Sopris and Robertson ELOG, FTC, and natural gamma probes were used to collect normal resistivity, self-potential, single point resistance, fluid temperature, fluid conductivity and natural gamma data, respectively.

Data were processed and compiled to generate profiles of the preceding parameters versus depth.

INSTRUMENTATION

Televiewer / Borehole Deviation Instrumentation

Acoustic televiewer data were collected in one borehole by Colog using an ALT ABI40 acoustic borehole imager probe. A simple diagram of the tool is presented in Figure 1.

The acoustic borehole imager generates a 3D image from the borehole wall. The tool emits ultrasound pulses towards the formation and records the amplitude and the travel time of the reflected signal. A built-in high precision orientation package incorporating a 3-axis magnetometer and 3-axis accelerometer allows orientation of the images to a global reference and determination of the borehole's azimuth and inclination. The amplitude of the reflection from the borehole wall is representative of the acoustic properties of the formation. The travel time is used to determine exceptionally accurate borehole diameter data, which makes the tool ideal for borehole deformation description and casing inspection.

The tool generates an image of the borehole wall by transmitting ultrasound pulses and recording the amplitude and the travel time of the reflected signal and is capable of detecting multiple reflections. This multi-echo system is achieved by digital recording of the reflected acoustic wave train. Online analysis of the acoustic data is made by a DSP (Digital Signal Processor). Sophisticated algorithms allow the system to detect the reflection from the acoustic window and to separate all subsequent echoes. This probe features automatic optimization of the measurement window under all borehole conditions with very high travel time resolution and the caliper resolution is better than 0.1 mm.

The probe contains an APS 544 3-axis magnetometer to monitor magnetic north, and all raw televiewer data are referenced to magnetic north. Processed data are referenced to true north, using site and logging date-specific declination (11.4 degrees east) obtained from NOAA (<https://www.ngdc.noaa.gov/geomag/calculators/magcalc.shtml#declination>). Also, a three-axis accelerometer is enclosed in the probe to record boring deviation data while logging; this permits correction of structure dip angle from apparent dip, referenced to boring axis, to true dip

(referenced to a vertical axis) in non-vertical borings. The probe is centered in the borehole by two sets of plastic bow spring centralizers.

Elog / Natural Gamma Instrumentation

Elog data were collected using a Mt Sopris QL40-Elog probe (Elog). A simple diagram of the tool is presented in Figure 3. This probe measures single point resistance (SPR), normal resistivity at 8, 16, 32, and 64 inches, voltage self-potential (SP), and natural gamma (NG). The Elog probe is 75 inches long, and 1.7 inches in diameter. This tool requires a fluid-filled borehole and works best in best in relatively resistive media such as dry limestone, well cemented sandstone, or igneous rock.

The Mt. Sopris QL40-GR Natural Gamma (NG) probe was used to collect natural gamma radiation data in the borehole. The tool was connected to the other tools in a stack. This tool is 40.5 inches in length. The QL40-GR probe measures the amount of naturally occurring gamma radiation within the formations crossed by the borehole. Gamma rays are produced mainly by isotopes of potassium, thorium, and uranium. The natural gamma log is widely used in the groundwater and mining industries to identify lithology and perform clay content analyses.

The probe is useful in the studies of:

- Bed boundary analysis
- Facies changes
- Coarsening/ Fining Sequences
- Identify Clay Aquitards
- Aquifer Thickness
- Uranium Concentration

Total gamma counts may be presented in counts per second (CPS) or American Petroleum Institute (API) units.

Fluid Temperature / Fluid Conductivity Instrumentation

Fluid temperature, fluid conductivity and natural gamma data were collected in one borehole using a QL40-FTCI temperature / conductivity probe (FTC). A simple diagram of the tool is presented in Figure 2. This tool is 37 inches long. This probe was run in a stack with the acoustic televiewer.

This probe is useful in the following studies:

- Location of permeable zones in water wells or open holes
- Casing leak detection in completed wells
- Identification of cross-communicating aquifers in water wells or open holes

The temperature probe and conductivity electrodes are located in an insulated cavity at the bottom of probe body, with a fluid inlet opening at the tip and exit openings on the side of the probe approximately 8 inches above the tip. This tool is designed to collect data as it is lowered into the boring, so that the boring fluid moves through the cavity and passes over the sensors with a minimum of mixing or disturbance of the fluid by the passage of the probe. For the same reason, this is generally the first probe deployed in a suite of boring geophysical measurements.

MEASUREMENT PROCEDURES

Televiewer / Borehole Deviation Procedures

Acoustic televiewer data were collected by Colog following their standard operating televiewer data collection procedures.

Fluid Temperature / Fluid Conductivity Procedures

Temperature and conductivity data were collected by Colog following their standard operating data collection procedures.

Elog / Natural Gamma Measurement Procedures

Elog and natural gamma data were collected by Colog following their standard operating data collection procedures.

DATA ANALYSIS

Televiewer / Borehole Deviation Analysis

Televiewer feature classification followed **GEOVision** Televiewer Feature Notes and Picking Criteria (Appendix A). Acoustic televiewer data were processed using WellCAD Image & Structure Interpretation (ISI) Workspace. Sinusoidal projections of planar features on the borehole walls were interactively picked on the un-wrapped televiewer image and presented on the logs as colored sinusoids superimposed over the televiewer image. Sinusoidal projections were processed using the determined borehole gauge to calculate apparent dip angle. True dip was calculated, correcting for the plunge of the boreholes using recorded data from the accelerometers located in the probe, and presented in tadpole format, with true dip indicated by the tadpole position across the plot. The azimuth of dip (not strike) is indicated by the direction of the tadpole tail, with true north being “up.”

Televiewer data were also processed to extract deviation data and produce an Excel data file and plots of borehole deviation.

Fluid Temperature / Fluid Conductivity Analysis

FTC and NG data do not require analysis; however, depths were compared to verify consistent depth readings on all logs. Using WellCAD software, FTC data were combined with other log data and converted to LAS 2.0 and PDF formats.

Elog / Natural Gamma Data Analysis

Elog data do not require analysis; however, depths to identifiable borehole log features, such as distinct natural gamma transitions, were compared with other logs to verify consistent depth readings. Using WellCAD software, Elog data were combined with other log data and exported as LAS 2.0 and logs as PDF.

RESULTS

Televiewer / Borehole Deviation Results

One borehole was processed for televiewer features. Televiewer data were generally of very good quality. Acoustic televiewer logs with superimposed sinusoids and tadpole plots are presented in Appendix A. Both are provided as PDF in the data directory that accompanies this report. Televiewer results are presented in the figures and tables in this report in sequential order as follows: Stereonet diagram, rose diagram, deviation cylindrical projection, deviation bullseye projection, and televiewer features table.

Tabulated features data were exported as Excel format and accompany this report. Stereonet and rose plots were exported as PDF and borehole deviation as cylindrical projection and bullseye projection were exported as images; both accompany this report.

Per standard procedure, televiewer feature classification followed **GEOVision** Televiewer Feature Notes and Picking Criteria (included in Appendix A). Sinusoidal features and corrected arrow plots are displayed on the televiewer feature logs in Appendix A. Corrected acoustic feature depth, dip, and the azimuth of dip data are provided in the tables, as well as in Microsoft Excel® format. Depths on all figures and tables are referenced to ground surface. All data except tabulated deviation data references true north.

Rose diagram and stereonet were processed for acoustic features. Feature types are denoted in the log legends and identified by color. The same color key is used for the tadpole plots and stereonet poles. In the stereonet legend, each row represents a feature type by associated color, listing the total feature count, average dip and average azimuth of all features of that type on the stereonet.

Borehole deviation data extracted from the acoustic televiewer log is presented graphically in the figures and summarized in Table 3. Deviation data plots are provided in BMP or JPEG format and

deviation data tabulated at 1-foot intervals are provided in Excel® format. Deviation azimuths in the Excel® table references magnetic north.

Fluid Temperature / Fluid Conductivity/ Elog / Natural Gamma Results

FTC, Elog and natural gamma data are presented on the televiwer log plots scaled 1 foot = 20 feet in Appendix A. Depths on all figures and tables are referenced to ground surface.

SUMMARY

Discussion of Acoustic Televiwer / Boring Deviation Results

Acoustic televiwer data and borehole deviation data were collected below water level and surface casing. Acoustic televiwer images were of very good quality. Data reveal many identifiable hairlines generally in agreement with FTC and NG results. Occasional large voids are visible, as well as zones of greater weathering or softer rock, and harder rock at depth.

Televiwer Data Reliability

Depth indications are very reliable with estimated precision of ± 0.2 feet. Estimated precision of dip is ± 5 degrees and azimuth of dip is ± 10 degrees. Standardized field procedures and quality assurance checks add to the reliability of these data.

Discussion of Fluid Temperature / Fluid Conductivity Results

The FTC shows temperature and fluid conductivity gradually increases with depth.

Discussion of Natural Gamma / Elog Results

Resistivity is lower in the top 900 feet and tracks together with SPR and Normal resistivity. Natural gamma is fairly constant throughout the borehole with spikes at around 505 and 522 feet.

Quality Assurance

These borehole geophysical measurements were performed using industry-standard or better methods for measurements and analyses. All work was performed under **GEOVision** quality assurance procedures, which include:

- Use of NIST-traceable calibrations, where applicable, for field and laboratory instrumentation
- Use of standard field data logs
- Independent review of calculations and results by a registered professional engineer, geologist, or geophysicist.

CERTIFICATION

All geophysical data, analysis, interpretations, conclusions, and recommendations in this document have been prepared under the supervision of and reviewed by a **GEOVision** California Professional Geophysicist and/or Engineer.

Prepared by:




10/31/2024

Emily Feldman
Project Geophysicist
GEOVision Geophysical Services

Date

Reviewed and approved by



10/31/2024

John Diehl
California Professional Engineer, P.E. 30362
GEOVision Geophysical Services

Date

- * This geophysical investigation was conducted under the supervision of a California Professional Geophysicist or Engineer using industry standard methods and equipment. A high degree of professionalism was maintained during all aspects of the project from the field investigation and data acquisition, through data processing, interpretation and reporting. All original field data files, field notes and observations, and other pertinent information are maintained in the project files and are available for the client to review for a period of at least one year.

A professional geophysicist's certification of interpreted geophysical conditions comprises a declaration of his/her professional judgment. It does not constitute a warranty or guarantee, expressed or implied, nor does it relieve any other party of its responsibility to abide by contract documents, applicable codes, standards, regulations or ordinances.

FIGURES




Figure 1: Concept illustration of televIEWER probe




Figure 2: Concept illustration of FTC probe




Figure 3: Concept illustration of Elog probe




Figure 4. Borehole ZEV-CH-06-24 Stereonet Diagram

	LOG TYPE	PROJECT	ROSAMOND
	ATV	WELL	ZEV-CH-06-24
CLIENT CRUX		LOCATION	ROSAMOND, CA
		LOGGER	COLOG
		DATE	9/12/2024




Figure 5. Borehole ZEV-CH-06-24, Rose Diagram

Depth [ft] 1:7144
Horiz [ft] 1:357

ZEV-CH-06-24




Figure 6. Borehole ZEV-CH-06-24, Deviation Cylindrical Projection




Figure 7. Borehole ZEV-CH-06-24, Deviation Bullseye Projection

TABLES

Table 1. Borehole Logging Dates and Locations

BOREHOLE NUMBER	DATE LOGGED	COORDINATES ⁽¹⁾		
		NORTHING	EASTING	ELEVATION (FEET)
ZEV-CH-06-24	9/12-9/13/2024			

(1) Coordinates not available

Table 2. Logging Tools and Depth Ranges

BOREHOLE NUMBER	TOOL	DEPTH RANGE (FEET)
ZEV-CH-06-24	ATV	120 – 2272
ZEV-CH-06-24	ELOG	141 – 2271
ZEV-CH-06-24	NATURAL GAMMA	143 – 2270
ZEV-CH-06-24	FTC	119 – 2267

Note: all depths referenced to ground surface.

Table 3. TelevIEWER Deviation Data Summary

BOREHOLE NUMBER	MEAN AZIMUTH (DEGREES TN)	MEAN DEVIATION (DEGREES)	SURVEY DEPTH (FEET)	VERTICAL DEPTH (FEET)	HORIZONTAL OFFSET (FEET)
ZEV-CH-06-24	N082	1.4	2272.6	2271.96	50.68

Table 4. Borehole ZEV-CH-06-24, Televiwer Feature depth, dip azimuth, dip, aperture, and type

Depth	Azimuth	Dip	Aperture	Type
ft	deg TN	deg	mm	
139.6	296.4	41.0	32.42	Filled Joint / Fracture
140.0	314.8	37.5	0	Filled Joint / Fracture
141.1	302.7	56.8	0	Filled Joint / Fracture
141.5	154.6	70.3	0	Filled Joint / Fracture
141.8	284.6	56.1	0	Filled Joint / Fracture
142.7	154.4	50.2	0	Filled Joint / Fracture
143.2	7.6	36.6	0	Filled Joint / Fracture
143.2	175.4	65.2	0	Filled Joint / Fracture
143.4	239.0	55.5	0	Filled Joint / Fracture
143.8	178.8	56.8	0	Filled Joint / Fracture
143.9	243.6	78.5	0	Filled Joint / Fracture
144.2	263.1	57.8	6.16	Filled Joint / Fracture
144.6	292.5	27.8	6.24	Filled Joint / Fracture
144.8	79.6	36.1	0	Filled Joint / Fracture
144.8	248.6	66.0	0	Filled Joint / Fracture
145.1	250.9	65.6	0	Filled Joint / Fracture
145.5	181.1	74.9	0	Filled Joint / Fracture
146.2	282.0	31.5	0	Filled Joint / Fracture
146.4	262.5	45.1	0	Filled Joint / Fracture
147.0	242.5	63.9	0	Filled Joint / Fracture
147.4	290.2	33.3	0	Filled Joint / Fracture
147.6	72.8	66.8	0	Filled Joint / Fracture
148.8	347.1	25.3	0	Filled Joint / Fracture
150.1	270.3	52.0	0	Filled Joint / Fracture
150.2	69.3	80.6	0	Filled Joint / Fracture
150.7	289.4	65.6	0	Filled Joint / Fracture
150.5	276.8	27.6	0	Filled Joint / Fracture
150.8	183.8	33.8	0	Filled Joint / Fracture
151.9	290.1	34.8	0	Filled Joint / Fracture
152.5	322.0	44.2	0	Filled Joint / Fracture
154.6	166.1	10.9	0	Filled Joint / Fracture
155.5	147.3	27.8	0	Filled Joint / Fracture
155.9	250.7	42.7	0	Filled Joint / Fracture
156.4	291.3	40.1	0	Filled Joint / Fracture
157.1	151.7	49.0	0	Filled Joint / Fracture
157.5	160.6	34.0	0	Filled Joint / Fracture

157.8	288.9	42.1	0	Filled Joint / Fracture
158.1	260.2	37.5	0	Filled Joint / Fracture
158.7	355.7	34.6	18.48	Filled Joint / Fracture
159.4	158.3	49.5	0	Filled Joint / Fracture
159.5	182.8	29.9	0	Filled Joint / Fracture
159.6	264.8	37.5	0	Filled Joint / Fracture
159.7	275.9	52.2	0	Filled Joint / Fracture
160.2	208.6	50.9	0	Filled Joint / Fracture
160.3	240.4	34.1	0	Filled Joint / Fracture
160.4	290.1	22.6	0	Filled Joint / Fracture
160.8	146.8	53.4	0	Filled Joint / Fracture
162.5	293.1	41.0	0	Filled Joint / Fracture
162.6	146.1	71.5	0	Filled Joint / Fracture
163.1	216.9	81.5	0	Filled Joint / Fracture
163.1	272.4	38.7	0	Filled Joint / Fracture
163.5	280.7	46.5	0	Filled Joint / Fracture
164.0	187.8	42.6	0	Filled Joint / Fracture
164.0	164.0	65.5	0	Filled Joint / Fracture
164.2	280.9	38.4	0	Filled Joint / Fracture
164.6	222.5	35.9	0	Filled Joint / Fracture
165.3	295.2	37.5	0	Filled Joint / Fracture
165.4	152.8	30.6	0	Filled Joint / Fracture
165.7	176.5	28.1	0	Filled Joint / Fracture
166.0	163.1	47.2	0	Filled Joint / Fracture
166.3	263.1	32.5	0	Filled Joint / Fracture
166.6	283.4	50.2	0	Filled Joint / Fracture
166.9	332.1	24.5	0	Filled Joint / Fracture
166.9	181.8	27.6	0	Filled Joint / Fracture
167.5	170.5	33.6	0	Filled Joint / Fracture
167.6	176.9	41.3	0	Filled Joint / Fracture
168.4	257.9	52.9	0	Filled Joint / Fracture
168.4	269.5	37.1	0	Filled Joint / Fracture
168.4	150.9	62.0	0	Filled Joint / Fracture
168.9	165.9	45.9	0	Filled Joint / Fracture
169.2	236.9	52.7	0	Filled Joint / Fracture
169.3	298.1	24.5	0	Filled Joint / Fracture
169.7	255.1	57.4	0	Filled Joint / Fracture
170.1	268.4	49.4	0	Filled Joint / Fracture
170.3	245.6	50.1	0	Filled Joint / Fracture
170.8	275.0	42.8	13.41	Filled Joint / Fracture
171.3	282.6	45.4	0	Filled Joint / Fracture

171.5	284.4	51.4	0	Filled Joint / Fracture
171.6	280.3	50.8	0	Filled Joint / Fracture
171.7	61.9	69.6	0	Filled Joint / Fracture
172.0	154.8	30.9	0	Filled Joint / Fracture
172.9	163.3	60.3	0	Filled Joint / Fracture
173.5	284.9	39.2	0	Filled Joint / Fracture
174.0	169.9	48.6	0	Filled Joint / Fracture
174.4	305.4	41.9	0	Filled Joint / Fracture
175.1	259.2	44.2	0	Filled Joint / Fracture
175.4	293.8	55.6	0	Filled Joint / Fracture
175.8	239.4	39.1	0	Filled Joint / Fracture
176.3	142.5	60.6	0	Filled Joint / Fracture
176.8	238.3	29.9	0	Filled Joint / Fracture
177.3	286.7	30.8	0	Filled Joint / Fracture
177.5	176.8	62.8	0	Filled Joint / Fracture
178.1	174.2	21.7	0	Filled Joint / Fracture
179.7	233.0	30.7	0	Filled Joint / Fracture
179.9	213.3	38.1	0	Filled Joint / Fracture
180.9	270.3	30.5	0	Filled Joint / Fracture
181.5	261.0	23.8	0	Filled Joint / Fracture
182.3	162.9	43.2	0	Filled Joint / Fracture
182.9	227.5	31.1	0	Filled Joint / Fracture
183.2	191.4	49.6	0	Filled Joint / Fracture
183.4	43.7	52.7	0	Filled Joint / Fracture
183.5	323.7	16.9	0	Filled Joint / Fracture
184.0	204.1	37.7	0	Filled Joint / Fracture
184.0	59.5	58.8	0	Filled Joint / Fracture
184.0	354.1	42.7	0	Filled Joint / Fracture
184.6	196.0	41.6	0	Filled Joint / Fracture
184.8	294.6	23.0	0	Filled Joint / Fracture
186.6	82.8	54.5	0	Filled Joint / Fracture
188.3	160.8	60.5	0	Filled Joint / Fracture
190.0	252.8	25.5	0	Filled Joint / Fracture
191.4	163.2	62.9	0	Filled Joint / Fracture
192.5	241.4	29.8	0	Filled Joint / Fracture
193.3	262.3	61.0	8.72	Filled Joint / Fracture
193.5	284.6	56.5	0	Filled Joint / Fracture
193.7	269.5	64.5	0	Filled Joint / Fracture
194.0	274.3	38.9	0	Filled Joint / Fracture
194.1	198.0	59.4	0	Filled Joint / Fracture
194.3	229.3	64.5	0	Filled Joint / Fracture

194.4	245.3	42.8	0	Filled Joint / Fracture
194.6	260.5	41.9	0	Filled Joint / Fracture
194.8	265.3	49.4	7.31	Filled Joint / Fracture
195.0	283.8	50.0	0	Filled Joint / Fracture
195.3	217.0	24.1	0	Filled Joint / Fracture
195.3	276.9	40.9	0	Filled Joint / Fracture
195.5	248.0	41.0	0	Filled Joint / Fracture
196.0	45.2	70.6	0	Filled Joint / Fracture
196.3	152.9	57.4	0	Filled Joint / Fracture
196.5	234.2	68.6	0	Filled Joint / Fracture
196.9	244.6	29.3	0	Filled Joint / Fracture
197.3	235.5	63.9	0	Filled Joint / Fracture
197.7	216.4	30.8	0	Filled Joint / Fracture
198.0	189.5	36.4	0	Filled Joint / Fracture
198.0	241.6	48.0	0	Filled Joint / Fracture
198.1	250.9	37.6	0	Filled Joint / Fracture
199.1	202.1	33.2	0	Filled Joint / Fracture
199.3	196.6	40.9	0	Filled Joint / Fracture
199.6	248.9	54.3	0	Filled Joint / Fracture
200.2	263.5	57.9	0	Filled Joint / Fracture
200.4	269.2	60.5	0	Filled Joint / Fracture
200.4	254.5	45.3	0	Filled Joint / Fracture
200.9	258.1	60.3	0	Filled Joint / Fracture
201.1	261.0	58.7	0	Filled Joint / Fracture
201.2	251.3	79.7	0	Filled Joint / Fracture
201.3	239.9	49.5	0	Filled Joint / Fracture
201.7	295.3	33.1	0	Filled Joint / Fracture
202.2	297.4	30.4	0	Filled Joint / Fracture
202.3	155.3	53.2	0	Filled Joint / Fracture
202.7	277.5	25.5	0	Filled Joint / Fracture
202.8	267.9	60.6	0	Filled Joint / Fracture
202.9	280.9	41.5	0	Filled Joint / Fracture
204.7	230.0	69.2	0	Filled Joint / Fracture
205.4	286.2	56.3	0	Filled Joint / Fracture
205.8	275.5	47.1	0	Filled Joint / Fracture
206.3	240.5	36.6	0	Filled Joint / Fracture
206.4	271.5	67.0	0	Filled Joint / Fracture
207.0	275.1	69.5	0	Filled Joint / Fracture
207.6	256.9	36.7	0	Filled Joint / Fracture
207.7	290.0	63.1	0	Filled Joint / Fracture
208.0	278.8	61.8	0	Filled Joint / Fracture

208.2	271.6	58.3	0	Filled Joint / Fracture
208.4	303.3	38.9	0	Filled Joint / Fracture
208.8	299.4	57.4	0	Filled Joint / Fracture
208.8	202.8	26.3	0	Filled Joint / Fracture
209.0	279.2	31.8	0	Filled Joint / Fracture
209.1	273.7	55.8	0	Filled Joint / Fracture
210.0	309.3	55.2	0	Filled Joint / Fracture
210.4	267.7	64.1	0	Filled Joint / Fracture
210.9	220.9	55.6	0	Filled Joint / Fracture
211.6	270.2	39.9	0	Filled Joint / Fracture
211.7	271.2	64.9	0	Filled Joint / Fracture
212.0	259.2	59.2	0	Filled Joint / Fracture
213.8	202.9	44.0	0	Filled Joint / Fracture
214.1	204.8	17.2	0	Filled Joint / Fracture
214.2	260.6	43.1	0	Filled Joint / Fracture
214.6	251.7	38.9	0	Filled Joint / Fracture
215.1	262.8	41.9	0	Filled Joint / Fracture
215.2	259.8	28.3	0	Filled Joint / Fracture
216.6	307.6	31.7	0	Filled Joint / Fracture
216.8	305.1	46.4	0	Filled Joint / Fracture
217.0	294.1	60.1	0	Filled Joint / Fracture
217.7	299.3	68.0	0	Filled Joint / Fracture
219.0	303.9	49.7	0	Filled Joint / Fracture
219.3	299.0	63.6	0	Filled Joint / Fracture
219.6	161.0	49.1	0	Filled Joint / Fracture
219.9	284.2	60.9	0	Filled Joint / Fracture
220.0	305.5	25.5	0	Filled Joint / Fracture
220.3	346.9	51.9	0	Filled Joint / Fracture
221.2	262.4	26.2	0	Filled Joint / Fracture
221.3	352.4	32.7	0	Filled Joint / Fracture
221.5	264.4	36.3	0	Filled Joint / Fracture
221.6	295.9	41.0	0	Filled Joint / Fracture
221.9	275.2	56.2	0	Filled Joint / Fracture
222.4	278.7	58.3	0	Filled Joint / Fracture
222.8	255.0	45.1	0	Filled Joint / Fracture
223.2	254.5	57.6	0	Filled Joint / Fracture
223.2	270.5	46.7	0	Filled Joint / Fracture
223.3	338.2	15.8	0	Filled Joint / Fracture
223.6	239.0	28.5	0	Filled Joint / Fracture
223.6	225.5	66.8	0	Filled Joint / Fracture
224.4	247.4	54.0	0	Filled Joint / Fracture

224.5	338.3	12.8	0	Filled Joint / Fracture
224.7	15.5	19.2	0	Filled Joint / Fracture
225.0	223.8	59.6	0	Filled Joint / Fracture
225.2	284.2	41.2	0	Filled Joint / Fracture
225.2	218.7	52.4	0	Filled Joint / Fracture
225.3	17.3	26.6	0	Filled Joint / Fracture
225.4	236.3	52.5	0	Filled Joint / Fracture
225.7	266.1	46.6	0	Filled Joint / Fracture
225.8	235.3	60.1	0	Filled Joint / Fracture
225.8	121.8	75.8	0	Filled Joint / Fracture
226.0	243.5	41.9	0	Filled Joint / Fracture
226.8	272.1	45.7	10.8	Filled Joint / Fracture
227.0	254.5	60.3	0	Filled Joint / Fracture
227.9	255.2	44.9	0	Filled Joint / Fracture
228.2	33.9	18.1	0	Filled Joint / Fracture
228.3	44.6	16.3	0	Filled Joint / Fracture
230.1	209.1	32.0	0	Filled Joint / Fracture
230.3	235.7	24.6	0	Filled Joint / Fracture
230.8	258.0	76.2	0	Filled Joint / Fracture
230.9	241.0	33.6	0	Filled Joint / Fracture
231.2	234.0	39.5	0	Filled Joint / Fracture
232.1	81.6	77.9	0	Filled Joint / Fracture
232.9	169.9	33.6	0	Filled Joint / Fracture
233.2	170.0	38.2	0	Filled Joint / Fracture
233.5	229.7	36.1	0	Filled Joint / Fracture
234.2	214.8	37.4	0	Filled Joint / Fracture
234.7	248.7	62.0	0	Filled Joint / Fracture
234.8	75.8	69.6	0	Filled Joint / Fracture
235.1	267.4	46.7	0	Filled Joint / Fracture
235.4	134.3	35.7	0	Filled Joint / Fracture
236.3	117.7	20.4	0	Filled Joint / Fracture
237.4	263.5	76.1	0	Filled Joint / Fracture
237.8	142.6	25.5	0	Filled Joint / Fracture
238.2	229.6	72.9	0	Filled Joint / Fracture
238.3	8.1	35.9	0	Filled Joint / Fracture
238.9	66.8	41.1	0	Filled Joint / Fracture
239.0	167.9	70.8	0	Filled Joint / Fracture
239.2	235.2	38.3	0	Filled Joint / Fracture
242.3	237.3	63.8	0	Filled Joint / Fracture
243.1	245.1	61.4	0	Filled Joint / Fracture
243.3	254.1	42.0	0	Filled Joint / Fracture

245.2	299.2	41.8	0	Filled Joint / Fracture
248.2	253.4	44.4	0	Filled Joint / Fracture
248.8	229.3	70.6	0	Filled Joint / Fracture
250.6	183.4	58.2	0	Filled Joint / Fracture
251.2	159.8	36.8	0	Filled Joint / Fracture
251.4	183.4	28.2	0	Filled Joint / Fracture
251.7	126.0	61.9	0	Filled Joint / Fracture
252.4	183.0	43.8	0	Filled Joint / Fracture
253.3	173.5	46.2	0	Filled Joint / Fracture
253.5	348.1	20.2	0	Filled Joint / Fracture
254.4	353.6	32.8	12.11	Filled Joint / Fracture
254.6	7.1	35.7	0	Filled Joint / Fracture
255.1	26.2	42.2	0	Filled Joint / Fracture
255.6	162.5	24.9	0	Filled Joint / Fracture
256.0	246.4	34.1	0	Filled Joint / Fracture
256.3	163.9	74.2	0	Filled Joint / Fracture
256.4	207.9	58.4	0	Filled Joint / Fracture
256.9	161.9	53.5	0	Filled Joint / Fracture
260.4	247.4	36.9	0	Filled Joint / Fracture
260.6	270.8	50.5	0	Filled Joint / Fracture
260.8	79.6	25.1	0	Filled Joint / Fracture
260.8	277.8	53.5	0	Filled Joint / Fracture
261.4	4.1	39.7	0	Filled Joint / Fracture
261.3	216.0	63.2	0	Filled Joint / Fracture
261.7	231.6	51.0	0	Filled Joint / Fracture
261.8	309.2	31.6	0	Filled Joint / Fracture
262.0	164.3	10.7	0	Filled Joint / Fracture
262.5	244.0	36.6	0	Filled Joint / Fracture
262.6	119.4	46.9	0	Filled Joint / Fracture
262.8	245.7	29.2	0	Filled Joint / Fracture
263.3	260.9	70.0	13.04	Filled Joint / Fracture
263.4	214.8	28.2	0	Filled Joint / Fracture
263.3	246.1	57.9	0	Filled Joint / Fracture
263.8	257.0	65.0	0	Filled Joint / Fracture
264.3	267.7	29.3	0	Filled Joint / Fracture
264.7	249.4	50.7	0	Filled Joint / Fracture
265.1	21.2	41.4	0	Filled Joint / Fracture
265.2	349.6	17.6	0	Filled Joint / Fracture
265.6	253.9	57.2	0	Filled Joint / Fracture
265.9	271.2	51.6	0	Filled Joint / Fracture
266.0	202.4	46.7	0	Filled Joint / Fracture

266.5	286.3	44.2	0	Filled Joint / Fracture
266.9	231.3	48.7	0	Filled Joint / Fracture
267.3	282.1	39.5	0	Filled Joint / Fracture
267.3	258.0	43.2	0	Filled Joint / Fracture
267.7	164.2	40.0	0	Filled Joint / Fracture
268.0	193.5	40.7	0	Filled Joint / Fracture
268.4	253.6	26.2	0	Filled Joint / Fracture
269.1	299.3	30.9	0	Filled Joint / Fracture
269.6	179.4	47.5	0	Filled Joint / Fracture
270.1	271.1	36.1	0	Filled Joint / Fracture
270.4	147.2	60.2	0	Filled Joint / Fracture
270.6	232.6	35.8	0	Filled Joint / Fracture
271.6	169.5	50.0	0	Filled Joint / Fracture
271.9	195.5	75.3	0	Filled Joint / Fracture
272.3	182.7	66.2	0	Filled Joint / Fracture
272.7	155.3	57.6	0	Filled Joint / Fracture
272.9	245.1	17.5	0	Filled Joint / Fracture
273.1	275.9	16.6	0	Filled Joint / Fracture
273.3	196.4	46.6	0	Filled Joint / Fracture
273.4	204.7	20.9	0	Filled Joint / Fracture
273.5	215.7	64.7	0	Filled Joint / Fracture
273.8	210.3	49.2	0	Filled Joint / Fracture
274.4	298.3	18.8	0	Filled Joint / Fracture
274.7	241.1	53.4	0	Filled Joint / Fracture
275.0	234.1	34.0	0	Filled Joint / Fracture
275.0	222.9	59.1	0	Filled Joint / Fracture
275.4	226.5	49.7	0	Filled Joint / Fracture
276.1	254.6	47.3	0	Filled Joint / Fracture
276.6	250.6	28.6	11.17	Filled Joint / Fracture
277.1	113.4	12.1	0	Filled Joint / Fracture
277.5	235.8	24.4	0	Filled Joint / Fracture
278.3	1.2	17.7	0	Filled Joint / Fracture
278.4	81.9	73.4	0	Filled Joint / Fracture
278.7	274.8	72.5	0	Filled Joint / Fracture
278.9	249.1	36.7	0	Filled Joint / Fracture
279.0	265.2	36.4	0	Filled Joint / Fracture
279.1	260.2	36.1	0	Filled Joint / Fracture
279.4	246.6	47.6	0	Filled Joint / Fracture
279.6	275.8	54.1	0	Filled Joint / Fracture
279.9	251.1	43.6	0	Filled Joint / Fracture
280.0	201.7	36.5	0	Filled Joint / Fracture

280.0	84.0	57.8	0	Filled Joint / Fracture
280.1	239.6	27.7	0	Filled Joint / Fracture
280.9	285.8	31.8	0	Filled Joint / Fracture
281.6	2.0	33.7	0	Filled Joint / Fracture
281.6	109.6	9.8	0	Filled Joint / Fracture
282.3	158.1	68.5	0	Filled Joint / Fracture
282.9	358.6	38.1	0	Filled Joint / Fracture
283.0	184.9	78.5	0	Filled Joint / Fracture
282.9	186.5	71.8	0	Filled Joint / Fracture
284.6	188.4	75.9	0	Filled Joint / Fracture
284.6	210.2	46.7	0	Filled Joint / Fracture
285.1	202.2	34.8	0	Filled Joint / Fracture
285.3	85.0	82.1	0	Filled Joint / Fracture
285.5	190.6	35.3	0	Filled Joint / Fracture
285.8	200.1	57.4	0	Filled Joint / Fracture
285.9	191.0	34.3	0	Filled Joint / Fracture
286.1	212.8	56.2	0	Filled Joint / Fracture
286.4	176.0	31.9	0	Filled Joint / Fracture
286.5	228.6	55.1	0	Filled Joint / Fracture
286.8	183.4	34.0	0	Filled Joint / Fracture
287.0	325.4	47.5	0	Filled Joint / Fracture
287.3	202.3	35.2	0	Filled Joint / Fracture
287.4	206.7	43.2	0	Filled Joint / Fracture
287.5	202.6	43.2	0	Filled Joint / Fracture
287.6	304.7	31.0	0	Filled Joint / Fracture
287.8	221.5	51.0	0	Filled Joint / Fracture
288.0	222.6	57.4	0	Filled Joint / Fracture
288.1	159.5	37.7	0	Filled Joint / Fracture
288.3	224.8	53.0	0	Filled Joint / Fracture
288.4	276.2	19.5	0	Filled Joint / Fracture
289.2	289.8	25.7	0	Filled Joint / Fracture
289.3	263.1	24.1	0	Filled Joint / Fracture
290.7	217.5	58.2	0	Filled Joint / Fracture
290.8	316.2	24.6	0	Filled Joint / Fracture
291.1	219.3	49.5	0	Filled Joint / Fracture
291.3	222.9	57.4	0	Filled Joint / Fracture
291.6	254.5	44.5	0	Filled Joint / Fracture
291.8	209.6	67.9	0	Filled Joint / Fracture
292.3	6.4	36.6	0	Filled Joint / Fracture
293.0	240.4	48.2	0	Filled Joint / Fracture
293.0	116.7	84.9	0	Filled Joint / Fracture

293.5	32.2	31.2	0	Filled Joint / Fracture
293.8	17.8	39.9	0	Filled Joint / Fracture
293.9	273.2	39.9	0	Filled Joint / Fracture
294.7	205.5	48.8	0	Filled Joint / Fracture
295.3	181.0	31.9	0	Filled Joint / Fracture
295.4	9.5	43.1	0	Filled Joint / Fracture
296.4	195.1	44.3	0	Filled Joint / Fracture
296.6	185.9	52.0	0	Filled Joint / Fracture
297.0	236.8	55.1	0	Filled Joint / Fracture
297.1	202.3	28.0	0	Filled Joint / Fracture
297.5	180.0	43.6	0	Filled Joint / Fracture
297.9	221.9	42.4	0	Filled Joint / Fracture
298.1	221.6	46.3	0	Filled Joint / Fracture
298.1	171.4	32.8	12.6	Filled Joint / Fracture
298.3	223.5	48.4	0	Filled Joint / Fracture
298.4	240.2	60.4	4.62	Filled Joint / Fracture
298.8	230.0	52.6	20.52	Filled Joint / Fracture
298.9	232.1	28.9	17.24	Filled Joint / Fracture
299.1	231.3	63.8	0	Filled Joint / Fracture
299.2	179.0	26.2	0	Filled Joint / Fracture
299.7	12.3	48.1	0	Filled Joint / Fracture
299.8	221.1	39.7	0	Filled Joint / Fracture
300.2	136.9	34.8	0	Filled Joint / Fracture
300.2	193.1	39.1	7.43	Filled Joint / Fracture
300.5	127.0	45.9	0	Filled Joint / Fracture
300.6	205.4	44.4	0	Filled Joint / Fracture
301.2	235.3	40.0	0	Filled Joint / Fracture
302.0	235.7	46.0	0	Filled Joint / Fracture
302.5	132.6	34.6	0	Filled Joint / Fracture
302.7	239.2	36.4	0	Filled Joint / Fracture
302.8	202.5	25.9	0	Filled Joint / Fracture
303.0	245.8	33.5	0	Filled Joint / Fracture
303.2	241.2	29.6	0	Filled Joint / Fracture
304.2	298.6	63.3	0	Filled Joint / Fracture
304.5	184.5	59.7	0	Filled Joint / Fracture
304.4	185.3	72.4	0	Filled Joint / Fracture
305.7	105.3	38.8	0	Filled Joint / Fracture
306.7	190.7	55.2	0	Filled Joint / Fracture
307.0	313.1	52.1	0	Filled Joint / Fracture
307.1	214.0	42.4	0	Filled Joint / Fracture
307.9	194.5	78.2	0	Filled Joint / Fracture

309.6	337.8	73.1	0	Filled Joint / Fracture
309.7	205.3	27.6	0	Filled Joint / Fracture
310.1	171.9	67.4	0	Filled Joint / Fracture
310.4	186.6	65.4	0	Filled Joint / Fracture
310.7	118.4	53.5	0	Filled Joint / Fracture
311.2	236.8	24.2	0	Filled Joint / Fracture
311.3	272.5	42.3	0	Filled Joint / Fracture
311.5	259.2	41.9	0	Filled Joint / Fracture
311.7	299.9	17.6	0	Filled Joint / Fracture
312.5	271.8	68.6	0	Filled Joint / Fracture
312.3	267.9	44.2	0	Filled Joint / Fracture
312.4	220.7	37.6	0	Filled Joint / Fracture
312.9	276.0	49.3	0	Filled Joint / Fracture
314.0	252.9	27.5	0	Filled Joint / Fracture
316.1	263.1	40.5	0	Filled Joint / Fracture
316.7	270.3	49.4	0	Filled Joint / Fracture
317.5	294.3	53.2	0	Filled Joint / Fracture
317.9	264.6	42.2	0	Filled Joint / Fracture
318.3	273.4	48.3	0	Filled Joint / Fracture
319.9	322.5	40.8	0	Filled Joint / Fracture
320.6	339.4	42.1	0	Filled Joint / Fracture
321.5	318.6	36.9	0	Filled Joint / Fracture
323.5	359.7	24.4	0	Filled Joint / Fracture
323.9	327.3	71.1	0	Filled Joint / Fracture
324.0	314.2	51.4	11.08	Filled Joint / Fracture
324.5	359.0	35.2	12.21	Filled Joint / Fracture
324.8	336.2	56.8	0	Filled Joint / Fracture
325.4	340.9	27.2	0	Filled Joint / Fracture
325.5	4.6	36.0	0	Filled Joint / Fracture
325.7	26.4	34.8	0	Filled Joint / Fracture
325.9	176.7	49.3	0	Filled Joint / Fracture
326.4	160.7	26.4	0	Filled Joint / Fracture
327.2	21.2	32.7	0	Filled Joint / Fracture
327.3	272.5	52.4	0	Filled Joint / Fracture
327.7	252.7	54.0	0	Filled Joint / Fracture
328.3	266.1	53.3	0	Filled Joint / Fracture
328.6	113.1	19.9	0	Filled Joint / Fracture
328.7	265.2	39.6	0	Filled Joint / Fracture
328.9	262.1	57.9	0	Filled Joint / Fracture
329.2	326.6	63.6	0	Filled Joint / Fracture
330.4	280.0	45.6	0	Filled Joint / Fracture

336.9	256.5	71.6	0	Filled Joint / Fracture
339.9	271.7	42.7	7.15	Filled Joint / Fracture
341.3	187.9	28.7	0	Filled Joint / Fracture
342.2	209.4	46.1	0	Filled Joint / Fracture
342.6	129.7	35.8	40.88	Filled Joint / Fracture
344.2	7.5	62.1	0	Filled Joint / Fracture
345.6	237.2	56.5	0	Filled Joint / Fracture
346.6	133.2	60.7	0	Filled Joint / Fracture
347.5	199.6	54.9	0	Filled Joint / Fracture
348.4	88.8	64.2	0	Filled Joint / Fracture
350.0	239.1	87.4	0	Filled Joint / Fracture
350.7	233.5	66.5	0	Filled Joint / Fracture
351.3	218.1	84.2	0	Filled Joint / Fracture
351.9	162.6	73.6	0	Filled Joint / Fracture
353.7	224.2	68.7	0	Filled Joint / Fracture
353.8	36.8	34.9	0	Filled Joint / Fracture
353.9	241.2	81.2	0	Filled Joint / Fracture
354.4	143.7	32.5	0	Filled Joint / Fracture
354.4	242.5	60.2	0	Filled Joint / Fracture
354.9	260.1	16.6	0	Filled Joint / Fracture
355.5	302.1	56.7	0	Filled Joint / Fracture
355.9	288.6	61.5	0	Filled Joint / Fracture
355.9	165.4	46.2	0	Filled Joint / Fracture
356.4	269.0	76.7	0	Filled Joint / Fracture
356.6	260.6	78.9	0	Filled Joint / Fracture
357.3	261.0	81.1	0	Filled Joint / Fracture
357.7	133.3	61.9	0	Filled Joint / Fracture
358.1	226.8	86.8	0	Filled Joint / Fracture
358.2	228.6	60.5	0	Filled Joint / Fracture
358.6	242.5	81.5	0	Filled Joint / Fracture
358.7	142.7	25.0	0	Filled Joint / Fracture
359.4	257.8	75.4	0	Filled Joint / Fracture
360.1	245.5	68.8	0	Filled Joint / Fracture
360.3	244.2	67.5	0	Filled Joint / Fracture
360.5	249.5	59.8	0	Filled Joint / Fracture
360.7	249.0	58.2	0	Filled Joint / Fracture
361.3	190.6	75.1	0	Filled Joint / Fracture
361.2	222.7	65.0	0	Filled Joint / Fracture
361.9	240.8	51.0	0	Filled Joint / Fracture
362.1	150.8	54.1	0	Filled Joint / Fracture
362.2	127.0	55.1	0	Filled Joint / Fracture

362.5	162.6	46.4	0	Filled Joint / Fracture
363.6	282.3	55.1	0	Filled Joint / Fracture
364.0	238.7	64.9	8.5	Filled Joint / Fracture
365.0	230.7	66.4	82.66	Filled Joint / Fracture
368.7	158.6	71.6	0	Filled Joint / Fracture
369.4	255.2	34.2	0	Filled Joint / Fracture
370.0	216.3	75.9	0	Filled Joint / Fracture
370.0	178.6	50.9	0	Filled Joint / Fracture
370.0	234.4	56.7	0	Filled Joint / Fracture
370.6	140.1	80.3	0	Filled Joint / Fracture
370.7	196.1	72.6	0	Filled Joint / Fracture
370.8	172.8	47.5	0	Filled Joint / Fracture
371.8	170.2	56.9	0	Filled Joint / Fracture
371.9	276.3	74.4	0	Filled Joint / Fracture
372.2	172.1	58.0	0	Filled Joint / Fracture
372.5	323.7	66.5	0	Filled Joint / Fracture
372.8	109.3	30.0	0	Filled Joint / Fracture
372.9	220.5	60.6	0	Filled Joint / Fracture
373.0	91.6	39.8	0	Filled Joint / Fracture
373.2	222.4	55.2	0	Filled Joint / Fracture
373.6	219.5	59.4	0	Filled Joint / Fracture
374.0	239.9	77.9	0	Filled Joint / Fracture
374.0	211.8	60.8	0	Filled Joint / Fracture
374.7	226.0	66.5	0	Filled Joint / Fracture
375.0	235.4	79.0	0	Filled Joint / Fracture
375.7	99.6	48.8	0	Filled Joint / Fracture
375.8	104.6	51.5	0	Filled Joint / Fracture
375.8	105.4	39.0	0	Filled Joint / Fracture
376.1	113.4	46.3	0	Filled Joint / Fracture
376.1	225.2	76.2	0	Filled Joint / Fracture
377.5	117.9	61.0	0	Filled Joint / Fracture
377.4	145.9	38.3	11.37	Filled Joint / Fracture
377.7	112.3	50.9	11.79	Filled Joint / Fracture
378.1	128.9	51.7	0	Filled Joint / Fracture
378.4	274.5	60.1	0	Filled Joint / Fracture
378.5	326.3	29.4	0	Filled Joint / Fracture
378.6	1.2	22.1	0	Filled Joint / Fracture
378.9	94.7	22.4	0	Filled Joint / Fracture
380.1	116.5	51.5	0	Filled Joint / Fracture
380.7	232.4	52.5	0	Filled Joint / Fracture
381.6	222.7	55.9	0	Filled Joint / Fracture

382.9	290.9	66.9	0	Filled Joint / Fracture
384.7	248.5	66.0	0	Filled Joint / Fracture
385.0	239.8	78.6	0	Filled Joint / Fracture
386.5	270.2	48.8	0	Filled Joint / Fracture
387.5	283.4	62.7	0	Filled Joint / Fracture
388.0	277.4	69.8	0	Filled Joint / Fracture
389.5	250.9	74.0	0	Filled Joint / Fracture
389.7	146.2	56.1	0	Filled Joint / Fracture
389.7	258.6	70.6	0	Filled Joint / Fracture
390.4	263.8	56.9	0	Filled Joint / Fracture
390.7	276.7	63.7	0	Filled Joint / Fracture
390.8	195.5	49.4	0	Filled Joint / Fracture
391.5	186.1	45.2	0	Filled Joint / Fracture
391.7	186.8	41.8	0	Filled Joint / Fracture
391.8	276.7	74.4	0	Filled Joint / Fracture
392.0	168.6	44.7	0	Filled Joint / Fracture
392.0	269.6	40.4	0	Filled Joint / Fracture
392.0	154.2	72.1	0	Filled Joint / Fracture
392.1	279.7	75.2	0	Filled Joint / Fracture
392.2	262.0	39.0	0	Filled Joint / Fracture
392.6	207.6	28.4	0	Filled Joint / Fracture
392.8	193.1	65.9	0	Filled Joint / Fracture
393.1	179.0	62.0	0	Filled Joint / Fracture
393.2	177.2	52.8	0	Filled Joint / Fracture
393.4	191.8	51.4	0	Filled Joint / Fracture
393.5	255.4	52.5	0	Filled Joint / Fracture
393.8	191.3	48.6	0	Filled Joint / Fracture
394.0	275.5	52.0	0	Filled Joint / Fracture
394.1	268.7	52.6	0	Filled Joint / Fracture
394.5	201.2	53.0	0	Filled Joint / Fracture
395.0	247.5	41.2	0	Filled Joint / Fracture
395.6	232.2	51.7	0	Filled Joint / Fracture
395.7	245.6	39.1	9.46	Filled Joint / Fracture
396.2	206.4	73.1	0	Filled Joint / Fracture
396.7	260.4	47.9	0	Filled Joint / Fracture
398.4	243.5	70.2	0	Filled Joint / Fracture
399.1	56.5	81.6	0	Filled Joint / Fracture
400.0	224.1	78.0	0	Filled Joint / Fracture
401.1	95.3	77.3	0	Filled Joint / Fracture
402.1	251.8	61.7	0	Filled Joint / Fracture
402.5	231.9	72.2	0	Filled Joint / Fracture

402.8	258.9	62.2	0	Filled Joint / Fracture
403.8	321.7	81.7	0	Filled Joint / Fracture
405.2	192.0	38.1	0	Filled Joint / Fracture
405.5	181.4	10.5	0	Filled Joint / Fracture
406.2	168.7	12.8	0	Filled Joint / Fracture
406.4	165.9	18.4	0	Filled Joint / Fracture
407.0	292.6	58.9	0	Filled Joint / Fracture
407.7	180.4	37.6	0	Filled Joint / Fracture
407.7	285.2	45.7	0	Filled Joint / Fracture
408.0	336.1	76.8	0	Filled Joint / Fracture
408.0	259.2	59.3	7.23	Filled Joint / Fracture
409.1	268.3	73.0	0	Filled Joint / Fracture
409.2	160.2	65.9	0	Filled Joint / Fracture
409.5	270.9	62.8	0	Filled Joint / Fracture
410.0	145.4	69.1	0	Filled Joint / Fracture
410.1	274.5	45.9	11.01	Filled Joint / Fracture
410.3	280.7	35.7	0	Filled Joint / Fracture
410.7	174.1	42.5	0	Filled Joint / Fracture
411.0	254.2	75.7	0	Filled Joint / Fracture
411.5	142.0	42.8	0	Filled Joint / Fracture
411.6	269.9	56.6	0	Filled Joint / Fracture
412.0	71.1	13.1	0	Filled Joint / Fracture
412.2	211.5	34.8	0	Filled Joint / Fracture
412.4	251.0	23.6	0	Filled Joint / Fracture
412.7	298.2	61.5	0	Filled Joint / Fracture
412.7	125.2	55.6	0	Filled Joint / Fracture
413.1	175.5	36.1	0	Filled Joint / Fracture
413.5	266.3	47.0	0	Filled Joint / Fracture
413.9	140.4	61.5	0	Filled Joint / Fracture
414.1	130.6	77.4	0	Filled Joint / Fracture
414.5	196.8	24.0	0	Filled Joint / Fracture
414.6	305.9	72.7	0	Filled Joint / Fracture
415.4	200.2	37.3	0	Filled Joint / Fracture
415.7	196.2	37.3	0	Filled Joint / Fracture
416.4	165.4	70.5	0	Filled Joint / Fracture
417.0	253.2	64.5	0	Filled Joint / Fracture
417.3	246.2	66.0	0	Filled Joint / Fracture
417.5	260.0	60.1	0	Filled Joint / Fracture
418.7	261.8	73.4	7.74	Filled Joint / Fracture
418.4	260.2	73.4	0	Filled Joint / Fracture
418.9	277.6	35.3	0	Filled Joint / Fracture

419.2	215.4	49.9	0	Filled Joint / Fracture
419.6	272.3	52.2	6.93	Filled Joint / Fracture
421.1	285.8	57.8	0	Filled Joint / Fracture
421.2	148.1	71.5	0	Filled Joint / Fracture
421.2	249.7	63.5	0	Filled Joint / Fracture
421.9	257.6	57.9	0	Filled Joint / Fracture
422.1	253.9	60.1	0	Filled Joint / Fracture
422.4	170.8	47.6	0	Filled Joint / Fracture
422.9	277.0	73.2	0	Filled Joint / Fracture
423.0	218.1	63.0	0	Filled Joint / Fracture
423.2	268.5	51.3	0	Filled Joint / Fracture
423.6	319.3	64.6	0	Filled Joint / Fracture
423.6	245.7	27.3	0	Filled Joint / Fracture
423.9	254.3	49.5	0	Filled Joint / Fracture
424.1	270.1	28.3	0	Filled Joint / Fracture
424.4	236.8	51.2	0	Filled Joint / Fracture
424.4	173.0	30.0	10.42	Filled Joint / Fracture
424.5	152.7	32.2	0	Filled Joint / Fracture
424.8	161.7	45.0	7.77	Filled Joint / Fracture
425.0	152.0	39.2	0	Filled Joint / Fracture
425.0	243.8	68.7	0	Filled Joint / Fracture
425.4	247.6	59.9	0	Filled Joint / Fracture
425.6	247.9	52.3	0	Filled Joint / Fracture
426.1	258.6	62.8	0	Filled Joint / Fracture
426.2	105.0	42.4	0	Filled Joint / Fracture
426.6	232.6	73.2	0	Filled Joint / Fracture
426.7	224.4	72.8	0	Filled Joint / Fracture
426.7	227.3	26.8	0	Filled Joint / Fracture
427.3	201.6	60.2	0	Filled Joint / Fracture
428.0	165.3	52.7	0	Filled Joint / Fracture
428.1	266.9	54.2	0	Filled Joint / Fracture
428.3	181.5	52.2	0	Filled Joint / Fracture
428.5	175.4	45.1	0	Filled Joint / Fracture
428.8	156.9	63.0	0	Filled Joint / Fracture
429.0	282.0	57.3	0	Filled Joint / Fracture
429.1	172.6	61.1	0	Filled Joint / Fracture
429.1	252.3	56.9	0	Filled Joint / Fracture
429.4	75.2	27.6	0	Filled Joint / Fracture
429.4	248.4	48.2	0	Filled Joint / Fracture
429.6	267.2	55.7	0	Filled Joint / Fracture
429.7	270.9	49.1	0	Filled Joint / Fracture

429.7	275.3	62.1	0	Filled Joint / Fracture
430.1	314.6	41.3	0	Filled Joint / Fracture
430.2	17.4	13.2	0	Filled Joint / Fracture
431.5	250.0	51.5	0	Filled Joint / Fracture
432.3	256.7	44.7	0	Filled Joint / Fracture
432.7	71.7	34.6	0	Filled Joint / Fracture
432.7	244.8	52.5	0	Filled Joint / Fracture
432.9	261.0	9.3	0	Filled Joint / Fracture
432.9	86.0	39.6	0	Filled Joint / Fracture
433.5	289.3	55.5	0	Filled Joint / Fracture
433.6	70.3	25.3	0	Filled Joint / Fracture
433.8	115.3	29.6	0	Filled Joint / Fracture
434.4	110.2	47.7	0	Filled Joint / Fracture
434.3	53.0	20.6	0	Filled Joint / Fracture
434.3	87.8	39.7	0	Filled Joint / Fracture
434.5	62.6	13.1	0	Filled Joint / Fracture
434.5	86.6	48.1	0	Filled Joint / Fracture
434.7	242.8	23.4	0	Filled Joint / Fracture
434.8	81.3	39.9	0	Filled Joint / Fracture
434.9	72.1	36.2	0	Filled Joint / Fracture
435.2	87.6	24.4	0	Filled Joint / Fracture
435.2	86.7	21.4	0	Filled Joint / Fracture
435.5	263.0	55.9	6.16	Filled Joint / Fracture
436.6	211.8	40.2	0	Filled Joint / Fracture
436.9	267.6	48.5	0	Filled Joint / Fracture
437.1	232.1	30.1	0	Filled Joint / Fracture
437.6	253.2	38.3	0	Filled Joint / Fracture
437.9	232.7	34.5	0	Filled Joint / Fracture
438.5	273.3	80.2	0	Filled Joint / Fracture
438.9	274.1	39.0	0	Filled Joint / Fracture
439.2	291.7	48.6	0	Filled Joint / Fracture
439.4	278.8	45.5	0	Filled Joint / Fracture
439.5	266.8	48.9	0	Filled Joint / Fracture
440.1	106.0	60.1	0	Filled Joint / Fracture
440.2	270.2	41.7	0	Filled Joint / Fracture
440.4	163.1	57.9	0	Filled Joint / Fracture
440.7	269.8	44.3	0	Filled Joint / Fracture
441.1	244.0	74.4	0	Filled Joint / Fracture
441.3	174.8	48.5	0	Filled Joint / Fracture
441.4	244.0	36.6	0	Filled Joint / Fracture
441.5	8.1	75.2	0	Filled Joint / Fracture

442.1	54.1	74.0	0	Filled Joint / Fracture
442.1	228.7	61.4	0	Filled Joint / Fracture
442.2	48.4	50.4	0	Filled Joint / Fracture
442.4	102.5	75.6	0	Filled Joint / Fracture
442.4	44.5	48.1	0	Filled Joint / Fracture
442.7	203.6	61.6	0	Filled Joint / Fracture
442.9	211.4	79.7	0	Filled Joint / Fracture
442.9	195.3	62.0	0	Filled Joint / Fracture
443.6	213.0	75.2	0	Filled Joint / Fracture
443.6	197.2	47.7	0	Filled Joint / Fracture
443.7	286.5	64.2	0	Filled Joint / Fracture
444.2	209.2	49.0	0	Filled Joint / Fracture
444.5	274.1	53.5	0	Filled Joint / Fracture
445.1	185.6	35.5	0	Filled Joint / Fracture
445.7	274.4	64.7	0	Filled Joint / Fracture
445.7	179.9	52.8	0	Filled Joint / Fracture
445.8	221.0	22.6	0	Filled Joint / Fracture
446.4	241.6	44.5	0	Filled Joint / Fracture
446.5	240.7	55.5	0	Filled Joint / Fracture
447.0	158.5	65.2	0	Filled Joint / Fracture
447.4	184.4	67.4	0	Filled Joint / Fracture
447.5	256.8	31.2	0	Filled Joint / Fracture
447.7	266.1	53.3	0	Filled Joint / Fracture
448.4	176.5	53.0	0	Filled Joint / Fracture
448.6	311.7	36.1	0	Filled Joint / Fracture
448.9	151.3	70.2	0	Filled Joint / Fracture
449.3	252.1	56.0	0	Filled Joint / Fracture
449.3	176.3	62.9	0	Filled Joint / Fracture
449.8	265.5	52.9	0	Filled Joint / Fracture
450.1	174.9	54.6	0	Filled Joint / Fracture
450.1	282.8	60.5	0	Filled Joint / Fracture
450.5	174.5	55.6	0	Filled Joint / Fracture
450.8	165.9	52.2	0	Filled Joint / Fracture
451.0	173.2	55.3	0	Filled Joint / Fracture
451.0	243.7	54.9	12.83	Filled Joint / Fracture
451.0	151.1	57.2	0	Filled Joint / Fracture
451.4	178.3	49.1	0	Filled Joint / Fracture
451.6	175.6	54.7	0	Filled Joint / Fracture
451.9	247.1	63.4	0	Filled Joint / Fracture
452.1	223.7	46.3	0	Filled Joint / Fracture
452.1	264.1	59.8	0	Filled Joint / Fracture

452.3	193.4	61.5	0	Filled Joint / Fracture
452.6	198.5	55.1	0	Filled Joint / Fracture
452.7	206.7	42.1	0	Filled Joint / Fracture
453.1	168.3	50.4	0	Filled Joint / Fracture
453.6	211.3	55.2	0	Filled Joint / Fracture
453.6	258.7	37.2	0	Filled Joint / Fracture
453.9	226.6	34.8	0	Filled Joint / Fracture
454.3	218.5	40.8	0	Filled Joint / Fracture
454.6	271.4	68.3	0	Filled Joint / Fracture
455.0	261.4	43.4	0	Filled Joint / Fracture
455.2	252.3	37.4	0	Filled Joint / Fracture
456.4	163.9	50.7	0	Filled Joint / Fracture
456.4	254.5	38.2	0	Filled Joint / Fracture
457.0	255.0	48.9	0	Filled Joint / Fracture
457.4	257.4	44.0	0	Filled Joint / Fracture
458.0	157.1	61.6	0	Filled Joint / Fracture
458.3	210.8	50.0	0	Filled Joint / Fracture
458.5	261.7	84.5	0	Filled Joint / Fracture
459.0	184.9	64.1	0	Filled Joint / Fracture
459.4	265.8	39.0	0	Filled Joint / Fracture
460.0	233.7	36.6	0	Filled Joint / Fracture
460.1	241.4	52.7	0	Filled Joint / Fracture
460.2	154.0	17.4	0	Filled Joint / Fracture
460.5	280.3	51.8	0	Filled Joint / Fracture
460.6	158.5	67.7	0	Filled Joint / Fracture
460.7	238.9	37.1	0	Filled Joint / Fracture
461.4	219.6	24.8	0	Filled Joint / Fracture
461.4	270.5	75.5	0	Filled Joint / Fracture
461.6	242.1	27.3	0	Filled Joint / Fracture
461.8	239.4	30.2	0	Filled Joint / Fracture
461.9	176.7	52.4	0	Filled Joint / Fracture
462.5	200.9	34.0	0	Filled Joint / Fracture
463.1	144.8	60.6	0	Filled Joint / Fracture
463.2	255.4	76.4	0	Filled Joint / Fracture
463.2	239.9	31.9	0	Filled Joint / Fracture
463.7	232.7	52.2	0	Filled Joint / Fracture
463.9	262.3	76.7	0	Filled Joint / Fracture
464.6	257.9	77.6	0	Filled Joint / Fracture
464.3	258.9	82.1	0	Filled Joint / Fracture
465.1	197.6	64.8	0	Filled Joint / Fracture
465.5	161.2	69.6	0	Filled Joint / Fracture

465.6	129.9	64.2	0	Filled Joint / Fracture
466.4	176.4	74.8	0	Filled Joint / Fracture
466.5	174.3	52.3	0	Filled Joint / Fracture
466.7	197.6	49.9	0	Filled Joint / Fracture
467.3	236.1	42.2	0	Filled Joint / Fracture
467.5	257.1	72.9	0	Filled Joint / Fracture
467.7	267.4	65.7	0	Filled Joint / Fracture
467.9	228.4	48.3	0	Filled Joint / Fracture
468.1	49.5	62.8	0	Filled Joint / Fracture
468.3	219.5	28.2	0	Filled Joint / Fracture
468.8	226.2	52.1	0	Filled Joint / Fracture
469.1	248.1	44.3	0	Filled Joint / Fracture
469.2	225.9	66.2	0	Filled Joint / Fracture
469.7	245.4	71.9	0	Filled Joint / Fracture
470.0	243.8	53.1	0	Filled Joint / Fracture
470.6	180.6	65.0	0	Filled Joint / Fracture
471.9	197.0	58.1	0	Filled Joint / Fracture
473.1	248.6	26.4	0	Filled Joint / Fracture
473.2	23.5	18.4	0	Filled Joint / Fracture
473.7	291.6	53.1	0	Filled Joint / Fracture
474.4	288.4	42.2	0	Filled Joint / Fracture
474.7	56.9	17.8	0	Filled Joint / Fracture
474.8	299.6	45.7	0	Filled Joint / Fracture
475.0	300.2	31.4	0	Filled Joint / Fracture
475.0	262.6	45.2	0	Filled Joint / Fracture
475.1	267.0	77.1	0	Filled Joint / Fracture
475.5	269.1	74.3	0	Filled Joint / Fracture
475.5	237.4	25.7	0	Filled Joint / Fracture
475.7	281.3	33.2	0	Filled Joint / Fracture
475.8	279.1	59.2	0	Filled Joint / Fracture
475.9	153.4	25.8	0	Filled Joint / Fracture
476.0	263.3	60.0	0	Filled Joint / Fracture
476.4	248.7	56.9	0	Filled Joint / Fracture
477.2	124.2	19.0	0	Filled Joint / Fracture
477.3	175.3	41.1	0	Filled Joint / Fracture
477.8	318.4	29.9	0	Filled Joint / Fracture
478.1	324.2	46.3	0	Filled Joint / Fracture
478.4	316.5	27.6	0	Filled Joint / Fracture
479.2	177.2	68.2	0	Filled Joint / Fracture
479.3	305.6	23.4	0	Filled Joint / Fracture
479.7	32.1	30.2	0	Filled Joint / Fracture

481.6	335.2	26.9	0	Filled Joint / Fracture
481.8	248.0	51.3	0	Filled Joint / Fracture
481.9	240.4	40.0	0	Filled Joint / Fracture
482.2	282.1	58.2	0	Filled Joint / Fracture
482.7	279.2	54.2	0	Filled Joint / Fracture
482.8	259.7	52.0	0	Filled Joint / Fracture
482.8	188.8	53.6	0	Filled Joint / Fracture
483.1	264.7	56.0	0	Filled Joint / Fracture
483.6	176.9	56.4	0	Filled Joint / Fracture
483.6	271.5	50.4	0	Filled Joint / Fracture
483.9	236.1	48.1	0	Filled Joint / Fracture
484.3	167.9	41.3	0	Filled Joint / Fracture
484.5	168.8	36.0	0	Filled Joint / Fracture
484.9	199.8	38.0	0	Filled Joint / Fracture
485.6	261.1	61.0	0	Filled Joint / Fracture
486.6	252.5	68.3	0	Filled Joint / Fracture
487.0	268.4	63.3	0	Filled Joint / Fracture
487.1	255.2	54.8	0	Filled Joint / Fracture
487.3	89.0	20.9	0	Filled Joint / Fracture
488.0	258.7	56.0	0	Filled Joint / Fracture
488.7	261.7	61.0	0	Filled Joint / Fracture
489.4	198.4	60.7	0	Filled Joint / Fracture
489.7	151.6	29.4	9.07	Filled Joint / Fracture
489.8	143.6	56.3	0	Filled Joint / Fracture
490.3	148.2	66.8	0	Filled Joint / Fracture
491.5	216.1	41.3	0	Filled Joint / Fracture
491.9	224.5	33.3	0	Filled Joint / Fracture
492.3	43.8	24.2	0	Filled Joint / Fracture
492.5	301.2	45.9	0	Filled Joint / Fracture
492.9	98.1	6.7	0	Filled Joint / Fracture
493.5	86.7	7.1	0	Filled Joint / Fracture
494.1	263.1	44.8	0	Filled Joint / Fracture
494.1	162.3	12.0	0	Filled Joint / Fracture
494.4	204.2	47.5	0	Filled Joint / Fracture
494.6	211.5	46.5	0	Filled Joint / Fracture
494.7	174.5	51.7	0	Filled Joint / Fracture
494.9	36.3	21.7	0	Filled Joint / Fracture
495.3	266.0	74.5	0	Filled Joint / Fracture
495.7	268.6	63.2	0	Filled Joint / Fracture
495.8	241.8	66.1	0	Filled Joint / Fracture
496.2	237.6	43.0	0	Filled Joint / Fracture

496.4	248.9	69.6	3.92	Filled Joint / Fracture
497.0	159.4	38.1	0	Filled Joint / Fracture
497.4	201.4	10.8	12.81	Filled Joint / Fracture
497.4	172.8	73.0	0	Filled Joint / Fracture
497.6	145.9	42.8	0	Filled Joint / Fracture
498.4	26.9	26.4	0	Filled Joint / Fracture
499.5	190.7	49.5	0	Filled Joint / Fracture
499.8	320.9	33.2	0	Filled Joint / Fracture
499.9	214.1	49.4	0	Filled Joint / Fracture
502.0	244.0	55.8	0	Filled Joint / Fracture
502.1	170.3	58.2	0	Filled Joint / Fracture
502.2	46.5	30.9	0	Filled Joint / Fracture
502.6	33.3	19.0	0	Filled Joint / Fracture
502.6	244.1	57.2	0	Filled Joint / Fracture
502.8	56.3	26.4	12.8	Filled Joint / Fracture
503.0	342.3	46.8	0	Filled Joint / Fracture
503.1	21.7	38.4	0	Filled Joint / Fracture
503.4	25.1	15.7	0	Filled Joint / Fracture
503.5	29.3	42.8	0	Filled Joint / Fracture
503.9	32.1	26.1	0	Filled Joint / Fracture
503.9	265.3	26.5	0	Filled Joint / Fracture
504.2	259.4	26.1	0	Filled Joint / Fracture
504.8	224.6	48.2	0	Filled Joint / Fracture
505.2	155.5	41.5	0	Filled Joint / Fracture
505.4	48.5	35.3	0	Filled Joint / Fracture
505.5	345.7	40.1	0	Filled Joint / Fracture
505.7	191.4	73.9	0	Filled Joint / Fracture
506.0	33.5	32.0	0	Filled Joint / Fracture
506.0	238.5	39.6	0	Filled Joint / Fracture
506.1	25.8	28.5	0	Filled Joint / Fracture
506.2	230.0	33.6	0	Filled Joint / Fracture
506.3	73.0	18.2	0	Filled Joint / Fracture
506.6	311.9	15.0	30	Filled Joint / Fracture
506.7	38.4	15.0	0	Filled Joint / Fracture
507.0	80.4	35.4	0	Filled Joint / Fracture
507.1	49.7	44.7	0	Filled Joint / Fracture
507.4	106.2	35.2	0	Filled Joint / Fracture
507.4	110.8	51.4	0	Filled Joint / Fracture
507.8	161.2	38.5	0	Filled Joint / Fracture
507.9	347.9	61.5	0	Filled Joint / Fracture
508.3	115.1	62.0	0	Filled Joint / Fracture

508.4	262.4	43.7	0	Filled Joint / Fracture
508.5	354.2	63.1	0	Filled Joint / Fracture
508.8	175.0	54.3	0	Filled Joint / Fracture
508.9	259.0	47.7	0	Filled Joint / Fracture
509.0	182.5	57.4	11.31	Filled Joint / Fracture
509.4	238.4	46.4	0	Filled Joint / Fracture
509.6	152.4	58.2	0	Filled Joint / Fracture
509.8	219.1	40.1	0	Filled Joint / Fracture
509.9	244.5	51.1	0	Filled Joint / Fracture
510.2	227.6	57.2	0	Filled Joint / Fracture
511.4	255.2	69.7	0	Filled Joint / Fracture
511.5	250.2	37.2	0	Filled Joint / Fracture
511.6	216.1	45.7	0	Filled Joint / Fracture
511.9	168.2	28.0	0	Filled Joint / Fracture
511.9	171.5	47.5	0	Filled Joint / Fracture
512.0	248.3	84.9	0	Filled Joint / Fracture
512.0	248.9	70.9	0	Filled Joint / Fracture
512.6	178.7	51.9	0	Filled Joint / Fracture
513.0	351.3	41.7	0	Filled Joint / Fracture
513.4	206.8	65.6	0	Filled Joint / Fracture
514.0	1.9	38.4	0	Filled Joint / Fracture
514.2	245.2	60.9	0	Filled Joint / Fracture
514.4	127.6	62.3	0	Filled Joint / Fracture
515.4	212.4	44.0	0	Filled Joint / Fracture
515.7	175.9	37.9	0	Filled Joint / Fracture
516.1	254.5	44.4	0	Filled Joint / Fracture
516.5	249.3	64.2	0	Filled Joint / Fracture
516.7	251.6	67.6	0	Filled Joint / Fracture
517.0	189.3	33.3	0	Filled Joint / Fracture
517.5	223.2	62.4	0	Filled Joint / Fracture
517.6	185.9	38.7	0	Filled Joint / Fracture
518.0	197.6	35.2	0	Filled Joint / Fracture
518.3	241.0	73.4	0	Filled Joint / Fracture
519.1	208.0	71.4	0	Filled Joint / Fracture
519.5	234.9	62.6	0	Filled Joint / Fracture
519.8	244.6	64.9	0	Filled Joint / Fracture
520.4	249.4	48.2	0	Filled Joint / Fracture
520.7	243.9	53.6	0	Filled Joint / Fracture
520.9	350.1	46.8	0	Filled Joint / Fracture
521.2	207.1	79.5	0	Filled Joint / Fracture
521.7	196.1	68.8	0	Filled Joint / Fracture

521.7	244.8	41.3	0	Filled Joint / Fracture
522.3	233.5	57.5	0	Filled Joint / Fracture
522.6	223.0	46.1	0	Filled Joint / Fracture
522.7	240.7	55.2	0	Filled Joint / Fracture
523.3	23.2	62.2	0	Filled Joint / Fracture
523.3	260.0	48.5	0	Filled Joint / Fracture
523.5	242.9	26.9	0	Filled Joint / Fracture
524.0	249.6	44.7	0	Filled Joint / Fracture
524.1	112.1	55.9	0	Filled Joint / Fracture
524.5	263.5	65.1	0	Filled Joint / Fracture
524.6	226.7	69.5	0	Filled Joint / Fracture
524.8	139.5	56.4	0	Filled Joint / Fracture
524.8	62.1	62.2	0	Filled Joint / Fracture
524.8	234.9	61.3	0	Filled Joint / Fracture
525.5	234.3	33.5	0	Filled Joint / Fracture
525.8	254.2	86.6	0	Filled Joint / Fracture
526.2	237.5	35.1	0	Filled Joint / Fracture
526.2	34.5	75.0	0	Filled Joint / Fracture
527.0	257.6	46.9	0	Filled Joint / Fracture
527.5	250.5	51.4	0	Filled Joint / Fracture
527.5	68.9	77.9	0	Filled Joint / Fracture
527.7	267.9	56.1	0	Filled Joint / Fracture
528.3	229.8	42.4	0	Filled Joint / Fracture
528.5	244.8	38.5	0	Filled Joint / Fracture
528.9	39.0	73.0	0	Filled Joint / Fracture
529.3	266.3	49.9	0	Filled Joint / Fracture
529.5	209.1	71.6	0	Filled Joint / Fracture
530.0	253.6	52.8	0	Filled Joint / Fracture
530.2	252.1	49.0	0	Filled Joint / Fracture
531.1	270.3	47.0	0	Filled Joint / Fracture
531.4	236.9	41.9	0	Filled Joint / Fracture
531.9	250.2	55.0	0	Filled Joint / Fracture
532.5	211.7	23.3	0	Filled Joint / Fracture
532.7	272.8	43.8	0	Filled Joint / Fracture
532.9	250.5	29.0	0	Filled Joint / Fracture
533.1	217.7	26.0	0	Filled Joint / Fracture
533.7	251.5	62.2	0	Filled Joint / Fracture
533.7	184.6	61.7	0	Filled Joint / Fracture
533.9	59.5	71.7	0	Filled Joint / Fracture
534.0	231.1	42.4	0	Filled Joint / Fracture
534.2	234.4	67.2	0	Filled Joint / Fracture

534.3	246.2	46.5	0	Filled Joint / Fracture
534.4	210.3	87.3	0	Filled Joint / Fracture
534.7	190.0	68.0	0	Filled Joint / Fracture
534.7	60.7	60.3	0	Filled Joint / Fracture
535.2	68.7	65.7	0	Filled Joint / Fracture
536.0	304.4	56.3	0	Filled Joint / Fracture
536.1	56.3	72.0	0	Filled Joint / Fracture
536.2	296.5	49.3	0	Filled Joint / Fracture
536.6	9.2	31.0	0	Filled Joint / Fracture
536.6	197.1	38.3	0	Filled Joint / Fracture
537.6	59.5	72.0	0	Filled Joint / Fracture
537.8	58.5	62.9	0	Filled Joint / Fracture
537.9	266.5	65.3	0	Filled Joint / Fracture
538.0	276.2	49.8	0	Filled Joint / Fracture
538.9	256.7	57.5	0	Filled Joint / Fracture
539.3	259.9	53.0	0	Filled Joint / Fracture
539.7	260.6	52.2	0	Filled Joint / Fracture
540.0	253.6	35.7	0	Filled Joint / Fracture
541.1	252.4	45.4	0	Filled Joint / Fracture
541.4	77.1	30.9	0	Filled Joint / Fracture
541.4	60.2	38.1	0	Filled Joint / Fracture
541.7	268.0	45.0	0	Filled Joint / Fracture
542.2	187.3	50.8	0	Filled Joint / Fracture
542.7	5.7	75.0	0	Filled Joint / Fracture
542.8	246.6	52.1	0	Filled Joint / Fracture
543.0	359.7	67.8	0	Filled Joint / Fracture
543.9	266.4	28.4	0	Filled Joint / Fracture
544.0	243.9	33.8	0	Filled Joint / Fracture
544.1	317.4	17.7	16.49	Filled Joint / Fracture
544.7	233.2	56.3	0	Filled Joint / Fracture
545.2	247.5	80.8	0	Filled Joint / Fracture
545.2	1.1	33.9	0	Filled Joint / Fracture
545.9	256.8	78.8	0	Filled Joint / Fracture
546.1	264.3	23.6	0	Filled Joint / Fracture
547.4	244.9	82.3	0	Filled Joint / Fracture
547.4	55.4	69.1	0	Filled Joint / Fracture
547.6	100.0	33.2	0	Filled Joint / Fracture
547.6	229.0	49.9	0	Filled Joint / Fracture
548.0	215.1	46.3	0	Filled Joint / Fracture
548.3	247.8	41.0	0	Filled Joint / Fracture
548.6	336.7	27.3	0	Filled Joint / Fracture

548.8	267.7	56.3	0	Filled Joint / Fracture
548.9	251.9	43.1	0	Filled Joint / Fracture
549.0	252.4	77.5	0	Filled Joint / Fracture
549.0	112.3	30.9	0	Filled Joint / Fracture
549.8	94.3	43.2	0	Filled Joint / Fracture
550.0	253.0	53.0	0	Filled Joint / Fracture
550.2	254.7	73.3	0	Filled Joint / Fracture
550.6	76.8	74.5	0	Filled Joint / Fracture
551.0	256.6	44.3	0	Filled Joint / Fracture
551.4	191.4	66.4	0	Filled Joint / Fracture
551.8	204.4	63.1	0	Filled Joint / Fracture
551.9	211.0	22.3	0	Filled Joint / Fracture
552.1	245.8	42.3	0	Filled Joint / Fracture
552.4	203.8	61.1	0	Filled Joint / Fracture
552.4	215.6	34.3	0	Filled Joint / Fracture
552.8	214.4	70.7	0	Filled Joint / Fracture
552.9	258.8	38.6	0	Filled Joint / Fracture
553.2	151.0	60.3	0	Filled Joint / Fracture
553.2	263.9	42.1	0	Filled Joint / Fracture
553.6	331.9	33.4	0	Filled Joint / Fracture
553.8	217.4	65.2	0	Filled Joint / Fracture
554.2	204.9	68.1	0	Filled Joint / Fracture
554.4	221.2	57.4	0	Filled Joint / Fracture
555.2	219.6	45.3	0	Filled Joint / Fracture
555.4	173.9	21.3	0	Filled Joint / Fracture
555.5	11.4	26.0	0	Filled Joint / Fracture
555.8	201.9	59.6	0	Filled Joint / Fracture
556.5	271.3	27.0	0	Filled Joint / Fracture
558.1	288.4	65.3	0	Filled Joint / Fracture
558.3	222.3	50.8	0	Filled Joint / Fracture
559.7	245.5	36.7	0	Filled Joint / Fracture
560.6	295.1	48.1	0	Filled Joint / Fracture
560.9	116.4	40.7	0	Filled Joint / Fracture
561.2	264.1	59.5	0	Filled Joint / Fracture
561.8	289.4	63.3	0	Filled Joint / Fracture
562.2	255.7	69.0	0	Filled Joint / Fracture
562.7	331.0	59.4	0	Filled Joint / Fracture
563.5	30.6	22.4	0	Filled Joint / Fracture
564.3	243.0	65.0	0	Filled Joint / Fracture
564.3	196.1	78.5	0	Filled Joint / Fracture
564.7	254.2	56.7	0	Filled Joint / Fracture

564.9	317.6	30.1	0	Filled Joint / Fracture
565.0	210.6	44.7	0	Filled Joint / Fracture
565.3	212.9	46.9	0	Filled Joint / Fracture
565.6	179.4	78.8	0	Filled Joint / Fracture
565.7	3.1	32.0	0	Filled Joint / Fracture
565.7	205.3	73.0	0	Filled Joint / Fracture
565.8	357.1	34.4	0	Filled Joint / Fracture
566.7	123.9	57.8	0	Filled Joint / Fracture
567.2	209.1	45.9	0	Filled Joint / Fracture
567.7	282.2	62.9	0	Filled Joint / Fracture
567.8	51.8	46.6	0	Filled Joint / Fracture
568.4	297.1	45.0	0	Filled Joint / Fracture
568.5	214.3	12.6	0	Filled Joint / Fracture
568.8	232.6	49.4	0	Filled Joint / Fracture
568.9	199.8	46.1	0	Filled Joint / Fracture
569.0	261.8	50.5	0	Filled Joint / Fracture
569.0	240.5	77.2	0	Filled Joint / Fracture
569.0	226.2	50.7	0	Filled Joint / Fracture
569.3	279.5	41.6	0	Filled Joint / Fracture
569.9	245.9	63.7	0	Filled Joint / Fracture
570.6	332.4	24.5	0	Filled Joint / Fracture
570.7	323.1	20.9	0	Filled Joint / Fracture
570.8	249.7	60.6	0	Filled Joint / Fracture
570.8	356.4	38.5	0	Filled Joint / Fracture
571.0	243.9	62.0	0	Filled Joint / Fracture
571.1	230.0	67.1	0	Filled Joint / Fracture
571.6	307.2	20.1	0	Filled Joint / Fracture
572.1	72.4	51.9	0	Filled Joint / Fracture
572.7	301.5	59.2	0	Filled Joint / Fracture
573.0	36.1	53.2	28.46	Filled Joint / Fracture
573.3	294.6	34.1	0	Filled Joint / Fracture
573.5	61.3	39.9	0	Filled Joint / Fracture
574.0	277.1	28.6	0	Filled Joint / Fracture
574.2	23.7	24.7	0	Filled Joint / Fracture
574.2	35.6	73.8	0	Filled Joint / Fracture
574.8	25.3	39.7	0	Filled Joint / Fracture
574.6	183.9	68.8	0	Filled Joint / Fracture
575.4	265.7	30.5	0	Filled Joint / Fracture
575.8	252.4	48.1	0	Filled Joint / Fracture
576.0	72.5	71.1	0	Filled Joint / Fracture
576.0	76.3	64.8	0	Filled Joint / Fracture

576.2	191.8	36.2	0	Filled Joint / Fracture
576.3	252.0	72.6	0	Filled Joint / Fracture
576.4	194.0	45.4	0	Filled Joint / Fracture
576.5	39.6	23.9	0	Filled Joint / Fracture
576.8	23.7	24.1	0	Filled Joint / Fracture
576.9	277.1	51.0	0	Filled Joint / Fracture
577.0	280.3	67.0	0	Filled Joint / Fracture
577.0	36.6	41.4	0	Filled Joint / Fracture
577.1	285.7	62.1	0	Filled Joint / Fracture
577.2	281.1	56.7	0	Filled Joint / Fracture
577.2	44.7	30.2	0	Filled Joint / Fracture
577.4	263.6	54.5	0	Filled Joint / Fracture
577.6	251.0	60.8	0	Filled Joint / Fracture
577.9	39.3	31.7	0	Filled Joint / Fracture
578.0	244.6	31.7	0	Filled Joint / Fracture
578.0	292.7	69.5	0	Filled Joint / Fracture
579.3	36.6	67.6	0	Filled Joint / Fracture
579.4	307.8	49.7	0	Filled Joint / Fracture
579.4	168.8	65.1	0	Filled Joint / Fracture
580.4	198.3	37.8	0	Filled Joint / Fracture
580.7	172.0	42.4	0	Filled Joint / Fracture
581.0	190.5	63.2	0	Filled Joint / Fracture
581.3	226.7	35.3	0	Filled Joint / Fracture
582.3	264.0	55.1	0	Filled Joint / Fracture
582.9	189.2	57.6	0	Filled Joint / Fracture
582.9	309.1	35.8	0	Filled Joint / Fracture
583.4	239.7	35.1	0	Filled Joint / Fracture
583.7	189.1	41.3	0	Filled Joint / Fracture
584.0	63.0	50.5	0	Filled Joint / Fracture
584.5	199.5	50.6	0	Filled Joint / Fracture
585.3	212.3	38.8	0	Filled Joint / Fracture
585.7	169.2	71.4	0	Filled Joint / Fracture
588.0	318.6	79.5	6.11	Filled Joint / Fracture
588.9	183.9	28.8	0	Filled Joint / Fracture
589.4	187.7	34.3	0	Filled Joint / Fracture
590.0	188.4	44.6	0	Filled Joint / Fracture
590.5	178.8	38.9	0	Filled Joint / Fracture
591.2	182.7	39.2	0	Filled Joint / Fracture
591.6	55.6	73.5	0	Filled Joint / Fracture
591.6	190.2	48.8	0	Filled Joint / Fracture
592.6	211.5	37.9	0	Filled Joint / Fracture

592.8	323.9	74.8	0	Filled Joint / Fracture
593.4	297.1	41.7	0	Filled Joint / Fracture
594.6	188.9	61.6	0	Filled Joint / Fracture
594.7	77.9	25.7	0	Filled Joint / Fracture
595.1	160.1	37.0	0	Filled Joint / Fracture
596.9	159.0	74.4	3.77	Filled Joint / Fracture
598.4	142.2	82.4	0	Filled Joint / Fracture
598.7	88.3	78.1	0	Filled Joint / Fracture
598.9	220.6	22.3	0	Filled Joint / Fracture
599.0	207.1	40.8	0	Filled Joint / Fracture
599.8	345.6	28.8	0	Filled Joint / Fracture
600.1	300.4	64.5	0	Filled Joint / Fracture
601.3	154.8	73.3	0	Filled Joint / Fracture
603.5	71.9	70.7	0	Filled Joint / Fracture
603.9	44.8	76.4	0	Filled Joint / Fracture
605.8	249.7	74.0	0	Filled Joint / Fracture
606.8	58.8	57.0	12.08	Filled Joint / Fracture
607.4	249.9	25.9	0	Filled Joint / Fracture
608.2	349.9	64.3	0	Filled Joint / Fracture
609.4	141.0	56.4	19.13	Filled Joint / Fracture
609.8	317.1	80.0	11.06	Filled Joint / Fracture
609.8	308.4	65.8	23.46	Filled Joint / Fracture
610.0	317.8	42.4	0	Filled Joint / Fracture
610.7	256.5	35.2	0	Filled Joint / Fracture
610.9	193.5	27.4	0	Filled Joint / Fracture
611.0	212.6	44.2	0	Filled Joint / Fracture
611.3	203.7	37.8	0	Filled Joint / Fracture
611.4	180.5	51.3	0	Filled Joint / Fracture
611.6	267.5	58.7	0	Filled Joint / Fracture
611.8	190.3	35.3	0	Filled Joint / Fracture
612.1	204.4	38.4	0	Filled Joint / Fracture
612.0	168.8	71.6	0	Filled Joint / Fracture
612.8	171.0	56.5	0	Filled Joint / Fracture
613.1	267.8	45.0	0	Filled Joint / Fracture
613.2	277.8	27.1	9.88	Filled Joint / Fracture
613.5	282.6	34.5	0	Filled Joint / Fracture
613.6	272.0	40.1	0	Filled Joint / Fracture
614.2	50.7	75.5	0	Filled Joint / Fracture
614.4	275.8	32.9	0	Filled Joint / Fracture
614.7	174.3	43.3	0	Filled Joint / Fracture
615.3	0.4	70.8	0	Filled Joint / Fracture

615.4	251.7	43.9	8.58	Filled Joint / Fracture
615.5	16.1	53.1	0	Filled Joint / Fracture
615.6	20.6	73.6	0	Filled Joint / Fracture
615.7	234.3	45.3	0	Filled Joint / Fracture
616.3	6.7	16.8	0	Filled Joint / Fracture
616.7	256.4	28.8	0	Filled Joint / Fracture
616.8	213.1	64.1	0	Filled Joint / Fracture
616.8	274.7	24.2	0	Filled Joint / Fracture
617.3	186.8	63.1	0	Filled Joint / Fracture
617.9	348.1	39.3	0	Filled Joint / Fracture
618.3	3.1	44.3	0	Filled Joint / Fracture
618.4	253.6	72.1	0	Filled Joint / Fracture
618.5	250.0	21.2	0	Filled Joint / Fracture
618.5	0.1	72.0	0	Filled Joint / Fracture
618.9	222.4	76.7	0	Filled Joint / Fracture
619.0	186.8	58.3	0	Filled Joint / Fracture
619.5	231.5	47.7	0	Filled Joint / Fracture
620.3	343.2	39.8	0	Filled Joint / Fracture
620.3	187.5	34.6	0	Filled Joint / Fracture
620.9	296.1	58.0	0	Filled Joint / Fracture
620.9	230.9	41.0	0	Filled Joint / Fracture
621.3	346.6	42.3	0	Filled Joint / Fracture
621.9	171.9	26.3	0	Filled Joint / Fracture
622.2	304.2	40.2	0	Filled Joint / Fracture
622.4	203.7	41.8	0	Filled Joint / Fracture
622.8	213.0	24.9	0	Filled Joint / Fracture
623.2	280.9	53.7	0	Filled Joint / Fracture
623.2	208.4	42.4	15.43	Filled Joint / Fracture
623.8	332.8	24.0	8.7	Filled Joint / Fracture
624.0	197.0	27.2	0	Filled Joint / Fracture
624.7	269.1	74.6	0	Filled Joint / Fracture
624.8	162.2	58.4	0	Filled Joint / Fracture
625.1	221.9	48.1	0	Filled Joint / Fracture
625.3	185.9	48.1	0	Filled Joint / Fracture
625.4	180.1	61.3	0	Filled Joint / Fracture
626.1	209.9	58.3	0	Filled Joint / Fracture
626.8	309.0	32.3	0	Filled Joint / Fracture
627.0	2.3	30.2	0	Filled Joint / Fracture
627.4	65.9	36.6	0	Filled Joint / Fracture
627.6	260.3	42.5	0	Filled Joint / Fracture
628.2	188.9	46.9	0	Filled Joint / Fracture

628.4	302.5	40.4	0	Filled Joint / Fracture
628.7	273.0	36.9	0	Filled Joint / Fracture
628.8	297.6	23.5	0	Filled Joint / Fracture
628.9	248.7	33.0	0	Filled Joint / Fracture
629.5	182.0	38.3	0	Filled Joint / Fracture
629.8	234.7	42.7	0	Filled Joint / Fracture
630.0	199.9	38.1	0	Filled Joint / Fracture
630.2	272.0	36.9	0	Filled Joint / Fracture
630.4	201.5	51.8	0	Filled Joint / Fracture
630.7	268.8	51.8	0	Filled Joint / Fracture
631.7	242.3	66.9	4.37	Filled Joint / Fracture
631.5	209.5	32.4	0	Filled Joint / Fracture
631.8	267.5	44.3	0	Filled Joint / Fracture
632.0	248.4	48.9	0	Filled Joint / Fracture
632.9	233.4	58.8	0	Filled Joint / Fracture
633.3	279.4	24.6	0	Filled Joint / Fracture
633.3	227.7	73.9	0	Filled Joint / Fracture
633.9	280.8	52.8	0	Filled Joint / Fracture
634.4	247.3	67.9	0	Filled Joint / Fracture
635.1	225.6	43.1	0	Filled Joint / Fracture
635.6	247.1	41.4	0	Filled Joint / Fracture
635.6	30.2	52.9	0	Filled Joint / Fracture
635.6	214.2	48.4	0	Filled Joint / Fracture
636.0	195.3	37.4	0	Filled Joint / Fracture
637.7	203.0	53.2	0	Filled Joint / Fracture
638.4	355.7	34.7	0	Filled Joint / Fracture
639.6	249.1	53.6	0	Filled Joint / Fracture
639.9	207.7	61.3	0	Filled Joint / Fracture
640.6	242.2	60.6	0	Filled Joint / Fracture
641.2	38.4	62.7	0	Filled Joint / Fracture
641.3	239.3	70.1	0	Filled Joint / Fracture
641.9	193.2	47.9	0	Filled Joint / Fracture
642.0	166.2	54.9	0	Filled Joint / Fracture
642.3	19.0	55.7	0	Filled Joint / Fracture
643.1	179.9	33.3	0	Filled Joint / Fracture
643.7	254.7	66.6	0	Filled Joint / Fracture
643.8	182.9	60.3	0	Filled Joint / Fracture
644.1	228.0	66.7	0	Filled Joint / Fracture
644.5	256.4	52.0	0	Filled Joint / Fracture
644.6	239.8	40.3	0	Filled Joint / Fracture
644.9	267.0	65.6	0	Filled Joint / Fracture

645.7	240.0	25.4	0	Filled Joint / Fracture
645.8	251.7	74.4	0	Filled Joint / Fracture
646.3	32.6	39.5	0	Filled Joint / Fracture
647.0	338.7	78.4	0	Filled Joint / Fracture
648.3	201.2	37.5	0	Filled Joint / Fracture
648.5	315.4	62.8	0	Filled Joint / Fracture
650.2	309.1	42.2	0	Filled Joint / Fracture
650.5	270.5	21.1	0	Filled Joint / Fracture
651.1	214.5	42.0	0	Filled Joint / Fracture
651.9	133.4	74.9	0	Filled Joint / Fracture
652.1	257.4	69.5	0	Filled Joint / Fracture
653.3	203.3	75.2	0	Filled Joint / Fracture
655.1	191.0	48.2	0	Filled Joint / Fracture
655.5	274.0	45.5	0	Filled Joint / Fracture
655.6	336.9	81.2	0	Filled Joint / Fracture
655.9	316.2	44.5	0	Filled Joint / Fracture
656.9	351.3	50.8	0	Filled Joint / Fracture
657.1	325.7	76.0	0	Filled Joint / Fracture
658.8	160.3	74.3	0	Filled Joint / Fracture
660.5	299.5	61.1	5.15	Filled Joint / Fracture
661.6	296.3	61.5	0	Filled Joint / Fracture
662.0	161.3	78.7	0	Filled Joint / Fracture
662.0	237.8	41.6	0	Filled Joint / Fracture
662.0	197.4	58.7	0	Filled Joint / Fracture
662.7	298.6	66.2	0	Filled Joint / Fracture
663.9	308.7	38.6	0	Filled Joint / Fracture
664.2	332.8	81.6	0	Filled Joint / Fracture
664.6	329.9	44.8	0	Filled Joint / Fracture
665.2	344.6	35.0	0	Filled Joint / Fracture
665.5	297.0	43.6	0	Filled Joint / Fracture
666.2	196.0	76.4	0	Filled Joint / Fracture
666.9	330.8	38.4	0	Filled Joint / Fracture
667.5	349.3	36.2	0	Filled Joint / Fracture
667.9	152.8	34.9	0	Filled Joint / Fracture
668.4	251.7	49.8	0	Filled Joint / Fracture
668.6	251.1	72.9	20.4	Filled Joint / Fracture
670.6	22.4	40.5	0	Filled Joint / Fracture
670.7	298.5	55.9	0	Filled Joint / Fracture
671.6	251.4	62.2	0	Filled Joint / Fracture
672.6	264.2	56.9	0	Filled Joint / Fracture
672.9	266.8	63.0	0	Filled Joint / Fracture

673.2	290.8	63.6	0	Filled Joint / Fracture
673.2	237.7	30.5	0	Filled Joint / Fracture
673.7	260.7	61.4	0	Filled Joint / Fracture
674.1	265.6	72.0	0	Filled Joint / Fracture
674.2	199.4	20.9	0	Filled Joint / Fracture
674.7	185.9	42.8	0	Filled Joint / Fracture
675.0	216.7	36.9	0	Filled Joint / Fracture
675.8	207.1	40.8	0	Filled Joint / Fracture
676.5	217.5	29.8	0	Filled Joint / Fracture
677.4	202.0	39.1	0	Filled Joint / Fracture
677.7	180.5	59.0	0	Filled Joint / Fracture
678.2	226.7	38.9	0	Filled Joint / Fracture
678.3	205.4	47.9	0	Filled Joint / Fracture
678.6	254.0	38.1	0	Filled Joint / Fracture
678.7	221.2	40.5	0	Filled Joint / Fracture
679.0	236.8	49.6	0	Filled Joint / Fracture
679.2	220.9	41.0	0	Filled Joint / Fracture
679.3	238.0	41.6	0	Filled Joint / Fracture
679.6	229.7	31.1	0	Filled Joint / Fracture
680.5	141.3	52.9	0	Filled Joint / Fracture
681.8	240.0	20.2	0	Filled Joint / Fracture
683.7	258.8	24.4	0	Filled Joint / Fracture
683.8	163.0	30.4	0	Filled Joint / Fracture
683.9	192.4	32.4	0	Filled Joint / Fracture
684.2	202.6	38.1	0	Filled Joint / Fracture
684.8	142.5	31.0	0	Filled Joint / Fracture
685.6	331.2	47.0	0	Filled Joint / Fracture
685.8	329.7	46.6	0	Filled Joint / Fracture
686.6	264.7	42.7	0	Filled Joint / Fracture
686.7	161.7	67.1	0	Filled Joint / Fracture
687.4	348.4	25.9	0	Filled Joint / Fracture
687.5	263.6	35.6	0	Filled Joint / Fracture
687.9	44.9	15.2	0	Filled Joint / Fracture
688.1	347.1	45.5	0	Filled Joint / Fracture
688.5	299.4	36.4	0	Filled Joint / Fracture
688.7	21.7	17.2	0	Filled Joint / Fracture
688.9	240.8	56.2	0	Filled Joint / Fracture
688.9	246.8	30.1	0	Filled Joint / Fracture
689.0	241.9	26.3	0	Filled Joint / Fracture
689.2	356.9	20.4	9.31	Filled Joint / Fracture
689.5	135.0	44.9	0	Filled Joint / Fracture

689.7	170.0	48.3	0	Filled Joint / Fracture
689.8	291.5	51.2	0	Filled Joint / Fracture
689.9	61.8	22.2	0	Filled Joint / Fracture
690.1	259.6	55.5	0	Filled Joint / Fracture
690.2	187.9	56.2	0	Filled Joint / Fracture
690.4	83.8	66.1	0	Filled Joint / Fracture
690.6	139.8	87.5	0	Filled Joint / Fracture
690.5	72.5	42.9	0	Filled Joint / Fracture
690.7	237.7	67.4	0	Filled Joint / Fracture
690.9	143.9	30.2	0	Filled Joint / Fracture
691.1	159.6	50.6	0	Filled Joint / Fracture
691.1	11.3	29.5	0	Filled Joint / Fracture
691.0	255.0	65.6	0	Filled Joint / Fracture
691.8	274.6	37.7	0	Filled Joint / Fracture
691.5	64.6	78.0	0	Filled Joint / Fracture
692.3	152.0	24.3	0	Filled Joint / Fracture
692.4	194.7	59.1	0	Filled Joint / Fracture
692.8	171.6	59.3	0	Filled Joint / Fracture
693.4	162.9	42.8	0	Filled Joint / Fracture
693.8	151.8	38.1	0	Filled Joint / Fracture
693.9	258.6	64.4	0	Filled Joint / Fracture
694.6	276.4	79.9	0	Filled Joint / Fracture
694.7	176.3	56.6	0	Filled Joint / Fracture
695.6	158.5	46.5	0	Filled Joint / Fracture
695.8	316.6	70.2	0	Filled Joint / Fracture
696.0	258.0	53.7	0	Filled Joint / Fracture
696.0	336.3	63.4	0	Filled Joint / Fracture
696.3	283.6	63.2	0	Filled Joint / Fracture
696.3	326.3	69.8	0	Filled Joint / Fracture
696.5	305.0	59.2	0	Filled Joint / Fracture
697.2	246.3	48.1	0	Filled Joint / Fracture
697.8	255.6	56.3	0	Filled Joint / Fracture
698.0	173.4	66.5	0	Filled Joint / Fracture
698.3	283.5	65.2	0	Filled Joint / Fracture
698.9	257.6	54.2	0	Filled Joint / Fracture
699.2	161.5	53.5	0	Filled Joint / Fracture
699.5	279.4	73.7	0	Filled Joint / Fracture
700.1	237.9	81.0	0	Filled Joint / Fracture
701.7	220.7	76.2	0	Filled Joint / Fracture
703.8	253.5	62.3	5.07	Filled Joint / Fracture
704.0	290.4	54.9	0	Filled Joint / Fracture

704.1	241.8	45.4	0	Filled Joint / Fracture
704.5	11.2	36.8	0	Filled Joint / Fracture
704.7	248.0	87.2	0	Filled Joint / Fracture
705.0	316.6	25.6	0	Filled Joint / Fracture
705.1	298.8	40.4	0	Filled Joint / Fracture
705.2	217.5	49.0	0	Filled Joint / Fracture
705.5	217.7	23.6	0	Filled Joint / Fracture
705.7	289.3	40.5	0	Filled Joint / Fracture
705.0	255.1	83.3	0	Filled Joint / Fracture
706.6	251.6	57.0	0	Filled Joint / Fracture
706.8	21.3	21.7	0	Filled Joint / Fracture
707.0	265.2	27.2	0	Filled Joint / Fracture
707.1	265.2	29.1	0	Filled Joint / Fracture
708.3	355.7	28.2	0	Filled Joint / Fracture
708.3	26.6	22.2	0	Filled Joint / Fracture
708.4	167.0	61.5	0	Filled Joint / Fracture
708.8	189.1	34.0	0	Filled Joint / Fracture
708.9	25.5	34.9	0	Filled Joint / Fracture
709.7	17.3	30.7	0	Filled Joint / Fracture
710.2	194.8	65.1	0	Filled Joint / Fracture
710.4	180.1	44.9	0	Filled Joint / Fracture
711.4	186.9	69.8	0	Filled Joint / Fracture
711.9	194.8	26.1	0	Filled Joint / Fracture
712.3	174.6	76.8	0	Filled Joint / Fracture
713.5	257.6	41.9	0	Filled Joint / Fracture
714.0	142.3	57.7	0	Filled Joint / Fracture
715.7	191.0	65.3	0	Filled Joint / Fracture
716.4	171.8	66.9	0	Filled Joint / Fracture
718.2	302.5	24.2	0	Filled Joint / Fracture
718.2	334.6	25.5	16.67	Filled Joint / Fracture
718.3	256.2	53.7	0	Filled Joint / Fracture
718.8	334.4	8.4	0	Filled Joint / Fracture
719.3	223.5	38.6	0	Filled Joint / Fracture
719.3	65.4	56.7	0	Filled Joint / Fracture
719.9	162.7	55.4	0	Filled Joint / Fracture
720.1	33.6	53.2	0	Filled Joint / Fracture
720.6	59.1	42.1	0	Filled Joint / Fracture
720.8	336.2	63.6	0	Filled Joint / Fracture
720.8	166.4	29.4	0	Filled Joint / Fracture
720.9	196.8	46.6	0	Filled Joint / Fracture
721.1	9.1	46.2	0	Filled Joint / Fracture

721.7	64.8	44.9	0	Filled Joint / Fracture
722.2	303.7	51.5	0	Filled Joint / Fracture
724.8	336.3	55.3	0	Filled Joint / Fracture
725.3	186.7	68.3	0	Filled Joint / Fracture
726.0	107.6	32.3	0	Filled Joint / Fracture
727.0	153.6	27.0	0	Filled Joint / Fracture
727.2	145.6	36.2	0	Filled Joint / Fracture
727.3	307.5	28.4	0	Filled Joint / Fracture
727.4	264.9	78.3	0	Filled Joint / Fracture
727.6	213.5	32.9	0	Filled Joint / Fracture
727.7	291.1	54.9	0	Filled Joint / Fracture
728.0	164.9	44.4	0	Filled Joint / Fracture
728.4	7.2	27.8	101.73	Filled Joint / Fracture
728.9	17.3	55.1	5.8	Filled Joint / Fracture
728.9	242.4	33.8	0	Filled Joint / Fracture
729.2	259.7	40.0	0	Filled Joint / Fracture
729.2	70.9	58.5	0	Filled Joint / Fracture
729.4	267.3	38.6	0	Filled Joint / Fracture
729.6	313.2	28.1	17.7	Filled Joint / Fracture
729.9	337.1	25.5	0	Filled Joint / Fracture
730.1	205.2	27.6	0	Filled Joint / Fracture
730.3	223.9	58.0	0	Filled Joint / Fracture
730.7	344.4	52.2	0	Filled Joint / Fracture
731.1	217.1	39.6	0	Filled Joint / Fracture
731.2	235.5	43.9	0	Filled Joint / Fracture
731.5	224.4	62.0	0	Filled Joint / Fracture
731.6	232.4	45.0	0	Filled Joint / Fracture
731.9	283.7	42.2	26.81	Filled Joint / Fracture
732.4	306.7	38.3	21.4	Filled Joint / Fracture
732.6	140.1	69.5	0	Filled Joint / Fracture
732.8	291.2	35.0	0	Filled Joint / Fracture
733.1	30.1	28.5	0	Filled Joint / Fracture
733.4	136.3	37.3	0	Filled Joint / Fracture
734.0	312.7	52.7	13.14	Filled Joint / Fracture
734.4	242.6	60.5	0	Filled Joint / Fracture
734.6	114.7	45.3	0	Filled Joint / Fracture
734.8	157.2	53.5	0	Filled Joint / Fracture
735.6	1.0	70.1	0	Filled Joint / Fracture
735.9	354.3	67.3	0	Filled Joint / Fracture
735.9	159.7	50.6	0	Filled Joint / Fracture
736.2	11.5	30.0	26.64	Filled Joint / Fracture

736.6	17.6	30.1	23.1	Filled Joint / Fracture
736.8	236.5	49.4	18.08	Filled Joint / Fracture
737.3	279.8	58.7	0	Filled Joint / Fracture
738.4	259.5	48.9	0	Filled Joint / Fracture
738.9	243.5	35.9	0	Filled Joint / Fracture
738.9	245.4	69.1	0	Filled Joint / Fracture
739.3	231.1	81.8	0	Filled Joint / Fracture
739.7	223.3	67.6	0	Filled Joint / Fracture
740.8	262.6	69.5	0	Filled Joint / Fracture
741.8	238.4	64.2	0	Filled Joint / Fracture
742.0	147.7	66.1	0	Filled Joint / Fracture
742.7	236.5	86.5	0	Filled Joint / Fracture
742.7	252.7	72.1	0	Filled Joint / Fracture
743.0	245.3	77.4	0	Filled Joint / Fracture
743.2	263.6	53.4	0	Filled Joint / Fracture
743.4	254.1	50.5	0	Filled Joint / Fracture
743.6	244.5	53.4	0	Filled Joint / Fracture
743.7	235.4	58.1	0	Filled Joint / Fracture
744.7	318.4	72.3	0	Filled Joint / Fracture
744.7	251.2	48.0	0	Filled Joint / Fracture
745.0	307.1	74.3	0	Filled Joint / Fracture
745.7	263.3	54.1	0	Filled Joint / Fracture
745.9	234.8	71.7	0	Filled Joint / Fracture
746.2	270.0	63.6	0	Filled Joint / Fracture
746.5	192.6	59.4	5.31	Filled Joint / Fracture
746.8	137.2	62.7	0	Filled Joint / Fracture
746.9	252.4	51.0	0	Filled Joint / Fracture
747.2	268.3	50.3	0	Filled Joint / Fracture
747.3	229.0	47.4	0	Filled Joint / Fracture
747.4	153.3	56.0	0	Filled Joint / Fracture
747.6	255.7	63.4	0	Filled Joint / Fracture
747.8	251.6	64.5	0	Filled Joint / Fracture
748.0	234.2	65.3	0	Filled Joint / Fracture
747.9	267.4	65.9	0	Filled Joint / Fracture
748.8	271.4	61.1	0	Filled Joint / Fracture
749.1	257.6	63.5	0	Filled Joint / Fracture
749.2	13.4	67.9	0	Filled Joint / Fracture
749.6	150.1	72.7	0	Filled Joint / Fracture
750.2	219.2	51.2	0	Filled Joint / Fracture
750.6	230.2	67.2	20.46	Filled Joint / Fracture
751.1	240.8	73.0	0	Filled Joint / Fracture

751.6	238.9	55.1	0	Filled Joint / Fracture
751.8	261.1	67.6	13.32	Filled Joint / Fracture
752.1	238.7	66.4	0	Filled Joint / Fracture
752.4	225.7	59.7	0	Filled Joint / Fracture
752.8	244.0	59.6	0	Filled Joint / Fracture
753.2	265.2	62.0	0	Filled Joint / Fracture
753.5	210.3	51.9	14.89	Filled Joint / Fracture
753.9	141.2	58.7	0	Filled Joint / Fracture
754.1	218.0	74.0	0	Filled Joint / Fracture
754.4	244.2	52.4	0	Filled Joint / Fracture
754.5	80.3	47.6	0	Filled Joint / Fracture
754.6	221.5	77.1	0	Filled Joint / Fracture
754.9	95.7	46.7	0	Filled Joint / Fracture
755.2	260.3	73.6	0	Filled Joint / Fracture
755.7	231.7	57.9	14.12	Filled Joint / Fracture
756.1	209.3	63.8	0	Filled Joint / Fracture
756.2	197.7	64.7	0	Filled Joint / Fracture
756.3	278.8	37.9	0	Filled Joint / Fracture
756.5	152.0	46.9	0	Filled Joint / Fracture
757.1	349.9	47.7	45.4	Filled Joint / Fracture
757.8	248.0	71.9	0	Filled Joint / Fracture
758.1	198.4	55.4	0	Filled Joint / Fracture
758.2	211.5	38.6	0	Filled Joint / Fracture
758.5	175.9	73.5	0	Filled Joint / Fracture
759.1	206.0	67.3	0	Filled Joint / Fracture
759.3	276.2	49.4	0	Filled Joint / Fracture
759.5	241.3	37.4	0	Filled Joint / Fracture
759.8	274.6	33.1	0	Filled Joint / Fracture
760.2	284.3	45.6	0	Filled Joint / Fracture
760.7	288.9	33.4	0	Filled Joint / Fracture
761.0	276.4	66.9	18.38	Filled Joint / Fracture
761.1	264.2	16.7	22.67	Filled Joint / Fracture
761.4	279.1	43.5	0	Filled Joint / Fracture
761.8	222.8	57.3	0	Filled Joint / Fracture
762.2	276.3	78.4	0	Filled Joint / Fracture
762.4	213.9	57.8	0	Filled Joint / Fracture
762.5	12.8	58.3	0	Filled Joint / Fracture
763.0	180.0	37.9	0	Filled Joint / Fracture
763.3	103.4	20.4	0	Filled Joint / Fracture
763.4	109.5	27.0	0	Filled Joint / Fracture
763.4	262.6	56.5	0	Filled Joint / Fracture

763.6	96.7	46.9	0	Filled Joint / Fracture
763.7	258.9	35.1	0	Filled Joint / Fracture
763.9	111.3	51.3	0	Filled Joint / Fracture
763.9	248.9	53.7	0	Filled Joint / Fracture
763.9	145.0	35.3	0	Filled Joint / Fracture
764.4	216.4	27.9	0	Filled Joint / Fracture
764.7	305.9	68.5	0	Filled Joint / Fracture
765.2	162.9	35.9	0	Filled Joint / Fracture
765.3	283.9	42.6	0	Filled Joint / Fracture
765.5	247.4	56.6	0	Filled Joint / Fracture
765.7	196.5	28.5	0	Filled Joint / Fracture
766.2	234.7	48.9	0	Filled Joint / Fracture
766.5	261.1	27.3	0	Filled Joint / Fracture
766.5	215.0	59.0	0	Filled Joint / Fracture
767.1	250.1	30.7	0	Filled Joint / Fracture
767.0	158.2	72.6	0	Filled Joint / Fracture
767.4	106.3	54.0	0	Filled Joint / Fracture
767.4	123.1	68.9	0	Filled Joint / Fracture
767.6	169.9	33.4	0	Filled Joint / Fracture
767.8	101.6	32.8	0	Filled Joint / Fracture
768.3	130.1	25.5	0	Filled Joint / Fracture
768.5	58.1	55.2	0	Filled Joint / Fracture
769.0	136.3	53.5	0	Filled Joint / Fracture
769.3	17.7	49.8	0	Filled Joint / Fracture
769.7	215.2	68.8	0	Filled Joint / Fracture
769.9	312.0	66.6	0	Filled Joint / Fracture
770.2	239.2	69.5	0	Filled Joint / Fracture
770.6	0.0	58.1	0	Filled Joint / Fracture
770.7	219.2	60.4	0	Filled Joint / Fracture
770.9	223.1	65.5	0	Filled Joint / Fracture
771.0	34.5	62.3	0	Filled Joint / Fracture
771.2	229.3	68.5	0	Filled Joint / Fracture
771.4	141.8	66.1	0	Filled Joint / Fracture
771.7	22.5	56.1	0	Filled Joint / Fracture
772.1	144.8	71.0	0	Filled Joint / Fracture
772.5	189.7	71.0	12.77	Filled Joint / Fracture
772.4	208.6	67.8	0	Filled Joint / Fracture
773.2	132.5	69.9	0	Filled Joint / Fracture
773.2	218.5	55.6	0	Filled Joint / Fracture
773.7	231.0	74.0	0	Filled Joint / Fracture
773.7	251.6	43.9	0	Filled Joint / Fracture

773.8	41.4	62.8	0	Filled Joint / Fracture
774.0	52.8	39.6	0	Filled Joint / Fracture
774.5	140.1	63.8	0	Filled Joint / Fracture
774.9	130.8	55.3	0	Filled Joint / Fracture
775.2	233.5	58.7	0	Filled Joint / Fracture
775.3	240.6	71.9	0	Filled Joint / Fracture
775.8	230.4	75.2	0	Filled Joint / Fracture
775.7	232.2	67.9	0	Filled Joint / Fracture
777.0	229.6	73.5	0	Filled Joint / Fracture
777.1	144.8	64.1	0	Filled Joint / Fracture
777.6	51.8	35.9	0	Filled Joint / Fracture
777.8	306.2	57.0	0	Filled Joint / Fracture
778.1	198.0	28.5	17.34	Filled Joint / Fracture
778.5	50.2	70.1	0	Filled Joint / Fracture
779.3	157.3	63.2	0	Filled Joint / Fracture
780.3	233.6	60.0	0	Filled Joint / Fracture
780.9	145.4	50.0	0	Filled Joint / Fracture
781.3	35.6	51.3	0	Filled Joint / Fracture
781.7	41.8	43.7	0	Filled Joint / Fracture
782.2	123.3	61.8	0	Filled Joint / Fracture
782.3	36.8	50.1	0	Filled Joint / Fracture
782.8	20.5	61.3	0	Filled Joint / Fracture
783.0	58.4	59.9	0	Filled Joint / Fracture
783.8	246.8	64.7	32.24	Filled Joint / Fracture
784.2	177.9	25.0	23.18	Filled Joint / Fracture
784.4	222.1	55.4	0	Filled Joint / Fracture
785.0	317.3	55.9	0	Filled Joint / Fracture
785.4	273.3	53.3	0	Filled Joint / Fracture
785.5	277.5	55.7	0	Filled Joint / Fracture
786.1	209.6	68.5	0	Filled Joint / Fracture
786.3	257.7	65.8	0	Filled Joint / Fracture
786.6	211.6	60.3	0	Filled Joint / Fracture
787.6	244.9	66.0	0	Filled Joint / Fracture
787.7	41.2	64.5	0	Filled Joint / Fracture
787.8	240.5	63.4	0	Filled Joint / Fracture
788.0	289.9	63.0	0	Filled Joint / Fracture
788.1	132.6	53.9	0	Filled Joint / Fracture
788.6	282.9	49.0	0	Filled Joint / Fracture
788.7	278.6	54.2	0	Filled Joint / Fracture
788.9	289.6	51.5	0	Filled Joint / Fracture
789.1	75.8	43.4	0	Filled Joint / Fracture

789.0	294.1	66.5	0	Filled Joint / Fracture
789.3	124.3	38.8	0	Filled Joint / Fracture
789.8	121.1	46.9	0	Filled Joint / Fracture
789.8	279.5	57.6	0	Filled Joint / Fracture
790.4	322.9	76.4	0	Filled Joint / Fracture
790.5	88.8	54.4	0	Filled Joint / Fracture
790.7	170.6	48.7	0	Filled Joint / Fracture
791.8	91.4	47.7	0	Filled Joint / Fracture
792.3	156.4	75.5	0	Filled Joint / Fracture
792.5	42.5	54.3	0	Filled Joint / Fracture
793.1	73.5	59.4	0	Filled Joint / Fracture
793.7	278.4	60.4	0	Filled Joint / Fracture
793.8	111.8	65.6	0	Filled Joint / Fracture
794.7	50.3	70.8	0	Filled Joint / Fracture
794.8	281.0	67.2	0	Filled Joint / Fracture
795.0	251.9	63.8	0	Filled Joint / Fracture
795.7	56.3	69.9	0	Filled Joint / Fracture
796.2	119.5	73.8	0	Filled Joint / Fracture
796.4	162.6	43.2	0	Filled Joint / Fracture
796.9	320.2	76.3	0	Filled Joint / Fracture
797.7	289.2	66.2	0	Filled Joint / Fracture
797.9	223.9	78.7	0	Filled Joint / Fracture
798.0	296.7	70.7	0	Filled Joint / Fracture
798.3	287.9	66.7	0	Filled Joint / Fracture
798.4	229.2	67.7	0	Filled Joint / Fracture
798.7	254.8	65.8	0	Filled Joint / Fracture
799.2	244.2	64.1	0	Filled Joint / Fracture
799.4	107.3	67.8	0	Filled Joint / Fracture
799.7	262.8	65.4	0	Filled Joint / Fracture
800.3	337.2	75.8	0	Filled Joint / Fracture
800.3	300.0	61.7	0	Filled Joint / Fracture
800.4	301.5	65.1	0	Filled Joint / Fracture
800.9	342.0	71.0	0	Filled Joint / Fracture
801.0	256.3	74.5	0	Filled Joint / Fracture
801.0	168.3	67.1	0	Filled Joint / Fracture
801.1	257.7	75.5	0	Filled Joint / Fracture
801.6	232.9	56.9	0	Filled Joint / Fracture
801.7	234.3	73.7	0	Filled Joint / Fracture
802.0	227.5	70.5	0	Filled Joint / Fracture
802.3	248.8	63.5	0	Filled Joint / Fracture
802.6	242.9	67.1	0	Filled Joint / Fracture

802.9	292.2	64.8	0	Filled Joint / Fracture
803.4	290.2	60.1	0	Filled Joint / Fracture
803.9	253.7	76.2	0	Filled Joint / Fracture
804.1	269.2	47.4	0	Filled Joint / Fracture
804.2	261.0	48.5	0	Filled Joint / Fracture
804.5	267.1	56.6	0	Filled Joint / Fracture
804.9	262.9	52.6	0	Filled Joint / Fracture
804.9	263.2	67.7	0	Filled Joint / Fracture
805.2	288.1	62.5	0	Filled Joint / Fracture
805.5	282.9	84.2	0	Filled Joint / Fracture
805.7	122.4	42.0	0	Filled Joint / Fracture
805.9	268.8	76.8	0	Filled Joint / Fracture
806.2	225.8	51.9	0	Filled Joint / Fracture
806.5	119.3	57.8	0	Filled Joint / Fracture
806.6	78.8	76.1	0	Filled Joint / Fracture
806.6	230.2	70.0	0	Filled Joint / Fracture
806.9	243.6	83.9	0	Filled Joint / Fracture
807.0	266.4	65.7	0	Filled Joint / Fracture
807.6	282.0	38.7	0	Filled Joint / Fracture
808.0	287.4	68.4	0	Filled Joint / Fracture
808.5	300.8	67.0	0	Filled Joint / Fracture
809.0	303.3	59.2	0	Filled Joint / Fracture
809.6	240.7	72.1	0	Filled Joint / Fracture
809.9	297.1	72.9	8.76	Filled Joint / Fracture
810.7	128.9	67.1	0	Filled Joint / Fracture
810.9	267.8	77.6	0	Filled Joint / Fracture
810.9	319.9	66.5	0	Filled Joint / Fracture
810.9	113.4	58.3	0	Filled Joint / Fracture
811.6	242.8	68.3	0	Filled Joint / Fracture
811.7	287.4	34.4	0	Filled Joint / Fracture
812.1	264.9	52.0	0	Filled Joint / Fracture
812.1	313.1	62.6	17.6	Filled Joint / Fracture
812.3	290.3	75.1	0	Filled Joint / Fracture
812.5	169.3	44.7	0	Filled Joint / Fracture
813.0	234.7	33.5	0	Filled Joint / Fracture
813.4	121.4	63.6	0	Filled Joint / Fracture
814.5	66.8	43.3	0	Filled Joint / Fracture
814.8	288.4	55.3	0	Filled Joint / Fracture
815.2	68.3	60.2	0	Filled Joint / Fracture
815.2	120.0	54.7	0	Filled Joint / Fracture
815.8	55.4	52.4	0	Filled Joint / Fracture

815.8	207.0	44.6	0	Filled Joint / Fracture
816.6	191.0	42.7	0	Filled Joint / Fracture
816.7	180.8	70.4	0	Filled Joint / Fracture
817.1	248.5	76.8	0	Filled Joint / Fracture
818.1	193.5	53.7	0	Filled Joint / Fracture
818.1	3.9	78.4	0	Filled Joint / Fracture
818.5	265.3	57.3	0	Filled Joint / Fracture
818.8	209.3	34.5	0	Filled Joint / Fracture
819.1	210.4	35.2	0	Filled Joint / Fracture
819.6	25.9	67.6	0	Filled Joint / Fracture
819.5	197.4	51.9	0	Filled Joint / Fracture
820.0	185.9	64.8	6.91	Filled Joint / Fracture
819.8	270.4	59.7	8.06	Filled Joint / Fracture
820.7	206.9	59.4	0	Filled Joint / Fracture
821.2	221.6	51.8	10.39	Filled Joint / Fracture
821.6	247.6	70.8	0	Filled Joint / Fracture
821.6	190.2	84.2	0	Filled Joint / Fracture
822.2	239.7	58.3	0	Filled Joint / Fracture
822.4	123.4	45.4	0	Filled Joint / Fracture
822.5	21.0	73.1	0	Filled Joint / Fracture
822.9	217.7	70.0	4.53	Filled Joint / Fracture
822.8	198.7	73.9	0	Filled Joint / Fracture
823.7	297.0	58.8	0	Filled Joint / Fracture
824.5	75.4	54.5	0	Filled Joint / Fracture
824.6	215.7	59.2	0	Filled Joint / Fracture
824.8	194.3	54.9	0	Filled Joint / Fracture
825.0	200.0	66.8	0	Filled Joint / Fracture
825.3	229.7	48.9	0	Filled Joint / Fracture
825.5	207.7	41.5	0	Filled Joint / Fracture
825.8	196.3	51.3	0	Filled Joint / Fracture
826.3	252.6	43.5	8	Filled Joint / Fracture
826.5	260.2	67.9	0	Filled Joint / Fracture
826.6	227.5	19.9	18.06	Filled Joint / Fracture
826.6	208.2	42.7	0	Filled Joint / Fracture
827.0	177.2	68.9	0	Filled Joint / Fracture
826.9	270.4	57.6	0	Filled Joint / Fracture
827.8	311.1	48.3	0	Filled Joint / Fracture
827.9	276.5	74.5	0	Filled Joint / Fracture
828.3	260.6	42.3	0	Filled Joint / Fracture
828.5	43.7	61.6	0	Filled Joint / Fracture
828.7	258.1	63.8	0	Filled Joint / Fracture

829.1	239.7	40.9	0	Filled Joint / Fracture
829.1	247.4	68.8	0	Filled Joint / Fracture
829.2	226.9	65.7	0	Filled Joint / Fracture
830.0	253.3	77.0	0	Filled Joint / Fracture
830.4	251.2	62.2	4.46	Filled Joint / Fracture
830.5	249.2	79.1	0	Filled Joint / Fracture
831.8	261.9	65.1	0	Filled Joint / Fracture
832.4	227.7	62.4	0	Filled Joint / Fracture
833.0	66.2	61.7	0	Filled Joint / Fracture
833.1	177.2	59.7	0	Filled Joint / Fracture
833.4	252.8	75.6	0	Filled Joint / Fracture
833.8	240.0	62.1	0	Filled Joint / Fracture
834.1	134.6	72.9	0	Filled Joint / Fracture
834.4	188.4	50.6	0	Filled Joint / Fracture
834.4	268.6	34.7	0	Filled Joint / Fracture
835.1	258.1	60.6	0	Filled Joint / Fracture
835.1	226.3	34.5	0	Filled Joint / Fracture
835.2	138.8	28.6	0	Filled Joint / Fracture
835.4	218.5	47.0	11.93	Filled Joint / Fracture
835.7	312.3	42.0	25.82	Filled Joint / Fracture
836.0	283.7	32.4	0	Filled Joint / Fracture
836.3	251.4	53.7	0	Filled Joint / Fracture
836.5	260.6	64.5	0	Filled Joint / Fracture
836.6	156.8	45.1	0	Filled Joint / Fracture
836.9	49.4	12.7	0	Filled Joint / Fracture
837.1	17.4	34.2	0	Filled Joint / Fracture
837.2	283.9	20.0	0	Filled Joint / Fracture
837.3	99.6	43.9	0	Filled Joint / Fracture
837.3	282.4	32.4	0	Filled Joint / Fracture
837.4	232.5	56.7	0	Filled Joint / Fracture
837.6	227.3	78.0	0	Filled Joint / Fracture
837.6	239.2	34.1	0	Filled Joint / Fracture
838.0	301.7	66.5	0	Filled Joint / Fracture
838.2	241.6	76.9	0	Filled Joint / Fracture
838.3	63.1	12.2	0	Filled Joint / Fracture
838.4	284.9	30.8	0	Filled Joint / Fracture
838.6	321.9	70.1	0	Filled Joint / Fracture
838.8	144.8	82.2	0	Filled Joint / Fracture
838.9	213.2	50.1	0	Filled Joint / Fracture
839.0	220.2	39.5	0	Filled Joint / Fracture
839.2	260.8	42.2	0	Filled Joint / Fracture

839.8	243.4	36.3	0	Filled Joint / Fracture
839.9	119.2	57.5	0	Filled Joint / Fracture
840.2	338.5	45.6	0	Filled Joint / Fracture
840.4	252.4	44.8	0	Filled Joint / Fracture
840.8	238.0	52.3	0	Filled Joint / Fracture
840.6	225.6	75.2	0	Filled Joint / Fracture
841.4	244.5	59.0	0	Filled Joint / Fracture
841.4	276.2	71.0	0	Filled Joint / Fracture
841.7	249.7	68.2	0	Filled Joint / Fracture
842.1	86.0	29.3	0	Filled Joint / Fracture
842.3	278.1	39.7	0	Filled Joint / Fracture
842.6	112.5	52.6	0	Filled Joint / Fracture
842.7	243.0	63.1	0	Filled Joint / Fracture
842.8	164.2	41.9	0	Filled Joint / Fracture
843.0	70.6	65.6	0	Filled Joint / Fracture
843.4	256.0	55.8	0	Filled Joint / Fracture
843.5	102.4	48.7	0	Filled Joint / Fracture
843.7	226.1	64.3	14.22	Filled Joint / Fracture
844.9	275.3	64.2	0	Filled Joint / Fracture
845.1	133.8	46.1	0	Filled Joint / Fracture
845.3	270.4	48.0	40.14	Filled Joint / Fracture
845.9	220.0	73.5	0	Filled Joint / Fracture
846.4	191.7	63.7	0	Filled Joint / Fracture
846.8	190.6	28.0	37.01	Filled Joint / Fracture
847.5	169.5	52.6	0	Filled Joint / Fracture
851.5	262.3	50.1	0	Filled Joint / Fracture
852.5	256.9	59.1	0	Filled Joint / Fracture
853.0	252.3	29.0	15.07	Filled Joint / Fracture
853.4	245.7	62.3	0	Filled Joint / Fracture
854.3	260.0	50.7	0	Filled Joint / Fracture
854.6	246.3	51.4	0	Filled Joint / Fracture
855.7	225.0	68.2	0	Filled Joint / Fracture
856.1	254.1	27.5	0	Filled Joint / Fracture
856.2	216.8	79.5	0	Filled Joint / Fracture
856.4	253.5	66.6	0	Filled Joint / Fracture
857.3	110.6	35.8	0	Filled Joint / Fracture
857.6	248.9	51.4	0	Filled Joint / Fracture
857.4	198.9	69.8	0	Filled Joint / Fracture
857.6	222.9	80.1	0	Filled Joint / Fracture
857.9	213.7	76.2	0	Filled Joint / Fracture
858.6	110.5	38.6	0	Filled Joint / Fracture

858.9	272.0	22.0	0	Filled Joint / Fracture
859.8	52.5	79.3	0	Filled Joint / Fracture
860.1	137.4	42.9	0	Filled Joint / Fracture
860.4	134.3	37.4	0	Filled Joint / Fracture
860.9	250.4	53.6	0	Filled Joint / Fracture
861.8	245.8	58.6	0	Filled Joint / Fracture
862.1	257.6	47.3	0	Filled Joint / Fracture
862.4	269.7	48.6	0	Filled Joint / Fracture
862.5	160.1	46.8	0	Filled Joint / Fracture
863.4	265.5	67.1	0	Filled Joint / Fracture
863.7	271.2	59.5	0	Filled Joint / Fracture
864.3	271.1	73.7	0	Filled Joint / Fracture
865.4	267.4	59.4	0	Filled Joint / Fracture
867.2	247.4	68.1	0	Filled Joint / Fracture
867.6	222.3	60.8	0	Filled Joint / Fracture
868.2	219.7	33.7	0	Filled Joint / Fracture
868.2	83.2	58.0	0	Filled Joint / Fracture
869.6	210.7	76.8	0	Filled Joint / Fracture
870.2	225.3	67.3	0	Filled Joint / Fracture
871.6	294.4	67.7	0	Filled Joint / Fracture
872.1	255.8	58.8	0	Filled Joint / Fracture
872.3	256.8	67.2	0	Filled Joint / Fracture
872.9	17.3	70.3	0	Filled Joint / Fracture
876.8	134.8	41.6	0	Filled Joint / Fracture
878.1	263.4	47.7	0	Filled Joint / Fracture
878.6	140.9	46.4	0	Filled Joint / Fracture
879.1	171.3	52.4	0	Filled Joint / Fracture
880.7	264.4	69.3	0	Filled Joint / Fracture
881.1	145.7	64.4	0	Filled Joint / Fracture
881.8	203.3	62.6	0	Filled Joint / Fracture
881.9	149.5	59.2	0	Filled Joint / Fracture
882.2	149.1	48.9	0	Filled Joint / Fracture
882.3	198.7	76.9	0	Filled Joint / Fracture
883.8	159.8	60.3	0	Filled Joint / Fracture
884.2	181.7	65.9	0	Filled Joint / Fracture
884.8	142.2	81.3	0	Filled Joint / Fracture
885.1	14.5	59.4	0	Filled Joint / Fracture
886.1	321.0	35.1	0	Filled Joint / Fracture
886.3	305.0	49.8	0	Filled Joint / Fracture
886.6	164.8	74.2	0	Filled Joint / Fracture
886.7	313.4	71.8	0	Filled Joint / Fracture

886.9	162.9	64.6	0	Filled Joint / Fracture
888.2	302.7	39.6	0	Filled Joint / Fracture
888.7	154.0	33.1	0	Filled Joint / Fracture
889.0	133.6	43.3	0	Filled Joint / Fracture
889.8	229.3	41.8	7.91	Filled Joint / Fracture
889.9	189.1	44.6	0	Filled Joint / Fracture
890.1	156.9	38.1	0	Filled Joint / Fracture
890.4	233.1	51.5	20.74	Filled Joint / Fracture
890.6	220.8	31.8	24.93	Filled Joint / Fracture
890.9	206.7	34.3	0	Filled Joint / Fracture
891.2	190.9	35.6	0	Filled Joint / Fracture
891.5	142.6	53.5	0	Filled Joint / Fracture
891.8	164.9	68.2	0	Filled Joint / Fracture
892.1	239.4	25.3	0	Filled Joint / Fracture
892.5	165.3	62.6	0	Filled Joint / Fracture
892.6	188.5	75.3	0	Filled Joint / Fracture
893.0	121.5	73.2	0	Filled Joint / Fracture
893.1	179.5	53.9	0	Filled Joint / Fracture
893.2	162.0	74.2	0	Filled Joint / Fracture
893.5	169.4	66.0	0	Filled Joint / Fracture
893.8	143.2	48.0	0	Filled Joint / Fracture
893.9	100.6	33.9	0	Filled Joint / Fracture
894.0	184.7	38.0	0	Filled Joint / Fracture
894.4	255.5	35.3	0	Filled Joint / Fracture
894.6	235.7	43.8	0	Filled Joint / Fracture
894.8	256.8	36.0	0	Filled Joint / Fracture
895.0	172.3	67.9	0	Filled Joint / Fracture
895.5	253.4	37.5	0	Filled Joint / Fracture
895.7	312.0	61.0	0	Filled Joint / Fracture
895.7	278.2	41.0	0	Filled Joint / Fracture
895.8	150.3	56.4	0	Filled Joint / Fracture
896.0	177.8	53.6	0	Filled Joint / Fracture
896.4	301.1	27.2	0	Filled Joint / Fracture
896.7	257.9	34.0	14.65	Filled Joint / Fracture
896.9	288.3	30.7	0	Filled Joint / Fracture
896.9	219.8	10.6	0	Filled Joint / Fracture
897.2	260.2	26.4	0	Filled Joint / Fracture
897.6	216.0	36.4	0	Filled Joint / Fracture
898.0	174.4	61.6	0	Filled Joint / Fracture
898.1	220.2	38.3	0	Filled Joint / Fracture
898.4	208.5	20.6	0	Filled Joint / Fracture

898.9	195.2	55.1	0	Filled Joint / Fracture
898.6	171.9	78.2	0	Filled Joint / Fracture
899.4	198.2	27.1	13.88	Filled Joint / Fracture
899.8	312.1	3.7	0	Filled Joint / Fracture
900.2	153.8	80.1	0	Filled Joint / Fracture
901.3	151.8	77.5	0	Filled Joint / Fracture
902.2	213.0	44.8	0	Filled Joint / Fracture
903.3	173.3	57.0	0	Filled Joint / Fracture
903.5	213.0	56.4	0	Filled Joint / Fracture
903.9	194.2	57.2	0	Filled Joint / Fracture
904.0	216.2	84.2	0	Filled Joint / Fracture
904.6	160.7	65.1	0	Filled Joint / Fracture
905.6	148.8	52.3	0	Filled Joint / Fracture
906.3	163.1	73.1	0	Filled Joint / Fracture
906.6	23.7	64.1	0	Filled Joint / Fracture
908.2	167.4	52.4	0	Filled Joint / Fracture
909.5	313.6	77.2	0	Filled Joint / Fracture
910.7	244.0	47.2	0	Filled Joint / Fracture
912.7	229.1	72.2	0	Filled Joint / Fracture
912.7	187.1	24.5	0	Filled Joint / Fracture
916.6	228.7	76.9	0	Filled Joint / Fracture
917.4	219.8	66.4	0	Filled Joint / Fracture
918.6	205.0	53.2	0	Filled Joint / Fracture
919.6	342.8	62.8	0	Filled Joint / Fracture
919.9	224.1	75.7	0	Filled Joint / Fracture
921.2	206.4	65.5	0	Filled Joint / Fracture
921.5	219.5	55.6	0	Filled Joint / Fracture
922.6	160.0	73.1	0	Filled Joint / Fracture
923.2	338.4	74.4	0	Filled Joint / Fracture
923.5	161.7	12.7	0	Filled Joint / Fracture
924.6	249.4	50.6	0	Filled Joint / Fracture
925.3	139.6	45.1	0	Filled Joint / Fracture
925.5	142.5	63.3	0	Filled Joint / Fracture
927.0	348.0	73.5	0	Filled Joint / Fracture
927.1	39.8	66.2	0	Filled Joint / Fracture
928.1	194.8	69.3	0	Filled Joint / Fracture
928.1	48.5	75.3	0	Filled Joint / Fracture
929.3	322.9	71.6	0	Filled Joint / Fracture
929.9	1.0	54.5	0	Filled Joint / Fracture
929.9	214.0	74.0	0	Filled Joint / Fracture
930.5	224.5	65.5	0	Filled Joint / Fracture

931.1	233.0	56.1	0	Filled Joint / Fracture
933.4	7.3	76.3	0	Filled Joint / Fracture
933.9	213.3	80.7	0	Filled Joint / Fracture
935.3	155.1	66.8	4.04	Filled Joint / Fracture
936.6	222.8	76.7	0	Filled Joint / Fracture
937.9	148.0	64.9	0	Filled Joint / Fracture
938.3	148.9	56.6	0	Filled Joint / Fracture
939.3	165.1	60.6	0	Filled Joint / Fracture
943.7	72.2	77.3	0	Filled Joint / Fracture
945.5	83.5	74.7	0	Filled Joint / Fracture
948.0	125.7	56.5	0	Filled Joint / Fracture
949.5	137.8	27.2	0	Filled Joint / Fracture
950.6	169.5	23.4	0	Filled Joint / Fracture
951.0	211.0	54.2	0	Filled Joint / Fracture
951.6	304.9	72.9	0	Filled Joint / Fracture
953.9	200.1	70.9	0	Filled Joint / Fracture
954.6	198.7	70.6	0	Filled Joint / Fracture
955.0	240.3	66.6	0	Filled Joint / Fracture
955.3	243.9	77.6	0	Filled Joint / Fracture
955.5	246.0	79.5	0	Filled Joint / Fracture
956.1	202.2	85.3	0	Filled Joint / Fracture
956.2	210.5	79.5	0	Filled Joint / Fracture
958.7	199.9	82.9	0	Filled Joint / Fracture
959.5	210.5	81.8	0	Filled Joint / Fracture
961.6	212.3	82.9	0	Filled Joint / Fracture
961.9	174.0	69.1	0	Filled Joint / Fracture
963.1	192.3	57.7	0	Filled Joint / Fracture
963.6	193.1	57.9	0	Filled Joint / Fracture
964.7	342.6	64.2	0	Filled Joint / Fracture
965.0	265.2	22.2	0	Filled Joint / Fracture
965.9	350.4	71.4	36.25	Filled Joint / Fracture
966.2	191.5	67.2	0	Filled Joint / Fracture
967.3	174.9	37.3	0	Filled Joint / Fracture
967.8	156.2	44.3	0	Filled Joint / Fracture
968.1	169.1	50.4	0	Filled Joint / Fracture
968.7	185.9	45.3	0	Filled Joint / Fracture
969.2	209.8	63.0	0	Filled Joint / Fracture
969.7	181.3	67.3	0	Filled Joint / Fracture
970.2	195.3	70.2	0	Filled Joint / Fracture
970.4	260.9	54.2	0	Filled Joint / Fracture
971.9	146.5	37.0	0	Filled Joint / Fracture

973.1	171.5	64.9	15.21	Filled Joint / Fracture
976.8	226.6	36.9	0	Filled Joint / Fracture
977.4	172.1	74.7	0	Filled Joint / Fracture
981.0	261.9	61.1	0	Filled Joint / Fracture
981.2	82.6	48.5	0	Filled Joint / Fracture
981.6	242.9	58.6	0	Filled Joint / Fracture
984.2	246.9	65.0	0	Filled Joint / Fracture
985.6	267.0	47.8	0	Filled Joint / Fracture
985.6	249.1	58.7	0	Filled Joint / Fracture
986.5	266.1	63.4	0	Filled Joint / Fracture
986.8	233.3	65.4	0	Filled Joint / Fracture
986.7	253.4	53.3	0	Filled Joint / Fracture
987.1	237.6	50.4	0	Filled Joint / Fracture
987.3	262.1	72.3	0	Filled Joint / Fracture
987.8	238.5	59.7	10.19	Filled Joint / Fracture
988.1	263.6	63.7	0	Filled Joint / Fracture
988.6	250.4	46.2	0	Filled Joint / Fracture
988.9	307.7	65.0	0	Filled Joint / Fracture
989.4	333.8	66.7	0	Filled Joint / Fracture
989.7	300.5	63.1	4.33	Filled Joint / Fracture
990.2	310.5	67.4	0	Filled Joint / Fracture
990.5	311.6	77.0	0	Filled Joint / Fracture
990.7	260.0	52.8	0	Filled Joint / Fracture
991.2	260.6	56.7	0.62	Filled Joint / Fracture
991.4	256.9	68.7	0	Filled Joint / Fracture
991.4	256.0	74.7	0	Filled Joint / Fracture
991.6	262.2	51.5	0	Filled Joint / Fracture
992.1	215.8	71.8	0	Filled Joint / Fracture
992.5	187.9	68.5	0	Filled Joint / Fracture
993.8	173.9	67.9	0	Filled Joint / Fracture
994.8	333.2	28.5	0	Filled Joint / Fracture
996.3	141.9	53.2	0	Filled Joint / Fracture
997.3	264.7	65.9	0	Filled Joint / Fracture
997.4	259.1	81.7	0	Filled Joint / Fracture
997.9	269.4	61.5	0	Filled Joint / Fracture
998.2	212.1	65.9	0	Filled Joint / Fracture
999.7	196.1	59.9	0	Filled Joint / Fracture
1000.0	176.6	56.0	0	Filled Joint / Fracture
1000.5	179.7	50.8	0	Filled Joint / Fracture
1000.7	201.9	58.0	0	Filled Joint / Fracture
1001.1	272.3	60.4	0	Filled Joint / Fracture

1001.9	177.9	51.5	0	Filled Joint / Fracture
1001.9	210.8	75.6	0	Filled Joint / Fracture
1002.5	226.4	77.9	0	Filled Joint / Fracture
1002.6	226.4	56.4	0	Filled Joint / Fracture
1003.9	302.4	56.2	0	Filled Joint / Fracture
1004.4	261.1	62.6	0	Filled Joint / Fracture
1004.9	257.1	51.5	0	Filled Joint / Fracture
1006.2	280.5	64.2	0	Filled Joint / Fracture
1006.6	105.4	51.0	0	Filled Joint / Fracture
1006.9	254.4	66.5	0	Filled Joint / Fracture
1007.2	246.3	70.7	0	Filled Joint / Fracture
1007.7	232.7	61.2	0	Filled Joint / Fracture
1008.1	33.4	15.2	0	Filled Joint / Fracture
1008.1	258.8	58.0	0	Filled Joint / Fracture
1008.8	323.5	56.5	0	Filled Joint / Fracture
1009.0	134.8	68.8	0	Filled Joint / Fracture
1010.1	17.1	26.9	0	Filled Joint / Fracture
1010.6	230.2	69.4	33.56	Filled Joint / Fracture
1012.0	275.2	59.8	0	Filled Joint / Fracture
1012.4	123.3	55.0	0	Filled Joint / Fracture
1013.3	227.5	67.1	0	Filled Joint / Fracture
1013.3	191.9	77.1	0	Filled Joint / Fracture
1013.6	292.1	67.9	0	Filled Joint / Fracture
1013.6	245.4	54.5	0	Filled Joint / Fracture
1014.4	213.6	75.5	0	Filled Joint / Fracture
1014.6	194.4	72.1	0	Filled Joint / Fracture
1014.7	264.3	78.4	0	Filled Joint / Fracture
1015.0	205.5	70.1	0	Filled Joint / Fracture
1015.3	8.9	49.4	0	Filled Joint / Fracture
1015.8	294.4	74.4	0	Filled Joint / Fracture
1016.1	276.9	36.4	0	Filled Joint / Fracture
1016.5	256.1	58.1	0	Filled Joint / Fracture
1016.6	247.7	75.6	0	Filled Joint / Fracture
1016.9	257.3	56.7	0	Filled Joint / Fracture
1017.1	250.5	53.1	0	Filled Joint / Fracture
1017.2	57.3	23.1	0	Filled Joint / Fracture
1017.5	171.0	58.2	18.31	Filled Joint / Fracture
1017.8	156.0	38.3	10.96	Filled Joint / Fracture
1018.1	158.7	38.4	0	Filled Joint / Fracture
1018.4	157.0	23.0	0	Filled Joint / Fracture
1020.0	239.4	52.5	0	Filled Joint / Fracture

1021.6	316.6	57.4	0	Filled Joint / Fracture
1023.0	260.2	76.3	0	Filled Joint / Fracture
1023.0	236.6	80.9	0	Filled Joint / Fracture
1023.9	248.0	54.6	0	Filled Joint / Fracture
1024.0	230.3	79.7	0	Filled Joint / Fracture
1024.0	236.2	65.5	0	Filled Joint / Fracture
1024.5	230.0	76.7	0	Filled Joint / Fracture
1024.6	64.7	62.0	0	Filled Joint / Fracture
1024.6	188.5	45.1	0	Filled Joint / Fracture
1024.9	264.6	53.7	0	Filled Joint / Fracture
1025.2	272.5	56.3	0	Filled Joint / Fracture
1025.5	249.8	53.6	0	Filled Joint / Fracture
1025.8	279.0	70.2	0	Filled Joint / Fracture
1026.4	287.2	75.9	0	Filled Joint / Fracture
1027.1	215.9	78.2	0	Filled Joint / Fracture
1027.5	55.4	73.4	0	Filled Joint / Fracture
1027.9	264.4	81.9	0	Filled Joint / Fracture
1028.0	330.6	51.1	0	Filled Joint / Fracture
1029.7	3.5	80.2	0	Filled Joint / Fracture
1029.7	255.4	81.6	0	Filled Joint / Fracture
1030.8	321.3	60.9	0	Filled Joint / Fracture
1032.5	192.7	60.7	0	Filled Joint / Fracture
1034.4	84.4	16.3	0	Filled Joint / Fracture
1034.6	230.5	75.9	0	Filled Joint / Fracture
1034.8	335.5	59.6	0	Filled Joint / Fracture
1035.3	330.2	58.2	0	Filled Joint / Fracture
1035.9	212.6	63.8	0	Filled Joint / Fracture
1036.2	205.1	66.8	0	Filled Joint / Fracture
1038.9	309.6	54.7	6.08	Filled Joint / Fracture
1040.1	144.2	13.6	42.94	Filled Joint / Fracture
1041.0	284.7	59.5	0	Filled Joint / Fracture
1042.4	173.5	35.1	0	Filled Joint / Fracture
1045.6	314.8	56.7	0	Filled Joint / Fracture
1047.6	270.4	74.3	0	Filled Joint / Fracture
1048.9	272.3	71.9	0	Filled Joint / Fracture
1049.1	267.4	75.6	0	Filled Joint / Fracture
1049.9	354.3	71.5	0	Filled Joint / Fracture
1050.0	264.8	72.8	0	Filled Joint / Fracture
1050.1	275.0	72.5	0	Filled Joint / Fracture
1051.0	179.7	76.6	0	Filled Joint / Fracture
1051.4	356.1	66.2	0	Filled Joint / Fracture

1052.3	344.4	65.4	0	Filled Joint / Fracture
1052.9	332.9	77.9	0	Filled Joint / Fracture
1053.5	216.0	45.0	0	Filled Joint / Fracture
1054.4	53.4	69.5	0	Filled Joint / Fracture
1054.9	141.3	28.8	0	Filled Joint / Fracture
1055.0	91.4	80.1	0	Filled Joint / Fracture
1055.5	185.4	22.7	0	Filled Joint / Fracture
1055.9	174.3	27.4	0	Filled Joint / Fracture
1057.1	275.5	58.9	0	Filled Joint / Fracture
1058.3	126.1	57.2	0	Filled Joint / Fracture
1059.1	206.4	22.5	0	Filled Joint / Fracture
1059.2	88.3	65.9	0	Filled Joint / Fracture
1060.1	269.9	63.0	0	Filled Joint / Fracture
1061.7	211.0	75.8	0	Filled Joint / Fracture
1062.3	171.5	52.5	0	Filled Joint / Fracture
1062.9	329.1	68.0	0	Filled Joint / Fracture
1063.5	166.6	78.5	0	Filled Joint / Fracture
1063.5	247.4	51.2	0	Filled Joint / Fracture
1065.7	265.7	63.7	0	Filled Joint / Fracture
1066.2	251.0	70.2	0	Filled Joint / Fracture
1066.3	256.8	46.7	0	Filled Joint / Fracture
1066.5	269.9	42.2	0	Filled Joint / Fracture
1066.9	198.1	14.1	0	Filled Joint / Fracture
1074.3	252.8	61.6	0	Filled Joint / Fracture
1074.7	241.6	50.4	0	Filled Joint / Fracture
1075.2	193.1	79.2	0	Filled Joint / Fracture
1077.5	248.4	73.1	0	Filled Joint / Fracture
1078.0	259.3	59.7	0	Filled Joint / Fracture
1080.5	322.8	58.9	0	Filled Joint / Fracture
1082.2	266.9	61.8	0	Filled Joint / Fracture
1083.0	224.2	83.7	0	Filled Joint / Fracture
1083.0	233.9	43.9	0	Filled Joint / Fracture
1083.3	297.3	53.3	0	Filled Joint / Fracture
1083.6	225.6	81.8	0	Filled Joint / Fracture
1083.8	292.6	55.3	0	Filled Joint / Fracture
1086.5	308.1	40.4	0	Filled Joint / Fracture
1086.9	239.0	85.2	0	Filled Joint / Fracture
1087.2	82.3	78.8	0	Filled Joint / Fracture
1087.6	324.3	77.2	0	Filled Joint / Fracture
1088.9	232.0	67.4	0	Filled Joint / Fracture
1089.5	170.4	65.6	0	Filled Joint / Fracture

1089.9	63.1	26.4	16.85	Filled Joint / Fracture
1090.8	241.8	69.8	0	Filled Joint / Fracture
1091.1	248.4	46.9	0	Filled Joint / Fracture
1091.4	47.7	63.6	0	Filled Joint / Fracture
1092.6	51.6	78.3	0	Filled Joint / Fracture
1093.0	186.9	37.4	0	Filled Joint / Fracture
1093.6	222.6	71.3	0	Filled Joint / Fracture
1093.7	241.3	55.6	0	Filled Joint / Fracture
1095.0	277.7	62.3	0	Filled Joint / Fracture
1096.5	188.6	70.9	0	Filled Joint / Fracture
1098.5	296.0	62.3	0	Filled Joint / Fracture
1098.7	230.8	70.4	0	Filled Joint / Fracture
1098.8	228.7	61.0	0	Filled Joint / Fracture
1099.0	225.3	70.9	0	Filled Joint / Fracture
1100.5	251.5	54.2	0	Filled Joint / Fracture
1100.5	237.2	41.7	0	Filled Joint / Fracture
1100.9	234.0	52.3	0	Filled Joint / Fracture
1101.1	252.8	21.3	0	Filled Joint / Fracture
1101.7	342.4	71.8	0	Filled Joint / Fracture
1101.8	249.2	50.7	0	Filled Joint / Fracture
1102.4	180.4	45.0	0	Filled Joint / Fracture
1102.6	267.0	56.6	0	Filled Joint / Fracture
1103.3	214.4	81.9	0	Filled Joint / Fracture
1105.0	248.4	54.6	0	Filled Joint / Fracture
1105.8	252.7	55.6	0	Filled Joint / Fracture
1106.7	251.5	55.7	0	Filled Joint / Fracture
1107.2	244.6	57.2	0	Filled Joint / Fracture
1107.7	246.6	53.8	0	Filled Joint / Fracture
1108.1	241.1	60.3	0	Filled Joint / Fracture
1109.5	237.0	63.0	0	Filled Joint / Fracture
1110.2	240.4	78.6	0	Filled Joint / Fracture
1110.9	212.4	65.6	0	Filled Joint / Fracture
1111.6	238.8	38.8	0	Filled Joint / Fracture
1113.7	203.2	39.1	0	Filled Joint / Fracture
1117.1	245.5	77.2	0	Filled Joint / Fracture
1117.1	250.8	61.0	0	Filled Joint / Fracture
1118.5	236.5	59.6	0	Filled Joint / Fracture
1119.3	246.6	58.8	0	Filled Joint / Fracture
1121.6	244.7	64.4	0	Filled Joint / Fracture
1122.4	249.7	62.2	0	Filled Joint / Fracture
1122.8	256.4	63.1	0	Filled Joint / Fracture

1123.4	254.2	55.8	0	Filled Joint / Fracture
1123.9	198.6	54.9	0	Filled Joint / Fracture
1124.3	199.8	52.8	0	Filled Joint / Fracture
1124.7	196.0	53.8	0	Filled Joint / Fracture
1125.0	181.1	46.6	0	Filled Joint / Fracture
1129.8	233.1	55.7	0	Filled Joint / Fracture
1130.8	252.4	54.2	0	Filled Joint / Fracture
1131.9	258.9	66.4	0	Filled Joint / Fracture
1131.9	229.4	73.2	0	Filled Joint / Fracture
1132.1	260.9	65.7	0	Filled Joint / Fracture
1132.2	259.1	51.0	0	Filled Joint / Fracture
1132.3	244.9	69.7	0	Filled Joint / Fracture
1133.1	227.7	77.9	0	Filled Joint / Fracture
1133.3	236.1	59.2	0	Filled Joint / Fracture
1133.5	249.0	69.6	0	Filled Joint / Fracture
1133.6	357.1	83.1	0	Filled Joint / Fracture
1133.6	61.3	75.5	0	Filled Joint / Fracture
1133.9	251.9	59.9	0	Filled Joint / Fracture
1134.4	220.6	55.8	0	Filled Joint / Fracture
1134.6	294.6	63.6	0	Filled Joint / Fracture
1134.7	52.0	75.6	0	Filled Joint / Fracture
1134.8	239.0	64.6	0	Filled Joint / Fracture
1135.6	53.0	79.9	0	Filled Joint / Fracture
1135.7	193.6	42.6	0	Filled Joint / Fracture
1136.5	264.6	53.2	0	Filled Joint / Fracture
1137.5	291.2	52.9	0	Filled Joint / Fracture
1137.6	294.8	44.6	0	Filled Joint / Fracture
1137.8	268.4	74.8	0	Filled Joint / Fracture
1137.8	273.6	64.2	0	Filled Joint / Fracture
1138.5	172.0	81.9	0	Filled Joint / Fracture
1139.0	206.4	69.1	0	Filled Joint / Fracture
1139.1	339.6	60.8	0	Filled Joint / Fracture
1139.3	337.9	63.8	0	Filled Joint / Fracture
1139.8	329.6	57.6	0	Filled Joint / Fracture
1140.1	322.4	48.7	0	Filled Joint / Fracture
1140.7	296.3	40.0	0	Filled Joint / Fracture
1141.6	175.0	74.9	0	Filled Joint / Fracture
1141.8	301.0	42.8	0	Filled Joint / Fracture
1142.4	331.5	86.7	0	Filled Joint / Fracture
1142.9	285.4	78.6	0	Filled Joint / Fracture
1143.4	297.8	53.3	0	Filled Joint / Fracture

1144.3	153.6	69.7	0	Filled Joint / Fracture
1144.4	290.2	52.9	0	Filled Joint / Fracture
1146.6	197.7	55.1	0	Filled Joint / Fracture
1146.6	203.1	68.3	0	Filled Joint / Fracture
1147.0	247.5	57.2	0	Filled Joint / Fracture
1148.2	238.1	37.7	0	Filled Joint / Fracture
1148.9	247.7	73.4	0	Filled Joint / Fracture
1150.0	241.4	60.4	0	Filled Joint / Fracture
1150.5	233.1	50.5	0	Filled Joint / Fracture
1151.3	315.7	43.9	0	Filled Joint / Fracture
1151.7	208.6	72.9	0	Filled Joint / Fracture
1151.7	299.5	36.7	0	Filled Joint / Fracture
1152.0	200.3	77.3	0	Filled Joint / Fracture
1152.2	296.8	53.3	0	Filled Joint / Fracture
1152.2	226.9	46.4	0	Filled Joint / Fracture
1152.3	241.0	53.9	0	Filled Joint / Fracture
1152.6	266.5	65.1	0	Filled Joint / Fracture
1152.8	251.3	58.9	0	Filled Joint / Fracture
1154.1	287.4	35.0	0	Filled Joint / Fracture
1154.4	264.7	67.3	0	Filled Joint / Fracture
1154.6	301.6	42.3	0	Filled Joint / Fracture
1154.8	294.5	49.8	0	Filled Joint / Fracture
1155.3	307.2	53.5	0	Filled Joint / Fracture
1155.5	299.6	47.3	0	Filled Joint / Fracture
1155.6	310.0	50.0	0	Filled Joint / Fracture
1155.8	314.1	48.8	0	Filled Joint / Fracture
1155.7	280.4	52.1	0	Filled Joint / Fracture
1155.9	212.5	47.7	0	Filled Joint / Fracture
1156.1	220.8	43.3	0	Filled Joint / Fracture
1156.2	205.0	73.0	0	Filled Joint / Fracture
1156.3	155.3	65.8	0	Filled Joint / Fracture
1157.7	173.8	65.0	0	Filled Joint / Fracture
1158.1	304.1	59.5	0	Filled Joint / Fracture
1158.6	202.3	58.3	0	Filled Joint / Fracture
1159.0	229.3	80.2	0	Filled Joint / Fracture
1159.2	40.7	40.5	0	Filled Joint / Fracture
1159.7	196.0	74.5	0	Filled Joint / Fracture
1160.4	205.1	73.7	45.14	Filled Joint / Fracture
1160.9	211.0	81.0	0	Filled Joint / Fracture
1161.1	310.6	32.3	0	Filled Joint / Fracture
1161.6	174.7	71.2	0	Filled Joint / Fracture

1161.7	323.1	33.7	0	Filled Joint / Fracture
1161.9	355.2	33.8	0	Filled Joint / Fracture
1162.4	187.5	76.2	0	Filled Joint / Fracture
1162.8	310.2	50.0	0	Filled Joint / Fracture
1163.0	213.9	68.3	0	Filled Joint / Fracture
1163.0	354.1	30.5	0	Filled Joint / Fracture
1163.3	292.8	41.0	0	Filled Joint / Fracture
1163.8	243.9	70.3	0	Filled Joint / Fracture
1163.9	328.2	36.8	0	Filled Joint / Fracture
1164.5	288.9	45.1	15.8	Filled Joint / Fracture
1165.0	260.5	75.9	0	Filled Joint / Fracture
1165.0	305.5	47.6	0	Filled Joint / Fracture
1165.1	292.3	57.2	0	Filled Joint / Fracture
1165.2	274.6	74.2	0	Filled Joint / Fracture
1166.0	302.5	61.0	0	Filled Joint / Fracture
1167.0	340.6	59.5	0	Filled Joint / Fracture
1167.2	290.1	57.7	0	Filled Joint / Fracture
1167.7	204.6	75.0	0	Filled Joint / Fracture
1167.7	209.0	78.3	0	Filled Joint / Fracture
1167.9	302.4	52.3	0	Filled Joint / Fracture
1168.0	209.0	86.8	0	Filled Joint / Fracture
1168.1	279.2	63.2	0	Filled Joint / Fracture
1168.3	281.8	29.4	0	Filled Joint / Fracture
1168.4	259.4	35.3	0	Filled Joint / Fracture
1168.5	263.2	54.8	0	Filled Joint / Fracture
1168.6	268.9	60.3	0	Filled Joint / Fracture
1169.2	252.0	36.7	0	Filled Joint / Fracture
1172.2	84.2	38.2	0	Filled Joint / Fracture
1174.0	298.7	73.9	0	Filled Joint / Fracture
1174.2	227.0	62.0	0	Filled Joint / Fracture
1174.5	263.6	51.6	0	Filled Joint / Fracture
1175.0	318.6	45.0	0	Filled Joint / Fracture
1175.3	160.8	62.5	0	Filled Joint / Fracture
1175.3	311.3	49.5	0	Filled Joint / Fracture
1175.4	314.5	65.2	0	Filled Joint / Fracture
1175.9	292.4	45.2	0	Filled Joint / Fracture
1177.6	45.1	57.8	0	Filled Joint / Fracture
1177.6	51.1	58.3	0	Filled Joint / Fracture
1178.4	88.5	27.0	0	Filled Joint / Fracture
1178.7	206.6	61.0	0	Filled Joint / Fracture
1179.5	254.5	54.9	0	Filled Joint / Fracture

1179.9	310.5	59.6	0	Filled Joint / Fracture
1179.8	206.3	76.7	0	Filled Joint / Fracture
1179.9	240.9	63.4	0	Filled Joint / Fracture
1180.1	267.2	57.1	0	Filled Joint / Fracture
1181.3	106.3	40.8	0	Filled Joint / Fracture
1182.2	320.3	53.7	0	Filled Joint / Fracture
1182.6	305.0	67.9	0	Filled Joint / Fracture
1183.0	305.1	31.0	0	Filled Joint / Fracture
1183.2	270.4	60.3	0	Filled Joint / Fracture
1183.6	280.2	66.8	0	Filled Joint / Fracture
1183.7	282.8	39.2	0	Filled Joint / Fracture
1184.7	298.2	62.1	0	Filled Joint / Fracture
1184.6	252.7	47.6	0	Filled Joint / Fracture
1185.0	310.4	64.0	0	Filled Joint / Fracture
1185.4	276.2	51.1	0	Filled Joint / Fracture
1187.0	280.9	59.5	0	Filled Joint / Fracture
1187.4	282.6	61.2	0	Filled Joint / Fracture
1188.7	23.1	63.0	0	Filled Joint / Fracture
1188.7	210.0	81.9	0	Filled Joint / Fracture
1189.6	182.0	65.1	0	Filled Joint / Fracture
1189.7	181.6	66.8	0	Filled Joint / Fracture
1190.6	189.0	57.8	0	Filled Joint / Fracture
1190.6	35.1	79.8	0	Filled Joint / Fracture
1191.6	304.2	57.4	0	Filled Joint / Fracture
1191.9	35.8	71.5	0	Filled Joint / Fracture
1191.9	301.9	69.0	0	Filled Joint / Fracture
1192.3	307.7	74.8	0	Filled Joint / Fracture
1193.2	168.2	70.4	0	Filled Joint / Fracture
1193.3	35.6	77.5	0	Filled Joint / Fracture
1194.7	203.9	76.4	0	Filled Joint / Fracture
1194.8	40.7	70.6	0	Filled Joint / Fracture
1194.8	223.6	48.2	0	Filled Joint / Fracture
1195.0	201.0	73.8	0	Filled Joint / Fracture
1195.6	179.6	71.4	0	Filled Joint / Fracture
1195.7	17.2	85.2	0	Filled Joint / Fracture
1196.0	214.8	65.8	0	Filled Joint / Fracture
1197.3	193.3	76.0	0	Filled Joint / Fracture
1197.6	137.7	28.7	0	Filled Joint / Fracture
1198.0	160.1	71.9	3.15	Filled Joint / Fracture
1198.3	206.6	68.2	0.58	Filled Joint / Fracture
1198.7	211.3	67.6	0	Filled Joint / Fracture

1199.5	216.3	56.5	0	Filled Joint / Fracture
1199.9	221.4	80.8	0	Filled Joint / Fracture
1200.6	263.2	72.6	0	Filled Joint / Fracture
1201.2	327.6	56.3	0	Filled Joint / Fracture
1201.6	330.1	70.2	0	Filled Joint / Fracture
1201.6	229.6	36.5	0	Filled Joint / Fracture
1201.8	136.7	30.0	0	Filled Joint / Fracture
1201.8	246.0	67.1	0	Filled Joint / Fracture
1202.1	0.1	68.1	0	Filled Joint / Fracture
1202.9	227.2	61.7	0	Filled Joint / Fracture
1203.3	229.5	77.9	0	Filled Joint / Fracture
1203.4	331.3	49.9	0	Filled Joint / Fracture
1203.7	205.0	62.5	0	Filled Joint / Fracture
1204.2	213.9	80.9	0	Filled Joint / Fracture
1205.0	232.4	50.4	0	Filled Joint / Fracture
1205.1	230.5	74.1	0	Filled Joint / Fracture
1206.0	221.7	70.1	0	Filled Joint / Fracture
1206.1	22.5	61.3	0	Filled Joint / Fracture
1206.2	111.9	25.7	0	Filled Joint / Fracture
1206.8	250.6	76.2	0	Filled Joint / Fracture
1207.6	239.4	78.3	0	Filled Joint / Fracture
1208.3	138.9	42.5	0	Filled Joint / Fracture
1208.3	341.9	61.1	0	Filled Joint / Fracture
1208.4	17.1	83.5	0	Filled Joint / Fracture
1208.5	113.0	37.1	11.77	Filled Joint / Fracture
1208.8	119.0	20.0	0	Filled Joint / Fracture
1208.9	306.3	57.3	0	Filled Joint / Fracture
1209.0	121.8	23.4	0	Filled Joint / Fracture
1209.1	90.4	29.3	0	Filled Joint / Fracture
1209.4	91.4	26.7	0	Filled Joint / Fracture
1209.5	222.8	61.6	0	Filled Joint / Fracture
1209.7	137.0	29.5	0	Filled Joint / Fracture
1209.9	123.2	44.5	0	Filled Joint / Fracture
1211.0	221.8	74.7	0	Filled Joint / Fracture
1211.2	251.6	63.7	0	Filled Joint / Fracture
1211.7	237.2	63.4	0	Filled Joint / Fracture
1212.3	148.8	21.4	0	Filled Joint / Fracture
1213.0	233.9	78.4	0	Filled Joint / Fracture
1213.8	116.6	19.7	0	Filled Joint / Fracture
1214.0	326.0	66.0	0	Filled Joint / Fracture
1214.0	158.3	25.6	0	Filled Joint / Fracture

1216.0	27.1	69.5	0	Filled Joint / Fracture
1216.1	116.3	40.3	0	Filled Joint / Fracture
1216.7	326.6	63.1	0	Filled Joint / Fracture
1216.8	251.2	83.7	0	Filled Joint / Fracture
1216.8	253.9	81.7	0	Filled Joint / Fracture
1216.9	58.4	58.9	0	Filled Joint / Fracture
1217.0	65.9	73.2	0	Filled Joint / Fracture
1217.7	179.0	58.0	0	Filled Joint / Fracture
1219.0	183.9	57.4	0	Filled Joint / Fracture
1219.0	28.8	69.6	0	Filled Joint / Fracture
1222.4	173.8	50.2	0	Filled Joint / Fracture
1223.5	209.6	55.7	0	Filled Joint / Fracture
1223.6	181.6	77.1	0	Filled Joint / Fracture
1223.9	173.1	65.5	0	Filled Joint / Fracture
1224.1	156.6	56.6	0	Filled Joint / Fracture
1224.6	167.4	68.2	0	Filled Joint / Fracture
1224.7	170.2	61.6	0	Filled Joint / Fracture
1226.0	180.3	65.9	0	Filled Joint / Fracture
1228.4	265.2	80.9	0	Filled Joint / Fracture
1232.3	176.0	40.4	33.91	Filled Joint / Fracture
1232.7	8.7	36.6	0	Filled Joint / Fracture
1232.9	161.2	35.9	0	Filled Joint / Fracture
1233.3	163.4	25.2	0	Filled Joint / Fracture
1233.4	359.5	52.9	0	Filled Joint / Fracture
1233.6	279.3	62.5	0	Filled Joint / Fracture
1233.7	105.7	33.7	0	Filled Joint / Fracture
1234.0	204.5	56.3	0	Filled Joint / Fracture
1234.0	109.4	35.8	16.31	Filled Joint / Fracture
1234.0	24.1	57.1	0	Filled Joint / Fracture
1234.2	166.5	58.6	0	Filled Joint / Fracture
1234.3	272.6	29.7	24.68	Filled Joint / Fracture
1234.8	124.6	34.6	21.12	Filled Joint / Fracture
1235.1	106.6	30.2	0	Filled Joint / Fracture
1235.2	151.7	32.7	0	Filled Joint / Fracture
1235.7	75.2	40.6	0	Filled Joint / Fracture
1235.7	218.0	51.2	0	Filled Joint / Fracture
1235.9	82.7	33.3	0	Filled Joint / Fracture
1236.3	73.8	42.2	0	Filled Joint / Fracture
1236.1	266.2	64.9	0	Filled Joint / Fracture
1236.4	234.2	32.9	0	Filled Joint / Fracture
1236.5	70.4	32.0	0	Filled Joint / Fracture

1236.7	266.7	52.1	0	Filled Joint / Fracture
1236.8	238.0	57.0	0	Filled Joint / Fracture
1237.0	75.9	17.3	0	Filled Joint / Fracture
1237.3	69.4	31.0	0	Filled Joint / Fracture
1237.3	56.9	46.7	0	Filled Joint / Fracture
1237.7	64.7	40.4	0	Filled Joint / Fracture
1237.9	68.8	23.1	0	Filled Joint / Fracture
1238.5	19.2	14.8	0	Filled Joint / Fracture
1238.6	63.9	20.0	0	Filled Joint / Fracture
1238.8	117.1	12.8	0	Filled Joint / Fracture
1239.1	156.6	40.2	0	Filled Joint / Fracture
1239.5	59.8	34.9	0	Filled Joint / Fracture
1239.6	63.7	42.2	9.41	Filled Joint / Fracture
1239.8	189.2	71.5	0	Filled Joint / Fracture
1240.3	75.2	36.9	0	Filled Joint / Fracture
1241.1	177.4	57.6	0	Filled Joint / Fracture
1241.2	165.7	18.5	0	Filled Joint / Fracture
1242.2	174.7	61.8	0	Filled Joint / Fracture
1242.5	179.5	31.9	0	Filled Joint / Fracture
1242.6	148.6	29.2	0	Filled Joint / Fracture
1242.7	67.5	58.4	0	Filled Joint / Fracture
1243.0	54.0	52.2	0	Filled Joint / Fracture
1243.3	211.8	70.8	0	Filled Joint / Fracture
1243.3	205.8	78.9	0	Filled Joint / Fracture
1243.5	195.0	56.2	0	Filled Joint / Fracture
1246.3	110.7	21.3	0	Filled Joint / Fracture
1246.7	201.2	44.7	0	Filled Joint / Fracture
1246.9	42.6	42.7	0	Filled Joint / Fracture
1247.6	49.0	39.4	7.97	Filled Joint / Fracture
1247.7	167.6	48.7	0	Filled Joint / Fracture
1247.9	162.6	70.6	0	Filled Joint / Fracture
1248.4	44.3	38.0	0	Filled Joint / Fracture
1248.4	197.5	70.0	0	Filled Joint / Fracture
1248.8	59.4	37.0	5.48	Filled Joint / Fracture
1249.0	50.7	33.2	7.44	Filled Joint / Fracture
1249.1	71.9	32.7	0	Filled Joint / Fracture
1249.2	160.4	50.1	0	Filled Joint / Fracture
1249.4	60.0	41.2	0	Filled Joint / Fracture
1250.2	62.3	40.7	0	Filled Joint / Fracture
1250.4	87.8	42.3	10.86	Filled Joint / Fracture
1250.8	172.5	42.4	11.57	Filled Joint / Fracture

1250.8	61.1	42.9	12.99	Filled Joint / Fracture
1251.6	4.3	55.5	0	Filled Joint / Fracture
1253.6	325.6	73.5	0	Filled Joint / Fracture
1254.7	354.2	79.7	0	Filled Joint / Fracture
1255.5	163.1	66.9	0	Filled Joint / Fracture
1258.1	232.5	60.7	0	Filled Joint / Fracture
1259.8	146.7	31.7	11.35	Filled Joint / Fracture
1260.2	151.2	35.9	0	Filled Joint / Fracture
1260.3	209.1	52.6	0	Filled Joint / Fracture
1260.7	139.0	31.3	0	Filled Joint / Fracture
1260.8	140.0	37.3	0	Filled Joint / Fracture
1261.1	143.9	32.5	0	Filled Joint / Fracture
1261.3	291.5	53.2	0	Filled Joint / Fracture
1261.6	141.4	37.7	0	Filled Joint / Fracture
1262.1	160.1	84.2	0	Filled Joint / Fracture
1262.3	123.0	55.1	0	Filled Joint / Fracture
1262.4	159.7	36.6	0	Filled Joint / Fracture
1262.9	112.2	53.2	0	Filled Joint / Fracture
1263.1	163.4	56.3	9.34	Filled Joint / Fracture
1263.9	204.4	47.2	0	Filled Joint / Fracture
1264.3	163.3	44.0	0	Filled Joint / Fracture
1264.7	163.0	63.5	0	Filled Joint / Fracture
1264.8	352.9	63.2	0	Filled Joint / Fracture
1264.9	175.9	75.3	0	Filled Joint / Fracture
1265.3	165.8	63.2	0	Filled Joint / Fracture
1265.7	167.3	44.9	7.97	Filled Joint / Fracture
1265.9	168.0	63.4	0	Filled Joint / Fracture
1266.0	50.9	47.4	0	Filled Joint / Fracture
1266.4	169.5	52.5	0	Filled Joint / Fracture
1266.8	250.1	43.1	0	Filled Joint / Fracture
1267.0	154.6	68.1	0	Filled Joint / Fracture
1268.5	168.6	45.1	0	Filled Joint / Fracture
1268.7	171.2	23.6	0	Filled Joint / Fracture
1269.1	158.9	55.3	0	Filled Joint / Fracture
1269.9	122.8	50.7	0	Filled Joint / Fracture
1270.8	132.9	43.5	31.78	Filled Joint / Fracture
1272.4	29.7	78.0	0	Filled Joint / Fracture
1272.7	264.2	58.1	0	Filled Joint / Fracture
1273.2	246.0	46.3	0	Filled Joint / Fracture
1273.7	28.7	36.9	0	Filled Joint / Fracture
1274.0	335.1	35.0	0	Filled Joint / Fracture

1275.1	35.4	33.0	0	Filled Joint / Fracture
1276.6	233.6	56.1	0	Filled Joint / Fracture
1277.3	213.3	64.6	0	Filled Joint / Fracture
1277.6	211.7	55.9	19.56	Filled Joint / Fracture
1278.2	205.8	55.1	16.38	Filled Joint / Fracture
1279.9	179.9	49.4	39.31	Filled Joint / Fracture
1280.4	44.5	55.0	0	Filled Joint / Fracture
1281.2	160.0	34.7	0	Filled Joint / Fracture
1281.5	169.9	43.9	0	Filled Joint / Fracture
1282.3	189.9	70.7	5.34	Filled Joint / Fracture
1283.3	199.1	43.6	0	Filled Joint / Fracture
1285.4	146.2	55.1	0	Filled Joint / Fracture
1285.8	156.2	56.5	0	Filled Joint / Fracture
1286.2	151.4	41.3	0	Filled Joint / Fracture
1286.6	74.3	39.2	0	Filled Joint / Fracture
1287.8	138.7	45.5	0	Filled Joint / Fracture
1288.0	306.1	78.1	0	Filled Joint / Fracture
1288.4	59.8	55.2	0	Filled Joint / Fracture
1289.3	25.8	59.9	0	Filled Joint / Fracture
1289.4	225.9	66.9	0	Filled Joint / Fracture
1289.5	226.8	53.8	0	Filled Joint / Fracture
1292.0	121.2	30.2	0	Filled Joint / Fracture
1292.2	209.7	61.8	0	Filled Joint / Fracture
1292.9	151.4	20.3	0	Filled Joint / Fracture
1293.3	120.6	28.6	0	Filled Joint / Fracture
1293.9	3.7	61.8	0	Filled Joint / Fracture
1295.4	108.4	79.0	0	Filled Joint / Fracture
1296.8	268.7	58.9	0	Filled Joint / Fracture
1297.0	1.3	74.2	0	Filled Joint / Fracture
1297.2	145.5	51.8	0	Filled Joint / Fracture
1297.6	267.7	53.7	0	Filled Joint / Fracture
1297.7	148.9	49.3	13.55	Filled Joint / Fracture
1299.4	231.7	77.6	0	Filled Joint / Fracture
1299.5	263.8	64.5	0	Filled Joint / Fracture
1300.6	218.6	54.3	0	Filled Joint / Fracture
1300.9	202.6	75.8	0	Filled Joint / Fracture
1301.3	189.9	74.0	0	Filled Joint / Fracture
1301.6	195.0	75.6	0	Filled Joint / Fracture
1302.4	221.9	78.1	0	Filled Joint / Fracture
1302.7	234.0	70.2	0	Filled Joint / Fracture
1303.4	204.2	49.3	0	Filled Joint / Fracture

1303.5	242.0	46.3	0	Filled Joint / Fracture
1303.8	204.1	54.3	0	Filled Joint / Fracture
1304.4	221.0	36.5	0	Filled Joint / Fracture
1304.6	229.5	51.9	0	Filled Joint / Fracture
1305.0	246.2	58.5	0	Filled Joint / Fracture
1305.9	356.5	30.7	0	Filled Joint / Fracture
1306.9	27.8	46.4	0	Filled Joint / Fracture
1307.5	211.4	50.5	0	Filled Joint / Fracture
1307.7	176.4	63.9	0	Filled Joint / Fracture
1308.2	287.6	65.9	0	Filled Joint / Fracture
1308.5	244.1	70.0	0	Filled Joint / Fracture
1313.7	24.3	27.6	0	Filled Joint / Fracture
1314.5	101.9	69.4	0	Filled Joint / Fracture
1315.0	78.5	44.4	0	Filled Joint / Fracture
1316.0	103.6	70.3	0	Filled Joint / Fracture
1316.1	63.1	73.6	0	Filled Joint / Fracture
1317.7	60.7	65.1	0	Filled Joint / Fracture
1317.8	238.7	54.1	0	Filled Joint / Fracture
1318.1	43.1	69.7	0	Filled Joint / Fracture
1318.8	39.4	70.5	0	Filled Joint / Fracture
1320.0	296.0	68.5	0	Filled Joint / Fracture
1320.4	300.1	57.4	0	Filled Joint / Fracture
1320.4	257.6	83.6	0	Filled Joint / Fracture
1320.6	275.6	56.5	0	Filled Joint / Fracture
1321.5	267.2	68.0	0	Filled Joint / Fracture
1322.1	261.7	70.6	0	Filled Joint / Fracture
1323.9	237.8	46.5	0	Filled Joint / Fracture
1324.1	231.6	64.0	0	Filled Joint / Fracture
1324.2	238.6	79.6	0	Filled Joint / Fracture
1326.5	256.5	59.0	0	Filled Joint / Fracture
1329.7	254.9	73.4	0	Filled Joint / Fracture
1331.3	52.5	84.5	0	Filled Joint / Fracture
1332.1	184.0	82.2	0	Filled Joint / Fracture
1332.4	47.1	75.2	6.34	Filled Joint / Fracture
1333.1	41.3	74.9	0	Filled Joint / Fracture
1333.4	278.1	68.8	0	Filled Joint / Fracture
1333.8	29.5	77.5	0	Filled Joint / Fracture
1334.5	265.4	75.6	0	Filled Joint / Fracture
1335.0	265.6	68.0	0	Filled Joint / Fracture
1335.3	266.1	71.9	0	Filled Joint / Fracture
1336.0	158.1	62.6	0	Filled Joint / Fracture

1336.1	251.9	79.1	0	Filled Joint / Fracture
1336.3	268.5	65.9	0	Filled Joint / Fracture
1336.6	165.1	60.5	0	Filled Joint / Fracture
1336.7	273.6	47.6	0	Filled Joint / Fracture
1337.0	238.8	43.7	0	Filled Joint / Fracture
1337.2	297.4	20.2	0	Filled Joint / Fracture
1337.3	236.3	71.4	0	Filled Joint / Fracture
1338.0	271.2	60.4	0	Filled Joint / Fracture
1338.2	266.8	73.6	0	Filled Joint / Fracture
1338.5	269.8	46.8	0	Filled Joint / Fracture
1338.6	270.2	76.5	0	Filled Joint / Fracture
1338.7	266.9	74.6	0	Filled Joint / Fracture
1339.1	275.8	46.1	0	Filled Joint / Fracture
1339.3	254.5	51.9	0	Filled Joint / Fracture
1339.5	248.9	66.6	0	Filled Joint / Fracture
1339.6	296.8	59.9	0	Filled Joint / Fracture
1339.6	239.6	71.5	0	Filled Joint / Fracture
1340.3	276.1	62.7	0	Filled Joint / Fracture
1340.8	269.6	43.2	0	Filled Joint / Fracture
1341.7	265.5	48.7	0	Filled Joint / Fracture
1341.8	165.2	76.2	0	Filled Joint / Fracture
1341.9	253.9	74.8	0	Filled Joint / Fracture
1342.5	257.9	49.5	0	Filled Joint / Fracture
1343.0	256.3	61.6	0	Filled Joint / Fracture
1343.7	272.3	47.3	0	Filled Joint / Fracture
1344.6	336.9	73.4	0	Filled Joint / Fracture
1344.8	281.7	51.8	0	Filled Joint / Fracture
1344.9	253.1	66.7	0	Filled Joint / Fracture
1345.3	280.7	55.8	0	Filled Joint / Fracture
1345.1	273.1	56.2	0	Filled Joint / Fracture
1345.3	277.2	76.5	0	Filled Joint / Fracture
1345.8	276.7	59.3	0	Filled Joint / Fracture
1346.0	271.1	52.3	0	Filled Joint / Fracture
1346.3	272.6	59.6	0	Filled Joint / Fracture
1346.4	342.7	77.2	0	Filled Joint / Fracture
1346.9	272.7	63.3	0	Filled Joint / Fracture
1347.1	259.4	54.8	0	Filled Joint / Fracture
1347.1	275.0	60.4	0	Filled Joint / Fracture
1347.6	23.1	68.5	0	Filled Joint / Fracture
1347.6	253.0	54.7	0	Filled Joint / Fracture
1348.0	286.6	48.6	0	Filled Joint / Fracture

1348.4	281.5	48.8	0	Filled Joint / Fracture
1348.6	264.1	51.4	0	Filled Joint / Fracture
1348.8	343.6	77.0	0	Filled Joint / Fracture
1348.9	278.8	45.3	0	Filled Joint / Fracture
1349.5	336.9	71.1	0	Filled Joint / Fracture
1350.1	291.4	49.0	0	Filled Joint / Fracture
1350.2	277.8	56.4	0	Filled Joint / Fracture
1350.2	272.0	56.2	0	Filled Joint / Fracture
1350.8	263.6	59.5	0	Filled Joint / Fracture
1351.6	203.1	64.0	0	Filled Joint / Fracture
1352.3	287.4	34.0	0	Filled Joint / Fracture
1352.5	276.1	45.9	0	Filled Joint / Fracture
1352.5	273.1	68.4	0	Filled Joint / Fracture
1353.1	125.4	63.0	0	Filled Joint / Fracture
1353.6	124.3	59.2	0	Filled Joint / Fracture
1354.0	125.3	61.9	0	Filled Joint / Fracture
1355.7	305.1	55.3	0	Filled Joint / Fracture
1356.0	299.4	58.0	0	Filled Joint / Fracture
1356.3	292.7	54.2	0	Filled Joint / Fracture
1356.3	127.9	50.8	0	Filled Joint / Fracture
1356.3	304.4	68.5	0	Filled Joint / Fracture
1356.7	39.7	78.2	0	Filled Joint / Fracture
1356.9	258.4	59.4	0	Filled Joint / Fracture
1357.1	258.2	67.6	0	Filled Joint / Fracture
1357.1	11.2	70.2	0	Filled Joint / Fracture
1357.7	243.5	52.9	0	Filled Joint / Fracture
1357.8	302.6	50.6	0	Filled Joint / Fracture
1358.7	223.8	67.9	0	Filled Joint / Fracture
1359.3	274.8	55.5	0	Filled Joint / Fracture
1359.5	283.6	49.7	0	Filled Joint / Fracture
1360.4	122.6	60.0	0	Filled Joint / Fracture
1360.4	23.0	84.1	0	Filled Joint / Fracture
1360.5	251.5	55.0	0	Filled Joint / Fracture
1360.7	206.5	32.7	0	Filled Joint / Fracture
1360.8	277.3	29.6	0	Filled Joint / Fracture
1361.0	119.0	48.1	0	Filled Joint / Fracture
1360.8	249.7	70.0	0	Filled Joint / Fracture
1361.1	237.3	72.5	0	Filled Joint / Fracture
1361.1	281.2	53.7	0	Filled Joint / Fracture
1361.5	258.9	54.6	0	Filled Joint / Fracture
1361.4	241.2	78.5	0	Filled Joint / Fracture

1362.3	253.2	39.7	0	Filled Joint / Fracture
1362.5	242.2	48.1	0	Filled Joint / Fracture
1362.6	51.2	46.7	0	Filled Joint / Fracture
1362.9	235.6	53.1	0	Filled Joint / Fracture
1363.2	239.6	51.2	0	Filled Joint / Fracture
1363.3	251.9	54.4	0	Filled Joint / Fracture
1363.9	47.3	77.7	0	Filled Joint / Fracture
1364.2	276.2	55.9	0	Filled Joint / Fracture
1364.5	279.3	35.7	0	Filled Joint / Fracture
1364.6	16.6	77.5	0	Filled Joint / Fracture
1364.6	243.9	75.0	0	Filled Joint / Fracture
1364.8	244.6	54.8	0	Filled Joint / Fracture
1365.7	301.8	39.0	0	Filled Joint / Fracture
1366.0	57.2	77.9	0	Filled Joint / Fracture
1366.1	276.2	54.5	0	Filled Joint / Fracture
1366.4	279.5	55.6	0	Filled Joint / Fracture
1366.5	124.1	61.6	0	Filled Joint / Fracture
1366.9	128.2	54.3	0	Filled Joint / Fracture
1367.2	233.4	66.3	0	Filled Joint / Fracture
1367.9	286.6	54.0	0	Filled Joint / Fracture
1368.8	211.8	58.2	0	Filled Joint / Fracture
1369.3	275.6	70.2	0	Filled Joint / Fracture
1369.6	212.1	66.8	0	Filled Joint / Fracture
1370.3	281.2	41.6	0	Filled Joint / Fracture
1370.6	272.8	51.0	0	Filled Joint / Fracture
1370.9	288.9	44.0	0	Filled Joint / Fracture
1371.3	202.0	60.2	0	Filled Joint / Fracture
1371.5	307.5	35.9	0	Filled Joint / Fracture
1372.0	297.9	46.3	0	Filled Joint / Fracture
1372.5	265.2	46.3	0	Filled Joint / Fracture
1372.8	274.0	50.0	0	Filled Joint / Fracture
1373.0	245.9	57.0	0	Filled Joint / Fracture
1373.2	244.0	58.1	0	Filled Joint / Fracture
1373.3	243.5	32.1	0	Filled Joint / Fracture
1373.5	258.5	50.8	0	Filled Joint / Fracture
1373.7	270.9	48.9	0	Filled Joint / Fracture
1373.9	297.4	48.2	0	Filled Joint / Fracture
1374.5	242.2	58.8	0	Filled Joint / Fracture
1375.0	250.0	62.3	0	Filled Joint / Fracture
1375.4	258.1	56.9	0	Filled Joint / Fracture
1375.7	297.5	42.4	0	Filled Joint / Fracture

1376.2	249.6	54.8	0	Filled Joint / Fracture
1377.5	106.1	65.2	0	Filled Joint / Fracture
1378.2	111.4	62.5	0	Filled Joint / Fracture
1378.4	93.5	67.9	11.19	Filled Joint / Fracture
1378.6	124.7	66.3	0	Filled Joint / Fracture
1379.2	315.3	82.0	0	Filled Joint / Fracture
1379.3	97.2	68.7	0	Filled Joint / Fracture
1379.6	106.7	67.6	0	Filled Joint / Fracture
1380.2	294.5	49.3	0	Filled Joint / Fracture
1380.8	133.4	63.2	0	Filled Joint / Fracture
1382.2	87.7	63.1	11.52	Filled Joint / Fracture
1382.2	83.8	56.4	0	Filled Joint / Fracture
1382.3	81.6	76.3	0	Filled Joint / Fracture
1382.5	147.9	77.1	0	Filled Joint / Fracture
1382.6	148.0	55.2	0	Filled Joint / Fracture
1382.8	108.2	36.1	0	Filled Joint / Fracture
1383.3	142.4	44.1	0	Filled Joint / Fracture
1383.7	286.4	66.9	0	Filled Joint / Fracture
1384.4	246.0	80.8	0	Filled Joint / Fracture
1384.5	122.7	41.3	0	Filled Joint / Fracture
1385.0	114.2	41.4	0	Filled Joint / Fracture
1385.1	116.0	50.8	3.01	Filled Joint / Fracture
1385.3	286.3	65.8	0	Filled Joint / Fracture
1385.3	117.1	38.1	0	Filled Joint / Fracture
1385.6	279.7	64.9	10.5	Filled Joint / Fracture
1385.8	283.7	63.8	0	Filled Joint / Fracture
1386.0	277.2	55.4	0	Filled Joint / Fracture
1386.2	109.4	55.2	0	Filled Joint / Fracture
1386.2	109.4	61.1	0	Filled Joint / Fracture
1386.2	268.5	68.2	0	Filled Joint / Fracture
1386.4	107.3	58.4	0	Filled Joint / Fracture
1386.5	108.0	64.6	0	Filled Joint / Fracture
1386.7	273.7	59.5	0	Filled Joint / Fracture
1386.9	277.2	49.6	0	Filled Joint / Fracture
1386.9	118.4	54.1	0	Filled Joint / Fracture
1387.1	103.5	57.8	0	Filled Joint / Fracture
1387.3	268.6	41.1	0	Filled Joint / Fracture
1387.6	259.9	48.0	0	Filled Joint / Fracture
1388.1	297.6	70.9	0	Filled Joint / Fracture
1388.2	119.6	61.4	0	Filled Joint / Fracture
1388.9	269.9	64.2	0	Filled Joint / Fracture

1389.3	104.7	74.1	0	Filled Joint / Fracture
1390.0	129.6	66.3	0	Filled Joint / Fracture
1390.2	106.9	60.0	0	Filled Joint / Fracture
1390.4	299.6	61.6	0	Filled Joint / Fracture
1390.4	131.6	71.1	0	Filled Joint / Fracture
1391.4	138.0	73.4	0	Filled Joint / Fracture
1391.7	122.2	68.8	0	Filled Joint / Fracture
1391.7	116.9	85.5	0	Filled Joint / Fracture
1393.0	267.7	57.4	0	Filled Joint / Fracture
1395.1	260.7	51.1	0	Filled Joint / Fracture
1396.5	291.0	60.6	0	Filled Joint / Fracture
1396.9	147.9	65.0	0	Filled Joint / Fracture
1397.9	310.7	52.3	0	Filled Joint / Fracture
1398.4	289.3	61.2	0	Filled Joint / Fracture
1399.0	250.7	55.1	0	Filled Joint / Fracture
1399.7	270.0	39.4	0	Filled Joint / Fracture
1402.5	279.9	53.8	0	Filled Joint / Fracture
1403.4	353.8	63.4	0	Filled Joint / Fracture
1403.4	257.5	59.7	0	Filled Joint / Fracture
1404.4	269.8	39.8	0	Filled Joint / Fracture
1404.5	126.7	83.2	0	Filled Joint / Fracture
1405.3	254.5	49.5	0	Filled Joint / Fracture
1405.5	346.3	70.2	0	Filled Joint / Fracture
1405.9	270.9	75.0	0	Filled Joint / Fracture
1406.4	309.4	56.1	0	Filled Joint / Fracture
1407.9	317.5	77.7	0	Filled Joint / Fracture
1408.5	316.3	50.4	0	Filled Joint / Fracture
1408.9	288.8	71.5	0	Filled Joint / Fracture
1410.2	303.7	59.9	0	Filled Joint / Fracture
1411.1	302.9	59.6	0	Filled Joint / Fracture
1412.3	285.1	65.2	0	Filled Joint / Fracture
1412.5	278.3	62.5	0	Filled Joint / Fracture
1416.3	122.3	85.1	0	Filled Joint / Fracture
1416.9	111.7	85.1	0	Filled Joint / Fracture
1418.8	295.7	83.7	0	Filled Joint / Fracture
1420.9	264.6	74.8	0	Filled Joint / Fracture
1421.7	102.4	69.7	0	Filled Joint / Fracture
1422.1	102.6	70.4	0	Filled Joint / Fracture
1423.0	112.6	78.8	0	Filled Joint / Fracture
1424.8	109.0	76.1	0	Filled Joint / Fracture
1424.7	270.9	65.5	0	Filled Joint / Fracture

1425.2	288.0	54.7	0	Filled Joint / Fracture
1426.0	218.1	83.2	0	Filled Joint / Fracture
1428.7	23.6	78.5	0	Filled Joint / Fracture
1429.0	44.0	80.3	0	Filled Joint / Fracture
1429.2	275.5	63.3	0	Filled Joint / Fracture
1430.4	292.2	34.2	0	Filled Joint / Fracture
1430.7	300.5	32.1	0	Filled Joint / Fracture
1431.7	30.8	68.2	0	Filled Joint / Fracture
1434.6	229.6	84.0	0	Filled Joint / Fracture
1435.0	284.9	45.9	0	Filled Joint / Fracture
1435.3	295.7	41.1	0	Filled Joint / Fracture
1435.4	114.2	63.8	0	Filled Joint / Fracture
1435.5	286.3	72.6	0	Filled Joint / Fracture
1436.3	286.6	45.4	0	Filled Joint / Fracture
1436.7	275.3	57.2	0	Filled Joint / Fracture
1438.5	289.4	38.2	0	Filled Joint / Fracture
1441.9	108.2	46.6	0	Filled Joint / Fracture
1442.1	105.4	59.8	0	Filled Joint / Fracture
1449.0	154.7	75.7	0	Filled Joint / Fracture
1451.1	146.5	82.0	0	Filled Joint / Fracture
1451.4	141.2	80.2	0	Filled Joint / Fracture
1451.5	318.0	70.5	0	Filled Joint / Fracture
1455.6	252.5	43.3	0	Filled Joint / Fracture
1457.2	316.3	62.4	0	Filled Joint / Fracture
1457.7	314.9	29.6	0	Filled Joint / Fracture
1458.8	312.8	67.2	36.35	Filled Joint / Fracture
1459.0	326.8	64.6	6.48	Filled Joint / Fracture
1459.5	283.6	61.0	0	Filled Joint / Fracture
1460.2	120.0	30.4	0	Filled Joint / Fracture
1460.4	175.8	42.0	0	Filled Joint / Fracture
1460.9	140.4	51.7	0	Filled Joint / Fracture
1461.0	322.9	52.3	17.46	Filled Joint / Fracture
1461.3	116.6	53.1	0	Filled Joint / Fracture
1461.9	304.9	50.0	0	Filled Joint / Fracture
1462.1	293.9	53.6	0	Filled Joint / Fracture
1462.5	279.4	59.9	0	Filled Joint / Fracture
1463.2	285.4	58.1	0	Filled Joint / Fracture
1464.9	30.4	61.8	0	Filled Joint / Fracture
1466.9	332.8	67.7	0	Filled Joint / Fracture
1467.7	320.0	76.5	0	Filled Joint / Fracture
1468.7	328.8	49.9	0	Filled Joint / Fracture

1472.2	223.0	61.1	0	Filled Joint / Fracture
1475.9	308.9	37.3	0	Filled Joint / Fracture
1481.8	318.8	59.6	0	Filled Joint / Fracture
1481.9	298.7	43.8	0	Filled Joint / Fracture
1482.1	325.4	30.4	0	Filled Joint / Fracture
1485.9	313.3	40.5	0	Filled Joint / Fracture
1486.0	209.0	17.1	0	Filled Joint / Fracture
1486.2	328.0	74.6	0	Filled Joint / Fracture
1487.4	265.7	82.0	0	Filled Joint / Fracture
1487.8	260.7	53.9	0	Filled Joint / Fracture
1489.3	158.4	58.0	0	Filled Joint / Fracture
1491.7	290.6	71.7	0	Filled Joint / Fracture
1492.3	261.0	73.1	0	Filled Joint / Fracture
1492.9	277.0	61.0	0	Filled Joint / Fracture
1494.8	301.9	56.3	17.01	Filled Joint / Fracture
1495.7	263.3	59.2	0	Filled Joint / Fracture
1496.1	302.4	56.7	0	Filled Joint / Fracture
1496.2	251.9	58.2	0	Filled Joint / Fracture
1496.4	344.2	38.0	0	Filled Joint / Fracture
1496.5	147.2	75.4	0	Filled Joint / Fracture
1497.9	243.1	77.5	0	Filled Joint / Fracture
1499.0	284.8	23.9	0	Filled Joint / Fracture
1499.1	315.3	37.0	0	Filled Joint / Fracture
1499.7	318.5	51.2	33.35	Filled Joint / Fracture
1499.7	333.4	75.1	29.46	Filled Joint / Fracture
1500.3	323.2	40.4	0	Filled Joint / Fracture
1500.6	326.5	54.2	0	Filled Joint / Fracture
1500.7	133.9	69.2	0	Filled Joint / Fracture
1501.4	254.8	64.0	0	Filled Joint / Fracture
1502.4	270.4	67.0	0	Filled Joint / Fracture
1502.8	319.0	75.5	0	Filled Joint / Fracture
1503.3	279.3	77.9	0	Filled Joint / Fracture
1504.0	217.1	79.2	0	Filled Joint / Fracture
1504.3	312.0	68.1	0	Filled Joint / Fracture
1507.1	214.6	79.7	0	Filled Joint / Fracture
1509.3	274.1	72.8	0	Filled Joint / Fracture
1510.1	268.4	76.8	0	Filled Joint / Fracture
1512.3	269.6	72.2	0	Filled Joint / Fracture
1513.0	257.1	62.0	0	Filled Joint / Fracture
1513.4	265.1	77.4	0	Filled Joint / Fracture
1513.4	284.9	48.0	0	Filled Joint / Fracture

1513.6	277.8	30.2	0	Filled Joint / Fracture
1513.7	309.4	30.2	0	Filled Joint / Fracture
1513.9	128.2	36.3	0	Filled Joint / Fracture
1514.0	269.5	63.6	0	Filled Joint / Fracture
1514.2	250.2	63.9	0	Filled Joint / Fracture
1514.3	321.8	47.6	0	Filled Joint / Fracture
1514.4	274.6	42.3	0	Filled Joint / Fracture
1514.8	288.4	58.4	0	Filled Joint / Fracture
1514.9	285.2	42.1	0	Filled Joint / Fracture
1515.3	212.9	15.7	0	Filled Joint / Fracture
1516.1	296.6	53.5	0	Filled Joint / Fracture
1516.2	33.7	78.6	0	Filled Joint / Fracture
1516.3	226.2	47.0	0	Filled Joint / Fracture
1516.6	222.8	84.4	0	Filled Joint / Fracture
1517.4	294.2	46.7	0	Filled Joint / Fracture
1523.3	331.6	84.7	0	Filled Joint / Fracture
1524.2	167.0	74.9	0	Filled Joint / Fracture
1526.9	265.5	64.0	0	Filled Joint / Fracture
1530.1	271.0	56.4	0	Filled Joint / Fracture
1530.8	283.2	53.8	0	Filled Joint / Fracture
1532.3	353.8	75.5	0	Filled Joint / Fracture
1533.9	338.5	67.8	0	Filled Joint / Fracture
1534.7	318.2	65.6	0	Filled Joint / Fracture
1536.9	337.5	75.5	0	Filled Joint / Fracture
1537.5	141.0	65.7	0	Filled Joint / Fracture
1538.2	133.4	66.6	0	Filled Joint / Fracture
1540.0	240.3	69.5	0	Filled Joint / Fracture
1541.4	350.1	71.7	0	Filled Joint / Fracture
1541.8	229.3	61.6	0	Filled Joint / Fracture
1542.9	25.4	69.4	0	Filled Joint / Fracture
1543.0	234.9	64.5	0	Filled Joint / Fracture
1543.6	223.9	60.6	0	Filled Joint / Fracture
1544.0	243.9	27.6	0	Filled Joint / Fracture
1544.1	345.6	66.5	0	Filled Joint / Fracture
1544.2	211.3	36.9	0	Filled Joint / Fracture
1544.6	213.0	48.8	0	Filled Joint / Fracture
1545.1	284.8	40.4	0	Filled Joint / Fracture
1545.3	37.0	66.4	0	Filled Joint / Fracture
1545.5	199.7	41.3	0	Filled Joint / Fracture
1545.7	28.6	72.1	0	Filled Joint / Fracture
1545.7	219.9	67.1	0	Filled Joint / Fracture

1545.9	205.5	36.1	0	Filled Joint / Fracture
1546.2	244.2	85.2	0	Filled Joint / Fracture
1546.5	216.1	43.0	0	Filled Joint / Fracture
1546.7	68.9	77.6	0	Filled Joint / Fracture
1547.5	18.7	76.9	0	Filled Joint / Fracture
1550.0	303.7	55.5	0	Filled Joint / Fracture
1550.9	308.9	83.3	0	Filled Joint / Fracture
1551.3	289.6	66.7	0	Filled Joint / Fracture
1552.7	305.2	73.9	0	Filled Joint / Fracture
1554.3	237.7	57.0	0	Filled Joint / Fracture
1554.4	241.7	62.0	0	Filled Joint / Fracture
1555.0	249.8	60.8	0	Filled Joint / Fracture
1555.7	283.2	72.2	0	Filled Joint / Fracture
1555.9	255.2	62.9	0	Filled Joint / Fracture
1556.8	249.7	68.4	0	Filled Joint / Fracture
1557.0	338.2	22.3	0	Filled Joint / Fracture
1557.1	252.9	70.7	0	Filled Joint / Fracture
1558.3	277.7	68.6	0	Filled Joint / Fracture
1558.6	251.6	72.2	0	Filled Joint / Fracture
1559.1	256.6	70.8	0	Filled Joint / Fracture
1559.1	265.9	59.4	0	Filled Joint / Fracture
1559.6	104.0	78.2	0	Filled Joint / Fracture
1559.9	260.4	68.5	0	Filled Joint / Fracture
1562.6	182.0	76.5	0	Filled Joint / Fracture
1564.4	323.3	55.1	0	Filled Joint / Fracture
1564.7	327.4	68.9	0	Filled Joint / Fracture
1566.1	311.5	59.3	0	Filled Joint / Fracture
1566.6	236.9	63.6	0	Filled Joint / Fracture
1566.7	282.2	46.7	0	Filled Joint / Fracture
1567.1	36.2	77.8	0	Filled Joint / Fracture
1567.6	242.2	60.8	0	Filled Joint / Fracture
1568.2	211.4	58.1	0	Filled Joint / Fracture
1568.6	241.0	52.4	0	Filled Joint / Fracture
1568.8	30.6	79.9	0	Filled Joint / Fracture
1569.1	7.3	46.7	0	Filled Joint / Fracture
1569.6	246.0	60.4	0	Filled Joint / Fracture
1570.1	250.0	59.2	0	Filled Joint / Fracture
1570.3	237.4	53.6	0	Filled Joint / Fracture
1571.4	237.7	54.2	0	Filled Joint / Fracture
1572.1	336.7	32.8	0	Filled Joint / Fracture
1572.2	329.0	53.8	0	Filled Joint / Fracture

1573.0	251.8	52.8	0	Filled Joint / Fracture
1573.1	37.3	72.2	0	Filled Joint / Fracture
1573.8	60.7	77.1	0	Filled Joint / Fracture
1574.2	231.0	51.8	0	Filled Joint / Fracture
1574.9	290.5	44.6	0	Filled Joint / Fracture
1575.2	298.9	62.4	0	Filled Joint / Fracture
1575.6	307.8	47.7	0	Filled Joint / Fracture
1579.2	49.9	79.5	0	Filled Joint / Fracture
1579.5	322.9	38.3	0	Filled Joint / Fracture
1579.6	283.8	67.4	0	Filled Joint / Fracture
1579.7	248.6	73.2	0	Filled Joint / Fracture
1580.2	277.8	42.1	0	Filled Joint / Fracture
1580.9	294.0	30.0	0	Filled Joint / Fracture
1581.1	270.3	65.6	0	Filled Joint / Fracture
1581.9	319.8	46.6	0	Filled Joint / Fracture
1582.6	320.9	49.3	0	Filled Joint / Fracture
1583.2	309.2	63.5	0	Filled Joint / Fracture
1584.2	322.4	50.6	0	Filled Joint / Fracture
1585.9	313.4	56.5	0	Filled Joint / Fracture
1586.9	317.0	49.8	0	Filled Joint / Fracture
1589.2	304.2	49.4	0	Filled Joint / Fracture
1590.2	285.4	50.9	0	Filled Joint / Fracture
1591.0	301.8	57.6	0	Filled Joint / Fracture
1591.8	312.4	51.1	0	Filled Joint / Fracture
1592.9	260.8	79.4	0	Filled Joint / Fracture
1592.9	245.6	65.0	0	Filled Joint / Fracture
1593.4	263.0	64.1	0	Filled Joint / Fracture
1593.8	275.5	63.9	0	Filled Joint / Fracture
1594.0	243.7	40.4	0	Filled Joint / Fracture
1594.8	255.1	56.2	0	Filled Joint / Fracture
1594.9	278.8	41.4	0	Filled Joint / Fracture
1605.1	79.9	72.1	0	Filled Joint / Fracture
1611.6	52.3	77.7	0	Filled Joint / Fracture
1612.6	254.7	45.5	0	Filled Joint / Fracture
1612.7	254.1	47.0	0	Filled Joint / Fracture
1612.8	245.3	58.8	0	Filled Joint / Fracture
1615.2	264.4	40.4	0	Filled Joint / Fracture
1615.7	271.9	58.6	0	Filled Joint / Fracture
1616.5	15.0	80.6	0	Filled Joint / Fracture
1620.2	34.2	74.9	0	Filled Joint / Fracture
1623.3	236.4	49.3	0	Filled Joint / Fracture

1623.5	236.3	72.0	17.79	Filled Joint / Fracture
1624.1	250.8	41.8	0	Filled Joint / Fracture
1624.6	258.1	51.5	0	Filled Joint / Fracture
1624.9	255.3	57.9	0	Filled Joint / Fracture
1625.4	263.4	33.0	0	Filled Joint / Fracture
1625.6	284.8	40.1	0	Filled Joint / Fracture
1625.9	34.3	26.2	18.44	Filled Joint / Fracture
1627.8	287.8	66.7	0	Filled Joint / Fracture
1628.5	265.0	50.5	0	Filled Joint / Fracture
1629.0	282.7	60.5	0	Filled Joint / Fracture
1629.3	267.0	77.9	0	Filled Joint / Fracture
1630.3	258.7	62.4	0	Filled Joint / Fracture
1630.6	246.4	56.3	62.1	Filled Joint / Fracture
1631.8	237.8	53.8	0	Filled Joint / Fracture
1632.1	272.1	66.9	0	Filled Joint / Fracture
1632.2	287.5	67.9	0	Filled Joint / Fracture
1632.6	267.8	51.8	0	Filled Joint / Fracture
1633.4	267.2	71.0	0	Filled Joint / Fracture
1634.9	253.3	64.0	64.88	Filled Joint / Fracture
1636.2	295.1	77.5	0	Filled Joint / Fracture
1636.6	242.9	70.3	0	Filled Joint / Fracture
1638.8	281.8	50.6	0	Filled Joint / Fracture
1649.2	293.3	52.6	0	Filled Joint / Fracture
1653.3	286.3	39.8	0	Filled Joint / Fracture
1656.5	281.5	53.5	0	Filled Joint / Fracture
1657.8	296.3	58.1	0	Filled Joint / Fracture
1659.1	277.1	68.4	0	Filled Joint / Fracture
1669.2	98.2	64.1	0	Filled Joint / Fracture
1674.9	214.5	52.0	0	Filled Joint / Fracture
1691.0	253.0	66.5	0	Filled Joint / Fracture
1695.2	260.2	65.0	0	Filled Joint / Fracture
1709.3	103.8	55.1	0	Filled Joint / Fracture
1710.1	128.0	71.2	0	Filled Joint / Fracture
1731.8	96.0	58.0	0	Filled Joint / Fracture
1737.0	258.4	76.5	0	Filled Joint / Fracture
1743.1	181.3	64.4	0	Filled Joint / Fracture
1747.4	200.7	63.3	0	Filled Joint / Fracture
1750.7	44.2	66.2	0	Filled Joint / Fracture
1752.2	66.7	58.4	0	Filled Joint / Fracture
1753.5	57.8	58.9	0	Filled Joint / Fracture
1755.5	55.4	62.3	0	Filled Joint / Fracture

1757.0	48.1	54.0	0	Filled Joint / Fracture
1757.3	72.8	30.5	0	Filled Joint / Fracture
1758.2	274.1	59.6	0	Filled Joint / Fracture
1759.5	243.3	40.1	0	Filled Joint / Fracture
1761.0	140.7	40.5	0	Filled Joint / Fracture
1762.7	63.6	56.6	0	Filled Joint / Fracture
1764.4	118.5	50.6	0	Filled Joint / Fracture
1764.9	145.0	63.8	0	Filled Joint / Fracture
1765.6	162.7	55.7	0	Filled Joint / Fracture
1780.9	188.2	70.6	0	Filled Joint / Fracture
1788.2	267.8	65.7	0	Filled Joint / Fracture
1788.3	262.5	74.0	0	Filled Joint / Fracture
1789.2	253.5	51.7	0	Filled Joint / Fracture
1797.8	347.5	84.0	0	Filled Joint / Fracture
1798.7	67.9	41.2	0	Filled Joint / Fracture
1798.8	351.8	70.4	0	Filled Joint / Fracture
1799.4	26.6	71.1	0	Filled Joint / Fracture
1803.0	16.5	48.9	0	Filled Joint / Fracture
1804.4	44.8	80.9	0	Filled Joint / Fracture
1806.3	238.6	53.2	0	Filled Joint / Fracture
1806.6	237.6	76.3	0	Filled Joint / Fracture
1808.7	257.0	75.4	0	Filled Joint / Fracture
1809.3	2.2	51.9	0	Filled Joint / Fracture
1810.0	349.5	62.4	0	Filled Joint / Fracture
1810.7	34.3	63.3	0	Filled Joint / Fracture
1811.2	24.2	73.2	0	Filled Joint / Fracture
1811.9	23.2	59.5	0	Filled Joint / Fracture
1812.6	14.1	57.5	0	Filled Joint / Fracture
1812.6	244.9	74.0	0	Filled Joint / Fracture
1813.8	248.9	72.3	0	Filled Joint / Fracture
1814.4	63.2	52.4	0	Filled Joint / Fracture
1815.0	358.9	51.0	0	Filled Joint / Fracture
1816.7	266.1	85.5	0	Filled Joint / Fracture
1817.5	251.7	64.9	0	Filled Joint / Fracture
1817.7	39.0	60.5	0	Filled Joint / Fracture
1819.8	67.8	80.0	0	Filled Joint / Fracture
1821.4	25.4	74.6	0	Filled Joint / Fracture
1821.9	280.2	62.2	0	Filled Joint / Fracture
1822.7	262.8	63.1	0	Filled Joint / Fracture
1823.2	261.8	67.1	0	Filled Joint / Fracture
1823.3	243.8	50.4	0	Filled Joint / Fracture

1824.0	236.7	76.2	0	Filled Joint / Fracture
1824.2	251.6	45.6	0	Filled Joint / Fracture
1825.3	352.7	71.8	0	Filled Joint / Fracture
1827.6	34.2	72.6	0	Filled Joint / Fracture
1827.8	240.6	69.8	0	Filled Joint / Fracture
1827.8	204.5	65.0	0	Filled Joint / Fracture
1830.0	29.8	64.0	0	Filled Joint / Fracture
1830.9	31.9	71.8	0	Filled Joint / Fracture
1831.1	251.3	52.6	0	Filled Joint / Fracture
1832.5	36.5	73.1	0	Filled Joint / Fracture
1835.0	341.2	58.2	0	Filled Joint / Fracture
1835.7	6.5	50.3	0	Filled Joint / Fracture
1836.1	33.2	70.3	0	Filled Joint / Fracture
1837.5	278.1	40.4	0	Filled Joint / Fracture
1837.9	7.8	53.9	0	Filled Joint / Fracture
1839.0	80.6	75.5	0	Filled Joint / Fracture
1839.7	18.3	28.6	0	Filled Joint / Fracture
1840.2	225.4	78.9	0	Filled Joint / Fracture
1842.4	4.6	42.6	0	Filled Joint / Fracture
1845.2	36.4	79.8	0	Filled Joint / Fracture
1846.7	33.8	81.6	0	Filled Joint / Fracture
1849.2	46.0	19.8	0	Filled Joint / Fracture
1849.6	358.5	26.3	0	Filled Joint / Fracture
1850.3	15.2	30.1	0	Filled Joint / Fracture
1851.6	2.2	32.0	0	Filled Joint / Fracture
1852.3	64.9	32.7	0	Filled Joint / Fracture
1856.1	214.7	72.8	0	Filled Joint / Fracture
1856.7	105.1	79.7	0	Filled Joint / Fracture
1858.4	210.8	68.6	0	Filled Joint / Fracture
1859.5	222.4	58.7	0	Filled Joint / Fracture
1859.9	304.5	76.8	0	Filled Joint / Fracture
1861.8	285.2	59.4	0	Filled Joint / Fracture
1862.1	271.3	68.2	0	Filled Joint / Fracture
1862.4	249.0	65.6	0	Filled Joint / Fracture
1865.2	9.1	61.7	0	Filled Joint / Fracture
1865.6	344.6	82.9	0	Filled Joint / Fracture
1866.5	350.4	61.4	0	Filled Joint / Fracture
1866.6	112.2	80.0	0	Filled Joint / Fracture
1868.2	96.3	82.7	0	Filled Joint / Fracture
1870.4	108.6	78.9	0	Filled Joint / Fracture
1874.1	225.7	59.5	0	Filled Joint / Fracture

1874.3	227.4	58.4	0	Filled Joint / Fracture
1876.8	234.6	51.4	0	Filled Joint / Fracture
1876.9	216.2	47.4	0	Filled Joint / Fracture
1877.2	243.3	37.6	0	Filled Joint / Fracture
1878.1	221.1	80.7	0	Filled Joint / Fracture
1884.8	229.9	83.4	0	Filled Joint / Fracture
1887.0	250.6	44.2	0	Filled Joint / Fracture
1888.5	163.1	63.6	0	Filled Joint / Fracture
1890.5	143.1	73.2	0	Filled Joint / Fracture
1891.6	256.0	63.9	0	Filled Joint / Fracture
1892.3	235.8	76.6	0	Filled Joint / Fracture
1893.2	236.7	73.9	0	Filled Joint / Fracture
1894.4	47.8	76.2	0	Filled Joint / Fracture
1896.1	226.9	44.4	0	Filled Joint / Fracture
1896.4	234.6	64.3	0	Filled Joint / Fracture
1897.1	234.8	40.3	0	Filled Joint / Fracture
1897.3	207.7	65.5	0	Filled Joint / Fracture
1897.6	236.3	56.5	0	Filled Joint / Fracture
1900.7	351.3	73.4	0	Filled Joint / Fracture
1901.9	230.5	64.4	0	Filled Joint / Fracture
1902.7	96.5	24.1	0	Filled Joint / Fracture
1903.0	230.0	74.3	0	Filled Joint / Fracture
1903.9	240.7	70.4	0	Filled Joint / Fracture
1909.0	267.8	36.8	0	Filled Joint / Fracture
1909.0	141.7	56.4	0	Filled Joint / Fracture
1909.1	285.6	47.0	0	Filled Joint / Fracture
1909.2	261.7	60.9	0	Filled Joint / Fracture
1909.5	251.4	37.3	12.73	Filled Joint / Fracture
1909.6	261.5	71.7	0	Filled Joint / Fracture
1909.7	262.5	36.1	0	Filled Joint / Fracture
1909.8	296.1	56.7	0	Filled Joint / Fracture
1909.9	219.4	22.8	0	Filled Joint / Fracture
1910.2	256.9	64.5	0	Filled Joint / Fracture
1911.5	271.0	53.4	0	Filled Joint / Fracture
1913.0	20.7	67.6	0	Filled Joint / Fracture
1913.6	348.1	60.8	0	Filled Joint / Fracture
1914.7	289.9	48.8	0	Filled Joint / Fracture
1915.4	294.2	60.5	0	Filled Joint / Fracture
1915.9	269.9	62.5	0	Filled Joint / Fracture
1919.8	12.1	50.6	0	Filled Joint / Fracture
1920.9	194.8	78.0	0	Filled Joint / Fracture

1922.4	226.3	22.8	0	Filled Joint / Fracture
1922.8	221.2	34.6	0	Filled Joint / Fracture
1923.2	268.4	54.4	0	Filled Joint / Fracture
1924.1	33.4	79.7	0	Filled Joint / Fracture
1924.7	253.2	65.8	0	Filled Joint / Fracture
1925.2	36.0	76.5	0	Filled Joint / Fracture
1925.6	40.9	76.4	0	Filled Joint / Fracture
1927.4	229.4	70.5	0	Filled Joint / Fracture
1927.5	263.4	45.4	7.86	Filled Joint / Fracture
1928.5	357.2	52.8	0	Filled Joint / Fracture
1928.4	235.6	70.7	0	Filled Joint / Fracture
1929.1	226.0	67.1	0	Filled Joint / Fracture
1929.6	189.2	77.1	0	Filled Joint / Fracture
1929.8	233.0	65.1	0	Filled Joint / Fracture
1932.0	230.7	75.5	0	Filled Joint / Fracture
1933.4	320.5	79.5	0	Filled Joint / Fracture
1937.3	249.5	81.7	0	Filled Joint / Fracture
1940.9	218.8	57.5	0	Filled Joint / Fracture
1941.7	204.2	45.6	0	Filled Joint / Fracture
1941.7	215.8	52.0	0	Filled Joint / Fracture
1941.9	222.9	64.0	0	Filled Joint / Fracture
1943.6	211.3	65.8	0	Filled Joint / Fracture
1944.5	201.6	56.4	0	Filled Joint / Fracture
1946.8	276.6	75.6	0	Filled Joint / Fracture
1951.0	240.7	70.6	0	Filled Joint / Fracture
1952.0	254.7	61.4	0	Filled Joint / Fracture
1952.5	252.2	63.3	0	Filled Joint / Fracture
1953.1	272.6	61.8	0	Filled Joint / Fracture
1955.5	5.2	62.1	0	Filled Joint / Fracture
1957.0	141.2	76.6	0	Filled Joint / Fracture
1959.9	208.0	67.7	0	Filled Joint / Fracture
1960.7	190.2	76.1	0	Filled Joint / Fracture
1961.3	200.4	63.4	0	Filled Joint / Fracture
1962.7	214.5	20.7	0	Filled Joint / Fracture
1963.1	313.2	13.1	0	Filled Joint / Fracture
1964.9	221.9	73.8	0	Filled Joint / Fracture
1966.1	253.2	47.8	0	Filled Joint / Fracture
1967.8	21.1	61.4	0	Filled Joint / Fracture
1968.1	21.4	60.0	0	Filled Joint / Fracture
1970.3	214.2	75.7	0	Filled Joint / Fracture
1971.4	235.6	32.0	0	Filled Joint / Fracture

1972.0	261.5	32.3	0	Filled Joint / Fracture
1973.5	259.9	61.6	0	Filled Joint / Fracture
1973.7	261.1	58.0	0	Filled Joint / Fracture
1974.0	265.8	61.6	0	Filled Joint / Fracture
1974.0	265.0	30.1	0	Filled Joint / Fracture
1974.3	21.2	82.3	0	Filled Joint / Fracture
1974.5	221.5	82.4	0	Filled Joint / Fracture
1974.6	345.8	33.4	0	Filled Joint / Fracture
1975.4	222.8	80.4	0	Filled Joint / Fracture
1977.0	104.7	38.8	0.92	Filled Joint / Fracture
1977.9	70.0	78.5	0	Filled Joint / Fracture
1979.2	273.8	66.0	0	Filled Joint / Fracture
1979.9	265.5	60.6	0	Filled Joint / Fracture
1981.7	200.4	72.0	0	Filled Joint / Fracture
1981.9	273.2	55.0	0	Filled Joint / Fracture
1982.4	219.3	29.0	0	Filled Joint / Fracture
1984.3	293.9	30.7	0	Filled Joint / Fracture
1986.2	63.1	61.7	0	Filled Joint / Fracture
1985.9	63.1	77.2	0	Filled Joint / Fracture
1988.4	59.2	60.4	0	Filled Joint / Fracture
1992.7	236.9	60.5	0	Filled Joint / Fracture
1993.2	226.4	61.0	0	Filled Joint / Fracture
1993.5	262.9	71.6	0	Filled Joint / Fracture
1995.3	215.1	77.1	0	Filled Joint / Fracture
1995.6	274.1	80.9	0	Filled Joint / Fracture
1996.4	254.7	71.1	0	Filled Joint / Fracture
1996.3	233.0	68.0	0	Filled Joint / Fracture
1996.7	239.8	66.6	0	Filled Joint / Fracture
1997.4	227.0	69.0	0	Filled Joint / Fracture
2000.0	231.1	77.6	0	Filled Joint / Fracture
2000.0	240.1	58.2	0	Filled Joint / Fracture
2000.0	40.8	77.6	0	Filled Joint / Fracture
2000.2	221.1	52.8	0	Filled Joint / Fracture
2000.6	241.7	62.5	0	Filled Joint / Fracture
2000.7	214.7	75.2	0	Filled Joint / Fracture
2001.0	215.0	72.0	0	Filled Joint / Fracture
2002.9	207.4	77.2	0	Filled Joint / Fracture
2004.0	209.9	81.0	0	Filled Joint / Fracture
2006.5	337.2	44.8	0	Filled Joint / Fracture
2008.0	25.1	65.2	0	Filled Joint / Fracture
2009.1	11.0	77.3	0	Filled Joint / Fracture

2011.7	11.9	79.9	0	Filled Joint / Fracture
2011.7	231.2	68.3	0	Filled Joint / Fracture
2014.1	214.2	62.8	0	Filled Joint / Fracture
2014.1	227.2	45.4	0	Filled Joint / Fracture
2017.5	36.3	34.0	0	Filled Joint / Fracture
2018.7	292.1	42.4	0	Filled Joint / Fracture
2019.4	244.8	43.5	0	Filled Joint / Fracture
2019.5	227.2	73.4	0	Filled Joint / Fracture
2020.4	249.7	71.8	0	Filled Joint / Fracture
2020.5	212.7	74.9	0	Filled Joint / Fracture
2021.3	228.5	48.2	0	Filled Joint / Fracture
2022.8	198.5	76.5	0	Filled Joint / Fracture
2023.1	192.3	70.7	0	Filled Joint / Fracture
2023.6	200.0	74.5	0	Filled Joint / Fracture
2024.1	204.5	75.6	0	Filled Joint / Fracture
2025.1	23.6	40.5	0	Filled Joint / Fracture
2026.0	126.0	45.3	0	Filled Joint / Fracture
2026.2	232.0	68.5	0	Filled Joint / Fracture
2026.2	148.1	27.8	0	Filled Joint / Fracture
2026.9	238.8	56.9	0	Filled Joint / Fracture
2027.3	231.6	67.4	0	Filled Joint / Fracture
2027.3	220.1	60.3	0	Filled Joint / Fracture
2027.6	359.6	62.0	0	Filled Joint / Fracture
2027.8	9.3	51.0	12.03	Filled Joint / Fracture
2028.4	249.8	30.9	0	Filled Joint / Fracture
2028.6	45.8	73.9	0	Filled Joint / Fracture
2028.7	244.3	48.2	18.61	Filled Joint / Fracture
2028.9	230.0	45.1	0	Filled Joint / Fracture
2028.9	14.8	41.0	0	Filled Joint / Fracture
2029.2	228.8	63.9	0	Filled Joint / Fracture
2029.3	26.6	43.9	0	Filled Joint / Fracture
2030.7	188.5	62.7	0	Filled Joint / Fracture
2030.8	30.5	49.9	0	Filled Joint / Fracture
2031.8	359.1	77.5	0	Filled Joint / Fracture
2032.6	248.8	72.2	0	Filled Joint / Fracture
2033.1	232.3	66.6	0	Filled Joint / Fracture
2033.4	13.3	65.0	0	Filled Joint / Fracture
2033.7	229.9	64.1	0	Filled Joint / Fracture
2034.0	221.2	67.6	0	Filled Joint / Fracture
2034.9	252.4	57.1	0	Filled Joint / Fracture
2035.6	223.3	69.7	0	Filled Joint / Fracture

2036.9	200.5	73.5	0	Filled Joint / Fracture
2037.5	12.1	68.0	0	Filled Joint / Fracture
2040.3	248.8	66.7	0	Filled Joint / Fracture
2041.5	18.7	69.5	0	Filled Joint / Fracture
2042.1	250.6	58.6	0	Filled Joint / Fracture
2042.2	5.0	68.4	0	Filled Joint / Fracture
2042.4	273.4	63.7	0	Filled Joint / Fracture
2042.2	269.6	77.5	0	Filled Joint / Fracture
2043.2	351.9	68.9	0	Filled Joint / Fracture
2044.1	229.2	63.8	0	Filled Joint / Fracture
2044.2	226.8	70.9	0	Filled Joint / Fracture
2044.8	220.9	59.3	5.4	Filled Joint / Fracture
2045.6	262.3	51.8	0	Filled Joint / Fracture
2045.5	231.3	63.0	0	Filled Joint / Fracture
2045.7	228.2	69.1	0	Filled Joint / Fracture
2045.3	79.8	80.8	0	Filled Joint / Fracture
2047.1	222.9	72.9	0	Filled Joint / Fracture
2047.0	237.9	70.6	0	Filled Joint / Fracture
2047.6	225.0	51.0	0	Filled Joint / Fracture
2048.1	218.1	70.6	0	Filled Joint / Fracture
2048.5	260.9	71.8	0	Filled Joint / Fracture
2049.1	272.9	75.8	0	Filled Joint / Fracture
2049.9	278.2	76.8	0	Filled Joint / Fracture
2050.5	204.7	65.3	0	Filled Joint / Fracture
2050.6	207.3	76.6	0	Filled Joint / Fracture
2051.1	242.8	32.2	0	Filled Joint / Fracture
2051.1	144.9	63.7	0	Filled Joint / Fracture
2051.2	127.9	53.3	0	Filled Joint / Fracture
2051.3	294.1	57.9	0	Filled Joint / Fracture
2051.2	148.6	68.2	0	Filled Joint / Fracture
2051.6	276.9	61.4	0	Filled Joint / Fracture
2052.4	279.7	62.4	0	Filled Joint / Fracture
2052.2	259.5	63.8	0	Filled Joint / Fracture
2052.4	240.2	59.3	0	Filled Joint / Fracture
2052.8	264.6	69.9	0	Filled Joint / Fracture
2053.1	210.4	79.0	0	Filled Joint / Fracture
2053.0	254.7	59.2	0	Filled Joint / Fracture
2053.7	215.0	78.2	0	Filled Joint / Fracture
2054.2	241.9	47.6	0	Filled Joint / Fracture
2054.3	253.5	52.0	0	Filled Joint / Fracture
2054.5	257.3	64.1	0	Filled Joint / Fracture

2055.0	261.2	64.4	0	Filled Joint / Fracture
2054.8	263.1	65.6	0	Filled Joint / Fracture
2054.9	217.0	50.3	0	Filled Joint / Fracture
2055.2	228.0	48.8	0	Filled Joint / Fracture
2055.4	290.2	51.0	70.88	Filled Joint / Fracture
2055.6	69.2	54.2	0	Filled Joint / Fracture
2055.9	252.8	44.8	0	Filled Joint / Fracture
2056.1	234.7	55.8	0	Filled Joint / Fracture
2057.3	246.8	62.1	0	Filled Joint / Fracture
2058.0	268.1	68.7	0	Filled Joint / Fracture
2058.0	230.0	43.1	0	Filled Joint / Fracture
2058.3	270.1	66.4	0	Filled Joint / Fracture
2060.6	272.4	59.2	0	Filled Joint / Fracture
2060.6	262.6	69.2	0	Filled Joint / Fracture
2060.9	255.8	58.5	0	Filled Joint / Fracture
2061.1	250.3	59.5	0	Filled Joint / Fracture
2061.4	265.4	61.4	0	Filled Joint / Fracture
2061.9	272.7	64.5	0	Filled Joint / Fracture
2061.8	279.3	66.8	0	Filled Joint / Fracture
2063.0	246.4	72.1	0	Filled Joint / Fracture
2063.4	247.6	48.1	0	Filled Joint / Fracture
2064.3	254.4	62.2	0	Filled Joint / Fracture
2064.7	343.2	81.7	0	Filled Joint / Fracture
2064.7	263.6	64.1	0	Filled Joint / Fracture
2067.8	314.3	64.8	0	Filled Joint / Fracture
2068.2	272.0	37.9	0	Filled Joint / Fracture
2068.4	303.8	48.9	0	Filled Joint / Fracture
2068.9	303.6	46.5	0	Filled Joint / Fracture
2068.8	276.4	32.4	0	Filled Joint / Fracture
2068.9	214.0	35.8	0	Filled Joint / Fracture
2069.2	19.3	41.2	0	Filled Joint / Fracture
2069.8	49.2	34.2	0	Filled Joint / Fracture
2070.1	87.4	65.8	0	Filled Joint / Fracture
2072.3	301.5	78.4	0	Filled Joint / Fracture
2072.0	124.5	41.0	0	Filled Joint / Fracture
2073.5	314.9	64.4	0	Filled Joint / Fracture
2074.0	247.2	79.8	0	Filled Joint / Fracture
2076.7	252.8	76.0	0	Filled Joint / Fracture
2076.7	2.9	69.9	0	Filled Joint / Fracture
2077.8	321.1	45.2	0	Filled Joint / Fracture
2078.7	144.5	50.2	0	Filled Joint / Fracture

2078.9	296.7	64.3	0.75	Filled Joint / Fracture
2080.4	115.9	54.6	0	Filled Joint / Fracture
2080.5	239.2	82.2	0	Filled Joint / Fracture
2084.1	247.6	60.0	0	Filled Joint / Fracture
2084.8	276.0	23.5	0	Filled Joint / Fracture
2085.2	23.1	46.4	0	Filled Joint / Fracture
2085.6	281.5	42.5	0	Filled Joint / Fracture
2085.8	237.4	55.8	0	Filled Joint / Fracture
2085.8	251.8	23.9	0	Filled Joint / Fracture
2086.0	247.6	42.5	0	Filled Joint / Fracture
2086.4	90.6	77.9	0	Filled Joint / Fracture
2086.7	270.2	53.3	0	Filled Joint / Fracture
2086.7	114.8	39.7	0	Filled Joint / Fracture
2086.8	293.3	55.0	0	Filled Joint / Fracture
2087.0	265.8	60.4	0	Filled Joint / Fracture
2087.0	83.9	66.2	0	Filled Joint / Fracture
2087.1	78.6	79.0	0	Filled Joint / Fracture
2087.6	47.3	47.9	0	Filled Joint / Fracture
2087.7	292.1	51.1	0	Filled Joint / Fracture
2087.7	87.1	83.3	0	Filled Joint / Fracture
2087.7	272.1	59.2	0	Filled Joint / Fracture
2089.1	260.6	63.7	0	Filled Joint / Fracture
2089.1	83.9	71.8	0	Filled Joint / Fracture
2090.0	86.9	74.8	0	Filled Joint / Fracture
2090.2	278.2	34.4	0	Filled Joint / Fracture
2090.0	82.4	66.3	0	Filled Joint / Fracture
2090.3	314.5	37.2	0	Filled Joint / Fracture
2090.4	268.4	70.1	0	Filled Joint / Fracture
2091.4	289.5	52.0	0	Filled Joint / Fracture
2091.2	64.1	70.0	0	Filled Joint / Fracture
2093.0	52.9	51.0	0	Filled Joint / Fracture
2094.3	246.3	75.4	0	Filled Joint / Fracture
2094.0	250.0	50.9	0	Filled Joint / Fracture
2094.3	246.2	44.7	0	Filled Joint / Fracture
2095.6	274.5	46.9	0	Filled Joint / Fracture
2098.6	276.2	52.2	0	Filled Joint / Fracture
2099.4	282.0	47.2	0	Filled Joint / Fracture
2098.9	227.6	83.5	0	Filled Joint / Fracture
2101.0	30.6	75.2	0	Filled Joint / Fracture
2101.2	283.1	30.7	0	Filled Joint / Fracture
2102.0	357.8	31.7	0	Filled Joint / Fracture

2102.0	294.0	36.2	0	Filled Joint / Fracture
2102.5	284.1	41.8	0	Filled Joint / Fracture
2102.8	204.4	26.0	0	Filled Joint / Fracture
2104.5	298.1	41.7	0	Filled Joint / Fracture
2104.8	26.1	64.1	0	Filled Joint / Fracture
2105.4	262.6	32.8	13.76	Filled Joint / Fracture
2106.9	250.5	29.2	0	Filled Joint / Fracture
2109.1	292.5	68.7	0	Filled Joint / Fracture
2109.7	287.8	70.5	0	Filled Joint / Fracture
2112.1	5.3	70.0	0	Filled Joint / Fracture
2112.5	312.0	51.6	0	Filled Joint / Fracture
2113.4	324.0	25.7	0	Filled Joint / Fracture
2113.7	303.0	34.3	0	Filled Joint / Fracture
2114.9	333.2	60.3	0	Filled Joint / Fracture
2115.3	307.9	50.5	0	Filled Joint / Fracture
2115.5	294.7	59.3	0	Filled Joint / Fracture
2118.7	278.1	71.9	0	Filled Joint / Fracture
2120.9	254.4	80.9	0	Filled Joint / Fracture
2121.9	278.3	64.5	0	Filled Joint / Fracture
2126.3	278.6	47.4	0	Filled Joint / Fracture
2126.3	352.6	78.2	0	Filled Joint / Fracture
2126.5	50.9	67.4	0	Filled Joint / Fracture
2126.7	11.9	49.2	0	Filled Joint / Fracture
2127.0	24.0	62.3	0	Filled Joint / Fracture
2127.0	333.6	55.9	0	Filled Joint / Fracture
2127.2	16.2	73.5	0	Filled Joint / Fracture
2128.1	38.2	77.3	0	Filled Joint / Fracture
2129.0	245.7	45.6	0	Filled Joint / Fracture
2129.3	355.8	47.4	0	Filled Joint / Fracture
2130.7	338.2	19.7	0	Filled Joint / Fracture
2131.1	234.1	45.1	0	Filled Joint / Fracture
2131.4	6.4	68.4	0	Filled Joint / Fracture
2132.2	292.7	48.8	0	Filled Joint / Fracture
2133.4	19.4	56.5	6.87	Filled Joint / Fracture
2134.1	246.3	40.7	0	Filled Joint / Fracture
2134.2	8.7	55.2	0	Filled Joint / Fracture
2134.7	2.2	69.4	0	Filled Joint / Fracture
2135.3	258.0	45.5	0	Filled Joint / Fracture
2135.7	269.5	58.3	0	Filled Joint / Fracture
2136.3	24.9	77.1	0	Filled Joint / Fracture
2136.4	223.1	40.6	0	Filled Joint / Fracture

2136.4	338.1	60.7	0	Filled Joint / Fracture
2136.6	262.5	77.9	0	Filled Joint / Fracture
2137.7	305.7	36.3	0	Filled Joint / Fracture
2138.1	358.6	54.4	0	Filled Joint / Fracture
2138.5	285.7	71.8	0	Filled Joint / Fracture
2139.2	336.0	18.3	0	Filled Joint / Fracture
2139.4	152.8	45.7	0	Filled Joint / Fracture
2139.6	31.1	8.2	0	Filled Joint / Fracture
2139.8	254.5	81.2	0	Filled Joint / Fracture
2140.1	242.2	55.6	0	Filled Joint / Fracture
2140.5	337.5	67.2	5.4	Filled Joint / Fracture
2141.5	146.9	32.9	0	Filled Joint / Fracture
2141.6	352.7	77.6	0	Filled Joint / Fracture
2142.3	1.4	75.7	0	Filled Joint / Fracture
2142.9	32.4	79.6	0	Filled Joint / Fracture
2143.8	136.1	80.4	0	Filled Joint / Fracture
2144.6	92.5	82.5	0	Filled Joint / Fracture
2144.8	309.8	72.4	0	Filled Joint / Fracture
2145.3	167.2	26.6	0	Filled Joint / Fracture
2146.3	248.9	62.5	0	Filled Joint / Fracture
2147.1	223.0	25.1	0	Filled Joint / Fracture
2147.1	246.8	52.0	0	Filled Joint / Fracture
2147.1	277.9	69.5	0	Filled Joint / Fracture
2147.4	300.9	73.1	0	Filled Joint / Fracture
2147.7	272.1	51.3	0	Filled Joint / Fracture
2147.9	349.4	68.5	0	Filled Joint / Fracture
2148.6	263.1	45.2	0	Filled Joint / Fracture
2148.7	240.5	72.4	0	Filled Joint / Fracture
2148.7	267.6	75.7	0	Filled Joint / Fracture
2149.1	253.9	60.7	0	Filled Joint / Fracture
2149.7	268.9	66.0	0	Filled Joint / Fracture
2150.2	249.5	45.8	0	Filled Joint / Fracture
2150.7	228.3	75.3	0	Filled Joint / Fracture
2150.8	323.4	29.8	0	Filled Joint / Fracture
2151.2	224.4	73.3	0	Filled Joint / Fracture
2151.5	260.8	40.4	0	Filled Joint / Fracture
2151.6	254.6	72.7	0	Filled Joint / Fracture
2153.9	281.8	55.3	0	Filled Joint / Fracture
2154.6	0.0	78.5	0	Filled Joint / Fracture
2155.0	356.6	63.3	0	Filled Joint / Fracture
2157.3	6.6	63.6	0	Filled Joint / Fracture

2157.4	237.4	69.1	0	Filled Joint / Fracture
2157.6	229.2	83.4	0	Filled Joint / Fracture
2158.8	257.3	66.9	0	Filled Joint / Fracture
2159.0	227.8	67.0	0	Filled Joint / Fracture
2159.2	263.5	56.4	0	Filled Joint / Fracture
2161.5	183.2	42.5	0	Filled Joint / Fracture
2162.7	298.9	65.4	0	Filled Joint / Fracture
2164.2	238.9	60.3	0	Filled Joint / Fracture
2164.2	229.6	79.7	0	Filled Joint / Fracture
2164.8	245.3	64.5	0	Filled Joint / Fracture
2166.0	283.2	68.7	0	Filled Joint / Fracture
2167.5	3.8	80.1	0	Filled Joint / Fracture
2168.0	270.9	59.6	0	Filled Joint / Fracture
2169.5	13.9	60.5	0	Filled Joint / Fracture
2170.0	328.6	64.7	0	Filled Joint / Fracture
2175.3	232.7	60.2	0	Filled Joint / Fracture
2176.2	85.1	68.0	0	Filled Joint / Fracture
2176.8	221.4	40.9	0	Filled Joint / Fracture
2176.9	83.2	76.5	0	Filled Joint / Fracture
2180.4	243.6	62.8	0	Filled Joint / Fracture
2180.5	259.1	73.0	0	Filled Joint / Fracture
2181.5	249.1	78.0	0	Filled Joint / Fracture
2181.7	243.0	71.3	0	Filled Joint / Fracture
2182.3	250.0	78.8	0	Filled Joint / Fracture
2184.3	52.3	77.8	0	Filled Joint / Fracture
2184.4	246.5	70.5	0	Filled Joint / Fracture
2185.3	250.2	76.0	0	Filled Joint / Fracture
2185.6	265.1	70.7	0	Filled Joint / Fracture
2186.3	224.0	71.7	0	Filled Joint / Fracture
2187.4	238.3	77.8	0	Filled Joint / Fracture
2187.8	97.3	69.2	0	Filled Joint / Fracture
2188.8	259.0	74.4	0	Filled Joint / Fracture
2188.9	1.0	43.3	0	Filled Joint / Fracture
2189.6	256.7	69.5	0	Filled Joint / Fracture
2189.4	64.8	45.7	0	Filled Joint / Fracture
2189.6	223.7	66.2	0	Filled Joint / Fracture
2190.2	94.1	66.4	0	Filled Joint / Fracture
2190.9	349.8	64.6	0	Filled Joint / Fracture
2192.6	221.9	76.4	0	Filled Joint / Fracture
2195.3	227.9	56.0	0	Filled Joint / Fracture
2196.1	285.9	42.8	0	Filled Joint / Fracture

2196.5	299.5	41.7	0	Filled Joint / Fracture
2196.8	269.5	60.6	0	Filled Joint / Fracture
2197.0	241.8	52.7	0	Filled Joint / Fracture
2197.3	223.8	66.8	0	Filled Joint / Fracture
2198.6	318.9	51.6	0	Filled Joint / Fracture
2200.4	186.2	52.9	0	Filled Joint / Fracture
2202.2	288.8	69.0	0	Filled Joint / Fracture
2203.0	290.0	56.9	0	Filled Joint / Fracture
2203.2	168.8	42.3	0	Filled Joint / Fracture
2203.8	269.8	42.5	0	Filled Joint / Fracture
2204.2	247.8	62.2	0	Filled Joint / Fracture
2205.7	263.4	47.9	0	Filled Joint / Fracture
2206.3	259.4	55.8	0	Filled Joint / Fracture
2206.6	225.7	57.6	0	Filled Joint / Fracture
2206.9	271.6	58.6	0	Filled Joint / Fracture
2207.7	252.1	56.4	0	Filled Joint / Fracture
2208.0	208.9	55.0	0	Filled Joint / Fracture
2208.1	239.0	78.9	0	Filled Joint / Fracture
2208.6	236.1	57.0	0	Filled Joint / Fracture
2211.7	268.8	56.7	0	Filled Joint / Fracture
2212.2	52.5	2.9	0	Filled Joint / Fracture
2212.7	286.7	53.6	0	Filled Joint / Fracture
2213.2	163.8	1.0	15.62	Filled Joint / Fracture
2213.5	295.6	35.3	8.98	Filled Joint / Fracture
2214.2	241.9	63.3	0	Filled Joint / Fracture
2214.7	275.0	66.6	0	Filled Joint / Fracture
2214.8	102.0	84.1	0	Filled Joint / Fracture
2215.0	264.5	66.9	0	Filled Joint / Fracture
2215.0	202.8	76.7	0	Filled Joint / Fracture
2216.0	273.7	23.4	0	Filled Joint / Fracture
2216.1	303.1	53.7	7.42	Filled Joint / Fracture
2216.4	295.8	65.0	0	Filled Joint / Fracture
2218.6	269.2	52.5	0	Filled Joint / Fracture
2221.6	286.4	34.6	0	Filled Joint / Fracture
2224.2	304.7	56.9	0	Filled Joint / Fracture
2225.3	285.7	70.1	0	Filled Joint / Fracture
2227.8	308.3	70.9	0	Filled Joint / Fracture
2228.2	299.8	74.3	0	Filled Joint / Fracture
2233.4	198.0	80.6	0	Filled Joint / Fracture
2234.6	24.4	78.4	0	Filled Joint / Fracture
2235.9	25.7	54.2	0	Filled Joint / Fracture

2236.8	37.3	73.1	0	Filled Joint / Fracture
2238.1	35.0	80.6	0	Filled Joint / Fracture
2239.0	293.4	74.3	0	Filled Joint / Fracture
2239.0	47.1	71.7	0	Filled Joint / Fracture
2239.7	32.4	74.2	0	Filled Joint / Fracture
2240.1	64.0	81.3	0	Filled Joint / Fracture
2242.2	225.3	82.2	0	Filled Joint / Fracture
2243.4	358.1	79.4	0	Filled Joint / Fracture
2243.4	248.5	50.6	0	Filled Joint / Fracture
2245.8	296.9	81.1	0	Filled Joint / Fracture
2247.4	218.4	81.5	0	Filled Joint / Fracture
2247.7	18.9	80.6	0	Filled Joint / Fracture
2248.8	193.1	73.6	0	Filled Joint / Fracture
2249.0	222.9	74.9	0	Filled Joint / Fracture
2249.3	222.6	75.2	0	Filled Joint / Fracture
2249.7	270.6	72.1	0	Filled Joint / Fracture
2249.8	175.3	51.9	0	Filled Joint / Fracture
2250.5	219.5	85.1	0	Filled Joint / Fracture
2251.2	251.0	23.0	0	Filled Joint / Fracture
2253.2	292.2	40.4	0	Filled Joint / Fracture
2253.3	330.8	68.3	0	Filled Joint / Fracture
2255.0	294.0	54.5	0	Filled Joint / Fracture
2255.2	274.4	50.8	0	Filled Joint / Fracture
2255.5	282.4	61.7	0	Filled Joint / Fracture
2255.6	280.5	80.9	0	Filled Joint / Fracture
2255.8	309.2	14.7	0	Filled Joint / Fracture
2256.2	298.6	50.0	0	Filled Joint / Fracture
2256.6	278.7	67.2	0	Filled Joint / Fracture
2256.9	308.4	15.5	0	Filled Joint / Fracture
2257.0	272.2	61.3	0	Filled Joint / Fracture
2257.8	302.6	74.4	0	Filled Joint / Fracture
2258.9	236.8	49.2	0	Filled Joint / Fracture
2260.7	296.4	60.8	0	Filled Joint / Fracture
2261.2	296.0	76.9	0	Filled Joint / Fracture
2261.4	291.6	49.3	0	Filled Joint / Fracture
2261.6	309.4	66.1	0	Filled Joint / Fracture
2262.0	305.7	70.8	0	Filled Joint / Fracture
2262.3	306.5	53.4	0	Filled Joint / Fracture
2262.4	309.2	79.7	0	Filled Joint / Fracture
2262.4	288.1	79.0	0	Filled Joint / Fracture
2262.8	280.8	67.6	0	Filled Joint / Fracture

2263.5	308.0	58.4	0	Filled Joint / Fracture
2264.3	264.5	48.4	0	Filled Joint / Fracture
2264.3	292.7	74.1	0	Filled Joint / Fracture
2264.8	289.3	26.2	0	Filled Joint / Fracture
2265.1	305.0	79.1	0	Filled Joint / Fracture
2265.2	287.9	65.7	0	Filled Joint / Fracture
2265.4	118.7	70.8	0	Filled Joint / Fracture
2265.7	314.3	45.8	0	Filled Joint / Fracture
2266.2	265.6	34.8	0	Filled Joint / Fracture
2266.2	307.1	71.3	0	Filled Joint / Fracture
2266.3	100.0	65.0	0	Filled Joint / Fracture
2266.3	273.1	74.3	0	Filled Joint / Fracture
2267.4	288.9	76.2	0	Filled Joint / Fracture
2268.0	126.6	39.6	0	Filled Joint / Fracture
2268.4	266.4	51.4	0	Filled Joint / Fracture
2268.9	39.7	75.4	0	Filled Joint / Fracture
2268.9	313.9	56.2	0	Filled Joint / Fracture
2269.0	303.8	79.3	0	Filled Joint / Fracture
2269.0	66.9	40.3	0	Filled Joint / Fracture
2269.0	297.6	65.6	0	Filled Joint / Fracture
2269.2	297.7	86.8	0	Filled Joint / Fracture
2270.1	119.2	44.4	0	Filled Joint / Fracture
2270.0	286.3	51.7	0	Filled Joint / Fracture
2270.1	293.7	64.9	0	Filled Joint / Fracture
2270.2	296.5	54.4	0	Filled Joint / Fracture
2270.7	69.7	33.6	0	Filled Joint / Fracture
2270.8	280.9	65.2	0	Filled Joint / Fracture
2270.9	102.3	71.5	0	Filled Joint / Fracture
2271.0	291.5	74.9	0	Filled Joint / Fracture

APPENDIX A

PROCESSED TELEVIEWER IMAGE LOGS, FTC, ELOG, AND GAMMA LOGS

GEOVision Televiewer Feature Notes and Picking Criteria:

All televiewer feature classifications are done as a best estimate, using information from the televiewer images, complemented by other geophysical logs, if available. Information from core logs may be used to inform the feature classifications as well, if they are available.

Generally, feature classifications from core data are more conclusive than classifications derived from televiewer images, though this may not be true in cases of friable or fractured rock that does not produce an intact core. Fractured rock may produce larger apertures in the boring wall than would be found in an undisturbed environment, so a group of adjacent hairline fractures may coalesce into what appears to be an open fracture in the televiewer image. Spalling or plucking of the borehole wall adjacent to a single hairline fracture may also produce a feature that appears to be a larger open fracture.

Without a-priori knowledge, it can be difficult to define features or material type. Descriptors are selected from the WellCAD default base list and may not necessarily be correct for the investigation at hand. However, the feature attitudes provided are correct and the descriptors can be edited pre- or post-log, as feature data are exported as txt tables. As such, the most common televiewer features fall into these classifications:

Bedding features:

- Exhibits a change in material or texture across the feature
- Conforms to the dip magnitude and azimuth of other bedding features in the borehole (or zone of the borehole)

Filled Joint / Hairline Fractures:

- Does not exhibit an open aperture for the full circumference of the borehole
- May not be visible for the full circumference of the borehole, but visible portion matches feature sinusoid well
- May have open segments, or be open for the full circumference of the borehole due to spalling, plucking or other drilling induced damage of the borehole wall. Review of the feature structure at a larger radius, when visible, is used to support this classification

Open Joint / Fractures:

- Exhibits an open aperture for the full circumference of the borehole
- Has open aperture at the maximum radius of televiewer imaging
- Aperture may not be obvious for the full circumference of the borehole due to borehole damage or intersecting features, but shape of visible portion matches feature sinusoid well
- Often is present at the intersection of multiple hairline fractures

Voids:

- Features with vertical and radial extent of several inches or more, so no televiewer image is present to define the radial extent of the feature.
- Often the lower limit of the televiewer log, due to concerns over probe loss

Aquisition Information:

Project: Rosamond
Location: Rosamond, CA
Client: Crux
Drilling Company: Crux
Date: 9/12/2024 Operator: Colog
Borehole ID: ZEV-CH-06-24 Diameter: 4"
Start Depth: 120 End Depth: 2273

Tool(s): ABI, Elog, Gamma, FTC

Processing Information:

Processed: EF
Reviewed: RS

Depth Unit: Feet Log Version: Final

Log Nomenclature:
Caliper from travelttime = 360° average from travel time
Amplitude = Acoustic amplitude (true north)

Centralized Travel Time = Acoustic travel time (true north)

Structures = Apparent Structures oriented to hole
Corrected Tadpoles =Structures Oriented to true north
3D Acoustic = 3D representation of acoustic log

Structural Legend:

 Filled Joint / Fracture

Comments:

