

<b>DOCKETED</b>	
<b>Docket Number:</b>	24-OPT-02
<b>Project Title:</b>	Compass Energy Storage Project
<b>TN #:</b>	263713
<b>Document Title:</b>	Patricia Vendely Comments - Fire Risk, No on Compass BESS
<b>Description:</b>	N/A
<b>Filer:</b>	System
<b>Organization:</b>	Patricia Vendely
<b>Submitter Role:</b>	Public
<b>Submission Date:</b>	6/3/2025 7:01:51 AM
<b>Docketed Date:</b>	6/2/2025

*Comment Received From: Patricia Vendely  
Submitted On: 6/3/2025  
Docket Number: 24-OPT-02*

**Fire Risk, No on Compass BESS**

*Additional submitted attachment is included below.*

**From:** [REDACTED]  
**To:** [Energy - Docket Optical System](#)  
**Subject:** the northern portion of the City of San Juan Capistrano, adjacent to Camino Capistrano and Interstate-5 to the east  
**Date:** Saturday, May 31, 2025 10:33:08 AM

---

**CAUTION:** This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Please do not go forward with this project at the proposed location (the northern portion of the City of San Juan Capistrano, adjacent to Camino Capistrano and Interstate-5 to the east). It has been well established that battery energy storage is associated with a significant risk of fire (as evidenced by fires at other storage locations). The proposed location is too close to vegetation-rich hills and spaces, which in turn are close to residential areas. A fire, combined with a little wind, could rapidly expand the fire to people's homes, including mine.

Thank you.

Patricia Vendely

[REDACTED]  
[REDACTED]