

DOCKETED	
Docket Number:	24-OPT-02
Project Title:	Compass Energy Storage Project
TN #:	263955
Document Title:	James Shunk Comments - Docket number 24-OPT-02 and Compass Energy Storage Project
Description:	N/A
Filer:	System
Organization:	James Shunk
Submitter Role:	Public
Submission Date:	6/4/2025 7:49:00 PM
Docketed Date:	6/4/2025

Comment Received From: James Shunk
Submitted On: 6/4/2025
Docket Number: 24-OPT-02

Docket number 24-OPT-02 and Compass Energy Storage Project

Additional submitted attachment is included below.

From: [James](#)
To: [Energy - Docket Optical System](#)
Subject: Docket number 24-OPT-02 and Compass Energy Storage Project
Date: Wednesday, June 4, 2025 10:46:16 AM

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

re: Objection to battery farm

Do not allow this battery farm to be built in San Juan Capistrano.

1. The risk from the toxic chemicals released from a Lithium battery fire is too high.
2. Chemicals released from a fire include hydrofluoric acid, which is highly toxic, benzene which causes liver cancer and a host of other cancer causing chemicals.
3. Evacuation of the area would be impossible for Mission Hospital with patients in the ICU and others on life support.
4. This company, Compass Energy, has no prior experience building battery storage facilities, increasing the risk even more.

Regards,
James G. Shunk