

DOCKETED	
Docket Number:	99-AFC-01C
Project Title:	Elk Hills Power Project - Compliance
TN #:	266458
Document Title:	Appendix O Phase 1 Environmental Site Assessment Part C
Description:	Appendix O Phase 1 Environmental Site Assessment, Part C for CalCpature project
Filer:	Daniel I. Padilla
Organization:	California Resources Corporation
Submitter Role:	Applicant
Submission Date:	10/10/2025 12:13:58 PM
Docketed Date:	10/10/2025

CalCapture CCS Project

Phase I Environmental Site Assessment Report

Prepared for:
Carbon TerraVault Holdings, LLC, a carbon
management subsidiary of California Resources
Corporation

October 2025

Prepared by:
Stantec Consulting Services Inc.
2646 Santa Maria Way, Suite 107
Santa Maria, CA 93455

Project/File:
185806775

Appendix F Agency Records



Stanley, Tom

From: Fire Records <firerecords@kerncountyfire.org>
Sent: Friday, February 21, 2025 9:55 AM
To: Hill, Eli
Subject: 4026 Skyline Rd, Tupman, CA 93276

You don't often get email from firerecords@kerncountyfire.org. [Learn why this is important](#)

Hello,

After a thorough search, no records have been found for the information you provided.
Please let me know if you have any questions.

Thank you,



Addy Quintanilla

Office Services Technician

Kern County Fire Department

Investigation Unit

Email: Aquintanilla@kerncountyfire.org

Notice: This e-mail message is for the sole use of the intended recipient(s) and may contain confidential and privileged information. Any unauthorized review, use, disclosure and distribution is prohibited. If you are not the intended recipient, please contact the sender by replying to e-mail and destroy all copies of the original message.

To contact our e-mail administrator directly, send an e-mail to: kcfadmin@kerncountyfire.org.

Caution: This email originated from outside of Stantec. Please take extra precaution.

Attention: Ce courriel provient de l'extérieur de Stantec. Veuillez prendre des précautions supplémentaires.

Atención: Este correo electrónico proviene de fuera de Stantec. Por favor, tome precauciones adicionales.



KERN COUNTY BID INSPECTION LOG

Notice To Comply for Permit: K200103516

Project Address:	4026 SKYLINE RD, TUPMAN, CA	PERMIT NO: K200103516
Project Parcel:	158-090-050	Application Date: Jul 09, 2001
Inspector Area:	22	Permit Issued Date: Jul 09, 2001
Subtype:	Commercial New	Permit Status: FINALED
Project Description:	Single wide commercial coach (no restroom) accessory and incidental to the construction of a power facility.	

Inspection	Scheduled	Inspected	Inspector	Result
------------	-----------	-----------	-----------	--------

GROUND  BOUNDLESS

2700 M Street, #400, Bakersfield, CA. 93301 | 661.862.5100 | www.KernPublicWorks.com

JOB CARD

CONSTRUCTION PERMIT

KERN COUNTY DEPARTMENT OF ENGINEERING & SURVEY SERVICES, BUILDING INSPECTION DIVISION
2700 "M" STREET, SUITE 570 BAKERSFIELD, CA 93301-2370
Telephone (661) 862-8681

Project Address: 4026 SKYLINE RD TUPM
Project Parcel: 158-090-050
Inspector Area: 22
Permit Class: MISCIND
Project Description: TEMP ELECT FOR ELK HILLS POWER PLANT.
Zoning: A
School District: 062-008 : Buttonwillow
Tract: Lot: Parcel Map:
Census Tract: 33.01
K.S.A. Connect. #: 9144-40337-4841 K.S.A. Sewer #: 9144-40332-3390

PERMIT NO: K200103713

Application Date: July 18, 2001
Permit Issued Date: July 20, 2001
Permit Status: ISSUED

Zone Map: 118-1

C.S.A. #: ..

Parcel #:

ATN-Book/Page/Lot: 15809005002

Owner.....: OCCIDENTAL OF ELK HILLS INC

Address.....: P O BOX 27570 HOUSTON TX 77227-7570

Contractor....: CONTRA COSTA ELECTRIC

License No: 139885

Address.....: 3208 LANDCO DR BAKERSFIELD CA 93308

Architect.....:

Address.....:

Engineer.....:

Address.....:

Phone:

Hiring Licensed Contractor: Y

Phone: 1-805-322-4036

Phone:

Phone:

Census Code: 3290

Total Area: 0

Total Value: \$117,550.00

Activity Code: JAVIERR

Activity Date: July 20, 2001

Occupancy

Type

Factor

Sq Feet

Manual Valuation

Miscellaneous

1.00

117,550

\$117,550.00

Totals...

\$117,550.00*

PERMIT FEES

Application Fee	\$23.00	Flood Area Fee	\$0.00	Spa- sp	\$0.00
Administrative Fee	\$25.50	Wind Farm Review	\$0.00	Spa- nsp	\$0.00
Investigation Fee	\$0.00	School Fee	\$0.00	Pool - sp	\$0.00
Building Fee	\$862.46	Habitat Fee	\$0.00	Pool - nsp	\$0.00
Other Building Fee	\$0.00	Microfilm Fee	\$20.00	Pool - commercial	\$0.00
Plan Check Fee	\$430.59	Change of Occupancy	\$0.00	Electrical - General Fees	\$0.00
Other Plan Check Fee	\$0.00	Other Building Fees	\$0.00	Electrical - Other Fees	\$0.00
S. M. I. P. Fee	\$24.69	Building Refund	\$0.00	Mechanical - General Fees	\$0.00
Foundation Only	\$0.00	Plan Check Refund	\$0.00	Mechanical - Other Fees	\$0.00
Address Fee	\$0.00	Mobile Home - County	\$0.00	C.S.A. Fee	\$0.00
Site Plan Review	\$0.00	Mobile Home - State	\$0.00	C.S.A. Connection	\$0.00
Demolition Fee	\$0.00	Satellite Dish	\$0.00	C.S.A. Sewer	\$0.00
Sewer Fee	\$0.00	Sign - wallmount	\$0.00	K.S.A. Connection	\$0.00
Park Fee	\$0.00	Sign - monument pole	\$0.00	K.S.A. Sewer	\$0.00
Traffic Impact SFD	\$0.00	Sign - single pole	\$0.00	Sewer Con./Tax Roll	\$0.00
Traffic Impact MFD	\$0.00	Sign - double pole	\$0.00	Plumbing - General Fees	\$0.00
Traffic Impact COM	\$0.00			Plumbing - Other Fees	\$0.00

Total Fees: \$1,386.24

Total Payments: \$1,386.24

Balance Due: \$0.00

INSPECTORS COPY

COUNTY DEPARTMENT OF
ENGINEERING & SURVEY SERVICES
BUILDING INSPECTION DIVISION
CHARLES LACKEY, P.E., DIRECTOR

INSPECTION RECORD
POST CARD AT JOBSITE

BAKERSFIELD AREA INSPECTION
REQUESTS ONLY
(661) 862-8681

(10:00 a.m. cutoff for same day inspections. Inspections requested
after 10:00 a.m. will be conducted on the next business day.)

Inspection	Date	Inspector
GROUND WORK	Grading	
	Set Backs	
	Underground Elec.	
	Underground Plb.	
	Underground Mech.	
	Address Verification	

ENGINEERING & SURVEY SERVICES
BUILDING INSPECTION DIVISION
Main Office
2700 M Street, Suite 570, Bakersfield, California 93301-2370
Phone (661) 862-8650 Office Hours 7:30-5:00

Branch Offices

Frazier Park Office - Fire Station
Lake Isabella Office - 7050 Lake Isabella Blvd.
McFarland Office - 401 West Kern St.
Mojave Office - 1775 Hwy. 58
Ridgecrest Office - 400 N. China Lake Blvd.
Taft Office - 315 Lincoln Street
Tehachapi Office - 125 East "F" Street

Ph. (661) 245-1221 Office Hours 7:00-9:00 M, Th, F
Ph. (760) 379-2631 Office Hours 7:00-4:00
Ph. (661) 792-3091 Office Hours 8:00-9:00 M-Th
Ph. (661) 824-3906 Office Hours 7:00-12:00
Ph. (760) 375-1564 Hours 8:00-11:00 TF
Ph. (661) 763-8590 Office Hours 7:00-9:00 W
Ph. (661) 822-6329 Office Hours 7:00-4:00

COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED

FOUNDATION	Slab Mesh		
	Slab Membrane		
	Rebar for Grounding		
	Reinforcing Steel		

PLACE NO CONCRETE FOR FLOOR UNTIL ABOVE HAS BEEN SIGNED

FLOOR WALL ROOF FRAMING	Floor Joists		
	Floor Sheathing		
	Rough Electrical		
	Plumbing Top-out		
	Fire Sprinkler System		
	Shower Pan		
	Grease Trap		
	Rough Mechanical		
	Roof Sheathing		
	Structural		

COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED

STUCCO PLASTER WALLBOARD SIDING	Roofing		
	Interior Lathing		
	Exterior Lathing / Siding		
	Dry Wall		
	Exterior Membrane		
	Wall Insulation		
	Attic Ventilation		

DO NOT PLASTER OR APPLY SIDING UNTIL ABOVE HAS BEEN SIGNED

SEWAGE DISPOSAL	First Inspection		
	Sewer Line		
DRY SEWER WET SEWER SEPTIC SYS	Septic Tank		
	Seepage Pit		
	Leach Field		

COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED

MASONRY AND CONCRETE WALLS	Foundation Steel		
	Wall Reinforcing		
	Bond Beam		
	Fire Place Reinforcing		
	Fire Place		
	Wood Stove		

COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED

SWIMMING POOL	Location		
	Steel		
	Conduit under deck		
	Recirculation piping		
	Electrical wiring		
	Gas line under deck		
	Fencing & Gates		

COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED

PL



P
L

PROJECT ADDRESS: _____
ASSESSOR'S PARCEL NUMBER: _____ - _____ - _____

* SINGLE FAMILY RESIDENTIAL
CERTIFICATE OF OCCUPANCY

Inspection	Date	Inspector
Temp Elec.		
Temp Gas		

PRE-FINAL APPROVALS

Inspection	Date	Inspector
Health Department		
Road Department		
Grading		
Drainage		
Landscaping		
C.U.P. Requirements		
P.D. Requirements		

FINAL	Gas pressure test		
	Electrical final	7/25/01	[Signature]
	Plumbing final		
	Mechanical final		
	Structural final	7/25/01	[Signature]
	Energy final		
	Zoning requirements	7/25/01	[Signature]
	Insulation requirements		
	Fire Requirements		
	Job complete	7/25/01	[Signature]

* RESIDENTIAL PERMITS: THIS JOB CARD SERVES AS YOUR CERTIFICATE OF OCCUPANCY.

BUILDING INSP. 880 2825 010 (8/00)

CALL TROY
C.O.F.O.

DUPLICATE JOB CARD

CONSTRUCTION PERMIT

KERN COUNTY DEPARTMENT OF ENGINEERING & SURVEY SERVICES, BUILDING INSPECTION DIVISION

2700 M STREET, SUITE 570 BAKERSFIELD, CA 93301-2370

Telephone (661) 862-8681

TROY
619-9624

Project Address: 4026 SKYLINE RD TUPMAN

PERMIT NO.: K200104000

Project Parcel: 158-090-050

Application Date: August 6, 2001

Inspector Area: 22

Permit Issued Date: October 31, 2002

Permit Subtype: NEWCOM

Permit Status: ISSUED

Project Description: ELECTRICAL BLDG ACC TO ELK HILLS POWER PLANT.

Zoning: A

Zone Map: 118-1

School District: - :

C.S.A. #: n/a

Tract-Phase: - Lot:

Parcel Map: Parcel #:

Census Tract: 33.01

ATN-Book/Page/Lot: 15809005002

K.S.A. Connect. #: 9144-40337-4841

K.S.A. Sewer #: 9144-40332-3390

Owner.....: OCCIDENTAL OF ELK HILLS INC

Address.....: P O BOX 27570 HOUSTON TX 77227-7570

Phone:

Contractor....:

License No:

Hiring Licensed Contractor:

Address.....:

Phone:

Architect.....:

Address.....:

Phone:

Engineer.....:

Address.....:

Phone:

Census Code: 320-H

Total Area: 9,963

Total Value: \$324,096.39

Activity Code: KELLYS

Activity Date: October 31, 2002

OCCUPANCY

	TYPE	FACTOR	SQ FEET	VALUATION
Industrial Plants	Type II -N (Stock)	27.64	9,963	\$275,377.32
Equipment	Sprinkler System	1.60	9,963	\$15,940.80
Equipment	Air Cond - Commercial	3.29	9,963	\$32,778.27

PERMIT FEES

Application Fee	\$23.00	Flood Area Fee	\$0.00	Spa - sp	\$0.00
Administrative Fee	\$25.50	Erosion Review		Spa - nsp	\$0.00
Investigation Fee	\$0.00	Wind Farm Review	\$0.00	Pool - sp	\$0.00
Building Fee	\$2,377.90	School Fee	\$0.00	Pool - nsp	\$0.00
Other Building Fee	\$0.00	Park Fee	\$0.00	Pool - commercial	\$0.00
Plan Check Fee	\$1,187.16	Habitat Fee	\$0.00	Electrical - General Fees	\$0.00
Other Plan Check Fee	\$0.00	Microfilm Fee	\$20.00	Electrical - Other Fees	\$0.00
S. M. I. P. Fee	\$68.06	Change of Occupancy	\$0.00	Mechanical - General Fees	\$0.00
Foundation Only	\$0.00	Mobile Home - County	\$0.00	Mechanical - Other Fees	\$0.00
Address Fee	\$0.00	Mobile Home - State	\$0.00	C.S.A. Fee	\$0.00
Site Plan Review	\$0.00	Satellite Dish	\$0.00	C.S.A. Connection	\$0.00
Demolition Fee	\$0.00	Sign - wallmount	\$0.00	C.S.A. Sewer	\$0.00
Sewer Fee	\$0.00	Sign - monument	\$0.00	K.S.A. Connection	\$0.00
Traffic	\$0.00	Sign - single pole	\$0.00	K.S.A. Sewer	\$0.00
		Sign - double pole	\$0.00	Sewer Con./Tax Roll	\$0.00
				Plumbing - General Fees	\$0.00
				Plumbing - Other Fees	\$0.00

Total Fees: \$3,701.62

Total Payments: \$3,701.62

Balance Due: \$0.00

COUNTY DEPARTMENT OF
ENGINEERING & SURVEY SERVICES
BUILDING INSPECTION DIVISION
CHARLES LACKEY, P.E., DIRECTOR

INSPECTION RECORD

POST CARD AT JOBSITE

**BAKERSFIELD AREA INSPECTION
REQUESTS ONLY (661) 862-8681**
7:30 a.m. - 5:00 p.m.
After Hours (661) 862-8698
(10:00 a.m. cutoff for same day inspections. Inspections requested
after 10:00 a.m. will be conducted on the next business day.)

Inspection		Date	Inspector
GROUND WORK	Grading		
	Set Backs		
	Underground Elec.		
	Underground Pib.		
	Underground Mech.		
	Address Verification		
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED			
FOUNDATION	Slab Mesh		
	Slab Membrane		
	Rebar for Grounding		
	Reinforcing Steel		
PLACE NO CONCRETE FOR FLOOR UNTIL ABOVE HAS BEEN SIGNED			
FLOOR WALL ROOF FRAMING	Floor Joists		
	Floor Sheathing		
	Rough Electrical		
	Plumbing Top-out		
	Fire Sprinkler System		
	Shower Pan		
	Grease Trap		
	Rough Mechanical		
	Roof Sheathing		
Structural			
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED			
STUCCO PLASTER WALLBOARD SIDING	Roofing		
	Interior Lathing		
	Exterior Lathing / Siding		
	Dry Wall		
	Exterior Membrane		
	Wall Insulation		
Attic Ventilation			
DO NOT PLASTER OR APPLY SIDING UNTIL ABOVE HAS BEEN SIGNED			
SEWAGE DISPOSAL	First Inspection		
	Sewer Line		
	Septic Tank		
	Seepage Pit		
DRY SEWER			
WET SEWER			
SEPTIC SYS			
Leach Field			
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED			
MASONRY AND CONCRETE WALLS	Foundation Steel		
	Wall Reinforcing		
	Bond Beam		
	Fire Place Reinforcing		
	Fire Place		
	Wood Stove		
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED			
SWIMMING POOL	Location		
	Steel		
	Conduit under deck		
	Recirculation piping		
	Electrical wiring		
	Gas line under deck		
	Fencing & Gates		
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED			

ENGINEERING & SURVEY SERVICES
BUILDING INSPECTION DIVISION
Main Office
2700 M. Street, Suite 570, Bakersfield, California 93301-2370
Phone (661) 862-8650 Office Hours 7:30-5:00

Branch Offices

Frazier Park Office - Fire Station
Lake Isabella Office - 7050 Lake Isabella Blvd.
McFarland Office - 401 West Kern St.
Mojave Office - 1775 Hwy. 58
Pioche Office - 400 N. China Lake Blvd.
Taft Office - 315 Lincoln Street
Tehachapi Office - 125 East "F" Street

Ph. (661) 245-1221 Office Hours 7:00-9:00 M-F
Ph. (760) 549-2064 Office Hours 7:00-12:00/1:00-4:00
Ph. (661) 792-3091 Office Hours 7:00-8:00M-Th.
Ph. (661) 824-7090 Office Hours 7:00-12:00/1:00-4:00
Ph. (760) 371-3780 Hours 7:30-9:30 T, Th, F
Ph. (661) 763-8590 Office Hours 7:00-9:00 M&W
Ph. (661) 822-6329 Office Hours 7:00-12:00/1:00-4:00

PL



NORTH

BUILDING
OR
MOBILE HOME

P L

PROJECT ADDRESS: _____
ASSESSOR'S PARCEL NUMBER: _____

*** SINGLE FAMILY RESIDENTIAL
CERTIFICATE OF OCCUPANCY**

Inspection	Date	Inspector
Temp Elec		
Temp Gas		
PRE-FINAL APPROVALS		
Inspection	Date	Inspector
Health Department		
Road Department		
Grading		
Drainage		
Landscaping		
C.U.P. Requirements		
P.D. Requirements		
FINAL		
Gas pressure test	9/3/03	[Signature]
Electrical final	9/3/03	[Signature]
Plumbing final		
Mechanical final		
Structural final	9/3/03	[Signature]
Energy final		
Zoning requirements	9/3/03	[Signature]
Insulation requirements		
Fire Requirements		
Job complete	9/3/03	[Signature]

* RESIDENTIAL PERMITS: THIS JOB CARD SERVES AS YOUR CERTIFICATE OF OCCUPANCY.

BUILDING INSP. 580-2625 010 (9/02)

Certificate of Occupancy

Granted by
KERN COUNTY DEPARTMENT OF ENGINEERING AND SURVEY SERVICES
BUILDING INSPECTION DIVISION

2700 M STREET, SUITE 570, BAKERSFIELD, CA 93301

Telephone (661) 862-8650

ADDRESS: 4026 SKYLINE RD TUPM

DATE: 09/03/2003

LEGAL DESCRIPTION: 158-090-050

PERMIT NO: K200104000

ZONING: A

This is to certify that the building, or portion of building, constructed under the above permit, at the above address, complies with the provisions of the Building Code and related ordinances and laws in effect for the following use and occupancy group.

USE: CONSTRUCT ELECTRICAL BUILDING TO ELK HILLS POWER PLANT

OCCUPANCY GROUP-DIVISION: U-2



A handwritten signature in black ink, appearing to read "David M. Gillis".

David M. Gillis
Supervising Building Inspector

A handwritten signature in black ink, appearing to read "Charles Lackey".

Charles Lackey, P.E.
Engineering and Survey Services

THIS CERTIFICATE MUST BE POSTED IN A CONSPICUOUS PLACE IN THE BUILDING
AND MAY NOT BE REMOVED EXCEPT BY A BUILDING OFFICIAL.

Plans for this building have been approved and inspections made to verify conformance with current building regulations.

You are responsible for maintaining this building as certified.

NOTE: Make no changes, additions or alterations of any structural, mechanical, plumbing, or electrical without consulting the Building Division as this will void the Certificate of Occupancy.
Make no changes of use or occupancy without contacting the Building Division.

JOB CARD
CONSTRUCTION PERMIT
 KERN COUNTY DEPARTMENT OF ENGINEERING & SURVEY SERVICES, BUILDING INSPECTION DIVISION
 2700 "M" STREET, SUITE 570 BAKERSFIELD, CA 93301-2370
 Telephone (661) 862-8681

Project Address: 4026 SKYLINE RD TUPM **PERMIT NO: K200105254**
 Project Parcel: 158-090-050 Application Date: October 17, 2001
 Inspector Area: 22 Permit Issued Date: December 03, 2001
 Permit Class: NEWIND Permit Status: ISSUED
 Project Description: Construction of a 4 mile water pipeline to serve
 Zoning: A Zone Map: 118-1
 School District: 062-008 : Buttonwillow C.S.A. #: . .
 Tract: Lot: Parcel Map: Parcel #:
 Census Tract: 33.01 ATN-Book/Page/Lot: 15809005002
 K.S.A. Connect. #: 9144-40337-4841 K.S.A. Sewer #: 9144-40332-3390

Owner.....: OCCIDENTAL OF ELK HILLS INC
 Address.....: P O BOX 27570 HOUSTON TX 77227-7570 Phone:
 Contractor....: Hiring Licensed Contractor: N
 License No: Phone:
 Address.....: Phone:
 Architect.....: Phone:
 Address.....: Phone:
 Engineer.....: Phone:
 Address.....: Phone:

Census Code: 3290 Total Area: 0 Total Value: \$960,000.00
 Activity Code: KELLYS Activity Date: December 03, 2001
 Occupancy Type Factor Sq Feet
 Manual Valuation Miscellaneous 1.00 960,000 \$960,000.00
 Totals... \$960,000.00*

PERMIT FEES

Application Fee	\$23.00	Flood Area Fee	\$0.00	Spa- sp	\$0.00
Administrative Fee	\$25.55	Wind Farm Review	\$0.00	Spa- nsp	\$0.00
Investigation Fee	\$0.00	School Fee	\$0.00	Pool - sp	\$0.00
Building Fee	\$6,123.06	Habitat Fee	\$0.00	Pool - nsp	\$0.00
Other Building Fee	\$0.00	Microfilm Fee	\$20.00	Pool - commercial	\$0.00
Plan Check Fee	\$3,056.94	Change of Occupancy	\$0.00	Electrical - General Fees	\$0.00
Other Plan Check Fee	\$0.00	Other Building Fees	\$0.00	Electrical - Other Fees	\$0.00
S. M. I. P. Fee	\$201.60	Building Refund	\$0.00	Mechanical - General Fees	\$0.00
Foundation Only	\$0.00	Plan Check Refund	\$0.00	Mechanical - Other Fees	\$0.00
Address Fee	\$0.00	Mobile Home - County	\$0.00	C.S.A. Fee	\$0.00
Site Plan Review	\$0.00	Mobile Home - State	\$0.00	C.S.A. Connection	\$0.00
Demolition Fee	\$0.00	Satellite Dish	\$0.00	C.S.A. Sewer	\$0.00
Sewer Fee	\$0.00	Sign - wallmount	\$0.00	K.S.A. Connection	\$0.00
Park Fee	\$0.00	Sign - monument pole	\$0.00	K.S.A. Sewer	\$0.00
Traffic Impact SFD	\$0.00	Sign - single pole	\$0.00	Sewer Con./Tax Roll	\$0.00
Traffic Impact MFD	\$0.00	Sign - double pole	\$0.00	Plumbing - General Fees	\$0.00
Traffic Impact COM	\$0.00			Plumbing - Other Fees	\$0.00

Total Fees: \$9,450.15
Total Payments: \$9,450.15
Balance Due: \$0.00

COUNTY DEPARTMENT OF
ENGINEERING & SURVEY SERVICES
BUILDING INSPECTION DIVISION
CHARLES LACKEY, P.E., DIRECTOR

INSPECTION RECORD

POST CARD AT JOBSITE

BAKERSFIELD AREA INSPECTION
REQUESTS ONLY
(661) 862-8681

(10:00 a.m. cutoff for same day inspections. Inspections requested after 10:00 a.m. will be conducted on the next business day.)

Inspection		Date	Inspector
GROUND WORK	Grading		
	Set Backs		
	Underground Elec.		
	Underground Plb.		
	Underground Mech.		
	Address Verification		
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED			
FOUNDATION	Slab Mesh		
	Slab Membrane		
	Rebar for Grounding		
	Reinforcing Steel		
PLACE NO CONCRETE FOR FLOOR UNTIL ABOVE HAS BEEN SIGNED			
FLOOR WALL ROOF FRAMING	Floor Joists		
	Floor Sheathing		
	Rough Electrical		
	Plumbing Top-out		
	Fire Sprinkler System		
	Shower Pan		
	Grease Trap		
	Rough Mechanical		
	Roof Sheathing		
	Structural	8-18-02	P. BRAYSON
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED			
STUCCO PLASTER WALLBOARD SIDING	Roofing		
	Interior Lathing		
	Exterior Lathing / Siding		
	Dry Wall		
	Exterior Membrane		
	Wall Insulation		
	Attic Ventilation		
DO NOT PLASTER OR APPLY SIDING UNTIL ABOVE HAS BEEN SIGNED			
SEWAGE DISPOSAL	First Inspection		
	Sewer Line		
	Septic Tank		
	Seepage Pit		
DRY SEWER WET SEWER SEPTIC SYS	Leach Field		
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED			
MASONRY AND CONCRETE WALLS	Foundation Steel		
	Wall Reinforcing		
	Bond Beam		
	Fire Place Reinforcing		
	Fire Place		
	Wood Stove		
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED			
SWIMMING POOL	Location		
	Steel		
	Conduit under deck		
	Recirculation piping		
	Electrical wiring		
	Gas line under deck		
	Fencing & Gates		
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED			

ENGINEERING & SURVEY SERVICES
BUILDING INSPECTION DIVISION
Main Office
2700 M Street, Suite 570, Bakersfield, California 93301-2370
Phone (661) 862-8650 Office Hours 7:30-5:00

Branch Offices
Frazier Park Office - Fire Station Ph. (661) 245-1221 Office Hours 7:00-9:00 M-F
Lake Isabella Office - 7050 Lake Isabella Blvd. Ph. (760) 379-2631 Office Hours 7:00-4:00
McFarland Office - 401 West Kern St. Ph. (661) 792-3091 Office Hours 7:00-8:00 M-Th
Mojave Office - 1775 Hwy. 58 Ph. (661) 824-3906 Office Hours 7:00-4:00
Ridgecrest Office - 400 N. China Lake Blvd. Ph. (760) 371-3780 Hours 7:30-9:30 TF
Taft Office - 315 Lincoln Street Ph. (661) 763-8590 Office Hours 7:00-9:00 W
Tehachapi Office - 125 East "F" Street Ph. (661) 822-6329 Office Hours 7:00-4:00

PL



NORTH

BUILDING
OR
MOBILE HOME

P
L

PROJECT ADDRESS: _____
ASSESSOR'S PARCEL NUMBER: _____

* SINGLE FAMILY RESIDENTIAL
CERTIFICATE OF OCCUPANCY

Inspection	Date	Inspector
Temp Elec.		
Temp Gas		

PRE-FINAL APPROVALS

Inspection	Date	Inspector
Health Department		
Road Department		
Grading		
Drainage		
Landscaping		
C.U.P. Requirements		
P.D. Requirements		

FINAL

Gas pressure test		
Electrical final		
Plumbing final	3/14/02	Billy White
Mechanical final		
Structural final	5-15/03	[Signature]
Energy final		
Zoning requirements	5-15/03	[Signature]
Insulation requirements		
Fire Requirements		
Job complete	5-15/03	[Signature]

* RESIDENTIAL PERMITS: THIS JOB CARD SERVES AS YOUR CERTIFICATE OF OCCUPANCY.

BUILDING DEPT. 550 2626-810 (8/01)

JOB CARD

CONSTRUCTION PERMIT

KERN COUNTY DEPARTMENT OF ENGINEERING & SURVEY SERVICES, BUILDING INSPECTION DIVISION
2700 "M" STREET, SUITE 570 BAKERSFIELD, CA 93301-2370
Telephone (661) 862-8681

Project Address: 4026 SKYLINE RD TUPM

Project Parcel: 158-090-050

Inspector Area: 22

Permit Class: MISCIND

Project Description: INSTALL COMM COACH FOR TEMP OFFICE ACC TO ELK

Zoning: A-1

School District: 062-008 : Buttonwillow

Tract: Lot: 05

Census Tract: ..

K.S.A. Connect. #: 9144-40337-4841

K.S.A. Sewer #: 9144-40332-3390

PERMIT NO: K200105999

Application Date: November 21, 2001

Permit Issued Date: November 28, 2001

Permit Status: ISSUED

Zone Map: 139-11

C.S.A. #: ..

Parcel #:

ATN-Book/Page/Lot: 15809005002

Owner.....: OCCIDENTAL OF ELK HILLS INC

Address.....: P O BOX 27570 HOUSTON TX 77227-7570

Contractor...:

License No:

Address.....:

Architect.....:

Address.....:

Engineer.....:

Address.....:

Phone:

Hiring Licensed Contractor: Y

Phone:

Phone:

Phone:

Census Code: 328C

Total Area: 0

Total Value: \$0.00

Activity Code: KELLYS

Activity Date: November 28, 2001

Occupancy

Type

Factor

Sq Feet

Totals...

\$0.00*

PERMIT FEES

Application Fee	\$23.00	Flood Area Fee	\$0.00	Spa- sp	\$0.00
Administrative Fee	\$2.50	Wind Farm Review	\$0.00	Spa- nsp	\$0.00
Investigation Fee	\$0.00	School Fee	\$0.00	Pool - sp	\$0.00
Building Fee	\$0.00	Habitat Fee	\$0.00	Pool - nsp	\$0.00
Other Building Fee	\$0.00	Microfilm Fee	\$20.00	Pool - commercial	\$0.00
Plan Check Fee	\$0.00	Change of Occupancy	\$0.00	Electrical - General Fees	\$0.00
Other Plan Check Fee	\$0.00	Other Building Fees	\$0.00	Electrical - Other Fees	\$0.00
S. M. I. P. Fee	\$0.00	Building Refund	\$0.00	Mechanical - General Fees	\$0.00
Foundation Only	\$0.00	Plan Check Refund	\$0.00	Mechanical - Other Fees	\$0.00
Address Fee	\$0.00	Mobile Home - County	\$146.00	C.S.A. Fee	\$0.00
Site Plan Review	\$0.00	Mobile Home - State	\$0.00	C.S.A. Connection	\$0.00
Demolition Fee	\$0.00	Satellite Dish	\$0.00	C.S.A. Sewer	\$0.00
Sewer Fee	\$0.00	Sign - wallmount	\$0.00	K.S.A. Connection	\$0.00
Park Fee	\$0.00	Sign - monument pole	\$0.00	K.S.A. Sewer	\$0.00
Traffic Impact SFD	\$0.00	Sign - single pole	\$0.00	Sewer Con./Tax Roll	\$0.00
Traffic Impact MFD	\$0.00	Sign - double pole	\$0.00	Plumbing - General Fees	\$0.00
Traffic Impact COM	\$0.00			Plumbing - Other Fees	\$0.00

Total Fees: \$191.50

Total Payments: \$191.50

Balance Due: \$0.00

COUNTY DEPARTMENT OF
ENGINEERING & SURVEY SERVICES
BUILDING INSPECTION DIVISION
CHARLES LACKEY, P.E., DIRECTOR

INSPECTION RECORD
POST CARD AT JOBSITE

BAKERSFIELD AREA INSPECTION
REQUESTS ONLY
(661) 862-8681

(10:00 a.m. cutoff for same day inspections. Inspections requested
after 10:00 a.m. will be conducted on the next business day.)

Inspection	Date	Inspector
GROUND WORK	Grading	<i>[Signature]</i>
	Set Backs	
	Underground Elec.	
	Underground Plb.	
	Underground Mech.	
	Address Verification	

COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED

FOUNDATION	Slab Mesh		
	Slab Membrane		
	Rebar for Grounding		
	Reinforcing Steel		

PLACE NO CONCRETE FOR FLOOR UNTIL ABOVE HAS BEEN SIGNED

FLOOR WALL ROOF FRAMING	Floor Joists		
	Floor Sheathing		
	Rough Electrical	YES	
	Plumbing Top-out		
	Fire Sprinkler System		
	Shower Pan		
	Grease Trap		
	Rough Mechanical		
	Roof Sheathing		
	Structural	YES	YES

COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED


STUCCO PLASTER WALLBOARD SIDING	Roofing		
	Interior Lathing		
	Exterior Lathing / Siding		
	Dry Wall		
	Exterior Membrane		
	Wall Insulation		
	Attic Ventilation		

ENGINEERING & SURVEY SERVICES
BUILDING INSPECTION DIVISION
Main Office
2700 M Street, Suite 570, Bakersfield, California 93301-2370
Phone (661) 862-8650 Office Hours 7:30-5:00

Branch Offices

Frazier Park Office - Fire Station Ph. (661) 245-1221 Office Hours 7:00-9:00 M-F
Lake Isabella Office - 7050 Lake Isabella Blvd Ph. (760) 379-2631 Office Hours 7:00-4:00
McFarland Office - 401 West Kern St. Ph. (661) 792-3091 Office Hours 7:00-8:00M-Th
Mojave Office - 1775 Hwy. 58 Ph. (661) 824-3906 Office Hours 7:00-4:00
Ridgecrest Office - 400 N. China Lake Blvd Ph. (760) 371-3780 Hours 7:30-9:30 TF
Taft Office - 315 Lincoln Street Ph. (661) 763-8590 Office Hours 7:00-9:00 W
Tehachapi Office - 125 East "F" Street Ph. (661) 822-6329 Office Hours 7:00-4:00

PL



P
L

PROJECT ADDRESS: _____
ASSESSOR'S PARCEL NUMBER: _____ - _____ - _____

* SINGLE FAMILY RESIDENTIAL
CERTIFICATE OF OCCUPANCY

SEWAGE DISPOSAL	First Inspection		
	Sewer Line		
DRY SEWER WET SEWER SEPTIC SYS	Septic Tank	750	
	Seepage Pit		
	Leach Field	80FT SPECIAL	

Inspection	Date	Inspector
Temp Elec.		
Temp Gas		

PRE-FINAL APPROVALS

MASONRY AND CONCRETE WALLS	COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED		
	Foundation Steel		
	Wall Reinforcing		
	Bond Beam		
	Fire Place Reinforcing		
	Fire Place		
	Wood Stove		

Inspection	Date	Inspector
Health Department		
Road Department		
Grading		
Drainage		
Landscaping		
C.U.P. Requirements		
P.D. Requirements		

COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED

SWIMMING POOL	Location		
	Steel		
	Conduit under deck		
	Recirculation piping		
	Electrical wiring		
	Gas line under deck		
	Fencing & Gates		

FINAL	Gas pressure test	8/6/02	<i>[Signature]</i>
	Electrical final	8/6/02	<i>[Signature]</i>
	Plumbing final	8/6/02	<i>[Signature]</i>
	Mechanical final	8/6/02	<i>[Signature]</i>
	Structural final	8/6/02	<i>[Signature]</i>
	Energy final	8/6/02	<i>[Signature]</i>
	Zoning requirements	8/6/02	<i>[Signature]</i>
	Insulation requirements	8/6/02	<i>[Signature]</i>
	Fire Requirements	8/6/02	<i>[Signature]</i>
	Job complete	8/6/02	<i>[Signature]</i>

COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED

*

* RESIDENTIAL PERMITS: THIS JOB CARD SERVES AS YOUR CERTIFICATE OF OCCUPANCY.

BUILDING INSP/880/2626-810 (8/01)

JOB CARD

CONSTRUCTION PERMIT

KERN COUNTY DEPARTMENT OF ENGINEERING & SURVEY SERVICES, BUILDING INSPECTION DIVISION
2700 "M" STREET, SUITE 570 BAKERSFIELD, CA 93301-2370
Telephone (661) 862-8681

Project Address: 4026 SKYLINE RD TUPM
Project Parcel: 158-090-050
Inspector Area: 22
Subtype: NEWCOM
Project Description: MAINTENANCE/WAREHOUSE BLDG ACC TO ELK HILLS POWER PLANT.
Zoning: A
School District: - :
Tract-Phase: - Lot: Parcel Map:
Census Tract: 33.01
K.S.A. Connect. #: 9144-40337-4841 K.S.A. Sewer #: 9144-40332-3390

PERMIT NO: K200106409
Application Date: December 14, 2001
Permit Issued Date: January 08, 2003
Permit Status: ISSUED
Zone Map: 118-1
C.S.A. #: n/a
Parcel #:
ATN-Book/Page/Lot: 15809005002

Owner.....: OCCIDENTAL OF ELK HILLS INC
Address.....: P O BOX 27570 HOUSTON TX 77227-7570
Contractor....:
License No:
Address.....:
Architect.....:
Address.....:
Engineer.....:
Address.....:

Phone:
Hiring Licensed Contractor: N
Phone:
Phone:
Phone:

Census Code: 328W Total Area: 5928 Total Value: \$168,295.92
Activity Code: KELLYS Activity Date: January 08, 2003

Occupancy	Type	Factor	Sq Feet	Valuation
Industrial Plants	Type V -N	28.39	5,928	\$168,295.92
	Totals...		5,928	\$168,295.92*

PERMIT FEES

Application Fee	\$23.00	Flood Area Fee	\$0.00	Spa- sp	\$0.00
Administrative Fee	\$25.50	Erosion Review	\$0.00	Spa- nsp	\$0.00
Investigation Fee	\$0.00	Wind Farm Review	\$0.00	Pool - sp	\$0.00
Building Fee	\$1,234.78	School Fee	\$0.00	Pool - nsp	\$0.00
Other Building Fee	\$0.00	Park Fee	\$0.00	Pool - commercial	\$0.00
Plan Check Fee	\$616.47	Habitat Fee	\$0.00	Electrical - General Fees	\$0.00
Other Plan Check Fee	\$0.00	Microfilm Fee	\$20.00	Electrical - Other Fees	\$0.00
S. M. I. P. Fee	\$35.34	Change of Occupancy	\$0.00	Mechanical - General Fees	\$0.00
Foundation Only	\$0.00	Mobile Home - County	\$0.00	Mechanical - Other Fees	\$0.00
Address Fee	\$0.00	Mobile Home - State	\$0.00	C.S.A. Fee	\$0.00
Site Plan Review	\$0.00	Satellite Dish	\$0.00	C.S.A. Connection	\$0.00
Demolition Fee	\$0.00	Sign - Wallmount	\$0.00	C.S.A. Sewer	\$0.00
Sewer Fee	\$0.00	Sign - monument	\$0.00	K S.A. Connection	\$0.00
Traffic Impact SFD	\$0.00	Sign - single pole	\$0.00	K S.A. Sewer	\$0.00
Traffic Impact MFD	\$0.00	Sign - double pole	\$0.00	Sewer Con./Tax Roll	\$0.00
Traffic Impact COM	\$0.00			Plumbing - General Fees	\$0.00
				Plumbing - Other Fees	\$0.00

Total Fees: \$1,955.09
Total Payments: \$1,955.09
Balance Due: \$0.00

INSPECTION RECORD
POST CARD AT JOBSITE

BAKERSFIELD AREA INSPECTION
REQUESTS ONLY (661) 862-8681
7:30 a.m. - 5:00 p.m.
After Hours (661) 862-8698
(10:00 a.m. cutoff for same day inspections. Inspections requested
after 10:00 a.m. will be conducted on the next business day.)

Inspection		Date	Inspector	ENGINEERING & SURVEY SERVICES BUILDING INSPECTION DIVISION Main Office 2700 M Street, Suite 570, Bakersfield, California 93301-2370 Phone (661) 862-8650 Office Hours 7:30-5:00 Branch Offices Frazier Park Office - Fire Station Ph. (661) 245-1221 Office Hours 7:00-9:00 M-F Lake Isabella Office - 7050 Lake Isabella Blvd. Ph. (760) 549-2064 Office Hours 7:00-12:00 1:00-4:00 McFarland Office - 401 West Kern St. Ph. (661) 792-3091 Office Hours 7:00-8:00 M-Th Newave Office - 1775 Hwy 58 Ph. (661) 824-7090 Office Hours 7:00-12:00 1:00-4:00 Pidgeon Office - 400 N. China Lake Blvd. Ph. (760) 371-3780 Office Hours 7:30-9:30 T, Th, F Tall Office - 315 Lincoln Street Ph. (661) 763-8590 Office Hours 7:00-9:00 M, & W Tehachapi Office - 125 East 1 st Street Ph. (661) 822-6329 Office Hours 7:00-12:00 1:00-4:00																														
GROUND WORK	Grading			PL  NORTH BUILDING OR MOBILE HOME P L																														
	Set Backs																																	
	Underground Elec.																																	
	Underground Pib.																																	
	Underground Mech.																																	
Address Verification																																		
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED																																		
FOUNDATION	Slab Mesh																																	
	Slab Membrane																																	
	Rebar for Grounding																																	
	Reinforcing Steel																																	
PLACE NO CONCRETE FOR FLOOR UNTIL ABOVE HAS BEEN SIGNED																																		
FLOOR WALL ROOF FRAMING	Floor Joists																																	
	Floor Sheathing																																	
	Rough Electrical																																	
	Plumbing Top-out																																	
	Fire Sprinkler System																																	
	Shower Pan																																	
	Grease Trap																																	
	Rough Mechanical																																	
Roof Sheathing																																		
Structural																																		
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED																																		
STUCCO PLASTER WALLBOARD SIDING	Roofing																																	
	Interior Lathing																																	
	Exterior Lathing / Siding																																	
	Dry Wall																																	
	Exterior Membrane																																	
	Wall Insulation																																	
Attic Ventilation																																		
DO NOT PLASTER OR APPLY SIDING UNTIL ABOVE HAS BEEN SIGNED																																		
SEWAGE DISPOSAL	First Inspection			* SINGLE FAMILY RESIDENTIAL CERTIFICATE OF OCCUPANCY <table border="1"> <thead> <tr> <th>Inspection</th> <th>Date</th> <th>Inspector</th> </tr> </thead> <tbody> <tr> <td>Temp Elec</td> <td></td> <td></td> </tr> <tr> <td>Temp Gas</td> <td></td> <td></td> </tr> </tbody> </table>		Inspection	Date	Inspector	Temp Elec			Temp Gas																						
	Inspection	Date	Inspector																															
	Temp Elec																																	
	Temp Gas																																	
Sewer Line																																		
Septic Tank																																		
Seepage Pit																																		
DRY SEWER WET SEWER SEPTIC SYS	Leach Field																																	
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED																																		
MASONRY AND CONCRETE WALLS	Foundation Steel			PRE-FINAL APPROVALS <table border="1"> <thead> <tr> <th>Inspection</th> <th>Date</th> <th>Inspector</th> </tr> </thead> <tbody> <tr> <td>Health Department</td> <td></td> <td></td> </tr> <tr> <td>Road Department</td> <td></td> <td></td> </tr> <tr> <td>Grading</td> <td></td> <td></td> </tr> <tr> <td>Drainage</td> <td></td> <td></td> </tr> <tr> <td>Landscaping</td> <td></td> <td></td> </tr> <tr> <td>C.U.P. Requirements</td> <td></td> <td></td> </tr> <tr> <td>P.D. Requirements</td> <td></td> <td></td> </tr> </tbody> </table>		Inspection	Date	Inspector	Health Department			Road Department			Grading			Drainage			Landscaping			C.U.P. Requirements			P.D. Requirements							
	Inspection	Date	Inspector																															
	Health Department																																	
	Road Department																																	
	Grading																																	
	Drainage																																	
	Landscaping																																	
C.U.P. Requirements																																		
P.D. Requirements																																		
Wall Reinforcing																																		
Bond Beam																																		
Fire Place Reinforcing																																		
Fire Place																																		
Wood Stove																																		
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED																																		
SWIMMING POOL	Location			FINAL <table border="1"> <tbody> <tr> <td>Gas pressure test</td> <td></td> <td></td> </tr> <tr> <td>Electrical final</td> <td></td> <td></td> </tr> <tr> <td>Plumbing final</td> <td></td> <td></td> </tr> <tr> <td>Mechanical final</td> <td></td> <td></td> </tr> <tr> <td>Structural final</td> <td></td> <td></td> </tr> <tr> <td>Energy final</td> <td></td> <td></td> </tr> <tr> <td>Zoning requirements</td> <td></td> <td></td> </tr> <tr> <td>Insulation requirements</td> <td></td> <td></td> </tr> <tr> <td>Fire Requirements</td> <td></td> <td></td> </tr> <tr> <td>* Job complete</td> <td></td> <td></td> </tr> </tbody> </table>	Gas pressure test			Electrical final			Plumbing final			Mechanical final			Structural final			Energy final			Zoning requirements			Insulation requirements			Fire Requirements			* Job complete		
	Gas pressure test																																	
	Electrical final																																	
	Plumbing final																																	
	Mechanical final																																	
	Structural final																																	
	Energy final																																	
Zoning requirements																																		
Insulation requirements																																		
Fire Requirements																																		
* Job complete																																		
Steel																																		
Conduit under deck																																		
Recirculation piping																																		
Electrical wiring																																		
Gas line under deck																																		
Fencing & Gates																																		
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED																																		

* RESIDENTIAL PERMITS: THIS JOB CARD SERVES AS YOUR CERTIFICATE OF OCCUPANCY.

BUILDING INS. 530 2625, 010-19/02

KERN COUNTY DEPARTMENT OF ENGINEERING & SURVEY SERVICES, BUILDING INSPECTION DIVISION
2700 "M" STREET, SUITE 570 BAKERSFIELD, CA 93301-2370
Telephone (661) 862-8681

Census Code: 328C	Total Area: 0	Total Value:	\$0.00
Activity Code: ROBERTS	Activity Date: January 03, 2002		
Occupancy	Type	Factor	Sq Feet
	Totals...		\$0.00*

Application Fee	\$23.00	Flood Area Fee	\$0.00	Spa- sp	\$0.00
Administrative Fee	\$25.50	Wind Farm Review	\$0.00	Spa- nsp	\$0.00
Investigation Fee	\$0.00	School Fee	\$0.00	Pool - sp	\$0.00
Building Fee	\$0.00	Habitat Fee	\$0.00	Pool - nsp	\$0.00
Other Building Fee	\$0.00	Microfilm Fee	\$20.00	Pool - commercial	\$0.00
Plan Check Fee	\$0.00	Change of Occupancy	\$0.00	Electrical - General Fees	\$0.00
Other Plan Check Fee	\$0.00	Other Building Fees	\$0.00	Electrical - Other Fees	\$0.00
S. M. I. P. Fee	\$0.00	Building Refund	\$0.00	Mechanical - General Fees	\$0.00
Foundation Only	\$0.00	Plan Check Refund	\$0.00	Mechanical - Other Fees	\$0.00
Address Fee	\$0.00	Mobile Home - County	\$292.00	C.S.A. Fee	\$0.00
Site Plan Review	\$0.00	Mobile Home - State	\$0.00	C.S.A. Connection	\$0.00
Demolition Fee	\$0.00	Satellite Dish	\$0.00	C.S.A. Sewer	\$0.00
Sewer Fee	\$0.00	Sign - wallmount	\$0.00	K.S.A. Connection	\$0.00
Park Fee	\$0.00	Sign - monument pole	\$0.00	K.S.A. Sewer	\$0.00
Traffic Impact SFD	\$0.00	Sign - single pole	\$0.00	Sewer Con./Tax Roll	\$0.00
Traffic Impact MFD	\$0.00	Sign - double pole	\$0.00	Plumbing - General Fees	\$0.00
Traffic Impact COM	\$0.00			Plumbing - Other Fees	\$0.00

Total Fees:	\$360.50
Total Payments:	\$360.50
Balance Due:	\$0.00

COUNTY DEPARTMENT OF
ENGINEERING & SURVEY SERVICES
BUILDING INSPECTION DIVISION
CHARLES LACKEY, P.E., DIRECTOR

INSPECTION RECORD
POST CARD AT JOBSITE

BAKERSFIELD AREA INSPECTION
REQUESTS ONLY
(661) 862-8681

(10:00 a.m. cutoff for same day inspections. Inspections requested
after 10:00 a.m. will be conducted on the next business day.)

Inspection	Date	Inspector
GROUND WORK	Grading	<i>[Signature]</i>
	Set Backs	
	Underground Elec.	
	Underground Pib.	
	Underground Mech.	
Address Verification		

ENGINEERING & SURVEY SERVICES
BUILDING INSPECTION DIVISION
Main Office
2700 M Street, Suite 570, Bakersfield, California 93301-2370
Phone (661) 862-8650 Office Hours 7:30-5:00

Branch Offices

Frazier Park Office - Fire Station
Lake Isabella Office - 7050 Lake Isabella Blvd
McFarland Office - 401 West Kern St.
Mojave Office - 1775 Hwy. 58
Ridgecrest Office - 400 N. China Lake Blvd.
Taft Office - 315 Lincoln Street
Tehachapi Office - 125 East "F" Street

Ph. (661) 245-1221 Office Hours 7:00-9:00 M-F
Ph. (760) 379-2631 Office Hours 7:00-4:00
Ph. (661) 792-3091 Office Hours 7:00-8:00 M-Th
Ph. (661) 824-3906 Office Hours 7:00-4:00
Ph. (760) 371-3780 Hours 7:30-9:30 TF
Ph. (661) 763-8590 Office Hours 7:00-9:00 W
Ph. (661) 822-6329 Office Hours 7:00-4:00

COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED

FOUNDATION	Slab Mesh		
	Slab Membrane		
	Rebar for Grounding		
	Reinforcing Steel		

PLACE NO CONCRETE FOR FLOOR UNTIL ABOVE HAS BEEN SIGNED

FLOOR WALL ROOF FRAMING	Floor Joists		
	Floor Sheathing		
	Rough Electrical		
	Plumbing Top-out		
	Fire Sprinkler System		
	Shower Pan		
	Grease Trap		
	Rough Mechanical		
	Roof Sheathing		
	Structural	TRE ADAMS	

COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED

ST JCCO PLASTER WALLBOARD SIDING	Roofing	<i>[Signature]</i>	
	Interior Lathing		
	Exterior Lathing / Siding		
	Dry Wall		
	Exterior Membrane		
	Wall Insulation		
	Attic Ventilation		

DO NOT PLASTER OR APPLY SIDING UNTIL ABOVE HAS BEEN SIGNED

SEWAGE DISPOSAL	First Inspection		
	Sewer Line		
DRY SEWER WET SEWER SEPTIC SYS	Septic Tank		
	Seepage Pit		
	Leach Field		

COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED

MASONRY AND CONCRETE WALLS	Foundation Steel	<i>[Signature]</i>	
	Wall Reinforcing		
	Bond Beam		
	Fire Place Reinforcing		
	Fire Place		
	Wood Stove		

COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED

SWIMMING POOL	Location	<i>[Signature]</i>	
	Steel		
	Conduit under deck		
	Recirculation piping		
	Electrical wiring		
	Gas line under deck		
	Fencing & Gates		

COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED

PL


NORTH


BUILDING
OR
MOBILE HOME

P
L




PROJECT ADDRESS: _____
ASSESSOR'S PARCEL NUMBER: _____

* SINGLE FAMILY RESIDENTIAL
CERTIFICATE OF OCCUPANCY

Inspection	Date	Inspector
Temp Elec.		
Temp Gas		

PRE-FINAL APPROVALS

Inspection	Date	Inspector
Health Department		
Road Department		
Grading		
Drainage		
Landscaping		
C.U.P. Requirements		
P.D. Requirements		

FINAL	Gas pressure test			
	Electrical final			
	Plumbing final			
	Mechanical final			
	Structural final			
	Energy final			
	Zoning requirements			
	Insulation requirements			
	Fire Requirements			
*	Job complete			

* RESIDENTIAL PERMITS: THIS JOB CARD SERVES AS YOUR CERTIFICATE OF OCCUPANCY.

JOB CARD

CONSTRUCTION PERMIT

KERN COUNTY DEPARTMENT OF ENGINEERING & SURVEY SERVICES, BUILDING INSPECTION DIVISION
2700 "M" STREET, SUITE 570 BAKERSFIELD, CA 93301-2370
Telephone (661) 862-8681

Project Address: 4026 SKYLINE RD TUPM

Project Parcel: 158-090-050

Inspector Area: 22

Permit Class: MISCCOM

Project Description: TEMP ELEC CONSTRUCTION POWER AT ELKS HILLS PROJECT

Zoning: A

School District: - :

Tract: Lot:

Census Tract: 33.01

K.S.A. Connect. #: 9144-40337-4841

K.S.A. Sewer #: 9144-40332-3390

PERMIT NO: K200201753

Application Date: March 28, 2002

Permit Issued Date: March 29, 2002

Permit Status: ISSUED

Zone Map: 118-1

C.S.A. #: ..

Parcel #:

ATN-Book/Page/Lot: 15809005002

Owner.....: OCCIDENTAL OF ELK HILLS INC

Address.....: P O BOX 27570 HOUSTON TX 77227-7570

Contractor....: CONTRA COSTA ELECTRIC

License No: 139885

Address.....: 3208 LANDCO DR BAKERSFIELD CA 93308

Architect.....:

Address.....:

Engineer.....:

Address.....:

Phone:

Hiring Licensed Contractor: Y

Phone: 1-805-322-4036

Phone:

Phone:

Census Code: 199M

Activity Code: JAVIERR

Occupancy

Total Area: 0

Activity Date: March 29, 2002

Total Value: \$329,800.00

Type Factor Sq Feet

Additional Amount...

Totals...

329,800.00

\$329,800.00*

PERMIT FEES

Application Fee	\$23.00	Flood Area Fee	\$0.00	Spa- sp	\$0.00
Administrative Fee	\$25.50	Wind Farm Review	\$0.00	Spa- nsp	\$0.00
Investigation Fee	\$0.00	School Fee	\$0.00	Pool - sp	\$0.00
Building Fee	\$2,419.74	Habitat Fee	\$0.00	Pool - nsp	\$0.00
Other Building Fee	\$0.00	Microfilm Fee	\$20.00	Pool - commercial	\$0.00
Plan Check Fee	\$1,208.06	Change of Occupancy	\$0.00	Electrical - General Fees	\$0.00
Other Plan Check Fee	\$0.00	Other Building Fees	\$0.00	Electrical - Other Fees	\$0.00
S. M. I. P. Fee	\$69.26	Building Refund	\$0.00	Mechanical - General Fees	\$0.00
Foundation Only	\$0.00	Plan Check Refund	\$0.00	Mechanical - Other Fees	\$0.00
Address Fee	\$0.00	Mobile Home - County	\$0.00	C.S.A. Fee	\$0.00
Site Plan Review	\$0.00	Mobile Home - State	\$0.00	C.S.A. Connection	\$0.00
Demolition Fee	\$0.00	Satellite Dish	\$0.00	C.S.A. Sewer	\$0.00
Sewer Fee	\$0.00	Sign - wallmount	\$0.00	K.S.A. Connection	\$0.00
Park Fee	\$0.00	Sign - monument pole	\$0.00	K.S.A. Sewer	\$0.00
Traffic Impact SFD	\$0.00	Sign - single pole	\$0.00	Sewer Con./Tax Roll	\$0.00
Traffic Impact MFD	\$0.00	Sign - double pole	\$0.00	Plumbing - General Fees	\$0.00
Traffic Impact COM	\$0.00			Plumbing - Other Fees	\$0.00

Total Fees: \$3,765.56

Total Payments: \$3,765.56

Balance Due: \$0.00

INCIDENTALS COPY

COUNTY DEPARTMENT OF ENGINEERING & SURVEY SERVICES BUILDING INSPECTION DIVISION CHARLES LACKEY, P.E., DIRECTOR		INSPECTION RECORD POST CARD AT JOBSITE		BAKERSFIELD AREA INSPECTION REQUESTS ONLY (661) 862-8681 7:30 a.m. - 5:00 p.m. After Hours (661) 862-8698 (15.00 a.m. cutoff for same day inspections. Inspections requested after 12:00 a.m. will be conducted on the next business day.)																									
				ENGINEERING & SURVEY SERVICES BUILDING INSPECTION DIVISION Main Office 2700 M Street, Suite 570, Bakersfield, California 93301-2370 Phone (661) 862-8650 Office Hours 7:30-5:00																									
				Branch Offices Ph: (661) 245-1221 Office Hours 7:00-9:00 M-F Ph: (760) 543-2964 Office Hours 7:00-12:00 1:00-4:00 Ph: (661) 792-3001 Office Hours 7:00-8:00 AM Th Ph: (661) 824-7000 Office Hours 7:00-12:00 1:00-4:00 Ph: (760) 371-3700 Office Hours 7:30-9:30 T-F Ph: (661) 178-4560 Office Hours 7:00-9:00 W Ph: (661) 822-4329 Office Hours 7:00-12:00 1:00-4:00																									
GROUND WORK	Grading			PL NORTH BUILDING OR MOBILE HOME																									
	Set Backs																												
	Underground Elec																												
	Underground Plb																												
	Underground Mech																												
Address Verification																													
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED																													
FOUNDATION	Slab Mesh			P L																									
	Slab Membrane																												
	Rebar for Grounding																												
	Reinforcing Steel																												
PLACE NO CONCRETE FOR FLOOR UNTIL ABOVE HAS BEEN SIGNED																													
FLOOR WALL ROOF FRAMING	Floor Joists			P L																									
	Floor Sheathing																												
	Rough Electrical																												
	Plumbing Top-out																												
	Fire Sprinkler System																												
	Shower Pan																												
	Grease Trap																												
	Rough Mechanical																												
	Roof Sheathing																												
	Structural																												
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED																													
STUCCO PLASTER WALLBOARD SIDING	Roofing			PROJECT ADDRESS: _____ ASSESSOR'S PARCEL NUMBER: _____																									
	Interior Lathing																												
	Exterior Lathing / Siding																												
	Dry Wall																												
	Exterior Membrane																												
	Wall Insulation																												
Attic Ventilation																													
DO NOT PLASTER OR APPLY SIDING UNTIL ABOVE HAS BEEN SIGNED																													
SEWAGE DISPOSAL	First Inspection			* SINGLE FAMILY RESIDENTIAL CERTIFICATE OF OCCUPANCY <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Inspection</th> <th>Date</th> <th>Inspector</th> </tr> <tr> <td>Temp Elec</td> <td></td> <td></td> </tr> <tr> <td>Temp Gas</td> <td></td> <td></td> </tr> </table>		Inspection	Date	Inspector	Temp Elec			Temp Gas																	
	Inspection	Date	Inspector																										
	Temp Elec																												
	Temp Gas																												
Sewer Line																													
Septic Tank																													
Seepage Pit																													
DRY SEWER WET SEWER SEPTIC SYS	Leach Field			PRE-FINAL APPROVALS <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>Inspection</th> <th>Date</th> <th>Inspector</th> </tr> <tr> <td>Health Department</td> <td></td> <td></td> </tr> <tr> <td>Road Department</td> <td></td> <td></td> </tr> <tr> <td>Grading</td> <td></td> <td></td> </tr> <tr> <td>Drainage</td> <td></td> <td></td> </tr> <tr> <td>Landscaping</td> <td></td> <td></td> </tr> <tr> <td>C.U.P. Requirements</td> <td></td> <td></td> </tr> <tr> <td>P.D. Requirements</td> <td></td> <td></td> </tr> </table>		Inspection	Date	Inspector	Health Department			Road Department			Grading			Drainage			Landscaping			C.U.P. Requirements			P.D. Requirements		
	Inspection	Date	Inspector																										
Health Department																													
Road Department																													
Grading																													
Drainage																													
Landscaping																													
C.U.P. Requirements																													
P.D. Requirements																													
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED																													
MASONRY AND CONCRETE WALLS	Foundation Steel			FINAL <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td>Gas pressure test</td> <td></td> </tr> <tr> <td>Electrical final</td> <td></td> </tr> <tr> <td>Plumbing final</td> <td></td> </tr> <tr> <td>Mechanical final</td> <td></td> </tr> <tr> <td>Structural final</td> <td></td> </tr> <tr> <td>Energy final</td> <td></td> </tr> <tr> <td>Zoning requirements</td> <td></td> </tr> <tr> <td>Insulation requirements</td> <td></td> </tr> <tr> <td>Fire Requirements</td> <td></td> </tr> <tr> <td>* Job complete</td> <td></td> </tr> </table>		Gas pressure test		Electrical final		Plumbing final		Mechanical final		Structural final		Energy final		Zoning requirements		Insulation requirements		Fire Requirements		* Job complete					
	Gas pressure test																												
	Electrical final																												
	Plumbing final																												
	Mechanical final																												
	Structural final																												
	Energy final																												
	Zoning requirements																												
Insulation requirements																													
Fire Requirements																													
* Job complete																													
Wall Reinforcing																													
Bond Beam																													
Fire Place Reinforcing																													
Fire Place																													
Wood Stove																													
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED																													
SWIMMING POOL	Location			* RESIDENTIAL PERMITS: THIS JOB CARD SERVES AS YOUR CERTIFICATE OF OCCUPANCY.																									
	Steel																												
	Conduit under deck																												
	Recirculation piping																												
	Electrical wiring																												
	Gas line under deck																												
	Fencing & Gates																												



KERN COUNTY BID INSPECTION LOG

Notice To Comply for Permit: K200202214

Project Address:	4026 SKYLINE RD, TUPMAN, CA	PERMIT NO: K200202214
Project Parcel:	158-090-050	Application Date: Apr 18, 2002
Inspector Area:	22	Permit Issued Date: Apr 18, 2002
Subtype:	Commercial Accessory	Permit Status: FINALED
Project Description:	Installation of a single wide commercial coach accessory and incidental to the constuction of a power plant as per site plan.	

Inspection	Scheduled	Inspected	Inspector	Result
------------	-----------	-----------	-----------	--------

GROUND  BOUNDLESS

2700 M Street, #400, Bakersfield, CA. 93301 | 661.862.5100 | www.KernPublicWorks.com

JOB CARD

CONSTRUCTION PERMIT

KERN COUNTY DEPARTMENT OF ENGINEERING & SURVEY SERVICES, BUILDING INSPECTION DIVISION
2700 "M" STREET, SUITE 570 BAKERSFIELD, CA 93301-2370
Telephone (661) 862-8681

Project Address: 4026 SKYLINE RD TUPM
Project Parcel: 158-090-050
Inspector Area: 22
Permit Class: MISCIND
Project Description: INSTALL COMM COACH FOR TEMP USE ACC TO ELK HILLS
Zoning: A
School District: - :
Tract: Lot: Parcel Map:
Census Tract: 33.01
K.S.A. Connect. #: 9144-40337-4841 K.S.A. Sewer #: 9144-40332-3390

PERMIT NO: K200204120
Application Date: July 10, 2002
Permit Issued Date: July 15, 2002
Permit Status: ISSUED
Zone Map: 118-1
C.S.A. #: ...
Parcel #: ...
ATN-Book/Page/Lot: 15809005002

Owner.....: OCCIDENTAL OF ELK HILLS INC
Address.....: P O BOX 27570 HOUSTON TX 77227-7570
Contractor.....: Phone:
License No: Hiring Licensed Contractor: N
Address.....: Phone:
Architect.....: Phone:
Address.....: Phone:
Engineer.....: Phone:
Address.....: Phone:

Census Code: 328C Total Area: 0 Total Value: \$0.00
Activity Code: KELLYS Activity Date: July 15, 2002
Occupancy Type Factor Sq Feet
Totals... \$0.00*

PERMIT FEES

Application Fee	\$23.00	Flood Area Fee	\$0.00	Spa- sp	\$0.00
Administrative Fee	\$2.50	Wind Farm Review	\$0.00	Spa- nsp	\$0.00
Investigation Fee	\$0.00	School Fee	\$0.00	Pool - sp	\$0.00
Building Fee	\$0.00	Habitat Fee	\$0.00	Pool - nsp	\$0.00
Other Building Fee	\$0.00	Microfilm Fee	\$20.00	Pool - commercial	\$0.00
Plan Check Fee	\$0.00	Change of Occupancy	\$0.00	Electrical - General Fees	\$0.00
Other Plan Check Fee	\$0.00	Other Building Fees	\$0.00	Electrical - Other Fees	\$0.00
S. M. I. P. Fee	\$0.00	Building Refund	\$0.00	Mechanical - General Fees	\$0.00
Foundation Only	\$0.00	Plan Check Refund	\$0.00	Mechanical - Other Fees	\$0.00
Address Fee	\$0.00	Mobile Home - County	\$292.00	C.S.A. Fee	\$0.00
Site Plan Review	\$0.00	Mobile Home - State	\$0.00	C.S.A. Connection	\$0.00
Demolition Fee	\$0.00	Satellite Dish	\$0.00	C.S.A. Sewer	\$0.00
Sewer Fee	\$0.00	Sign - wallmount	\$0.00	K.S.A. Connection	\$0.00
Park Fee	\$0.00	Sign - monument pole	\$0.00	K.S.A. Sewer	\$0.00
Traffic Impact SFD	\$0.00	Sign - single pole	\$0.00	Sewer Con./Tax Roll	\$0.00
Traffic Impact MFD	\$0.00	Sign - double pole	\$0.00	Plumbing - General Fees	\$0.00
Traffic Impact COM	\$0.00			Plumbing - Other Fees	\$0.00

Total Fees: \$337.50
Total Payments: \$337.50
Balance Due: \$0.00

COUNTY DEPARTMENT OF ENGINEERING & SURVEY SERVICES BUILDING INSPECTION DIVISION CHARLES LACKEY, P.E., DIRECTOR			INSPECTION RECORD POST CARD AT JOBSITE		BAKERSFIELD AREA INSPECTION REQUESTS ONLY (661) 862-8681 7:30 a.m. - 5:00 p.m. After Hours (661) 862-8696 (19:00 a.m. cutoff for same day inspections. Inspections requested after 10:00 a.m. will be conducted on the next business day.)																																																																																																			
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 30%;">Inspection</th> <th style="width: 20%;">Date</th> <th style="width: 50%;">Inspector</th> </tr> </thead> <tbody> <tr><td rowspan="5">GROUND WORK</td> <td>Grading</td> <td rowspan="5" style="text-align: center; vertical-align: middle;"> </td> </tr> <tr><td>Set Backs</td></tr> <tr><td>Underground Elec.</td></tr> <tr><td>Underground Pib</td></tr> <tr><td>Underground Mech</td></tr> <tr><td colspan="3">Address Verification</td></tr> <tr><td colspan="3">COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED</td></tr> <tr><td rowspan="4">FOUNDATION</td> <td>Slab Mesh</td> <td rowspan="4"></td> </tr> <tr><td>Slab Membrane</td></tr> <tr><td>Rebar for Grounding</td></tr> <tr><td>Reinforcing Steel</td></tr> <tr><td colspan="3">PLACE NO CONCRETE FOR FLOOR UNTIL ABOVE HAS BEEN SIGNED</td></tr> <tr><td rowspan="10">FLOOR WALL ROOF FRAMING</td> <td>Floor Joists</td> <td rowspan="10" style="text-align: center; vertical-align: middle;"> </td> </tr> <tr><td>Floor Sheathing</td></tr> <tr><td>Rough Electrical</td></tr> <tr><td>Plumbing Top-out</td></tr> <tr><td>Fire Sprinkler System</td></tr> <tr><td>Shower Pan</td></tr> <tr><td>Grease Trap</td></tr> <tr><td>Rough Mechanical</td></tr> <tr><td>Roof Sheathing</td></tr> <tr><td>Structural</td></tr> <tr><td colspan="3">COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED</td></tr> <tr><td rowspan="6">STUCCO PLASTER WALLBOARD SIDING</td> <td>Roofing</td> <td rowspan="6" style="text-align: center; vertical-align: middle;"> </td> </tr> <tr><td>Interior Lathing</td></tr> <tr><td>Exterior Lathing / Siding</td></tr> <tr><td>Dry Wall</td></tr> <tr><td>Exterior Membrane</td></tr> <tr><td>Wall Insulation</td></tr> <tr><td colspan="3">Attic Ventilation</td></tr> <tr><td colspan="3">DO NOT PLASTER OR APPLY SIDING UNTIL ABOVE HAS BEEN SIGNED</td></tr> <tr><td rowspan="4">SEWAGE DISPOSAL</td> <td>First Inspection</td> <td rowspan="4" style="text-align: center; vertical-align: middle;"> </td> </tr> <tr><td>Sewer Line</td></tr> <tr><td>Septic Tank</td></tr> <tr><td>Seepage Pit</td></tr> <tr><td rowspan="2">WET SEWER SEPTIC SYS</td> <td>Leach Field</td> <td></td> </tr> <tr><td colspan="2">COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED</td></tr> <tr><td rowspan="7">MASONRY AND CONCRETE WALLS</td> <td>Foundation Steel</td> <td rowspan="7" style="text-align: center; vertical-align: middle;"> </td> </tr> <tr><td>Wall Reinforcing</td></tr> <tr><td>Bond Beam</td></tr> <tr><td>Fire Place Reinforcing</td></tr> <tr><td>Fire Place</td></tr> <tr><td>Wood Stove</td></tr> <tr><td></td></tr> <tr><td colspan="3">COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED</td></tr> <tr><td rowspan="8">SWIMMING POOL</td> <td>Location</td> <td rowspan="8" style="text-align: center; vertical-align: middle;"> </td> </tr> <tr><td>Steel</td></tr> <tr><td>Conduit under deck</td></tr> <tr><td>Recirculation piping</td></tr> <tr><td>Electrical wiring</td></tr> <tr><td>Gas line under deck</td></tr> <tr><td>Fencing & Gates</td></tr> <tr><td></td></tr> <tr><td colspan="3">COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED</td></tr> </tbody> </table>			Inspection	Date	Inspector	GROUND WORK	Grading		Set Backs	Underground Elec.	Underground Pib	Underground Mech	Address Verification			COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED			FOUNDATION	Slab Mesh		Slab Membrane	Rebar for Grounding	Reinforcing Steel	PLACE NO CONCRETE FOR FLOOR UNTIL ABOVE HAS BEEN SIGNED			FLOOR WALL ROOF FRAMING	Floor Joists		Floor Sheathing	Rough Electrical	Plumbing Top-out	Fire Sprinkler System	Shower Pan	Grease Trap	Rough Mechanical	Roof Sheathing	Structural	COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED			STUCCO PLASTER WALLBOARD SIDING	Roofing		Interior Lathing	Exterior Lathing / Siding	Dry Wall	Exterior Membrane	Wall Insulation	Attic Ventilation			DO NOT PLASTER OR APPLY SIDING UNTIL ABOVE HAS BEEN SIGNED			SEWAGE DISPOSAL	First Inspection		Sewer Line	Septic Tank	Seepage Pit	WET SEWER SEPTIC SYS	Leach Field		COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED		MASONRY AND CONCRETE WALLS	Foundation Steel		Wall Reinforcing	Bond Beam	Fire Place Reinforcing	Fire Place	Wood Stove		COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED			SWIMMING POOL	Location		Steel	Conduit under deck	Recirculation piping	Electrical wiring	Gas line under deck	Fencing & Gates		COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED			<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td colspan="3" style="text-align: center;"> ENGINEERING & SURVEY SERVICES BUILDING INSPECTION DIVISION Main Office 2700 M Street, Suite 570, Bakersfield, California 93301-2370 Phone (661) 862-8650 Office Hours 7:30-5:00 </td> </tr> <tr> <td colspan="3" style="text-align: center;"> Branch Offices </td> </tr> <tr> <td style="width: 33%;"> Frasier Park Office - Fire Station Lake Isabella Office - 7000 Lake Isabella Blvd McFarland Office - 401 West Kern St Mojave Office - 1775 Hwy 58 Ridgecrest Office - 400 N. China Lake Blvd Taft Office - 315 Lincoln Street Tehachap Office - 125 East 1st Street </td> <td style="width: 33%;"> Ph. (861) 245-1221 Office Hours 7:00-9:00 M-F Ph. (760) 549-2084 Office Hours 7:00-12:00 1:00-4:00 Ph. (961) 782-3361 Office Hours 7:00-4:00 M-F Ph. (861) 824-7000 Office Hours 7:00-12:00 1:00-4:00 Ph. (760) 371-3780 Office Hours 7:30-9:30 T-F Ph. (861) 763-6590 Office Hours 7:00-4:00 W Ph. (861) 862-6329 Office Hours 7:00-12:00 1:00-4:00 </td> <td style="width: 33%;"></td> </tr> </table>			ENGINEERING & SURVEY SERVICES BUILDING INSPECTION DIVISION Main Office 2700 M Street, Suite 570, Bakersfield, California 93301-2370 Phone (661) 862-8650 Office Hours 7:30-5:00			Branch Offices			Frasier Park Office - Fire Station Lake Isabella Office - 7000 Lake Isabella Blvd McFarland Office - 401 West Kern St Mojave Office - 1775 Hwy 58 Ridgecrest Office - 400 N. China Lake Blvd Taft Office - 315 Lincoln Street Tehachap Office - 125 East 1 st Street	Ph. (861) 245-1221 Office Hours 7:00-9:00 M-F Ph. (760) 549-2084 Office Hours 7:00-12:00 1:00-4:00 Ph. (961) 782-3361 Office Hours 7:00-4:00 M-F Ph. (861) 824-7000 Office Hours 7:00-12:00 1:00-4:00 Ph. (760) 371-3780 Office Hours 7:30-9:30 T-F Ph. (861) 763-6590 Office Hours 7:00-4:00 W Ph. (861) 862-6329 Office Hours 7:00-12:00 1:00-4:00	
Inspection	Date	Inspector																																																																																																						
GROUND WORK	Grading																																																																																																							
	Set Backs																																																																																																							
	Underground Elec.																																																																																																							
	Underground Pib																																																																																																							
	Underground Mech																																																																																																							
Address Verification																																																																																																								
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED																																																																																																								
FOUNDATION	Slab Mesh																																																																																																							
	Slab Membrane																																																																																																							
	Rebar for Grounding																																																																																																							
	Reinforcing Steel																																																																																																							
PLACE NO CONCRETE FOR FLOOR UNTIL ABOVE HAS BEEN SIGNED																																																																																																								
FLOOR WALL ROOF FRAMING	Floor Joists																																																																																																							
	Floor Sheathing																																																																																																							
	Rough Electrical																																																																																																							
	Plumbing Top-out																																																																																																							
	Fire Sprinkler System																																																																																																							
	Shower Pan																																																																																																							
	Grease Trap																																																																																																							
	Rough Mechanical																																																																																																							
	Roof Sheathing																																																																																																							
	Structural																																																																																																							
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED																																																																																																								
STUCCO PLASTER WALLBOARD SIDING	Roofing																																																																																																							
	Interior Lathing																																																																																																							
	Exterior Lathing / Siding																																																																																																							
	Dry Wall																																																																																																							
	Exterior Membrane																																																																																																							
	Wall Insulation																																																																																																							
Attic Ventilation																																																																																																								
DO NOT PLASTER OR APPLY SIDING UNTIL ABOVE HAS BEEN SIGNED																																																																																																								
SEWAGE DISPOSAL	First Inspection																																																																																																							
	Sewer Line																																																																																																							
	Septic Tank																																																																																																							
	Seepage Pit																																																																																																							
WET SEWER SEPTIC SYS	Leach Field																																																																																																							
	COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED																																																																																																							
MASONRY AND CONCRETE WALLS	Foundation Steel																																																																																																							
	Wall Reinforcing																																																																																																							
	Bond Beam																																																																																																							
	Fire Place Reinforcing																																																																																																							
	Fire Place																																																																																																							
	Wood Stove																																																																																																							
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED																																																																																																								
SWIMMING POOL	Location																																																																																																							
	Steel																																																																																																							
	Conduit under deck																																																																																																							
	Recirculation piping																																																																																																							
	Electrical wiring																																																																																																							
	Gas line under deck																																																																																																							
	Fencing & Gates																																																																																																							
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED																																																																																																								
ENGINEERING & SURVEY SERVICES BUILDING INSPECTION DIVISION Main Office 2700 M Street, Suite 570, Bakersfield, California 93301-2370 Phone (661) 862-8650 Office Hours 7:30-5:00																																																																																																								
Branch Offices																																																																																																								
Frasier Park Office - Fire Station Lake Isabella Office - 7000 Lake Isabella Blvd McFarland Office - 401 West Kern St Mojave Office - 1775 Hwy 58 Ridgecrest Office - 400 N. China Lake Blvd Taft Office - 315 Lincoln Street Tehachap Office - 125 East 1 st Street	Ph. (861) 245-1221 Office Hours 7:00-9:00 M-F Ph. (760) 549-2084 Office Hours 7:00-12:00 1:00-4:00 Ph. (961) 782-3361 Office Hours 7:00-4:00 M-F Ph. (861) 824-7000 Office Hours 7:00-12:00 1:00-4:00 Ph. (760) 371-3780 Office Hours 7:30-9:30 T-F Ph. (861) 763-6590 Office Hours 7:00-4:00 W Ph. (861) 862-6329 Office Hours 7:00-12:00 1:00-4:00																																																																																																							
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td colspan="2" style="text-align: center;"> PL NORTH </td> </tr> <tr> <td colspan="2" style="text-align: center;"> </td> </tr> <tr> <td colspan="2" style="text-align: center;"> BUILDING OR MOBILE HOME </td> </tr> </table>			PL NORTH				BUILDING OR MOBILE HOME		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td colspan="3" style="text-align: center;"> SINGLE FAMILY RESIDENTIAL CERTIFICATE OF OCCUPANCY </td> </tr> <tr> <td style="width: 33%;">Inspection</td> <td style="width: 33%;">Date</td> <td style="width: 33%;">Inspector</td> </tr> <tr> <td>Temp Elec</td> <td></td> <td></td> </tr> <tr> <td>Temp Gas</td> <td></td> <td></td> </tr> <tr> <td colspan="3" style="text-align: center;">PRE-FINAL APPROVALS</td> </tr> <tr> <td>Inspection</td> <td>Date</td> <td>Inspector</td> </tr> <tr><td>Health Department</td><td></td><td></td></tr> <tr><td>Road Department</td><td></td><td></td></tr> <tr><td>Grading</td><td></td><td></td></tr> <tr><td>Drainage</td><td></td><td></td></tr> <tr><td>Landscaping</td><td></td><td></td></tr> <tr><td>C.U.P. Requirements</td><td></td><td></td></tr> <tr><td>P.D. Requirements</td><td></td><td></td></tr> <tr> <td colspan="3" style="text-align: center;">FINAL</td> </tr> <tr><td>Gas pressure test</td><td></td><td></td></tr> <tr><td>Electrical final</td><td>7/19/03</td><td>PLC</td></tr> <tr><td>Plumbing final</td><td></td><td></td></tr> <tr><td>Mechanical final</td><td></td><td></td></tr> <tr><td>Structural final</td><td>7/19/03</td><td>PLC</td></tr> <tr><td>Energy final</td><td></td><td></td></tr> <tr><td>Zoning requirements</td><td>7/19/03</td><td>PLC</td></tr> <tr><td>Insulation requirements</td><td></td><td></td></tr> <tr><td>Fire Requirements</td><td></td><td></td></tr> <tr><td>Job complete</td><td>7/19/03</td><td>PLC</td></tr> </table>			SINGLE FAMILY RESIDENTIAL CERTIFICATE OF OCCUPANCY			Inspection	Date	Inspector	Temp Elec			Temp Gas			PRE-FINAL APPROVALS			Inspection	Date	Inspector	Health Department			Road Department			Grading			Drainage			Landscaping			C.U.P. Requirements			P.D. Requirements			FINAL			Gas pressure test			Electrical final	7/19/03	PLC	Plumbing final			Mechanical final			Structural final	7/19/03	PLC	Energy final			Zoning requirements	7/19/03	PLC	Insulation requirements			Fire Requirements			Job complete	7/19/03	PLC																					
PL NORTH																																																																																																								
BUILDING OR MOBILE HOME																																																																																																								
SINGLE FAMILY RESIDENTIAL CERTIFICATE OF OCCUPANCY																																																																																																								
Inspection	Date	Inspector																																																																																																						
Temp Elec																																																																																																								
Temp Gas																																																																																																								
PRE-FINAL APPROVALS																																																																																																								
Inspection	Date	Inspector																																																																																																						
Health Department																																																																																																								
Road Department																																																																																																								
Grading																																																																																																								
Drainage																																																																																																								
Landscaping																																																																																																								
C.U.P. Requirements																																																																																																								
P.D. Requirements																																																																																																								
FINAL																																																																																																								
Gas pressure test																																																																																																								
Electrical final	7/19/03	PLC																																																																																																						
Plumbing final																																																																																																								
Mechanical final																																																																																																								
Structural final	7/19/03	PLC																																																																																																						
Energy final																																																																																																								
Zoning requirements	7/19/03	PLC																																																																																																						
Insulation requirements																																																																																																								
Fire Requirements																																																																																																								
Job complete	7/19/03	PLC																																																																																																						

* RESIDENTIAL PERMITS. THIS JOB CARD SERVES AS YOUR CERTIFICATE OF OCCUPANCY.

ADULTS ONLY - SEE INSTRUCTIONS 010 1/1/02



KERN COUNTY BID INSPECTION LOG

Notice To Comply for Permit: K200102907

Project Address:	4026 SKYLINE RD, TUPMAN, CA	PERMIT NO: K200102907
Project Parcel:	158-090-050	Application Date: Jun 07, 2001
Inspector Area:	22	Permit Issued Date: Jun 07, 2001
Subtype:	Commercial Miscellaneous	Permit Status: FINALED
Project Description:	TEMP ELEC TO CONSTRUCTION TRAILERS AT ELKS HILLS PROJECT	

Inspection	Scheduled	Inspected	Inspector	Result
------------	-----------	-----------	-----------	--------

GROUND  BOUNDLESS

2700 M Street, #400, Bakersfield, CA. 93301 | 661.862.5100 | www.KernPublicWorks.com

Certificate of Occupancy

Granted by
KERN COUNTY DEPARTMENT OF ENGINEERING AND SURVEY SERVICES
BUILDING INSPECTION DIVISION

2700 M STREET, SUITE 570, BAKERSFIELD, CA 93301

Telephone (661) 862-8650

ADDRESS: 4026 SKYLINE RD TUPM

DATE: 07/15/2003

LEGAL DESCRIPTION: 158-090-050

PERMIT NO: K200103260

ZONING: A

This is to certify that the building, or portion of building, constructed under the above permit, at the above address, complies with the provisions of the Building Code and related ordinances and laws in effect for the following use and occupancy group.

USE: NEW CONTROL BUILDING AT SWITCHYARD FOR ELK HILLS POWER PLANT
OCCUPANCY GROUP-DIVISION: S-1



A handwritten signature in black ink, appearing to read "D. M. Gillis", is written over a horizontal line.

David M. Gillis

Supervising Building Inspector

A handwritten signature in black ink, appearing to read "C. Lackey", is written over a horizontal line.

Charles Lackey, P.E.

Engineering and Survey Services

THIS CERTIFICATE MUST BE POSTED IN A CONSPICUOUS PLACE IN THE BUILDING
AND MAY NOT BE REMOVED EXCEPT BY A BUILDING OFFICIAL.

Plans for this building have been approved and inspections made to verify conformance with current building regulations.

You are responsible for maintaining this building as certified.

NOTE: Make no changes, additions or alterations of any structural, mechanical, plumbing, or electrical without consulting the Building Division as this will void the Certificate of Occupancy.
Make no changes of use or occupancy without contacting the Building Division.

COUNTY DEPARTMENT OF
ENGINEERING & SURVEY SERVICES
BUILDING INSPECTION DIVISION
CHARLES LACKEY, P.E., DIRECTOR

INSPECTION RECORD
POST CARD AT JOBSITE

BAKERSFIELD AREA INSPECTION
REQUESTS ONLY
(661) 862-8681

(10:00 a.m. cutoff for same day inspections. Inspections requested
after 10:00 a.m. will be conducted on the next business day.)

Inspection		Date	Inspector
GROUND WORK	Grading		
	Set Backs		
	Underground Elec.		
	Underground Plb.		
	Underground Mech.		
	Address Verification		
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED			
FOUNDATION	Slab Mesh		
	Slab Membrane		
	Rebar for Grounding		
	Reinforcing Steel		
PLACE NO CONCRETE FOR FLOOR UNTIL ABOVE HAS BEEN SIGNED			
FLOOR WALL ROOF FRAMING	Floor Joists		
	Floor Sheathing		
	Rough Electrical		
	Plumbing Top-out		
	Fire Sprinkler System		
	Shower Pan		
	Grease Trap		
	Rough Mechanical		
Roof Sheathing			
Structural			
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED			
STUCCO PLASTER WALLBOARD SIDING	Roofing		
	Interior Lathing		
	Exterior Lathing / Siding		
	Dry Wall		
	Exterior Membrane		
	Wall Insulation		
	Attic Ventilation		
DO NOT PLASTER OR APPLY SIDING UNTIL ABOVE HAS BEEN SIGNED			
SEWAGE DISPOSAL	First Inspection		
	Sewer Line		
DRY SEWER WET SEWER SEPTIC SYS	Septic Tank		
	Seepage Pit		
	Leach Field		
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED			
MASONRY AND CONCRETE WALLS	Foundation Steel		
	Wall Reinforcing		
	Bond Beam		
	Fire Place Reinforcing		
	Fire Place		
	Wood Stove		
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED			
SWIMMING POOL	Location		
	Steel		
	Conduit under deck		
	Recirculation piping		
	Electrical wiring		
	Gas line under deck		
	Fencing & Gates		
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED			

ENGINEERING & SURVEY SERVICES
BUILDING INSPECTION DIVISION
Main Office
2700 M Street, Suite 570, Bakersfield, California 93301-2370
Phone (661) 862-8650 Office Hours 7:30-5:00

Branch Offices
Frazier Park Office - Fire Station
Lake Isabella Office - 7050 Lake Isabella Blvd.
McFarland Office - 401 West Kern St.
Mojave Office - 1775 Hwy. 58
Ridgecrest Office - 400 N. China Lake Blvd.
Taft Office - 315 Lincoln Street
Tehachapi Office - 125 East "F" Street

Ph. (661) 245-1221 Office Hours 7:00-9:00 M,T,Th,F
Ph. (760) 379-2631 Office Hours 7:00-4:00
Ph. (661) 792-3091 Office Hours 8:00-9:00 M-Th.
Ph. (661) 824-3906 Office Hours 7:00-12:00
Ph. (760) 375-1564 Hours 8:00-11:00 TF
Ph. (661) 763-8590 Office Hours 7:00-9:00 W
Ph. (661) 822-6329 Office Hours 7:00-4:00

PL

NORTH

BUILDING OR MOBILE HOME

PROJECT ADDRESS: _____
ASSESSOR'S PARCEL NUMBER: _____

* SINGLE FAMILY RESIDENTIAL
CERTIFICATE OF OCCUPANCY

Inspection	Date	Inspector
Temp Elec.		
Temp Gas		

PRE-FINAL APPROVALS

Inspection	Date	Inspector
Health Department		
Road Department		
Grading		
Drainage		
Landscaping		
C.U.P. Requirements		
P.D. Requirements		

FINAL

Gas pressure test		
Electrical final		
Plumbing final		
Mechanical final		
Structural final		
Energy final		
Zoning requirements		
Insulation requirements		
Fire Requirements		
* Job complete		

* RESIDENTIAL PERMITS: THIS JOB CARD SERVES AS YOUR CERTIFICATE OF OCCUPANCY.

BUILDING INSPECTION 2625-040 (8/00)

JOB CARD

CONSTRUCTION PERMIT

KERN COUNTY DEPARTMENT OF ENGINEERING & SURVEY SERVICES, BUILDING INSPECTION DIVISION
2700 "M" STREET, SUITE 570 BAKERSFIELD, CA 93301-2370
Telephone (661) 862-8681

Project Address: 4026 SKYLINE RD TUPM

Project Parcel: 158-090-050

Inspector Area: 22

Permit Class: NEWIND

Project Description: CONTROL BLDG @ SWITCHYARD (ELK HILLS POWER).

Zoning: A

School District: 062-008 : Buttonwillow

Tract: Lot:

Census Tract: 33.01

K.S.A. Connect. #: 9144-40337-4841

K.S.A. Sewer #: 9144-40332-3390

PERMIT NO: K200103260

Application Date: June 25, 2001

Permit Issued Date: August 10, 2001

Permit Status: ISSUED

Zone Map: 118-1

C.S.A. #: ..

Parcel #:

ATN-Book/Page/Lot: 15809005002

Owner.....: OCCIDENTAL OF ELK HILLS INC

Address.....: P O BOX 27570 HOUSTON TX 77227-7570

Contractor....:

License No:

Address.....:

Architect.....:

Address.....:

Engineer.....: HENDERSON ALLEN

Address.....: 2005 AIRPORT DR BAKERSFIELD CA 93308

Phone:

Hiring Licensed Contractor: N

Phone:

Phone:

Phone: 16613919854

Census Code: 320H

Total Area: 0

Total Value: \$40,000.00

Activity Code: KELLYS

Activity Date: August 10, 2001

Occupancy

Type

Factor

Sq Feet

Manual Valuation

Miscellaneous

1.00

40,000

\$40,000.00

Totals...

\$40,000.00*

PERMIT FEES

Application Fee	\$23.00	Flood Area Fee	\$0.00	Spa- sp	\$0.00
Administrative Fee	\$25.50	Wind Farm Review	\$0.00	Spa- nsp	\$0.00
Investigation Fee	\$0.00	School Fee	\$0.00	Pool - sp	\$0.00
Building Fee	\$293.48	Habitat Fee	\$0.00	Pool - nsp	\$0.00
Other Building Fee	\$0.00	Microfilm Fee	\$20.00	Pool - commercial	\$0.00
Plan Check Fee	\$146.52	Change of Occupancy	\$0.00	Electrical - General Fees	\$0.00
Other Plan Check Fee	\$0.00	Other Building Fees	\$0.00	Electrical - Other Fees	\$0.00
S. M. I. P. Fee	\$8.40	Building Refund	\$0.00	Mechanical - General Fees	\$0.00
Foundation Only	\$0.00	Plan Check Refund	\$0.00	Mechanical - Other Fees	\$0.00
Address Fee	\$0.00	Mobile Home - County	\$0.00	C.S.A. Fee	\$0.00
Site Plan Review	\$0.00	Mobile Home - State	\$0.00	C.S.A. Connection	\$0.00
Demolition Fee	\$0.00	Satellite Dish	\$0.00	C.S.A. Sewer	\$0.00
Sewer Fee	\$0.00	Sign - wallmount	\$0.00	K.S.A. Connection	\$0.00
Park Fee	\$0.00	Sign - monument pole	\$0.00	K.S.A. Sewer	\$0.00
Traffic Impact SFD	\$0.00	Sign - single pole	\$0.00	Sewer Con./Tax Roll	\$0.00
Traffic Impact MFD	\$0.00	Sign - double pole	\$0.00	Plumbing - General Fees	\$0.00
Traffic Impact COM	\$0.00			Plumbing - Other Fees	\$0.00

Total Fees: \$516.90

Total Payments: \$516.90

Balance Due: \$0.00

COUNTY DEPARTMENT OF
ENGINEERING & SURVEY SERVICES
BUILDING INSPECTION DIVISION
CHARLES LACKEY, P.E., DIRECTOR

INSPECTION RECORD

POST CARD AT JOBSITE

BAKERSFIELD AREA INSPECTION
REQUESTS ONLY (661) 862-8681
7:30 a.m. - 5:00 p.m.
After Hours (661) 862-8698
(10:00 a.m. cutoff for same day inspections. Inspections requested after 10:00 a.m. will be conducted on the next business day.)

Inspection		Date	Inspector	ENGINEERING & SURVEY SERVICES BUILDING INSPECTION DIVISION Main Office 2700 M Street, Suite 570, Bakersfield, California 93301-2370 Phone (661) 862-8650 Office Hours 7:30-5:00																																		
GROUND WORK	Grading			Branch Offices Frazier Park Office - Fire Station Lake Isabella Office - 7050 Lake Isabella Blvd. McFarland Office - 401 West Kern St. Mojave Office - 1775 Hwy. 58 Ridgecrest Office - 400 N. China Lake Blvd. Taft Office - 315 Lincoln Street Tehachapi Office - 125 East "F" Street Ph. (661) 245-1221 Office Hours 7:00-9:00 M-F Ph. (760) 549-2064 Office Hours 7:00-12:00/1:00-4:00 Ph. (661) 792-3091 Office Hours 7:00-8:00 M-Th. Ph. (661) 824-7090 Office Hours 7:00-12:00/1:00-4:00 Ph. (760) 371-3760 Office Hours 7:30-9:30 TF Ph. (661) 763-8590 Office Hours 7:00-9:00 W Ph. (661) 822-6329 Office Hours 7:00-12:00/1:00-4:00																																		
	Set Backs																																					
	Underground Elec.																																					
	Underground Plb.																																					
	Underground Mech.																																					
	Address Verification																																					
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED																																						
FOUNDATION	Slab Mesh			PL  NORTH																																		
	Slab Membrane																																					
	Rebar for Grounding																																					
	Reinforcing Steel																																					
PLACE NO CONCRETE FOR FLOOR UNTIL ABOVE HAS BEEN SIGNED																																						
FLOOR WALL ROOF FRAMING	Floor Joists			 BUILDING OR MOBILE HOME																																		
	Floor Sheathing																																					
	Rough Electrical																																					
	Plumbing Top-out																																					
	Fire Sprinkler System																																					
	Shower Pan																																					
	Grease Trap																																					
	Rough Mechanical																																					
	Roof Sheathing																																					
	Structural																																					
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED																																						
STUCCO PLASTER WALLBOARD SIDING	Roofing			PL PROJECT ADDRESS: _____ ASSESSOR'S PARCEL NUMBER: _____ - _____ - _____																																		
	Interior Lathing																																					
	Exterior Lathing / Siding																																					
	Dry Wall																																					
	Exterior Membrane																																					
	Wall Insulation																																					
	Attic Ventilation																																					
DO NOT PLASTER OR APPLY SIDING UNTIL ABOVE HAS BEEN SIGNED																																						
SEWAGE DISPOSAL	First Inspection			* SINGLE FAMILY RESIDENTIAL CERTIFICATE OF OCCUPANCY																																		
	Sewer Line																																					
	Septic Tank																																					
	Seepage Pit																																					
DRY SEWER WET SEWER SEPTIC SYS	Leach Field			PRE-FINAL APPROVALS																																		
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED																																						
MASONRY AND CONCRETE WALLS	Foundation Steel			<table border="1"> <thead> <tr> <th>Inspection</th> <th>Date</th> <th>Inspector</th> </tr> </thead> <tbody> <tr> <td>Health Department</td> <td></td> <td></td> </tr> <tr> <td>Road Department</td> <td></td> <td></td> </tr> <tr> <td>Grading</td> <td></td> <td></td> </tr> <tr> <td>Drainage</td> <td></td> <td></td> </tr> <tr> <td>Landscaping</td> <td></td> <td></td> </tr> <tr> <td>C.U.P. Requirements</td> <td></td> <td></td> </tr> <tr> <td>P.D. Requirements</td> <td></td> <td></td> </tr> </tbody> </table>		Inspection	Date	Inspector	Health Department			Road Department			Grading			Drainage			Landscaping			C.U.P. Requirements			P.D. Requirements											
	Inspection	Date	Inspector																																			
	Health Department																																					
	Road Department																																					
	Grading																																					
	Drainage																																					
	Landscaping																																					
	C.U.P. Requirements																																					
P.D. Requirements																																						
Wall Reinforcing																																						
Bond Beam																																						
Fire Place Reinforcing																																						
Fire Place																																						
Wood Stove																																						
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED																																						
SWIMMING POOL	Location			<table border="1"> <thead> <tr> <th>Inspection</th> <th>Date</th> <th>Inspector</th> </tr> </thead> <tbody> <tr> <td>Gas pressure test</td> <td></td> <td></td> </tr> <tr> <td>Electrical final</td> <td></td> <td></td> </tr> <tr> <td>Plumbing final</td> <td>7/18/03</td> <td>AS</td> </tr> <tr> <td>Mechanical final</td> <td></td> <td></td> </tr> <tr> <td>Structural final</td> <td></td> <td></td> </tr> <tr> <td>Energy final</td> <td></td> <td></td> </tr> <tr> <td>Zoning requirements</td> <td>7/19/03</td> <td>AS</td> </tr> <tr> <td>Insulation requirements</td> <td></td> <td></td> </tr> <tr> <td>Fire Requirements</td> <td></td> <td></td> </tr> <tr> <td>Job complete</td> <td>7/18/03</td> <td>AS</td> </tr> </tbody> </table>		Inspection	Date	Inspector	Gas pressure test			Electrical final			Plumbing final	7/18/03	AS	Mechanical final			Structural final			Energy final			Zoning requirements	7/19/03	AS	Insulation requirements			Fire Requirements			Job complete	7/18/03	AS
	Inspection	Date	Inspector																																			
	Gas pressure test																																					
	Electrical final																																					
	Plumbing final	7/18/03	AS																																			
	Mechanical final																																					
	Structural final																																					
	Energy final																																					
Zoning requirements	7/19/03	AS																																				
Insulation requirements																																						
Fire Requirements																																						
Job complete	7/18/03	AS																																				
Steel																																						
Conduit under deck																																						
Recirculation piping																																						
Electrical wiring																																						
Gas line under deck																																						
Fencing & Gates																																						
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED																																						

* RESIDENTIAL PERMITS: THIS JOB CARD SERVES AS YOUR CERTIFICATE OF OCCUPANCY.

BUILDING PERMITS/580 2925 010 7/1/02

JOB CARD

PLUMBING PERMIT

KERN COUNTY DEPARTMENT OF ENGINEERING & SURVEY SERVICES
BUILDING INSPECTION DIVISION
2700 "M" STREET, SUITE 570 BAKERSFIELD, CA 93301-2370
Telephone (661) 862-8681

Project Address: 4026 SKYLINE RD TUPM	PERMIT NO: K200103185
Project Parcel: 158-090-050	Application Date: June 20, 2001
Inspector Area: 22	Permit Issued Date: September 05, 2002
Permit Class: MISCCOM	Permit Status: ISSUED
Project Description: Installation of a septic system incidental to a	
Zoning: A	Zone Map: 118-1
School District: 062-008 : Buttonwillow	C.S.A. #: ..
Tract:	Parcel Map:
Census Tract: 33.01	Parcel #: ATN-Book/Page/Lot: 15809005002
K.S.A. Connect. #: 9144-40337-4841	K.S.A. Sewer #: 9144-40332-3390

Owner.....: OCCIDENTAL OF ELK HILLS INC	Phone:
Address.....: P O BOX 27570 HOUSTON TX 77227-7570	Hiring Licensed Contractor: N
Contractor....:	Phone:
License No:	Phone:
Address.....:	Phone:
Architect.....:	Phone:
Address.....:	Phone:
Engineer.....: ROBERT SWANSON	Phone: 1-661-834-4814
Address.....: 2001 WHEELAN CT BAKERSFIELD CA 93309	

Census Code: 199 M	Total Area: 0	Total Value: \$0.00
Activity Code: ROBERTS	Activity Date: June 20, 2001	
Occupancy	Type	Sq Feet
	Totals...	Valuation \$0.00*

PERMIT FEES

Application Fee	\$23.00	Gas Outlet(s)	\$0.00	Water Piping	\$0.00
Administration Fee	\$45.50	Ind. Waste Inceptor	\$0.00	Hose Bibbs	\$0.00
Investigation Fee	\$0.00	Abandon Septic	\$0.00	Repair Alteration	\$0.00
C.S.A. Fee	\$0.00	Sewer Disp 1 Tank	\$0.00	Backflow Protection	\$0.00
C.S.A. Connection	\$0.00	Additional Tank / Drain	\$0.00	Rain Water System	\$0.00
C.S.A. Sewer	\$0.00	Repair Tank / Drain	\$0.00	Water Service	\$0.00
K.S.A. Connection	\$0.00	Water Heater	\$0.00	Gray Water System	\$0.00
K.S.A. Sewer	\$0.00	Fixtures A/O Drain	\$0.00	Other Plumbing Fees	\$440.00
Sewer Con./Tax Roll	\$0.00				

Total Fees:	\$508.50
Total Payments:	\$508.50
Balance Due:	\$0.00

COUNTY DEPARTMENT OF
ENGINEERING & SURVEY SERVICES
BUILDING INSPECTION DIVISION
CHARLES LACKEY, P.E., DIRECTOR

INSPECTION RECORD
POST CARD AT JOBSITE

**BAKERSFIELD AREA INSPECTION
REQUESTS ONLY (661) 862-8681**
7:30 a.m. - 5:00 p.m.
After Hours (661) 862-8698
(10:00 a.m. cutoff for same day inspections. Inspections requested
after 10:00 a.m. will be conducted on the next business day.)

Inspection		Date	Inspector
GROUND WORK	Grading		
	Set Backs		
	Underground Elec.		
	Underground Plb.		
	Underground Mech.		
	Address Verification		
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED			
FOUNDATION	Slab Mesh		
	Slab Membrane		
	Rebar for Grounding		
	Reinforcing Steel		
PLACE NO CONCRETE FOR FLOOR UNTIL ABOVE HAS BEEN SIGNED			
FLOOR WALL ROOF FRAMING	Floor Joists		
	Floor Sheathing		
	Rough Electrical		
	Plumbing Top-out		
	Fire Sprinkler System		
	Shower Pan		
	Grease Trap		
	Rough Mechanical		
	Roof Sheathing		
	Structural		
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED			
STUCCO PLASTER WALLBOARD SIDING	Roofing		
	Interior Lathing		
	Exterior Lathing / Siding		
	Dry Wall		
	Exterior Membrane		
	Wall Insulation		
	Attic Ventilation		
DO NOT PLASTER OR APPLY SIDING UNTIL ABOVE HAS BEEN SIGNED			
SEWAGE DISPOSAL	First Inspection		
	Sewer Line		
DRY SEWER WET SEWER SEPTIC SYS	Septic Tank		
	Seepage Pit		
	Leach Field		
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED			
MASONRY AND CONCRETE WALLS	Foundation Steel		
	Wall Reinforcing		
	Bond Beam		
	Fire Place Reinforcing		
	Fire Place		
	Wood Stove		
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED			
SWIMMING POOL	Location		
	Steel		
	Conduit under deck		
	Recirculation piping		
	Electrical wiring		
	Gas line under deck		
	Fencing & Gates		
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED			

ENGINEERING & SURVEY SERVICES
BUILDING INSPECTION DIVISION
Main Office
2700 M Street, Suite 570, Bakersfield, California 93301-2370
Phone (661) 862-8650 Office Hours 7:30-5:00

Branch Offices

Frazier Park Office - Fire Station
Lake Isabella Office - 7050 Lake Isabella Blvd.
McFarland Office - 401 West Kern St.
Mojave Office - 1775 Hwy. 58
Ridgecrest Office - 400 N. China Lake Blvd.
Taft Office - 315 Lincoln Street
Tehachapi Office - 125 East "F" Street

Ph. (661) 245-1221 Office Hours 7:00-9:00 M-F
Ph. (760) 549-2064 Office Hours 7:00-12:00/1:00-4:00
Ph. (661) 792-3091 Office Hours 7:00-8:00 M-Th
Ph. (661) 824-7090 Office Hours 7:00-12:00/1:00-4:00
Ph. (760) 371-3780 Hours 7:30-9:30 T, Th, F
Ph. (661) 763-8590 Office Hours 7:00-9:00 M & W
Ph. (661) 822-6329 Office Hours 7:00-12:00/1:00-4:00

PL


NORTH

BUILDING OR MOBILE HOME

P L

PROJECT ADDRESS: _____
ASSESSOR'S PARCEL NUMBER: _____ - _____ - _____

*** SINGLE FAMILY RESIDENTIAL
CERTIFICATE OF OCCUPANCY**

Inspection	Date	Inspector
Temp Elec.		
Temp Gas		

PRE-FINAL APPROVALS

Inspection	Date	Inspector
Health Department		
Road Department		
Grading		
Drainage		
Landscaping		
C.U.P. Requirements		
P.D. Requirements		

FINAL

Gas pressure test		
Electrical final	9/3/03	ALC
Plumbing final		
Mechanical final		
Structural final		
Energy final		
Zoning requirements	9/3/03	ALC
Insulation requirements		
Fire Requirements		
Job complete	9/3/03	ALC

* RESIDENTIAL PERMITS: THIS JOB CARD SERVES AS YOUR CERTIFICATE OF OCCUPANCY.

BUL-006718-B 580 2621 0410 (9/02)

JOB CARD

CONSTRUCTION PERMIT

KERN COUNTY DEPARTMENT OF ENGINEERING & SURVEY SERVICES, BUILDING INSPECTION DIVISION
2700 "M" STREET, SUITE 570 BAKERSFIELD, CA 93301-2370
Telephone (661) 862-8681

Project Address:	4026 SKYLINE RD TUPM	PERMIT NO: K200103042
Project Parcel:	158-090-050	Application Date: June 13, 2001
Inspector Area:	22	Permit Issued Date: April 23, 2003
Subtype:	NEWCOM	Permit Status: ISSUED
Project Description:	TRANSMISSION LINE FOR ELK HILLS POWER SWITCHYARD.	
Zoning:	A	Zone Map: 118-1
School District:	-	C.S.A. #: n/a
Tract-Phase:	-	Parcel Map: Parcel #:
Census Tract:	33.01	ATN-Book/Page/Lot: 15809005002

Owner.....: OCCIDENTAL OF ELK HILLS INC
Address.....: P O BOX 27570 HOUSTON TX 77227-7570

Phone:

Contractor...:
License No:

Hiring Licensed Contractor: N

Address.....:

Phone:

Architect.....:

Address.....:

Phone:

Engineer.....: HENDERSON ALLEN

Address.....: 2005 AIRPORT DR BAKERSFIELD CA 93308

Phone: 16613919854

Census Code: 320-H

Total Area: 0

Total Value: \$0.00

Activity Code: SWOOD

Activity Date: April 23, 2003

Occupancy

Type	Factor	Sq Feet
Totals...		

Valuation
\$0.00*

PERMIT FEES

Application Fee	\$23.00	Flood Area Fee	\$0.00	Spa-sp	\$0.00
Administrative Fee	\$2.50	Erosion Review	\$0.00	Spa-nsp	\$0.00
		Wind Farm Review	\$0.00	Pool-sp	\$0.00
Building Fee	\$0.00	School Fee	\$0.00	Pool-nsp	\$0.00
Other Building Fee	\$0.00	Park Fee	\$0.00	Pool-commercial	\$0.00
Plan Check Fee	\$0.00	Habitat Fee	\$0.00	Electrical-General Fees	\$0.00
Other Plan Check Fee	\$0.00	Microfilm Fee	\$0.00	Electrical-Other Fees	\$0.00
S. M. I. P. Fee	\$0.00	Change of Occupancy	\$0.00	Mechanical-General Fees	\$0.00
Foundation Only	\$0.00	Mobile Home - County	\$0.00	Mechanical-Other Fees	\$0.00
Address Fee	\$0.00	Mobile Home - State	\$0.00	C.S.A. Fee	\$0.00
Site Plan Review	\$0.00	Satellite Dish	\$0.00	C.S.A. Connection	\$0.00
Demolition Fee	\$0.00	Sign - Wallmount	\$0.00	C.S.A. Sewer	\$0.00
Sewer Fee	\$0.00	Sign - monument	\$0.00	K.S.A. Connection	\$0.00
Traffic: NONE	\$0.00	Sign - single pole	\$0.00	K.S.A. Sewer	\$0.00
		Sign - double pole	\$0.00	Sewer Con./Tax Roll	\$0.00
				Plumbing - General Fees	\$0.00
				Plumbing - Other Fees	\$0.00
				Total Fees:	\$25.50
				Total Payments:	\$25.50
				Balance Due:	\$0.00

COUNTY DEPARTMENT OF
ENGINEERING & SURVEY SERVICES
BUILDING INSPECTION DIVISION
CHARLES LACKEY, P.E., DIRECTOR

INSPECTION RECORD

POST CARD AT JOBSITE

**BAKERSFIELD AREA INSPECTION
REQUESTS ONLY (661) 862-8681**
7:30 a.m. - 5:00 p.m.
After Hours (661) 862-8698
(10:00 a.m. cutoff for same day inspections. Inspections requested
after 10:00 a.m. will be conducted on the next business day.)

Inspection		Date	Inspector
GROUND WORK	Grading	7/18/03	<i>[Signature]</i>
	Set Backs		
	Underground Elec.		
	Underground Plb.		
	Underground Mech.		
	Address Verification		
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED			
FOUNDATION	Slab Mesh		
	Slab Membrane		
	Rebar for Grounding		
	Reinforcing Steel		
PLACE NO CONCRETE FOR FLOOR UNTIL ABOVE HAS BEEN SIGNED			
FLOOR WALL ROOF FRAMING	Floor Joists		
	Floor Sheathing		
	Rough Electrical		
	Plumbing Top-out		
	Fire Sprinkler System		
	Shower Pan		
	Grease Trap		
	Rough Mechanical		
	Roof Sheathing		
	Structural	7/18/03	<i>[Signature]</i>
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED			
STUCCO PLASTER WALLBOARD SIDING	Roofing		
	Interior Lathing		
	Exterior Lathing / Siding		
	Dry Wall		
	Exterior Membrane		
	Wall Insulation		
	Attic Ventilation		
DO NOT PLASTER OR APPLY SIDING UNTIL ABOVE HAS BEEN SIGNED			
SEWAGE DISPOSAL	First Inspection		
	Sewer Line		
DRY SEWER WET SEWER SEPTIC SYS	Septic Tank		
	Seepage Pit		
	Leach Field		
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED			
MASONRY AND CONCRETE WALLS	Foundation Steel		
	Wall Reinforcing		
	Bond Beam		
	Fire Place Reinforcing		
	Fire Place		
	Wood Stove		
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED			
SWIMMING POOL	Location		
	Steel		
	Conduit under deck		
	Recirculation piping		
	Electrical wiring		
	Gas line under deck		
	Fencing & Gates		
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED			

ENGINEERING & SURVEY SERVICES
BUILDING INSPECTION DIVISION
Main Office
2700 M Street, Suite 570, Bakersfield, California 93301-2370
Phone (661) 862-8650 Office Hours 7:30-5:00

Branch Offices

Frazier Park Office - Fire Station
Lake Isabella Office - 7050 Lake Isabella Blvd.
McFarland Office - 401 West Kern St.
Mojave Office - 1775 Hwy. 58
Ridgecrest Office - 400 N. China Lake Blvd.
Taft Office - 315 Lincoln Street
Tehachapi Office - 125 East "F" Street

Ph. (661) 245-1221 Office Hours 7:00-9:00 M-F
Ph. (760) 549-2064 Office Hours 7:00-12:00/1:00-4:00
Ph. (661) 792-3091 Office Hours 7:00-8:00M-Th
Ph. (661) 824-7090 Office Hours 7:00-12:00/1:00-4:00
Ph. (760) 371-3780 Hours 7:30-9:30 T, Th, F
Ph. (661) 763-8590 Office Hours 7:00-9:00 M & W
Ph. (661) 822-6329 Office Hours 7:00-12:00/1:00-4:00

PL



NORTH

BUILDING
OR
MOBILE HOME

P
L

PROJECT ADDRESS: _____
ASSESSOR'S PARCEL NUMBER: _____ - _____ - _____

* SINGLE FAMILY RESIDENTIAL
CERTIFICATE OF OCCUPANCY

Inspection	Date	Inspector
Temp. Elec.		
Temp. Gas		

PRE-FINAL APPROVALS

Inspection	Date	Inspector
Health Department		
Road Department		
Grading		
Drainage		
Landscaping		
C.U.P. Requirements		
P.D. Requirements		

FINAL

Gas pressure test		
Electrical final	7-18-03	<i>[Signature]</i>
Plumbing final		
Mechanical final		
Structural final	7/18/03	<i>[Signature]</i>
Energy final		
Zoning requirements	7/18/03	<i>[Signature]</i>
Insulation requirements		
Fire Requirements		
Job complete	7/18/03	<i>[Signature]</i>

* RESIDENTIAL PERMITS: THIS JOB CARD SERVES AS YOUR CERTIFICATE OF OCCUPANCY.

BUILDING INSP 480 6625 010 (9/02)

DUPLICATE JOB CARD

CONSTRUCTION PERMIT

KERN COUNTY DEPARTMENT OF ENGINEERING & SURVEY SERVICES, BUILDING INSPECTION DIVISION
2700 M STREET, SUITE 570 BAKERSFIELD, CA 93301-2370
Telephone (661) 862-8681

Project Address: 4026 SKYLINE RD TUPMAN

Project Parcel: 158-090-050

Inspector Area: 22

Permit Subtype: NEWCOM

Project Description: Construction of a co-generation project as per sit

Zoning: A

School District: 062-008 : Buttonwillow

Tract-Phase: - Lot:

Census Tract: 33.01

K.S.A. Connect. #: 9144-40337-4841

PERMIT NO.: K200101240

Application Date: March 20, 2001

Permit Issued Date: January 9, 2002

Permit Status: ISSUED

Zone Map: 118-12

C.S.A. #: n/a

Parcel Map: Parcel #:

ATN-Book/Page/Lot: 15809005002

K.S.A. Sewer #: 9144-40332-3390

Owner.....: OCCIDENTAL OF ELK HILLS INC

Address.....: P O BOX 868 HOUSTON TX 77001-0868

Contractor....:

License No:

Address.....:

Architect.....:

Address.....:

Engineer.....:

Address.....:

Phone:

Hiring Licensed Contractor:

Phone:

Phone:

Phone:

Census Code: 320-H

Total Area: 0

Total Value: \$75,000,000.00

Activity Code: JAVIERR

Activity Date: December 3, 2001

OCCUPANCY

TYPE

FACTOR

SQ FEET

VALUATION

Manual Valuation

Miscellaneous

1.00

75,000,000

\$75,000,000.00

PERMIT FEES

Application Fee	\$23.00	Flood Area Fee	\$0.00	Spa - sp	\$0.00
Administrative Fee	\$25.50	Erosion Review		Spa - nsp	\$0.00
Investigation Fee	\$0.00	Wind Farm Review	\$0.00	Pool - sp	\$0.00
Building Fee	\$253,126.50	School Fee	\$0.00	Pool - nsp	\$0.00
Other Building Fee	\$18,640.45	Park Fee	\$0.00	Pool - commercial	\$0.00
Plan Check Fee	\$126,373.50	Habitat Fee	\$0.00	Electrical - General Fees	\$0.00
Other Plan Check Fee	\$348,626.50	Microfilm Fee	\$20.00	Electrical - Other Fees	\$0.00
S. M. I. P. Fee	\$15,750.00	Change of Occupancy	\$0.00	Mechanical - General Fees	\$0.00
Foundation Only	\$0.00	Mobile Home - County	\$0.00	Mechanical - Other Fees	\$0.00
Address Fee	\$0.00	Mobile Home - State	\$0.00	C.S.A. Fee	\$0.00
Site Plan Review	\$0.00	Satellite Dish	\$0.00	C.S.A. Connection	\$0.00
Demolition Fee	\$0.00	Sign - wallmount	\$0.00	C.S.A. Sewer	\$0.00
Sewer Fee	\$0.00	Sign - monument	\$0.00	K.S.A. Connection	\$0.00
Traffic	\$0.00	Sign - single pole	\$0.00	K.S.A. Sewer	\$0.00
		Sign - double pole	\$0.00	Sewer Con./Tax Roll	\$0.00
				Plumbing - General Fees	\$0.00
				Plumbing - Other Fees	\$0.00

Total Fees: \$762,585.45

Total Payments: \$0.00

Balance Due: \$762,585.45



KERN COUNTY BID INSPECTION LOG

Notice To Comply for Permit: K200101052

Project Address:	4026 SKYLINE RD, TUPMAN, CA	PERMIT NO: K200101052
Project Parcel:	158-090-050	Application Date: Mar 07, 2001
Inspector Area:	22	Permit Issued Date: Mar 07, 2001
Subtype:	Commercial Accessory	Permit Status: FINALED
Project Description:	COMMERCIAL COACH AT ELKS HILL OIL FIELD	

Inspection	Scheduled	Inspected	Inspector	Result
------------	-----------	-----------	-----------	--------

GROUNDED BOUNDLESS

2700 M Street, #400, Bakersfield, CA. 93301 | 661.862.5100 | www.KernPublicWorks.com

JOB CARD

CONSTRUCTION PERMIT

KERN COUNTY DEPARTMENT OF ENGINEERING & SURVEY SERVICES, BUILDING INSPECTION DIVISION
2700 "M" STREET, SUITE 570 BAKERSFIELD, CA 93301-2370

Telephone (661) 862-8681

THIS PERMIT MUST COMPLY WITH TITLE 24, 2001 CALIFORNIA CODE OF REGULATIONS

Project Address: 4026 SKYLINE RD TUPM

Project Parcel: 158-090-050

Inspector Area: 22

Subtype: NEWCOM

Project Description: WATER TREATMENT BLDG ACC TO ELK HILLS POWER PLANT.

Zoning: A

School District: - :

Tract-Phase: -

Census Tract: 33.01

K.S.A. Connect. #: 9144-40337-4841

Lot:

Parcel Map:

PERMIT NO: K200207621

Application Date: December 20, 2002

Permit Issued Date: January 08, 2003

Permit Status: ISSUED

Zone Map: 118-1

C.S.A. #: n/a

Parcel #:

ATN-Book/Page/Lot: 15809005002

K.S.A. Sewer #: 9144-40332-3390

Owner.....: OCCIDENTAL OF ELK HILLS INC

Address.....: P O BOX 27570 HOUSTON TX 77227-7570

Contractor...:

License No:

Address.....:

Architect.....:

Address.....:

Engineer.....:

Address.....:

Phone:

Hiring Licensed Contractor: N

Phone:

Phone:

Phone:

Census Code:

Activity Code: KELLYS

Occupancy

Industrial Plants

Total Area: 5920

Activity Date: January 08, 2003

Total Value: \$168,068.80

Type

Type V -N

Totals...

Factor

28.39

Sq Feet

5,920

5,920

Valuation

\$168,068.80

\$168,068.80*

PERMIT FEES

Application Fee \$23.00
Administrative Fee \$25.50
Investigation Fee \$0.00
Building Fee \$1,233.12
Other Building Fee \$0.00
Plan Check Fee \$615.63
Other Plan Check Fee \$0.00
S. M. I. P. Fee \$35.29
Foundation Only \$0.00
Address Fee \$0.00
Site Plan Review \$0.00
Demolition Fee \$0.00
Sewer Fee \$0.00
Traffic Impact SFD \$0.00
Traffic Impact MFD \$0.00
Traffic Impact COM \$0.00

Flood Area Fee \$0.00
Erosion Review \$0.00
Wind Farm Review \$0.00
School Fee \$0.00
Park Fee \$0.00
Habitat Fee \$0.00
Microfilm Fee \$20.00
Change of Occupancy \$0.00
Mobile Home - County \$0.00
Mobile Home - State \$0.00
Satellite Dish \$0.00
Sign - Wallmount \$0.00
Sign - monument \$0.00
Sign - single pole \$0.00
Sign - double pole \$0.00

Spa- sp \$0.00
Spa- nsp \$0.00
Pool - sp \$0.00
Pool - nsp \$0.00
Pool - commercial \$0.00
Electrical - General Fees \$0.00
Electrical - Other Fees \$0.00
Mechanical - General Fees \$0.00
Mechanical - Other Fees \$0.00
C.S.A. Fee \$0.00
C.S.A. Connection \$0.00
C.S.A. Sewer \$0.00
K.S.A. Connection \$0.00
K.S.A. Sewer \$0.00
Sewer Con./Tax Roll \$0.00
Plumbing - General Fees \$0.00
Plumbing - Other Fees \$0.00

Total Fees: \$1,952.54

Total Payments: \$1,952.54

Balance Due: \$0.00

COUNTY DEPARTMENT OF
ENGINEERING & SURVEY SERVICES
BUILDING INSPECTION DIVISION
CHARLES LACKEY, P.E., DIRECTOR

INSPECTION RECORD
POST CARD AT JOBSITE

BAKERSFIELD AREA INSPECTION

REQUESTS ONLY (661) 862-8681

7:30 a.m. - 5:00 p.m.

After Hours (661) 862-8698

(10:00 a.m. cutoff for same day inspections. Inspections requested after 10:00 a.m. will be conducted on the next business day.)

Inspection		Date	Inspector
GROUND WORK	Grading		
	Set Backs		
	Underground Elec.		
	Underground Pib.		
	Underground Mech.		
	Address Verification		
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED			
FOUNDATION	Slab Mesh		
	Slab Membrane		
	Rebar for Grounding		
	Reinforcing Steel		
PLACE NO CONCRETE FOR FLOOR UNTIL ABOVE HAS BEEN SIGNED			
FLOOR WALL ROOF FRAMING	Floor Joists		
	Floor Sheathing		
	Rough Electrical		
	Plumbing Top-out		
	Fire Sprinkler System		
	Shower Pan		
	Grease Trap		
	Rough Mechanical		
	Roof Sheathing		
Structural			
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED			
STUCCO PLASTER WALLBOARD SIDING	Roofing		
	Interior Lathing		
	Exterior Lathing / Siding		
	Dry Wall		
	Exterior Membrane		
	Wall Insulation		
Attic Ventilation			
DO NOT PLASTER OR APPLY SIDING UNTIL ABOVE HAS BEEN SIGNED			
SEWAGE DISPOSAL	First Inspection		
	Sewer Line		
DRY SEWER WET SEWER SEPTIC SYS	Septic Tank		
	Seepage Pit		
	Leach Field		
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED			
MASONRY AND CONCRETE WALLS	Foundation Steel		
	Wall Reinforcing		
	Bond Beam		
	Fire Place Reinforcing		
	Fire Place		
	Wood Stove		
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED			
SWIMMING POOL	Location		
	Steel		
	Conduit under deck		
	Recirculation piping		
	Electrical wiring		
	Gas line under deck		
	Fencing & Gates		
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED			

ENGINEERING & SURVEY SERVICES
BUILDING INSPECTION DIVISION
Main Office
2700 M Street, Suite 570, Bakersfield, California 93301-2370
Phone (661) 862-8650 Office Hours 7:30-5:00

Branch Offices
Frazier Park Office - Fire Station
Lake Isabella Office - 7050 Lake Isabella Blvd.
McFarland Office - 401 West Kern St.
Mojave Office - 1775 Hwy. 58
Ridgecrest Office - 400 N. China Lake Blvd.
Taft Office - 315 Lincoln Street
Tehachapi Office - 125 East "F" Street

Ph. (661) 245-1221 Office Hours 7:00-9:00 M-F
Ph. (760) 549-2064 Office Hours 7:00-12:00/1:00-4:00
Ph. (661) 792-3091 Office Hours 7:00-8:00 M-Th.
Ph. (661) 824-7090 Office Hours 7:00-12:00/1:00-4:00
Ph. (760) 371-3780 Hours 7:30-9:30 T, Th, F
Ph. (661) 763-8590 Office Hours 7:00-9:00 M & W
Ph. (661) 822-6329 Office Hours 7:00-12:00/1:00-4:00

PL

NORTH

BUILDING OR MOBILE HOME

P L

PROJECT ADDRESS: _____

ASSESSOR'S PARCEL NUMBER: _____

* SINGLE FAMILY RESIDENTIAL CERTIFICATE OF OCCUPANCY

Inspection	Date	Inspector
Temp Elec.		
Temp Gas		

PRE-FINAL APPROVALS

Inspection	Date	Inspector
Health Department		
Road Department		
Grading		
Drainage		
Landscaping		
C.U.P. Requirements		
P.D. Requirements		

Inspection	Date	Inspector
Gas pressure test		
Electrical final		
Plumbing final		
Mechanical final		
Structural final		
Energy final		
Zoning requirements		
Insulation requirements		
Fire Requirements		
Job complete		

COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED

* Job complete

THIS POST CARD SERVES AS YOUR CERTIFICATE OF OCCUPANCY.

BUILDING INSP. 580 2825 010 (9/02)

Loy's

JOB CARD

Elk Hills Power

CONSTRUCTION PERMIT

KERN COUNTY DEPARTMENT OF ENGINEERING & SURVEY SERVICES, BUILDING INSPECTION DIVISION
2700 "M" STREET, SUITE 570 BAKERSFIELD, CA 93301-2370
Telephone (661) 862-8681

THIS PERMIT MUST COMPLY WITH TITLE 24, 2001 CALIFORNIA CODE OF REGULATIONS

Project Address: 4026 SKYLINE RD TUPM

Project Parcel: 158-090-050

Inspector Area: 22

Subtype: ACCCOM

Project Description: TEMP COMM COACH FOR OFFICE DURING CONST OF ELK HILLS POWER PLANT.

Zoning: A

School District: - :

Tract-Phase: -

Lot:

Parcel Map:

Census Tract: 33.01

K.S.A. Connect. #: 9144-40337-4841

K.S.A. Sewer #: 9144-40332-3390

PERMIT NO: K200300554

Application Date: January 30, 2003

Permit Issued Date: January 30, 2003

Permit Status: ISSUED

Zone Map: 118-1

C.S.A. #:

Parcel #:

ATN-Book/Page/Lot: 15809005002

Owner.....: OCCIDENTAL OF ELK HILLS INC

Address.....: P O BOX 27570 HOUSTON TX 77227-7570

Contractor....: AVALOTIS CORP

License No: 804246

Address.....: 400 JONES ST VERONA PA 15147

Architect.....:

Address.....:

Engineer.....:

Address.....:

Phone:

Hiring Licensed Contractor: Y

Phone: 412-828-9666

Phone:

Phone:

Census Code: 328C

Total Area: 0

Total Value: \$0.00

Activity Code: KELLYS

Activity Date: January 30, 2003

Occupancy

Type

Factor

Sq Feet

Valuation

Totals...

\$0.00*

PERMIT FEES

Application Fee	\$23.00	Flood Area Fee	\$0.00	Spa- sp	\$0.00
Administrative Fee	\$25.50	Erosion Review	\$0.00	Spa- nsp	\$0.00
Investigation Fee	\$0.00	Wind Farm Review	\$0.00	Pool - sp	\$0.00
Building Fee	\$0.00	School Fee	\$0.00	Pool - nsp	\$0.00
Other Building Fee	\$0.00	Park Fee	\$0.00	Pool - commercial	\$0.00
Plan Check Fee	\$0.00	Habitat Fee	\$0.00	Electrical - General Fees	\$0.00
Other Plan Check Fee	\$0.00	Microfilm Fee	\$20.00	Electrical - Other Fees	\$0.00
S. M. I. P. Fee	\$0.00	Change of Occupancy	\$0.00	Mechanical - General Fees	\$0.00
Foundation Only	\$0.00	Mobile Home - County	\$146.00	Mechanical - Other Fees	\$0.00
Address Fee	\$0.00	Mobile Home - State	\$0.00	C.S.A. Fee	\$0.00
Site Plan Review	\$0.00	Satellite Dish	\$0.00	C.S.A. Connection	\$0.00
Demolition Fee	\$0.00	Sign - Wallmount	\$0.00	C.S.A. Sewer	\$0.00
Sewer Fee	\$0.00	Sign - monument	\$0.00	K.S.A. Connection	\$0.00
Traffic: NONE	\$0.00	Sign - single pole	\$0.00	K.S.A. Sewer	\$0.00
		Sign - double pole	\$0.00	Sewer Con./Tax Roll	\$0.00
				Plumbing - General Fees	\$0.00
				Plumbing - Other Fees	\$0.00

Total Fees: \$214.50

Total Payments: \$214.50

Balance Due: \$0.00

COUNTY DEPARTMENT OF
ENGINEERING & SURVEY SERVICES
BUILDING INSPECTION DIVISION
CHARLES LACKEY, P.E., DIRECTOR

INSPECTION RECORD
POST CARD AT JOBSITE

**BAKERSFIELD AREA INSPECTION
REQUESTS ONLY (661) 862-8681**
7:30 a.m. - 5:00 p.m.
After Hours (661) 862-8698
(10:00 a.m. cutoff for same day inspections. Inspections requested
after 10:00 a.m. will be conducted on the next business day.)

Inspection		Date	Inspector
GROUND WORK	Grading		
	Set Backs		
	Underground Elec.		
	Underground Plb.		
	Underground Mech.		
Address Verification			
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED			
FOUNDATION	Slab Mesh		
	Slab Membrane		
	Rebar for Grounding		
	Reinforcing Steel		
PLACE NO CONCRETE FOR FLOOR UNTIL ABOVE HAS BEEN SIGNED			
FLOOR WALL ROOF FRAMING	Floor Joists		
	Floor Sheathing		
	Rough Electrical		
	Plumbing Top-out		
	Fire Sprinkler System		
	Shower Pan		
	Grease Trap		
	Rough Mechanical		
	Roof Sheathing		
Structural			
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED			
STUCCO PLASTER WALLBOARD SIDING	Roofing		
	Interior Lathing		
	Exterior Lathing / Siding		
	Dry Wall		
	Exterior Membrane		
	Wall Insulation		
Attic Ventilation			
DO NOT PLASTER OR APPLY SIDING UNTIL ABOVE HAS BEEN SIGNED			
SEWAGE DISPOSAL	First Inspection		
	Sewer Line		
DRY SEWER	Septic Tank		
	Seepage Pit		
WET SEWER	Leach Field		
	SEPTIC SYS		
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED			
MASONRY AND CONCRETE WALLS	Foundation Steel		
	Wall Reinforcing		
	Bond Beam		
	Fire Place Reinforcing		
	Fire Place		
	Wood Stove		
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED			
SWIMMING POOL	Location		
	Steel		
	Conduit under deck		
	Recirculation piping		
	Electrical wiring		
	Gas line under deck		
	Fencing & Gates		
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED			

ENGINEERING & SURVEY SERVICES
BUILDING INSPECTION DIVISION
Main Office
2700 M Street, Suite 570, Bakersfield, California 93301-2370
Phone (661) 862-8650 Office Hours 7:30-5:00

Branch Offices
Frazier Park Office - Fire Station
Lake Isabella Office - 7050 Lake Isabella Blvd.
McFarland Office - 401 West Kern St.
Mojave Office - 1775 Hwy. 58
Ridgecrest Office - 400 N. China Lake Blvd.
Taft Office - 315 Lincoln Street
Tehachapi Office - 125 East "F" Street

Ph. (661) 245-1221 Office Hours 7:00-9:00 M-F
Ph. (760) 549-2064 Office Hours 7:00-12:00/1:00-4:00
Ph. (661) 792-3091 Office Hours 7:00-8:00 M-Th.
Ph. (661) 824-7090 Office Hours 7:00-12:00/1:00-4:00
Ph. (760) 371-3790 Hours 7:30-9:30 T, Th, F
Ph. (661) 763-8590 Office Hours 7:00-9:00 M & W
Ph. (661) 822-6329 Office Hours 7:00-12:00/1:00-4:00

PL


NORTH


BUILDING
OR
MOBILE HOME

**P
L**

PROJECT ADDRESS: _____
ASSESSOR'S PARCEL NUMBER: _____ - _____ - _____

*** SINGLE FAMILY RESIDENTIAL
CERTIFICATE OF OCCUPANCY**

Inspection	Date	Inspector
Temp Elec		
Temp Gas		

PRE-FINAL APPROVALS

Inspection	Date	Inspector
Health Department		
Road Department		
Grading		
Drainage		
Landscaping		
C.U.P. Requirements		
P.D. Requirements		

FINAL

Gas pressure test	
Electrical final	9/30/03
Plumbing final	9/30/03
Mechanical final	9/30/03
Structural final	9/30/03
Energy final	9/30/03
Zoning requirements	9/30/03
Insulation requirements	9/30/03
Fire Requirements	9/30/03
Job complete	9/30/03

* RESIDENTIAL PERMITS: THIS JOB CARD SERVES AS YOUR CERTIFICATE OF OCCUPANCY.

BUILDING INSPECTION 580-2626 010 (9/02)



Public Works

Joshua Champlin, P.E.
INTERIM DIRECTOR OF PUBLIC WORKS



KERN COUNTY BID INSPECTION LOG

Notice To Comply for Permit: K200305221

Project Address:	4026 SKYLINE RD, TUPMAN, CA	PERMIT NO: K200305221
Project Parcel:	158-090-050	Application Date: Aug 13, 2003
Inspector Area:	22	Permit Issued Date: Aug 25, 2003
Subtype:	Commercial Alteration	Permit Status: FINALED
Project Description:	Transformer foundations for the fractionation project as per site plan.	

Inspection	Scheduled	Inspected	Inspector	Result
------------	-----------	-----------	-----------	--------

GROUND  BOUNDLESS

2700 M Street, #400, Bakersfield, CA. 93301 | 661.862.5100 | www.KernPublicWorks.com

JOB CARD

CONSTRUCTION PERMIT

KERN COUNTY DEPARTMENT OF ENGINEERING & SURVEY SERVICES, BUILDING INSPECTION DIVISION
2700 "M" STREET, SUITE 570 BAKERSFIELD, CA 93301-2370
Telephone (661) 862-8681

THIS PERMIT MUST COMPLY WITH TITLE 24, 2001 CALIFORNIA CODE OF REGULATIONS

Project Address:	4026 SKYLINE RD TUPM	PERMIT NO: K200305220
Project Parcel:	158-090-050	Application Date: August 13, 2003
Inspector Area:	22	Permit Issued Date: August 25, 2003
Subtype:	ALTCOM	Permit Status: ISSUED
Project Description:	Transformer foundations for the steam turbine project as per site plan.	
Zoning:	A	Zone Map: 119-35
School District:	-	C.S.A. #:
Tract-Phase:	-	Parcel #:
Census Tract:	33.01	ATN-Book/Page/Lot: 15809005002

Owner..... OCCIDENTAL OF ELK HILLS INC
Address..... P O BOX 27570 HOUSTON TX 77227-7570

Phone:

Contractor.....
License No:

Hiring Licensed Contractor: N

Address.....

Phone:

Architect.....

Phone:

Address.....

Engineer..... JOHN B NAGLE

Phone:

Address.....

Census Code: 437-B

Total Area: 0

Total Value: \$4,000.00

Activity Code: KELLYS

Activity Date: August 25, 2003

Occupancy

Type

Factor

Sq Feet

Valuation

Manual Valuation

Miscellaneous

1.00

4,000

\$4,000.00

Totals...

\$4,000.00*

PERMIT FEES

Application Fee	\$23.00	Flood Area Fee	\$0.00	Spa- sp	\$0.00
Administrative Fee	\$25.50	Erosion Review	\$0.00	Spa- nsp	\$0.00
		Wind Farm Review	\$0.00	Pool - sp	\$0.00
Building Fee	\$50.00	School Fee	\$0.00	Pool - nsp	\$0.00
Other Building Fee	\$0.00	Park Fee	\$0.00	Pool - commercial	\$0.00
Plan Check Fee	\$25.00	Habitat Fee	\$0.00	Electrical - General Fees	\$0.00
Other Plan Check Fee	\$0.00	Microfilm Fee	\$20.00	Electrical - Other Fees	\$0.00
S. M. I. P. Fee	\$0.84	Change of Occupancy	\$0.00	Mechanical - General Fees	\$0.00
Foundation Only	\$0.00	Mobile Home - County	\$0.00	Mechanical - Other Fees	\$0.00
Address Fee	\$0.00	Mobile Home - State	\$0.00	C. S. A. Sewer Fee	\$0.00
Site Plan Review	\$0.00	Satellite Dish	\$0.00	C. S. A. Connection	\$0.00
Demolition Fee	\$0.00	Sign - Wallmount	\$0.00	C. S. A. P.R. Sewer Fee	\$0.00
Sewer Fee	\$0.00	Sign - monument	\$0.00	K. S. A. Connection	\$0.00
Traffic NONE	\$0.00	Sign - single pole	\$0.00	K. S. A. Sewer	\$0.00
		Sign - double pole	\$0.00	Sewer Con./Tax Roll	\$0.00
				Plumbing - General Fees	\$0.00
				Plumbing - Other Fees	\$0.00

Total Fees: \$144.34

Total Payments: \$144.34

Balance Due: \$0.00

COUNTY DEPARTMENT OF ENGINEERING & SURVEY SERVICES BUILDING INSPECTION DIVISION CHARLES LACKEY, P.E., DIRECTOR			INSPECTION RECORD		BAKERSFIELD AREA INSPECTION REQUESTS ONLY (661) 862-8681 7:30 a.m. - 5:00 p.m. After Hours (661) 862-8688 (10:00 a.m. cutoff for same day inspections. Inspections requested after 10:00 a.m. will be conducted on the next business day.)																															
POST CARD AT JOBSITE																																				
	Inspection	Date	Inspector	ENGINEERING & SURVEY SERVICES BUILDING INSPECTION DIVISION Main Office 2700 M Street, Suite 570, Bakersfield, California 93301-2370 Phone (661) 862-8650 Office Hours 7:30-5:00 Branch Offices Fresno Park Office - Fire Station Ph. (661) 245-1221 Office Hours 7:00-9:00 A.M. Lake Isabella Office - 7050 Lake Isabella Blvd Ph. (760) 549-2094 Office Hours 7:00-12:00+1:00-4:00 McFarland Office - 401 West Kern St Ph. (661) 792-3091 Office Hours 7:00-8:00A.M. Madera Office - 1775 Hwy 58 Ph. (661) 824-7090 Office Hours 7:00-12:00+1:00-4:00 Palmdale Office - 400 N. China Lake Blvd Ph. (760) 371-3780 Office Hours 7:30-9:30 T, Th, F Tall Office - 315 Linden Street Ph. (661) 763-6590 Office Hours 7:00-9:00 M-S W Tehachapi Office - 125 East "F" Street Ph. (661) 822-6329 Office Hours 7:00-12:00+1:00-4:00																																
GROUND WORK	Grading																																			
	Set Backs <i>Existing Facility</i>																																			
	Underground Elec.																																			
	Underground Pib																																			
	Underground Mech.																																			
	Address Verification																																			
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED																																				
FOUNDATION	Slab Mesh			PL BUILDING OR MOBILE HOME																																
	Slab Membrane																																			
	Rebar for Grounding																																			
	Reinforcing Steel																																			
PLACE NO CONCRETE FOR FLOOR UNTIL ABOVE HAS BEEN SIGNED																																				
FLOOR WALL ROOF FRAMING	Floor Joists			PL BUILDING OR MOBILE HOME																																
	Floor Sheathing																																			
	Rough Electrical																																			
	Plumbing Top-out																																			
	Fire Sprinkler System																																			
	Shower Pan																																			
	Grease Trap																																			
	Rough Mechanical																																			
	Roof Sheathing																																			
	Structural																																			
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED																																				
STUCCO PLASTER WALLBOARD SIDING	Roofing			PL 																																
	Interior Lathing																																			
	Exterior Lathing / Siding																																			
	Dry Wall																																			
	Exterior Membrane																																			
	Wall Insulation																																			
	Attic Ventilation			PROJECT ADDRESS: _____ ASSESSOR'S PARCEL NUMBER: _____ - _____ - _____																																
DO NOT PLASTER OR APPLY SIDING UNTIL ABOVE HAS BEEN SIGNED																																				
SEWAGE DISPOSAL	First Inspection			* SINGLE FAMILY RESIDENTIAL CERTIFICATE OF OCCUPANCY <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:60%;">Inspection</th> <th style="width:20%;">Date</th> <th style="width:20%;">Inspector</th> </tr> </thead> <tbody> <tr> <td>Sewer Line</td> <td></td> <td></td> </tr> <tr> <td>Temp. Elec</td> <td></td> <td></td> </tr> <tr> <td>Temp. Gas</td> <td></td> <td></td> </tr> </tbody> </table>			Inspection	Date	Inspector	Sewer Line			Temp. Elec			Temp. Gas																				
	Inspection	Date	Inspector																																	
	Sewer Line																																			
	Temp. Elec																																			
Temp. Gas																																				
DRY SEWER WET SEWER SEPTIC SYS	Septic Tank																																			
	Seepage Pit																																			
	Leach Field																																			
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED				PRE-FINAL APPROVALS																																
MASONRY AND CONCRETE WALLS	Foundation Steel			<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:60%;">Inspection</th> <th style="width:20%;">Date</th> <th style="width:20%;">Inspector</th> </tr> </thead> <tbody> <tr> <td>Health Department</td> <td></td> <td></td> </tr> <tr> <td>Road Department</td> <td></td> <td></td> </tr> <tr> <td>Grading</td> <td></td> <td></td> </tr> <tr> <td>Drainage</td> <td></td> <td></td> </tr> <tr> <td>Landscaping</td> <td></td> <td></td> </tr> <tr> <td>C U P Requirements</td> <td></td> <td></td> </tr> <tr> <td>P D Requirements</td> <td></td> <td></td> </tr> </tbody> </table>			Inspection	Date	Inspector	Health Department			Road Department			Grading			Drainage			Landscaping			C U P Requirements			P D Requirements								
	Inspection	Date	Inspector																																	
	Health Department																																			
	Road Department																																			
	Grading																																			
	Drainage																																			
	Landscaping																																			
	C U P Requirements																																			
P D Requirements																																				
Wall Reinforcing																																				
Bond Beam																																				
Fire Place Reinforcing																																				
Fire Place																																				
Wood Stove																																				
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED																																				
SWIMMING POOL	Location			FINAL <table border="1" style="width:100%; border-collapse: collapse;"> <tbody> <tr> <td>Gas pressure test</td> <td></td> <td></td> </tr> <tr> <td>Electrical final</td> <td></td> <td></td> </tr> <tr> <td>Plumbing final</td> <td></td> <td></td> </tr> <tr> <td>Mechanical final</td> <td></td> <td></td> </tr> <tr> <td>Structural final</td> <td></td> <td></td> </tr> <tr> <td>Energy final</td> <td></td> <td></td> </tr> <tr> <td>Zoning requirements</td> <td></td> <td></td> </tr> <tr> <td>Insulation requirements</td> <td></td> <td></td> </tr> <tr> <td>Fire Requirements</td> <td></td> <td></td> </tr> <tr> <td>Job complete</td> <td></td> <td></td> </tr> </tbody> </table>			Gas pressure test			Electrical final			Plumbing final			Mechanical final			Structural final			Energy final			Zoning requirements			Insulation requirements			Fire Requirements			Job complete		
	Gas pressure test																																			
	Electrical final																																			
	Plumbing final																																			
	Mechanical final																																			
	Structural final																																			
	Energy final																																			
	Zoning requirements																																			
Insulation requirements																																				
Fire Requirements																																				
Job complete																																				
Steel																																				
Conduit under deck																																				
Recirculation piping																																				
Electrical wiring																																				
Gas line under deck																																				
Fencing & Gates																																				
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED																																				

* RESIDENTIAL PERMITS: THIS JOB CARD SERVES AS YOUR CERTIFICATE OF OCCUPANCY.

BUILDING INS 386-1625 010 9/02

JOB CARD

CONSTRUCTION PERMIT

KERN COUNTY DEPARTMENT OF ENGINEERING & SURVEY SERVICES, BUILDING INSPECTION DIVISION
2700 "M" STREET, SUITE 570 BAKERSFIELD, CA 93301-2370
Telephone (661) 862-8681

THIS PERMIT MUST COMPLY WITH TITLE 24, 2001 CALIFORNIA CODE OF REGULATIONS

Project Address: 4026 SKYLINE RD TUPM	PERMIT NO: K200306520
Project Parcel: 158-090-050	Application Date: September 26, 2003
Inspector Area: 22	Permit Issued Date: October 30, 2003
Subtype: ALTCOM	Permit Status: ISSUED
Project Description: FOUNDATION FOR AN OILFIELD VESSEL AS PER SITE PLAN.	
Zoning: A	Zone Map: 118-1
School District: -	C.S.A. #:
Tract-Phase: -	Parcel #:
Census Tract: 33.01	ATN-Book/Page/Lot: 15809005002

Owner.....: OCCIDENTAL OF ELK HILLS INC
Address.....: P O BOX 27570 HOUSTON TX 77227-7570
Contractor...:
License No:
Address.....:
Architect.....:
Address.....:
Engineer.....: VORA VYOMESH A
Address.....:

Phone:
Hiring Licensed Contractor: N

Phone:

Phone:

Phone:

Census Code: 437-B	Total Area: 0	Total Value: \$4,500.00
Activity Code: JAVIERR	Activity Date: October 30, 2003	
Occupancy	Type	Factor
Manual Valuation	Miscellaneous	Sq Feet
	Totals...	Valuation
		\$4,500.00
		\$4,500.00*

PERMIT FEES

Application Fee \$23.00	Flood Area Fee \$0.00	Spa- sp \$0.00
Administrative Fee \$25.50	Erosion Review \$0.00	Spa- nsp \$0.00
	Wind Farm Review \$0.00	Pool - sp \$0.00
Building Fee \$57.00	School Fee \$0.00	Pool - nsp \$0.00
Other Building Fee \$0.00	Park Fee \$0.00	Pool - commercial \$0.00
Plan Check Fee \$28.50	Habitat Fee \$0.00	Electrical - General Fees \$0.00
Other Plan Check Fee \$0.00	Microfilm Fee \$20.00	Electrical - Other Fees \$0.00
S. M. I. P. Fee \$0.95	Change of Occupancy \$0.00	Mechanical - General Fees \$0.00
Foundation Only \$0.00	Mobile Home - County \$0.00	Mechanical - Other Fees \$0.00
Address Fee \$0.00	Mobile Home - State \$0.00	C.S.A. Sewer Fee \$0.00
Site Plan Review \$0.00	Satellite Dish \$0.00	C.S.A. Connection \$0.00
Demolition Fee \$0.00	Sign - Wallmount \$0.00	C.S.A. P.R. Sewer Fee \$0.00
Sewer Fee \$0.00	Sign - monument \$0.00	K.S.A. Connection \$0.00
Traffic: NONE \$0.00	Sign - single pole \$0.00	K.S.A. Sewer \$0.00
	Sign - double pole \$0.00	Sewer Con./Tax Ro l \$0.00
		Plumbing - General Fees \$0.00
		Plumbing - Other Fees \$0.00
		Total Fees: \$154.95
		Total Payments: \$154.95
		Balance Due: \$0.00

COUNTY DEPARTMENT OF ENGINEERING & SURVEY SERVICES BUILDING INSPECTION DIVISION CHARLES LACKEY, P.E., DIRECTOR			INSPECTION RECORD POST CARD AT JOBSITE		BAKERSFIELD AREA INSPECTION REQUESTS ONLY (661) 862-8681 7:30 a.m. - 5:00 p.m. After Hours (661) 862-8698 (10:00 a.m. cutoff for same day inspections. Inspections requested after 10:00 a.m. will be conducted on the next business day.)																																																									
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width: 30%;">Inspection</th> <th style="width: 20%;">Date</th> <th style="width: 50%;">Inspector</th> </tr> <tr> <td rowspan="5">GROUND WORK</td> <td>Grading</td> <td></td> </tr> <tr> <td>Set Backs</td> <td><i>W. H. F. F. F.</i></td> </tr> <tr> <td>Underground Elec.</td> <td></td> </tr> <tr> <td>Underground Pib.</td> <td></td> </tr> <tr> <td>Underground Mech.</td> <td></td> </tr> <tr> <td colspan="3">Address Verification</td> </tr> </table>			Inspection	Date	Inspector	GROUND WORK	Grading		Set Backs	<i>W. H. F. F. F.</i>	Underground Elec.		Underground Pib.		Underground Mech.		Address Verification			ENGINEERING & SURVEY SERVICES BUILDING INSPECTION DIVISION Main Office 2700 M Street, Suite 570, Bakersfield, California 93301-2370 Phone (661) 862-8650 Office Hours 7:30-5:00 Branch Offices Ph (661) 245-1221 Office Hours 7:00-6:00 M-F Ph (760) 545-2054 Office Hours 7:00-12:00 10-4:00 Ph (661) 792-3091 Office Hours 7:00-8:00 M-Th Ph (661) 624-7090 Office Hours 7:00-12:00 10-4:00 Ph (760) 371-3780 Office Hours 7:00-8:00 M & W Ph (661) 763-8590 Office Hours 7:00-9:00 M & W Ph (661) 822-6329 Office Hours 7:00-12:00 10-4:00																																										
Inspection	Date	Inspector																																																												
GROUND WORK	Grading																																																													
	Set Backs	<i>W. H. F. F. F.</i>																																																												
	Underground Elec.																																																													
	Underground Pib.																																																													
	Underground Mech.																																																													
Address Verification																																																														
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED			P L NORTH BUILDING OR MOBILE HOME																																																											
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td rowspan="4">FOUNDATION</td> <td>Slab Mesh</td> <td></td> </tr> <tr> <td>Slab Membrane</td> <td></td> </tr> <tr> <td>Rebar for Grounding</td> <td></td> </tr> <tr> <td>Reinforcing Steel</td> <td><i>Ben</i></td> </tr> </table>						FOUNDATION	Slab Mesh		Slab Membrane		Rebar for Grounding		Reinforcing Steel	<i>Ben</i>																																																
FOUNDATION	Slab Mesh																																																													
	Slab Membrane																																																													
	Rebar for Grounding																																																													
	Reinforcing Steel	<i>Ben</i>																																																												
PLACE NO CONCRETE FOR FLOOR UNTIL ABOVE HAS BEEN SIGNED																																																														
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td rowspan="10">FLOOR WALL ROOF FRAMING</td> <td>Floor Joists</td> <td></td> </tr> <tr> <td>Floor Sheathing</td> <td></td> </tr> <tr> <td>Rough Electrical</td> <td></td> </tr> <tr> <td>Plumbing Top-out</td> <td></td> </tr> <tr> <td>Fire Sprinkler System</td> <td></td> </tr> <tr> <td>Shower Pan</td> <td></td> </tr> <tr> <td>Grease Trap</td> <td></td> </tr> <tr> <td>Rough Mechanical</td> <td></td> </tr> <tr> <td>Roof Sheathing</td> <td></td> </tr> <tr> <td>Structural</td> <td></td> </tr> </table>			FLOOR WALL ROOF FRAMING	Floor Joists		Floor Sheathing		Rough Electrical		Plumbing Top-out		Fire Sprinkler System		Shower Pan		Grease Trap		Rough Mechanical		Roof Sheathing		Structural																																								
FLOOR WALL ROOF FRAMING	Floor Joists																																																													
	Floor Sheathing																																																													
	Rough Electrical																																																													
	Plumbing Top-out																																																													
	Fire Sprinkler System																																																													
	Shower Pan																																																													
	Grease Trap																																																													
	Rough Mechanical																																																													
	Roof Sheathing																																																													
	Structural																																																													
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED																																																														
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td rowspan="6">STUCCO PLASTER WALLBOARD SIDING</td> <td>Roofing</td> <td></td> </tr> <tr> <td>Interior Lathing</td> <td></td> </tr> <tr> <td>Exterior Lathing / Siding</td> <td></td> </tr> <tr> <td>Dry Wall</td> <td></td> </tr> <tr> <td>Exterior Membrane</td> <td></td> </tr> <tr> <td>Wall Insulation</td> <td></td> </tr> <tr> <td colspan="3">Attic Ventilation</td> </tr> </table>			STUCCO PLASTER WALLBOARD SIDING	Roofing		Interior Lathing		Exterior Lathing / Siding		Dry Wall		Exterior Membrane		Wall Insulation		Attic Ventilation			PROJECT ADDRESS: _____ ASSESSOR'S PARCEL NUMBER: _____																																											
STUCCO PLASTER WALLBOARD SIDING	Roofing																																																													
	Interior Lathing																																																													
	Exterior Lathing / Siding																																																													
	Dry Wall																																																													
	Exterior Membrane																																																													
	Wall Insulation																																																													
Attic Ventilation																																																														
DO NOT PLASTER OR APPLY SIDING UNTIL ABOVE HAS BEEN SIGNED			* SINGLE FAMILY RESIDENTIAL CERTIFICATE OF OCCUPANCY																																																											
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td rowspan="2">SEWAGE DISPOSAL</td> <td>First Inspection</td> <td></td> </tr> <tr> <td>Sewer Line</td> <td></td> </tr> <tr> <td rowspan="2">DRY SEWER</td> <td>Septic Tank</td> <td></td> </tr> <tr> <td>Seepage Pit</td> <td></td> </tr> <tr> <td rowspan="2">WET SEWER</td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> </tr> <tr> <td rowspan="2">SEPTIC SYS</td> <td>Leach Field</td> <td></td> </tr> <tr> <td></td> <td></td> </tr> </table>			SEWAGE DISPOSAL	First Inspection		Sewer Line		DRY SEWER	Septic Tank		Seepage Pit		WET SEWER					SEPTIC SYS	Leach Field				<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width: 30%;">Inspection</th> <th style="width: 20%;">Date</th> <th style="width: 50%;">Inspector</th> </tr> <tr> <td>Temp Elec</td> <td></td> <td></td> </tr> <tr> <td>Temp Gas</td> <td></td> <td></td> </tr> </table>			Inspection	Date	Inspector	Temp Elec			Temp Gas																														
SEWAGE DISPOSAL	First Inspection																																																													
	Sewer Line																																																													
DRY SEWER	Septic Tank																																																													
	Seepage Pit																																																													
WET SEWER																																																														
SEPTIC SYS	Leach Field																																																													
Inspection	Date	Inspector																																																												
Temp Elec																																																														
Temp Gas																																																														
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED			PRE-FINAL APPROVALS																																																											
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td rowspan="7">MASONRY AND CONCRETE WALLS</td> <td>Foundation Steel</td> <td></td> </tr> <tr> <td>Wall Reinforcing</td> <td></td> </tr> <tr> <td>Bond Beam</td> <td></td> </tr> <tr> <td>Fire Place Reinforcing</td> <td></td> </tr> <tr> <td>Fire Place</td> <td></td> </tr> <tr> <td>Wood Stove</td> <td></td> </tr> <tr> <td></td> <td></td> </tr> </table>			MASONRY AND CONCRETE WALLS	Foundation Steel		Wall Reinforcing		Bond Beam		Fire Place Reinforcing		Fire Place		Wood Stove				<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width: 30%;">Inspection</th> <th style="width: 20%;">Date</th> <th style="width: 50%;">Inspector</th> </tr> <tr> <td>Health Department</td> <td></td> <td></td> </tr> <tr> <td>Road Department</td> <td></td> <td></td> </tr> <tr> <td>Grading</td> <td></td> <td></td> </tr> <tr> <td>Drainage</td> <td></td> <td></td> </tr> <tr> <td>Landscaping</td> <td></td> <td></td> </tr> <tr> <td>C.U.P. Requirements</td> <td></td> <td></td> </tr> <tr> <td>P.D. Requirements</td> <td></td> <td></td> </tr> </table>			Inspection	Date	Inspector	Health Department			Road Department			Grading			Drainage			Landscaping			C.U.P. Requirements			P.D. Requirements																				
MASONRY AND CONCRETE WALLS	Foundation Steel																																																													
	Wall Reinforcing																																																													
	Bond Beam																																																													
	Fire Place Reinforcing																																																													
	Fire Place																																																													
	Wood Stove																																																													
Inspection	Date	Inspector																																																												
Health Department																																																														
Road Department																																																														
Grading																																																														
Drainage																																																														
Landscaping																																																														
C.U.P. Requirements																																																														
P.D. Requirements																																																														
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED			<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td rowspan="10">SWIMMING POOL</td> <td>Location</td> <td></td> </tr> <tr> <td>Steel</td> <td></td> </tr> <tr> <td>Conduit under deck</td> <td></td> </tr> <tr> <td>Recirculation piping</td> <td></td> </tr> <tr> <td>Electrical wiring</td> <td></td> </tr> <tr> <td>Gas line under deck</td> <td></td> </tr> <tr> <td>Fencing & Gates</td> <td></td> </tr> <tr> <td></td> <td></td> </tr> <tr> <td></td> <td></td> </tr> <tr> <td></td> <td></td> </tr> </table>			SWIMMING POOL	Location		Steel		Conduit under deck		Recirculation piping		Electrical wiring		Gas line under deck		Fencing & Gates								<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width: 30%;">Inspection</th> <th style="width: 20%;">Date</th> <th style="width: 50%;">Inspector</th> </tr> <tr> <td>Gas pressure test</td> <td></td> <td></td> </tr> <tr> <td>Electrical final</td> <td></td> <td></td> </tr> <tr> <td>Plumbing final</td> <td></td> <td></td> </tr> <tr> <td>Mechanical final</td> <td></td> <td></td> </tr> <tr> <td>Structural final</td> <td></td> <td></td> </tr> <tr> <td>Energy final</td> <td></td> <td></td> </tr> <tr> <td>Zoning requirements</td> <td></td> <td></td> </tr> <tr> <td>Insulation requirements</td> <td></td> <td></td> </tr> <tr> <td>Fire Requirements</td> <td></td> <td></td> </tr> <tr> <td>* Job complete</td> <td></td> <td></td> </tr> </table>			Inspection	Date	Inspector	Gas pressure test			Electrical final			Plumbing final			Mechanical final			Structural final			Energy final			Zoning requirements			Insulation requirements			Fire Requirements			* Job complete		
SWIMMING POOL	Location																																																													
	Steel																																																													
	Conduit under deck																																																													
	Recirculation piping																																																													
	Electrical wiring																																																													
	Gas line under deck																																																													
	Fencing & Gates																																																													
Inspection	Date	Inspector																																																												
Gas pressure test																																																														
Electrical final																																																														
Plumbing final																																																														
Mechanical final																																																														
Structural final																																																														
Energy final																																																														
Zoning requirements																																																														
Insulation requirements																																																														
Fire Requirements																																																														
* Job complete																																																														
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED			* RESIDENTIAL PERMITS: THIS JOB CARD SERVES AS YOUR CERTIFICATE OF OCCUPANCY																																																											

* RESIDENTIAL PERMITS: THIS JOB CARD SERVES AS YOUR CERTIFICATE OF OCCUPANCY

BUILDING PERMITS 580 2625 010 (8/03)

JOB CARD

CONSTRUCTION PERMIT

KERN COUNTY DEPARTMENT OF ENGINEERING & SURVEY SERVICES, BUILDING INSPECTION DIVISION
2700 "M" STREET, SUITE 570 BAKERSFIELD, CA 93301-2370
Telephone (661) 862-8681

THIS PERMIT MUST COMPLY WITH TITLE 24, 2001 CALIFORNIA CODE OF REGULATIONS

Project Address: 4026 SKYLINE RD TUPM
Project Parcel: 158-090-050
Inspector Area: 22
Subtype: ALTCOM
Project Description: FOUNDATION FOR AN OILFIELD VESSEL AS PER SITE PLAN.
Zoning: A
School District: - :
Tract-Phase: - Lot: Parcel Map:
Census Tract: 33.01

PERMIT NO: K200306520

Application Date: September 26, 2003
Permit Issued Date: October 30, 2003
Permit Status: ISSUED

Zone Map: 118-1

C.S.A. #:

Parcel #:

ATN-Book/Page/Lot: 15809005002

Owner.....: OCCIDENTAL OF ELK HILLS INC
Address.....: P O BOX 27570 HOUSTON TX 77227-7570

Phone:

Contractor...:
License No:

Hiring Licensed Contractor: N

Address.....:

Phone:

Architect.....:

Address.....:

Phone:

Engineer.....: VORA VYOMESH A
Address.....:

Phone:

Census Code: 437-B
Activity Code: JAVIERR
Occupancy
Manual Valuation

Total Area: 0
Activity Date: October 30, 2003

Total Value: \$4,500.00

Type	Factor	Sq Feet	Valuation
Miscellaneous	1.00	4,500	\$4,500.00
Totals...			\$4,500.00*

PERMIT FEES

Application Fee	\$23.00	Flood Area Fee	\$0.00	Spa- sp	\$0.00
Administrative Fee	\$25.50	Erosion Review	\$0.00	Spa- nsp	\$0.00
		Wind Farm Review	\$0.00	Pool - sp	\$0.00
Building Fee	\$57.00	School Fee	\$0.00	Pool - nsp	\$0.00
Other Building Fee	\$0.00	Park Fee	\$0.00	Pool - commercial	\$0.00
Plan Check Fee	\$28.50	Habitat Fee	\$0.00	Electrical - General Fees	\$0.00
Other Plan Check Fee	\$0.00	Microfilm Fee	\$20.00	Electrical - Other Fees	\$0.00
S. M. I. P. Fee	\$0.95	Change of Occupancy	\$0.00	Mechanical - General Fees	\$0.00
Foundation Only	\$0.00	Mobile Home - County	\$0.00	Mechanical - Other Fees	\$0.00
Address Fee	\$0.00	Mobile Home - State	\$0.00	C.S.A. Sewer Fee	\$0.00
Site Plan Review	\$0.00	Satellite Dish	\$0.00	C.S.A. Connection	\$0.00
Demolition Fee	\$0.00	Sign - Wallmount	\$0.00	C.S.A. P.R. Sewer Fee	\$0.00
Sewer Fee	\$0.00	Sign - monument	\$0.00	K.S.A. Connection	\$0.00
Traffic: NONE	\$0.00	Sign - single pole	\$0.00	K.S.A. Sewer	\$0.00
		Sign - double pole	\$0.00	Sewer Con./Tax Roll	\$0.00
				Plumbing - General Fees	\$0.00
				Plumbing - Other Fees	\$0.00

Total Fees: \$154.95

Total Payments: \$154.95

Balance Due: \$0.00

COUNTY DEPARTMENT OF ENGINEERING & SURVEY SERVICES BUILDING INSPECTION DIVISION CHARLES LACKEY, P.E., DIRECTOR		INSPECTION RECORD POST CARD AT JOBSITE		BAKERSFIELD AREA INSPECTION REQUESTS ONLY (661) 862-8681 7:30 a.m. - 5:00 p.m. After Hours (661) 862-8698 (10:00 a.m. cutoff for same day inspections. Inspections requested after 10:00 a.m. will be conducted on the next business day.)																																		
				ENGINEERING & SURVEY SERVICES BUILDING INSPECTION DIVISION 2700 M Street, Suite 570, Bakersfield, California 93301-2370 Phone (661) 862-8650 Office Hours 7:30-5:00 Branch Offices Ph: (661) 245-1221 Office Hours 7:00-9:00 M-F Ph: (760) 549-2064 Office Hours 7:00-12:00 1:00-4:00 Ph: (661) 792-3091 Office Hours 7:00-8:00 M-Th Ph: (661) 824-7090 Office Hours 7:00-12:00 1:00-4:00 Ph: (760) 371-3780 Office Hours 7:30-9:30 T-Th F Ph: (661) 765-8590 Office Hours 7:00-9:00 M & W Ph: (661) 822-6329 Office Hours 7:00-12:00 1:00-4:00																																		
GROUND WORK	Grading			PL NORTH BUILDING OR MOBILE HOME																																		
	Set Backs																																					
	Underground Elec.																																					
	Underground Pib.																																					
	Underground Mech.																																					
Address Verification																																						
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED																																						
FOUNDATION	Slab Mesh			PL NORTH BUILDING OR MOBILE HOME																																		
	Slab Membrane																																					
	Rebar for Grounding																																					
	Reinforcing Steel																																					
PLACE NO CONCRETE FOR FLOOR UNTIL ABOVE HAS BEEN SIGNED																																						
FLOOR WALL ROOF FRAMING	Floor Joists			PL NORTH BUILDING OR MOBILE HOME																																		
	Floor Sheathing																																					
	Rough Electrical																																					
	Plumbing Top-out																																					
	Fire Sprinkler System																																					
	Shower Pan																																					
	Grease Trap																																					
	Rough Mechanical																																					
	Roof Sheathing																																					
	Structural																																					
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED																																						
STUCCO PLASTER WALLBOARD SIDING	Roofing			PL NORTH BUILDING OR MOBILE HOME																																		
	Interior Lathing																																					
	Exterior Lathing / Siding																																					
	Dry Wall																																					
	Exterior Membrane																																					
	Wall Insulation																																					
Attic Ventilation																																						
DO NOT PLASTER OR APPLY SIDING UNTIL ABOVE HAS BEEN SIGNED																																						
SEWAGE DISPOSAL	First Inspection			* SINGLE FAMILY RESIDENTIAL CERTIFICATE OF OCCUPANCY																																		
	Sewer Line																																					
DRY SEWER	Septic Tank			<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:35%;">Inspection</td> <td style="width:35%;">Date</td> <td style="width:30%;">Inspector</td> </tr> <tr> <td>Temp Elec.</td> <td></td> <td></td> </tr> <tr> <td>Temp Gas</td> <td></td> <td></td> </tr> </table>		Inspection	Date	Inspector	Temp Elec.			Temp Gas																										
	Inspection	Date	Inspector																																			
Temp Elec.																																						
Temp Gas																																						
WET SEWER SEPTIC SYS	Seepage Pit			<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:35%;">Inspection</td> <td style="width:35%;">Date</td> <td style="width:30%;">Inspector</td> </tr> <tr> <td>Temp Elec.</td> <td></td> <td></td> </tr> <tr> <td>Temp Gas</td> <td></td> <td></td> </tr> </table>		Inspection	Date	Inspector	Temp Elec.			Temp Gas																										
	Inspection	Date	Inspector																																			
Temp Elec.																																						
Temp Gas																																						
Leach Field																																						
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED																																						
MASONRY AND CONCRETE WALLS	Foundation Steel			<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:35%;">Inspection</td> <td style="width:35%;">Date</td> <td style="width:30%;">Inspector</td> </tr> <tr> <td>Health Department</td> <td></td> <td></td> </tr> <tr> <td>Road Department</td> <td></td> <td></td> </tr> <tr> <td>Grading</td> <td></td> <td></td> </tr> <tr> <td>Drainage</td> <td></td> <td></td> </tr> <tr> <td>Landscaping</td> <td></td> <td></td> </tr> <tr> <td>C.U.P. Requirements</td> <td></td> <td></td> </tr> <tr> <td>P.D. Requirements</td> <td></td> <td></td> </tr> </table>		Inspection	Date	Inspector	Health Department			Road Department			Grading			Drainage			Landscaping			C.U.P. Requirements			P.D. Requirements											
	Inspection	Date	Inspector																																			
	Health Department																																					
	Road Department																																					
	Grading																																					
	Drainage																																					
	Landscaping																																					
C.U.P. Requirements																																						
P.D. Requirements																																						
Wall Reinforcing																																						
Bond Beam																																						
Fire Place Reinforcing																																						
Fire Place																																						
Wood Stove																																						
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED																																						
SWIMMING POOL	Location			<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:35%;">Inspection</td> <td style="width:35%;">Date</td> <td style="width:30%;">Inspector</td> </tr> <tr> <td>Gas pressure test</td> <td></td> <td></td> </tr> <tr> <td>Electrical final</td> <td></td> <td></td> </tr> <tr> <td>Plumbing final</td> <td></td> <td></td> </tr> <tr> <td>Mechanical final</td> <td></td> <td></td> </tr> <tr> <td>Structural final</td> <td></td> <td></td> </tr> <tr> <td>Energy final</td> <td></td> <td></td> </tr> <tr> <td>Zoning requirements</td> <td></td> <td></td> </tr> <tr> <td>Insulation requirements</td> <td></td> <td></td> </tr> <tr> <td>Fire Requirements</td> <td></td> <td></td> </tr> <tr> <td>Job complete</td> <td></td> <td></td> </tr> </table>		Inspection	Date	Inspector	Gas pressure test			Electrical final			Plumbing final			Mechanical final			Structural final			Energy final			Zoning requirements			Insulation requirements			Fire Requirements			Job complete		
	Inspection	Date	Inspector																																			
	Gas pressure test																																					
	Electrical final																																					
	Plumbing final																																					
	Mechanical final																																					
	Structural final																																					
	Energy final																																					
Zoning requirements																																						
Insulation requirements																																						
Fire Requirements																																						
Job complete																																						
Steel																																						
Conduit under deck																																						
Recirculation piping																																						
Electrical wiring																																						
Gas line under deck																																						
Fencing & Gates																																						
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED																																						

* RESIDENTIAL PERMITS: THIS JOB CARD SERVES AS YOUR CERTIFICATE OF OCCUPANCY.

BUILDING INSPECTION 550 2625 010 (1/03)

JOB CARD

CONSTRUCTION PERMIT

KERN COUNTY DEPARTMENT OF ENGINEERING & SURVEY SERVICES, BUILDING INSPECTION DIVISION
2700 "M" STREET, SUITE 570 BAKERSFIELD, CA 93301-2370
Telephone (661) 862-8681

THIS PERMIT MUST COMPLY WITH TITLE 24, 2001 CALIFORNIA CODE OF REGULATIONS

Project Address: 4026 SKYLINE RD TUPM
Project Parcel: 158-090-175
Inspector Area: 22
Subtype: MISCCOM
Project Description: CONST FOUNDATION AND ACCESS PLATFORM FOR GAS SCRUBBER VESSEL ACC TO EX OILFIELD
Zoning: A-1
School District: 062-008 : Buttonwillow
Tract-Phase: - Lot: Parcel Map:
Census Tract: 33.01
PERMIT NO: K200400133
Application Date: January 08, 2004
Permit Issued Date: January 27, 2004
Permit Status: ISSUED
Zone Map: 119-35
C.S.A. #:
Parcel #:
ATN-Book/Page/Lot: 15809017007

Owner.....: OCCIDENTAL OF ELK HILLS INC
Address.....: P O BOX 27570 HOUSTON TX 77227-7570
Contractor...: BROWN & ROOT
License No: 604182
Address.....: 3701 FRUITVALE AV BAKERSFIELD CA 93308
Architect.....:
Address.....:
Engineer.....: VORA VYOMESH A
Address.....: P O BOX 309 TUPMAN CA 93276
Phone: 661-763-6110
Hiring Licensed Contractor: Y
Phone: 661-589-8672
Phone: 264-0381
Phone: 661-763-6478

Census Code: 199-M
Activity Code: MARYG
Occupancy
Total Area: 0
Activity Date: January 27, 2004
Total Value: \$1,200.00
Type Factor Sq Feet Valuation
Additional Amount... 1,200.00
Totals... \$1,200.00*

PERMIT FEES

Application Fee	\$23.00	Flood Area Fee	\$0.00	Spa- sp	\$0.00
Administrative Fee	\$25.50	Erosion Review	\$0.00	Spa- nsp	\$0.00
		Wind Farm Review	\$0.00	Pool - sp	\$0.00
Building Fee	\$21.00	School Fee	\$0.00	Pool - nsp	\$0.00
Other Building Fee	\$0.00	Park Fee	\$0.00	Pool - commercial	\$0.00
Plan Check Fee	\$10.50	Habitat Fee	\$0.00	Electrical - General Fees	\$0.00
Other Plan Check Fee	\$0.00	Microfilm Fee	\$20.00	Electrical - Other Fees	\$0.00
S. M. I. P. Fee	\$0.50	Change of Occupancy	\$0.00	Mechanical - General Fees	\$0.00
Foundation Only	\$0.00	Mobile Home - County	\$0.00	Mechanical - Other Fees	\$0.00
Address Fee	\$0.00	Mobile Home - State	\$0.00	C.S.A. Sewer Fee	\$0.00
Site Plan Review	\$0.00	Satellite Dish	\$0.00	C.S.A. Connection	\$0.00
Demolition Fee	\$0.00	Sign - Wallmount	\$0.00	C.S.A. P.R. Sewer Fee	\$0.00
Sewer Fee	\$0.00	Sign - monument	\$0.00	K.S.A. Connection	\$0.00
Traffic: NONE	\$0.00	Sign - single pole	\$0.00	K.S.A. Sewer	\$0.00
		Sign - double pole	\$0.00	Sewer Con./Tax Roll	\$0.00
				Plumbing - General Fees	\$0.00
				Plumbing - Other Fees	\$0.00
				Total Fees:	\$100.50
				Total Payments:	\$100.50
				Balance Due:	\$0.00

COUNTY DEPARTMENT OF ENGINEERING & SURVEY SERVICES BUILDING INSPECTION DIVISION CHARLES LACKEY, P.E., DIRECTOR			INSPECTION RECORD POST CARD AT JOBSITE		BAKERSFIELD AREA INSPECTION REQUESTS ONLY (661) 862-8681 7:30 a.m. - 5:00 p.m. After Hours (661) 862-8698 (10:00 a.m. cutoff for same day inspections, inspections requested after 10:30 a.m. will be conducted on the next business day.)																																												
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width: 30%;">Inspection</th> <th style="width: 20%;">Date</th> <th style="width: 50%;">Inspector</th> </tr> <tr> <td rowspan="5">GROUND WORK</td> <td>Grading</td> <td></td> </tr> <tr> <td>Set Backs <i>Exterior</i></td> <td><i>Beam</i></td> </tr> <tr> <td>Underground Elec</td> <td></td> </tr> <tr> <td>Underground Pib</td> <td></td> </tr> <tr> <td>Underground Mech</td> <td></td> </tr> <tr> <td colspan="3">Address Verification</td> </tr> </table>			Inspection	Date	Inspector	GROUND WORK	Grading		Set Backs <i>Exterior</i>	<i>Beam</i>	Underground Elec		Underground Pib		Underground Mech		Address Verification			ENGINEERING & SURVEY SERVICES BUILDING INSPECTION DIVISION 2700 M Street, Suite 570, Bakersfield, California 93301-2370 Phone (661) 862-8650 Office Hours 7:30-5:00 Branch Offices Fresno Park Office - Fire Station Ph (561) 245-1221 Office Hours 7:00-9:00 M-F Lake Isabella Office - 7050 Lake Isabella Blvd Ph (760) 549-2064 Office Hours 7:00-12:00 10-4:00 McFarland Office - 401 West Kern St Ph (661) 792-3091 Office Hours 7:00-8:00 M-Th Mojave Office - 1775 Hwy 58 Ph (661) 824-7090 Office Hours 7:00-12:00 10-4:00 Ridgecrest Office - 100 W. California Ph (760) 371-3780 Office Hours 7:30-9:30 T-Th F Taft Office - 315 Lincoln Street Ph (661) 753-8590 Office Hours 7:00-9:00 M & W Tehachap Office - 125 East 17th Street Ph (661) 822-6323 Office Hours 7:00-12:00 10-4:00																													
Inspection	Date	Inspector																																															
GROUND WORK	Grading																																																
	Set Backs <i>Exterior</i>	<i>Beam</i>																																															
	Underground Elec																																																
	Underground Pib																																																
	Underground Mech																																																
Address Verification																																																	
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED			PL BUILDING OR MOBILE HOME PL																																														
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td rowspan="4">FOUNDATION</td> <td>Slab Mesh</td> <td></td> </tr> <tr> <td>Slab Membrane</td> <td></td> </tr> <tr> <td>Rebar for Grounding</td> <td><i>11/30/04 Beam</i></td> </tr> <tr> <td>Reinforcing Steel</td> <td></td> </tr> </table>						FOUNDATION	Slab Mesh		Slab Membrane		Rebar for Grounding	<i>11/30/04 Beam</i>	Reinforcing Steel																																				
FOUNDATION	Slab Mesh																																																
	Slab Membrane																																																
	Rebar for Grounding	<i>11/30/04 Beam</i>																																															
	Reinforcing Steel																																																
PLACE NO CONCRETE FOR FLOOR UNTIL ABOVE HAS BEEN SIGNED																																																	
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td rowspan="9">FLOOR WALL ROOF FRAMING</td> <td>Floor Joists</td> <td></td> </tr> <tr> <td>Floor Sheathing</td> <td></td> </tr> <tr> <td>Rough Electrical</td> <td></td> </tr> <tr> <td>Plumbing Top-out</td> <td></td> </tr> <tr> <td>Fire Sprinkler System</td> <td></td> </tr> <tr> <td>Shower Pan</td> <td></td> </tr> <tr> <td>Grease Trap</td> <td></td> </tr> <tr> <td>Rough Mechanical</td> <td></td> </tr> <tr> <td>Roof Sheathing</td> <td><i>11/30/04 Beam</i></td> </tr> <tr> <td colspan="3">Structural</td> </tr> </table>			FLOOR WALL ROOF FRAMING	Floor Joists		Floor Sheathing		Rough Electrical		Plumbing Top-out		Fire Sprinkler System		Shower Pan		Grease Trap		Rough Mechanical		Roof Sheathing	<i>11/30/04 Beam</i>	Structural			PROJECT ADDRESS: <i>4000 E. Concrete (See Attached Breaks)</i> ASSESSOR'S PARCEL NUMBER: _____																								
FLOOR WALL ROOF FRAMING	Floor Joists																																																
	Floor Sheathing																																																
	Rough Electrical																																																
	Plumbing Top-out																																																
	Fire Sprinkler System																																																
	Shower Pan																																																
	Grease Trap																																																
	Rough Mechanical																																																
	Roof Sheathing	<i>11/30/04 Beam</i>																																															
Structural																																																	
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED																																																	
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td rowspan="6">STUCCO PLASTER WALLBOARD SIDING</td> <td>Roofing</td> <td></td> </tr> <tr> <td>Interior Lathing</td> <td></td> </tr> <tr> <td>Exterior Lathing / Siding</td> <td></td> </tr> <tr> <td>Dry Wall</td> <td></td> </tr> <tr> <td>Exterior Membrane</td> <td></td> </tr> <tr> <td>Wall Insulation</td> <td></td> </tr> <tr> <td colspan="3">Attic Ventilation</td> </tr> </table>			STUCCO PLASTER WALLBOARD SIDING	Roofing		Interior Lathing		Exterior Lathing / Siding		Dry Wall		Exterior Membrane		Wall Insulation		Attic Ventilation																																	
STUCCO PLASTER WALLBOARD SIDING	Roofing																																																
	Interior Lathing																																																
	Exterior Lathing / Siding																																																
	Dry Wall																																																
	Exterior Membrane																																																
	Wall Insulation																																																
Attic Ventilation																																																	
DO NOT PLASTER OR APPLY SIDING UNTIL ABOVE HAS BEEN SIGNED			* SINGLE FAMILY RESIDENTIAL CERTIFICATE OF OCCUPANCY																																														
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td rowspan="2">SEWAGE DISPOSAL</td> <td>First Inspection</td> <td></td> <td rowspan="2">Inspection</td> <td rowspan="2">Date</td> <td rowspan="2">Inspector</td> </tr> <tr> <td>Sewer Line</td> <td></td> </tr> <tr> <td rowspan="2">DRY SEWER</td> <td>Septic Tank</td> <td></td> <td>Temp Elec</td> <td></td> <td></td> </tr> <tr> <td>Seepage Pit</td> <td></td> <td>Temp Gas</td> <td></td> <td></td> </tr> <tr> <td>WET SEWER</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>SEPTIC SYS</td> <td>Leach Field</td> <td></td> <td></td> <td></td> <td></td> </tr> </table>			SEWAGE DISPOSAL	First Inspection		Inspection	Date	Inspector	Sewer Line		DRY SEWER	Septic Tank		Temp Elec			Seepage Pit		Temp Gas			WET SEWER						SEPTIC SYS	Leach Field					PRE-FINAL APPROVALS															
SEWAGE DISPOSAL	First Inspection			Inspection	Date				Inspector																																								
	Sewer Line																																																
DRY SEWER	Septic Tank		Temp Elec																																														
	Seepage Pit		Temp Gas																																														
WET SEWER																																																	
SEPTIC SYS	Leach Field																																																
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED			<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td rowspan="7">MASONRY AND CONCRETE WALLS</td> <td>Foundation Steel</td> <td></td> <td>Health Department</td> <td></td> </tr> <tr> <td>Wall Reinforcing</td> <td></td> <td>Road Department</td> <td></td> </tr> <tr> <td>Bond Beam</td> <td></td> <td>Grading</td> <td></td> </tr> <tr> <td>Fire Place Reinforcing</td> <td></td> <td>Drainage</td> <td></td> </tr> <tr> <td>Fire Place</td> <td></td> <td>Landscaping</td> <td></td> </tr> <tr> <td>Wood Stove</td> <td></td> <td>C.U.P. Requirements</td> <td></td> </tr> <tr> <td></td> <td></td> <td>P.D. Requirements</td> <td></td> </tr> </table>			MASONRY AND CONCRETE WALLS	Foundation Steel		Health Department		Wall Reinforcing		Road Department		Bond Beam		Grading		Fire Place Reinforcing		Drainage		Fire Place		Landscaping		Wood Stove		C.U.P. Requirements				P.D. Requirements																
MASONRY AND CONCRETE WALLS	Foundation Steel		Health Department																																														
	Wall Reinforcing		Road Department																																														
	Bond Beam		Grading																																														
	Fire Place Reinforcing		Drainage																																														
	Fire Place		Landscaping																																														
	Wood Stove		C.U.P. Requirements																																														
			P.D. Requirements																																														
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED			<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td rowspan="9">SWIMMING POOL</td> <td>Location</td> <td></td> <td rowspan="9">FINAL</td> <td>Gas pressure test</td> <td></td> </tr> <tr> <td>Steel</td> <td></td> <td>Electrical final</td> <td></td> </tr> <tr> <td>Conduit under deck</td> <td></td> <td>Plumbing final</td> <td></td> </tr> <tr> <td>Recirculation piping</td> <td></td> <td>Mechanical final</td> <td></td> </tr> <tr> <td>Electrical wiring</td> <td></td> <td>Structural final</td> <td><i>3/18/04 Beam</i></td> </tr> <tr> <td>Gas line under deck</td> <td></td> <td>Energy final</td> <td><i>11/30/04 B</i></td> </tr> <tr> <td>Fencing & Gates</td> <td></td> <td>Zoning requirements</td> <td></td> </tr> <tr> <td></td> <td></td> <td>Insulation requirements</td> <td></td> </tr> <tr> <td></td> <td></td> <td>Fire Requirements</td> <td><i>11/30/04 Beam</i></td> </tr> <tr> <td colspan="3" style="padding: 2px; text-align: center;">COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED</td> <td colspan="3" style="padding: 2px;"> * Job complete </td> </tr> </table>			SWIMMING POOL	Location		FINAL	Gas pressure test		Steel		Electrical final		Conduit under deck		Plumbing final		Recirculation piping		Mechanical final		Electrical wiring		Structural final	<i>3/18/04 Beam</i>	Gas line under deck		Energy final	<i>11/30/04 B</i>	Fencing & Gates		Zoning requirements				Insulation requirements				Fire Requirements	<i>11/30/04 Beam</i>	COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED			* Job complete		
SWIMMING POOL	Location		FINAL	Gas pressure test																																													
	Steel			Electrical final																																													
	Conduit under deck			Plumbing final																																													
	Recirculation piping			Mechanical final																																													
	Electrical wiring			Structural final	<i>3/18/04 Beam</i>																																												
	Gas line under deck			Energy final	<i>11/30/04 B</i>																																												
	Fencing & Gates			Zoning requirements																																													
				Insulation requirements																																													
				Fire Requirements	<i>11/30/04 Beam</i>																																												
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED			* Job complete																																														

* RESIDENTIAL PERMITS: THIS JOB CARD SERVES AS YOUR CERTIFICATE OF OCCUPANCY.

BUILDING INSPECTION 2625 010 (8/03)

JOB CARD

CONSTRUCTION PERMIT

KERN COUNTY DEPARTMENT OF ENGINEERING & SURVEY SERVICES, BUILDING INSPECTION DIVISION
2700 "M" STREET, SUITE 570 BAKERSFIELD, CA 93301-2370

Telephone (661) 862-8681

THIS PERMIT MUST COMPLY WITH TITLE 24, 2001 CALIFORNIA CODE OF REGULATIONS

Project Address: 4026 SKYLINE RD TUPM
Project Parcel: 158-090-050
Inspector Area: 22
Subtype: NEWCOM
Project Description: CONSTRUCT FILTER FNDN ACC TO ELK HILLS POWER PLANT.
Zoning: A
School District: - :
Tract-Phase: - Lot: Parcel Map:
Census Tract: 33.01
PERMIT NO: K200400221
Application Date: January 12, 2004
Permit Issued Date: January 29, 2004
Permit Status: ISSUED
Zone Map: 118-1
C.S.A. #: n/a
Parcel #:
ATN-Book/Page/Lot: 15809005002

Owner.....: OCCIDENTAL OF ELK HILLS INC
Address.....: P O BOX 27570 HOUSTON TX 77227-7570

Phone:

Contractor....
License No:

Hiring Licensed Contractor: N

Address.....

Phone:

Architect.....

Address.....

Phone:

Engineer.....: HWANG THOMAS T

Address.....: 5080 CALIFORNIA AV BAKERSFIELD CA 93309

Phone: 1-661-308-3040

Census Code: 329-O

Total Area: 0

Total Valuc: \$5,500.00

Activity Code: JUDYO

Activity Date: January 29, 2004

Occupancy

Type

Factor

Sq Feet

Valuation

Manual Valuation

Miscellaneous

1.00

5,500

\$5,500.00

Totals...

\$5,500.00*

PERMIT FEES

Application Fee	\$23.00	Flood Area Fee	\$0.00	Spa- sp	\$0.00
Administrative Fee	\$25.50	Erosion Review	\$0.00	Spa- nsp	\$0.00
Building Fee	\$64.00	Wind Farm Review	\$0.00	Pool - sp	\$0.00
Other Building Fee	\$0.00	School Fee	\$0.00	Pool - nsp	\$0.00
Plan Check Fee	\$32.00	Park Fee	\$0.00	Pool - commercial	\$0.00
Other Plan Check Fee	\$0.00	Habitat Fee	\$0.00	Electrical - General Fees	\$0.00
S. M. I. P. Fee	\$1.15	Microfilm Fee	\$20.00	Electrical - Other Fees	\$0.00
Foundation Only	\$0.00	Change of Occupancy	\$0.00	Mechanical - General Fees	\$0.00
Address Fee	\$0.00	Mobile Home - County	\$0.00	Mechanical - Other Fees	\$0.00
Site Plan Review	\$0.00	Mobile Home - State	\$0.00	C.S.A. Sewer Fee	\$0.00
Demolition Fee	\$0.00	Satellite Dish	\$0.00	C.S.A. Connection	\$0.00
Sewer Fee	\$0.00	Sign - Wallmount	\$0.00	C.S.A. P.R. Sewer Fee	\$0.00
Traffic: NONE	\$0.00	Sign - monument	\$0.00	K.S.A. Connection	\$0.00
		Sign - single pole	\$0.00	K.S.A. Sewer	\$0.00
		Sign - double pole	\$0.00	Sewer Con./Tax Roll	\$0.00
		C.S.A. Septic System	\$0.00	Plumbing - General Fees	\$0.00
				Plumbing - Other Fees	\$0.00
				Total Fees:	\$165.65
				Total Payments:	\$165.65
				Balance Due:	\$0.00

 8-26-2004

COUNTY DEPARTMENT OF
ENGINEERING & SURVEY SERVICES
BUILDING INSPECTION DIVISION
CHARLES LACKEY, P.E., DIRECTOR

INSPECTION RECORD
POST CARD AT JOBSITE

BAKERSFIELD AREA INSPECTION -
REQUESTS ONLY (861) 862-8681
7:30 a.m. - 5:00 p.m.
After Hours (861) 862-8698
(10:00 a.m. call for same day inspections. Inspections requested
after 10:00 a.m. will be conducted on the next business day.)

Inspection		Date	Inspector
GROUND WORK	Grading		
	Set Backs	8/11/11	John
	Underground Elec.		
	Underground Pib.		
	Underground Mech.		
Address Verification			
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED			
FOUNDATION	Slab Mesh		
	Slab Membrane		
	Rebar for Grounding		
	Reinforcing Steel	8/11/11	John
PLACE NO CONCRETE FOR FLOOR UNTIL ABOVE HAS BEEN SIGNED			
FLOOR WALL ROOF FRAMING	Floor Joists		
	Floor Sheathing		
	Rough Electrical		
	Plumbing Top-out		
	Fire Sprinkler System		
	Shower Pan		
	Grease Trap		
	Rough Mechanical		
	Roof Sheathing		
Structural			
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED			
STUCCO PLASTER WALLBOARD SIDING	Roofing		
	Interior Lathing		
	Exterior Lathing / Siding		
	Dry Wall		
	Exterior Membrane		
Wall Insulation			
Attic Ventilation			
DO NOT PLASTER OR APPLY SIDING UNTIL ABOVE HAS BEEN SIGNED			
SEWAGE DISPOSAL	First Inspection		
	Sewer Line		
DRY SEWER WET SEWER SEPTIC SYS	Septic Tank		
	Seepage Pit		
	Leach Field		
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED			
MASONRY AND CONCRETE WALLS	Foundation Steel		
	Wall Reinforcing		
	Bond Beam		
	Fire Place Reinforcing		
	Fire Place		
	Wood Stove		
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED			
SWIMMING POOL	Location		
	Steel		
	Conduit under deck		
	Recirculation piping		
	Electrical wiring		
	Gas line under deck		
	Fencing & Gates		
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED			

ENGINEERING & SURVEY SERVICES
BUILDING INSPECTION DIVISION
Main Office
2700 M Street, Suite 570, Bakersfield, California 93301-2370
Phone (861) 862-8650 Office Hours 7:30-5:00

Branch Offices
Ph (861) 245-1221 Office Hours 7:00-9:00 M-F
Ph (760) 549-2084 Office Hours 7:00-12:00/1:00-4:00
Ph (861) 792-3091 Office Hours 7:00-8:00 M-Th
Ph (861) 824-7080 Office Hours 7:00-12:00/1:00-4:00
Ph (760) 371-3780 Office Hours 7:30-8:30 T, Th, F
Ph (861) 785-8660 Office Hours 7:00-9:00 M & W
Ph (861) 822-6329 Office Hours 7:00-12:00/1:00-4:00

Frazier Park Office - Fire Station
Lake Isabella Office - 7050 Lake Isabella Blvd.
McFarland Office - 401 West Kern St.
Mojave Office - 1775 Hwy. 58
Ridgecrest Office - 100 W. California
Tall Office - 315 Lincoln Street
Tehachap Office - 125 East "F" Street

PL



NORTH

BUILDING
OR
MOBILE HOME

PL

PROJECT ADDRESS: _____
ASSESSOR'S PARCEL NUMBER: _____

* SINGLE FAMILY RESIDENTIAL
CERTIFICATE OF OCCUPANCY

Inspection	Date	Inspector
Temp Elec		
Temp Gas		

PRE-FINAL APPROVALS

Inspection	Date	Inspector
Health Department		
Road Department		
Grading		
Drainage		
Landscaping		
C.U.P. Requirements		
P.D. Requirements		

FINAL

Gas pressure test		
Electrical final		
Plumbing final		
Mechanical final		
Structural final		
Energy final		
Zoning requirements		
Insulation requirements		
Fire Requirements		
* Job complete		

8/11/11 John

8/11/11 John

8/11/11 John

* RESIDENTIAL PERMITS: THIS JOB CARD SERVES AS YOUR CERTIFICATE OF OCCUPANCY.

JOB CARD

CONSTRUCTION PERMIT

KERN COUNTY DEPARTMENT OF ENGINEERING & SURVEY SERVICES, BUILDING INSPECTION DIVISION
2700 "M" STREET, SUITE 570 BAKERSFIELD, CA 93301-2370

Telephone (661) 862-8681

THIS PERMIT MUST COMPLY WITH TITLE 24, 2001 CALIFORNIA CODE OF REGULATIONS

Project Address: 4026 SKYLINE RD TUPM

Project Parcel: 158-090-050

Inspector Area: 22

Subtype: NEWCOM

Project Description: CONSTRUCT FILTER FNDN ACC TO ELK HILLS POWER PLANT.

Zoning: A

School District: - :

Tract-Phase: -

Census Tract: 33.01

Lot:

Parcel Map:

PERMIT NO: K200401005

Application Date: February 06, 2004

Permit Issued Date: February 23, 2004

Permit Status: ISSUED

Zone Map: 118-1

C.S.A. #: n/a

Parcel #:

ATN-Book/Page/Lot: 15809005002

Owner.....: OCCIDENTAL OF ELK HILLS INC

Address.....: P O BOX 27570 HOUSTON TX 77227-7570

Phone:

Contractor....:

Hiring Licensed Contractor: N

License No:

Address.....:

Phone:

Architect.....:

Address.....:

Phone:

Engineer.....: HWANG THOMAS T

Address.....: 5080 CALIFORNIA AV BAKERSFIELD CA 93309

Phone: 1-661-308-3040

Census Code: 329-O

Activity Code: KELLYS

Total Area: 0

Activity Date: February 23, 2004

Total Value: \$4,500.00

Occupancy
Manual Valuation

Type
Miscellaneous
Totals...

Factor
1.00

Sq Feet
4,500

Valuation
\$4,500.00
\$4,500.00*

PERMIT FEES

Application Fee \$23.00
Administrative Fee \$25.50

Building Fee \$57.00
Other Building Fee \$0.00
Plan Check Fee \$28.50
Other Plan Check Fee \$0.00
S. M. I. P. Fee \$0.95
Foundation Only \$0.00
Address Fee \$0.00
Site Plan Review \$0.00
Demolition Fee \$0.00
Sewer Fee \$0.00
Traffic: NONE \$0.00

Flood Area Fee \$0.00
Erosion Review \$0.00
Wind Farm Review \$0.00
School Fee \$0.00
Park Fee \$0.00
Habitat Fee \$0.00
Microfilm Fee \$20.00
Change of Occupancy \$0.00
Mobile Home - County \$0.00
Mobile Home - State \$0.00
Satellite Dish \$0.00
Sign - Wallmount \$0.00
Sign - monument \$0.00
Sign - single pole \$0.00
Sign - double pole \$0.00
C.S.A. Septic System \$0.00

Spa- sp \$0.00
Spa- nsp \$0.00
Pool - sp \$0.00
Pool - nsp \$0.00
Pool - commercial \$0.00
Electrical - General Fees \$0.00
Electrical - Other Fees \$0.00
Mechanical - General Fees \$0.00
Mechanical - Other Fees \$0.00
C.S.A. Sewer Fee \$0.00
C.S.A. Connection \$0.00
C.S.A. P.R. Sewer Fee \$0.00
K.S.A. Connection \$0.00
K.S.A. Sewer \$0.00
Sewer Con./Tax Roll \$0.00
Plumbing - General Fees \$0.00
Plumbing - Other Fees \$0.00

Total Fees: \$154.95

Total Payments: \$154.95

Balance Due: \$0.00

COUNTY DEPARTMENT OF ENGINEERING & SURVEY SERVICES BUILDING INSPECTION DIVISION CHARLES LACKEY, P.E., DIRECTOR		INSPECTION RECORD POST CARD AT JOBSITE		BAKERSFIELD AREA INSPECTION REQUESTS ONLY (661) 862-8651 7:30 a.m. - 5:00 p.m. After Hours (661) 862-8698 (10:00 a.m. cutoff for same day inspections. Inspections requested after 10:00 a.m. will be conducted on the next business day.)																																						
		Inspection Date Inspector		ENGINEERING & SURVEY SERVICES BUILDING INSPECTION DIVISION 2700 M Street, Suite 570, Bakersfield, California 93301-2370 Phone (661) 862-8650 Office Hours 7:30-5:00 Branch Offices Fire Station Ph: (661) 245-1221 Office Hours 7:00-9:00 M-F Latta Isabella Office - 7050 Latta Isabella Blvd. Ph: (760) 549-2064 Office Hours 7:00-12:00/1:00-4:00 McFarland Office - 401 West Kern St. Ph: (661) 792-3091 Office Hours 7:00-8:00 M-F Wasco Office - 1775 Hwy 58 Ph: (661) 824-7060 Office Hours 7:00-12:00/1:00-4:00 Ridgecrest Office - 100 W. California Ph: (760) 371-3780 Office Hours 7:30-9:30 T, Th, F Taft Office - 315 Lincoln Street Ph: (661) 793-8590 Office Hours 7:00-9:00 M & W Tehachap Office - 125 East "T" Street Ph: (661) 822-6329 Office Hours 7:00-12:00/1:00-4:00																																						
GROUND WORK Grading _____ Set Backs <i>Mustang Property</i> _____ Underground Elec. _____ Underground Pib. _____ Underground Mech. _____ Address Verification _____																																										
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED																																										
FOUNDATION Slab Mesh _____ Slab Membrane <i>Garic Thoe</i> _____ Rebar for Grounding <i>3/14/11</i> _____ Reinforcing Steel _____																																										
PLACE NO CONCRETE FOR FLOOR UNTIL ABOVE HAS BEEN SIGNED																																										
FLOOR WALL ROOF FRAMING Floor Joists _____ Floor Sheathing _____ Rough Electrical _____ Plumbing Top-out _____ Fire Sprinkler System _____ Shower Pan _____ Grease Trap _____ Rough Mechanical _____ Roof Sheathing _____ Structural <i>4/14/11 Ben</i> _____		PL BUILDING OR MOBILE HOME P L <i>See attached Special Inspection Reports</i> PROJECT ADDRESS: _____ ASSESSOR'S PARCEL NUMBER: _____																																								
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED																																										
STUCCO PLASTER WALLBOARD SIDING Roofing _____ Interior Lathing _____ Exterior Lathing / Siding _____ Dry Wall _____ Exterior Membrane _____ Wall Insulation _____ Attic Ventilation _____																																										
DO NOT PLASTER OR APPLY SIDING UNTIL ABOVE HAS BEEN SIGNED																																										
SEWAGE DISPOSAL First Inspection _____ Sewer Line _____ DRY SEWER Septic Tank _____ WET SEWER Seepage Pit _____ SEPTIC SYS Leach Field _____				<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th colspan="3" style="text-align: center;">* SINGLE FAMILY RESIDENTIAL CERTIFICATE OF OCCUPANCY</th> </tr> <tr> <td style="width:50%;">Inspection</td> <td style="width:20%;">Date</td> <td style="width:30%;">Inspector</td> </tr> <tr> <td>Temp Elec.</td> <td></td> <td></td> </tr> <tr> <td>Temp Gas</td> <td></td> <td></td> </tr> <tr> <th colspan="3" style="text-align: center;">PRE-FINAL APPROVALS</th> </tr> <tr> <td>Inspection</td> <td>Date</td> <td>Inspector</td> </tr> <tr> <td>Health Department</td> <td></td> <td></td> </tr> <tr> <td>Road Department</td> <td></td> <td></td> </tr> <tr> <td>Grading</td> <td></td> <td></td> </tr> <tr> <td>Drainage</td> <td></td> <td></td> </tr> <tr> <td>Landscaping</td> <td></td> <td></td> </tr> <tr> <td>C.U.P. Requirements</td> <td></td> <td></td> </tr> <tr> <td>P.D. Requirements</td> <td></td> <td></td> </tr> </table>		* SINGLE FAMILY RESIDENTIAL CERTIFICATE OF OCCUPANCY			Inspection	Date	Inspector	Temp Elec.			Temp Gas			PRE-FINAL APPROVALS			Inspection	Date	Inspector	Health Department			Road Department			Grading			Drainage			Landscaping			C.U.P. Requirements			P.D. Requirements
* SINGLE FAMILY RESIDENTIAL CERTIFICATE OF OCCUPANCY																																										
Inspection	Date	Inspector																																								
Temp Elec.																																										
Temp Gas																																										
PRE-FINAL APPROVALS																																										
Inspection	Date	Inspector																																								
Health Department																																										
Road Department																																										
Grading																																										
Drainage																																										
Landscaping																																										
C.U.P. Requirements																																										
P.D. Requirements																																										
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED																																										
MASONRY AND CONCRETE WALLS Foundation Steel _____ Wall Reinforcing _____ Bond Beam _____ Fire Place Reinforcing _____ Fire Place _____ Wood Stove _____		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:50%;"></td> <td style="width:50%;"> Gas pressure test _____ Electrical final _____ Plumbing final _____ Mechanical final _____ Structural final <i>2/5/11 Ben</i> _____ Energy final _____ Zoning requirements <i>5/5/11 Ben</i> _____ Insulation requirements _____ Fire Requirements _____ Job complete <i>5/14/11 Ben</i> _____ </td> </tr> </table>			Gas pressure test _____ Electrical final _____ Plumbing final _____ Mechanical final _____ Structural final <i>2/5/11 Ben</i> _____ Energy final _____ Zoning requirements <i>5/5/11 Ben</i> _____ Insulation requirements _____ Fire Requirements _____ Job complete <i>5/14/11 Ben</i> _____																																					
	Gas pressure test _____ Electrical final _____ Plumbing final _____ Mechanical final _____ Structural final <i>2/5/11 Ben</i> _____ Energy final _____ Zoning requirements <i>5/5/11 Ben</i> _____ Insulation requirements _____ Fire Requirements _____ Job complete <i>5/14/11 Ben</i> _____																																									
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED																																										
SWIMMING POOL Location _____ Steel _____ Conduit under deck _____ Recirculation piping _____ Electrical wiring _____ Gas line under deck _____ Fencing & Gates _____																																										
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED																																										
		* RESIDENTIAL PERMITS: THIS JOB CARD SERVES AS YOUR CERTIFICATE OF OCCUPANCY.																																								

GATE 4 EH Road

JOB CARD

Right @ Checkpoint 11

CONSTRUCTION PERMIT

KERN COUNTY DEPARTMENT OF ENGINEERING & SURVEY SERVICES, BUILDING INSPECTION DIVISION
2700 "M" STREET, SUITE 570 BAKERSFIELD, CA 93301-2370

Telephone (661) 862-8681

THIS PERMIT MUST COMPLY WITH TITLE 24, 2001 CALIFORNIA CODE OF REGULATIONS

Project Address: 4026 SKYLINE RD TUPM
Project Parcel: 158-090-050
Inspector Area: 22
Subtype: MISCCOM
Project Description: COMPRESSOR ELEC POWER AT ELK HILLS
Zoning: A
School District: - :
Tract-Phase: -
Census Tract: 33.01

PERMIT NO: K200401875

Application Date: March 10, 2004

Permit Issued Date: March 10, 2004

Permit Status: ISSUED

Zone Map: 118-1

C.S.A. #:

Parcel #:

ATN-Book/Page/Lot: 15809005002

Owner.....: OCCIDENTAL OF ELK HILLS INC
Address.....: P O BOX 27570 HOUSTON TX 77227-7570

Contractor...:
License No:

Phone:
Hiring Licensed Contractor: N

Address.....:

Phone:

Architect.....:

Address.....:

Phone:

Engineer.....:

Address.....:

Phone:

Census Code: 199-M
Activity Code: MARYG
Occupancy
Manual Valuation

Total Area: 0
Activity Date: March 10, 2004

Total Value: \$60,000.00

Type	Factor	Sq Feet	Valuation
Miscellaneous	1.00	60,000	\$60,000.00
Totals...			\$60,000.00*

PERMIT FEES

Application Fee	\$23.00	Flood Area Fee	\$0.00	Spa- sp	\$0.00
Administrative Fee	\$25.50	Erosion Review	\$0.00	Spa- nsp	\$0.00
Building Fee	\$440.22	Wind Farm Review	\$0.00	Pool - sp	\$0.00
Other Building Fee	\$0.00	School Fee	\$0.00	Pool - nsp	\$0.00
Plan Check Fee	\$219.78	Park Fee	\$0.00	Pool - commercial	\$0.00
Other Plan Check Fee	\$0.00	Habitat Fee	\$0.00	Electrical - General Fees	\$0.00
S. M. I. P. Fee	\$12.60	Microfilm Fee	\$20.00	Electrical - Other Fees	\$0.00
Foundation Only	\$0.00	Change of Occupancy	\$0.00	Mechanical - General Fees	\$0.00
Address Fee	\$0.00	Mobile Home - County	\$0.00	Mechanical - Other Fees	\$0.00
Site Plan Review	\$0.00	Mobile Home - State	\$0.00	C.S.A. Sewer Fee	\$0.00
Demolition Fee	\$0.00	Satellite Dish	\$0.00	C.S.A. Connection	\$0.00
Sewer Fee	\$0.00	Sign - Wallmount	\$0.00	C.S.A. P.R. Sewer Fee	\$0.00
Traffic: NONE	\$0.00	Sign - monument	\$0.00	K.S.A. Connection	\$0.00
		Sign - single pole	\$0.00	K.S.A. Sewer	\$0.00
		Sign - double pole	\$0.00	Sewer Con./Tax Roll	\$0.00
		C.S.A. Septic System	\$0.00	Plumbing - General Fees	\$0.00
				Plumbing - Other Fees	\$0.00
				Total Fees:	\$741.10
				Total Payments:	\$741.10
				Balance Due:	\$0.00

INSPECTION RECORD
POST CARD AT JOBSITE

BAKERSFIELD AREA INSPECTION
REQUESTS ONLY (805) 862-8681
7:30 a.m. - 5:00 p.m.
After Hours (805) 862-8698
(10:00 a.m. cutoff for same-day inspections. Inspections requested
after 10:00 a.m. will be conducted on the next business day.)

Inspection	Date	Inspector
GROUND WORK		
Grading		
Set Backs	5/16/04	Deane
Underground Elec.		
Underground Pib.		
Underground Mech.		
Address Verification		
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED		
FOUNDATION		
Slab Mesh		
Slab Membrane		
Rebar for Grounding		
Reinforcing Steel		
PLACE NO CONCRETE FOR FLOOR UNTIL ABOVE HAS BEEN SIGNED		
FLOOR WALL ROOF FRAMING		
Floor Joists		
Floor Sheathing		
Rough Electrical		
Plumbing Top-out		
Fire Sprinkler System		
Shower Pan		
Grease Trap		
Rough Mechanical		
Roof Sheathing		
Structural		
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED		
STUCCO PLASTER WALLBOARD SIDING		
Roofing		
Interior Lathing		
Exterior Lathing / Siding		
Dry Wall		
Exterior Membrane		
Wall Insulation		
Attic Ventilation		
DO NOT PLASTER OR APPLY SIDING UNTIL ABOVE HAS BEEN SIGNED		
SEWAGE DISPOSAL		
First Inspection		
Sewer Line		
DRY SEWER		
Septic Tank		
WET SEWER		
Seepage Pit		
SEPTIC SYS		
Leach Field		
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED		
MASONRY AND CONCRETE WALLS		
Foundation Steel		
Wall Reinforcing		
Bond Beam		
Fire Place Reinforcing		
Fire Place		
Wood Stove		
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED		
SWIMMING POOL		
Location		
Steel		
Conduit under deck		
Recirculation piping		
Electrical wiring		
Gas line under deck		
Fencing & Gates		
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED		

ENGINEERING & SURVEY SERVICES
BUILDING INSPECTION DIVISION
Main Office
2700 M Street, Suite 570, Bakersfield, California 93301-2370
Phone (805) 862-8650 Office Hours 7:30-5:00

Branch Offices
Ph. (805) 245-1221 Office Hours 7:00-4:00 M-F
Ph. (760) 549-2094 Office Hours 7:00-12:00/1:00-4:00
Ph. (805) 792-3091 Office Hours 7:00-8:00M-Tu.
Ph. (805) 824-7590 Office Hours 7:00-12:00/1:00-4:00
Ph. (760) 371-3780 Hours 7:30-9:30 T, Th, F
Ph. (805) 753-8560 Office Hours 7:00-9:00 M & W
Ph. (805) 822-6329 Office Hours 7:00-12:00/1:00-4:00

Frederick Park Office - Fire Station
Laker Island Office - 7050 Lake Isabella Blvd.
McFarland Office - 401 West Kern St.
Mojave Office - 1775 Hwy. 58
Ridgecrest Office - 100 W. California
Tulsa Office - 315 Lincoln Street
Tehachapi Office - 125 East "F" Street

PL

NORTH

BUILDING OR MOBILE HOME

P L

PROJECT ADDRESS: _____
ASSESSOR'S PARCEL NUMBER: _____

* SINGLE FAMILY RESIDENTIAL
CERTIFICATE OF OCCUPANCY

Inspection	Date	Inspector
Temp. Elec.		
Temp. Gas		

PRE-FINAL APPROVALS

Inspection	Date	Inspector
Health Department		
Road Department		
Grading		
Drainage		
Landscaping		
C.U.P. Requirements		
P.D. Requirements		

FINAL

Gas pressure test		
Electrical final		
Plumbing final		
Mechanical final		
Structural final		
Energy final		
Zoning requirements		
Insulation requirements		
Fire Requirements		
Job complete	7/22/04	Deane

* RESIDENTIAL PERMITS: THIS JOB CARD SERVES AS YOUR CERTIFICATE OF OCCUPANCY.

BUILDING INSP. 580 2525 610 (8/03)

28R

JOB CARD

CONSTRUCTION PERMIT
 KERN COUNTY DEPARTMENT OF ENGINEERING & SURVEY SERVICES, BUILDING INSPECTION DIVISION
 2700 "M" STREET, SUITE 570 BAKERSFIELD, CA 93301-2370
 Telephone (661) 862-8681
THIS PERMIT MUST COMPLY WITH TITLE 24, 2001 CALIFORNIA CODE OF REGULATIONS



Project Address: 4026 SKYLINE RD TUPM
 Project Parcel: 158-090-050
 Inspector Area: 22
 Subtype: MISCCOM
 Project Description: COMPRESSOR ELEC POWER AT ELK HILLS
 Zoning: A
 School District: - :
 Tract-Phase: -
 Census Tract: 33.01

PERMIT NO: K200402678

Application Date: April 06, 2004
 Permit Issued Date: April 06, 2004
 Permit Status: ISSUED

Zone Map: 118-1

C.S.A. #:

Parcel #:

ATN-Book/Page/Lot: 15809005002

Parcel Map:

Lot:

Phone:

Hiring Licensed Contractor: N

Phone:

Phone:

Phone:

Total Value: \$60,000.00

Owner.....: OCCIDENTAL OF ELK HILLS INC
 Address.....: P O BOX 27570 HOUSTON TX 77227-7570

Contractor.....
 License No:

Address.....

Architect.....

Address.....

Engineer.....

Address.....

Census Code: 199-M

Activity Code: MARYG

Occupancy

Manual Valuation

Total Area: 0

Activity Date: April 06, 2004

Type
 Miscellaneous
 Totals...

Factor
1.00Sq Feet
60,000

Valuation
 \$60,000.00
 \$60,000.00*

PERMIT FEES

Application Fee \$23.00
 Administrative Fee \$25.50
 Building Fee \$440.22
 Other Building Fee \$0.00
 Plan Check Fee \$219.78
 Other Plan Check Fee \$0.00
 S. M. I. P. Fee \$12.60
 Foundation Only \$0.00
 Address Fee \$0.00
 Site Plan Review \$0.00
 Demolition Fee \$0.00
 Sewer Fee \$0.00
 Traffic: NONE \$0.00

Flood Area Fee \$0.00
 Erosion Review \$0.00
 Wind Farm Review \$0.00
 School Fee \$0.00
 Park Fee \$0.00
 Habitat Fee \$0.00
 Microfilm Fee \$20.00
 Change of Occupancy \$0.00
 Mobile Home - County \$0.00
 Mobile Home - State \$0.00
 Satellite Dish \$0.00
 Sign - Wallmount \$0.00
 Sign - monument \$0.00
 Sign - single pole \$0.00
 Sign - double pole \$0.00
 C.S.A. Septic System \$0.00

Spa- sp \$0.00
 Spa- nsp \$0.00
 Pool - sp \$0.00
 Pool - nsp \$0.00
 Pool - commercial \$0.00
 Electrical - General Fees \$0.00
 Electrical - Other Fees \$0.00
 Mechanical - General Fees \$0.00
 Mechanical - Other Fees \$0.00
 C.S.A. Sewer Fee \$0.00
 C.S.A. Connection \$0.00
 C.S.A. P.R. Sewer Fee \$0.00
 K.S.A. Connection \$0.00
 K.S.A. Sewer \$0.00
 Sewer Con./Tax Roll \$0.00
 Plumbing - General Fees \$0.00
 Plumbing - Other Fees \$0.00

Total Fees: \$741.10
Total Payments: \$741.10
Balance Due: \$0.00

COUNTY DEPARTMENT OF
ENGINEERING & SURVEY SERVICES
BUILDING INSPECTION DIVISION
CHARLES LACKEY, P.E., DIRECTOR

After Hours (661) 862-8698
After 10:00 a.m. will be conducted on the next business day.)

1) 862-8650 Office Hours 7:30-5:00
Atte 570, Bakerfield, California 93301-2370

P1. (851) 824-7090 Office Hours 7:00-12:00 PM
 P2. (760) 371-3780 Office Hours 7:30-9:30 T, Th, F
 P3. (851) 752-6560 Office Hours 7:00-9:00 AM
 P4. (851) 823-6139 Office Hours 7:00-12:00 PM

19

11

BUILDING
OR

ARCEL NUMBER

[illegible][illegible]

		ကုမ္ပဏီ/ဌာန
		ရက်စွဲ

complete
OCCUPANCY.

Certificate of Occupancy

Granted by

KERN COUNTY DEPARTMENT OF PUBLIC WORKS

BUILDING INSPECTION DIVISION

2700 "M" Street, Suite 400, Bakersfield, CA 93301

Telephone (661) 862-8650

PROJECT ADDRESS: **16521 STARVIEW CT BAKERSFIELD**

DATE: **02/20/2025**

LEGAL DESCRIPTION: **463-751-073**

PERMIT NO: **K202211435**

ZONING: **E (1/4)**

This is to certify that the building, or portion of building, constructed under the above permit, at the above address, presently complies with the provisions of the 2019 California Building Standards Code and related ordinances and laws, which were in effect at the time of the permit's issuance, for the following use and occupancy group. This certificate does not prohibit or prevent the County from making future land use decisions that could affect or even prohibit the use set forth herein.

USE: **NEW 2,851 SQ FT 4 BEDROOM SINGLE FAMILY RESIDENCE WITH 775 SQ FT GARAGE, 530 SQ FT PATIO/POCH, AND SOLAR SYSTEM**


OCCUPANCY GROUP-DIVISION: **R-3, U**

TYPE OF CONSTRUCTION: **V B**

OWNER: **BATEY JOHN B
16521 STARVIEW CT
BAKERSFIELD, CA 93314**

DESIGN OCCUPANT LOAD: **N/A**

FIRE SPRINKLERS: **YES**



Adrian Nava, P.E., Chief Building Official



Joshua Champlin, P.E., Director

**THIS CERTIFICATE MUST BE POSTED IN A CONSPICUOUS PLACE IN THE BUILDING
AND MAY NOT BE REMOVED EXCEPT BY THE BUILDING OFFICIAL.**

Plans for this building have been approved and inspections made to verify conformance with current building regulations.

You are responsible for maintaining this building as certified.

NOTE: Make no changes, additions or alterations of any structural, mechanical, plumbing, or electrical without consulting the Building Inspection Division as this will void the Certificate of Occupancy. Make no change of use or occupancy without contacting the Building Inspection Division.



Public Works

Joshua Champlin, P.E.
INTERIM DIRECTOR OF PUBLIC WORKS



KERN COUNTY BID INSPECTION LOG

Notice To Comply for Permit: K200403149

Project Address: 4026 SKYLINE RD, TUPMAN, CA
Project Parcel: 158-090-050
Inspector Area: 22
Subtype: Commercial Accessory
Project Description: CONSTRUCT STEEL CANOPY & FNDN ACC TO ELK HILLS POWER PLANT.

PERMIT NO: K200403149
Application Date: Apr 21, 2004
Permit Issued Date: May 05, 2004
Permit Status: FINALED

Inspection	Scheduled	Inspected	Inspector	Result
Job Complete	4/19/2005	4/20/2005	Don Dudley	Approved
Final - Structural	4/19/2005	4/20/2005	Don Dudley	Approved

GROUND  BOUNDLESS

2700 M Street, #400, Bakersfield, CA. 93301 | 661.862.5100 | www.KernPublicWorks.com

JOB CARD

CONSTRUCTION PERMIT

KERN COUNTY DEPARTMENT OF ENGINEERING & SURVEY SERVICES, BUILDING INSPECTION DIVISION
2700 "M" STREET, SUITE 570 BAKERSFIELD, CA 93301-2370
Telephone (661) 862-8681

THIS PERMIT MUST COMPLY WITH TITLE 24, 2001 CALIFORNIA CODE OF REGULATIONS

Project Address: 4026 SKYLINE RD TUPM
Project Parcel: 158-090-050
Inspector Area: 22
Subtype: ACCCOM
Project Description: ELECTRICAL LIGHTING FOR STEEL CANOPY & FNDN ACC TO ELK HILLS POWER PLANT PERMITTED UNDER K200403149
Zoning: A
School District: - :
Tract-Phase: - Lot: Parcel Map:
Census Tract: 33.01
Zone Map: 118-1
C.S.A. #:
Parcel #:
ATN-Book/Page/Lot: 15809005002

PERMIT NO: K200404270

Application Date: May 25, 2004
Permit Issued Date: May 25, 2004
Permit Status: ISSUED

Owner.....: OCCIDENTAL OF ELK HILLS INC
Address.....: P O BOX 27570 HOUSTON TX 77227-7570
Contractor.....: Phone: 661-763-2725
License No: Hiring Licensed Contractor: N
Address.....: Phone:
Architect.....: Phone:
Address.....: Phone:
Engineer.....: HOLAKQUEE FARHAD
Address.....: 3351 FAIRHAVEN DR BAKERSFIELD CA 93308
Phone: 1-661-633-9630
Census Code: 328-A
Activity Code: JUDYO
Occupancy
Total Area: 0
Activity Date: May 25, 2004
Total Value: \$3,000.00

Type	Factor	Sq Feet	Valuation
Additional Amount...			3,000.00
Totals...			\$3,000.00*

PERMIT FEES

Application Fee	\$23.00	Flood Area Fee	\$0.00	Spa- sp	\$0.00
Administrative Fee	\$25.50	Erosion Review	\$0.00	Spa- nsp	\$0.00
		Wind Farm Review	\$0.00	Pool - sp	\$0.00
Building Fee	\$43.00	School Fee	\$0.00	Pool - nsp	\$0.00
Other Building Fee	\$0.00	Park Fee	\$0.00	Pool - commercial	\$0.00
Plan Check Fee	\$21.50	Habitat Fee	\$0.00	Electrical - General Fees	\$0.00
Other Plan Check Fee	\$0.00	Microfilm Fee	\$20.00	Electrical - Other Fees	\$0.00
S. M. I. P. Fee	\$0.63	Change of Occupancy	\$0.00	Mechanical - General Fees	\$0.00
Foundation Only	\$0.00	Mobile Home - County	\$0.00	Mechanical - Other Fees	\$0.00
Address Fee	\$0.00	Mobile Home - State	\$0.00	C.S.A. Sewer Fee	\$0.00
Site Plan Review	\$0.00	Satellite Dish	\$0.00	C.S.A. Connection	\$0.00
Demolition Fee	\$0.00	Sign - Wallmount	\$0.00	C.S.A. P.R. Sewer Fee	\$0.00
Sewer Fee	\$0.00	Sign - monument	\$0.00	K.S.A. Connection	\$0.00
Traffic: NONE	\$0.00	Sign - single pole	\$0.00	K.S.A. Sewer	\$0.00
		Sign - double pole	\$0.00	Sewer Con./Tax Roll	\$0.00
		C.S.A. Septic System	\$0.00	Plumbing - General Fees	\$0.00
				Plumbing - Other Fees	\$0.00

Total Fees: \$133.63
Total Payments: \$133.63
Balance Due: \$0.00

INSPECTION RECORD
POST CARD AT JOBSITE

BAKERSFIELD AREA INSPECTION
REQUESTS ONLY (661) 862-8681
7:30 a.m. - 5:00 p.m.
After Hours (661) 862-8698
(10:00 a.m. cutoff for same day inspections. Inspections requested
after 10:00 a.m. will be conducted on the next business day.)

Inspection	Date	Inspector
GROUND WORK	Grading	
	Set Backs	
	Underground Elec.	
	Underground Plb.	
	Underground Mech.	
Address Verification		
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED		
FOUNDATION	Slab Mesh	
	Slab Membrane	
	Rebar for Grounding	
	Reinforcing Steel	
PLACE NO CONCRETE FOR FLOOR UNTIL ABOVE HAS BEEN SIGNED		
FLOOR WALL ROOF FRAMING	Floor Joists	
	Floor Sheathing	
	Rough Electrical	
	Plumbing Top-out	
	Fire Sprinkler System	
	Shower Pan	
	Grease Trap	
	Rough Mechanical	
Roof Sheathing		
Structural		
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED		
STUCCO PLASTER WALLBOARD SIDING	Roofing	
	Interior Lathing	
	Exterior Lathing / Siding	
	Dry Wall	
	Exterior Membrane	
	Wall Insulation	
Attic Ventilation		
DO NOT PLASTER OR APPLY SIDING UNTIL ABOVE HAS BEEN SIGNED		
SEWAGE DISPOSAL	First Inspection	
DRY SEWER	Sewer Line	
	Septic Tank	
	Seepage Pit	
WET SEWER		
SEPTIC SYS	Leach Field	
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED		
MASONRY AND CONCRETE WALLS	Foundation Steel	
	Wall Reinforcing	
	Bond Beam	
	Fire Place Reinforcing	
	Fire Place	
	Wood Stove	
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED		
SWIMMING POOL	Location	
	Steel	
	Conduit under deck	
	Recirculation piping	
	Electrical wiring	
	Gas line under deck	
	Fencing & Gates	
COVER NO WORK UNTIL ABOVE HAS BEEN SIGNED		

ENGINEERING & SURVEY SERVICES
BUILDING INSPECTION DIVISION
Main Office
2700 N Street, Suite 570, Bakersfield, California 93301-2370
Phone (661) 862-8650 Office Hours 7:30-5:00

Branch Offices
Ph: (661) 245-1221 Office Hours 7:00-9:00 M-F
Ph: (760) 548-3564 Office Hours 7:00-12:00/1:00-4:00
Ph: (661) 792-3091 Office Hours 7:00-8:00 M-Th
Ph: (661) 824-7090 Office Hours 7:00-12:00/1:00-4:00
Ph: (760) 371-3780 Office Hours 7:30-9:30 T-Th, F
Ph: (661) 703-8590 Office Hours 7:00-9:30 M & W
Ph: (661) 822-4329 Office Hours 7:00-12:00/1:00-4:00

Fraser Park Office - Fire Station
Lake Isabella Office - 7050 Lake Isabella Blvd.
McFarland Office - 401 West Kern St.
Mojave Office - 1775 Hwy. 58
Ridgecrest Office - 100 W. California
Tall Office - 315 Lincoln Street
Tehachap Office - 125 East "F" Street

PL

NORTH

BUILDING OR MOBILE HOME

P L

PROJECT ADDRESS: _____

ASSESSOR'S PARCEL NUMBER: _____

* SINGLE FAMILY RESIDENTIAL
CERTIFICATE OF OCCUPANCY

Inspection	Date	Inspector
Temp Elec.		
Temp Gas		

PRE-FINAL APPROVALS

Inspection	Date	Inspector
Health Department		
Road Department		
Grading		
Drainage		
Landscaping		
C.U.P. Requirements		
P.D. Requirements		

FINAL

Gas pressure test	
Electrical final	4-11-05
Plumbing final	
Mechanical final	
Structural final	
Energy final	
Zoning requirements	
Insulation requirements	
Fire Requirements	
* Job complete	4/11/05

* RESIDENTIAL PERMITS: THIS JOB CARD SERVES AS YOUR CERTIFICATE OF OCCUPANCY. BUILDING INSP. 586-2625 010 (8/03)



Public Works

Joshua Champlin, P.E.
INTERIM DIRECTOR OF PUBLIC WORKS



KERN COUNTY BID INSPECTION LOG

Notice To Comply for Permit: K200605872

Project Address:	4026 SKYLINE RD, TUPMAN, CA	PERMIT NO: K200605872
Project Parcel:	158-090-175	Application Date: Jun 15, 2006
Inspector Area:	22	Permit Issued Date: Jun 15, 2006
Subtype:	Commercial Grading Engineered	Permit Status: FINALED
Project Description:	DESIGNER CERT GRADING FOR ROAD IMPROVEMENTS TO 3 PARCELS.	

Inspection	Scheduled	Inspected	Inspector	Result
------------	-----------	-----------	-----------	--------

GROUND  BOUNDLESS

2700 M Street, #400, Bakersfield, CA. 93301 | 661.862.5100 | www.KernPublicWorks.com



Public Works

Joshua Champlin, P.E.
INTERIM DIRECTOR OF PUBLIC WORKS



KERN COUNTY BID INSPECTION LOG

Notice To Comply for Permit: K200608132

Project Address:	4026 SKYLINE RD, TUPMAN, CA	PERMIT NO: K200608132
Project Parcel:	158-090-175	Application Date: Aug 17, 2006
Inspector Area:	22	Permit Issued Date: Sep 01, 2006
Subtype:	Commercial New	Permit Status: FINALED
Project Description:	35R - CONST 3 FOUNDATIONS FOR NITROGEN RETURN UNITS ACC TO EX OILFIELD FACILITY	

Inspection	Scheduled	Inspected	Inspector	Result
------------	-----------	-----------	-----------	--------

GROUND  BOUNDLESS

2700 M Street, #400, Bakersfield, CA. 93301 | 661.862.5100 | www.KernPublicWorks.com



Public Works

Joshua Champlin, P.E.
INTERIM DIRECTOR OF PUBLIC WORKS



KERN COUNTY BID INSPECTION LOG

Notice To Comply for Permit: K200608132

Project Address:	4026 SKYLINE RD, TUPMAN, CA	PERMIT NO: K200608132
Project Parcel:	158-090-175	Application Date: Aug 17, 2006
Inspector Area:	22	Permit Issued Date: Sep 01, 2006
Subtype:	Commercial New	Permit Status: FINALED
Project Description:	35R - CONST 3 FOUNDATIONS FOR NITROGEN RETURN UNITS ACC TO EX OILFIELD FACILITY	

Inspection	Scheduled	Inspected	Inspector	Result
------------	-----------	-----------	-----------	--------

GROUND  BOUNDLESS

2700 M Street, #400, Bakersfield, CA. 93301 | 661.862.5100 | www.KernPublicWorks.com



KERN COUNTY BID INSPECTION LOG

Notice To Comply for Permit: K200609003

Project Address:	4026 SKYLINE RD, TUPMAN, CA	PERMIT NO: K200609003
Project Parcel:	158-090-175	Application Date: Sep 14, 2006
Inspector Area:	22	Permit Issued Date: Jan 08, 2007
Subtype:	Commercial Miscellaneous	Permit Status: FINALED
Project Description:	35R cold box and fin plate steel struct. at exis oilfield site	

Inspection	Scheduled	Inspected	Inspector	Result
Foundation - Slab	4/4/2007	4/4/2007	Sean Brady	Approved
Foundation - Slab	4/4/2007	4/4/2007	Sean Brady	Approved
Foundation - Footings	4/4/2007	4/4/2007	Sean Brady	Approved
Foundation - Footings	4/4/2007	4/4/2007	Sean Brady	Approved
Final - Structural	5/16/2007	5/17/2007	Butch Neville	Approved
all front pending 3rd party paperwork				
Job Complete	6/11/2007	6/12/2007	Sean Brady	Approved
Job Complete	6/11/2007	6/12/2007	Sean Brady	Approved

GROUND  BOUNDLESS

2700 M Street, #400, Bakersfield, CA. 93301 | 661.862.5100 | www.KernPublicWorks.com

Certificate of Occupancy

Granted by
KERN COUNTY DEPARTMENT OF PUBLIC WORKS
BUILDING INSPECTION DIVISION
2700 "M" Street, Suite 400, Bakersfield, CA 93301
Telephone (661) 862-8650

PROJECT ADDRESS: **2555 SUMMIT ST RIDGECREST**

DATE: **02/20/2025**

LEGAL DESCRIPTION: **343-432-027**

PERMIT NO: **K202405097**

ZONING: **E (2 1/2) RS**

This is to certify that the building, or portion of building, constructed under the above permit, at the above address, presently complies with the provisions of the 2022 California Building Standards Code and related ordinances and laws, which were in effect at the time of the permit's issuance, for the following use and occupancy group. This certificate does not prohibit or prevent the County from making future land use decisions that could affect or even prohibit the use set forth herein.

USE: **NEW 2,953 SQ FT 4 BEDROOM SINGLE FAMILY RESIDENCE WITH 745 SQ FT GARAGE, 400 SQ FT PORCH/PATIO, AND SOLAR SYSTEM**

OCCUPANCY GROUP-DIVISION: **R-3, U**

TYPE OF CONSTRUCTION: **V B**

OWNER: **ZURN JARED MORGAN & KIERSTEN
125 W PASEO AIROSA AV
RIDGECREST, CA 93555**

DESIGN OCCUPANT LOAD: **N/A**

FIRE SPRINKLERS: **YES**



Adrian Nava, P.E., Chief Building Official



Joshua Champlin, P.E., Director

**THIS CERTIFICATE MUST BE POSTED IN A CONSPICUOUS PLACE IN THE BUILDING
AND MAY NOT BE REMOVED EXCEPT BY THE BUILDING OFFICIAL.**

Plans for this building have been approved and inspections made to verify conformance with current building regulations.

You are responsible for maintaining this building as certified.

NOTE: Make no changes, additions or alterations of any structural, mechanical, plumbing, or electrical without consulting the Building Inspection Division as this will void the Certificate of Occupancy. Make no change of use or occupancy without contacting the Building Inspection Division.



KERN COUNTY BID INSPECTION LOG

Notice To Comply for Permit: K200609108

Project Address:	4026 SKYLINE RD, TUPMAN, CA	PERMIT NO: K200609108
Project Parcel:	158-090-175	Application Date: Sep 18, 2006
Inspector Area:	22	Permit Issued Date: Sep 18, 2006
Subtype:	Commercial Miscellaneous	Permit Status: FINALED
Project Description:	35R - HPI - vessel foundation to exis oilfield site 36 sq ft	

Inspection	Scheduled	Inspected	Inspector	Result
Foundation - Slab	9/20/2006	9/21/2006	Don Dudley	Approved
Job Complete	9/20/2006	9/21/2006	Don Dudley	Approved

GROUND  BOUNDLESS

2700 M Street, #400, Bakersfield, CA. 93301 | 661.862.5100 | www.KernPublicWorks.com



KERN COUNTY BID INSPECTION LOG

Notice To Comply for Permit: K200611574

Project Address:	4026 SKYLINE RD, TUPMAN, CA	PERMIT NO: K200611574
Project Parcel:	158-090-175	Application Date: Dec 13, 2006
Inspector Area:	22	Permit Issued Date: Jan 24, 2007
Subtype:	Commercial Alteration	Permit Status: FINALED
Project Description:	35R - INSTALL 10 FOUNDATIONS FOR GAS TREATING UNIT FOR CIVIL ACC TO EX OCCIDENTAL FACILITY	

Inspection	Scheduled	Inspected	Inspector	Result
Foundation - Footings	1/25/2007	1/26/2007	Don Dudley	Approved
Foundation - Footings	4/3/2007	4/3/2007	Sean Brady	Approved
Foundation - Footings	4/3/2007	4/3/2007	Sean Brady	Approved
Foundation - Footings	4/4/2007	4/4/2007	Sean Brady	Approved
Foundation - Footings	4/4/2007	4/4/2007	Sean Brady	Approved
Foundation - Footings	4/5/2007	4/6/2007	Sean Brady	Approved
D301,V211				
Foundation - Footings	4/5/2007	4/6/2007	Sean Brady	Approved
D301,V211				
Job Complete	5/7/2007	5/8/2007	Jesse Barron	Approved
Job Complete	5/7/2007	5/8/2007	Jesse Barron	Approved

GROUND  BOUNDLESS

2700 M Street, #400, Bakersfield, CA. 93301 | 661.862.5100 | www.KernPublicWorks.com

KERN COUNTY BID INSPECTION LOG

Notice To Comply for Permit: K200701648

Project Address: 4026 SKYLINE RD, TUPMAN, CA
Project Parcel: 158-090-050
Inspector Area: 22
Subtype: Commercial Miscellaneous
Project Description: (35R) ELECTRICAL TO GAS TREATMENT UNIT.

PERMIT NO: K200701648
Application Date: Feb 26, 2007
Permit Issued Date: Feb 27, 2007
Permit Status: FINALED

Inspection	Scheduled	Inspected	Inspector	Result
Electric Release		6/13/2007	Sean Brady	Approved
Job Complete	7/16/2007	7/16/2007	Sean Brady	Approved
Job Complete	7/16/2007	7/16/2007	Sean Brady	Approved
Final - Electrical	7/16/2007	7/16/2007	Sean Brady	Approved
Final - Electrical	7/16/2007	7/16/2007	Sean Brady	Approved

GROUND  BOUNDLESS

2700 M Street, #400, Bakersfield, CA. 93301 | 661.862.5100 | www.KernPublicWorks.com

KERN COUNTY BID INSPECTION LOG

Notice To Comply for Permit: K202404362

Project Address:	4026 SKYLINE RD, TUPMAN, CA	PERMIT NO: K202404362
Project Parcel:	158-090-191	Application Date: Jun 05, 2024
Inspector Area:	22	Permit Issued Date: Oct 14, 2024
Subtype:	Commercial Miscellaneous	Permit Status: ISSUED W/REVISION
Project Description:	Structural foundations for (2) Residue compressors, (3) refrigerant compressors, and electrical equipment. (REV TO INCLUDE ELETRICAL PLANS)	

Inspection	Scheduled	Inspected	Inspector	Result
Foundation - Footings	8/6/2024	8/6/2024	Richard McDonald	Partial Approval
Three (x3) Compressor Pads, for "K" Foundations 301, 302, 303 Approved Today. ** Collected " Special Inspection Report " by KRAZAN - Byron "KIP" Williamson **				
Foundation - Footings	8/15/2024	8/15/2024	Stephen Sinclair	Approved
505 / 506....2 main footings received special inspection				
Foundation - Footings	8/22/2024	8/22/2024	Stephen Sinclair	Approved
Foundation - Pier/Posts	8/22/2024	8/22/2024	Stephen Sinclair	Approved
12 pier...8' deep with rebar/2 bolts				
Foundation - Pier/Posts	8/29/2024	8/29/2024	Stephen Sinclair	Approved
Underground Electrical	10/15/2024	10/15/2024	Stephen Sinclair	Approved
conduit & trench...prior to slurry				
Foundation - Footings	10/25/2024	10/25/2024	Stephen Sinclair	Approved
301.302.303....See plans				
Foundation - Slab	10/25/2024	10/25/2024	Stephen Sinclair	Approved
see plans -301/302/303/ 401/402/403/407				
Foundation - Pier/Posts	10/30/2024	10/30/2024	Stephen Sinclair	Approved
see permit for locations/also plans				
Foundation - Footings	10/30/2024	10/30/2024	Stephen Sinclair	Approved
see permit/plans for locations				
Foundation - Footings	11/4/2024	11/4/2024	Stephen Sinclair	Approved
SEE PLANS....FOUNDATIONS (2)				
Foundation - Footings	12/3/2024	12/3/2024	Stephen Sinclair	Approved
2 foundations.....see plans				
Foundation - Footings	1/2/2025	1/2/2025	Stephen Sinclair	Approved
SEE PLANS ITEM # D				

GROUND  BOUNDLESS

2700 M Street, #400, Bakersfield, CA. 93301 | 661.862.5100 | www.KernPublicWorks.com

HAZARDOUS MATERIALS BUSINESS PLAN (HMBP) INSPECTION REPORT

Facility Name: Unified Field Services Corporation		Facility ID: FA0044831
Site Address: Skyline Rd Tupman, CA 93268		CERS ID: 10730836
Phone: (661) 858-8223	Consent Granted By: Joe Watkins	Inspection Date: 03/02/2021
Inspection Type: ☒ Routine ☐ Reinspection		Reinspection required: ☐ Yes ☒ No
Inspection Element: BUS PLAN SMALL LOW RISK 1 UNIT		

File/CERS Review Violations

V	Viol #	Summary	Code
	H335	Failure to adequately submit a complete HMBP into the California Environmental Reporting System (CERS)	HSC 6.95 25505, 25508(a)(1)
	F001	Failure to pay the Hazardous Materials Management Program permit fees.	KCOC 8.04.030
	H344	Failure to complete and submit the Business Activities page and/or Business Owner/Operator Identification page in CERS	HSC 6.95 25508(a)(1); 19 CCR 4 2729.2(a)(1);
	H342	Failure to complete and submit Hazardous Materials Inventory information for all hazardous materials at or above reportable quantities in CERS	HSC 6.95 25505(a)(1), 25506, 25508(a)(1)
	H341	Failure to annually review and electronically certify that the HMBP is complete and accurate on or before the annual due date	HSC 6.95 25508(c), 25508.2
	H346	Failure to complete and submit Site Map with all required content in CERS	HSC 6.95 25505(a)(2), 25508(a)(1)
	H347	Failure to submit an adequate Emergency Response/Contingency plan in CERS	HSC 6.95 25505(a)(3), 25508(a)(1)
	H353	Failure to submit an adequate Employee Training Plan in CERS	HSC 6.95 25505(a)(4), 25508(a)(1)
	H340	Failure to notify property owner in writing that a HMBP is required	HSC 6.95 25505.1
	H336	Failure to provide property owner a copy of the HMBP upon request	HSC 6.95 25505.1

Onsite Inspection Violations

V	Viol #	Summary	Code
	H334	Failure to adequately establish and implement a HMBP	HSC 6.95 25507
	H345	Failure to revise HMBP in CERS within 30 days upon a change of information, inventory, address, ownership, or operation.	HSC 6.95 25508.1(a)-(f)
	H348	Failure to provide initial and annual safety training to all employees and/or failure to document and maintain training records for 3 years	HSC 6.95 25505(a)(4)
	H338	Failure to report a release or threatened release of a hazardous material to the CUPA and to California Office of Emergency Services	HSC 6.95 25510(a)
	H761	Failure to have the HMBP readily available to personnel of the business/facility	HSC 6.95 25505(c)

Inspector: MARTY A BROWNFIELD

Inspection Date: 03/02/2021

CONDITIONAL EXEMPTIONS FROM REPORTING REQUIREMENTS

Agricultural handlers are conditionally exempt from electronically submitting Emergency Response and Employee Training Plans in CERS if the following requirements are met:

- Owner/Operator annually submits the Facility Information and Hazardous Materials Inventory electronically into CERS
- Each location/building, where hazardous materials (i.e. pesticides, petroleum products, fertilizers, etc.) are stored, is posted with warning signs that meet the following requirements:
 - Shall be conspicuous and visible from any direction of probable approach
 - Shall be of such size that it is readable from 25 feet and shall be labeled as follows:

DANGER HAZARDOUS MATERIAL STORAGE AREA
 (the hazardous materials stored within shall be noted by category
 [i.e. pesticides, petroleum products, fertilizers, etc.])
 ALL UNAUTHORIZED PERSONS-KEEP OUT - IN AN EMERGENCY, CONTACT:
 (list the name and phone number of an emergency contact person(s))

- Shall be repeated in an appropriate language other than English when persons who do not understand the English language may enter the posted location/building
- Owner/Operator provides training for all new employees and annual training, including refresher courses, for all employees in safety procedures in the event of a release or threatened release of a hazardous material, including, but not limited to, familiarity with the emergency plans and procedures

Exempt Facility Violations

V	Viol #	Summary	Code
	H760	Failure to submit Emergency Response/Contingency Plan in CERS when not meeting agricultural handler exemption requirements	HSC 6.95 25507.1, 25508(a)(1); 19 CCR 4 2733, 2734
	H758	Failure to submit Employee Training Plan in CERS when not meeting agricultural handler exemption requirements	HSC 6.95 25507.1, 25508(a)(1); 19 CCR 4 2733, 2734
	H857	Failure of agricultural handler to post warning signs on buildings where pesticides, petroleum, or fertilizers are stored as required in the exemption.	HSC 6.95 25507.1(a)(2); 19 CCR 4 2670, 2671
	H759	Failure to establish and submit a HMBP in CERS when not meeting remote unstaffed facility exemption requirements	HSC 6.95 25505, 25506, 25507, 25507.2, 25508(a)(1)

SUMMARY OF OBSERVATIONS/VIOLATIONS

No violations of hazardous materials business plan laws/regulations were discovered. KERN CUPA greatly appreciates your efforts to comply with all the laws and regulations applicable to your facility.



Violations were observed/discovered as listed below. ALL VIOLATIONS MUST BE CORRECTED WITHIN 30 DAYS OR AS SPECIFIED. CUPA must be informed in writing with a certification that compliance has been achieved. A false statement that compliance has been achieved is a violation of the law and punishable by a fine of not less than \$2,000 or more than \$25,000 for each violation. Your facility may be reinspected any time during normal business hours. If a second reinspection becomes necessary due to non compliance, a reinspection charge of \$115.00 per hour may be charged to the facility.

You may request a meeting with the Program Manager to discuss the inspection findings and/or the proposed corrective actions. The issuance of this Summary of Violations does not preclude the CUPA from taking administrative, civil, or criminal action.

INSPECTION COMMENTS:

COMMENTS: Go to <http://www.kernpublichealth.com/hazardous-materials> for forms and information.

Inspector: MARTY A BROWNFIELD

Inspection Date: 03/02/2021

Signature of Facility Representative:

HAZARDOUS MATERIALS BUSINESS PLAN (HMBP) INSPECTION REPORT

Facility Name: ELK HILLS POWER, LLC		Facility ID: FA0004335
Site Address: 4026 Skyline Rd TUPMAN, CA 93276		CERS ID: 10235623
Phone: (661) 765-1800	Consent Granted By:	Inspection Date: 03/15/2021
Inspection Type: ☒ Routine ☐ Reinspection		Reinspection required: ☐ Yes ☒ No
Inspection Element: BUS PLAN LARGE HIGH RISK >5 UNITS (PIP)		

File/CERS Review Violations

V	Viol #	Summary	Code
	H335	Failure to adequately submit a complete HMBP into the California Environmental Reporting System (CERS)	HSC 6.95 25505, 25508(a)(1)
	F001	Failure to pay the Hazardous Materials Management Program permit fees.	KCOC 8.04.030
	H344	Failure to complete and submit the Business Activities page and/or Business Owner/Operator Identification page in CERS	HSC 6.95 25508(a)(1); 19 CCR 4 2729.2(a)(1);
	H342	Failure to complete and submit Hazardous Materials Inventory information for all hazardous materials at or above reportable quantities in CERS	HSC 6.95 25505(a)(1), 25506, 25508(a)(1)
	H341	Failure to annually review and electronically certify that the HMBP is complete and accurate on or before the annual due date	HSC 6.95 25508(c), 25508.2
	H346	Failure to complete and submit Site Map with all required content in CERS	HSC 6.95 25505(a)(2), 25508(a)(1)
	H347	Failure to submit an adequate Emergency Response/Contingency plan in CERS	HSC 6.95 25505(a)(3), 25508(a)(1)
	H353	Failure to submit an adequate Employee Training Plan in CERS	HSC 6.95 25505(a)(4), 25508(a)(1)
	H340	Failure to notify property owner in writing that a HMBP is required	HSC 6.95 25505.1
	H336	Failure to provide property owner a copy of the HMBP upon request	HSC 6.95 25505.1

Onsite Inspection Violations

V	Viol #	Summary	Code
	H334	Failure to adequately establish and implement a HMBP	HSC 6.95 25507
	H345	Failure to revise HMBP in CERS within 30 days upon a change of information, inventory, address, ownership, or operation.	HSC 6.95 25508.1(a)-(f)
	H348	Failure to provide initial and annual safety training to all employees and/or failure to document and maintain training records for 3 years	HSC 6.95 25505(a)(4)
	H338	Failure to report a release or threatened release of a hazardous material to the CUPA and to California Office of Emergency Services	HSC 6.95 25510(a)
	H761	Failure to have the HMBP readily available to personnel of the business/facility	HSC 6.95 25505(c)

Inspector: MARK RODRIGUEZ

Inspection Date: 03/15/2021

CONDITIONAL EXEMPTIONS FROM REPORTING REQUIREMENTS

Agricultural handlers are conditionally exempt from electronically submitting Emergency Response and Employee Training Plans in CERS if the following requirements are met:

- Owner/Operator annually submits the Facility Information and Hazardous Materials Inventory electronically into CERS
- Each location/building, where hazardous materials (i.e. pesticides, petroleum products, fertilizers, etc.) are stored, is posted with warning signs that meet the following requirements:
 - Shall be conspicuous and visible from any direction of probable approach
 - Shall be of such size that it is readable from 25 feet and shall be labeled as follows:

DANGER HAZARDOUS MATERIAL STORAGE AREA
 (the hazardous materials stored within shall be noted by category
 [i.e. pesticides, petroleum products, fertilizers, etc.])
 ALL UNAUTHORIZED PERSONS-KEEP OUT - IN AN EMERGENCY, CONTACT:
 (list the name and phone number of an emergency contact person(s))

- Shall be repeated in an appropriate language other than English when persons who do not understand the English language may enter the posted location/building
- Owner/Operator provides training for all new employees and annual training, including refresher courses, for all employees in safety procedures in the event of a release or threatened release of a hazardous material, including, but not limited to, familiarity with the emergency plans and procedures

Exempt Facility Violations

V	Viol #	Summary	Code
	H760	Failure to submit Emergency Response/Contingency Plan in CERS when not meeting agricultural handler exemption requirements	HSC 6.95 25507.1, 25508(a)(1); 19 CCR 4 2733, 2734
	H758	Failure to submit Employee Training Plan in CERS when not meeting agricultural handler exemption requirements	HSC 6.95 25507.1, 25508(a)(1); 19 CCR 4 2733, 2734
	H857	Failure of agricultural handler to post warning signs on buildings where pesticides, petroleum, or fertilizers are stored as required in the exemption.	HSC 6.95 25507.1(a)(2); 19 CCR 4 2670, 2671
	H759	Failure to establish and submit a HMBP in CERS when not meeting remote unstaffed facility exemption requirements	HSC 6.95 25505, 25506, 25507, 25507.2, 25508(a)(1)

SUMMARY OF OBSERVATIONS/VIOLATIONS

No violations of hazardous materials business plan laws/regulations were discovered. KERN CUPA greatly appreciates your efforts to comply with all the laws and regulations applicable to your facility.



Violations were observed/discovered as listed below. ALL VIOLATIONS MUST BE CORRECTED WITHIN 30 DAYS OR AS SPECIFIED. CUPA must be informed in writing with a certification that compliance has been achieved. A false statement that compliance has been achieved is a violation of the law and punishable by a fine of not less than \$2,000 or more than \$25,000 for each violation. Your facility may be reinspected any time during normal business hours. If a second reinspection becomes necessary due to non compliance, a reinspection charge of \$115.00 per hour may be charged to the facility.

You may request a meeting with the Program Manager to discuss the inspection findings and/or the proposed corrective actions. The issuance of this Summary of Violations does not preclude the CUPA from taking administrative, civil, or criminal action.

INSPECTION COMMENTS:

COMMENTS: Go to <http://www.kernpublichealth.com/hazardous-materials> for forms and information.



Inspector: MARK RODRIGUEZ

Signature of Facility Representative:

Inspection Date: 03/15/2021

HAZARDOUS MATERIALS BUSINESS PLAN (HMBP) INSPECTION REPORT

Facility Name: ELK HILLS POWER, LLC		Facility ID: FA0004335
Site Address: 4026 Skyline Rd TUPMAN, CA 93276		CERS ID: 10235623
Phone: (661) 765-1800	Consent Granted By:	Inspection Date: 03/25/2019
Inspection Type: ☒ Routine ☐ Reinspection		Reinspection required: ☐ Yes ☒ No
Inspection Element: BUS PLAN LARGE HIGH RISK >5 UNITS		

File/CERS Review Violations

V	Viol #	Summary	Code
	H335	Failure to adequately submit a complete HMBP into the California Environmental Reporting System (CERS)	HSC 6.95 25505, 25508(a)(1)
	F001	Failure to pay the HMBP annual permit fees	KCOC 8.04.030
	H344	Failure to complete and submit the Business Activities page and/or Business Owner/Operator Identification page in CERS	HSC 6.95 25508(a)(1); 19 CCR 4 2729.2(a)(1);
	H342	Failure to complete and submit Hazardous Materials Inventory information for all hazardous materials at or above reportable quantities in CERS	HSC 6.95 25505(a)(1), 25506, 25508(a)(1)
	H341	Failure to annually review and electronically certify that the HMBP is complete and accurate on or before the annual due date	HSC 6.95 25508(c), 25508.2
	H346	Failure to complete and submit Site Map with all required content in CERS	HSC 6.95 25505(a)(2), 25508(a)(1)
	H347	Failure to submit an adequate Emergency Response/Contingency plan in CERS	HSC 6.95 25505(a)(3), 25508(a)(1)
	H353	Failure to submit an adequate Employee Training Plan in CERS	HSC 6.95 25505(a)(4), 25508(a)(1)
	H340	Failure to notify property owner in writing that a HMBP is required	HSC 6.95 25505.1
	H336	Failure to provide property owner a copy of the HMBP upon request	HSC 6.95 25505.1

Onsite Inspection Violations

V	Viol #	Summary	Code
	H334	Failure to adequately establish and implement a HMBP	HSC 6.95 25507
	H345	Failure to revise HMBP in CERS within 30 days upon a change of information, inventory, address, ownership, or operation.	HSC 6.95 25508.1(a)-(f)
	H348	Failure to provide initial and annual safety training to all employees and/or failure to document and maintain training records for 3 years	HSC 6.95 25505(a)(4)
	H338	Failure to report a release or threatened release of a hazardous material to the CUPA and to California Office of Emergency Services	HSC 6.95 25510(a)
	H761	Failure to have the HMBP readily available to personnel of the business/facility	HSC 6.95 25505(c)

Inspector: CHAD SAN JUAN

Inspection Date: 03/25/2019

CONDITIONAL EXEMPTIONS FROM REPORTING REQUIREMENTS

Agricultural handlers are conditionally exempt from electronically submitting Emergency Response and Employee Training Plans in CERS if the following requirements are met:

- Owner/Operator annually submits the Facility Information and Hazardous Materials Inventory electronically into CERS
- Each location/building, where hazardous materials (i.e. pesticides, petroleum products, fertilizers, etc.) are stored, is posted with warning signs that meet the following requirements:
 - Shall be conspicuous and visible from any direction of probable approach
 - Shall be of such size that it is readable from 25 feet and shall be labeled as follows:

DANGER HAZARDOUS MATERIAL STORAGE AREA

(the hazardous materials stored within shall be noted by category
[i.e. pesticides, petroleum products, fertilizers, etc.]

ALL UNAUTHORIZED PERSONS-KEEP OUT - IN AN EMERGENCY, CONTACT:

(list the name and phone number of an emergency contact person(s))
 - Shall be repeated in an appropriate language other than English when persons who do not understand the English language may enter the posted location/building
- Owner/Operator provides training for all new employees and annual training, including refresher courses, for all employees in safety

Exempt Facility Violations

V	Viol #	Summary	Code
	H760	Failure to submit Emergency Response/Contingency Plan in CERS when not meeting agricultural handler exemption requirements	HSC 6.95 25507.1, 25508(a)(1); 19 CCR 4 2670, 2671
	H758	Failure to submit Employee Training Plan in CERS when not meeting agricultural handler exemption requirements	HSC 6.95 25507.1, 25508(a)(1); 19 CCR 4 2670, 2671
	H759	Failure to establish and submit a HMBP in CERS when not meeting remote unstaffed facility exemption requirements	HSC 6.95 25505, 25506, 25507.2, 25508(a)(1)

SUMMARY OF OBSERVATIONS/VIOLATIONS

☒ No violations of hazardous materials business plan laws/regulations were discovered. Kern County UPA greatly appreciates your efforts to comply with all the laws and regulations applicable to your facility.

☐ Violations were observed/discovered as listed below. **ALL VIOLATIONS MUST BE CORRECTED WITHIN 30 DAYS OR AS SPECIFIED.** UPA must be informed in writing with a certification that compliance has been achieved. A false statement that compliance has been achieved is a violation of the law and punishable by a fine of not less than \$2,000 or more than \$25,000 for each violation. Your facility may be reinspected any time during normal business hours. If a second reinspection becomes necessary due to non compliance, a reinspection charge of \$115.00 per hour may be charged to the facility.

You may request a meeting with the Program Manager to discuss the inspection findings and/or the proposed corrective actions. The issuance of this Summary of Violations does not preclude the CUPA from taking administrative, civil, or criminal action.

INSPECTION COMMENTS:

COMMENTS: Go to <http://www.kernpublichealth.com/hazardous-materials> for forms and information.

Inspector: CHAD SAN JUAN

Inspection Date: 03/25/2019

Signature of Facility Representative:

HAZARDOUS MATERIALS BUSINESS PLAN (HMBP) INSPECTION REPORT

Facility Name: KEY ENERGY SERVICES CALIF - TUPMAN		Facility ID: FA0030793
Site Address: 28590 HIGHWAY 119 TUPMAN, CA 93268		CERS ID: 10237339
Phone: (661) 978-8250	Consent Granted By: Nicole Gloria	Inspection Date: 08/07/2018
Inspection Type: ☒ Routine ☐ Reinspection		Reinspection required: ☐ Yes ☒ No
Inspection Element: BUS PLAN SMALL LOW RISK 1 UNIT		

File/CERS Review Violations

V	Viol #	Summary	Code
	H335	Failure to adequately submit a complete HMBP into the California Environmental Reporting System (CERS)	HSC 6.95 25505, 25508(a)(1)
	F001	Failure to pay the HMBP annual permit fees	KCOC 8.04.030
	H344	Failure to complete and submit the Business Activities page and/or Business Owner/Operator Identification page in CERS	HSC 6.95 25508(a)(1); 19 CCR 4 2729.2(a)(1);
	H342	Failure to complete and submit Hazardous Materials Inventory information for all hazardous materials at or above reportable quantities in CERS	HSC 6.95 25505(a)(1), 25506, 25508(a)(1)
	H341	Failure to annually review and electronically certify that the HMBP is complete and accurate on or before the annual due date	HSC 6.95 25508(c), 25508.2
	H346	Failure to complete and submit Site Map with all required content in CERS	HSC 6.95 25505(a)(2), 25508(a)(1)
	H347	Failure to submit an adequate Emergency Response/Contingency plan in CERS	HSC 6.95 25505(a)(3), 25508(a)(1)
	H353	Failure to submit an adequate Employee Training Plan in CERS	HSC 6.95 25505(a)(4), 25508(a)(1)
	H340	Failure to notify property owner in writing that a HMBP is required	HSC 6.95 25505.1
	H336	Failure to provide property owner a copy of the HMBP upon request	HSC 6.95 25505.1

Onsite Inspection Violations

V	Viol #	Summary	Code
	H334	Failure to adequately establish and implement a HMBP	HSC 6.95 25507
	H345	Failure to revise HMBP in CERS within 30 days upon a change of information, inventory, address, ownership, or operation.	HSC 6.95 25508.1(a)-(f)
	H348	Failure to provide initial and annual safety training to all employees and/or failure to document and maintain training records for 3 years	HSC 6.95 25505(a)(4)
	H338	Failure to report a release or threatened release of a hazardous material to the CUPA and to California Office of Emergency Services	HSC 6.95 25510(a)
	H761	Failure to have the HMBP readily available to personnel of the business/facility	HSC 6.95 25505(c)

Inspector: Lana Elfstrom

Inspection Date: 08/07/2018

CONDITIONAL EXEMPTIONS FROM REPORTING REQUIREMENTS

Agricultural handlers are conditionally exempt from electronically submitting Emergency Response and Employee Training Plans in CERS if the following requirements are met:

- Owner/Operator annually submits the Facility Information and Hazardous Materials Inventory electronically into CERS
- Each location/building, where hazardous materials (i.e. pesticides, petroleum products, fertilizers, etc.) are stored, is posted with warning signs that meet the following requirements:
 - Shall be conspicuous and visible from any direction of probable approach
 - Shall be of such size that it is readable from 25 feet and shall be labeled as follows:

DANGER HAZARDOUS MATERIAL STORAGE AREA
 (the hazardous materials stored within shall be noted by category
 [i.e. pesticides, petroleum products, fertilizers, etc.])
 ALL UNAUTHORIZED PERSONS-KEEP OUT - IN AN EMERGENCY, CONTACT:
 (list the name and phone number of an emergency contact person(s))

- Shall be repeated in an appropriate language other than English when persons who do not understand the English language may enter the posted location/building
- Owner/Operator provides training for all new employees and annual training, including refresher courses, for all employees in safety

Exempt Facility Violations

V	Viol #	Summary	Code
	H760	Failure to submit Emergency Response/Contingency Plan in CERS when not meeting agricultural handler exemption requirements	HSC 6.95 25507.1, 25508(a)(1); 19 CCR 4 2670, 2671
	H758	Failure to submit Employee Training Plan in CERS when not meeting agricultural handler exemption requirements	HSC 6.95 25507.1, 25508(a)(1); 19 CCR 4 2670, 2671
	H759	Failure to establish and submit a HMBP in CERS when not meeting remote unstaffed facility exemption requirements	HSC 6.95 25505, 25506, 25507.2, 25508(a)(1)

SUMMARY OF OBSERVATIONS/VIOLATIONS

☒ No violations of hazardous materials business plan laws/regulations were discovered. Kern County UPA greatly appreciates your efforts to comply with all the laws and regulations applicable to your facility.

☐ Violations were observed/discovered as listed below. **ALL VIOLATIONS MUST BE CORRECTED WITHIN 30 DAYS OR AS SPECIFIED.** UPA must be informed in writing with a certification that compliance has been achieved. A false statement that compliance has been achieved is a violation of the law and punishable by a fine of not less than \$2,000 or more than \$25,000 for each violation. Your facility may be reinspected any time during normal business hours. If a second reinspection becomes necessary due to non compliance, a reinspection charge of \$115.00 per hour may be charged to the facility.

You may request a meeting with the Program Manager to discuss the inspection findings and/or the proposed corrective actions. The issuance of this Summary of Violations does not preclude the CUPA from taking administrative, civil, or criminal action.

INSPECTION COMMENTS:

COMMENTS: Go to <http://www.kernpublichealth.com/hazardous-materials> for forms and information.

Inspector: Lana Elfstrom
 Inspection Date: 08/07/2018

Signature of Facility Representative:

HAZARDOUS WASTE GENERATOR INSPECTION REPORT

Facility Name: KEY ENERGY SERVICES CALIF - TUPMAN		Facility ID: FA0030793
Site Address: 28590 HIGHWAY 119 TUPMAN, CA 93268		CERS ID: 10237339
		EPA ID #: CAL000331890
Phone: (661) 978-8250	Consent Granted By: Nicole Gloria	Inspection Date: 08/07/2018
Inspection Type: ☒ Routine ☐ Reinspection		Reinspection required: ☐ Yes ☒ No

Small Quantity Generator (SQG)	Large Quantity Generator (LQG)
22 CCR § 66262.34(d), 66262.34(d)(3); HSC § 25123.3(h)(1)	22 CCR § 66262.34; HSC § 25123.3
. 1,000 kg or . 2,240 lbs or . 270 gal per month	. 1000 kg or . 2,240 lbs or . 270 gal per month
Acute or Extremely Hazardous Waste	
. 1 kg or . 2.2 lbs or . 0.3 gals per month	. 1 kg or . 2.2 lbs or . 0.3 gals per month
Acute Spill Residue or Soil	
	. 100 kg or . 220 lbs or . 27 gals per month
Accumulation Time Limits	
22 CCR § 66262.34(b)*, 66262.34(d)(2), 66262.34(d)(3)	22 CCR 66262.34(a)
≤180 days or ≤270 days (if greater than 200 miles) *90 days from date 100 kg limit is reached	≤90 days

General Violations - All Generators

V	VIOL #	Summary	Code
	H804	Failure to report data electronically when required	HSC 6.11 25404(e)(4)
	F004	Failure to pay Hazardous Waste Generator permit fees	KCOC 8.04.030
	H236	Failure to obtain/maintain an active/correct EPA ID number	22 CCR 12 66262.12
	H251	Improper hazardous waste determination	22 CCR 12 66262.11
	H248	Failure to comply with all consolidated manifest procedures	22 CCR 12 66262.40(a); HSC 6.5 25160.2
	H239	Failure to properly complete the Uniform Hazardous Waste Manifest	22 CCR 12 66262.23(a)
	H243	Failure to properly prepare manifests for transportation	22 CCR 12 66262.20
	H246	Failure of owner/operator to send generator manifest copies to DTSC within 30 days	22 CCR 12 66262.23(a)(4)
	H241	Failure to maintain signed copies of manifests for 3 years	22 CCR 12 66262.40(a)
	H297	Hazardous waste not transported by registered hauler	22 CCR 13 66263.41; HSC 6.5 25163(a)
	H260	Improper labeling of hazardous waste containers/portable tanks	22 CCR 12 66262.34(f)
	H810	Failure mark stationary tanks with "Hazardous Waste" and/or accumulation start date	22 CCR 12 66262.34(f)

Inspector: Lana Elfstrom

Inspection Date: 08/07/2018

General Violations - All Generators (continued)

V	VIOL #	Summary	Code
	H298	Disposal of hazardous waste at an unauthorized location	HSC 6.5 25189.5(a), 25201(a)
	H302	Failure to manage recyclable materials according to requirements	HSC 6.5 25143.2, 25143.9
	H296	Failure to properly manage used oil and fuel filters	22 CCR 16 66266.130; HSC 6.5 25250.22
	H812	Failure to properly manage empty containers > 5 gallons	22 CCR 11 66261.7
	H811	Failure to follow all requirements for hazardous waste satellite accumulation	22 CCR 12 66262.34(e)
	H808	Failure to properly manage soiled/contaminated rags before being sent for laundering	HSC 6.5 25144.6(b)

Small Quantity Generator - Violations

V	VIOL #	Summary	Code
	H242	Failure to conduct employee training on waste handling and emergency procedures	22 CCR 12 66262.34(d)(2); 40 CFR 262.34(d)(5)(iii)
	H256	Hazardous waste accumulation time limit exceeded	HSC 6.5 25123.3(h)(1); 22 CCR 12 66262.34(d)
	H259	Acutely/extremely hazardous waste accumulation time limit exceeded	HSC 6.5 25123.3(c), 25123.3(h)(1)(C); 22 CCR 12 66262.34(b)(1)
	H267	Failure to accumulate hazardous waste in containers that are in good condition	22 CCR 12 66262.34(d)(2); 40 CFR 1 262.34(d)(1), 262.34(d)(2), 265.171
	H269	Failure to store hazardous waste in containers made of or lined with a material compatible with the hazardous waste to be stored	22 CCR 12 66262.34(d)(2); 40 CFR 1 262.34(d)(2), 265.172
	H271	Failure to keep hazardous waste tank/container closed	22 CCR 12 66262.34(d)(2); 40 CFR 1 262.34(d)(2), 265.173
	H276	Failure to separate incompatible waste during storage	22 CCR 12 66262.34(d)(2); 40 CFR 1 262.34(d)(2), 265.17(b), 265.177
	H273	Failure to conduct weekly hazardous waste storage area inspections	22 CCR 12 66262.34(d)(2); 40 CFR 1 262.34(d)(2), 265.174
	H281	Failure to conduct daily inspections of hazardous waste tank systems	22 CCR 12 66262.34(d)(2); 40 CFR 1 262.34(d)(3), 265.201(c)(1), 265.201(c)(2), 265.201(c)(3)
	H299	Failure to post emergency information	22 CCR 12 66262.34(d)(2); 40 CFR 262.34(d)(5)(ii)
	H303	Failure to maintain facility to prevent fire, explosion, and/or release	22 CCR 12 66262.34(d)(2); 40 CFR 1 262.34(d)(4), 265.31
	H306	Failure to have all required emergency equipment	22 CCR 12 66262.34(d)(2); 40 CFR 1 262.34(d)(4), 265.32
	H305	Failure to maintain all required emergency equipment	22 CCR 12 66262.34(d)(2); 40 CFR 1 262.34(d)(4), 265.33
	H308	Failure to maintain adequate aisle space	22 CCR 12 66262.34(d)(2); 40 CFR 1 262.34(d)(4), 265.35
	H798	Failure to complete Uniform Hazardous Waste Manifest exception report when required	HSC 6.5 25123.3(h); 22 CCR 12 66262.42 (a),(c),(d)

Large Quantity Generator - Violations

V	VIOL #	Summary	Code
	H245	Failure to conduct annual employee training and maintain documentation until facility closure	22 CCR 12 66262.34(a)(4); 22 CCR 15 66265.16
	H237	Failure to prepare and implement a contingency plan	22 CCR 12 66262.34(a)(4); 22 CCR 15 66265.51
	H240	Failure to include all required information in the contingency plan	22 CCR 12 66262.34(a)(4); 22 CCR 15 66265.52

Inspector: Lana Elfstrom

Inspection Date: 08/07/2018

Large Quantity Generator - Violations (continued)

V	VIOL #	Summary	Code
	H238	Failure to maintain a copy of the contingency plan on site and/or submit a copy to all responding agencies	22 CCR 12, 66262.34(a)(4); 22 CCR 15 66265.53
	H258	Failure to dispose of hazardous waste within 90 days of accumulation start	HSC 6.5 25123.3(b)(1), 25201; 22 CCR 12 66262.34(a)
	H268	Failure to accumulate hazardous waste in containers that are in good condition	22 CCR 12 66262.34(a)(1); 22 CCR 15 66265.171
	H270	Failure to store hazardous waste in containers made of or lined with a material compatible with the hazardous waste to be stored	22 CCR 12 66262.34(a)(1); 22 CCR 15 66265.172
	H272	Failure to keep hazardous waste tank/container closed	22 CCR 12 66262.34(a)(1); 22 CCR 15 66265.173
	H274	Failure to conduct weekly hazardous waste storage area inspections	22 CCR 12 66262.34(a)(1); 22 CCR 15 66265.174
	H289	Failure to conduct daily inspections of hazardous waste tank systems	22 CCR 12 66262.34(a)(1); 22 CCR 15 66265.195(a), 66265.195(c)
	H309	Failure to maintain adequate aisle space	22 CCR 12 66262.34(a)(4); 22 CCR 15 66265.35
	H275	Failure to locate reactive and ignitable waste at least 15 meters (50 feet) from the facility's property line	22 CCR 12 66262.34(a)(1); 22 CCR 15 66265.176
	H279	Failure to separate incompatible waste during storage	22 CCR 12 66262.34(a)(1); 22 CCR 15 66265.17(b), 66265.177
	H304	Failure to maintain facility to prevent fire, explosion, and/or release	22 CCR 12 66262.34(a)(4); 22 CCR 15 66265.31
	H291	Failure to meet secondary containment requirements for hazardous waste tank systems or components	22 CCR 12 66262.34(a)(1); 22 CCR 15 66265.193
	H294	Failure to immediately remove from service a tank system which is unfit for use and/or comply with applicable requirements	22 CCR 15 66265.196
	H292	Failure to meet tank system closure requirements	22 CCR 15 66265.111, 66265.114, 66265.197
	H286	Failure to obtain and/or maintain a new hazardous waste tank assessment by a professional engineer	22 CCR 12 66262.34(a)(1); 22 CCR 15 66265.192(a)
	H800	Failure to complete an assessment or reassessment of a hazardous waste tank as required	22 CCR 15 66265.192(h)
	H312	Failure to conduct hazardous waste tank system cathodic protection system inspections as required	22 CCR 12 66262.34(a)(1); 22 CCR 15 66265.195(b), 66265.195(c)
	H815	Failure to comply with air emissions requirements for hazardous waste in containers	22 CCR 12 66262.34(a)(1); 22 CCR 15 66265.178
	H816	Failure to comply with air emissions requirements for hazardous waste in tanks	22 CCR 12 66262.34(a)(1); 22 CCR 15 66265.202
	H307	Failure to have all required emergency equipment	22 CCR 12 66262.34(a)(4); 22 CCR 15 66265.32
	H301	Failure to inspect and/or maintain all safety/emergency equipment as required	22 CCR 12 66262.34(a)(4); 22 CCR 15 66265.33
	H244	Failure to complete Uniform Hazardous Waste Manifest exception report when required	22 CCR 12 66262.42(a),(b),(d)
	H799	Failure to complete certification of waste minimization on all manifests	22 CCR 12 66262.27(a)
	H257	Failure to adequately complete, and maintain for review, all requirements of the source reduction evaluation review and plan (SB-14)	HSC 6.5 25244.19, 25244.21; 22 CCR 31 67100.5
	H254	Failure to properly prepare a source reduction evaluation review and plan every four years	HSC 6.5 25244.19; 22 CCR 31 67100.7, 67100.8
	H255	Failure to prepare a summary progress report and submitted it to DTSC every four years	22 CCR 31 67100.9

Inspector: Lana Elfstrom

Inspection Date: 08/07/2018

Universal Waste Generator - Violations

V	VIOL #	Summary	Code
	H318	Failure to comply with all universal waste training requirements	22 CCR 23 66273.36
	H321	Failure to meet universal waste labeling requirements	22 CCR 23 66273.34
	H330	Universal waste accumulation exceeded the 1 year limit	22 CCR 23 66273.35
	H329	Failure to disposal of universal waste at an appropriate destination facility	22 CCR 23 66273.31(a)
	H320	Failure to properly prepare and/or retain shipping papers for all universal waste shipped	22 CCR 23 66273.38; 49 CFR 1 172.201(e)
	H325	Failure to handle waste aerosol cans to prevent fire, explosion, and/or release	HSC 6.5 25201.16(e)
	H328	Failure to meet accumulation standards for aerosol cans	HSC 6.5 25201.16(f)
	H326	Failure to properly clean up and/or contain spills of electronic devices, CRTs and/or CRT glass	22 CCR 23 66273.33.5

Waste Lead Acid Battery Generator - Violations

V	VIOL #	Summary	Code
	H290	Failure to meet requirements for handling, storing, and/or transporting lead acid batteries	22 CCR 16 66266.81(a)(1)
	H293	Failure to properly manage, store, and/or label damaged lead acid batteries	22 CCR 16 66266.81(b)
	H250	Failure to maintain documentation for disposal of lead acid batteries for 3 years	22 CCR 16 66266.81(a)(4)(B)
	H261	Failure to meet all requirements when accepting spent lead acid batteries	22 CCR 16 66266.81(a)(3)

SUMMARY OF OBSERVATIONS/VIOLATIONS

☒ No violations of hazardous waste laws/regulations were discovered. KERN CUPA greatly appreciates your efforts to comply with all the laws and regulations applicable to your facility.

☐ Violations were observed/discovered as listed below. All violations must be corrected by implementing the corrective action listed by each violation. If you disagree with any of the violations or corrective actions required, please inform the CUPA in writing.

ALL VIOLATIONS MUST BE CORRECTED WITHIN 30 DAYS OR AS SPECIFIED. CUPA must be informed in writing with a certification that compliance has been achieved. A false statement that compliance has been achieved is a violation of the law and punishable by a fine of not less than \$2,000 or more than \$25,000 for each violation. Your facility may be reinspected any time during normal business hours. If a second reinspection becomes necessary due to non compliance, a reinspection charge of \$115.00 per hour may be charged to the facility.

You may request a meeting with the Program Manager to discuss the inspection findings and/or the proposed corrective actions. The issuance of this Summary of Violations does not preclude the CUPA from taking administrative, civil, or criminal action.

INSPECTION COMMENTS:

COMMENTS: Go to <http://www.kernpublichealth.com/hazardous-materials> for forms and information.

Inspector: Lana Elfstrom

Inspection Date: 08/07/2018

Inspector: Lana Elfstrom
Inspection Date: 08/07/2018

Signature of Facility Representative:

ELK HILLS POWER, LLC (CERSID: 10235623)**Facility Information** **Accepted Apr 16, 2024**

Submitted on 2/8/2024 9:25:45 AM by *Sonnie Pineda* of ELK HILLS POWER, LLC (TUPMAN, CA)
Submittal was **Accepted** on 4/16/2024 8:26:17 AM by Mahinan, Melecio

- Business Activities
- Business Owner/Operator Identification

Hazardous Materials Inventory **Accepted Apr 16, 2024**

Submitted on 2/8/2024 9:25:45 AM by *Sonnie Pineda* of ELK HILLS POWER, LLC (TUPMAN, CA)
Submittal was **Accepted** on 4/16/2024 8:26:27 AM by Mahinan, Melecio

- Hazardous Material Inventory (75)
- Site Map (Official Use Only)
 - *EHPP Facility Site Map* (Adobe PDF, 496KB)

Emergency Response and Training Plans **Accepted Apr 16, 2024**

Submitted on 2/8/2024 9:25:45 AM by *Sonnie Pineda* of ELK HILLS POWER, LLC (TUPMAN, CA)
Comments by Submitter: Reviewed the Emergency response plan. No further update. No need to revise the document.
Submittal was **Accepted** on 4/16/2024 8:26:23 AM by Mahinan, Melecio

- Emergency Response/Contingency Plan
 - *Emergency Response/Contingency Plan* (Adobe PDF, 2998KB)
- Employee Training Plan
 - *Employee Training Plan 2024* (Adobe PDF, 119KB)

Aboveground Petroleum Storage Act **Accepted Apr 16, 2024**

Submitted on 2/8/2024 9:25:45 AM by *Sonnie Pineda* of ELK HILLS POWER, LLC (TUPMAN, CA)
Submittal was **Accepted** on 4/16/2024 8:26:29 AM by Mahinan, Melecio

- Aboveground Petroleum Storage Act Documentation
 - Provided In Submittal Element: Hazardous Materials Inventory
- APSA Facility Information

Site Identification

ELK HILLS POWER, LLC

4026 SKYLINE RD
TUPMAN, CA 93276County
KernCERS ID
10235623EPA ID Number
CAR000108498

Submittal Status

Submitted on 2/8/2024 by *Sonnie Pineda* of ELK HILLS POWER, LLC (TUPMAN, CA)Submittal was **Accepted**; Processed on 4/16/2024 by *Mahinan, Melecio* for Kern County Environmental Health Services Department

Hazardous Materials

Does your facility have on site (for any purpose) at any one time, hazardous materials at or above 55 gallons for liquids, 500 pounds for solids, or 200 cubic feet for compressed gases (include liquids in ASTs and USTs); or is regulated under more restrictive inventory local reporting requirements (shown below if present); or the applicable Federal threshold quantity for an extremely hazardous substance specified in 40 CFR Part 355, Appendix A or B; or handle radiological materials in quantities for which an emergency plan is required pursuant to 10 CFR Parts 30, 40 or 70?

Yes

Underground Storage Tank(s) (UST)

Does your facility own or operate underground storage tanks?

No

Hazardous Waste

Is your facility a Hazardous Waste Generator?

Yes

Does your facility treat hazardous waste on-site?

No

Is your facility's treatment subject to financial assurance requirements (for Permit by Rule and Conditional Authorization)?

No

Does your facility consolidate hazardous waste generated at a remote site?

No

Does your facility need to report the closure/removal of a tank that was classified as hazardous waste and cleaned on-site?

No

Does your facility generate in any single calendar month 1,000 kilograms (kg) (2,200 pounds) or more of federal RCRA hazardous waste, or generate in any single calendar month greater than 1 kg (2.2 pounds) of RCRA acute hazardous waste; or generate more than 100 kg (220 pounds) of spill cleanup materials contaminated with RCRA acute hazardous waste.

No

Is your facility a Household Hazardous Waste (HHW) Collection site?

No

Excluded and/or Exempted Materials

Does your facility recycle more than 100 kg/month of excluded or exempted recyclable materials (per HSC 25143.2)?

No

Aboveground Petroleum Storage

Does your facility own or operate aboveground petroleum storage tanks or containers AND:

Yes

* have a total aboveground petroleum storage capacity of 1,320 gallons or more, OR

* have one or more petroleum tanks in an underground area?

Regulated Substances

Does your facility have Regulated Substances stored onsite in quantities greater than the threshold quantities established by the California Accidental Release prevention Program (CalARP)?

Yes

Additional Information

Elk Hills Power, LLC EPA ID number is CAR000108498

Facility/Site

ELK HILLS POWER, LLC

4026 SKYLINE RD
TUPMAN, CA 93276

CERS ID
10235623

Submittal Status

Submitted on 2/8/2024 by *Sonnie Pineda* of ELK HILLS POWER, LLC (TUPMAN, CA)

Submittal was **Accepted**; Processed on 4/16/2024 by *Mahinan, Melecio* for Kern County Environmental Health Services Department

Identification

ELK HILLS POWER, LLC

Operator Phone
(661) 765-1810

Business Phone
(661) 765-1800

Business Fax
(661) 765-2946

Beginning Date

Ending Date

Dun & Bradstreet

SIC Code
4911

Primary NAICS

Facility/Site Mailing Address

9600 Ming Ave
Bakersfield, CA 93311

Primary Emergency Contact

COC Dispatch

Title

Emergency Response Center

Business Phone
(661) 763-6363

24-Hour Phone
(661) 763-6911

Pager Number

Owner

ELK HILLS POWER
(661) 765-1800
4026 Skyline Road
Tupman, CA 93276

Secondary Emergency Contact

BRANDON MYERS

Title

PLANT MANAGER

Business Phone
(661) 763-6219

24-Hour Phone
(661) 213-8248

Pager Number

Billing Contact

ELK HILLS POWER LLC
(661) 765-1809
9600 Ming Ave
Bakersfield, CA 93311

Environmental Contact

Sonnie Pineda

(661) 765-1805

Sonnie.Pineda@crc.com

4026 SKYLINE ROAD

TUPMAN, CA 93276

Name of Signer

Sonnie Pineda

Additional Information

Signer Title

Sr HSE Advisor

Document Preparer

Sonnie Pineda

Locally-collected Fields

Some or all of the following fields may be required by your local regulator(s).

Property Owner

Phone

Mailing Address

Assessor Parcel Number (APN)

Number of Employees

Facility ID

Hazardous Materials And Wastes Inventory Matrix Report

CERS Business/Org.	ELK HILLS POWER, LLC	Chemical Location	CERS ID	10235623
Facility Name	ELK HILLS POWER, LLC	AMMONIA STORAGE AREA;SOUTH OF THE FACILITY	Facility ID	
	4026 SKYLINE RD, TUPMAN 93276		Status	Submitted on 2/8/2024 9:25 AM

DOT Code/Fire Haz. Class	Common Name	Unit	Quantities			Annual Waste Amount	Federal Hazard Categories	Hazardous Components (For mixture only)			
			Max. Daily	Largest Cont.	Avg. Daily			Component Name	% Wt	EHS	CAS No.
DOT: 8 - Corrosives (Liquids and Solids) Corrosive, Toxic	AQUEOUS AMMONIA (19%)	Pounds	40032	20016	40032	0	- Physical	AMMONIUM HYDROXIDE	19%	✓	1336-21-6
	CAS No	State	Storage Container		Pressue	Waste Code	Flammable	Water	81%		
	1336-21-6	Liquid	Aboveground Tank		> Ambient		- Health Acute				
		Type			Temperature		Toxicity				
		Mixture	Days on Site: 365		Ambient		- Health Skin				
							Corrosion				
							Irritation				

Hazardous Materials And Wastes Inventory Matrix Report

CERS Business/Org.	ELK HILLS POWER, LLC				Chemical Location	CERS ID 10235623				
Facility Name	ELK HILLS POWER, LLC				COMBUSTION TURBINE 1 AREA;CT UNIT 1				Facility ID	
	4026 SKYLINE RD, TUPMAN 93276								Status Submitted on 2/8/2024 9:25 AM	
						Annual Waste Amount	Federal Hazard Categories	Hazardous Components (For mixture only)		
DOT Code/Fire Haz. Class	Common Name	Unit	Max. Daily	Largest Cont.	Avg. Daily			Component Name	% Wt	EHS CAS No.
DOT: 2.2 - Nonflammable Gases	COMPRESSED GAS - HELIUM	Cu. Feet	200	200	200		- Physical Gas			
	CAS No	State	Storage Container		Pressue	Waste Code	Under Pressure			
	7440-59-7	Gas	Cylinder		> Ambient					
		Type			Temperature					
		Pure	Days on Site: 365		Ambient					
DOT: 2.2 - Nonflammable Gases	CARBON DIOXIDE	Cu. Feet	105000	105000	105000		- Physical Gas			
	CAS No	State	Storage Container		Pressue	Waste Code	Under Pressure			
	124-38-9	Gas	Aboveground Tank		> Ambient		- Health Simple Asphyxiant			
		Type			Temperature					
		Pure	Days on Site: 365		Ambient					
DOT: 3 - Flammable and Combustible Liquids	TURBINE OIL	Gallons	6200	6200	6200		- Physical Flammable	PETROLEUM HYDROCARBONS	100%	
	CAS No	State	Storage Container		Pressue	Waste Code				
		Liquid	Aboveground Tank		Ambient		ADDITIVES	0%		
		Type			Temperature					
		Mixture	Days on Site: 365		Ambient					

Hazardous Materials And Wastes Inventory Matrix Report

CERS Business/Org.	ELK HILLS POWER, LLC	Chemical Location	CERS ID	10235623
Facility Name	ELK HILLS POWER, LLC	COMBUSTION TURBINE 1 AREA;CT UNIT 1 PECC	Facility ID	
	4026 SKYLINE RD, TUPMAN 93276		Status	Submitted on 2/8/2024 9:25 AM

DOT Code/Fire Haz. Class	Common Name	Unit	Quantities			Annual Waste Amount	Federal Hazard Categories	Hazardous Components (For mixture only)			
			Max. Daily	Largest Cont.	Avg. Daily			Component Name	% Wt	EHS	CAS No.
DOT: 8 - Corrosives (Liquids and Solids) Corrosive, Toxic, Explosive	LEAD ACID BATTERIES	Gallons	1450	25	1450		- Physical	ELECTROLYTE	16%	✓	7664-93-9
		State	Storage Container		Pressue		Explosive				
		Liquid	Other		Ambient		- Health	LEAD	77%	✓	7439-92-1
		Type			Temperature	792	Carcinogenicity	POLYPROPYLENE	6%		9003-07-0
		Mixture	Days on Site: 365		Ambient		- Health Acute		0%		
							Toxicity		0%		
							- Health				
							Reproductive				
							Toxicity				
							- Health Skin				
							Corrosion				
							Irritation				
							- Health Serious				
							Eye Damage Eye				
							Irritation				
							- Health Specific				
							Target Organ				
							Toxicity				

Hazardous Materials And Wastes Inventory Matrix Report

CERS Business/Org.	ELK HILLS POWER, LLC	Chemical Location	CERS ID	10235623
Facility Name	ELK HILLS POWER, LLC	COMBUSTION TURBINE 1 AREA;CT UNIT 1	Facility ID	
	4026 SKYLINE RD, TUPMAN 93276	TRANSFORMER	Status	Submitted on 2/8/2024 9:25 AM

DOT Code/Fire Haz. Class	Common Name	Unit	Quantities			Annual Waste Amount	Federal Hazard Categories	Hazardous Components (For mixture only)		
			Max. Daily	Largest Cont.	Avg. Daily			Component Name	% Wt	EHS CAS No.
DOT: 9 - Misc. Hazardous Materials	DIALA AX OIL	Gallons	4133	4133	4133	0	- Health	HIGHLY REFINED OIL	100%	MIXTURE
	CAS No	State	Storage Container		Pressue		Respiratory Skin	SEV HYDROTREAT LIGHT	60%	64742-53-6
	64742-53-6	Liquid	Aboveground Tank		Ambient	Waste Code	Sensitization	NAPHTHENIC DISTILLATE		
		Type			Temperature			HYDROTREATED MIDDLE	60%	64742-46-7
		Mixture	Days on Site: 365		Ambient			DISTILLATE		

Hazardous Materials And Wastes Inventory Matrix Report

CERS Business/Org. ELK HILLS POWER, LLC			Chemical Location				CERS ID	10235623		
Facility Name ELK HILLS POWER, LLC			COMBUSTION TURBINE 1 AREA;UNIT 1 CEMS				Facility ID			
4026 SKYLINE RD, TUPMAN 93276							Status	Submitted on 2/8/2024 9:25 AM		
DOT Code/Fire Haz. Class	Common Name	Unit	Quantities			Annual Waste Amount	Federal Hazard Categories	Hazardous Components (For mixture only)		
			Max. Daily	Largest Cont.	Avg. Daily			Component Name	% Wt	EHS CAS No.
DOT: 2.2 - Nonflammable Gases	CALIBRATION GAS, ZERO	Cu. Feet	1440	144	720		- Physical Gas	NITROGEN	79%	7727-37-9
	<u>CAS No</u>	<u>State</u>	<u>Storage Container</u>		<u>Pressue</u>	<u>Waste Code</u>	Under Pressure	OXYGEN	21%	7728-44-7
	7727-37-9	Gas	Cylinder		> Ambient				0%	
		<u>Type</u>			<u>Temperature</u>				0%	
		Mixture	Days on Site: 365		Ambient				0%	
DOT: 2.2 - Nonflammable Gases	CALIBRATION GAS, LOW RANGE	Cu. Feet	1440	144	720		- Physical Gas	NITRIC OXIDE	0%	10102-43-9
	<u>CAS No</u>	<u>State</u>	<u>Storage Container</u>		<u>Pressue</u>	<u>Waste Code</u>	Under Pressure	CARBON MONOXIDE	0%	630-08-0
	7727-37-9	Gas	Cylinder		> Ambient			NITROGEN	100%	7727-37-9
		<u>Type</u>			<u>Temperature</u>				0%	
		Mixture	Days on Site: 365		Ambient				0%	
DOT: 2.2 - Nonflammable Gases	CALIBRATION GAS, HIGH RANGE	Cu. Feet	1440	144	720		- Physical Gas	NITRIC OXIDE	0%	10102-43-9
	<u>CAS No</u>	<u>State</u>	<u>Storage Container</u>		<u>Pressue</u>	<u>Waste Code</u>	Under Pressure	CARBON MONOXIDE	0%	630-08-0
	7727-37-9	Gas	Cylinder		> Ambient			NITROGEN	100%	7727-37-9
		<u>Type</u>			<u>Temperature</u>				0%	
		Mixture	Days on Site: 365		Ambient				0%	

Hazardous Materials And Wastes Inventory Matrix Report

CERS Business/Org.	ELK HILLS POWER, LLC					Chemical Location	CERS ID 10235623				
Facility Name	ELK HILLS POWER, LLC					COMBUSTION TURBINE 2 AREA;CT UNIT 2			Facility ID		
	4026 SKYLINE RD, TUPMAN 93276						Status Submitted on 2/8/2024 9:25 AM				
						Annual Waste Amount	Federal Hazard Categories	Hazardous Components (For mixture only)			
DOT Code/Fire Haz. Class	Common Name	Unit	Max. Daily	Largest Cont.	Avg. Daily			Component Name	% Wt	EHS CAS No.	
DOT: 2.2 - Nonflammable Gases	COMPRESSED GAS - HELIUM	Cu. Feet	200	200	200		- Physical Gas				
	CAS No	State	Storage Container		Pressue	Waste Code	Under Pressure				
	7440-59-7	Gas	Cylinder		> Ambient						
		Type			Temperature						
		Pure	Days on Site: 365		Ambient						
DOT: 3 - Flammable and Combustible Liquids	TURBINE OIL	Gallons	6200	6200	6200		- Physical Flammable	PETROLEUM HYDROCARBONS	100%		
	CAS No	State	Storage Container		Pressue	Waste Code					
		Liquid	Aboveground Tank		Ambient			ADDITIVES	0%		
		Type			Temperature						
		Mixture	Days on Site: 365		Ambient						
DOT: 2.2 - Nonflammable Gases	CARBON DIOXIDE	Cu. Feet	105000	105000	105000		- Physical Gas				
	CAS No	State	Storage Container		Pressue	Waste Code	Under Pressure				
	124-38-9	Gas	Aboveground Tank		> Ambient		- Health Simple				
		Type			Temperature		Asphyxiant				
		Pure	Days on Site: 365		Ambient						

Hazardous Materials And Wastes Inventory Matrix Report

CERS Business/Org.	ELK HILLS POWER, LLC	Chemical Location	COMBUSTION TURBINE 2 AREA;CT UNIT 2 PECC	CERS ID	10235623
Facility Name	ELK HILLS POWER, LLC			Facility ID	
	4026 SKYLINE RD, TUPMAN 93276			Status	Submitted on 2/8/2024 9:25 AM

DOT Code/Fire Haz. Class	Common Name	Unit	Quantities			Annual Waste Amount	Federal Hazard Categories	Hazardous Components (For mixture only)			
			Max. Daily	Largest Cont.	Avg. Daily			Component Name	% Wt	EHS	CAS No.
DOT: 8 - Corrosives (Liquids and Solids) Corrosive, Toxic, Explosive	LEAD ACID BATTERIES	Gallons	1450	25	1450		- Physical	ELECTROLYTE	16%	✓	7664-93-9
	<u>CAS No</u>	<u>State</u>	<u>Storage Container</u>		<u>Pressue</u>		Explosive				
	<u>NA</u>	<u>Liquid</u>	<u>Other</u>		<u>Ambient</u>	<u>Waste Code</u>	- Health	LEAD	77%	✓	7439-92-1
		<u>Type</u>			<u>Temperature</u>	792	Carcinogenicity	POLYPROPYLENE	6%		9003-07-0
		<u>Mixture</u>	Days on Site: 365		<u>Ambient</u>		- Health Acute		0%		
							Toxicity		0%		
							- Health				
							Reproductive				
							Toxicity				
							- Health Skin				
							Corrosion				
							Irritation				
							- Health Serious				
							Eye Damage Eye				
							Irritation				
							- Health Specific				
							Target Organ				
							Toxicity				

Hazardous Materials And Wastes Inventory Matrix Report

CERS Business/Org.	ELK HILLS POWER, LLC	Chemical Location	CERS ID	10235623							
Facility Name	ELK HILLS POWER, LLC	COMBUSTION TURBINE 2 AREA;CT UNIT 2	Facility ID								
	4026 SKYLINE RD, TUPMAN 93276	TRANSFORMER	Status	Submitted on 2/8/2024 9:25 AM							
				Hazardous Components							
				(For mixture only)							
DOT Code/Fire Haz. Class	Common Name	Unit	Quantities	Annual Waste	Federal Hazard						
			Max. Daily	Largest Cont.	Avg. Daily	Amount	Categories	Component Name	% Wt	EHS	CAS No.
DOT: 9 - Misc. Hazardous	DIALA AX OIL	Gallons	4133	4133	4133		- Health	HIGHLY REFINED OIL	100%		MIXTURE
Materials		State	Storage Container		Pressue		Respiratory Skin				
	CAS No	Liquid	Aboveground Tank		Ambient	Waste Code	Sensitization	SEV HYDROTREAT LIGHT	60%		64742-53-6
	64742-53-6	Type			Temperature			NAPHTHENIC DISTILLATE			
		Mixture	Days on Site: 365		Ambient			HYDROTREATED MIDDLE	60%		64742-46-7
								DISTILLATE			
									0%		
									0%		

Hazardous Materials And Wastes Inventory Matrix Report

CERS Business/Org.	ELK HILLS POWER, LLC				Chemical Location		CERS ID	10235623			
Facility Name	ELK HILLS POWER, LLC				COMBUSTION TURBINE 2 AREA;UNIT 2 CEMS				Facility ID		
	4026 SKYLINE RD, TUPMAN 93276								Status	Submitted on 2/8/2024 9:25 AM	
						Annual Waste	Federal Hazard	Hazardous Components (For mixture only)			
DOT Code/Fire Haz. Class	Common Name	Unit	Quantities								
			Max. Daily	Largest Cont.	Avg. Daily	Amount	Categories	Component Name	% Wt	EHS	CAS No.
DOT: 2.2 - Nonflammable Gases	CALIBRATION GAS, ZERO	Cu. Feet	1440	144	720		- Physical Gas	NITROGEN	79%		7727-37-9
	CAS No	State	Storage Container		Pressue	Waste Code	Under Pressure	OXYGEN	21%		7728-44-7
	7727-37-9	Gas	Cylinder		> Ambient				0%		
		Type			Temperature				0%		
		Mixture	Days on Site: 365		Ambient				0%		
DOT: 2.2 - Nonflammable Gases	CALIBRATION GAS, HIGH RANGE	Cu. Feet	1440	144	720		- Physical Gas	NITRIC OXIDE	0%		10102-43-9
	CAS No	State	Storage Container		Pressue	Waste Code	Under Pressure	CARBON MONOXIDE	0%		630-08-0
	7727-37-9	Gas	Cylinder		> Ambient			NITROGEN	100%		7727-37-9
		Type			Temperature				0%		
		Mixture	Days on Site: 365		Ambient				0%		
DOT: 2.2 - Nonflammable Gases	CALIBRATION GAS, LOW RANGE	Cu. Feet	1440	144	720		- Physical Gas	NITRIC OXIDE	0%		10102-43-9
	CAS No	State	Storage Container		Pressue	Waste Code	Under Pressure	CARBON MONOXIDE	0%		630-08-0
	7727-37-9	Gas	Cylinder		> Ambient			NITROGEN	100%		7727-37-9
		Type			Temperature				0%		
		Mixture	Days on Site: 365		Ambient				0%		

Hazardous Materials And Wastes Inventory Matrix Report

CERS Business/Org.	ELK HILLS POWER, LLC	Chemical Location	CERS ID	10235623
Facility Name	ELK HILLS POWER, LLC	COOLING TOWER AREA	Facility ID	
	4026 SKYLINE RD, TUPMAN 93276		Status	Submitted on 2/8/2024 9:25 AM

DOT Code/Fire Haz. Class	Common Name	Unit	Quantities			Annual Waste Amount	Federal Hazard Categories	Hazardous Components (For mixture only)		
			Max. Daily	Largest Cont.	Avg. Daily			Component Name	% Wt	EHS CAS No.
	SCW4013 SCALE INHIBITOR	Gallons	250	250	200			NONE		
	CAS No	State	Storage Container		Pressue	Waste Code				
		Liquid	Tote Bin		Ambient					
		Type			Temperature					
		Mixture	Days on Site: 365		Ambient					
	STE22054A ANTISCALANT	Gallons	250	250	200					
	CAS No	State	Storage Container		Pressue	Waste Code				
		Liquid	Tote Bin		Ambient					
		Type			Temperature					
		Mixture	Days on Site: 180		Ambient					

Hazardous Materials And Wastes Inventory Matrix Report

CERS Business/Org. ELK HILLS POWER, LLC			Chemical Location				CERS ID	10235623		
Facility Name ELK HILLS POWER, LLC			COOLING TOWER CHEMICAL AREA				Facility ID			
4026 SKYLINE RD, TUPMAN 93276							Status	Submitted on 2/8/2024 9:25 AM		
DOT Code/Fire Haz. Class	Common Name	Unit	Quantities			Annual Waste Amount	Federal Hazard Categories	Hazardous Components (For mixture only)		
			Max. Daily	Largest Cont.	Avg. Daily			Component Name	% Wt	EHS CAS No.
DOT: 8 - Corrosives (Liquids and Solids) Corrosive, Oxidizing, Class 2	ARGO CHLOR	Gallons	3000	3000	600	0	- Physical	Sodium Hypochlorite	13%	7681-52-9
	CAS No	State	Storage Container		Pressue	Waste Code	Corrosive To	Sodium Hydroxide	0%	1310-73-2
	7681-52-9	Liquid	Aboveground Tank		Ambient		Metal			
		Type	Days on Site: 365		Temperature		- Health Skin			
		Mixture			Ambient		Corrosion			
							Irritation			
							- Health Serious			
							Eye Damage Eye			
							Irritation			
DOT: 8 - Corrosives (Liquids and Solids) Corrosive	NALCO 3D TRASAR 3DT487	Gallons	2000	2000	1200		- Health Skin	Phosphoric Acid	10%	7664-38-2
	CAS No	State	Storage Container		Pressue	Waste Code	Corrosion			
		Liquid	Aboveground Tank		Ambient		Irritation			
		Type	Days on Site: 365		Temperature		- Health Serious			
		Mixture			Ambient		Eye Damage Eye			
							Irritation			
							- Health Specific			
							Target Organ			
							Toxicity			
	NALCO 3D TRASAR 3DT157	Gallons	400	400	400					
	CAS No	State	Storage Container		Pressue	Waste Code				
		Liquid	Tote Bin		Ambient					
		Type	Days on Site: 365		Temperature					
		Mixture			Ambient					
DOT: 8 - Corrosives (Liquids and Solids) Corrosive	NALSPERSE 73550 - BIODETERGENT	Gallons	400	400	400		- Health Skin	NONIONIC ALKYL POLYGLYCOSIDE	60%	N/A
	CAS No	State	Storage Container		Pressue	Waste Code	Corrosion			
		Liquid	Tote Bin		Ambient		Irritation			
		Type	Days on Site: 365		Temperature		- Health Serious			
		Mixture			Ambient		Eye Damage Eye			
							Irritation			
DOT: 9 - Misc. Hazardous Materials	SODIUM CARBONATE (SODA ASH)	Pounds	50	50	50	0	- Health Skin			
	CAS No	State	Storage Container		Pressue	Waste Code	Corrosion			
	497-19-8	Solid	Plastic/Non-metalic Drum		Ambient		Irritation			
		Type	Days on Site: 365		Temperature		- Health Serious			
		Pure			Ambient		Eye Damage Eye			
							Irritation			

Hazardous Materials And Wastes Inventory Matrix Report

CERS Business/Org. ELK HILLS POWER, LLC			Chemical Location				CERS ID	10235623		
Facility Name ELK HILLS POWER, LLC			COOLING TOWER CHEMICAL AREA				Facility ID			
4026 SKYLINE RD, TUPMAN 93276							Status	Submitted on 2/8/2024 9:25 AM		
DOT Code/Fire Haz. Class	Common Name	Unit	Quantities			Annual Waste Amount	Federal Hazard Categories	Hazardous Components (For mixture only)		
			Max. Daily	Largest Cont.	Avg. Daily			Component Name	% Wt	EHS CAS No.
DOT: 8 - Corrosives (Liquids and Solids) Corrosive	SULFURIC ACID	Gallons	6000	6000	6000		- Physical	SULFURIC ACID	93%	7664-93-9
	<u>CAS No</u>	<u>State</u>	<u>Storage Container</u>		<u>Pressue</u>	<u>Waste Code</u>	Corrosive To			
	7664-93-9	Liquid	Aboveground Tank		Ambient		Metal			
		<u>Type</u>			<u>Temperature</u>		- Health			
		Pure	Days on Site: 365		Ambient		Carcinogenicity			
DOT: 8 - Corrosives (Liquids and Solids)	NALCO 90005 - MICROBIOCIDE	Gallons	110	225	110		- Physical	GLYCEROL	10%	56-81-5
	<u>CAS No</u>	<u>State</u>	<u>Storage Container</u>		<u>Pressue</u>	<u>Waste Code</u>	Corrosive To			
	5538-94-3	Liquid	Tote Bin		Ambient		Metal	DIMETHYL-DIOCTYL-AMMONIUM	60%	5538-94-3
		<u>Type</u>			<u>Temperature</u>			CHLORIDE		
		Mixture	Days on Site: 365		Ambient					

Hazardous Materials And Wastes Inventory Matrix Report

CERS Business/Org.	ELK HILLS POWER, LLC	Chemical Location	CERS ID	10235623
Facility Name	ELK HILLS POWER, LLC	COOLING TOWER CHEMICAL AREA; DEMIN BLDG	Facility ID	
	4026 SKYLINE RD, TUPMAN 93276		Status	Submitted on 2/8/2024 9:25 AM

DOT Code/Fire Haz. Class	Common Name	Unit	Quantities			Annual Waste Amount	Federal Hazard Categories	Hazardous Components (For mixture only)			
			Max. Daily	Largest Cont.	Avg. Daily			Component Name	% Wt	EHS	CAS No.
DOT: 5.1 - Oxidizing Substances	PURATE	Gallons	5300	6200	4000		- Physical Oxidizer	Sodium Chlorate	60%		7775-09-9
Oxidizing, Class 1, Corrosive	CAS No	State	Storage Container		Pressue	Waste Code		Hydrogen Peroxide	10%		7722-84-1
		Liquid	Tote Bin		Ambient		- Health Acute				
		Type			Temperature		Toxicity				
		Mixture	Days on Site: 365		Ambient		- Health Serious				
							Eye Damage Eye				
							Irritation				

Hazardous Materials And Wastes Inventory Matrix Report

CERS Business/Org.	ELK HILLS POWER, LLC	Chemical Location	CERS ID	10235623					
Facility Name	ELK HILLS POWER, LLC	COOLING TOWER PUMP AREA	Facility ID						
	4026 SKYLINE RD, TUPMAN 93276		Status	Submitted on 2/8/2024 9:25 AM					
		Hazardous Components (For mixture only)							
DOT Code/Fire Haz. Class	Common Name	Unit	Quantities	Annual Waste Amount	Federal Hazard Categories	Component Name	% Wt	EHS	CAS No.
DOT: 9 - Misc. Hazardous Materials	SCALE INHIBITOR	Gallons	200	250	200	- Health Serious	Organic phosphonate	10%	N/A
	CAS No	State	Storage Container	Pressue		Eye Damage Eye			
Flammable Liquid, Class I-A	N/A	Liquid	Aboveground Tank	Ambient	Waste Code	Irritation			
		Type		Temperature					
		Mixture	Days on Site: 365	Ambient					

Hazardous Materials And Wastes Inventory Matrix Report

CERS Business/Org.	ELK HILLS POWER, LLC	Chemical Location	CERS ID	10235623
Facility Name	ELK HILLS POWER, LLC	DEMIN BLDG	Facility ID	
	4026 SKYLINE RD, TUPMAN 93276		Status	Submitted on 2/8/2024 9:25 AM

DOT Code/Fire Haz. Class	Common Name	Unit	Quantities			Annual Waste Amount	Federal Hazard Categories	Hazardous Components (For mixture only)		
			Max. Daily	Largest Cont.	Avg. Daily			Component Name	% Wt	EHS CAS No.
	ACTIVATED ALUMINA	Pounds	2400	585	2400					
	CAS No	State	Storage Container		Pressue	Waste Code				
	1344-28-1	Solid	Steel Drum		Ambient					
		Type			Temperature					
		Pure	Days on Site: 365		Ambient					

Hazardous Materials And Wastes Inventory Matrix Report

CERS Business/Org.	ELK HILLS POWER, LLC	Chemical Location	10235623
Facility Name	ELK HILLS POWER, LLC	DEMINERALIZATION AREA;NEUTRALIZATION TANKS	Facility ID
	4026 SKYLINE RD, TUPMAN 93276		Status Submitted on 2/8/2024 9:25 AM

DOT Code/Fire Haz. Class	Common Name	Unit	Quantities			Annual Waste Amount	Federal Hazard Categories	Hazardous Components (For mixture only)		
			Max. Daily	Largest Cont.	Avg. Daily			Component Name	% Wt	EHS CAS No.
DOT: 9 - Misc. Hazardous Materials	WASTE WATER	Gallons	0	40000	0		- Physical Hazard	WASTEWATER	100%	
	<u>CAS No</u>	<u>State</u>	<u>Storage Container</u>		<u>Pressue</u>	<u>Waste Code</u>	Not Otherwise			
		<u>Liquid</u>	Aboveground Tank		<u>Ambient</u>		Classified			
		<u>Type</u>			<u>Temperature</u>		- Health Hazard			
		Mixture	Days on Site: 365		Ambient		Not Otherwise			
							Classified			
DOT: 8 - Corrosives (Liquids and Solids)	SULFURIC ACID	Gallons	0	6000	0		- Physical	SULFURIC ACID	93%	7664-93-9
	<u>CAS No</u>	<u>State</u>	<u>Storage Container</u>		<u>Pressue</u>	<u>Waste Code</u>	Corrosive To			
	7664-93-9	<u>Liquid</u>	Aboveground Tank		<u>Ambient</u>		Metal		0%	
	Corrosive, Toxic	<u>Type</u>			<u>Temperature</u>		- Health Acute		0%	
		Mixture	Days on Site: 0		Ambient		Toxicity		0%	
							- Health Skin			
							Corrosion			
							Irritation			
							- Health Serious			
							Eye Damage Eye			
							Irritation			
							- Health Specific			
							Target Organ			
							Toxicity			
DOT: 8 - Corrosives (Liquids and Solids)	CAUSTIC (SODIUM HYDROXIDE)	Gallons	0	6000	0		- Health Skin	SODIUM HYDROXIDE	50%	1310-73-2
	<u>CAS No</u>	<u>State</u>	<u>Storage Container</u>		<u>Pressue</u>	<u>Waste Code</u>	Corrosion			
	1310-73-2	<u>Liquid</u>	Aboveground Tank		<u>Ambient</u>		Irritation			
	Corrosive, Toxic	<u>Type</u>			<u>Temperature</u>		- Health Serious			
		Mixture	Days on Site: 0		Ambient		Eye Damage Eye			
							Irritation			

Hazardous Materials And Wastes Inventory Matrix Report

CERS Business/Org. ELK HILLS POWER, LLC			Chemical Location				CERS ID	10235623		
Facility Name ELK HILLS POWER, LLC			DEMINERALIZATION AREA;WATER TREATMENT BLD				Facility ID			
4026 SKYLINE RD, TUPMAN 93276							Status	Submitted on 2/8/2024 9:25 AM		
DOT Code/Fire Haz. Class	Common Name	Unit	Quantities			Annual Waste Amount	Federal Hazard Categories	Hazardous Components (For mixture only)		
			Max. Daily	Largest Cont.	Avg. Daily			Component Name	% Wt	EHS CAS No.
DOT: 8 - Corrosives (Liquids and Solids) Corrosive	SHINY-SIDE	Gallons	20	20	20		- Health Skin	SODIUM HYDROXIDE		1310-73-2
	<u>CAS No</u>	<u>State</u>	<u>Storage Container</u>		<u>Pressue</u>	<u>Waste Code</u>	Corrosion			
	1310-73-2	Liquid	Plastic/Non-metalic Drum		Ambient		Irritation	TETRASODIUM		
		<u>Type</u>			<u>Temperature</u>		- Health	ETHYLENEDIAMINETETRAACETATE		
		Mixture	Days on Site: 365		Ambient		Respiratory Skin Sensitization			
DOT: 8 - Corrosives (Liquids and Solids) Corrosive, Water Reactive, Class 1	SODIUM HYDROXIDE 25%	Gallons	110	55	110		- Health Skin	Sodium Hydroxide	10%	1310-73-2
	<u>CAS No</u>	<u>State</u>	<u>Storage Container</u>		<u>Pressue</u>	<u>Waste Code</u>	Corrosion			
	1310-73-2	Liquid	Plastic/Non-metalic Drum		Ambient		Irritation			
		<u>Type</u>			<u>Temperature</u>		- Health			
		Mixture	Days on Site: 365		Ambient		Respiratory Skin Sensitization			
DOT: 8 - Corrosives (Liquids and Solids) Toxic	NALCO 7408/ SODIUM BISULFITE	Gallons	400	400	400		- Health Acute Toxicity	SODIUM BISULFITE	60%	7631-90-5
	<u>CAS No</u>	<u>State</u>	<u>Storage Container</u>		<u>Pressue</u>	<u>Waste Code</u>				
	7613-90-5	Liquid	Tote Bin		Ambient			WATER	40%	7732-18-5
		<u>Type</u>			<u>Temperature</u>					
		Mixture	Days on Site: 365		Ambient					

Hazardous Materials And Wastes Inventory Matrix Report

CERS Business/Org.	ELK HILLS POWER, LLC				Chemical Location		CERS ID	10235623		
Facility Name	ELK HILLS POWER, LLC				DEMINERLIZATION AREA;WATER TREATMENT		Facility ID			
	4026 SKYLINE RD, TUPMAN 93276				BLD;WASTE PAD		Status	Submitted on 2/8/2024 9:25 AM		
DOT Code/Fire Haz. Class	Common Name	Unit	Quantities			Annual Waste Amount	Federal Hazard Categories	Hazardous Components (For mixture only)		
			Max. Daily	Largest Cont.	Avg. Daily			Component Name	% Wt	EHS CAS No.
DOT: 9 - Misc. Hazardous Materials	SODIUM CARBONATE (SODA ASH)	Pounds	50	50	50	0	- Health Skin Corrosion			
	CAS No	State	Storage Container		Pressue	Waste Code	Irritation			
	497-19-8	Solid	Plastic/Non-metalic Drum		Ambient		- Health Serious			
		Type			Temperature		Eye Damage Eye			
		Pure	Days on Site: 365		Ambient		Irritation			

Hazardous Materials And Wastes Inventory Matrix Report

CERS Business/Org.	ELK HILLS POWER, LLC	Chemical Location	CERS ID	10235623
Facility Name	ELK HILLS POWER, LLC	FIRE PUMP BUILDING	Facility ID	
	4026 SKYLINE RD, TUPMAN 93276		Status	Submitted on 2/8/2024 9:25 AM

DOT Code/Fire Haz. Class	Common Name	Unit	Quantities			Annual Waste Amount	Federal Hazard Categories	Hazardous Components (For mixture only)			
			Max. Daily	Largest Cont.	Avg. Daily			Component Name	% Wt	EHS	CAS No.
DOT: 3 - Flammable and Combustible Liquids	#2 DIESEL FUEL	Gallons	360	360	360		- Physical	DIESEL FUEL NO. 2	100%		68476-34-6
Combustible Liquid, Class III-A, Toxic	CAS No	State	Storage Container		Pressue	Waste Code	Flammable				
	68476-34-6	Liquid	Tank Inside Building		Ambient		- Health	MINERAL OIL MIST	0%		8012-95-1
		Type			Temperature		Carcinogenicity				
		Pure	Days on Site: 365		Ambient		- Health Acute				
							- Health Skin				
							Corrosion				
							Irritation				
							- Health Specific				
							Target Organ				
							Toxicity				
							- Health				
							Aspiration Hazard				

Hazardous Materials And Wastes Inventory Matrix Report

CERS Business/Org.	ELK HILLS POWER, LLC	Chemical Location				CERS ID	10235623
Facility Name	ELK HILLS POWER, LLC	GAS STORAGE				Facility ID	
	4026 SKYLINE RD, TUPMAN 93276					Status	Submitted on 2/8/2024 9:25 AM
						Hazardous Components (For mixture only)	
DOT Code/Fire Haz. Class	Common Name	Unit	Quantities		Annual Waste	Federal Hazard	
			Max. Daily	Largest Cont.	Avg. Daily	Categories	Component Name
DOT: 2.2 - Nonflammable Gases	CARBON DIOXIDE	Cu. Feet	105000	105000	105000	- Physical Gas	% Wt
	CAS No	State	Storage Container		Pressue	Waste Code	EHS
	124-38-9	Gas	Aboveground Tank		> Ambient	Under Pressure	CAS No.
		Type			Temperature		
		Pure	Days on Site: 365		Ambient		
DOT: 2.1 - Flammable Gases	HYDROGEN	Cu. Feet	120000	120000	120000	- Physical	
	CAS No	State	Storage Container		Pressue	Waste Code	Flammable
Flammable Gas	1333-74-0	Gas	Cylinder, Other		> Ambient		- Physical Gas
		Type			Temperature		Under Pressure
		Pure	Days on Site: 365		Ambient		

Hazardous Materials And Wastes Inventory Matrix Report

CERS Business/Org.	ELK HILLS POWER, LLC	Chemical Location	CERS ID	10235623
Facility Name	ELK HILLS POWER, LLC	MCC BATTERY ROOM	Facility ID	
	4026 SKYLINE RD, TUPMAN 93276		Status	Submitted on 2/8/2024 9:25 AM

DOT Code/Fire Haz. Class	Common Name	Unit	Quantities			Annual Waste Amount	Federal Hazard Categories	Hazardous Components (For mixture only)			
			Max. Daily	Largest Cont.	Avg. Daily			Component Name	% Wt	EHS	CAS No.
DOT: 8 - Corrosives (Liquids and Solids) Corrosive	LEAD ACID BATTERIES	Gallons	1500	25	1500		- Health Skin	ELECTROLYTE	16%	✓	7664-93-9
	CAS No	State	Storage Container		Pressue		Corrosion				
	NA	Liquid	Other		Ambient	Waste Code	Irritation	LEAD	77%	✓	7439-92-1
		Type			Temperature	792		POLYPROPYLENE	6%		9003-07-0
		Mixture	Days on Site: 365		Ambient						

Hazardous Materials And Wastes Inventory Matrix Report

CERS Business/Org.	ELK HILLS POWER, LLC	Chemical Location	CERS ID	10235623
Facility Name	ELK HILLS POWER, LLC	O/W SEPARATOR AREA	Facility ID	
	4026 SKYLINE RD, TUPMAN 93276		Status	Submitted on 2/8/2024 9:25 AM

DOT Code/Fire Haz. Class	Common Name	Unit	Quantities			Annual Waste Amount	Federal Hazard Categories	Hazardous Components (For mixture only)		
			Max. Daily	Largest Cont.	Avg. Daily			Component Name	% Wt	EHS CAS No.
DOT: 5.1 - Oxidizing Substances	LESLIES POWERPRO PLUS	Pounds	320	50	300	0	- Physical Oxidizer			
Oxidizing, Class 3, Water	<u>CAS No</u>	<u>State</u>	<u>Storage Container</u>		<u>Pressue</u>	<u>Waste Code</u>	- Health Skin			
Reactive, Class 1, Corrosive, 32	7778-54-3	Solid	Can		Ambient		Corrosion			
		<u>Type</u>			<u>Temperature</u>		Irritation			
		Pure	Days on Site: 365		Ambient		- Health Serious			
							Eye Damage Eye			
							Irritation			
	WETTING AGENT	Gallons	200	200	100		- Physical	Methanol	40%	67-56-1
Flammable Liquid, Class I-C, Toxic	<u>CAS No</u>	<u>State</u>	<u>Storage Container</u>		<u>Pressue</u>	<u>Waste Code</u>	Flammable	Oxyalkylated alkylphenol	20%	
	67-59-1	Liquid	Plastic/Non-metalic Drum		Ambient		- Health Acute			
		<u>Type</u>			<u>Temperature</u>		Toxicity			
		Mixture	Days on Site: 365		Ambient		- Health Serious			
							Eye Damage Eye			
							Irritation			
							- Health Specific			
							Target Organ			
							Toxicity			

Hazardous Materials And Wastes Inventory Matrix Report

CERS Business/Org.	ELK HILLS POWER, LLC	Chemical Location	CERS ID	10235623
Facility Name	ELK HILLS POWER, LLC	OFFSITE - 25A -18G WELL	Facility ID	
	4026 SKYLINE RD, TUPMAN 93276		Status	Submitted on 2/8/2024 9:25 AM

DOT Code/Fire Haz. Class	Common Name	Unit	Quantities			Annual Waste Amount	Federal Hazard Categories	Hazardous Components (For mixture only)			
			Max. Daily	Largest Cont.	Avg. Daily			Component Name	% Wt	EHS	CAS No.
Corrosive, Toxic	NALCO STABREX ST70	Gallons	55	55	40		- Health Acute	Sodium Bromide	9%		7647-15-6
	CAS No	State	Storage Container		Pressue	Waste Code	Toxicity	Sodium Hypochlorite	6%		7681-52-9
	7647-15-6	Liquid	Plastic/Non-metalic Drum		Ambient		- Health Skin	Sodium Chloride	5%		7647-14-5
		Type			Temperature		Corrosion	Sodium Hydroxide	5%		1310-73-2
		Mixture	Days on Site: 365		Ambient		Irritation				
							- Health Serious				
							Eye Damage Eye				
							Irritation				

Hazardous Materials And Wastes Inventory Matrix Report

CERS Business/Org.	ELK HILLS POWER, LLC	Chemical Location	CERS ID	10235623
Facility Name	ELK HILLS POWER, LLC	OIL STORAGE AREA;FUEL/OIL STORAGE	Facility ID	
	4026 SKYLINE RD, TUPMAN 93276		Status	Submitted on 2/8/2024 9:25 AM

DOT Code/Fire Haz. Class	Common Name	Unit	Quantities			Annual Waste Amount	Federal Hazard Categories	Hazardous Components (For mixture only)		
			Max. Daily	Largest Cont.	Avg. Daily			Component Name	% Wt	EHS CAS No.
DOT: 9 - Misc. Hazardous Materials	ALKALINE DETERGENT-DUO POWER CAS No 7758-29-4	Gallons	30	30	30	0	- Health Skin	SODIUM TRIPOLYPHOSPHATE		7758-29-4
		<u>State</u>	<u>Storage Container</u>		<u>Pressue</u>	<u>Waste Code</u>	Corrosion			
		<u>Liquid</u>	Plastic/Non-metalic Drum		<u>Ambient</u>		Irritation	SODIUM XYLENE SULFONATE		1300-72-7
		<u>Type</u>			<u>Temperature</u>		- Health	DODECYL BENZENE SULFONATE		1886-81-3
DOT: 9 - Misc. Hazardous Materials	FIRE RESISTANT HYDRAULIC FLUID CAS No 25155-23-1	Mixture	Days on Site: 365		Ambient		Respiratory Skin Sensitization			
							- Health Serious			
							Eye Damage Eye Irritation			
DOT: 9 - Misc. Hazardous Materials	FIRE RESISTANT HYDRAULIC FLUID CAS No 25155-23-1	Gallons	55	55	55		- Physical Hazard	TRIXYLPHOSPHATE	50%	25155-23-1
		<u>State</u>	<u>Storage Container</u>		<u>Pressue</u>	<u>Waste Code</u>	Not Otherwise			
		<u>Liquid</u>	Steel Drum		<u>Ambient</u>		Classified	T-BUTYLPHENYL DIPHENYL PHOSPHATE	21%	56803-37-3
		<u>Type</u>			<u>Temperature</u>		- Health Hazard	BIS(T-BUTYLPHENYL) PHENYL PHOSPHATE	21%	65652-41-7
DOT: 3 - Flammable and Combustible Liquids	DTE OIL/LUBE OILS/GEAR OILS CAS No 64742-53-6	Mixture	Days on Site: 365		Ambient		Not Otherwise	TRIPHENYL PHOSPHATE	15%	115-86-6
							Classified	TRI(T-BUTYLPHENYL) PHOSPHATE	9%	78-33-1
								HIGHLY REFINED OIL	100%	MIXTURE
DOT: 3 - Flammable and Combustible Liquids	DTE OIL/LUBE OILS/GEAR OILS CAS No 64742-53-6	Gallons	550	55	550	0	- Physical Flammable	SEV HYDROTREAT LIGHT NAPHTHENIC DISTILLATE	60%	64742-53-6
		<u>State</u>	<u>Storage Container</u>		<u>Pressue</u>	<u>Waste Code</u>		HYDROTREATED MIDDLE DISTILLATE	60%	64742-46-7
		<u>Liquid</u>	Steel Drum, Can		<u>Ambient</u>					
		<u>Type</u>			<u>Temperature</u>					
DOT: 3 - Flammable and Combustible Liquids	#2 DIESEL FUEL CAS No 68476-34-6	Mixture	Days on Site: 365		Ambient					
DOT: 3 - Flammable and Combustible Liquid, Class II, Toxic	#2 DIESEL FUEL CAS No 68476-34-6	Gallons	165	55	55		- Physical Flammable	DEISEL FUEL NO. 2	100%	68476-34-6
		<u>State</u>	<u>Storage Container</u>		<u>Pressue</u>	<u>Waste Code</u>	- Health	MINERAL OIL MIST	0%	8012-95-1
		<u>Liquid</u>	Steel Drum		<u>Ambient</u>		Carcinogenicity			
		<u>Type</u>			<u>Temperature</u>		- Health Acute Toxicity			
DOT: 3 - Flammable and Combustible Liquid, Class II, Toxic	#2 DIESEL FUEL CAS No 68476-34-6	Pure	Days on Site: 365		Ambient		- Health Skin Corrosion			
							Irritation			
							- Health Specific Target Organ Toxicity			
							- Health Aspiration Hazard			

Hazardous Materials And Wastes Inventory Matrix Report

CERS Business/Org.	ELK HILLS POWER, LLC				Chemical Location	RO UNIT AREA/Water Treatment Building			CERS ID	10235623			
Facility Name	ELK HILLS POWER, LLC								Facility ID				
	4026 SKYLINE RD, TUPMAN 93276								Status	Submitted on 2/8/2024 9:25 AM			
					Quantities		Annual Waste	Federal Hazard	Hazardous Components				
DOT Code/Fire Haz. Class		Common Name	Unit	Max. Daily	Largest Cont.	Avg. Daily	Amount	Categories	Component Name		% Wt	EHS	CAS No.
DOT: 8 - Corrosives (Liquids and Solids)		HYPERSPERSE MSI410 - ANTISCALANT	Gallons	600	55	300		- Health Skin	PHOSPHONIC ACID DERIVATIVE				TSRN 125438 - 6
			State	Storage Container		Pressue		Corrosion					
			Liquid	Plastic/Non-metalic Drum		Ambient	Waste Code	Irritation					
Corrosive			CAS No	Type		Temperature		- Health Serious					
		7647-01-0	Mixture	Days on Site: 366		Ambient		Eye Damage Eye					
								Irritation					
								- Health Specific					
								Target Organ					
								Toxicity					

Hazardous Materials And Wastes Inventory Matrix Report

CERS Business/Org. ELK HILLS POWER, LLC		Chemical Location				CERS ID 10235623				
Facility Name ELK HILLS POWER, LLC		SAMPLE BUILDING				Facility ID				
4026 SKYLINE RD, TUPMAN 93276						Status Submitted on 2/8/2024 9:25 AM				
					Annual Waste Amount	Federal Hazard Categories	Hazardous Components (For mixture only)			
DOT Code/Fire Haz. Class	Common Name	Unit	Max. Daily	Largest Cont.	Avg. Daily			Component Name	% Wt	EHS CAS No.
DOT: 9 - Misc. Hazardous Materials	PHOSPHATE	Gallons	55	55	55		- Physical Hazard	SODIUM TRIPOLYPHOSPHATE	5%	7758-29-4
	CAS No	State	Storage Container		Pressue		Not Otherwise			
	7758-29-4	Liquid	Steel Drum		Ambient	Waste Code	Classified			
		Type			Temperature		- Health Hazard			
		Mixture	Days on Site: 365		Ambient		Not Otherwise	Classified		
DOT: 8 - Corrosives (Liquids and Solids)	NALCO BT-4000 - SODIUM HYDROXIDE	Gallons	400	400	400		- Health Skin	SODIUM HYDROXIDE	5%	1310-73-2
	CAS No	State	Storage Container		Pressue		Corrosion			
	1310-73-2	Liquid	Tote Bin		Ambient	Waste Code	Irritation			
		Type			Temperature		- Health Serious			
Corrosive, Toxic		Mixture	Days on Site: 365		Ambient		Eye Damage Eye Irritation			

Hazardous Materials And Wastes Inventory Matrix Report

CERS Business/Org.	ELK HILLS POWER, LLC	Chemical Location	CERS ID	10235623
Facility Name	ELK HILLS POWER, LLC	SAMPLE BUILDING and COOLING TOWER	Facility ID	
	4026 SKYLINE RD, TUPMAN 93276		Status	Submitted on 2/8/2024 9:25 AM

DOT Code/Fire Haz. Class	Common Name	Unit	Quantities			Annual Waste Amount	Federal Hazard Categories	Hazardous Components (For mixture only)			
			Max. Daily	Largest Cont.	Avg. Daily			Component Name	% Wt	EHS	CAS No.
DOT: 8 - Corrosives (Liquids and Solids)	NALCO 5711 - AMINE	Gallons	400	400	250		- Health Acute	AMMONIA	10%	✓	7664-41-7
	CAS No	State	Storage Container		Pressue		Toxicity				
	2516-34-9	Liquid	Tote Bin		Ambient	Waste Code	- Health Skin	MONOETHANOLAMINE	5%		141-43-5
	Toxic, Corrosive	Type			Temperature		Corrosion		0%		
		Mixture	Days on Site: 365		Ambient		Irritation		0%		
							- Health Serious		0%		
							Eye Damage Eye				
							Irritation				

Hazardous Materials And Wastes Inventory Matrix Report

CERS Business/Org.	ELK HILLS POWER, LLC	Chemical Location	CERS ID	10235623
Facility Name	ELK HILLS POWER, LLC	SAMPLE BUILDING;OIL STORAGE AREA	Facility ID	
	4026 SKYLINE RD, TUPMAN 93276		Status	Submitted on 2/8/2024 9:25 AM

						Hazardous Components (For mixture only)					
DOT Code/Fire Haz. Class	Common Name	Unit	Quantities			Annual Waste Amount	Federal Hazard Categories				
			Max. Daily	Largest Cont.	Avg. Daily			Component Name	% Wt	EHS	CAS No.
DOT: 8 - Corrosives (Liquids and Solids)	NALCO TRASAR TRACT 101	Gallons	450	450	400	Waste Code	- Health Acute Toxicity	Sodium Nitrite	30%		7632-00-0
		State	Storage Container				Pressue				
Corrosive	CAS No	Liquid	Plastic/Non-metalic Drum, Tote			Ambient	- Health Skin Corrosion	Sodium Molybdate	10%		7631-95-0
		Type	Bin			Temperature		Substituted Triazole	5%		
		Mixture	Days on Site: 365			Ambient	Irritation				
							- Health Serious Eye Damage Eye Irritation				
							- Health Specific Target Organ Toxicity				

Hazardous Materials And Wastes Inventory Matrix Report

CERS Business/Org. ELK HILLS POWER, LLC			Chemical Location				CERS ID	10235623		
Facility Name ELK HILLS POWER, LLC			STEAM TURBINE AREA				Facility ID			
4026 SKYLINE RD, TUPMAN 93276							Status	Submitted on 2/8/2024 9:25 AM		
DOT Code/Fire Haz. Class	Common Name	Unit	Quantities			Annual Waste Amount	Federal Hazard Categories	Hazardous Components (For mixture only)		
			Max. Daily	Largest Cont.	Avg. Daily			Component Name	% Wt	EHS CAS No.
DOT: 2.2 - Nonflammable Gases	COMPRESSED GAS - HELIUM	Cu. Feet	200	200	200		- Physical Gas			
	<u>CAS No</u>	<u>State</u>	<u>Storage Container</u>		<u>Pressue</u>	<u>Waste Code</u>	Under Pressure			
	7440-59-7	Gas	Cylinder		> Ambient					
		<u>Type</u>			<u>Temperature</u>					
		Pure	Days on Site: 365		Ambient					
DOT: 3 - Flammable and Combustible Liquids	TURBINE OIL	Gallons	4300	4300	4300		- Physical Flammable	PETROLEUM HYDROCARBONS	100%	
	<u>CAS No</u>	<u>State</u>	<u>Storage Container</u>		<u>Pressue</u>	<u>Waste Code</u>		ADDITIVES	0%	
		Liquid	Aboveground Tank		Ambient					
		<u>Type</u>			<u>Temperature</u>					
		Mixture	Days on Site: 365		Ambient					
DOT: 9 - Misc. Hazardous Materials	FIRE RESISTANT HYDRAULIC FLUID	Gallons	135	135	110		- Physical Hazard Not Otherwise Classified	TRIXYL PHOSPHATE	50%	25155-23-1
	<u>CAS No</u>	<u>State</u>	<u>Storage Container</u>		<u>Pressue</u>	<u>Waste Code</u>	Classified	T-BUTYLPHENYL DIPHENYL PHOSPHATE	21%	56803-37-3
	25155-23-1	Liquid	Aboveground Tank		Ambient		- Health Hazard Not Otherwise Classified	BIS(T-BUTYLPHENYL) PHENYL PHOSPHATE	21%	65652-41-7
		<u>Type</u>			<u>Temperature</u>			TRIPHENYL PHOSPHATE	15%	115-86-6
		Mixture	Days on Site: 365		Ambient			TRI(T-BUTYLPHENYL) PHOSPHATE	9%	78-33-1

Hazardous Materials And Wastes Inventory Matrix Report

CERS Business/Org.	ELK HILLS POWER, LLC	Chemical Location	CERS ID	10235623
Facility Name	ELK HILLS POWER, LLC	STEAM TURBINE AREA;ST TRANSFORMER	Facility ID	
	4026 SKYLINE RD, TUPMAN 93276		Status	Submitted on 2/8/2024 9:25 AM

DOT Code/Fire Haz. Class	Common Name	Unit	Quantities			Annual Waste Amount	Federal Hazard Categories	Hazardous Components (For mixture only)		
			Max. Daily	Largest Cont.	Avg. Daily			Component Name	% Wt	EHS CAS No.
DOT: 9 - Misc. Hazardous Materials	DIALA AX OIL	Gallons	4133	4133	4133		- Health	HIGHLY REFINED OIL	100%	MIXTURE
	CAS No	State	Storage Container		Pressue		Respiratory Skin	SEV HYDROTREAT LIGHT	60%	64742-53-6
	64742-53-6	Liquid	Aboveground Tank		Ambient	Waste Code	Sensitization	NAPHTHENIC DISTILLATE		
		Type			Temperature			HYDDROTREATED MIDDLE	60%	64742-46-7
		Mixture	Days on Site: 365		Ambient			DISTILLATE	0%	
									0%	

Hazardous Materials And Wastes Inventory Matrix Report

CERS Business/Org.	ELK HILLS POWER, LLC	Chemical Location				CERS ID	10235623			
Facility Name	ELK HILLS POWER, LLC	SWITCH YARD				Facility ID				
	4026 SKYLINE RD, TUPMAN 93276					Status	Submitted on 2/8/2024 9:25 AM			
						Hazardous Components (For mixture only)				
DOT Code/Fire Haz. Class	Common Name	Unit	Quantities			Annual Waste Amount	Federal Hazard Categories	Component Name	% Wt	EHS CAS No.
			Max. Daily	Largest Cont.	Avg. Daily					
DOT: 2.2 - Nonflammable Gases	SULFUR HEXAFLUORIDE	Cu. Feet	400	200	400		- Physical Gas	Sulfur Hexafluoride	100%	2551-62-4
	CAS No	State	Storage Container		Pressue	Waste Code	Under Pressure			
	2551-62-4	Gas	Cylinder		> Ambient		- Health Simple			
		Type			Temperature		Asphyxiant			
		Pure	Days on Site: 365		Ambient					

Hazardous Materials And Wastes Inventory Matrix Report

CERS Business/Org.	ELK HILLS POWER, LLC	Chemical Location	CERS ID	10235623
Facility Name	ELK HILLS POWER, LLC	SWITCHYARD BLDG	Facility ID	
	4026 SKYLINE RD, TUPMAN 93276		Status	Submitted on 2/8/2024 9:25 AM

DOT Code/Fire Haz. Class	Common Name	Unit	Quantities			Annual Waste Amount	Federal Hazard Categories	Hazardous Components (For mixture only)			
			Max. Daily	Largest Cont.	Avg. Daily			Component Name	% Wt	EHS	CAS No.
DOT: 8 - Corrosives (Liquids and Solids)	LEAD ACID BATTERIES	Gallons	600	15	600		- Physical	ELECTROLYTE	16%	✓	7664-93-9
		State	Storage Container		Pressue		Explosive				
Corrosive, Toxic, Explosive	CAS No	Liquid	Other		Ambient	Waste Code	- Health	LEAD	77%	✓	7439-92-1
	NA	Type			Temperature	792	Carcinogenicity	POLYPROPYLENE	6%		9003-07-0
		Mixture	Days on Site: 365		Ambient		- Health Acute		0%		
							Toxicity		0%		
							- Health				
							Reproductive				
							Toxicity				
							- Health Skin				
							Corrosion				
							Irritation				
							- Health Serious				
							Eye Damage Eye				
							Irritation				
							- Health Specific				
							Target Organ				
							Toxicity				

Hazardous Materials And Wastes Inventory Matrix Report

CERS Business/Org.	ELK HILLS POWER, LLC				Chemical Location	CERS ID 10235623				
Facility Name	ELK HILLS POWER, LLC				WAREHOUSE EAST YARD	Facility ID				
	4026 SKYLINE RD, TUPMAN 93276					Status Submitted on 2/8/2024 9:25 AM				
								Hazardous Components (For mixture only)		
DOT Code/Fire Haz. Class	Common Name	Unit	Max. Daily	Largest Cont.	Avg. Daily	Annual Waste Amount	Federal Hazard Categories	Component Name	% Wt	EHS CAS No.
DOT: 2.1 - Flammable Gases	COMPRESSED GAS - ACETYLENE	Cu. Feet	300	144	144		- Physical			
Unstable (Reactive), Class 2, Flammable Gas	CAS No 74-86-2	State Gas Type Pure	Storage Container Cylinder		Pressue Ambient Temperature Ambient	Waste Code	Flammable Under Pressure			
DOT: 2.2 - Nonflammable Gases	COMPRESSED GAS - NITROGEN	Cu. Feet	2000	200	1000		- Physical Gas Under Pressure			
	CAS No 7727-37-9	State Gas Type Pure	Storage Container Cylinder		Pressue > Ambient Temperature Ambient	Waste Code				
DOT: 2.1 - Flammable Gases	COMPRESSED GAS - CARBON MONOXIDE	Cu. Feet	200	100	200		- Physical Gas Under Pressure			
Flammable Gas	CAS No 630-08-0	State Gas Type Pure	Storage Container Cylinder		Pressue > Ambient Temperature Ambient	Waste Code	- Health Acute Toxicity - Health Reproductive Toxicity - Health Specific Target Organ Toxicity - Health Simple Asphyxiant			
DOT: 2.1 - Flammable Gases	COMPRESSED GAS - HYDROGEN	Cu. Feet	400	200	300		- Physical Flammable			
Flammable Gas	CAS No 1333-74-0	State Gas Type Pure	Storage Container Cylinder		Pressue > Ambient Temperature Ambient	Waste Code	- Physical Gas Under Pressure			
DOT: 2.1 - Flammable Gases	PROPANE - LIQUEFIED PETROLEUM GAS	Cu. Feet	1200	150	900		- Physical Flammable	Liquefied Petroleum Gas (lpg)	100%	74-98-6
Flammable Gas	CAS No 74-98-6	State Gas Type Pure	Storage Container Cylinder		Pressue Ambient Temperature Ambient	Waste Code	- Physical Gas Under Pressure			
DOT: 2.2 - Nonflammable Gases	COMPRESSED GAS - HELIUM	Cu. Feet	3000	400	2000		- Physical Gas Under Pressure			
	CAS No 7440-59-7	State Gas Type Pure	Storage Container Cylinder		Pressue > Ambient Temperature Ambient	Waste Code				
DOT: 2.2 - Nonflammable Gases	CALIBRATION GAS, ZERO	Cu. Feet	1440	144	720	0	- Physical Gas Under Pressure	NITROGEN OXYGEN	79% 21% 0% 0%	7727-37-9 7728-44-7
	CAS No 7727-37-9	State Gas Type Mixture	Storage Container Cylinder		Pressue > Ambient Temperature Ambient	Waste Code				

Hazardous Materials And Wastes Inventory Matrix Report

CERS Business/Org. ELK HILLS POWER, LLC			Chemical Location				CERS ID 10235623			
Facility Name ELK HILLS POWER, LLC			WAREHOUSE EAST YARD				Facility ID			
4026 SKYLINE RD, TUPMAN 93276							Status Submitted on 2/8/2024 9:25 AM			
DOT Code/Fire Haz. Class	Common Name	Unit	Quantities			Annual Waste Amount	Federal Hazard Categories	Hazardous Components (For mixture only)		
			Max. Daily	Largest Cont.	Avg. Daily			Component Name	% Wt	EHS CAS No.
DOT: 2.2 - Nonflammable Gases	CALIBRATION GAS, LOW RANGE	Cu. Feet	1440	144	720	0	- Physical Gas	NITRIC OXIDE	0%	10102-43-9
		<u>State</u>	<u>Storage Container</u>		<u>Pressue</u>	<u>Waste Code</u>	Under Pressure	CARBON MONOXIDE	0%	630-08-0
		<u>Gas</u>	Cylinder		> Ambient			NITROGEN	100%	7727-37-9
		<u>Type</u>			<u>Temperature</u>				0%	
		<u>Mixture</u>	Days on Site: 365		Ambient				0%	
DOT: 2.2 - Nonflammable Gases	CALIBRATION GAS, HIGH RANGE	Cu. Feet	1440	144	720	0	- Physical Gas	NITRIC OXIDE	0%	10102-43-9
		<u>State</u>	<u>Storage Container</u>		<u>Pressue</u>	<u>Waste Code</u>	Under Pressure	CARBON MONOXIDE	0%	630-08-0
		<u>Gas</u>	Cylinder		> Ambient			NITROGEN	100%	7727-37-9
		<u>Type</u>			<u>Temperature</u>				0%	
		<u>Mixture</u>	Days on Site: 365		Ambient				0%	
DOT: 2.2 - Nonflammable Gases Oxidizing, Class 2	OXYGEN	Cu. Feet	1000	250	250		- Physical Oxidizer			
		<u>State</u>	<u>Storage Container</u>		<u>Pressue</u>	<u>Waste Code</u>				
		<u>Gas</u>	Cylinder		> Ambient					
		<u>Type</u>			<u>Temperature</u>					
		<u>Pure</u>	Days on Site: 365		Ambient					

Hazardous Materials And Wastes Inventory Matrix Report

CERS Business/Org.	ELK HILLS POWER, LLC		Chemical Location			CERS ID	10235623				
Facility Name	ELK HILLS POWER, LLC		WAREHOUSE EAST YARD; WELDING CART			Facility ID					
	4026 SKYLINE RD, TUPMAN 93276					Status	Submitted on 2/8/2024 9:25 AM				
			Quantities			Annual Waste	Hazardous Components				
						Federal Hazard	(For mixture only)				
DOT Code/Fire Haz. Class	Common Name	Unit	Max. Daily	Largest Cont.	Avg. Daily	Amount	Categories	Component Name	% Wt	EHS	CAS No.
DOT: 2.1 - Flammable Gases	COMPRESSED GAS - ACETYLENE	Cu. Feet	1440	1440	1440		- Physical				
Flammable Gas	CAS No	State	Storage Container		Pressue	Waste Code	Flammable				
	74-86-2	Gas	Cylinder		> Ambient		- Physical Gas				
		Type			Temperature		Under Pressure				
		Pure	Days on Site: 365		Ambient						
DOT: 5.1 - Oxidizing Substances	COMPRESSED GAS - OXYGEN	Cu. Feet	1440	1440	1440		- Physical Gas				
	CAS No	State	Storage Container		Pressue	Waste Code	Under Pressure				
	7782-44-7	Gas	Cylinder		> Ambient						
		Type			Temperature						
		Pure	Days on Site: 365		Ambient						

Hazardous Materials And Wastes Inventory Matrix Report

CERS Business/Org.	ELK HILLS POWER, LLC					Chemical Location		CERS ID	10235623			
Facility Name	ELK HILLS POWER, LLC					WASTE PAD AREA				Facility ID		
	4026 SKYLINE RD, TUPMAN 93276									Status	Submitted on 2/8/2024 9:25 AM	
						Annual Waste Amount	Federal Hazard Categories	Hazardous Components (For mixture only)				
DOT Code/Fire Haz. Class	Common Name	Unit	Max. Daily	Largest Cont.	Avg. Daily			Component Name	% Wt	EHS	CAS No.	
DOT: 9 - Misc. Hazardous Materials	MIXED LAMPS	Pounds	500	200	100		- Physical Hazard	FLUORESCENT	50%			
	CAS No	State	Storage Container		Pressue	Waste Code	- Not Otherwise					
		Solid	Box		Ambient		- Health Hazard	HIGH PRESSURE SODIUM	50%			
		Type			Temperature		- Not Otherwise					
		Waste	Days on Site: 365		Ambient		Classified					
DOT: 3 - Flammable and Combustible Liquids	MIXED AEROSOLS	Pounds	220	55	55	220	- Physical	MIXED AEROSOLS	100%			
	CAS No	State	Storage Container		Pressue	Waste Code	- Flammable					
		Solid	Steel Drum		Ambient							
		Type			Temperature							
		Waste	Days on Site: 365		Ambient							
DOT: 4.1 - Flammable Solids	USED OIL FILTERS	Pounds	1400	350	350	1100	- Physical	Waste Petroleum Hydrocarbons	100%		Mixture	
	CAS No	State	Storage Container		Pressue	Waste Code	- Flammable					
		Solid	Steel Drum		Ambient							
		Type			Temperature							
		Waste	Days on Site: 365		Ambient							
DOT: 9 - Misc. Hazardous Materials	WASTE MIXED OILY SOLIDS	Pounds	2500	2000	500	2000	- Physical	OILY SOLIDS	100%		MIXTURE	
	CAS No	State	Storage Container		Pressue	Waste Code	- Flammable					
		Solid	Box		Ambient		- Health Hazard					
		Type			Temperature		- Not Otherwise					
		Waste	Days on Site: 365		Ambient		Classified					
DOT: 3 - Flammable and Combustible Liquids	USED OIL	Gallons	550	550	100	550	- Physical	HIGHLY REFINED OIL	100%		MIXTURE	
	CAS No	State	Storage Container		Pressue	Waste Code	- Flammable					
		Liquid	Aboveground Tank, Steel Drum		Ambient			SEV HYDROTREAT LIGHT	60%	64742-53-6		
		Type			Temperature			NAPHTHENIC DISTILLATE				
		Waste	Days on Site: 365		Ambient		HYDROTREATED MIDDLE DISTILLATE	60%		64742-46-7		

Facility/Site

ELK HILLS POWER, LLC

4026 SKYLINE RD
TUPMAN, CA 93276

CERS ID

10235623

CAR000108498

Submittal Status

Submitted on 2/8/2024 by *Sonnie Pineda* of ELK HILLS POWER, LLC (TUPMAN, CA)Submittal was **Accepted**; Processed on 4/16/2024 by *Mahinan, Melecio* for Kern County Environmental Health Services Department

APSA Facility Information

Conditionally Exempt APSA Tank Facility

N

Date Of SPCC Plan Certification or Date of 5-Year Review

3/20/2023

Total Aboveground Storage Capacity of
Petroleum

Number of Tanks in Underground Area(s)

37210

0

KEY ENERGY SERVICES CALIF - TUPMAN (CERSID: 10237339)**Facility Information Accepted Aug 10, 2018**

Submitted on 8/6/2018 11:55:59 AM by *Nicole Gloria* of KEY ENERGY SERVICES CALIF INC (BAKERSFIELD, CA)
Submittal was **Accepted** on 8/10/2018 10:57:58 AM by FUNK, LAUREL D

- Business Activities
- Business Owner/Operator Identification

Site Identification

KEY ENERGY SERVICES CALIF - TUPMAN

28590 HIGHWAY 119

TUPMAN, CA 93268

County

Kern

CERS ID

10237339

EPA ID Number

CAL000332027

Submittal Status

Submitted on 8/6/2018 by *Nicole Gloria* of KEY ENERGY SERVICES CALIF INC (BAKERSFIELD, CA)Submittal was **Accepted**; Processed on 8/10/2018 by *FUNK, LAUREL D* for Kern County Environmental Health Services Department

Hazardous Materials

Does your facility have on site (for any purpose) at any one time, hazardous materials at or above 55 gallons for liquids, 500 pounds for solids, or 200 cubic feet for compressed gases (include liquids in ASTs and USTs); or is regulated under more restrictive inventory local reporting requirements (shown below if present); or the applicable Federal threshold quantity for an extremely hazardous substance specified in 40 CFR Part 355, Appendix A or B; or handle radiological materials in quantities for which an emergency plan is required pursuant to 10 CFR Parts 30, 40 or 70?

No

Underground Storage Tank(s) (UST)

Does your facility own or operate underground storage tanks?

No

Hazardous Waste

Is your facility a Hazardous Waste Generator?

No

Does your facility treat hazardous waste on-site?

No

Is your facility's treatment subject to financial assurance requirements (for Permit by Rule and Conditional Authorization)?

No

Does your facility consolidate hazardous waste generated at a remote site?

No

Does your facility need to report the closure/removal of a tank that was classified as hazardous waste and cleaned on-site?

No

Does your facility generate in any single calendar month 1,000 kilograms (kg) (2,200 pounds) or more of federal RCRA hazardous waste, or generate in any single calendar month greater than 1 kg (2.2 pounds) of RCRA acute hazardous waste; or generate more than 100 kg (220 pounds) of spill cleanup materials contaminated with RCRA acute hazardous waste.

No

Is your facility a Household Hazardous Waste (HHW) Collection site?

No

Excluded and/or Exempted Materials

Does your facility recycle more than 100 kg/month of excluded or exempted recyclable materials (per HSC 25143.2)?

No

Aboveground Petroleum Storage

Does your facility own or operate aboveground petroleum storage tanks or containers AND:

* have a total aboveground petroleum storage capacity of 1,320 gallons or more, OR

* have one or more petroleum tanks in an underground area?

No

Regulated Substances

Does your facility have Regulated Substances stored onsite in quantities greater than the threshold quantities established by the California Accidental Release prevention Program (CalARP)?

No

Additional Information

Material no longer at facility no longer rented by Key

Facility/Site

KEY ENERGY SERVICES CALIF - TUPMAN

28590 HIGHWAY 119

TUPMAN, CA 93268

CERS ID

10237339

Submittal Status

Submitted on 8/6/2018 by *Nicole Gloria* of KEY ENERGY SERVICES CALIF INC (BAKERSFIELD, CA)Submittal was **Accepted**; Processed on 8/10/2018 by *FUNK, LAUREL D* for Kern County Environmental Health Services Department

Identification

Key Energy Services, LLC

Operator Phone

(661) 334-8177

Business Phone

(661) 978-8250

Business Fax

Beginning Date

Ending Date

Dun & Bradstreet

SIC Code

1389

Primary NAICS

Facility/Site Mailing Address

18835 Highway 65

BAKERSFIELD, CA 93308

Primary Emergency Contact

Alan Kasper

Title

District Manager

Business Phone

(661) 979-1728

24-Hour Phone

(661) 979-1728

Pager Number

Owner

KEY ENERGY SERVICES CALIF INC

(661) 334-8200

18835 Highway 65

BAKERSFIELD, CA 93308

Secondary Emergency Contact

Mike Beasley

Title

Marketplace Director

Business Phone

(661) 334-8252

24-Hour Phone

(661) 809-6733

Pager Number

Billing Contact

Nicole Gloria

(661) 334-8236

ngloria@keyenergy.com

18835 Highway 65

BAKERSFIELD, CA 93308

Environmental Contact

Nicole Gloria

(661) 334-8236

ngloria@keyenergy.com

18835 Highway 65

BAKERSFIELD, CA 93308

Name of Signer

Audrea Estrada

Additional Information

Signer Title

Compliance Coordinator

Document Preparer

Audrea Estrada

Locally-collected Fields

Some or all of the following fields may be required by your local regulator(s).

Property Owner

Phone

Mailing Address

Assessor Parcel Number (APN)

15809004

Number of Employees

Facility ID