

DOCKETED	
Docket Number:	09-AFC-03C
Project Title:	MARIPOSA ENERGY PROJECT - Compliance
TN #:	268214
Document Title:	QUARTERLY COMPLIANCE REPORT - Q3 2025
Description:	QUARTERLY COMPLIANCE REPORT - Q3 2025
Filer:	Anwar Ali
Organization:	California Energy Commission
Submitter Role:	Commission Staff
Submission Date:	1/9/2026 3:57:16 PM
Docketed Date:	1/9/2026



Mariposa

Energy Project

October 14, 2025

Anwar Ali
Compliance Project Manager
California Energy Commission
Siting, Transmission, & Environmental Protection ("STEP") Division
1516 Ninth Street, MS-2000
Sacramento, CA 95814

Reference: Mariposa Energy, LLC (09-AFC-3C) Compliance with Air Quality Conditions of Certification (CEC #G1015)

Subject: CEC Condition of Certification AQ-SC8:
Quarterly Compliance Report for Quarter-Ending September 30, 2025

Dear Mr. Ali,

To demonstrate ongoing compliance with the California Energy Commission ("CEC") and Bay Area Air Quality Management District ("BAAQMD") regulations, Mariposa Energy, LLC (previously Mariposa Energy Project) is submitting its Quarterly Compliance Report ("QCR") including Attachment 1, "Compliance Summary", for quarter-ending September 30, 2025. As required, a copy of the report is also being sent to the BAAQMD. This QCR is being submitted to satisfy the requirements of:

- CEC - Mariposa Energy Project "Commission Decision", (Docket No. 09-AFC-3) – Cond. AQ-SC8.
- BAAQMD - Permit to Operate, Plant #19730, Condition #24955, Part 33.
- United States Environmental Protection Agency, Code of Federal regulations, Title 40, Part 60, Subpart KKKK, Section 4375 (40 CFR 60.4375).

The QCR contains the following attachments:

Attachment 1: Compliance Summary: Table identifying each condition relevant to the QCR, operational limits, compliance status (including supporting data), and reference location within the QCR.

Attachment 2: Condition AQ-11 Monthly Natural Gas Fuel Analyses: Monthly analytical results for natural gas analysis as provided by the natural gas supplier (Pacific Gas and Electric) to demonstrate compliance with the natural gas sulfur content limit, as required by AQ-11.

Attachment 3: Condition AQ-12 Heat Input Limits: 1-hr for all CTGs Report: Report demonstrating compliance with maximum 1-hr heat input for combustion turbine generator (CTG) Unit 600 (S-1), Unit 700 (S-2), Unit 800 (S-3), and Unit 900 (S-4).


- Attachment 4: Condition AQ-13 Heat Input Limits: Daily Maximums for all CTGs Report: Report demonstrating compliance with daily total heat input for CTG Unit 600 (S-1), Unit 700 (S-2), Unit 800 (S-3), and Unit 900 (S-4), Condition AQ-14 Heat Input Limit: Rolling 12-Month combined CTG Heat Input Report: Report demonstrating compliance with annual (rolling 12-month) combined heat input limit to CTG Units 600 (S-1), 700 (S-2), 800 (S-3), and 900 (S-4), and Condition AQ-15a/b Operating Hour Limits: Rolling 12-Month individual and combined CTG Hours Report: Report demonstrating compliance with annual (rolling 12-month) individual and combined hours of operation limits for CTG Units 600 (S-1), 700 (S-2), 800 (S-3), and 900 (S-4).
- Attachment 5: Condition AQ-16 SCR/Oxidation Catalyst Operation Report: Report demonstrating the CTG Units 600 (S-1), 700 (S-2), 800 (S-3), and 900 (S-4) emissions are abated by properly operating SCR and Oxidation Catalyst systems.
- Attachment 6: Condition AQ-17a/b NO_x Emissions Limits: Hourly Mass Rate and Hourly Average Concentration Report: Report of hourly (rolling 60-minute) NO_x concentrations and emissions from CTG Units 600 (S-1), 700 (S-2), 800 (S-3), and 900 (S-4), Condition AQ-17c/d CO Emission Limits: Hourly Mass Rate/Rolling 3-Hr Concentration Report: Report demonstrating compliance with hourly (rolling 60-minute) CO mass emissions and rolling 3-hour CO concentrations from CTG Units 600 (S-1), 700 (S-2), 800 (S-3), and 900 (S-4), Condition AQ-17e NH₃ Emission Limits: Rolling 3-Hr Slip Calculation Report: Report demonstrating compliance with rolling 3-hr ammonia emission concentration limit as calculated by source test-derived correlation as required by AQ-25, and Condition AQ-17f/g Hourly Mass Emission Limits: POC & SO₂ Report: Report demonstrating compliance with hourly POC and SO₂ emission limits for Combustion Turbine Generator (CTG) units 600 (S-1), 700 (S-2), 800 (S-3), and 900 (S-4).
- Attachment 7: Condition AQ-18 Startup and Shutdown Emission Limits Report: Report of startup and shutdown emissions for CTG Units 600 (S-1), 700 (S-2), 800 (S-3), and 900 (S-4).
- Attachment 8: Condition AQ-19 Daily Emission Limits: NO_x, CO, POC, and SO₂ Emissions Report: Report demonstrating compliance with daily NO_x, CO, POC and SO₂ limits for all CTG units combined.
- Attachment 9: Condition AQ-20 Cumulative Rolling 12-month CTG Emissions: NO_x, CO, POC, PM₁₀, SO₂ Emissions Report: Report demonstrating compliance with consecutive 12-month NO_x, CO, POC, PM₁₀ and SO₂ limits for all CTG units combined, and Condition AQ-31 Facility SAM 12-month Tons Limit Emissions Report: Report demonstrating compliance with consecutive 12-month sulfuric acid emissions limit for all CTG units combined.
- Attachment 10: Exceedances / Violations
- Attachment 11: Condition AQ-38 40 CFR Part 72.9(c)(1) SO₂ Allowances and 40 CFR Part 75 CEM Requirements Report: Report demonstrating compliance with Condition AQ-38 requiring holding of SO₂ allowances and compliance with CEM requirements of 40 CFR Part 75.

Attachment 12: Conditions AQ-39, AQ-40 S-6 Emergency Fire Pump Operation Report (BAAQMD Condition 22850, parts 1 & 2): Report demonstrating compliance with specified IC engine operating limitations.

Attachment 13: Condition AQ-41 S-6 Emergency Fire Pump Totalizing Meter Report (BAAQMD Condition 22850, part 3): Photographic record demonstrating the installation and use of hour-meter for tracking engine operation.

If you have any questions regarding this submittal, please contact Wayne Forsyth by email at w.forsyth@dgc-us.com or phone (213) 473-0093, or Jason Smith by email at j.smith@dgc-ops.com or phone (925) 666-5409.

Best regards,

A handwritten signature in black ink, appearing to read 'Jason Smith', with a stylized flourish at the end.

Jason Smith
EH&S Coordinator
Mariposa Energy, LLC

cc: Davis Zhu (BAAQMD)

Attachment 1

Compliance Summary

Mariposa Energy, LLC

Quarterly Compliance Report
Quarter Ending September 30, 2025

Mariposa Energy, LLC

Quarterly Compliance Report

Quarter Ending September 30, 2025

This report documents compliance with the California Energy Commission's Conditions of Certification AQ-SC8 and Bay Area Air Quality Management District Permit condition 24955

Attached are summaries of relevant permit conditions and compliance status as well as the required documentation.

Attachment 1: Compliance Summary

Attachment 2: Condition AQ-11 Monthly Natural Gas Sulfur Content - PGE

Attachment 3: Condition AQ-12 Heat Input Limits: 1-hr Maximums for all CTGs Report

Attachment 4: Condition AQ-13 Heat Input Limits: Daily Maximums for all CTGs Report, Condition AQ-14 Heat Input Limit: Rolling 12-Month combined CTG Heat Input and Condition AQ-15a/b Operating Hour Limits: Rolling 12-Month Individual and Combined CTG Hours Report

Attachment 5: Condition AQ-16 SCR/Oxidation Catalyst Operation Report

Attachment 6: Condition AQ-17a/b NOx Emission Limits: Hourly mass rate and hourly average concentration Report, Condition AQ-17c/d CO Emission Limits: Hourly Mass Rate/Rolling 3-Hr Concentration Report, Condition AQ-17e NH3 Emission Limits: Rolling 3-Hr Slip Calculation Report and Condition AQ-17f/g Hourly Mass Emission Limits: POC & SO2 Report

Attachment 7: Condition AQ-18 Startup and Shutdown Emission Limits Report

Attachment 8: Condition AQ-19 Daily Emission Limits: NOx, CO, POC, SO2 Emissions Report

Attachment 9: Condition AQ-20 Cumulative Rolling 12-month CTG Emissions: NOx, CO, POC, PM10, SO2 Emissions Report and Condition AQ-31 Facility SAM 12-month Tons Limit Emissions Report

Attachment 10: Exceedances / Violations

Attachment 11: Condition AQ-38 40 CFR Part 72.9(c)(1) SO2 Allowances and 40 CFR Part 75 CEM Requirements Report

Attachment 12: Conditions AQ-39, AQ-40 S-6 Emergency Fire Pump Operation Report (BAAQMD Condition 24955, parts 1 & 2)

Attachment 13: Condition AQ-41 S-6 Emergency Fire Pump Totalizing Meter Report (BAAQMD Condition 22850, part 3)

Mariposa Energy, LLC
CEC Quarterly Air Compliance Report

COMPLIANCE SUMMARY

Condition	Condition Description	Verification or Limit	Status	Section
AQ-11	Fire the Gas Turbines (S-1, S-2, S-3, and S-4) exclusively on PUC-regulated natural gas with a maximum sulfur content of 1 grain per 100 standard cubic feet.	1 grain sulfur per 100 scf. The result of the natural gas fuel sulfur monitoring data and other fuel sulfur content data are to be submitted to District and CEC in the Quarterly Report.	<u>Sulfur Content</u> (gr/100 scf) July 2025: 0.23 August 2025: 0.21 September 2025: 0.25 In Compliance	Attachment 2
AQ-12	Hourly Heat input rate to each Gas Turbine (S-1, S-2, S-3, and S-4).	500 MMBtu (HHV)/hr per turbine.	<u>Maximum MMBtu/hr</u> S-1: 452 S-2: 456 S-3: 454 S-4: 369 In Compliance	Attachment 3
AQ-13	Daily heat input rate to each Gas Turbine (S-1, S-2, S-3, and S-4).	12,000 MMBtu (HHV)/day per turbine.	<u>Maximum MMBtu/day</u> S-1: 3066 S-2: 3091 S-3: 2881 S-4: 2866 In Compliance	Attachment 4
AQ-14	Combined annual cumulative heat input rate for the gas turbines (S-1 + S-2 + S-3 + S-4).	8,128,900 MMBtu (HHV) per year (combined cumulative).	<u>MMBTU/vr (12-mo)</u> Ending 7/2025: 546,164 Ending 8/2025: 510,897 Ending 9/2025: 469,693 In Compliance	Attachment 4
AQ-15a	Maximum annual hours of operation per turbine.	5,200 hours per year per turbine.	<u>Maximum Hr/vr</u> S-1: 402 (7/2025) S-2: 373 (7/2025) S-3: 391 (7/2025) S-4: 322 (7/2025) In Compliance	Attachment 4
AQ-15b	Combined annual hours of operation for the gas turbines (S-1 + S-2 + S-3 + S-4).	16,900 hours per year total – four units combined turbine hours of operation.	<u>Combined Hours/vr</u> 12 mo Ending 7/25: 1,486 12 mo Ending 8/25: 1,415 12 mo Ending 9/25: 1,314 In Compliance	Attachment 4

Mariposa Energy, LLC
CEC Quarterly Air Compliance Report

COMPLIANCE SUMMARY

Condition	Condition Description	Verification or Limit	Status	Section
AQ-16	The owner/operator shall ensure that each Gas Turbine (S-1, S-2, S-3, S-4) is abated by the properly operated and properly maintained Selective Catalytic Reduction (SCR) System A-2, A-4, A-6, or A-8 and Oxidation Catalyst System A-1, A-3, A-5, or A-7 whenever fuel is combusted at those sources and the corresponding SCR catalyst bed (A-2, A-4, A-6 or A-8) has reached minimum operating temperature.	The owner/operator shall make the site available for inspection by representatives of the District, ARB, and the Commission upon request. A summary of significant operation and maintenance events and monitoring records shall be included in the quarterly operation report.	In Compliance	Attachment 5
AQ-17	The owner/operator shall ensure that the Gas Turbines (S-1, S-2, S-3, S-4) comply with requirements (a) through (i). Requirements (a) through (f) do not apply during a gas turbine start-up, and shutdown.			
	a. Hourly Nitrogen Oxide mass emissions limit (calculated as NO ₂), per turbine unit basis, after abatement.	4.4 lb/hr maximum (as NO ₂), from each turbine exhaust point, after abatement.	<u>Max NOx lb/hr:</u> S-1: 4.0 S-2: 4.0 S-3: 3.9 S-4: 2.8 In Compliance	Attachment 6
	b. Hourly average Nitrogen Oxide emission concentration limit, per turbine.	2.5 ppmv maximum (as NO ₂), dry, corrected to 15% O ₂ , averaged over any 1-hour period.	<u>Max NOx, ppmvd @ 15%O₂:</u> S-1: 2.4 S-2: 2.4 S-3: 2.3 S-4: 2.4 In Compliance	Attachment 6
	c. Hourly Carbon Monoxide mass emissions limit, per turbine basis, after abatement.	2.14 lb/hr CO maximum, from each turbine exhaust point.	<u>Max CO lb/hr:</u> S-1: 1.9 S-2: 1.9 S-3: 1.9 S-4: 0.4 In Compliance	Attachment 6
	d. Rolling 3-hour average Carbon Monoxide emission concentration per turbine basis, after abatement.	2.0 ppmv CO (maximum), dry, corrected to 15% O ₂ , averaged over any rolling 3-hour period.	<u>Max CO, ppmvd @ 15% O₂:</u> S-1: 1.8 S-2: 1.9 S-3: 1.8 S-4: 1.7 In Compliance	Attachment 6

Mariposa Energy, LLC
CEC Quarterly Air Compliance Report

COMPLIANCE SUMMARY

Condition	Condition Description	Verification or Limit	Status	Section
AQ-17 cont'd	e. Rolling 3-hour average Ammonia (NH ₃) emission concentrations, per turbine unit basis, after abatement systems.	5 ppmv, dry, corrected to 15% O ₂ , averaged over any rolling 3-hour period. Verified by the continuous recording of the ammonia injection rate to each SCR System A-2, A-4, A-6, and A-8. The correlation between the gas turbine heat input rates, A-2, A-4, A-6, and A-8 SCR System ammonia injection rates, and corresponding ammonia emission concentration at emission points P-1, P-2, P-3 and P-4 shall be determined in accordance with AQ-25 or a District approved alternative method.	<u>Max NH₃, ppmvd @ 15% O₂:</u> S-1: 3.5 S-2: 3.6 S-3: 3.0 S-4: 3.5 In Compliance	Attachment 6
	f. Hourly Precursor Organic Compound (POC) mass emissions limit (as CH ₄), per turbine unit basis.	0.612 lb/hr maximum (as CH ₄), from each turbine exhaust point.	<u>Max POC lb/hr:</u> S-1: 0.3 S-2: 0.3 S-3: 0.3 S-4: 0.3 In Compliance	Attachment 6
	g. Hourly Sulfur dioxide (SO ₂) mass emissions limit, per turbine unit basis, after abatement.	1.347 lb/hr maximum (as SO ₂) from each turbine exhaust point.	<u>Max SO₂ lb/hr:</u> S-1: 0.6 S-2: 0.3 S-3: 0.3 S-4: 0.2 In Compliance	Attachment 6
AQ-18	Maximum startup emissions of NO _x (as NO ₂), CO, and POC (as CH ₄) (lb/startup).	NO _x (NO ₂): 14.2 lb/startup	<u>Max NO_x Startup Emissions, lb</u> S-1: 5.18 S-2: 4.96 S-3: 6.11 S-4: 7.03 In Compliance	Attachment 7

Mariposa Energy, LLC
CEC Quarterly Air Compliance Report

COMPLIANCE SUMMARY

Condition	Condition Description	Verification or Limit	Status	Section
AQ-18 cont'd		CO: 14.1 lb/startup	<u>Max CO Startup Emissions, lb</u> S-1: 1.35 S-2: 1.51 S-3: 1.48 S-4: 0.74 In Compliance	Attachment 7
		POC (as CH ₄): 1.1 lb/startup	<u>Max POC Startup Emissions, lb</u> S-1: 0.1 S-2: 0.2 S-3: 0.1 S-4: 0.2 In Compliance	Attachment 7
	Maximum hourly emissions of NO _x (as NO ₂), CO, and POC (as CH ₄) <u>with startup</u> .	NO _x (NO ₂): 18.5 lb/hour	<u>Max NO_x Emissions, lb/hr</u> S-1: 6.4 S-2: 7.1 S-3: 7.0 S-4: 7.1 In Compliance	Attachment 6
		CO: 17.3 lb/hour	<u>Max CO Emissions, lb/hr</u> S-1: 1.9 S-2: 2.0 S-3: 3.0 S-4: 0.9 In Compliance	Attachment 6
		POC (as CH ₄): 1.4 lb/hour	<u>Max POC Emissions lb/hr</u> S-1: 0.3 S-2: 0.3 S-3: 0.3 S-4: 0.3 In Compliance	Attachment 6

Mariposa Energy, LLC
CEC Quarterly Air Compliance Report

COMPLIANCE SUMMARY

Condition	Condition Description	Verification or Limit	Status	Section
AQ-18 cont'd	Maximum shutdown emissions of NOx (as NO2), CO, and POC (as CH4) (lb/shutdown).	NOx (NO2): 3.2 lb/shutdown	<u>Max Shutdown Emissions, lb</u> S-1: 1.16 S-2: 0.88 S-3: 0.80 S-4: 1.47 In Compliance	Attachment 7
		CO: 2.7 lb/shutdown	<u>Max Shutdown Emissions, lb</u> S-1: 0.13 S-2: 0.17 S-3: 0.27 S-4: 0.16 In Compliance	Attachment 7
		POC (as CH4): 0.12 lb/shutdown	<u>Max Shutdown Emissions lb</u> S-1: 0.00 S-2: 0.00 S-3: 0.00 S-4: 0.00 In Compliance	Attachment 7
AQ-19	Calendar day Cumulative combined emission limits from the Gas Turbines (S-1 + S-2 + S-3 + S-4), including emissions generated during gas turbine start-ups, shutdowns and testing.			
	a. Maximum daily NOx (as NO2) emissions.	NOx (as NO2): 1100 lb/day	Max lb/day NOx: 100	Attachment 8
	b. Maximum daily CO emissions.	CO: 934 lb/day	Max lb/day CO: 38	
	c. Maximum daily POC emissions.	POC (as CH4): 95 lb/day	Max lb/day POC: 8	
	d. Maximum daily SO2 emissions.	SO2: 130 lb/day	Max lb/day SO2: 7 In Compliance	
AQ-20	Cumulative combined annual (any consecutive twelve-month period) emissions from the Gas Turbines (S-1 + S-2 + S-3 + S-4):			Attachment 9
	a. Maximum annual NOx (as NO2) emissions.	NOx (as NO2): 45.6 ton/year	<u>Cumulative Ton/Yr</u> Ending 7/31/2025: 2.9 Ending 8/31/2025: 2.8 Ending 9/30/2025: 2.6 In Compliance	

Mariposa Energy, LLC
CEC Quarterly Air Compliance Report

COMPLIANCE SUMMARY

Condition	Condition Description	Verification or Limit	Status	Section
AQ-20 cont'd	b. Maximum annual CO emissions.	CO: 27.2 ton/year	Ending 7/31/2025: 1.1 Ending 8/31/2025: 1.1 Ending 9/30/2025: 1.0 In Compliance	Attachment 9
	c. Maximum annual POC (as CH ₄) emissions.	POC (as CH ₄): 5.6 ton/year	Ending 7/31/2025: 0.2 Ending 8/31/2025: 0.2 Ending 9/30/2025: 0.2 In Compliance	Attachment 9
	d. Maximum annual PM10 emissions. Emissions of PM10 from each gas turbine shall be calculated by multiplying turbine fuel usage times an emission factor determined by source testing of the turbine conducted in accordance with Part 26. The emission factor for each turbine shall be based on the average of the emissions rates observed during the 4 most recent source tests on that turbine (or, prior to the completion of 4 source tests on a turbine, on the average of the emission rates observed during all source tests on the turbine).	PM10: 18.6 ton/year	Ending 7/31/2025: 0.3 Ending 8/31/2025: 0.3 Ending 9/30/2025: 0.3 In Compliance	Attachment 9
	e. Maximum annual SO ₂ emissions.	SO ₂ : 2.9 ton/year	Ending 7/31/2025: 0.2 Ending 8/31/2025: 0.2 Ending 9/30/2025: 0.2 In Compliance	Attachment 9
AQ-31	Cumulative combined annual Sulfuric Acid Mist (SAM) emissions. (Any consecutive 12-month period) emissions from the gas turbines (S-1 + S-2 + S-3 + S-4).	7.0-ton Sulfuric Acid Mist in any consecutive 12-month.	<u>Cumulative Ton/Year</u> Ending 7/31/2025: 0.2 Ending 8/31/2025: 0.2 Ending 9/30/2025: 0.2 In Compliance	Attachment 9

Mariposa Energy, LLC
CEC Quarterly Air Compliance Report

COMPLIANCE SUMMARY

Condition	Condition Description	Verification or Limit	Status	Section
AQ-35	The owner/operator of the MEP shall notify the District and the CEC CPM of any violations of these permit conditions. Notification shall be submitted in a timely manner, in accordance with all applicable District Rules, Regulations, and the Manual of Procedures. Notwithstanding the notification and reporting requirements given in any District Rule, Regulation, or the Manual of Procedures, the owner/operator shall submit written notification (facsimile is acceptable) to the Enforcement Division within 96 hours of the violation of any permit condition.	A summary of significant operation and maintenance events and monitoring records shall be included in the quarterly operation report.	No violations of any permit conditions requiring District and CEC notification were found during the 3rd Quarter of 2025 In Compliance	Attachment 10
AQ-38	The owner/operator shall ensure that the MEP complies with the requirement to hold SO ₂ allowances in 40 CFR 72.9c(1) and the continuous emission monitoring requirements of 40 CFR Part 75.	The project owner shall submit to the CPM and District the results of audits of the monitoring system demonstrating compliance with this condition as part of the quarterly operation report.	Attachment 11 provides the CAMD Balance Report (4/08/2025) for SO ₂ allowances as well as the 3Q 2025 Monthly CEMS Reports summary pages as submitted to BAAQMD. In Compliance	Attachment 11
AQ-39	Cumulative combined annual (any consecutive twelve-month period) operating hours for reliability-related testing of S-6 Emergency Standby Diesel Fire Pump Engine:			
	The owner/operator shall not exceed 50 hours per year per engine for reliability-related testing.	A summary of significant operation and maintenance events and monitoring records shall be included in the quarterly operation report.	Ending 7/31/2025: 27.1 Ending 8/31/2025: 27.5 Ending 9/30/2025: 28.1 In Compliance	Attachment 12

Mariposa Energy, LLC
CEC Quarterly Air Compliance Report

COMPLIANCE SUMMARY

Condition	Condition Description	Verification or Limit	Status	Section
AQ-40	S-6 Emergency Standby Diesel Fire Pump Engine cumulative combined annual (any consecutive twelve-month period) total operating hours, including mitigation of emergency conditions, emissions and reliability testing:			
	The owner/operator shall operate each emergency standby engine only for the following purposes: to mitigate emergency conditions, for emission testing to demonstrate compliance with a District, State, or Federal emission limit, or for reliability-related activities (maintenance and other testing, but excluding emission testing). Operation while mitigating emergency conditions or while emission testing to show compliance with District, State or Federal emissions limits is not limited.	A summary of significant operation and maintenance events and monitoring records shall be included in the quarterly operation report.	S-6 <u>12-Mo Hrs Ending 7/31/25:</u> Total Hrs Operated: 27.1 Hrs Op as allowed: 27.1 <u>12-Mo Hrs Ending 8/31/25:</u> Total Hrs Operated: 27.5 Hrs Op as allowed: 27.5 <u>12-Mo Hrs Ending 9/30/25:</u> Total Hrs Operated: 28.1 Hrs Op as allowed: 28.1 In Compliance	Attachment 12
AQ-41	S-6 Emergency Standby Diesel Fire Pump Engine Non-Resettable Totalizing Hour Meter			
	The owner/operator shall operate each emergency standby engine only when a non-resettable totalizing meter (with a minimum display capability of 9,999 hours) that measures the hours of operation for the engines is installed, operated and properly maintained.	The project owner shall make the site available for inspection by representatives of the District, ARB and the Commission. The project owner shall include a photograph of each totalizing meter in the quarterly operation report.	A photograph of each totalizing meter is included in the quarterly compliance report. In Compliance	Attachment 13

Attachment 2

Monthly Natural Gas Sulfur Content – PGE



Jump to:

2021 - 2025

2016 - 2020

2011 - 2015

2006 - 2010

2021 - 2025

2025

Date	Total Sulfur Maximum		Total Sulfur Average all sites	
	PPMv	gr/100 scf	PPMv	gr/100 scf
2025				
Third Quarter	4.3	0.25	2.8	0.17
Third Quarter - July	4.0	0.23	2.6	0.15
Third Quarter - August	3.6	0.21	2.9	0.17
Third Quarter - September	4.3	0.25	3.1	0.19

Attachment 3

Condition AQ-12: Heat Input Report – Max 1-hour

Mariposa Energy
Byron California
Facility Daily Operations Report
July 1, 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
Hour	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	10.4	0.05	10.7	0.05	9.5	0.05	Down	0.00	30.6	0.15
18	446.1	1.00	450.1	1.00	446.1	1.00	Down	0.00	1342.3	3.00
19	448.9	1.00	454.0	1.00	449.5	1.00	Down	0.00	1352.4	3.00
20	21.3	0.15	20.5	0.15	21.8	0.15	Down	0.00	63.6	0.45
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	926.7	2.20	935.3	2.20	926.9	2.20	Down	0.00	2788.9	6.60

Mariposa Energy
Byron California
Facility Daily Operations Report
July 2, 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
Hour	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00

Mariposa Energy
Byron California
Facility Daily Operations Report
July 3, 2025

Facility 12-Month Rolling Operational Limits	
Heat Input mmBtu - 8,128,900	Unit Op Hours - 16,900

Hour	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00

Mariposa Energy
Byron California
Facility Daily Operations Report
July 4, 2025

Facility 12-Month Rolling Operational Limits	
Heat Input mmBtu - 8,128,900	Unit Op Hours - 16,900

Hour	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00

Mariposa Energy
Byron California
Facility Daily Operations Report
July 5, 2025

Facility 12-Month Rolling Operational Limits	
Heat Input mmBtu - 8,128,900	Unit Op Hours - 16,900

Hour	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00

Mariposa Energy
Byron California
Facility Daily Operations Report
July 6, 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
Hour	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00

Mariposa Energy
Byron California
Facility Daily Operations Report
July 7, 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
Hour	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00

Mariposa Energy
Byron California
Facility Daily Operations Report
July 8, 2025

Facility 12-Month Rolling Operational Limits	
Heat Input mmBtu - 8,128,900	Unit Op Hours - 16,900

Hour	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00

Mariposa Energy
Byron California
Facility Daily Operations Report
July 9, 2025

Facility 12-Month Rolling Operational Limits	
Heat Input mmBtu - 8,128,900	Unit Op Hours - 16,900

Hour	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00

Mariposa Energy
Byron California
Facility Daily Operations Report
July 10, 2025

Facility 12-Month Rolling Operational Limits	
Heat Input mmBtu - 8,128,900	Unit Op Hours - 16,900

Hour	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00

Mariposa Energy
Byron California
Facility Daily Operations Report
July 11, 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
Hour	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	226.2	0.55	Down	0.00	225.8	0.55	Down	0.00	452.0	1.10
14	447.5	1.00	Down	0.00	446.7	1.00	Down	0.00	894.2	2.00
15	372.9	0.93	Down	0.00	240.5	0.63	Down	0.00	613.4	1.56
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	1046.6	2.48	Down	0.00	913.0	2.18	Down	0.00	1959.6	4.66

Mariposa Energy
Byron California
Facility Daily Operations Report
July 12, 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
Hour	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00

Mariposa Energy
Byron California
Facility Daily Operations Report
July 13, 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
Hour	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00

Mariposa Energy
Byron California
Facility Daily Operations Report
July 14, 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
Hour	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00

Mariposa Energy
Byron California
Facility Daily Operations Report
July 15, 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
Hour	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00

Mariposa Energy
Byron California
Facility Daily Operations Report
July 16, 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
Hour	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00

Mariposa Energy
Byron California
Facility Daily Operations Report
July 17, 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
Hour	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00

Mariposa Energy
Byron California
Facility Daily Operations Report
July 18, 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

Hour	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00

Mariposa Energy
Byron California
Facility Daily Operations Report
July 19, 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
Hour	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00

Mariposa Energy
Byron California
Facility Daily Operations Report
July 20, 2025

Facility 12-Month Rolling Operational Limits	
Heat Input mmBtu - 8,128,900	Unit Op Hours - 16,900

Hour	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00

Mariposa Energy
Byron California
Facility Daily Operations Report
July 21, 2025

Facility 12-Month Rolling Operational Limits	
Heat Input mmBtu - 8,128,900	Unit Op Hours - 16,900

Hour	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00

Mariposa Energy
Byron California
Facility Daily Operations Report
July 22, 2025

Facility 12-Month Rolling Operational Limits	
Heat Input mmBtu - 8,128,900	Unit Op Hours - 16,900

Hour	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00

Mariposa Energy
Byron California
Facility Daily Operations Report
July 23, 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
Hour	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00

Mariposa Energy
Byron California
Facility Daily Operations Report
July 24, 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
Hour	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00

Mariposa Energy
Byron California
Facility Daily Operations Report
July 25, 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
Hour	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00

Mariposa Energy
Byron California
Facility Daily Operations Report
July 26, 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
Hour	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00

Mariposa Energy
Byron California
Facility Daily Operations Report
July 27, 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
Hour	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00

Mariposa Energy
Byron California
Facility Daily Operations Report
July 28, 2025

Facility 12-Month Rolling Operational Limits	
Heat Input mmBtu - 8,128,900	Unit Op Hours - 16,900

Hour	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00

Mariposa Energy
Byron California
Facility Daily Operations Report
July 29, 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
Hour	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	327.7	0.80	Down	0.00	308.5	0.80	Down	0.00	636.2	1.60
13	305.9	1.00	Down	0.00	92.6	0.40	Down	0.00	398.5	1.40
14	26.9	0.17	Down	0.00	Down	0.00	Down	0.00	26.9	0.17
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	660.5	1.97	Down	0.00	401.1	1.20	Down	0.00	1061.6	3.17

Mariposa Energy
Byron California
Facility Daily Operations Report
July 30, 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
Hour	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00

Mariposa Energy
Byron California
Facility Daily Operations Report
July 31, 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
Hour	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00

Mariposa Energy
Byron California
Facility Daily Operations Report
August 1, 2025

Facility 12-Month Rolling Operational Limits	
Heat Input mmBtu - 8,128,900	Unit Op Hours - 16,900

Hour	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00

Mariposa Energy
Byron California
Facility Daily Operations Report
August 2, 2025

Facility 12-Month Rolling Operational Limits	
Heat Input mmBtu - 8,128,900	Unit Op Hours - 16,900

Hour	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00

Mariposa Energy
Byron California
Facility Daily Operations Report
August 3, 2025

Facility 12-Month Rolling Operational Limits	
Heat Input mmBtu - 8,128,900	Unit Op Hours - 16,900

Hour	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00

Mariposa Energy
Byron California
Facility Daily Operations Report
August 4, 2025

Facility 12-Month Rolling Operational Limits	
Heat Input mmBtu - 8,128,900	Unit Op Hours - 16,900

Hour	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00

Mariposa Energy
Byron California
Facility Daily Operations Report
August 5, 2025

Facility 12-Month Rolling Operational Limits	
Heat Input mmBtu - 8,128,900	Unit Op Hours - 16,900

Hour	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00

Mariposa Energy
Byron California
Facility Daily Operations Report
August 6, 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
Hour	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	250.6	0.72	250.6	0.72
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	250.6	0.72	250.6	0.72

Mariposa Energy
Byron California
Facility Daily Operations Report
August 7, 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
Hour	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	98.4	0.43	98.4	0.43
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	214.9	0.60	214.9	0.60
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	191.8	0.55	191.8	0.55
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	208.6	0.60	208.6	0.60
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	713.7	2.18	713.7	2.18

Mariposa Energy
Byron California
Facility Daily Operations Report
August 8, 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
Hour	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	95.0	0.38	95.0	0.38
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	170.4	0.53	170.4	0.53
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	265.4	0.91	265.4	0.91

Mariposa Energy
Byron California
Facility Daily Operations Report
August 9, 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
Hour	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	196.2	0.68	196.2	0.68
14	Down	0.00	Down	0.00	Down	0.00	290.7	1.00	290.7	1.00
15	Down	0.00	Down	0.00	Down	0.00	89.8	0.35	89.8	0.35
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	576.7	2.03	576.7	2.03

Mariposa Energy
Byron California
Facility Daily Operations Report
August 10, 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
Hour	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00

Mariposa Energy
Byron California
Facility Daily Operations Report
August 11, 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
Hour	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	88.3	0.27	86.4	0.27	87.8	0.27	68.9	0.27	331.4	1.08
18	280.3	1.00	267.2	1.00	271.8	1.00	277.1	1.00	1096.4	4.00
19	17.1	0.13	16.5	0.13	17.9	0.13	17.4	0.13	68.9	0.52
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	385.7	1.40	370.1	1.40	377.5	1.40	363.4	1.40	1496.7	5.60

Mariposa Energy
Byron California
Facility Daily Operations Report
August 12, 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
Hour	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	136.1	0.48	136.1	0.48
10	Down	0.00	Down	0.00	Down	0.00	301.0	0.92	301.0	0.92
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	236.0	0.55	231.5	0.55	Down	0.00	467.5	1.10
18	Down	0.00	281.3	1.00	285.8	1.00	Down	0.00	567.1	2.00
19	Down	0.00	14.0	0.13	14.6	0.12	Down	0.00	28.6	0.25
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	531.3	1.68	531.9	1.67	437.1	1.40	1500.3	4.75

Mariposa Energy
Byron California
Facility Daily Operations Report
August 13, 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
Hour	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00

Mariposa Energy
Byron California
Facility Daily Operations Report
August 14, 2025

Facility 12-Month Rolling Operational Limits	
Heat Input mmBtu - 8,128,900	Unit Op Hours - 16,900

Hour	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00

Mariposa Energy
Byron California
Facility Daily Operations Report
August 15, 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
Hour	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00

Mariposa Energy
Byron California
Facility Daily Operations Report
August 16, 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
Hour	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00

Mariposa Energy
Byron California
Facility Daily Operations Report
August 17, 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
Hour	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00

Mariposa Energy
Byron California
Facility Daily Operations Report
August 18, 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
Hour	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00

Mariposa Energy
Byron California
Facility Daily Operations Report
August 19, 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
Hour	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	13.4	0.07	13.4	0.07
12	Down	0.00	Down	0.00	Down	0.00	318.7	1.00	318.7	1.00
13	Down	0.00	Down	0.00	Down	0.00	317.0	1.00	317.0	1.00
14	Down	0.00	Down	0.00	Down	0.00	317.5	1.00	317.5	1.00
15	Down	0.00	Down	0.00	Down	0.00	318.2	1.00	318.2	1.00
16	Down	0.00	Down	0.00	Down	0.00	48.6	0.23	48.6	0.23
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	1333.4	4.30	1333.4	4.30

Mariposa Energy
Byron California
Facility Daily Operations Report
August 20, 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
Hour	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	8.2	0.05	8.2	0.05
08	Down	0.00	Down	0.00	Down	0.00	316.2	1.00	316.2	1.00
09	Down	0.00	Down	0.00	Down	0.00	318.1	1.00	318.1	1.00
10	Down	0.00	Down	0.00	Down	0.00	316.8	1.00	316.8	1.00
11	Down	0.00	Down	0.00	Down	0.00	314.2	1.00	314.2	1.00
12	Down	0.00	Down	0.00	Down	0.00	316.4	1.00	316.4	1.00
13	Down	0.00	Down	0.00	Down	0.00	315.4	1.00	315.4	1.00
14	Down	0.00	Down	0.00	Down	0.00	312.2	1.00	312.2	1.00
15	Down	0.00	Down	0.00	Down	0.00	316.3	1.00	316.3	1.00
16	Down	0.00	Down	0.00	Down	0.00	314.5	1.00	314.5	1.00
17	Down	0.00	Down	0.00	Down	0.00	17.3	0.13	17.3	0.13
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	2865.6	9.18	2865.6	9.18

Mariposa Energy
Byron California
Facility Daily Operations Report
August 21, 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
Hour	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	8.5	0.05	8.7	0.05	8.2	0.05	8.3	0.05	33.7	0.20
14	446.7	1.00	450.7	1.00	445.7	1.00	314.7	1.00	1657.8	4.00
15	451.9	1.00	456.0	1.00	451.0	1.00	313.1	1.00	1672.0	4.00
16	449.9	1.00	455.0	1.00	449.9	1.00	312.9	1.00	1667.7	4.00
17	450.7	1.00	455.9	1.00	451.4	1.00	312.9	1.00	1670.9	4.00
18	450.7	1.00	454.6	1.00	449.4	1.00	310.1	1.00	1664.8	4.00
19	451.7	1.00	454.8	1.00	448.5	1.00	310.5	1.00	1665.5	4.00
20	212.2	0.65	204.3	0.65	177.1	0.65	178.8	0.65	772.4	2.60
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	2922.3	6.70	2940.0	6.70	2881.2	6.70	2061.3	6.70	10804.8	26.80

Mariposa Energy
Byron California
Facility Daily Operations Report
August 22, 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
Hour	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	9.1	0.05	9.1	0.05	Down	0.00	Down	0.00	18.2	0.10
15	447.7	1.00	452.3	1.00	Down	0.00	Down	0.00	900.0	2.00
16	449.7	1.00	453.5	1.00	347.0	0.80	Down	0.00	1250.2	2.80
17	449.3	1.00	452.7	1.00	453.2	1.00	Down	0.00	1355.2	3.00
18	449.9	1.00	453.2	1.00	451.8	1.00	Down	0.00	1354.9	3.00
19	450.8	1.00	453.9	1.00	449.2	1.00	Down	0.00	1353.9	3.00
20	449.9	1.00	453.6	1.00	448.3	1.00	Down	0.00	1351.8	3.00
21	359.3	0.90	362.3	0.90	359.5	0.90	Down	0.00	1081.1	2.70
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	3065.7	6.95	3090.6	6.95	2509.0	5.70	Down	0.00	8665.3	19.60

Mariposa Energy
Byron California
Facility Daily Operations Report
August 23, 2025

Facility 12-Month Rolling Operational Limits	
Heat Input mmBtu - 8,128,900	Unit Op Hours - 16,900

Hour	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00

Mariposa Energy
Byron California
Facility Daily Operations Report
August 24, 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
Hour	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	9.6	0.05	9.6	0.05	8.7	0.05	Down	0.00	27.9	0.15
18	448.2	1.00	454.0	1.00	450.3	1.00	Down	0.00	1352.5	3.00
19	450.9	1.00	455.5	1.00	453.6	1.00	Down	0.00	1360.0	3.00
20	247.5	0.65	248.7	0.65	248.6	0.65	Down	0.00	744.8	1.95
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	1156.2	2.70	1167.8	2.70	1161.2	2.70	Down	0.00	3485.2	8.10

Mariposa Energy
Byron California
Facility Daily Operations Report
August 25, 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
Hour	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	9.5	0.05	9.4	0.05	Down	0.00	Down	0.00	18.9	0.10
15	449.7	1.00	453.0	1.00	Down	0.00	Down	0.00	902.7	2.00
16	444.5	1.00	445.2	1.00	346.1	0.80	Down	0.00	1235.8	2.80
17	448.9	1.00	451.2	1.00	451.4	1.00	Down	0.00	1351.5	3.00
18	450.3	1.00	453.0	1.00	452.2	1.00	Down	0.00	1355.5	3.00
19	444.8	1.00	414.2	1.00	453.2	1.00	Down	0.00	1312.2	3.00
20	233.9	0.65	198.0	0.65	248.7	0.65	Down	0.00	680.6	1.95
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	2481.6	5.70	2424.0	5.70	1951.6	4.45	Down	0.00	6857.2	15.85

Mariposa Energy
Byron California
Facility Daily Operations Report
August 26, 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
Hour	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	233.4	0.55	235.3	0.55	232.0	0.55	Down	0.00	700.7	1.65
13	360.9	0.90	363.0	0.90	363.1	0.90	Down	0.00	1087.0	2.70
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	594.3	1.45	598.3	1.45	595.1	1.45	Down	0.00	1787.7	4.35

Mariposa Energy
Byron California
Facility Daily Operations Report
August 27, 2025

Facility 12-Month Rolling Operational Limits	
Heat Input mmBtu - 8,128,900	Unit Op Hours - 16,900

Hour	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00

Mariposa Energy
Byron California
Facility Daily Operations Report
August 28, 2025

Facility 12-Month Rolling Operational Limits	
Heat Input mmBtu - 8,128,900	Unit Op Hours - 16,900

Hour	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00

Mariposa Energy
Byron California
Facility Daily Operations Report
August 29, 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
Hour	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00

Mariposa Energy
Byron California
Facility Daily Operations Report
August 30, 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
Hour	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00

Mariposa Energy
Byron California
Facility Daily Operations Report
August 31, 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
Hour	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00

Mariposa Energy
Byron California
Facility Daily Operations Report
September 1, 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
Hour	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	232.4	0.55	233.9	0.55	231.6	0.55	Down	0.00	697.9	1.65
17	452.2	1.00	455.3	1.00	453.7	1.00	Down	0.00	1361.2	3.00
18	451.7	1.00	455.3	1.00	452.8	1.00	10.2	0.05	1370.0	3.05
19	451.0	1.00	454.3	1.00	451.4	1.00	312.3	1.00	1669.0	4.00
20	451.0	1.00	454.8	1.00	451.7	1.00	312.1	1.00	1669.6	4.00
21	198.0	0.65	198.1	0.65	247.8	0.65	179.5	0.65	823.4	2.60
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	2236.3	5.20	2251.7	5.20	2289.0	5.20	814.1	2.70	7591.1	18.30

Mariposa Energy
Byron California
Facility Daily Operations Report
September 2, 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
Hour	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	10.3	0.05	10.7	0.05	10.0	0.05	10.2	0.05	41.2	0.20
17	443.2	1.00	446.8	1.00	444.2	1.00	312.4	1.00	1646.6	4.00
18	448.2	1.00	452.0	1.00	450.0	1.00	315.8	1.00	1666.0	4.00
19	449.4	1.00	453.5	1.00	451.7	1.00	304.0	1.00	1658.6	4.00
20	398.2	1.00	416.7	1.00	452.3	1.00	290.3	1.00	1557.5	4.00
21	129.9	0.38	132.6	0.40	133.8	0.40	93.0	0.40	489.3	1.58
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	1879.2	4.43	1912.3	4.45	1942.0	4.45	1325.7	4.45	7059.2	17.78

Mariposa Energy
Byron California
Facility Daily Operations Report
September 3, 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
Hour	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	10.7	0.05	9.6	0.05	Down	0.00	Down	0.00	20.3	0.10
15	447.9	1.00	302.7	1.00	Down	0.00	Down	0.00	750.6	2.00
16	446.4	1.00	422.6	1.00	346.2	0.80	Down	0.00	1215.2	2.80
17	446.0	1.00	450.7	1.00	449.8	1.00	Down	0.00	1346.5	3.00
18	449.5	1.00	452.4	1.00	452.7	1.00	Down	0.00	1354.6	3.00
19	449.8	1.00	453.0	1.00	453.4	1.00	Down	0.00	1356.2	3.00
20	449.5	1.00	453.0	1.00	453.1	1.00	Down	0.00	1355.6	3.00
21	142.0	0.42	142.5	0.42	144.6	0.42	Down	0.00	429.1	1.26
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	2841.8	6.47	2686.5	6.47	2299.8	5.22	Down	0.00	7828.1	18.16

Mariposa Energy
Byron California
Facility Daily Operations Report
September 4, 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
Hour	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	10.6	0.05	11.0	0.05	10.3	0.05	Down	0.00	31.9	0.15
19	400.0	1.00	400.9	1.00	391.4	1.00	Down	0.00	1192.3	3.00
20	282.1	1.00	280.0	1.00	87.9	0.38	Down	0.00	650.0	2.38
21	155.9	0.63	281.3	1.00	Down	0.00	Down	0.00	437.2	1.63
22	Down	0.00	286.4	1.00	Down	0.00	Down	0.00	286.4	1.00
23	Down	0.00	287.4	1.00	Down	0.00	Down	0.00	287.4	1.00
Daily Total	848.6	2.68	1547.0	5.05	489.6	1.43	Down	0.00	2885.2	9.16

Mariposa Energy
Byron California
Facility Daily Operations Report
September 5, 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
Hour	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	15.7	0.13	Down	0.00	Down	0.00	15.7	0.13
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	15.7	0.13	Down	0.00	Down	0.00	15.7	0.13

Mariposa Energy
Byron California
Facility Daily Operations Report
September 6, 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
Hour	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00

Mariposa Energy
Byron California
Facility Daily Operations Report
September 7, 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
Hour	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00

Mariposa Energy
Byron California
Facility Daily Operations Report
September 8, 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
Hour	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	220.7	0.78	220.7	0.78
17	Down	0.00	Down	0.00	Down	0.00	34.3	0.20	34.3	0.20
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	255.0	0.98	255.0	0.98

Mariposa Energy
Byron California
Facility Daily Operations Report
September 9, 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
Hour	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00

Mariposa Energy
Byron California
Facility Daily Operations Report
September 10, 2025

Facility 12-Month Rolling Operational Limits	
Heat Input mmBtu - 8,128,900	Unit Op Hours - 16,900

Hour	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00

Mariposa Energy
Byron California
Facility Daily Operations Report
September 11, 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
Hour	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	223.3	0.75	Down	0.00	223.3	0.75
11	Down	0.00	Down	0.00	88.5	0.37	Down	0.00	88.5	0.37
12	Down	0.00	Down	0.00	Down	0.00	342.2	0.97	342.2	0.97
13	Down	0.00	Down	0.00	Down	0.00	273.1	0.75	273.1	0.75
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	311.8	1.12	615.3	1.72	927.1	2.84

Mariposa Energy
Byron California
Facility Daily Operations Report
September 12, 2025

Facility 12-Month Rolling Operational Limits	
Heat Input mmBtu - 8,128,900	Unit Op Hours - 16,900

Hour	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00

Mariposa Energy
Byron California
Facility Daily Operations Report
September 13, 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
Hour	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00

Mariposa Energy
Byron California
Facility Daily Operations Report
September 14, 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
Hour	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00

Mariposa Energy
Byron California
Facility Daily Operations Report
September 15, 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
Hour	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00

Mariposa Energy
Byron California
Facility Daily Operations Report
September 16, 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
Hour	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	369.0	0.92	369.0	0.92
21	Down	0.00	Down	0.00	Down	0.00	35.5	0.18	35.5	0.18
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	404.5	1.10	404.5	1.10

Mariposa Energy
Byron California
Facility Daily Operations Report
September 17, 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
Hour	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00

Mariposa Energy
Byron California
Facility Daily Operations Report
September 18, 2025

Facility 12-Month Rolling Operational Limits	
Heat Input mmBtu - 8,128,900	Unit Op Hours - 16,900

Hour	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00

Mariposa Energy
Byron California
Facility Daily Operations Report
September 19, 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
Hour	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00

Mariposa Energy
Byron California
Facility Daily Operations Report
September 20, 2025

Facility 12-Month Rolling Operational Limits	
Heat Input mmBtu - 8,128,900	Unit Op Hours - 16,900

Hour	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00

Mariposa Energy
Byron California
Facility Daily Operations Report
September 21, 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
Hour	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00

Mariposa Energy
Byron California
Facility Daily Operations Report
September 22, 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
Hour	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00

Mariposa Energy
Byron California
Facility Daily Operations Report
September 23, 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
Hour	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	155.0	0.55	145.0	0.55	148.0	0.53	Down	0.00	448.0	1.63
16	443.1	1.00	439.0	1.00	437.7	1.00	Down	0.00	1319.8	3.00
17	442.3	1.00	445.0	1.00	444.4	1.00	Down	0.00	1331.7	3.00
18	355.1	0.90	355.7	0.90	357.2	0.90	Down	0.00	1068.0	2.70
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	1395.5	3.45	1384.7	3.45	1387.3	3.43	Down	0.00	4167.5	10.33

Mariposa Energy
Byron California
Facility Daily Operations Report
September 24, 2025

Facility 12-Month Rolling Operational Limits	
Heat Input mmBtu - 8,128,900	Unit Op Hours - 16,900

Hour	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00

Mariposa Energy
Byron California
Facility Daily Operations Report
September 25, 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
Hour	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00

Mariposa Energy
Byron California
Facility Daily Operations Report
September 26, 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
Hour	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00

Mariposa Energy
Byron California
Facility Daily Operations Report
September 27, 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
Hour	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00

Mariposa Energy
Byron California
Facility Daily Operations Report
September 28, 2025

Facility 12-Month Rolling Operational Limits	
Heat Input mmBtu - 8,128,900	Unit Op Hours - 16,900

Hour	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00

Mariposa Energy
Byron California
Facility Daily Operations Report
September 29, 2025

Facility 12-Month Rolling Operational Limits	
Heat Input mmBtu - 8,128,900	Unit Op Hours - 16,900

Hour	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00

Mariposa Energy
Byron California
Facility Daily Operations Report
September 30, 2025

Facility 12-Month Rolling Operational Limits	
Heat Input mmBtu - 8,128,900	Unit Op Hours - 16,900

Hour	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
00	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Daily Total	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00

Attachment 4

Condition AQ-13: Heat Input Report – Daily

Condition AQ-14 Heat Input Limit:

**Rolling 12-Month Combined CTG Heat Input Report
and**

Condition AQ-15a/b Operating Hour Limits:

Rolling 12-Month Individual and Combined CTG Hours Report

Mariposa Energy
Byron California
Facility Monthly Operations Report
July - 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
Day	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
01	926.7	2.20	935.3	2.20	926.9	2.20	Down	0.00	2788.9	6.60
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	1046.6	2.48	Down	0.00	913.0	2.18	Down	0.00	1959.6	4.66
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
24	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
25	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
26	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
27	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
28	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
29	660.5	1.97	Down	0.00	401.1	1.20	Down	0.00	1061.6	3.17
30	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
31	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Monthly Total	2633.8	6.7	935.3	2.2	2241.0	5.6	Down	0.0	5810.1	14.43
12-Month Rolling	149586.4	401.6	135856.2	372.8	144937.0	390.7	115784.0	321.6	546163.6	1486.4

Mariposa Energy
Byron California
Facility Monthly Operations Report
August - 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
Day	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
01	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
02	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
03	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
04	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
05	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
06	Down	0.00	Down	0.00	Down	0.00	250.6	0.72	250.6	0.72
07	Down	0.00	Down	0.00	Down	0.00	713.7	2.18	713.7	2.18
08	Down	0.00	Down	0.00	Down	0.00	265.4	0.91	265.4	0.91
09	Down	0.00	Down	0.00	Down	0.00	576.7	2.03	576.7	2.03
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	385.7	1.40	370.1	1.40	377.5	1.40	363.4	1.40	1496.7	5.60
12	Down	0.00	531.3	1.68	531.9	1.67	437.1	1.40	1500.3	4.75
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	1333.4	4.30	1333.4	4.30
20	Down	0.00	Down	0.00	Down	0.00	2865.6	9.18	2865.6	9.18
21	2922.3	6.70	2940.0	6.70	2881.2	6.70	2061.3	6.70	10804.8	26.80
22	3065.7	6.95	3090.6	6.95	2509.0	5.70	Down	0.00	8665.3	19.60
23	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
24	1156.2	2.70	1167.8	2.70	1161.2	2.70	Down	0.00	3485.2	8.10
25	2481.6	5.70	2424.0	5.70	1951.6	4.45	Down	0.00	6857.2	15.85
26	594.3	1.45	598.3	1.45	595.1	1.45	Down	0.00	1787.7	4.35
27	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
28	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
29	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
30	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
31	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Monthly Total	10605.8	24.9	11122.1	26.6	10007.5	24.1	8867.2	28.8	40602.6	104.37
12-Month Rolling	140488.1	380.3	127696.1	355.1	135861.1	370.2	106852.0	309.7	510897.3	1414.9

Mariposa Energy
Byron California
Facility Monthly Operations Report
September - 2025

Facility 12-Month Rolling Operational Limits
Heat Input mmBtu - 8,128,900 Unit Op Hours - 16,900

	Unit 600		Unit 700		Unit 800		Unit 900		Facility Totals	
Day	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours	Heat Input mmBtu	Unit Op Hours
01	2236.3	5.20	2251.7	5.20	2289.0	5.20	814.1	2.70	7591.1	18.30
02	1879.2	4.43	1912.3	4.45	1942.0	4.45	1325.7	4.45	7059.2	17.78
03	2841.8	6.47	2686.5	6.47	2299.8	5.22	Down	0.00	7828.1	18.16
04	848.6	2.68	1547.0	5.05	489.6	1.43	Down	0.00	2885.2	9.16
05	Down	0.00	15.7	0.13	Down	0.00	Down	0.00	15.7	0.13
06	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
07	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
08	Down	0.00	Down	0.00	Down	0.00	255.0	0.98	255.0	0.98
09	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
10	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
11	Down	0.00	Down	0.00	311.8	1.12	615.3	1.72	927.1	2.84
12	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
13	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
14	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
15	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
16	Down	0.00	Down	0.00	Down	0.00	404.5	1.10	404.5	1.10
17	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
18	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
19	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
20	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
21	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
22	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
23	1395.5	3.45	1384.7	3.45	1387.3	3.43	Down	0.00	4167.5	10.33
24	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
25	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
26	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
27	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
28	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
29	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
30	Down	0.00	Down	0.00	Down	0.00	Down	0.00	Down	0.00
Monthly Total	9201.4	22.2	9797.9	24.8	8719.5	20.9	3414.6	11.0	31133.4	78.78
12-Month Rolling	132031.0	358.4	116948.4	328.3	126278.5	345.3	94434.8	282.1	469692.7	1313.6

Attachment 5

Condition AQ-16: SCR/Oxidation Catalyst Operation Report

Condition AQ-16: SCR/Oxidation Catalyst Operation Report

Permit to Operate Condition 24955 part 16 (AQ-16) states:

The owner/operator shall ensure that each Gas Turbine (S-1, S-2, S-3, S-4) is abated by the properly operated and properly maintained Selective Catalytic Reduction (SCR) System A-2, A-4, A-6 or A-8 and. Oxidation Catalyst System A-1, A-3, A-5, or A-7 whenever fuel is combusted at those sources and the corresponding SCR catalyst bed (A-2, A-4, A-6 or A-8) has reached minimum operating temperature.

The emission reports presented in Attachments 7, 8, 12, and 13 demonstrate that the gas turbines are operating properly as abated by the Catalytic Reduction (SCR) System A-2, A-4, A-6 or A-8 and Oxidation Catalyst System A-1, A-3, A-5, or A-7 and demonstrate compliance with Condition 24955 parts AQ-17a, 17b, 17c, 17d, 19, and 20.

Demonstration of operation above the minimum catalyst bed temperature is demonstrated by compliance with BAAQMD ATC Condition 24955, parts AQ-17a, 17b, 17c, 17d, 19, and 20.

Attachment 6

Condition AQ-17a/b NO_x Emission Limits:

Hourly Mass Rate and Hourly Average

Concentration Report

Condition AQ-17c/d CO Emission Limits:

Hourly Mass Rate/Rolling 3-Hr Concentration Report

Condition AQ-17e NH₃ Emission Limits:

Rolling 3-Hr Slip Calculation Report

Condition AQ-17f/g Hourly Mass Emission Limits:

POC & SO₂ Report

Mariposa Energy
Byron California
Unit 600 Monthly BAAQMD Emissions Report
July - 2025

NOx ppm @15% O2 (Norm Ops) - 2.5 SO2 lbs (Norm Ops) - 1.35 Hourly Emission Limits NOx lbs (Norm Ops) - 4.4 NOx lbs (SU/SD) - 18.5 CO lbs (Norm Ops) - 2.14 CO lbs (SU/SD) - 17.3 POC lbs (Norm Ops) - 0.61 POC lbs (SU/SD) - 1.4 3-Hour Rolling Emission Limit CO ppm @15% O2 (Norm Ops) - 2.0 NH3 Slip ppm @15% O2 (Norm Ops) - 5										
Day	Max 1-Hr Norm Ops NOx lbs	Max 1-Hr SU/SD NOx lbs	Max 1-Hr Norm Ops NOx ppm @15% O2	Max 1-Hr Norm Ops CO lbs	Max 1-Hr SU/SD CO lbs	Max 3-Hr Rolling Norm Ops CO ppm @15% O2	Max 3-Hr Rolling Norm Ops NH3 Slip ppm @15% O2	Max 1-Hr Norm Ops POC lbs	Max 1-Hr SU/SD POC lbs	Max 1-Hr SO2 lbs
07/01/2025	3.2	5.5	1.9	1.8	1.7	1.8	2.3	0.3	0.3	0.6
07/02/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/03/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/04/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/05/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/06/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/07/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/08/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/09/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/10/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/11/2025	3.7	4.9	2.2	1.8	1.5	1.8	2.3	0.3	0.3	0.6
07/12/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/13/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/14/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/15/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/16/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/17/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/18/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/19/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/20/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/21/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/22/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/23/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/24/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/25/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/26/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/27/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/28/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/29/2025	0.1	5.3	0.3	0.0	1.2	1.8	Maint	0.2	0.2	0.5
07/30/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/31/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
Monthly Max	3.7	5.5	2.2	1.8	1.7	1.8	2.3	0.3	0.3	0.6

Mariposa Energy
Byron California
Unit 600 Monthly BAAQMD Emissions Report
August - 2025

NOx ppm @15% O2 (Norm Ops) - 2.5 SO2 lbs (Norm Ops) - 1.35 Hourly Emission Limits NOx lbs (Norm Ops) - 4.4 NOx lbs (SU/SD) - 18.5 CO lbs (Norm Ops) - 2.14 CO lbs (SU/SD) - 17.3 POC lbs (Norm Ops) - 0.61 POC lbs (SU/SD) - 1.4 3-Hour Rolling Emission Limit CO ppm @15% O2 (Norm Ops) - 2.0 NH3 Slip ppm @15% O2 (Norm Ops) - 5										
Day	Max 1-Hr Norm Ops NOx lbs	Max 1-Hr SU/SD NOx lbs	Max 1-Hr Norm Ops NOx ppm @15% O2	Max 1-Hr Norm Ops CO lbs	Max 1-Hr SU/SD CO lbs	Max 3-Hr Rolling Norm Ops CO ppm @15% O2	Max 3-Hr Rolling Norm Ops NH3 Slip ppm @15% O2	Max 1-Hr Norm Ops POC lbs	Max 1-Hr SU/SD POC lbs	Max 1-Hr SO2 lbs
08/01/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/02/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/03/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/04/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/05/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/06/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/07/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/08/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/09/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/10/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/11/2025	2.0	6.1	1.9	1.0	1.0	1.7	1.3	0.2	0.1	0.4
08/12/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/13/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/14/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/15/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/16/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/17/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/18/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/19/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/20/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/21/2025	4.0	6.4	2.4	1.9	1.9	1.8	3.5	0.3	0.3	0.6
08/22/2025	3.9	5.8	2.3	1.8	1.8	1.8	3.5	0.3	0.3	0.6
08/23/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/24/2025	3.8	5.6	2.3	1.8	1.7	1.7	2.6	0.3	0.3	0.6
08/25/2025	3.6	5.6	2.2	1.8	1.7	1.8	3.4	0.3	0.3	0.6
08/26/2025	2.9	4.7	1.7	1.4	1.9	1.7	NSD	0.3	0.3	0.5
08/27/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/28/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/29/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/30/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/31/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
Monthly Max	4.0	6.4	2.4	1.9	1.9	1.8	3.5	0.3	0.3	0.6

Mariposa Energy
Byron California
Unit 600 Monthly BAAQMD Emissions Report
September - 2025

NOx ppm @15% O2 (Norm Ops) - 2.5 SO2 lbs (Norm Ops) - 1.35 Hourly Emission Limits NOx lbs (Norm Ops) - 4.4 NOx lbs (SU/SD) - 18.5 CO lbs (Norm Ops) - 2.14 CO lbs (SU/SD) - 17.3 POC lbs (Norm Ops) - 0.61 POC lbs (SU/SD) - 1.4 3-Hour Rolling Emission Limit CO ppm @15% O2 (Norm Ops) - 2.0 NH3 Slip ppm @15% O2 (Norm Ops) - 5										
Day	Max 1-Hr Norm Ops NOx lbs	Max 1-Hr SU/SD NOx lbs	Max 1-Hr Norm Ops NOx ppm @15% O2	Max 1-Hr Norm Ops CO lbs	Max 1-Hr SU/SD CO lbs	Max 3-Hr Rolling Norm Ops CO ppm @15% O2	Max 3-Hr Rolling Norm Ops NH3 Slip ppm @15% O2	Max 1-Hr Norm Ops POC lbs	Max 1-Hr SU/SD POC lbs	Max 1-Hr SO2 lbs
09/01/2025	3.7	6.1	2.2	1.9	1.6	1.8	3.5	0.3	0.2	0.6
09/02/2025	3.8	5.7	2.3	1.8	1.7	1.8	3.2	0.3	0.3	0.6
09/03/2025	3.8	5.6	2.3	1.8	1.7	1.8	3.2	0.3	0.3	0.6
09/04/2025	2.3	5.2	1.9	1.3	1.6	1.8	1.8	0.3	0.3	0.6
09/05/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/06/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/07/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/08/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/09/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/10/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/11/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/12/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/13/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/14/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/15/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/16/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/17/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/18/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/19/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/20/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/21/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/22/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/23/2025	3.5	4.7	2.2	1.7	1.8	1.8	3.4	0.3	0.3	0.6
09/24/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/25/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/26/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/27/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/28/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/29/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/30/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
Monthly Max	3.8	6.1	2.3	1.9	1.8	1.8	3.5	0.3	0.3	0.6

Mariposa Energy
Byron California
Unit 700 Monthly BAAQMD Emissions Report
July - 2025

NOx ppm @15% O2 (Norm Ops) - 2.5 SO2 lbs (Norm Ops) - 1.35 Hourly Emission Limits NOx lbs (Norm Ops) - 4.4 NOx lbs (SU/SD) - 18.5 CO lbs (Norm Ops) - 2.14 CO lbs (SU/SD) - 17.3 POC lbs (Norm Ops) - 0.61 POC lbs (SU/SD) - 1.4 3-Hour Rolling Emission Limit CO ppm @15% O2 (Norm Ops) - 2.0 NH3 Slip ppm @15% O2 (Norm Ops) - 5										
Day	Max 1-Hr Norm Ops NOx lbs	Max 1-Hr SU/SD NOx lbs	Max 1-Hr Norm Ops NOx ppm @15% O2	Max 1-Hr Norm Ops CO lbs	Max 1-Hr SU/SD CO lbs	Max 3-Hr Rolling Norm Ops CO ppm @15% O2	Max 3-Hr Rolling Norm Ops NH3 Slip ppm @15% O2	Max 1-Hr Norm Ops POC lbs	Max 1-Hr SU/SD POC lbs	Max 1-Hr SO2 lbs
07/01/2025	3.4	5.5	2.0	1.9	1.7	1.8	2.1	0.3	0.3	0.3
07/02/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/03/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/04/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/05/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/06/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/07/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/08/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/09/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/10/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/11/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/12/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/13/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/14/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/15/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/16/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/17/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/18/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/19/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/20/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/21/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/22/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/23/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/24/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/25/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/26/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/27/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/28/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/29/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/30/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/31/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
Monthly Max	3.4	5.5	2.0	1.9	1.7	1.8	2.1	0.3	0.3	0.3

Mariposa Energy
Byron California
Unit 700 Monthly BAAQMD Emissions Report
August - 2025

NOx ppm @15% O2 (Norm Ops) - 2.5 SO2 lbs (Norm Ops) - 1.35 Hourly Emission Limits NOx lbs (Norm Ops) - 4.4 NOx lbs (SU/SD) - 18.5 CO lbs (Norm Ops) - 2.14 CO lbs (SU/SD) - 17.3 POC lbs (Norm Ops) - 0.61 POC lbs (SU/SD) - 1.4 3-Hour Rolling Emission Limit CO ppm @15% O2 (Norm Ops) - 2.0 NH3 Slip ppm @15% O2 (Norm Ops) - 5										
Day	Max 1-Hr Norm Ops NOx lbs	Max 1-Hr SU/SD NOx lbs	Max 1-Hr Norm Ops NOx ppm @15% O2	Max 1-Hr Norm Ops CO lbs	Max 1-Hr SU/SD CO lbs	Max 3-Hr Rolling Norm Ops CO ppm @15% O2	Max 3-Hr Rolling Norm Ops NH3 Slip ppm @15% O2	Max 1-Hr Norm Ops POC lbs	Max 1-Hr SU/SD POC lbs	Max 1-Hr SO2 lbs
08/01/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/02/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/03/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/04/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/05/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/06/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/07/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/08/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/09/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/10/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/11/2025	1.7	5.2	1.8	0.8	1.0	1.8	0.9	0.2	0.2	0.2
08/12/2025	1.9	5.8	1.9	1.0	1.4	1.8	1.3	0.2	0.2	0.2
08/13/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/14/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/15/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/16/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/17/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/18/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/19/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/20/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/21/2025	4.0	4.0	2.3	1.9	1.1	1.9	3.6	0.3	0.3	0.3
08/22/2025	4.0	6.3	2.4	1.9	1.8	1.8	3.6	0.3	0.3	0.3
08/23/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/24/2025	3.7	5.8	2.2	1.8	1.8	1.7	2.6	0.3	0.3	0.3
08/25/2025	3.4	7.1	2.1	1.8	1.8	1.8	3.4	0.3	0.3	0.3
08/26/2025	2.8	4.8	1.7	1.5	2.0	1.8	NSD	0.3	0.3	0.2
08/27/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/28/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/29/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/30/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/31/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
Monthly Max	4.0	7.1	2.4	1.9	2.0	1.9	3.6	0.3	0.3	0.3

Mariposa Energy
Byron California
Unit 700 Monthly BAAQMD Emissions Report
September - 2025

NOx ppm @15% O2 (Norm Ops) - 2.5 SO2 lbs (Norm Ops) - 1.35 Hourly Emission Limits NOx lbs (Norm Ops) - 4.4 NOx lbs (SU/SD) - 18.5 CO lbs (Norm Ops) - 2.14 CO lbs (SU/SD) - 17.3 POC lbs (Norm Ops) - 0.61 POC lbs (SU/SD) - 1.4 3-Hour Rolling Emission Limit CO ppm @15% O2 (Norm Ops) - 2.0 NH3 Slip ppm @15% O2 (Norm Ops) - 5										
Day	Max 1-Hr Norm Ops NOx lbs	Max 1-Hr SU/SD NOx lbs	Max 1-Hr Norm Ops NOx ppm @15% O2	Max 1-Hr Norm Ops CO lbs	Max 1-Hr SU/SD CO lbs	Max 3-Hr Rolling Norm Ops CO ppm @15% O2	Max 3-Hr Rolling Norm Ops NH3 Slip ppm @15% O2	Max 1-Hr Norm Ops POC lbs	Max 1-Hr SU/SD POC lbs	Max 1-Hr SO2 lbs
09/01/2025	3.7	6.2	2.2	1.9	1.6	1.9	3.4	0.3	0.2	0.3
09/02/2025	3.6	5.5	2.2	1.9	1.8	1.9	3.2	0.3	0.3	0.3
09/03/2025	3.6	3.7	2.2	1.9	1.0	1.8	3.2	0.3	0.2	0.3
09/04/2025	2.2	5.3	2.0	1.1	1.5	1.8	2.7	0.3	0.3	0.2
09/05/2025	0.0	0.9	0.1	0.0	0.1	1.4	1.7	0.0	0.0	0.0
09/06/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/07/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/08/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/09/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/10/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/11/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/12/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/13/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/14/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/15/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/16/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/17/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/18/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/19/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/20/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/21/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/22/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/23/2025	3.6	4.8	2.2	1.8	1.7	1.8	3.4	0.3	0.3	0.3
09/24/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/25/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/26/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/27/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/28/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/29/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/30/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
Monthly Max	3.7	6.2	2.2	1.9	1.8	1.9	3.4	0.3	0.3	0.3

Mariposa Energy
Byron California
Unit 800 Monthly BAAQMD Emissions Report
July - 2025

NOx ppm @15% O2 (Norm Ops) - 2.5 SO2 lbs (Norm Ops) - 1.35 Hourly Emission Limits NOx lbs (Norm Ops) - 4.4 NOx lbs (SU/SD) - 18.5 CO lbs (Norm Ops) - 2.14 CO lbs (SU/SD) - 17.3 POC lbs (Norm Ops) - 0.61 POC lbs (SU/SD) - 1.4 3-Hour Rolling Emission Limit CO ppm @15% O2 (Norm Ops) - 2.0 NH3 Slip ppm @15% O2 (Norm Ops) - 5										
Day	Max 1-Hr Norm Ops NOx lbs	Max 1-Hr SU/SD NOx lbs	Max 1-Hr Norm Ops NOx ppm @15% O2	Max 1-Hr Norm Ops CO lbs	Max 1-Hr SU/SD CO lbs	Max 3-Hr Rolling Norm Ops CO ppm @15% O2	Max 3-Hr Rolling Norm Ops NH3 Slip ppm @15% O2	Max 1-Hr Norm Ops POC lbs	Max 1-Hr SU/SD POC lbs	Max 1-Hr SO2 lbs
07/01/2025	3.2	5.8	1.9	1.8	1.7	1.7	1.6	0.3	0.3	0.3
07/02/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/03/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/04/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/05/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/06/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/07/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/08/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/09/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/10/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/11/2025	3.4	5.1	2.1	1.7	1.1	1.7	1.5	0.3	0.2	0.3
07/12/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/13/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/14/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/15/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/16/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/17/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/18/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/19/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/20/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/21/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/22/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/23/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/24/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/25/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/26/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/27/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/28/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/29/2025	1.9	5.1	1.2	1.0	2.5	1.8	NSD	0.2	0.2	0.2
07/30/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/31/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
Monthly Max	3.4	5.8	2.1	1.8	2.5	1.8	1.6	0.3	0.3	0.3

Mariposa Energy
Byron California
Unit 800 Monthly BAAQMD Emissions Report
August - 2025

NOx ppm @15% O2 (Norm Ops) - 2.5 SO2 lbs (Norm Ops) - 1.35 Hourly Emission Limits NOx lbs (Norm Ops) - 4.4 NOx lbs (SU/SD) - 18.5 CO lbs (Norm Ops) - 2.14 CO lbs (SU/SD) - 17.3 POC lbs (Norm Ops) - 0.61 POC lbs (SU/SD) - 1.4 3-Hour Rolling Emission Limit CO ppm @15% O2 (Norm Ops) - 2.0 NH3 Slip ppm @15% O2 (Norm Ops) - 5										
Day	Max 1-Hr Norm Ops NOx lbs	Max 1-Hr SU/SD NOx lbs	Max 1-Hr Norm Ops NOx ppm @15% O2	Max 1-Hr Norm Ops CO lbs	Max 1-Hr SU/SD CO lbs	Max 3-Hr Rolling Norm Ops CO ppm @15% O2	Max 3-Hr Rolling Norm Ops NH3 Slip ppm @15% O2	Max 1-Hr Norm Ops POC lbs	Max 1-Hr SU/SD POC lbs	Max 1-Hr SO2 lbs
08/01/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/02/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/03/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/04/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/05/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/06/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/07/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/08/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/09/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/10/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/11/2025	2.0	6.8	2.0	1.1	1.0	1.8	0.8	0.2	0.1	0.2
08/12/2025	1.8	6.1	1.7	1.1	1.5	1.8	0.9	0.2	0.2	0.2
08/13/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/14/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/15/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/16/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/17/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/18/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/19/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/20/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/21/2025	3.9	7.0	2.3	1.9	1.9	1.8	3.0	0.3	0.3	0.3
08/22/2025	3.8	6.3	2.3	1.8	2.7	1.7	2.9	0.3	0.3	0.3
08/23/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/24/2025	3.8	5.9	2.2	1.8	1.7	1.7	1.9	0.3	0.3	0.3
08/25/2025	3.7	6.6	2.2	1.8	3.0	1.8	2.3	0.3	0.2	0.3
08/26/2025	2.7	5.0	1.6	1.4	2.2	1.7	NSD	0.3	0.3	0.2
08/27/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/28/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/29/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/30/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/31/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
Monthly Max	3.9	7.0	2.3	1.9	3.0	1.8	3.0	0.3	0.3	0.3

Mariposa Energy
Byron California
Unit 800 Monthly BAAQMD Emissions Report
September - 2025

NOx ppm @15% O2 (Norm Ops) - 2.5 SO2 lbs (Norm Ops) - 1.35 Hourly Emission Limits NOx lbs (Norm Ops) - 4.4 NOx lbs (SU/SD) - 18.5 CO lbs (Norm Ops) - 2.14 CO lbs (SU/SD) - 17.3 POC lbs (Norm Ops) - 0.61 POC lbs (SU/SD) - 1.4 3-Hour Rolling Emission Limit CO ppm @15% O2 (Norm Ops) - 2.0 NH3 Slip ppm @15% O2 (Norm Ops) - 5										
Day	Max 1-Hr Norm Ops NOx lbs	Max 1-Hr SU/SD NOx lbs	Max 1-Hr Norm Ops NOx ppm @15% O2	Max 1-Hr Norm Ops CO lbs	Max 1-Hr SU/SD CO lbs	Max 3-Hr Rolling Norm Ops CO ppm @15% O2	Max 3-Hr Rolling Norm Ops NH3 Slip ppm @15% O2	Max 1-Hr Norm Ops POC lbs	Max 1-Hr SU/SD POC lbs	Max 1-Hr SO2 lbs
09/01/2025	3.8	6.2	2.2	1.8	1.8	1.8	2.6	0.3	0.2	0.3
09/02/2025	3.6	5.8	2.2	1.8	1.6	1.7	2.4	0.3	0.3	0.3
09/03/2025	3.9	6.4	2.3	1.9	2.1	1.8	2.3	0.3	0.2	0.3
09/04/2025	2.1	5.6	1.3	1.2	1.5	1.8	NSD	0.3	0.3	0.2
09/05/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/06/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/07/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/08/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/09/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/10/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/11/2025	1.1	4.8	1.0	0.7	1.6	1.7	NSD	0.2	0.2	0.1
09/12/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/13/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/14/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/15/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/16/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/17/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/18/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/19/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/20/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/21/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/22/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/23/2025	3.7	3.8	2.3	1.7	1.5	1.7	2.5	0.3	0.3	0.3
09/24/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/25/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/26/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/27/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/28/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/29/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/30/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
Monthly Max	3.9	6.4	2.3	1.9	2.1	1.8	2.6	0.3	0.3	0.3

Mariposa Energy
Byron California
Unit 900 Monthly BAAQMD Emissions Report
July - 2025

NOx ppm @15% O2 (Norm Ops) - 2.5 SO2 lbs (Norm Ops) - 1.35 Hourly Emission Limits NOx lbs (Norm Ops) - 4.4 NOx lbs (SU/SD) - 18.5 CO lbs (Norm Ops) - 2.14 CO lbs (SU/SD) - 17.3 POC lbs (Norm Ops) - 0.61 POC lbs (SU/SD) - 1.4 3-Hour Rolling Emission Limit CO ppm @15% O2 (Norm Ops) - 2.0 NH3 Slip ppm @15% O2 (Norm Ops) - 5										
Day	Max 1-Hr Norm Ops NOx lbs	Max 1-Hr SU/SD NOx lbs	Max 1-Hr Norm Ops NOx ppm @15% O2	Max 1-Hr Norm Ops CO lbs	Max 1-Hr SU/SD CO lbs	Max 3-Hr Rolling Norm Ops CO ppm @15% O2	Max 3-Hr Rolling Norm Ops NH3 Slip ppm @15% O2	Max 1-Hr Norm Ops POC lbs	Max 1-Hr SU/SD POC lbs	Max 1-Hr SO2 lbs
07/01/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/02/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/03/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/04/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/05/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/06/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/07/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/08/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/09/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/10/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/11/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/12/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/13/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/14/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/15/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/16/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/17/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/18/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/19/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/20/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/21/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/22/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/23/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/24/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/25/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/26/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/27/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/28/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/29/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/30/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
07/31/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down

Day	Max 1-Hr Norm Ops NOx lbs	Max 1-Hr SU/SD NOx lbs	Max 1-Hr Norm Ops NOx ppm @15% O2	Max 1-Hr Norm Ops CO lbs	Max 1-Hr SU/SD CO lbs	Max 3-Hr Rolling Norm Ops CO ppm @15% O2	Max 3-Hr Rolling Norm Ops NH3 Slip ppm @15% O2	Max 1-Hr Norm Ops POC lbs	Max 1-Hr SU/SD POC lbs	Max 1-Hr SO2 lbs
Monthly Max	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down

Mariposa Energy
Byron California
Unit 900 Monthly BAAQMD Emissions Report
August - 2025

NOx ppm @15% O2 (Norm Ops) - 2.5 SO2 lbs (Norm Ops) - 1.35 Hourly Emission Limits NOx lbs (Norm Ops) - 4.4 NOx lbs (SU/SD) - 18.5 CO lbs (Norm Ops) - 2.14 CO lbs (SU/SD) - 17.3 POC lbs (Norm Ops) - 0.61 POC lbs (SU/SD) - 1.4 3-Hour Rolling Emission Limit CO ppm @15% O2 (Norm Ops) - 2.0 NH3 Slip ppm @15% O2 (Norm Ops) - 5										
Day	Max 1-Hr Norm Ops NOx lbs	Max 1-Hr SU/SD NOx lbs	Max 1-Hr Norm Ops NOx ppm @15% O2	Max 1-Hr Norm Ops CO lbs	Max 1-Hr SU/SD CO lbs	Max 3-Hr Rolling Norm Ops CO ppm @15% O2	Max 3-Hr Rolling Norm Ops NH3 Slip ppm @15% O2	Max 1-Hr Norm Ops POC lbs	Max 1-Hr SU/SD POC lbs	Max 1-Hr SO2 lbs
08/01/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/02/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/03/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/04/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/05/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/06/2025	Cal	1.1	0.0	Cal	0.1	1.7	NSD	0.2	0.2	0.2
08/07/2025	0.1	6.7	0.0	0.0	0.4	1.7	NSD	0.2	0.2	0.1
08/08/2025	N/A	5.3	0.0	N/A	0.7	N/A	NSD	0.1	0.1	0.1
08/09/2025	2.5	4.8	2.3	0.3	0.4	1.7	2.1	0.2	0.1	0.2
08/10/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/11/2025	2.0	7.1	2.0	0.2	0.2	1.0	1.2	0.2	0.2	0.2
08/12/2025	2.6	3.5	1.9	0.2	0.5	0.6	NSD	0.2	0.2	0.2
08/13/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/14/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/15/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/16/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/17/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/18/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/19/2025	2.7	3.6	2.3	0.3	0.6	0.4	3.0	0.2	0.2	0.2
08/20/2025	2.8	4.2	2.4	0.3	0.5	0.4	3.0	0.2	0.2	0.2
08/21/2025	2.8	4.2	2.4	0.4	0.3	0.5	3.0	0.2	0.2	0.2
08/22/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/23/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/24/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/25/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/26/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/27/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/28/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/29/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/30/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
08/31/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
Monthly Max	2.8	7.1	2.4	0.4	0.7	1.7	3.0	0.2	0.2	0.2

Mariposa Energy
Byron California
Unit 900 Monthly BAAQMD Emissions Report
September - 2025

NOx ppm @15% O2 (Norm Ops) - 2.5 SO2 lbs (Norm Ops) - 1.35 Hourly Emission Limits NOx lbs (Norm Ops) - 4.4 NOx lbs (SU/SD) - 18.5 CO lbs (Norm Ops) - 2.14 CO lbs (SU/SD) - 17.3 POC lbs (Norm Ops) - 0.61 POC lbs (SU/SD) - 1.4 3-Hour Rolling Emission Limit CO ppm @15% O2 (Norm Ops) - 2.0 NH3 Slip ppm @15% O2 (Norm Ops) - 5										
Day	Max 1-Hr Norm Ops NOx lbs	Max 1-Hr SU/SD NOx lbs	Max 1-Hr Norm Ops NOx ppm @15% O2	Max 1-Hr Norm Ops CO lbs	Max 1-Hr SU/SD CO lbs	Max 3-Hr Rolling Norm Ops CO ppm @15% O2	Max 3-Hr Rolling Norm Ops NH3 Slip ppm @15% O2	Max 1-Hr Norm Ops POC lbs	Max 1-Hr SU/SD POC lbs	Max 1-Hr SO2 lbs
09/01/2025	2.7	3.9	2.3	0.2	0.3	0.5	2.2	0.2	0.2	0.2
09/02/2025	2.8	4.0	2.4	0.3	0.2	0.3	3.5	0.2	0.2	0.2
09/03/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/04/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/05/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/06/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/07/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/08/2025	1.6	5.3	1.5	0.1	0.9	0.3	NSD	0.2	0.2	0.1
09/09/2025	N/A	Down	DMaint	N/A	Down	N/A	DMaint	Down	Down	Down
09/10/2025	N/A	Down	DMaint	N/A	Down	N/A	DMaint	Down	Down	Down
09/11/2025	2.3	5.2	1.6	0.2	0.6	0.2	NSD	0.2	0.2	0.2
09/12/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/13/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/14/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/15/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/16/2025	2.5	5.6	1.6	0.2	0.9	0.3	NSD	0.3	0.3	0.2
09/17/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/18/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/19/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/20/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/21/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/22/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/23/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/24/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/25/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/26/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/27/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/28/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/29/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
09/30/2025	N/A	Down	Down	N/A	Down	N/A	Down	Down	Down	Down
Monthly Max	2.8	5.6	2.4	0.3	0.9	0.5	3.5	0.3	0.3	0.2

Attachment 7

Condition AQ-18 Startup and Shutdown Emission Limits Report

Events

Mariposa Energy
for 7/1/2025 thru 9/30/2025

Limits

Unit 600: NOx lbs/Startup Event	14.2	Unit 700: CO lbs/Startup Event	14.1	Unit 800: POC lbs/Startup Event	1.1
Unit 600: NOx lbs/Shutdown Event	3.2	Unit 700: CO lbs/Shutdown Event	2.7	Unit 800: POC lbs/Shutdown Event	0.12
Unit 600: CO lbs/Startup Event	14.1	Unit 700: POC lbs/Startup Event	1.1	Unit 900: NOx lbs/Startup Event	14.2
Unit 600: CO lbs/Shutdown Event	2.7	Unit 700: POC lbs/Shutdown Event	0.12	Unit 900: NOx lbs/Shutdown Event	3.2
Unit 600: POC lbs/Startup Event	1.1	Unit 800: NOx lbs/Startup Event	14.2	Unit 900: CO lbs/Startup Event	14.1
Unit 600: POC lbs/Shutdown Event	0.12	Unit 800: NOx lbs/Shutdown Event	3.2	Unit 900: CO lbs/Shutdown Event	2.7
Unit 700: NOx lbs/Startup Event	14.2	Unit 800: CO lbs/Startup Event	14.1	Unit 900: POC lbs/Startup Event	1.1
Unit 700: NOx lbs/Shutdown Event	3.2	Unit 800: CO lbs/Shutdown Event	2.7	Unit 900: POC lbs/Shutdown Event	0.12

Parameter	Start	End	Duration	NOx Lbs	CO Lbs	POC Lbs
Unit 600 Startup	7/1/2025 5:57 PM	6:06 PM	0:10	3.88	0.53	0
Unit 700 Startup	7/1/2025 5:57 PM	6:07 PM	0:11	4.06	0.59	0.1
Unit 800 Startup	7/1/2025 5:57 PM	6:07 PM	0:11	3.94	0.74	0
Unit 700 Shutdown	7/1/2025 8:00 PM	8:08 PM	0:09	0.17	0.14	0
Unit 600 Shutdown	7/1/2025 8:03 PM	8:08 PM	0:06	0.15	0.06	0
Unit 800 Shutdown	7/1/2025 8:03 PM	8:08 PM	0:06	0.15	0.1	0
Unit 600 Startup	7/11/2025 1:27 PM	1:38 PM	0:12	3.47	0.46	0
Unit 800 Startup	7/11/2025 1:27 PM	1:37 PM	0:11	3.89	0.43	0
Unit 800 Shutdown	7/11/2025 3:32 PM	3:37 PM	0:06	0.06	0.09	0
Unit 600 Shutdown	7/11/2025 3:50 PM	3:55 PM	0:06	0.26	0.06	0
Unit 600 Startup	7/29/2025 12:12 PM	12:27 PM	0:16	4.8	0.82	0
Unit 800 Startup	7/29/2025 12:12 PM	12:23 PM	0:12	2.96	0.94	0
Unit 800 Shutdown	7/29/2025 1:10 PM	1:23 PM	0:14	0.45	0.27	0
Unit 600 Shutdown	7/29/2025 2:05 PM	2:09 PM	0:05	0.19	0.05	0
Unit 900 Startup	8/6/2025 1:07 PM	1:36 PM	0:30	Cal	Cal	0.2
Unit 900 Shutdown	8/6/2025 1:38 PM	1:49 PM	0:12	1.09	0.16	0
Unit 900 Startup	8/7/2025 6:08 AM	6:18 AM	0:11	1.89	0.05	0

Parameter	Start	End	Duration	NOx Lbs	CO Lbs	POC Lbs
Unit 900 Shutdown	8/7/2025 6:20 AM	6:33 AM	0:14	0.8	0	0
Unit 900 Startup	8/7/2025 11:16 AM	11:46 AM	0:31	5.9	0.3	0.2
Unit 900 Shutdown	8/7/2025 11:47 AM	11:51 AM	0:05	0.41	0	0
Unit 900 Startup	8/7/2025 2:08 PM	2:37 PM	0:30	5.7	0.06	0.2
Unit 900 Shutdown	8/7/2025 2:38 PM	2:40 PM	0:03	0.63	0	0
Unit 900 Startup	8/7/2025 4:19 PM	4:48 PM	0:30	5.61	0.06	0.1
Unit 900 Shutdown	8/7/2025 4:49 PM	4:54 PM	0:06	0.24	0	0
Unit 900 Startup	8/8/2025 10:15 AM	10:37 AM	0:23	4.32	0.17	0
Unit 900 Startup	8/8/2025 2:27 PM	2:56 PM	0:30	4.7	0.74	0.1
Unit 900 Shutdown	8/8/2025 2:57 PM	2:58 PM	0:02	0.35	0	0
Unit 900 Startup	8/9/2025 1:19 PM	1:36 PM	0:18	3.55	0.18	0
Unit 900 Shutdown	8/9/2025 3:07 PM	3:20 PM	0:14	1.47	0.01	0
Unit 600 Startup	8/11/2025 5:44 PM	5:56 PM	0:13	5.18	0.64	0
Unit 700 Startup	8/11/2025 5:44 PM	6:06 PM	0:23	4.77	0.99	0
Unit 800 Startup	8/11/2025 5:44 PM	5:57 PM	0:14	6.11	0.66	0
Unit 900 Startup	8/11/2025 5:44 PM	6:06 PM	0:23	7.03	0.04	0
Unit 700 Shutdown	8/11/2025 7:02 PM	7:07 PM	0:06	0.36	0.08	0
Unit 800 Shutdown	8/11/2025 7:02 PM	7:07 PM	0:06	0.27	0.08	0
Unit 600 Shutdown	8/11/2025 7:03 PM	7:07 PM	0:05	0.5	0.05	0
Unit 900 Shutdown	8/11/2025 7:04 PM	7:07 PM	0:04	0.51	0	0
Unit 900 Startup	8/12/2025 9:31 AM	9:41 AM	0:11	2.65	0.3	0
Unit 900 Shutdown	8/12/2025 10:48 AM	10:54 AM	0:07	0.51	0	0
Unit 700 Startup	8/12/2025 5:27 PM	5:47 PM	0:21	4.7	0.87	0.2
Unit 800 Startup	8/12/2025 5:27 PM	5:48 PM	0:22	4.99	0.99	0
Unit 800 Shutdown	8/12/2025 6:58 PM	7:06 PM	0:09	0.49	0.17	0
Unit 700 Shutdown	8/12/2025 7:01 PM	7:07 PM	0:07	0.51	0.14	0
Unit 900 Startup	8/19/2025 11:56 AM	12:06 PM	0:11	2.78	0.44	0

Parameter	Start	End	Duration	NOx Lbs	CO Lbs	POC Lbs
Unit 900 Shutdown	8/19/2025 4:07 PM	4:13 PM	0:07	1.29	0	0
Unit 900 Startup	8/20/2025 7:57 AM	8:07 AM	0:11	2.78	0.46	0
Unit 900 Shutdown	8/20/2025 5:04 PM	5:07 PM	0:04	0.67	0	0
Unit 600 Startup	8/21/2025 1:57 PM	2:10 PM	0:14	4.45	1.35	0
Unit 700 Startup	8/21/2025 1:57 PM	2:20 PM	0:24	4.91	1.51	0.2
Unit 800 Startup	8/21/2025 1:57 PM	2:14 PM	0:18	5.01	1.48	0
Unit 900 Startup	8/21/2025 1:57 PM	2:07 PM	0:11	2.82	0.25	0
Unit 900 Shutdown	8/21/2025 8:32 PM	8:38 PM	0:07	0.22	0	0
Unit 600 Shutdown	8/21/2025 8:33 PM	8:38 PM	0:06	0.16	0.06	0
Unit 700 Shutdown	8/21/2025 8:33 PM	8:38 PM	0:06	0.11	0.11	0
Unit 800 Shutdown	8/21/2025 8:33 PM	8:38 PM	0:06	0.18	0.13	0
Unit 600 Startup	8/22/2025 2:57 PM	3:07 PM	0:11	3.79	0.75	0
Unit 700 Startup	8/22/2025 2:57 PM	3:08 PM	0:12	3.95	0.86	0
Unit 800 Startup	8/22/2025 4:12 PM	4:24 PM	0:13	4.05	0.96	0.1
Unit 600 Shutdown	8/22/2025 9:48 PM	9:53 PM	0:06	0.21	0.06	0
Unit 700 Shutdown	8/22/2025 9:48 PM	9:53 PM	0:06	0.11	0.1	0
Unit 800 Shutdown	8/22/2025 9:48 PM	9:53 PM	0:06	0.13	0.13	0
Unit 600 Startup	8/24/2025 5:57 PM	6:07 PM	0:11	3.51	0.91	0
Unit 700 Startup	8/24/2025 5:57 PM	6:07 PM	0:11	3.61	0.83	0
Unit 800 Startup	8/24/2025 5:57 PM	6:07 PM	0:11	3.6	1.11	0
Unit 600 Shutdown	8/24/2025 8:33 PM	8:38 PM	0:06	0.17	0.07	0
Unit 700 Shutdown	8/24/2025 8:33 PM	8:38 PM	0:06	0.2	0.11	0
Unit 800 Shutdown	8/24/2025 8:33 PM	8:38 PM	0:06	0.19	0.13	0
Unit 600 Startup	8/25/2025 2:57 PM	3:07 PM	0:11	3.47	0.85	0
Unit 700 Startup	8/25/2025 2:57 PM	3:08 PM	0:12	4.96	0.89	0
Unit 800 Startup	8/25/2025 4:12 PM	4:22 PM	0:11	4.24	1.21	0.1
Unit 600 Shutdown	8/25/2025 8:33 PM	8:38 PM	0:06	0.14	0.06	0

Parameter	Start	End	Duration	NOx Lbs	CO Lbs	POC Lbs
Unit 700 Shutdown	8/25/2025 8:33 PM	8:38 PM	0:06	0.09	0.1	0
Unit 800 Shutdown	8/25/2025 8:33 PM	8:38 PM	0:06	0.08	0.09	0
Unit 600 Startup	8/26/2025 12:27 PM	12:37 PM	0:11	3.24	0.82	0
Unit 700 Startup	8/26/2025 12:27 PM	12:37 PM	0:11	3.23	0.82	0.1
Unit 800 Startup	8/26/2025 12:27 PM	12:37 PM	0:11	Bkflsh	Bkflsh	0
Unit 600 Shutdown	8/26/2025 1:45 PM	1:53 PM	0:09	0.89	0.12	0
Unit 700 Shutdown	8/26/2025 1:48 PM	1:53 PM	0:06	0.49	0.12	0
Unit 800 Shutdown	8/26/2025 1:48 PM	1:53 PM	0:06	0.5	0.1	0
Unit 600 Startup	9/1/2025 4:27 PM	4:40 PM	0:14	4.74	0.74	0
Unit 700 Startup	9/1/2025 4:27 PM	4:37 PM	0:11	4.71	0.65	0
Unit 800 Startup	9/1/2025 4:27 PM	4:37 PM	0:11	4.58	0.77	0
Unit 900 Startup	9/1/2025 6:57 PM	7:06 PM	0:10	2.74	0.21	0
Unit 600 Shutdown	9/1/2025 9:33 PM	9:38 PM	0:06	0.37	0.06	0
Unit 700 Shutdown	9/1/2025 9:33 PM	9:38 PM	0:06	0.23	0.11	0
Unit 800 Shutdown	9/1/2025 9:33 PM	9:38 PM	0:06	0.31	0.11	0
Unit 900 Shutdown	9/1/2025 9:33 PM	9:38 PM	0:06	0.6	0	0
Unit 600 Startup	9/2/2025 4:57 PM	5:06 PM	0:10	3.88	0.59	0
Unit 700 Startup	9/2/2025 4:57 PM	5:07 PM	0:11	4.22	0.59	0.1
Unit 800 Startup	9/2/2025 4:57 PM	5:07 PM	0:11	4.15	0.66	0
Unit 900 Startup	9/2/2025 4:57 PM	5:06 PM	0:10	2.86	0.16	0
Unit 600 Shutdown	9/2/2025 9:15 PM	9:22 PM	0:08	0.5	0.11	0
Unit 700 Shutdown	9/2/2025 9:17 PM	9:23 PM	0:07	0.32	0.13	0
Unit 900 Shutdown	9/2/2025 9:17 PM	9:23 PM	0:07	0.63	0	0
Unit 800 Shutdown	9/2/2025 9:18 PM	9:23 PM	0:06	0.33	0.12	0
Unit 600 Startup	9/3/2025 2:57 PM	3:06 PM	0:10	3.75	0.56	0.1
Unit 700 Startup	9/3/2025 2:57 PM	3:08 PM	0:12	3.5	0.45	0
Unit 800 Startup	9/3/2025 4:12 PM	4:22 PM	0:11	4.29	0.68	0.1

Parameter	Start	End	Duration	NOx Lbs	CO Lbs	POC Lbs
Unit 600 Shutdown	9/3/2025 9:16 PM	9:24 PM	0:09	1.16	0.13	0
Unit 700 Shutdown	9/3/2025 9:16 PM	9:24 PM	0:09	0.66	0.17	0
Unit 800 Shutdown	9/3/2025 9:19 PM	9:24 PM	0:06	0.7	0.13	0
Unit 600 Startup	9/4/2025 6:57 PM	7:09 PM	0:13	4.16	0.77	0.1
Unit 700 Startup	9/4/2025 6:57 PM	7:11 PM	0:15	4.43	0.75	0.1
Unit 800 Startup	9/4/2025 6:57 PM	7:10 PM	0:14	4.84	0.84	0.1
Unit 800 Shutdown	9/4/2025 8:16 PM	8:22 PM	0:07	0.8	0.13	0
Unit 600 Shutdown	9/4/2025 9:32 PM	9:37 PM	0:06	0.92	0.07	0
Unit 700 Shutdown	9/5/2025 12:02 AM	12:07 AM	0:06	0.88	0.13	0
Unit 900 Startup	9/8/2025 4:14 PM	4:24 PM	0:11	3.48	0.13	0
Unit 900 Shutdown	9/8/2025 5:06 PM	5:11 PM	0:06	1.16	0	0
Unit 800 Startup	9/11/2025 10:15 AM	10:25 AM	0:11	3.59	0.67	0
Unit 800 Shutdown	9/11/2025 11:16 AM	11:21 AM	0:06	0.09	0.07	0
Unit 900 Startup	9/11/2025 12:02 PM	12:18 PM	0:17	2.75	0.39	0
Unit 900 Shutdown	9/11/2025 1:34 PM	1:44 PM	0:11	0.89	0.01	0
Unit 900 Startup	9/16/2025 8:05 PM	8:15 PM	0:11	2.82	0.45	0
Unit 900 Shutdown	9/16/2025 8:57 PM	9:10 PM	0:14	0.64	0.06	0
Unit 600 Startup	9/23/2025 3:27 PM	3:39 PM	0:13	3.78	0.94	0
Unit 700 Startup	9/23/2025 3:27 PM	3:39 PM	0:13	3.98	0.98	0
Unit 800 Startup	9/23/2025 3:28 PM	3:38 PM	0:11	3.17	0.3	0
Unit 600 Shutdown	9/23/2025 6:45 PM	6:53 PM	0:09	0.64	0.13	0
Unit 800 Shutdown	9/23/2025 6:46 PM	6:53 PM	0:08	0.3	0.15	0
Unit 700 Shutdown	9/23/2025 6:48 PM	6:53 PM	0:06	0.23	0.11	0
Total (121 Events)			21:46	266.68	43.22	2.2

Attachment 8

**Condition AQ-19 Daily Emission Limits:
NO_x, CO, POC, SO₂ Emissions Report**

Mariposa Energy
Byron California
Facility Monthly Mass Emissions Report
July - 2025

Facility 12-Month Rolling Emission Limits					
NOx lbs - 1,100	SO2 lbs - 130	NOx tons - 45.6	POC tons - 5.6	Formaldehyde lbs- 3,725.26	
CO lbs - 934	POC lbs - 95	CO tons - 27.2	PM10 tons - 18.6	PAHs lbs - 1.063	
		SO2 tons - 2.9	Benzene lbs - 107.94	SAM tons - 7	

Day	NOx lbs	CO lbs	NH3 Slip lbs	60-SO2 lbs	75-SO2 lbs	POC lbs	PM10 lbs	Benzene lbs	Formaldehyde lbs	PAHs lbs	SAM lbs
01	31.73	12.88	11.31	2.41	1.80	1.97	3.27	0.00	0.00	0.0000	1.88
02	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down
03	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down
04	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down
05	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down
06	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down
07	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down
08	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down
09	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down
10	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down
11	23.06	8.30	7.85	2.02	1.10	1.37	2.36	0.00	0.00	0.0000	1.27
12	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down
13	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down
14	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down
15	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down
16	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down
17	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down
18	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down
19	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down
20	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down
21	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down
22	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down
23	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down
24	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down
25	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down
26	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down
27	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down
28	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down
29	19.72	6.44	3.59	1.17	0.60	0.74	1.27	0.00	0.00	0.0000	0.65
30	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down
31	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down
Monthly Total 12-Month Rolling	74.5 2.9 tons	27.6 1.1 tons	22.75 1.0 tons	5.60 0.2 tons	3.50 0.2 tons	4.1 0.2 tons	6.9 0.3 tons	0.00 0.00 lbs	0.00 0.00 lbs	0.000 0.000 lbs	3.80 0.2 tons

Mariposa Energy
Byron California
Facility Monthly Mass Emissions Report
August - 2025

Facility 12-Month Rolling Emission Limits					
NOx lbs - 1,100	SO2 lbs - 130	NOx tons - 45.6	POC tons - 5.6	Formaldehyde lbs- 3,725.26	
CO lbs - 934	POC lbs - 95	CO tons - 27.2	PM10 tons - 18.6	PAHs lbs - 1.063	
		SO2 tons - 2.9	Benzene lbs - 107.94	SAM tons - 7	

Day	NOx lbs	CO lbs	NH3 Slip lbs	60-SO2 lbs	75-SO2 lbs	POC lbs	PM10 lbs	Benzene lbs	Formaldehyde lbs	PAHs lbs	SAM lbs
01	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down
02	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down
03	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down
04	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down
05	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down
06	14.18	25.11	1.50	0.15	0.10	0.17	0.27	0.00	0.00	0.0000	0.20
07	23.25	0.68	2.99	0.44	0.30	0.49	0.78	0.00	0.00	0.0000	0.57
08	10.00	0.96	1.24	0.16	0.10	0.18	0.29	0.00	0.00	0.0000	0.22
09	9.82	0.73	3.10	0.34	0.40	0.40	0.64	0.00	0.00	0.0000	0.46
10	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down
11	36.22	6.64	7.51	1.19	1.20	1.04	1.73	0.00	0.00	0.0000	1.03
12	23.89	5.99	6.06	0.90	1.10	1.06	1.71	0.00	0.00	0.0000	1.16
13	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down
14	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down
15	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down
16	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down
17	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down
18	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down
19	16.48	1.79	5.10	0.80	0.80	0.92	1.46	0.00	0.00	0.0000	1.05
20	27.67	2.89	10.53	1.73	1.80	2.00	3.17	0.00	0.00	0.0000	2.27
21	99.51	37.89	39.85	8.82	7.00	7.59	12.45	0.00	0.00	0.0000	7.49
22	82.87	36.33	35.96	7.65	5.60	6.06	10.10	0.00	0.00	0.0000	5.70
23	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down
24	38.79	17.12	13.03	3.01	2.10	2.48	4.06	0.00	0.00	0.0000	2.34
25	65.23	30.39	27.05	6.10	4.30	4.82	7.99	0.00	0.00	0.0000	4.50
26	26.90	11.05	7.11	1.54	1.20	1.26	2.08	0.00	0.00	0.0000	1.20
27	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down
28	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down
29	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down
30	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down
31	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down
Monthly Total 12-Month Rolling	474.8 2.8 tons	177.6 1.1 tons	161.03 0.9 tons	32.83 0.2 tons	26.00 0.2 tons	28.5 0.2 tons	46.7 0.3 tons	0.00 0.00 lbs	0.00 0.00 lbs	0.000 0.000 lbs	28.19 0.2 tons

Mariposa Energy
Byron California
Facility Monthly Mass Emissions Report
September - 2025

Facility 12-Month Rolling Emission Limits					
NOx lbs - 1,100	SO2 lbs - 130	NOx tons - 45.6	POC tons - 5.6	Formaldehyde lbs- 3,725.26	
CO lbs - 934	POC lbs - 95	CO tons - 27.2	PM10 tons - 18.6	PAHs lbs - 1.063	
		SO2 tons - 2.9	Benzene lbs - 107.94	SAM tons - 7	

Day	NOx lbs	CO lbs	NH3 Slip lbs	60-SO2 lbs	75-SO2 lbs	POC lbs	PM10 lbs	Benzene lbs	Formaldehyde lbs	PAHs lbs	SAM lbs
01	80.59	30.33	30.96	6.33	5.00	5.37	8.79	0.00	0.00	0.0000	5.21
02	72.77	25.50	27.59	5.75	4.60	4.94	8.13	0.00	0.00	0.0000	4.89
03	76.85	32.90	29.59	6.96	5.20	5.48	9.13	0.00	0.00	0.0000	5.14
04	39.04	12.29	9.84	2.41	1.70	2.03	3.32	0.00	0.00	0.0000	1.91
05	1.05	0.16	0.02	0.01	0.00	0.01	0.02	0.00	0.00	0.0000	0.01
06	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down
07	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down
08	7.07	0.87	1.18	0.15	0.20	0.18	0.28	0.00	0.00	0.0000	0.21
09	DMaint	DMaint	DMaint	Down	Down	Down	Down	Down	Down	Down	Down
10	DMaint	DMaint	DMaint	Down	Down	Down	Down	Down	Down	Down	Down
11	14.71	2.75	3.17	0.56	0.60	0.65	1.06	0.00	0.00	0.0000	0.74
12	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down
13	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down
14	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down
15	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down
16	6.98	1.19	1.42	0.24	0.20	0.29	0.44	0.00	0.00	0.0000	0.32
17	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down
18	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down
19	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down
20	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down
21	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down
22	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down
23	44.87	19.28	18.01	3.63	2.70	2.93	4.86	0.00	0.00	0.0000	2.79
24	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down
25	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down
26	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down
27	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down
28	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down
29	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down
30	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down	Down
Monthly Total 12-Month Rolling	343.9 2.6 tons	125.3 1.0 tons	121.78 0.9 tons	26.04 0.2 tons	20.20 0.2 tons	21.9 0.2 tons	36.0 0.3 tons	0.00 0.00 lbs	0.00 0.00 lbs	0.000 0.000 lbs	21.22 0.2 tons

Attachment 9

**Condition AQ-20 Cumulative Rolling 12-month CTG Emissions:
NO_x, CO, POC, PM₁₀, SO₂ Emissions Report**

And

Condition AQ-31 Sulfuric Acid Emissions Report

Mariposa Energy

Byron California

Facility 12-Month Rolling Report

September 2025 12-Month Rolling

Facility 12-Month Rolling Operational Limits	Facility 12-Month Rolling Emission Limits		
Unit Op Hours -16,900	NOx tons - 45.6	POC tons - 5.6	Formaldehyde lbs - 3,725.26
Heat Input mmBtu - 8,128,900	CO tons - 27.2	PM10 tons - 18.6	PAHs lbs - 1.063
	SO2 tons - 2.9	Benzene lbs - 107.94	SAM tons - 7

Month	Op Hours	Op Time	12MRT Op Time	Fuel Flow kscf	Heat Input mmBtu	12MRT Heat Input mmBtu	MWH	NOx lbs	CO lbs	75 SO2 lbs	YTM 75 SO2 lbs	60 SO2 lbs	POC lbs	PM10 lbs	Benzene lbs	Formaldehyde lbs	PAHs lbs	SAM lbs	12MRT NOx tons	12MRT CO tons	12MRT SO2 tons	12MRT POC tons	12MRT PM10 tons	12MRT Benzene lbs	12MRT Formaldehyde lbs	12MRT PAHs lbs	12MRT SAM tons	YTM CO2 tons	YTM CO2e Metric Tons
Oct 2024	257	256.62	2501.1	96871.2	103069.7	#####	10484.2	998.2	407.2	66.40	568.40	84.37	72.3	118.8	0.00	0.00	0.000	71.69	5.0	1.6	0.4	0.4	0.6	0.00	0.00	0.000	0.4	51831.4	47067.8
Nov 2024	153	153.03	2471.2	50278.5	52792.9	989388.5	5300.4	544.6	195.6	34.20	602.60	43.79	37.0	60.8	0.00	0.00	0.000	36.17	4.9	1.6	0.4	0.3	0.6	0.00	0.00	0.000	0.3	54968.6	49916.9
Dec 2024	84	84.17	2398.5	21862.1	22999.3	947955.4	2186.7	248.1	94.9	16.90	619.50	18.75	16.2	26.5	0.00	0.00	0.000	16.01	4.6	1.6	0.4	0.3	0.5	0.00	0.00	0.000	0.3	56335.3	51157.9
Jan 2025	76	76.29	1832.0	20965.0	22117.6	700071.7	2133.1	281.3	101.1	15.20	15.20	18.14	15.6	25.6	0.00	0.00	0.000	15.31	3.6	1.3	0.3	0.2	0.4	0.00	0.00	0.000	0.2	1314.3	1193.6
Feb 2025	298	297.80	2110.6	103544.8	109238.6	802147.7	11237.4	1116.2	450.1	72.10	87.30	89.26	76.5	126.5	0.00	0.00	0.000	76.23	4.1	1.5	0.3	0.3	0.5	0.00	0.00	0.000	0.3	7806.9	7089.5
Mar 2025	39	38.67	2008.7	10108.5	10643.8	763215.3	1018.4	125.2	41.3	7.50	94.80	8.91	7.5	12.4	0.00	0.00	0.000	7.27	3.9	1.4	0.3	0.3	0.4	0.00	0.00	0.000	0.3	8439.3	7663.8
Apr 2025	50	50.33	2006.0	15022.7	15788.7	758450.1	1554.3	246.8	77.0	10.40	105.20	12.99	11.1	18.4	0.00	0.00	0.000	11.01	3.9	1.4	0.3	0.3	0.4	0.00	0.00	0.000	0.3	9377.5	8516.0
May 2025	108	108.45	2021.4	35947.3	37636.1	767893.4	3831.7	469.6	160.9	24.50	129.70	30.99	26.3	43.4	0.00	0.00	0.000	26.09	4.0	1.5	0.3	0.3	0.4	0.00	0.00	0.000	0.3	11614.3	10547.3
Jun 2025	51	50.64	1941.2	17009.8	17859.9	732497.5	1815.8	208.7	85.5	11.30	141.00	15.88	12.5	20.8	0.00	0.00	0.000	11.66	3.8	1.4	0.3	0.3	0.4	0.00	0.00	0.000	0.3	12675.5	11511.0
Jul 2025	14	14.43	1486.4	5517.5	5810.1	546163.6	606.9	74.5	27.6	3.50	144.50	5.60	4.1	6.9	0.00	0.00	0.000	3.80	2.9	1.1	0.2	0.2	0.3	0.00	0.00	0.000	0.2	13020.5	11824.3
Aug 2025	104	104.37	1414.9	38486.3	40602.6	510897.3	4161.5	474.8	177.6	26.00	170.50	32.83	28.5	46.7	0.00	0.00	0.000	28.19	2.8	1.1	0.2	0.2	0.3	0.00	0.00	0.000	0.2	15433.4	14015.3
Sep 2025	79	78.78	1313.6	29735.7	31133.4	469692.7	3230.1	343.9	125.3	20.20	190.70	26.04	21.9	36.0	0.00	0.00	0.000	21.22	2.6	1.0	0.2	0.2	0.3	0.00	0.00	0.000	0.2	17283.7	15695.5

Attachment 10

Exceedances / Violations

Attachment 10

Mariposa Energy has had no exceedances or violations during Q3 2025.

Attachment 11

**Condition AQ-38 40 CFR Part 72.9(c)(1) SO₂ Allowances
And 40 CFR Part 75 CEM Requirements Report**

Compliance Accounts

☐	Account Number	Account Name	State	Allowances Held	Total User Specified Allowances for Deduction (optional)	Emissions (tons)	Excess Emissions	Compliance Status	Compliance Run Date	Last Updated By	Last Updated Date
☐	057483FACLT	Mariposa Energy Project	CA	2	0	0	0	Draft	04/08/2025 03:01:06 PM	Forsyth, Wayne	04/08/2025 03:01:06 PM

Attachment 12

**Conditions AQ-39, AQ-40
S-6 Emergency Fire Pump Operation Report
(BAAQMD Condition 24955, parts 1 & 2)**

Conditions AQ-39 and AQ-40, S-6 Emergency Standby Diesel Fire Pump Engine Operation Report

S-6 Diesel Fire Pump Driver Operation Log

Engine Model: JU6H-UFADM8 (Clark Fire Pump Engine Model Designation)
6068HFC28A,B,C (John Deere Engine Model Designation)

Year: 2011 Model Year EPA Engine Family: BJDXL06.8120

Size: 175 BHP Fuel Type: CARB Diesel

Facility: Mariposa Energy Center, BAAQMD Plant 19730 (B9730)

Source No: 6

Location: Diesel Fire Pump Room, Mariposa Energy

Summary					
Year	Months	Stop Timer Reading	Start Timer Reading	Total Actual Maintenance and Testing Hours	12-Month Running Total Hours
2024	July	310.6	308.1	2.5	27.0
2024	August	312.6	310.6	2.0	27.3
2024	September	314.6	312.6	2.0	27.3
2024	October	317.8	314.6	3.2	28.0
2024	November	319.8	317.8	2.0	28.0
2024	December	322.3	319.8	2.5	28.5
2025	January	324.3	322.3	2.0	27.8
2025	February	326.7	324.3	2.4	27.7
2025	March	329.2	326.7	2.5	28.1
2025	April	331.2	329.2	2.0	27.6
2025	May	333.2	331.2	2.0	27.6
2025	June	335.2	333.2	2.0	27.1
2025	July	337.7	335.7	2.0	27.1
2025	August	340.1	337.7	2.4	27.5
2025	September	342.7	340.1	2.6	28.1

Attachment 13

Conditions AQ-39, AQ-40

**Condition AQ-41 S-6 Emergency Fire Pump Totalizing Meter Report (BAAQMD
Condition 22850, part 3)**

Attachment 13
S-6 Emergency Fire Pump Totalizing Meter Report


To demonstrate compliance with CEC Condition AQ-41 (BAAQMD Condition 22850, Part 3), the following photographs are provided as evidence of compliance.



S-6 Emergency Fire Pump



S-6 Control Unit



S-6 Controller, Showing Fire Pump Operating Hours



S-6 Fire Pump Engine Hours