DOCKETED		
Docket Number:	16-AFC-01	
Project Title:	Stanton Energy Reliability Center	
TN #:	223402	
Document Title:	Southern California Edison Company Generator Interconnection Agreement for Stanton Energy Reliability Center	
Description:	N/A	
Filer:	Marie Fleming	
Organization:	DayZen LLC	
Submitter Role:	Applicant Representative	
Submission Date:	5/8/2018 4:01:22 PM	
Docketed Date:	5/8/2018	

Southern California Edison Company Tariff Title: Wholesale Distribution Access Tariff Tariff Record Title: Service Agreement No. 999

GENERATOR INTERCONNECTION AGREEMENT (GIA) FOR A GENERATING FACILITY INTERCONNECTING UNDER THE CLUSTER STUDY PROCESS

(Applicable for Queue Cluster 5 and Subsequent Queue Clusters)

BETWEEN

STANTON ENERGY RELIABILITY CENTER, LLC AND

SOUTHERN CALIFORNIA EDISON COMPANY

PROJECT: STANTON ENERGY RELIABILITY CENTER (SCE WDT1189 and WDT1293)

Contract Effective Date: 02/08/18
905.999.10
Tariff Record Proposed Effective Date: 02/08/18
Version Number: 10.00

WDT1189 and WDT1293 Option Code: A

TABLE OF CONTENTS

Page No.

Recita	S		7
Article	1. Definition	1S	7
Article	2. Effective	Date, Term, and Termination	20
2.1			
2.2	Term of Agree	ment	20
2.3	Termination P	rocedures	20
2.3	.1 Written N	otice	20
2.3	.2 Default		21
2.3	.3 Suspension	n of Work	21
2.4	Termination C	osts	21
2.5	Disconnection		22
2.6	Survival		22
Article	3. Regulator	ry Filings	22
3.1	Filing		22
Article	4. Scope of	Service	22
4.1	Interconnectio	n Service	22
4.1	.1 Distributi	on Service Implications	22
4.1	.2 Transmiss	ion Service Implications	23
4.2	Provision of S	ervice	23
4.3	Performance S	tandards	23
4.4	No Distributio	n Service or Transmission Service	23
4.5		n Customer Provided Services	
4.6		ity	
Article		nection Facilities Engineering, Procurement, and Construction	
5.1			
5.1		Option	
5.1		Option	
5.1	1	Build	
5.1	_	d Option	
5.1		Option	
5.2		tions Applicable to Option to Build	
5.3	1	mages	
5.4		Stabilizers	
5.5		ocurement	
5.6		Commencement	
5.7	_	S	
5.8		rchange	
5.9	1	tion	
5.10		n Customer's Interconnection Facilities ('ICIF')	
5.1		ection Customer's Interconnection Facility Specifications	
		on Provider's Review	
5 1	0.3 ICIF Cons	etruction	30

	0.4	Interconnection Customer to Meet Requirements of the Distribution Provider's	
Inte		nection Handbook	
5.11	Dis	tribution Provider's Interconnection Facilities Construction	30
5.12		ess Rights	
5.13	Lan	ds of Other Property Owners	31
5.14		mits	
5.15	Ear	ly Construction of Base Case Facilities	31
5.16	Sus	pension	31
5.17	Tax	es	33
5.1	7.1	Interconnection Customer Payments Not Taxable	33
5.1	7.2	Representations and Covenants	
5.1	7.3	Indemnification for the Cost Consequences of Current Tax Liability Imposed U	Jpon
the	Distr	ibution Provider	33
5.1	7.4	Tax Gross-Up Amount	34
5.1	7.5	Private Letter Ruling or Change or Clarification of Law	35
5.1	7.6	Subsequent Taxable Events	
5.1	7.7	Contests	35
5.1	7.8	Refund	36
5.1	7.9	Taxes Other Than Income Taxes	37
5.1	7.10 1	Distribution Owners Who Are Not Distribution Providers	38
5.18	Tax	Status	38
5.19	Mo	dification	38
5.1	9.1	General	38
5.1	9.2	Standards	38
5.1	9.3	Modification Costs	38
5.1	9.4	Permitted Reductions in Output Capacity (MW Generating Capacity) of the	
Ge	nerati	ng Facility	39
5.20	Anı	nual Reassessment Process	40
Article	6.	Testing and Inspection	40
6.1	Pre-	-Commercial Operation Date Testing and Modifications	40
6.2	Pos	t-Commercial Operation Date Testing and Modifications	41
6.3	Rig	ht to Observe Testing	41
6.4	Rig	ht to Inspect	41
Article	7.	Metering	41
7.1	Ger	neral	41
7.2		eck Meters	
7.3	Dis	tribution Provider Retail Metering	42
Article	8.	Communications	42
8.1	Inte	rconnection Customer Obligations	42
8.2	Ren	note Terminal Unit	42
8.3	No	Annexation	
Article	9.	Operations	43
9.1		neral	
9.2	Cor	ntrol Area Notification	43
9.3	Dis	tribution Provider Obligations	43
9.4	Inte	rconnection Customer Obligations.	43

9.5 Start-Up and Synchronization	44
9.6 Reactive Power	44
9.6.1 Power Factor Design Criteria	44
9.6.1.1 Synchronous Generation.	44
9.6.1.2 Non-Synchronous Generation.	
9.6.2 Voltage Schedules	
9.6.2.1 Governors and Regulators	
9.6.3 Payment for Reactive Power.	
9.7 Outages and Interruptions.	
9.7.1 Outages	
9.7.1.1 Outage Authority and Coordination	
9.7.1.2 Outage Schedules	
9.7.1.3 Outage Restoration	
9.7.2 Interruption of Service	
9.7.3 Frequency and Voltage Ride Through	
9.7.4 System Protection and Other Control Requirements	
9.7.4.1 System Protection Facilities	
9.7.5 Requirements for Protection	
9.7.6 Power Quality	
9.8 Switching and Tagging Rules	
9.9 Use of Interconnection Facilities by Third Parties	
9.9.1 Purpose of Interconnection Facilities	
9.9.2 Third Party Users	
9.10 Disturbance Analysis Data Exchange	
Article 10. Maintenance	
10.1 Distribution Provider Obligations	
10.2 Interconnection Customer Obligations	
10.3 Coordination	
10.4 Secondary Systems	
10.5 Operating and Maintenance Expenses	
Article 11. Performance Obligation	
11.1 Interconnection Customer Interconnection Facilities	
11.2 Distribution Provider's Interconnection Facilities	
11.3 Network Upgrades and Distribution Upgrades	
11.3.1 Distribution Upgrades	
11.3.2 Reliability Network Upgrades	
11.3.3 Local Delivery Network Upgrades	
11.3.4 Area Delivery Network Upgrades	
11.4 Transmission Credits.	
11.4.1 Repayment of Amounts Advanced for Network Upgrades	
11.4.2 Special Provisions for Affected Systems	
11.5 Provision of Interconnection Financial Security	
Article 12. Invoice	
12.1 General	
12.2 Final Invoice	

12.3	Payment	56
12.4	Disputes	56
Article	13. Emergencies	56
13.1	Definition	56
13.2	Obligations	56
13.3	Notice	
13.4	Immediate Action	57
13.5	Distribution Provider Authority.	
13.5	•	
13.5		
13.6	Interconnection Customer Authority	
13.7	Limited Liability	
	14. Regulatory Requirements and Governing Law	
14.1	Regulatory Requirements	
14.2	Governing Law	
Article		
15.1	General	
15.1	Billings and Payments	
15.2	Alternative Forms of Notice	
15.3	Operations and Maintenance Notice	
	16. Uncontrollable Force	
16.1	Uncontrollable Force	
Article		
	Default	
17.1		
17.1	6	
Article	V / 1	
	Indemnity	
18.1		
18.1	, ,	
18.1	J	
18.2	1 &	
	Insurance	
	19. Assignment	
	Assignment	
Article 2	$oldsymbol{v}$	
20.1	Severability	
Article 2	21. Comparability	65
21.1	Comparability	65
Article 2	22. Confidentiality	66
22.1	Confidentiality	66
22.1		
22.1	1	
22.1	.3 Release of Confidential Information	66
22.1	.4 Rights	67
22.1	5 No Warranties	67

22.1	.6 Standard of Care	67
22.1	.7 Order of Disclosure	67
22.1	.8 Termination of Agreement	67
22.1	.9 Remedies	68
22.1	.10 Disclosure to FERC, its Staff, or a State	68
Article 2		
Article 2		
24.1	Information Acquisition	
24.2	Information Submission by Distribution Provider	69
24.3	Updated Information Submission by Interconnection Customer	69
24.4	Information Supplementation	
Article 2	25. Information Access and Audit Rights	70
25.1	Information Access	
25.2	Reporting of Non-Uncontrollable Force Events	71
25.3	Audit Rights	71
25.4	Audit Rights Periods.	71
25.4	.1 Audit Rights Period for Construction-Related Accounts and Records	71
25.4		
25.5	Audit Results	72
Article 2	26. Subcontractors	72
26.1	General	72
26.2	Responsibility of Principal	
26.3	No Limitation by Insurance	
Article 2	27. Disputes	
27.1	Submission	72
27.2	External Arbitration Procedures	73
27.3	Arbitration Decisions	73
27.4	Costs	73
Article 2	28. Representations, Warranties, and Covenants	73
28.1	General	
28.1	.1 Good Standing	73
28.1	.2 Authority	74
28.1	.3 No Conflict	74
28.1	.4 Consent and Approval	74
Article 2	* *	
Article 3	30. Miscellaneous	74
30.1	Binding Effect	74
30.2	Conflicts	74
30.3	Rules of Interpretation	74
30.4	Entire Agreement	75
30.5	No Third Party Beneficiaries	
30.6	Waiver	
30.7	Headings	75
30.8	Multiple Counterparts	
30.9	Amendment	
30.10	Modification by the Parties	

30.11 30.12	Reservation of Rights	
1 1	A – Description of Interconnection Facilities, Network Upgrades, Distribution Costs and Financial Security	
Appendix	B – Milestones	
Appendix	C – Interconnection Details	
Appendix	D – Security Arrangements Details	
Appendix	E – Commercial Operation Date	
Appendix	F – Addresses for Delivery of Notices and Billings	
1 1	G – Interconnection Customer's Share of Costs of Network for Applicable Project Group	

GENERATOR INTERCONNECTION AGREEMENT

THIS GENERATOR INTERCON	NECTION AGRE	EEMENT ("GIA" or
"Agreement") is made and entered on	2/8/2018	, by and between <u>Stanton</u>
Energy Reliability Center, LLC, a limited lia	ability company org	ganized and existing under the
laws of the State/Commonwealth of Delawa	re ("Interconnection	n Customer" with a Generating
Facility), and Southern California Edison Co	ompany, a corporati	ion organized and existing under
the laws of the State of California ("Distribu	ition Provider and/o	or Distribution Owner").
Interconnection Customer and Distribution 1	Provider each may I	be referred to as a "Party" or
collectively as the "Parties."		

Recitals

WHEREAS, Distribution Provider operates the Distribution System; and

WHEREAS, Interconnection Customer intends to own, lease and/or control and operate the Generating Facility identified in Appendix C to this Agreement; and,

WHEREAS, Interconnection Customer and Distribution Provider have agreed to enter into this Agreement for the purpose of interconnecting the Generating Facility with the Distribution System;

NOW, THEREFORE, in consideration of and subject to the mutual covenants contained herein, it is agreed:

When used in this Generator Interconnection Agreement, terms with initial capitalization that are not defined in Article 1 shall have the meanings specified in the Article in which they are used or the Tariff.

Article 1. Definitions

Adverse System Impact shall mean the negative effects due to technical or operational limits on conductors or equipment being exceeded that may compromise the safety and reliability of the electric system.

Affected System shall mean an electric system other than the Distribution Provider's Distribution System that may be affected by the proposed interconnection.

Affected System Operator shall mean the entity that operates an Affected System.

Affiliate shall mean, with respect to a corporation, partnership or other entity, each such other corporation, partnership or other entity that directly or indirectly, through one or more intermediaries, controls, is controlled by, or is under common control with, such corporation, partnership or other entity.

Ancillary Services shall mean those services that are necessary to support the transmission of capacity and energy from resources to loads while maintaining reliable operation of the Distribution Provider's Distribution System in accordance with Good Utility Practice.

Annual Tax Security Reassessment shall mean the annual reassessment of the current tax liability in accordance with the directives of FERC Orders 2003-A and 2003-B associated with Article 5.17.4 of the GIA which will commence the first year after Interconnection Customer's in-service date.

Applicable Laws and Regulations shall mean all duly promulgated applicable federal, state and local laws, regulations, rules, ordinances, codes, decrees, judgments, directives, or judicial or administrative orders, permits and other duly authorized actions of any Governmental Authority.

Applicable Reliability Council shall mean the reliability council applicable to the Distribution System to which the Generating Facility is directly interconnected.

Applicable Reliability Standards shall mean the requirements and guidelines of NERC, the Applicable Reliability Council, and the Control Area of the Distribution System to which the Generating Facility is directly interconnected, including the requirements pursuant to Section 215 of the Federal Power Act.

Area Deliverability Constraint shall mean a Transmission System operating limit that either (a) would constrain the deliverability of a substantial number of generators if the ISO were to assign Full Capacity Deliverability Status or Partial Capacity Deliverability Status to additional generating facilities in one or more specified geographic or electrical areas of the ISO Grid in a total amount that is greater than the TP Deliverability for those areas; (b) constrains a quantity of generation in a local area of the grid that is larger than the generation amount identified in the applicable transmission planning process portfolio for the entire portfolio area; or (c) constrains all or most of the same generation already constrained by a previously identified Area Deliverability Constraint.

Area Delivery Network Upgrades shall mean a transmission upgrade or addition identified by the ISO to relieve an Area Deliverability Constraint.

Area Delivery Network Upgrades Cost shall mean the Interconnection Customer's allocated share of all costs, excluding One-Time Cost, determined by the Distribution Provider to be associated with the design, engineering, procurement, construction and installation of the Area Delivery Network Upgrades constructed and owned by the Distribution Provider. The Area Delivery Network Upgrades Cost is provided in Section 5 of Appendix A to the GIA.

Base Case shall mean data including, but not limited to, base power flow, short circuit, and stability data bases, underlying load, generation, and transmission facility assumptions, contingency lists, including relevant special protection systems, and transmission diagrams used to perform Phase I Interconnection and Phase II Interconnection Studies. The Base Case may

include Critical Energy Infrastructure Information (as that term is defined by FERC). The Base Case shall include transmission facilities as approved by the Distribution Provider or ISO, as applicable, and Distribution Upgrades and Network Upgrades associated with generating facilities in (iv) below and generating facilities that (i) are directly interconnected to the Distribution System or ISO Grid; (ii) are interconnected to Affected Systems and may have an impact on the Interconnection Request; (iii) have a pending request to interconnect to the Distribution System or an Affected System; or (iv) are not interconnected to the Distribution System or ISO Grid, but are subject to a fully executed generator interconnection agreement (or its equivalent predecessor agreement) has been requested to be filed with FERC.

Breach shall mean the failure of a Party to perform or observe any material term or condition of the GIA.

Breaching Party shall mean a Party that is in Breach of the GIA.

Business Day shall mean Monday through Friday, excluding Federal Holidays.

Calendar Day shall mean any day including Saturday, Sunday or a Federal Holiday.

Cluster Application Window shall mean a period of time specified by the Distribution Provider in which Interconnection Requests will be accepted for processing under the Cluster Study Process as set forth in Section 4.1 of the GIP.

Cluster Study Process shall mean the interconnection study process set forth in GIP Section 4.

Commercial Operation shall mean the status of a Generating Facility that has commenced generating electricity for sale, excluding electricity generated during Trial Operation.

Commercial Operation Date of an Electric Generating Unit shall mean the date on which an Electric Generating Unit at a Generating Facility commences Commercial Operation as agreed to by the Parties pursuant to Appendix E to the GIA.

Confidential Information shall mean any confidential, proprietary or trade secret information of a plan, specification, pattern, procedure, design, device, list, concept, policy or compilation relating to the present or planned business of a Party, which is designated as confidential by the Party supplying the information, whether conveyed orally, electronically, in writing, through inspection, or otherwise.

Construction Activities shall mean actions by the Distribution Provider that result in irrevocable financial commitments for the purchase of major electrical equipment or land for Distribution Provider's Interconnection Facilities, Distribution Upgrades, or Network Upgrades assigned to the Interconnection Customer that occur after receipt of the appropriate governmental

approvals needed for the Distribution Provider's Interconnection Facilities, Distribution Upgrades, or Network Upgrades.

Control Area shall mean an electrical system or systems bounded by interconnection metering and telemetry, capable of controlling generation to maintain its interchange schedule with other Control Areas and contributing to frequency regulation of the interconnection. A Control Area must be certified by the Applicable Reliability Council.

Customer-Financed Monthly Rate for Non-ISO-Controlled Facilities shall have the meaning assigned to it in Attachment J of the Tariff. The currently effective Customer-Financed Monthly Rate for Non-ISO-Controlled Facilities is as provided in Attachment J of the Tariff.

Default shall mean the failure of a Breaching Party to cure its Breach in accordance with Article 17 of the GIA.

Delivery Network Upgrades shall mean the transmission facilities at or beyond the point where the Distribution Provider's Distribution System interconnects to the ISO Grid, other than Reliability Network Upgrades, identified in the Interconnection Studies to relieve constraints on the ISO Grid. Delivery Network Upgrades may be further classified as Local Delivery Network Upgrades or Area Delivery Network Upgrades.

Dispute Resolution shall mean the procedure for resolution of a dispute between the Parties in which they will first attempt to resolve the dispute on an informal basis.

Distribution Owner shall mean an entity that owns, leases or otherwise possesses an interest in the portion of the Distribution System at the Point of Interconnection and may be a Party to the GIA to the extent necessary.

Distribution Provider shall mean the public utility (or its designated agent) that owns, controls, or operates transmission or distribution facilities used for the transmission of electricity in interstate commerce and provides transmission service under the Tariff. The term Distribution Provider should be read to include the Distribution Owner when the Distribution Owner is separate from the Distribution Provider.

Distribution Provider's Interconnection Facilities shall mean all facilities and equipment owned, controlled or operated by the Distribution Provider from the Point of Change of Ownership to the Point of Interconnection as identified in Appendix A to the GIA, including any modifications, additions or upgrades to such facilities and equipment. Distribution Provider's Interconnection Facilities are sole use facilities and shall not include Distribution Upgrades, Stand Alone Network Upgrades or Network Upgrades.

Distribution Service shall mean the wholesale distribution service provided under the Tariff.

Distribution System shall mean those non-ISO transmission and distribution facilities owned, controlled and operated by the Distribution Provider that are used to provide Distribution

Service under the Tariff, which facilities and equipment are used to transmit electricity to ultimate usage points such as homes and industries directly from nearby generators or from interchanges with higher voltage transmission networks which transport bulk power over longer distances. The voltage levels at which distribution systems operate differ among areas.

Distribution Upgrades shall mean the additions, modifications, and upgrades to the Distribution Provider's Distribution System at or beyond the Point of Interconnection to facilitate interconnection of the Generating Facility and render the transmission service necessary to effect Interconnection Customer's wholesale sale of electricity in interstate commerce. Distribution Upgrades do not include Interconnection Facilities.

Distribution Upgrades Charge shall mean the monthly charge to the Interconnection Customer to recover the revenue requirements for the Distribution Provider's Distribution Upgrades, calculated as the product of the Customer-Financed Monthly Rate for Non-ISO-Controlled Facilities and the Distribution Upgrades Cost. The Distribution Upgrades Charge is provided in Section 5 of Appendix A to the GIA.

Distribution Upgrades Completion Date shall mean the date upon which the construction of the Distribution Upgrades is complete and such facilities are successfully tested and ready for service.

Distribution Upgrades Cost shall mean the Interconnection Customer's allocated share of all costs, excluding One-Time Cost, determined by the Distribution Provider to be associated with the design, engineering, procurement, construction and installation of the Distribution Upgrades. The Distribution Upgrades Cost is provided in Section 5 of Appendix A to the GIA.

Effective Date shall mean the date on which the GIA becomes effective upon execution by the Parties subject to acceptance by FERC, or if filed unexecuted, upon the date specified by FERC.

Electric Generating Unit shall mean an individual electric generator and its associated plant and apparatus whose electrical output is capable of being separately identified and metered.

Emergency Condition shall mean a condition or situation: (1) that in the judgment of the Party making the claim is imminently likely to endanger life or property; or (2) that, in the case of a Distribution Provider, is imminently likely (as determined in a non-discriminatory manner) to cause a material adverse effect on the security of, or damage to Distribution Provider's Distribution System, Distribution Provider's Interconnection Facilities or the electric systems of others to which the Distribution Provider's Distribution System is directly connected; or (3) that, in the case of Interconnection Customer, is imminently likely (as determined in a non-discriminatory manner) to cause a material adverse effect on the security of, or damage to, the Generating Facility or Interconnection Customer's Interconnection Facilities. System restoration and black start shall be considered Emergency Conditions; provided, that Interconnection Customer is not obligated by the GIA to possess black start capability.

Engineering & Procurement (E&P) Agreement shall mean an agreement that authorizes the Distribution Provider to begin engineering and procurement of long lead-time items necessary for the establishment of the interconnection in order to advance the implementation of the Interconnection Request.

Environmental Law shall mean Applicable Laws and Regulations relating to pollution or protection of the environment or natural resources.

Federal Power Act shall mean the Federal Power Act, as amended, 16 U.S.C. §§ 791a <u>et seq.</u>

FERC shall mean the Federal Energy Regulatory Commission (Commission) or its successor.

Full Capacity Deliverability Status entitles a Generating Facility interconnected with the Distribution System to a Net Qualifying Capacity (as defined in the ISO Tariff) amount on the ISO Grid that could be as large as its Qualifying Capacity (as defined in the ISO Tariff) and may be less pursuant to the assessment of its Net Qualifying Capacity by the ISO.

Generating Facility shall mean Interconnection Customer's Electric Generating Unit(s) used for the production and/or storage for later injection of electricity identified in the Interconnection Request, but shall not include the Interconnection Customer's Interconnection Facilities.

Generating Facility Capacity shall mean the net capacity of the Generating Facility and the aggregate net capacity of the Generating Facility where it includes multiple Electric Generating Units.

Generator Interconnection Agreement (GIA) shall mean the form of interconnection agreement applicable to an Interconnection Request pertaining to a Generating Facility processed pursuant to the Cluster Study Process of the Generator Interconnection Procedures, a *pro forma* version of which is set forth in Appendix 5 to the GIP.

Generator Interconnection Procedures (GIP) shall mean the interconnection procedures applicable to an Interconnection Request pertaining to a Generating Facility set forth in Attachment I of the Distribution Provider's Tariff.

Generator Interconnection Study Process Agreement shall mean the agreement between the Distribution Customer and the Interconnection Customer for conducting the Interconnection Studies for a proposed Generating Facility under the Cluster Study Process, a *pro forma* version of which is set forth in Appendix 3 of the GIP.

Good Utility Practice shall mean any of the practices, methods and acts engaged in or approved by a significant portion of the electric industry during the relevant time period, or any of the practices, methods and acts which, in the exercise of reasonable judgment in light of the facts known at the time the decision was made, could have been expected to accomplish the

desired result at a reasonable cost consistent with good business practices, reliability, safety and expedition. Good Utility Practice is not intended to be limited to the optimum practice, method, or act to the exclusion of all others, but rather to be acceptable practices, methods, or acts generally accepted in the region.

Governmental Authority shall mean any federal, state, local or other governmental regulatory or administrative agency, court, commission, department, board, or other governmental subdivision, legislature, rulemaking board, tribunal, or other governmental authority having jurisdiction over the Parties, their respective facilities, or the respective services they provide, and exercising or entitled to exercise any administrative, executive, police, or taxing authority or power; provided, however, that such term does not include Interconnection Customer, Distribution Provider, or any Affiliate thereof.

Group Study shall mean the process whereby more than one Interconnection Request are studied together, instead of individually, for the purpose of conducting one or more of the Interconnection Studies or analyses therein.

Hazardous Substances shall mean any chemicals, materials or substances defined as or included in the definition of "hazardous substances," "hazardous wastes," "hazardous materials," "hazardous constituents," "restricted hazardous materials," "extremely hazardous substances," "toxic substances," "radioactive substances," "contaminants," "pollutants," "toxic pollutants" or words of similar meaning and regulatory effect under any applicable Environmental Law, or any other chemical, material or substance, exposure to which is prohibited, limited or regulated by any applicable Environmental Law.

Initial Synchronization Date shall mean the date upon which the Generating Facility is initially synchronized and upon which Trial Operation begins.

In-Service Date shall mean the date upon which the Interconnection Customer reasonably expects it will be ready to begin use of the Distribution Provider's Interconnection Facilities to obtain back feed power.

Interconnection Customer shall mean any entity, including the Distribution Provider, Distribution Owner or any of the Affiliates or subsidiaries of either, that proposes to interconnect its Generating Facility with the Distribution Provider's Distribution System.

Interconnection Customer's Interconnection Facilities shall mean all facilities and equipment, as identified in Appendix A of the GIA, that are located between the Generating Facility and the Point of Change of Ownership, including any modification, addition, or upgrades to such facilities and equipment necessary to physically and electrically interconnect the Generating Facility to the Distribution Provider's Distribution System. Interconnection Customer's Interconnection Facilities are sole use facilities.

Interconnection Facilities shall mean the Distribution Provider's Interconnection Facilities and the Interconnection Customer's Interconnection Facilities. Collectively, Interconnection Facilities include all facilities and equipment between the Generating Facility

and the Point of Interconnection, including any modification, additions or upgrades that are necessary to physically and electrically interconnect the Generating Facility to the Distribution Provider's Distribution System. Interconnection Facilities are sole use facilities and shall not include Distribution Upgrades, Stand Alone Network Upgrades or Network Upgrades.

Interconnection Facilities Charge shall mean the monthly charge to the Interconnection Customer to recover the revenue requirements for the Distribution Provider's Interconnection Facilities, calculated as the product of the Customer-Financed Monthly Rate for Non-ISO-Controlled Facilities and the Interconnection Facilities Cost. The Interconnection Facilities Charge is provided in Section 5 of Appendix A to the GIA.

Interconnection Facilities Completion Date shall mean the date upon which the construction of the Distribution Provider's Interconnection Facilities is complete and such facilities are successfully tested and ready for service.

Interconnection Facilities Cost shall mean all costs, excluding One-Time Cost, determined by the Distribution Provider to be associated with the design, engineering, procurement, construction and installation of the Distribution Provider's Interconnection Facilities. The Interconnection Facilities Cost is provided in Section 5 of Appendix A to the GIA.

Interconnection Financial Security shall have the meaning assigned to it in Section 4.8 of the GIP.

Interconnection Handbook shall mean a handbook, developed by the Distribution Provider and posted on the Distribution Provider's website or otherwise made available by the Distribution Provider, describing the technical and operational requirements for wholesale generators and loads connected to the Distribution System, as such handbook may be modified or superseded from time to time. Distribution Provider's standards contained in the Interconnection Handbook shall be deemed consistent with Good Utility Practice and Applicable Reliability Standards. In the event of a conflict between the terms of this GIA and the terms of the Distribution Provider's Interconnection Handbook, the terms in this GIA shall govern.

Interconnection Request shall mean an Interconnection Customer's request, in the form of Appendix 1 to the GIP, in accordance with the Tariff, to interconnect a new Generating Facility, or to increase the capacity of, or make a Material Modification to the operating characteristics of, an existing Generating Facility that is interconnected with the Distribution Provider's Distribution System.

Interconnection Service shall mean the service provided by the Distribution Provider associated with interconnecting the Interconnection Customer's Generating Facility to the Distribution Provider's Distribution System and enabling it to receive electric energy and capacity from the Generating Facility at the Point of Interconnection, pursuant to the terms of the GIA and, if applicable, the Distribution Provider's Tariff.

Interconnection Study shall mean any of the following studies: the Phase I Interconnection Study and the Phase II Interconnection Study described in Section 4.5 and Section 4.6 of the GIP.

Interconnection Study Cycle shall mean all requirements, actions, and respective obligations of the Distribution Provider and Interconnection Customer under the GIP applicable to an Interconnection Request submitted in a particular Cluster Application Window through execution by the parties of a GIA, or submission to FERC by Distribution Provider of an unexecuted GIA pursuant to Section 9 of the GIP.

IRS shall mean the Internal Revenue Service.

ISO shall mean the California Independent System Operator Corporation, a state-chartered, nonprofit, corporation that controls certain transmission facilities of all Participating Transmission Owners and dispatches certain generating units and loads.

ISO Grid shall mean the system of transmission lines and associated facilities of the Participating Transmission Owners that have been placed under the ISO's operational control.

ISO Tariff shall mean the California Independent System Operator Corporation Operating Agreement and Tariff, dated March 31, 1997, as it may be modified from time to time, and accepted by the FERC.

ISO's Generator Interconnection Procedures (ISO Tariff GIP) shall mean the procedures included in Appendix Y of the ISO Tariff to interconnect a Generating Facility directly to the ISO Grid, as such procedures may be modified from time to time, and accepted by the Commission.

ITCC (**Income Tax Component of Contribution**) shall have the meaning assigned to it in Attachment J of the Tariff.

Local Deliverability Constraint shall mean a Transmission System operating limit that would be exceeded if the ISO were to assign Full Capacity Deliverability Status or Partial Capacity Deliverability Status to one or more additional generating facilities interconnecting to the ISO Grid in a specific local area, and that is not an Area Deliverability Constraint.

Local Delivery Network Upgrades shall mean a transmission upgrade or addition identified by the ISO to relieve a Local Deliverability Constraint.

Local Delivery Network Upgrades Cost shall mean the Interconnection Customer's allocated share of all costs, excluding One-Time Cost, determined by the Distribution Provider to be associated with the design, engineering, procurement, construction and installation of the Local Delivery Network Upgrades constructed and owned by the Distribution Provider. The Local Delivery Network Upgrades Cost is provided in Section 5 of Appendix A to the GIA.

Loss shall mean any and all losses relating to injury to or death of any person or damage to property, demand, suits, recoveries, costs and expenses, court costs, attorney fees, and all other obligations by or to third parties, arising out of or resulting from the other Party's performance, or non-performance of its obligations under the GIA on behalf of the indemnifying Party, except in cases of gross negligence or intentional wrongdoing by the indemnifying Party.

Material Modification shall mean those modifications that have a material impact on the cost or timing of any Interconnection Request with a later queue priority date.

Metering Equipment shall mean all metering equipment installed or to be installed at the Generating Facility pursuant to the GIA at the metering points, including but not limited to instrument transformers, MWh-meters, data acquisition equipment, transducers, remote terminal unit, communications equipment, phone lines, and fiber optics.

NERC shall mean the North American Electric Reliability Corporation or its successor organization.

Network Upgrades shall mean Delivery Network Upgrades and Reliability Network Upgrades.

Notice of Dispute shall mean a written notice of a dispute or claim that arises out of or in connection with the GIA or its performance.

Off-Peak Deliverability Assessment shall mean the technical study performed under Section 4.5.4.2.2 of the GIP.

On-Peak Deliverability Assessment shall mean the technical study performed under Section 4.5.4.2.1 of the GIP.

One-Time Cost shall mean all costs determined by the Distribution Provider to be associated with the installation of the Distribution Provider's Interconnection Facilities, Distribution Upgrades, Reliability Network Upgrades, or Delivery Network Upgrades which are not capitalized. The One-Time Cost is provided in Section 5 of Appendix A to the GIA.

Operational Control shall mean the rights of the ISO under the Transmission Control Agreement and the ISO Tariff to direct the parties to the Transmission Control Agreement how to operate their transmission lines and facilities and other electric plant affecting the reliability of those lines and facilities for the purpose of affording comparable non-discriminatory transmission access and meeting applicable reliability criteria.

Option (A) **Generating Facility** shall mean a Generating Facility for which the Interconnection Customer has selected Option (A) as the deliverability option under GIP Section 4.6.2.

Option (B) Generating Facility shall mean a Generating Facility for which the Interconnection Customer has selected Option (B) as the deliverability option under GIP Section 4.6.2.

Partial Capacity Deliverability Status entitles a Generating Facility interconnected with the Distribution System to a Net Qualifying Capacity (as defined in the ISO Tariff) amount on the ISO Grid that cannot be larger than a specified amount of its Qualifying Capacity (as defined in the ISO Tariff), and may be less pursuant to the assessment of its Net Qualifying Capacity by the ISO.

Participating Transmission Owner shall mean an entity which (i) owns, operates, and maintains transmission lines and associated facilities and/or has entitlements to use certain transmission lines and associated facilities and (ii) has transferred to the ISO operational control of such facilities and/or entitlements to be made part of the ISO Grid.

Party or Parties shall mean Distribution Provider, Distribution Owner, Interconnection Customer or any combination of the above.

Phase I Interconnection Study shall mean an engineering study conducted by the Distribution Provider, that evaluates the impact of the proposed interconnection on the safety and reliability of the Distribution System, ISO Grid, and, if applicable, an Affected System. The portion of the study required to evaluate the impacts on the ISO Grid will be coordinated with the ISO and will be completed in a manner consistent with the ISO Tariff GIP. The study shall identify and detail the system impacts that would result if the Generating Facility(ies) were interconnected without identified project modifications or system modifications, as provided in the On-Peak Deliverability Assessment or Off-Peak Deliverability Assessment, and other potential impacts, including but not limited to those identified in the Scoping Meeting as described in the GIP. The study will also identify the approximate total costs of mitigating these impacts, along with an equitable allocation of those costs to Interconnection Customers for their individual Generating Facilities.

Phase II Interconnection Study shall mean an engineering and operational study conducted by the Distribution Provider to determine the Point of Interconnection and a list of facilities (including Distribution Provider's Interconnection Facilities, Network Upgrades, Distribution Upgrades, and Stand Alone Network Upgrades), the estimated cost of those facilities, and the estimated time required to interconnect the Generating Facility(ies) with the Distribution System. The portion of the study required to evaluate the impacts on the ISO Grid will be coordinated with the ISO and will be completed in a manner consistent with the ISO Tariff GIP.

Point of Change of Ownership shall mean the point, as set forth in Appendix A to the GIA, where the Interconnection Customer's Interconnection Facilities connect to the Distribution Provider's Interconnection Facilities.

Point of Interconnection shall mean the point, as set forth in Appendix A to the GIA, where the Interconnection Facilities connect to the Distribution Provider's Distribution System.

Pre-Construction Activities shall mean the actions by the Distribution Provider, other than those required by an Engineering and Procurement Agreement under Section 8 of the GIP, undertaken prior to Construction Activities in order to prepare for the construction of the Distribution Provider's Interconnection Facilities, Distribution Upgrades, or Network Upgrades assigned to the Interconnection Customer, including, but not limited to, preliminary engineering, permitting activities, environmental analysis, or other activities specifically needed to obtain governmental approvals for the Distribution Provider's Interconnection Facilities, Distribution Upgrades, or Network Upgrades.

Queue Cluster shall mean a set of Interconnection Requests in an Interconnection Study Cycle processed pursuant to the Cluster Study Process.

Reasonable Efforts shall mean, with respect to an action required to be attempted or taken by a Party under the GIA, efforts that are timely and consistent with Good Utility Practice and are otherwise substantially equivalent to those a Party would use to protect its own interests.

Reliability Network Upgrades shall mean the transmission facilities at or beyond the point where the Distribution Provider's Distribution System interconnects to the ISO Grid, necessary to interconnect one or more Generating Facility(ies) safely and reliably to the ISO Grid, which would not have been necessary but for the interconnection of one or more Generating Facility(ies), including Network Upgrades necessary to remedy short circuit or stability problems, or thermal overloads. Reliability Network Upgrades shall only be deemed necessary for system operating limits, occurring under any system condition, which system operating limits cannot be adequately mitigated through the ISO's congestion management, operating procedures, or special protection systems based on the characteristics of the Generating Facilities included in the Interconnection Studies, limitations on market models, systems, or information, or other factors specifically identified in the Interconnection Studies. Reliability Network Upgrades also include, consistent with the Applicable Reliability Council's practice and Applicable Reliability Standards, the facilities necessary to mitigate any adverse impact the Generating Facility's interconnection may have on a path's Applicable Reliability Council rating.

Reliability Network Upgrades Cost shall mean the Interconnection Customer's allocated share of all costs, excluding One-Time Cost, determined by the Distribution Provider to be associated with the design, engineering, procurement, construction and installation of the Reliability Network Upgrades. The Reliability Network Upgrades Cost is provided in Section 5 of Appendix A to the GIA.

Remedial Action Scheme (RAS) shall mean a scheme designed to detect predetermined system conditions and automatically take corrective actions that may include, but are not limited to, adjusting or tripping generation.

Results Meeting shall mean the meeting among the Distribution Provider, the Interconnection Customer, and, if applicable, the ISO and other Affected System operators to discuss the results of the Phase I Interconnection Study as set forth in Section 4.5.7 of the GIP.

Scoping Meeting shall mean the meeting between representatives of the Interconnection Customer and Distribution Provider, and if applicable, the ISO, conducted for the purpose of discussing alternative interconnection options, to exchange information including any transmission data and earlier study evaluations that would be reasonably expected to impact such interconnection options, to analyze such information, and to determine the potential feasible Points of Interconnection.

Site Exclusivity shall mean documentation reasonably demonstrating: (1) For private land: (a) Ownership of, a leasehold interest in, or a right to develop property upon which the Generating Facility will be located consisting of a minimum of 50% of the acreage reasonably necessary to accommodate the Generating Facility; or (b) an option to purchase or acquire a leasehold interest in property upon which the Generating Facility will be located consisting of a minimum of 50% of the acreage reasonably necessary to accommodate the Generating Facility. (2) For Public land, including that controlled or managed by any federal, state or local agency, a final, non-appealable permit, license, or other right to use the property for the purpose of generating electric power and in acreage reasonably necessary to accommodate the Generating Facility, which exclusive right to use public land under the management of the federal Bureau of Land Management shall be in a form specified by the Bureau of Land Management.

Site Exclusivity Deposit shall mean the cash deposit provided to the Distribution Provider by Interconnection Customers under Section 4.2.1 of the GIP as an option in lieu of demonstrating Site Exclusivity for a valid Interconnection Request and treated in accordance with Section 4.2.1.2 of the GIP.

Stand Alone Network Upgrades shall mean Network Upgrades that an Interconnection Customer may construct without affecting day-to-day operations of the Transmission System during their construction. Both the Distribution Provider and the Interconnection Customer must agree as to what constitutes Stand Alone Network Upgrades and identify them in Appendix A to the GIA.

System Protection Facilities shall mean the equipment, including necessary protection signal communications equipment, required to protect (1) the Distribution Provider's Distribution System, the ISO Grid, and Affected Systems from faults or other electrical disturbances occurring at the Generating Facility and (2) the Generating Facility from faults or other electrical system disturbances occurring on the Distribution Provider's Distribution System, the ISO Grid or on other delivery systems or other generating systems to which the Distribution Provider's Distribution System and Transmission System is directly connected.

Tariff shall mean the Wholesale Distribution Access Tariff, the Distribution Provider's Tariff through which open access transmission service and Interconnection Service are offered, as filed with FERC, and as amended or supplemented from time to time, or any successor tariff.

Tax Security shall mean the Interconnection Customer's provision of security with respect to the Interconnection Customer's tax indemnification obligations, provided in accordance with Article 5.17.3. The Tax Security is provided in Section 5 of Appendix A to the GIA.

TP Deliverability shall mean the capability, measured in MW, of the ISO Grid as modified by transmission upgrades and additions modeled or identified in the annual Transmission Plan to support the interconnection with Full Capacity Deliverability Status or Partial Capacity Deliverability Status of additional Generating Facilities in a specified geographic or electrical area of the ISO Grid.

Transmission Control Agreement shall mean ISO FERC Electric Tariff No. 7.

Transmission Plan shall mean the report prepared by the ISO on an annual basis pursuant to Section 24 of the ISO Tariff, which documents the outcome of the ISO's transmission planning process by which the ISO assesses the ISO Grid.

Transmission System shall mean those transmission facilities owned by the Distribution Provider that have been placed under the ISO's Operational Control and are part of the ISO Grid.

Trial Operation shall mean the period during which Interconnection Customer is engaged in on-site test operations and commissioning of the Generating Facility prior to Commercial Operation.

Uncontrollable Force shall mean any act of God, labor disturbance, act of the public enemy, war, insurrection, riot, fire, storm, flood, earthquake, explosion, breakage or accident to machinery or equipment, any curtailment, order, regulation or restriction imposed by governmental, military or lawfully established civilian authorities, or any other cause beyond the reasonable control of the Distribution Provider or Interconnection Customer which could not be avoided through the exercise of Good Utility Practice. An Uncontrollable Force event does not include acts of negligence or intentional wrongdoing by the Party claiming Uncontrollable Force.

Article 2. Effective Date, Term, and Termination

- **2.1 Effective Date.** This GIA shall become effective upon execution by the Parties subject to acceptance by FERC (if applicable), or if filed unexecuted, upon the date specified by FERC. Distribution Provider shall promptly file this GIA with FERC upon execution in accordance with Article 3.1, if required.
- **2.2 Term of Agreement.** Subject to the provisions of Article 2.3, this GIA shall remain in effect for a period of <u>twenty-five</u> (25) years from the Effective Date (term specified in individual agreements to be ten (10) years or such other longer period as the Interconnection Customer may request) and shall be automatically renewed for each successive one-year period thereafter.

2.3 Termination Procedures.

2.3.1 Written Notice. This GIA may be terminated by Interconnection Customer after giving Distribution Provider ninety (90) Calendar Days advance written notice, or by Distribution Provider notifying FERC after the Generating Facility permanently ceases Commercial Operation.

- **2.3.2 Default.** Either Party may terminate this GIA in accordance with Article 17.
- **2.3.3 Suspension of Work.** This GIA may be deemed terminated in accordance with Article 5.16.
- **2.3.4** Notwithstanding Articles 2.3.1 and 2.3.2, and 2.3.3, no termination shall become effective until the Parties have complied with all Applicable Laws and Regulations applicable to such termination, including the filing with FERC of a notice of termination of this GIA, which notice has been accepted for filing by FERC, and the Interconnection Customer has fulfilled its termination cost obligations under Article 2.4.
- 2.4 Termination Costs. If a Party elects to terminate this Agreement pursuant to Article 2.3 above, each Party shall pay all costs incurred (including any cancellation costs relating to orders or contracts for Interconnection Facilities and equipment) or charges assessed by the other Party, as of the date of the other Party's receipt of such notice of termination, that are the responsibility of the Terminating Party under this GIA. In the event of termination by a Party, the Parties shall use commercially Reasonable Efforts to mitigate the costs, damages and charges arising as a consequence of termination. Upon termination of this GIA, unless otherwise ordered or approved by FERC:
 - 2.4.1 With respect to any portion of Distribution Provider's Interconnection Facilities that have not yet been constructed or installed, Distribution Provider shall to the extent possible and with Interconnection Customer's authorization cancel any pending orders of, or return, any materials or equipment for, or contracts for construction of, such facilities; provided that in the event Interconnection Customer elects not to authorize such cancellation, Interconnection Customer shall assume all payment obligations with respect to such materials, equipment, and contracts, and Distribution Provider shall deliver such material and equipment, and, if necessary, assign such contracts, to Interconnection Customer as soon as practicable, at Interconnection Customer's expense. To the extent that Interconnection Customer has already paid Distribution Provider for any or all such costs of materials or equipment not taken by Interconnection Customer, Distribution Provider shall promptly refund such amounts to Interconnection Customer, less any costs, including penalties incurred by Distribution Provider to cancel any pending orders of or return such materials, equipment, or contracts.

If an Interconnection Customer terminates this GIA, it shall be responsible for all costs incurred in association with that Interconnection Customer's interconnection, including any cancellation costs relating to orders or contracts for Interconnection Facilities and equipment, and other expenses including any Distribution Upgrades and Network Upgrades for which Distribution Provider has incurred expenses and has not been reimbursed by Interconnection Customer.

- **2.4.2** Distribution Provider may, at its option, retain any portion of such materials, equipment, or facilities that Interconnection Customer chooses not to accept delivery of, in which case Distribution Provider shall be responsible for all costs associated with procuring such materials, equipment, or facilities.
- 2.4.3 With respect to any portion of the Interconnection Facilities, and any other facilities already installed or constructed pursuant to the terms of this GIA, Interconnection Customer shall be responsible for all costs associated with the removal, relocation or other disposition or retirement of such materials, equipment, or facilities.
- **2.5 Disconnection.** Upon termination of this GIA, the Parties will take all appropriate steps to disconnect the Generating Facility from the Distribution System. All costs required to effectuate such disconnection shall be borne by the terminating Party, unless such termination resulted from the non-terminating Party's Default of this GIA or such non-terminating Party otherwise is responsible for these costs under this GIA.
- **2.6 Survival.** This GIA shall continue in effect after termination to the extent necessary to provide for final billings and payments and for costs incurred hereunder, including billings and payments pursuant to this GIA; to permit the determination and enforcement of liability and indemnification obligations arising from acts or events that occurred while this GIA was in effect; and to permit each Party to have access to the lands of the other Party pursuant to this GIA or other applicable agreements, to disconnect, remove or salvage its own facilities and equipment.

Article 3. Regulatory Filings

3.1 Filing. Distribution Provider shall file this GIA (and any amendment hereto) with the appropriate Governmental Authority, if required. Interconnection Customer may request that any information so provided be subject to the confidentiality provisions of Article 22. If Interconnection Customer has executed this GIA, or any amendment thereto, Interconnection Customer shall reasonably cooperate with Distribution Provider with respect to such filing and to provide any information reasonably requested by Distribution Provider needed to comply with applicable regulatory requirements.

Article 4. Scope of Service

- 4.1 Interconnection Service. Interconnection Service allows Interconnection Customer to connect the Generating Facility to the Distribution System and be eligible to deliver the Generating Facility's output using the capacity of the Distribution System to the ISO Grid. To the extent Interconnection Customer wants to receive Interconnection Service, Distribution Provider shall construct facilities identified in Appendices A and C that the Distribution Provider is responsible to construct.
 - **4.1.1 Distribution Service Implications.** Interconnection Customer will be eligible to inject power from the Generating Facility into Distribution Provider's

Distribution System pursuant to the Tariff. The Interconnection Customer may not deliver power over the Distribution Provider's Distribution System absent procuring Distribution Service. The Interconnection Customer must apply for Distribution Service pursuant to Section 15.2 of the Tariff and meet the conditions specified in Section 14 of the Tariff to be eligible for Distribution Service.

- 4.1.2 Transmission Service Implications. Interconnection Service does not necessarily provide Interconnection Customer with the capability to physically deliver the output of its Generating Facility to any particular load on the ISO Grid without incurring congestion costs. In the event of transmission constraints on the ISO Grid, Interconnection Customer's Generating Facility shall be subject to the applicable congestion management procedures in the ISO Tariff in the same manner as all other resources. The Interconnection Customer shall be solely responsible for completing all of the necessary arrangements required under the ISO Tariff to be eligible to schedule the output of its resource.
- **4.2 Provision of Service.** Distribution Provider shall provide Interconnection Service for the Generating Facility at the Point of Interconnection.
- 4.3 Performance Standards. Each Party shall perform all of its obligations under this GIA in accordance with Applicable Laws and Regulations, Applicable Reliability Standards, and Good Utility Practice, and to the extent a Party is required or prevented or limited in taking any action by such regulations and standards, such Party shall not be deemed to be in Breach of this GIA for its compliance therewith. If such Party is a Distribution Provider or Distribution Owner, then that Party shall amend the GIA and submit the amendment to FERC for approval.
- **4.4 No Distribution Service or Transmission Service.** The execution of this GIA does not constitute a request for, nor the provision of, Distribution Service under the Tariff or any transmission service under the ISO Tariff.
- **4.5 Interconnection Customer Provided Services.** The services provided by Interconnection Customer under this GIA are set forth in Article 9.6 and Article 13.5.1. Interconnection Customer shall be paid for such services in accordance with Article 9.6.3.
- 4.6 TP Deliverability. To the extent that an Interconnection Customer is eligible for and has been allocated TP Deliverability pursuant to Section 8.9 of Appendix DD of the ISO Tariff, the Interconnection Customer's retention of such allocated TP Deliverability shall be contingent upon satisfying the obligations set forth in Section 4.6.13 of the GIP. In the event that the Interconnection Customer does not retain allocated TP Deliverability with regard to any portion of the Generating Facility, such portion of the Generating Facility shall be deemed to receive Interconnection Service under this GIA as Energy Only Deliverability Status (as such term is defined in the ISO Tariff).

Article 5. Interconnection Facilities Engineering, Procurement, and Construction

- **Options.** Unless otherwise mutually agreed to between the Parties, Interconnection Customer shall select the In-Service Date, Initial Synchronization Date, and Commercial Operation Date; and either Standard Option, Alternate Option, or, if eligible in accordance with ISO Tariff requirements, Merchant Option, set forth below for completion of Distribution Provider's Interconnection Facilities, Distribution Upgrades, and Network Upgrades as set forth in Appendix A, Interconnection Facilities, Distribution Upgrades, and Network Upgrades, and such dates and selected option shall be set forth in Appendix B, Milestones.
 - 5.1.1 Standard Option. Distribution Provider shall design, procure, and construct Distribution Provider's Interconnection Facilities, Distribution Upgrades, and Network Upgrades, using Reasonable Efforts to complete Distribution Provider's Interconnection Facilities, Distribution Upgrades, and Network Upgrades by the dates set forth in Appendix B, Milestones. Distribution Provider shall not be required to undertake any action which is inconsistent with its standard safety practices, its material and equipment specifications, its design criteria and construction procedures, its labor agreements, and Applicable Laws and Regulations. In the event Distribution Provider reasonably expects that it will not be able to complete Distribution Provider's Interconnection Facilities, Distribution Upgrades, and Network Upgrades by the specified dates, Distribution Provider shall promptly provide written notice to Interconnection Customer and shall undertake Reasonable Efforts to meet the earliest dates thereafter.
 - **5.1.2 Alternate Option.** If the dates designated by Interconnection Customer are acceptable to Distribution Provider, Distribution Provider shall so notify Interconnection Customer within thirty (30) Calendar Days, and shall assume responsibility for the design, procurement and construction of Distribution Provider's Interconnection Facilities and Distribution Upgrades by the designated dates.

If Distribution Provider subsequently fails to complete Distribution Provider's Interconnection Facilities and Distribution Upgrades by the In-Service Date, to the extent necessary to provide back feed power; or fails to complete Network Upgrades by the Initial Synchronization Date to the extent necessary to allow for Trial Operation at full power output, unless other arrangements are made by the Parties for such Trial Operation; or fails to complete the Network Upgrades by the Commercial Operation Date, as such dates are reflected in Appendix B, Milestones; Distribution Provider shall pay Interconnection Customer liquidated damages in accordance with Article 5.3, Liquidated Damages, provided, however, the dates designated by Interconnection Customer shall be extended day for day for each day that the ISO refuses to grant clearances to install equipment.

5.1.3 Option to Build. If the dates designated by Interconnection Customer are not acceptable to Distribution Provider, Distribution Provider shall so notify Interconnection Customer within thirty (30) Calendar Days, and unless the Parties agree otherwise, Interconnection Customer shall have the option to assume

responsibility for the design, procurement and construction of Distribution Provider's Interconnection Facilities and Stand Alone Network Upgrades on the dates specified in Article 5.1.2. Distribution Provider and Interconnection Customer must agree as to what constitutes Stand Alone Network Upgrades and identify such Stand Alone Network Upgrades in Appendix A. Except for Stand Alone Network Upgrades, Interconnection Customer shall have no right to construct Network Upgrades under this option. This provision only applies to Generating Facilities larger than 20 MW.

- 5.1.4 Negotiated Option. If Interconnection Customer elects not to exercise its option under Article 5.1.3, Option to Build, Interconnection Customer shall so notify Distribution Provider within thirty (30) Calendar Days, and the Parties shall in good faith attempt to negotiate terms and conditions (including revision of the specified dates and liquidated damages, the provision of incentives or the procurement and construction of a portion of Distribution Provider's Interconnection Facilities and Stand Alone Network Upgrades by Interconnection Customer) pursuant to which Distribution Provider is responsible for the design, procurement and construction of Distribution Provider's Interconnection Facilities, Distribution Upgrades, and Network Upgrades. If the Parties are unable to reach agreement on such terms and conditions, Distribution Provider shall assume responsibility for the design, procurement and construction of Distribution Provider's Interconnection Facilities, Distribution Upgrades, and Network Upgrades pursuant to 5.1.1, Standard Option.
- **5.1.5 Merchant Option.** In addition to any Option to Build set forth in Article 5.1.3 of this GIA, an Interconnection Customer having an Option (B) Generating Facility may elect, pursuant to the ISO Tariff, to have a party other than the Distribution Provider construct some or all of the Local Delivery Network Upgrades and Area Delivery Network Upgrades for which the Interconnection Customer has the obligation to fund and which are not subject to reimbursement. Such Local Delivery Network Upgrades and Area Delivery Network Upgrades will be constructed and incorporated into the ISO Grid pursuant to the provisions for merchant transmission facilities in ISO Tariff Sections 24.4.6.1 and 36.11.
- **5.2 General Conditions Applicable to Option to Build.** If Interconnection Customer assumes responsibility for the design, procurement and construction of Distribution Provider's Interconnection Facilities and Stand Alone Network Upgrades,
 - (1) Interconnection Customer shall engineer, procure equipment, and construct Distribution Provider's Interconnection Facilities and Stand Alone Network Upgrades (or portions thereof) using Good Utility Practice and using standards and specifications provided in advance by Distribution Provider;
 - (2) Interconnection Customer's engineering, procurement and construction of Distribution Provider's Interconnection Facilities and Stand Alone Network Upgrades shall comply with all requirements of law to which Distribution Provider would be subject in the engineering, procurement or construction of

Distribution Provider's Interconnection Facilities and Stand Alone Network Upgrades;

- (3) Distribution Provider shall review and approve the engineering design, equipment acceptance tests, and the construction of Distribution Provider's Interconnection Facilities and Stand Alone Network Upgrades;
- (4) prior to commencement of construction, Interconnection Customer shall provide to Distribution Provider a schedule for construction of Distribution Provider's Interconnection Facilities and Stand Alone Network Upgrades, and shall promptly respond to requests for information from Distribution Provider;
- (5) at any time during construction, Distribution Provider shall have the right to gain unrestricted access to Distribution Provider's Interconnection Facilities and Stand Alone Network Upgrades and to conduct inspections of the same;
- (6) at any time during construction, should any phase of the engineering, equipment procurement, or construction of Distribution Provider's Interconnection Facilities and Stand Alone Network Upgrades not meet the standards and specifications provided by Distribution Provider, Interconnection Customer shall be obligated to remedy deficiencies in that portion of Distribution Provider's Interconnection Facilities and Stand Alone Network Upgrades;
- (7) Interconnection Customer shall indemnify Distribution Provider for claims arising from Interconnection Customer's construction of Distribution Provider's Interconnection Facilities and Stand Alone Network Upgrades under the terms and procedures applicable to Article 18.1 Indemnity;
- (8) Interconnection Customer shall transfer control of Distribution Provider's Interconnection Facilities to the Distribution Provider and shall transfer Operational Control of Stand Alone Network Upgrades to the ISO;
- (9) Unless Parties otherwise agree, Interconnection Customer shall transfer ownership of Distribution Provider's Interconnection Facilities and Stand-Alone Network Upgrades to Distribution Provider;
- (10) Distribution Provider shall approve and accept for operation and maintenance Distribution Provider's Interconnection Facilities and Stand Alone Network Upgrades to the extent engineered, procured, and constructed in accordance with this Article 5.2; and
- (11) Interconnection Customer shall deliver to Distribution Provider "as-built" drawings, information, and any other documents that are reasonably required by Distribution Provider to assure that the Interconnection Facilities and Stand-Alone Network Upgrades are built to the standards and specifications required by Distribution Provider.

Distribution Provider's Interconnection Facilities, Distribution Upgrades, or Network Upgrades are not completed by the dates designated by Interconnection Customer and accepted by Distribution Provider pursuant to subparagraphs 5.1.2 or 5.1.4, above, may include Interconnection Customer's fixed operation and maintenance costs and lost opportunity costs. Such actual damages are uncertain and impossible to determine at this time. Because of such uncertainty, any liquidated damages paid by Distribution Provider to Interconnection Customer in the event that Distribution Provider does not complete any portion of Distribution Provider's Interconnection Facilities, Distribution Upgrades, or Network Upgrades by the applicable dates, shall be an amount equal to ½ of 1 percent per day of the actual cost of Distribution Provider's Interconnection Facilities, Distribution Upgrades, and Network Upgrades, in the aggregate, for which Distribution Provider has assumed responsibility to design, procure and construct.

However, in no event shall the total liquidated damages exceed 20 percent of the actual cost of Distribution Provider's Interconnection Facilities, Distribution Upgrades, and Network Upgrades for which Distribution Provider has assumed responsibility to design, procure, and construct. The foregoing payments will be made by Distribution Provider to Interconnection Customer as just compensation for the damages caused to Interconnection Customer, which actual damages are uncertain and impossible to determine at this time, and as reasonable liquidated damages, but not as a penalty or a method to secure performance of this GIA. Liquidated damages, when the Parties agree to them, are the exclusive remedy for the Distribution Provider's failure to meet its schedule.

No liquidated damages shall be paid to Interconnection Customer if: (1) Interconnection Customer is not ready to commence use of Distribution Provider's Interconnection Facilities, Distribution Upgrades, or Network Upgrades to take the delivery of power for the Generating Facility's Trial Operation or to export power from the Generating Facility on the specified dates, unless Interconnection Customer would have been able to commence use of Distribution Provider's Interconnection Facilities, Distribution Upgrades, or Network Upgrades to take the delivery of power for Generating Facility's Trial Operation or to export power from the Generating Facility, but for Distribution Provider's delay; (2) Distribution Provider's failure to meet the specified dates is the result of the action or inaction of Interconnection Customer or any other Interconnection Customer who has entered into a GIA with Distribution Provider, action or inaction by the ISO, or any cause beyond Distribution Provider's reasonable control or reasonable ability to cure; (3) the Interconnection Customer has assumed responsibility for the design, procurement and construction of Distribution Provider's Interconnection Facilities and Stand Alone Network Upgrades; or (4) the Parties have otherwise agreed.

Power System Stabilizers. The Interconnection Customer shall procure, install, maintain and operate Power System Stabilizers in accordance with Applicable Reliability Standards, the guidelines and procedures established by the Applicable Reliability Council, and in accordance with the provisions of Section 4.6.5.1 of the ISO Tariff.

Distribution Provider reserves the right to reasonably establish minimum acceptable settings for any installed Power System Stabilizers, subject to the design and operating limitations of the Generating Facility. If the Generating Facility's Power System Stabilizers are removed from service or not capable of automatic operation, Interconnection Customer shall immediately notify Distribution Provider and Distribution Provider's system operator, or its designated representative. The requirements of this paragraph shall not apply to wind generators of the induction type.

- **5.5 Equipment Procurement.** If responsibility for construction of Distribution Provider's Interconnection Facilities, Distribution Upgrades, or Network Upgrades is to be borne by Distribution Provider, then Distribution Provider shall commence design of Distribution Provider's Interconnection Facilities, Distribution Upgrades, or Network Upgrades and procure necessary equipment as soon as practicable after all of the following conditions are satisfied, unless the Parties otherwise agree in writing:
 - **5.5.1** Distribution Provider has completed the Interconnection Studies pursuant to the Generator Interconnection Study Process Agreement;
 - **5.5.2** Distribution Provider has received written authorization to proceed with design and procurement from Interconnection Customer by the date specified in Appendix B, Milestones; and
 - **5.5.3** Interconnection Customer has provided security to Distribution Provider in accordance with Article 11.5 by the dates specified in Appendix B, Milestones.
- **5.6 Construction Commencement.** Distribution Provider shall commence construction of Distribution Provider's Interconnection Facilities, Distribution Upgrades, and Network Upgrades for which it is responsible as soon as practicable after the following additional conditions are satisfied:
 - **5.6.1** Approval of the appropriate Governmental Authority has been obtained for any facilities requiring regulatory approval;
 - **5.6.2** Necessary real property rights and rights-of-way have been obtained, to the extent required for the construction of a discrete aspect of Distribution Provider's Interconnection Facilities, Distribution Upgrades, and Network Upgrades;
 - **5.6.3** Distribution Provider has received written authorization to proceed with construction from Interconnection Customer by the date specified in Appendix B, Milestones; and
 - **5.6.4** Interconnection Customer has provided security to Distribution Provider in accordance with Article 11.5 by the dates specified in Appendix B, Milestones.
- **5.7 Work Progress.** The Parties will keep each other advised periodically as to the progress of their respective design, procurement and construction efforts. Either Party may, at any

time, request a progress report from the other Party. If, at any time, Interconnection Customer determines that the completion of Distribution Provider's Interconnection Facilities will not be required until after the specified In-Service Date, Interconnection Customer will provide written notice to Distribution Provider of such later date upon which the completion of Distribution Provider's Interconnection Facilities will be required.

- **5.8 Information Exchange.** As soon as reasonably practicable after the Effective Date, the Parties shall exchange information regarding the design and compatibility of the Parties' Interconnection Facilities and compatibility of the Interconnection Facilities with Distribution Provider's Distribution System, and shall work diligently and in good faith to make any necessary design changes.
- 5.9 Limited Operation. If any of Distribution Provider's Interconnection Facilities, Distribution Upgrades, or Network Upgrades are not reasonably expected to be completed prior to the Commercial Operation Date of the Generating Facility, Distribution Provider shall, upon the request and at the expense of Interconnection Customer, perform operating studies on a timely basis to determine the extent to which the Generating Facility and Interconnection Customer's Interconnection Facilities may operate prior to the completion of Distribution Provider's Interconnection Facilities, Distribution Upgrades, or Network Upgrades consistent with Applicable Laws and Regulations, Applicable Reliability Standards, Good Utility Practice, and this GIA. Distribution Provider shall permit Interconnection Customer to operate the Generating Facility and Interconnection Customer's Interconnection Facilities in accordance with the results of such studies.
- **5.10 Interconnection Customer's Interconnection Facilities ('ICIF').** Interconnection Customer shall, at its expense, design, procure, construct, own and install the ICIF, as set forth in Appendix A, Interconnection Facilities, Network Upgrades and Distribution Upgrades.
 - **5.10.1** Interconnection Customer's Interconnection Facility Specifications.

Interconnection Customer shall submit initial specifications for the ICIF, including System Protection Facilities, to Distribution Provider at least one hundred eighty (180) Calendar Days prior to the Initial Synchronization Date; and final specifications for review and comment at least ninety (90) Calendar Days prior to the Initial Synchronization Date. Distribution Provider shall review such specifications to ensure that the ICIF are compatible with the technical specifications, operational control, and safety requirements of Distribution Provider and comment on such specifications within thirty (30) Calendar Days of Interconnection Customer's submission. All specifications provided hereunder shall be deemed confidential.

5.10.2 Distribution Provider's Review. Distribution Provider's review of Interconnection Customer's final specifications shall not be construed as confirming, endorsing, or providing a warranty as to the design, fitness, safety,

durability or reliability of the Generating Facility, or the ICIF. Interconnection Customer shall make such changes to the ICIF as may reasonably be required by Distribution Provider, in accordance with Good Utility Practice, to ensure that the ICIF are compatible with the technical specifications, operational control, and safety requirements of Distribution Provider.

- **5.10.3 ICIF Construction.** The ICIF shall be designed and constructed in accordance with Good Utility Practice. Within one hundred twenty (120) Calendar Days after the Commercial Operation Date, unless the Parties agree on another mutually acceptable deadline, Interconnection Customer shall deliver to Distribution Provider "as-built" drawings, information and documents for the ICIF, such as: a one-line diagram, a site plan showing the Generating Facility and the ICIF, plan and elevation drawings showing the layout of the ICIF, a relay functional diagram, relaying AC and DC schematic wiring diagrams and relay settings for all facilities associated with Interconnection Customer's step-up transformers, the facilities connecting the Generating Facility to the step-up transformers and the ICIF, and the impedances (determined by factory tests) for the associated step-up transformers and the Generating Facility. The Interconnection Customer shall provide Distribution Provider specifications for the excitation system, automatic voltage regulator, Generating Facility control and protection settings, transformer tap settings, and communications, if applicable.
- **5.10.4** Interconnection Customer to Meet Requirements of the Distribution Provider's Interconnection Handbook. The Interconnection Customer shall comply with the Distribution Provider's Interconnection Handbook. In the event of a conflict between the terms of this GIA and the terms of the Distribution Provider's Interconnection Handbook, the terms in this GIA shall govern.
- 5.11 Distribution Provider's Interconnection Facilities Construction. Distribution Provider's Interconnection Facilities shall be designed and constructed in accordance with Good Utility Practice. Upon request, within one hundred twenty (120) Calendar Days after the Commercial Operation Date, unless the Parties agree on another mutually acceptable deadline, Distribution Provider shall deliver to Interconnection Customer the following "as-built" drawings, information and documents for Distribution Provider's Interconnection Facilities [include appropriate drawings and relay diagrams]: No as-built drawings will be provided.

Distribution Provider will obtain control for operating and maintenance purposes of Distribution Provider's Interconnection Facilities and Stand Alone Network Upgrades upon completion of such facilities. Pursuant to Article 5.2, the ISO will obtain Operational Control of the Stand Alone Network Upgrades prior to the Commercial Operation Date.

5.12 Access Rights. Upon reasonable notice and supervision by a Party, and subject to any required or necessary regulatory approvals, a Party ("Granting Party") shall furnish at no cost to the other Party ("Access Party") any rights of use, licenses, rights of way and

easements with respect to lands owned or controlled by the Granting Party, its agents (if allowed under the applicable agency agreement), or any Affiliate, that are necessary to enable the Access Party to obtain ingress and egress to construct, operate, maintain, repair, test (or witness testing), inspect, replace or remove facilities and equipment to: (i) interconnect the Generating Facility with the Distribution System; (ii) operate and maintain the Generating Facility, the Interconnection Facilities and the Distribution System; and (iii) disconnect or remove the Access Party's facilities and equipment upon termination of this GIA. In exercising such licenses, rights of way and easements, the Access Party shall not unreasonably disrupt or interfere with normal operation of the Granting Party's business and shall adhere to the safety rules and procedures established in advance, as may be changed from time to time, by the Granting Party and provided to the Access Party.

- 5.13 Lands of Other Property Owners. If any part of Distribution Provider or Distribution Owner's Interconnection Facilities, Distribution Upgrades, and/or Network Upgrades is to be installed on property owned by persons other than Interconnection Customer or Distribution Provider or Distribution Owner, Distribution Provider or Distribution Owner shall at Interconnection Customer's expense use efforts, similar in nature and extent to those that it typically undertakes on its own behalf or on behalf of its Affiliates, including use of its eminent domain authority, and to the extent consistent with state law, to procure from such persons any rights of use, licenses, rights of way and easements that are necessary to construct, operate, maintain, test, inspect, replace or remove Distribution Provider or Distribution Owner's Interconnection Facilities, Distribution Upgrades, and/or Network Upgrades upon such property.
- **5.14 Permits.** Distribution Provider or Distribution Owner and Interconnection Customer shall cooperate with each other in good faith in obtaining all permits, licenses and authorizations that are necessary to accomplish the interconnection in compliance with Applicable Laws and Regulations. With respect to this paragraph, Distribution Provider or Distribution Owner shall provide permitting assistance to Interconnection Customer comparable to that provided to Distribution Provider's own, or an Affiliate's generation.
- 5.15 Early Construction of Base Case Facilities. Interconnection Customer may request Distribution Provider to construct, and Distribution Provider shall construct, using Reasonable Efforts to accommodate Interconnection Customer's In-Service Date, all or any portion of any Distribution Upgrades or Network Upgrades required for Interconnection Customer to be interconnected to the Distribution System which are included in the Base Case of the Facilities Study for Interconnection Customer, and which also are required to be constructed for another Interconnection Customer, but where such construction is not scheduled to be completed in time to achieve Interconnection Customer's In-Service Date.
- **5.16 Suspension.** Interconnection Customer reserves the right, upon written notice to Distribution Provider, to suspend at any time all work by Distribution Provider associated with the construction and installation of Distribution Provider's Interconnection Facilities, Distribution Upgrades, and/or Network Upgrades required under this GIA,

other than Network Upgrades identified in the Phase II Interconnection Study as common to multiple generating facilities, with the condition that Distribution System shall be left in a safe and reliable condition in accordance with Good Utility Practice and Distribution Provider's safety and reliability criteria. In such event, Interconnection Customer shall be responsible for all reasonable and necessary costs which Distribution Provider (i) has incurred pursuant to this GIA prior to the suspension and (ii) incurs in suspending such work, including any costs incurred to perform such work as may be necessary to ensure the safety of persons and property and the integrity of the Distribution System and Transmission System during such suspension and, if applicable, any costs incurred in connection with the cancellation or suspension of material, equipment and labor contracts which Distribution Provider cannot reasonably avoid; provided, however, that prior to canceling or suspending any such material, equipment or labor contract, Distribution Provider shall obtain Interconnection Customer's authorization to do so.

Network Upgrades common to multiple generating facilities, and to which the Interconnection Customer's right of suspension shall not extend, consist of Network Upgrades identified for:

- i. Generating facilities which are the subject of all Interconnection Requests made prior to the Interconnection Customer's Interconnection Request; or
- ii. Generating facilities which are the subject of Interconnection Requests within the Queue Cluster where the Interconnection Customer's request for Full Capacity Deliverability Status or Partial Capacity Deliverability Status is assessed; or
- iii. Generating facilities that are the subject of Interconnection Requests that were made after the Interconnection Customer's Interconnection Request but no later than the date on which the Interconnection Customer's Phase II Interconnection Study report was issued, and have been modeled in the Base Case at the time the Interconnection Customer seeks to exercise its suspension rights under this section.

Distribution Provider shall invoice Interconnection Customer for such costs pursuant to Article 12 and shall use due diligence to minimize its costs. In the event Interconnection Customer suspends work by Distribution Provider required under this GIA pursuant to this Article 5.16, and has not requested Distribution Provider to recommence the work or has not itself recommenced work required under this GIA on or before the expiration of three (3) years following commencement of such suspension, this GIA shall be deemed terminated and the Interconnection Customer's responsibility for costs will be determined in accordance with Article 2.4 of this GIA. The three-year period shall begin on the date the suspension is requested, or the date of the written notice to Distribution Provider, if no effective date is specified. The maximum three-year period shall apply to the projected Commercial Operation Date for the Generating Facility identified in the initial Interconnection Request, without regard to any subsequent changes to the dates set forth in the Interconnection Request, without regard to the milestone schedule dates set forth in Appendix B hereto or any changes to those dates, and without regard to any other

scheduled dates for action affecting the Generating Facility, Interconnection Facilities, or Network Upgrades or any changes to those dates.

5.17 Taxes.

- 5.17.1 Interconnection Customer Payments Not Taxable. The Parties intend that all payments or property transfers made by Interconnection Customer to Distribution Provider for the installation of Distribution Provider's Interconnection Facilities, Distribution Upgrades, and the Network Upgrades shall be non-taxable, either as contributions to capital, or as an advance, in accordance with the Internal Revenue Code and any applicable state income tax laws and shall not be taxable as contributions in aid of construction or otherwise under the Internal Revenue Code and any applicable state income tax laws.
- **5.17.2 Representations and Covenants.** In accordance with IRS Notice 2001-82 and IRS Notice 88-129, Interconnection Customer represents and covenants that (i) ownership of the electricity generated at the Generating Facility will pass to another party prior to the transmission of the electricity on the Distribution System, (ii) for income tax purposes, the amount of any payments and the cost of any property transferred to Distribution Provider for Distribution Provider's Interconnection Facilities will be capitalized by Interconnection Customer as an intangible asset and recovered using the straight-line method over a useful life of twenty (20) years, and (iii) any portion of Distribution Provider's Interconnection Facilities that is a "dual-use intertie," within the meaning of IRS Notice 88-129, is reasonably expected to carry only a de minimis amount of electricity in the direction of the Generating Facility. For this purpose, "de minimis amount" means no more than 5 percent of the total power flows in both directions, calculated in accordance with the "5 percent test" set forth in IRS Notice 88-129. This is not intended to be an exclusive list of the relevant conditions that must be met to conform to IRS requirements for non-taxable treatment.

At Distribution Provider's request, Interconnection Customer shall provide Distribution Provider with a report from an independent engineer confirming its representation in clause (iii), above. Distribution Provider represents and covenants that the cost of Distribution Provider's Interconnection Facilities paid for by Interconnection Customer will have no net effect on the base upon which rates are determined.

5.17.3 Indemnification for the Cost Consequences of Current Tax Liability Imposed Upon the Distribution Provider. Notwithstanding Article 5.17.1, Interconnection Customer shall protect, indemnify and hold harmless Distribution Provider from the cost consequences of any current tax liability imposed against Distribution Provider as the result of payments or property transfers made by Interconnection Customer to Distribution Provider under this GIA for Interconnection Facilities, as well as any interest and penalties, other than interest and penalties attributable to any delay caused by Distribution Provider.

Distribution Provider shall not include a gross-up for the cost consequences of any current tax liability in the amounts it charges Interconnection Customer under this GIA unless (i) Distribution Provider has determined, in good faith, that the payments or property transfers made by Interconnection Customer to Distribution Provider should be reported as income subject to taxation or (ii) any Governmental Authority directs Distribution Provider to report payments or property as income subject to taxation; provided, however, that Distribution Provider may require Interconnection Customer to provide security for Interconnection Facilities, in a form reasonably acceptable to Distribution Provider (such as a parental guarantee or a letter of credit), in an amount equal to the cost consequences of any current tax liability under this Article 5.17. Interconnection Customer shall reimburse Distribution Provider for such costs on a fully grossed-up basis, in accordance with Article 5.17.4, within thirty (30) Calendar Days of receiving written notification from Distribution Provider of the amount due, including detail about how the amount was calculated.

The indemnification obligation shall terminate at the earlier of (1) the expiration of the ten year testing period and the applicable statute of limitation, as it may be extended by Distribution Provider upon request of the IRS, to keep these years open for audit or adjustment, or (2) the occurrence of a subsequent taxable event and the payment of any related indemnification obligations as contemplated by this Article 5.17.

5.17.4 Tax Gross-Up Amount. Interconnection Customer's liability for the cost consequences of any current tax liability under this Article 5.17 shall be calculated on a fully grossed-up basis. Except as may otherwise be agreed to by the parties, this means that Interconnection Customer will pay Distribution Provider, in addition to the amount paid for the Interconnection Facilities, Distribution Upgrades, and Network Upgrades, an amount equal to (1) the current taxes imposed on Distribution Provider ("Current Taxes") on the excess of (a) the gross income realized by Distribution Provider as a result of payments or property transfers made by Interconnection Customer to Distribution Provider under this GIA (without regard to any payments under this Article 5.17) (the "Gross Income Amount") over (b) the present value of future tax deductions for depreciation that will be available as a result of such payments or property transfers (the "Present Value Depreciation Amount"), plus (2) an additional amount sufficient to permit Distribution Provider to receive and retain, after the payment of all Current Taxes, an amount equal to the net amount described in clause (1).

For this purpose, (i) Current Taxes shall be computed based on Distribution Provider's composite federal and state tax rates at the time the payments or property transfers are received and Distribution Provider will be treated as being subject to tax at the highest marginal rates in effect at that time (the "Current Tax Rate"), and (ii) the Present Value Depreciation Amount shall be computed by discounting Distribution Provider's anticipated tax depreciation deductions as a

result of such payments or property transfers by Distribution Provider's current weighted average cost of capital. Thus, the formula for calculating Interconnection Customer's liability to Distribution Owner pursuant to this Article 5.17.4 can be expressed as follows: (Current Tax Rate x (Gross Income Amount – Present Value of Tax Depreciation))/(1-Current Tax Rate). Interconnection Customer's estimated tax liability in the event taxes are imposed shall be stated in Appendix A, Interconnection Facilities, Network Upgrades and Distribution Upgrades.

5.17.5 Private Letter Ruling or Change or Clarification of Law. At Interconnection Customer's request and expense, Distribution Provider shall file with the IRS a request for a private letter ruling as to whether any property transferred or sums paid, or to be paid, by Interconnection Customer to Distribution Provider under this GIA are subject to federal income taxation. Interconnection Customer will prepare the initial draft of the request for a private letter ruling, and will certify under penalties of perjury that all facts represented in such request are true and accurate to the best of Interconnection Customer's knowledge. Distribution Provider and Interconnection Customer shall cooperate in good faith with respect to the submission of such request.

Distribution Provider shall keep Interconnection Customer fully informed of the status of such request for a private letter ruling and shall execute either a privacy act waiver or a limited power of attorney, in a form acceptable to the IRS, that authorizes Interconnection Customer to participate in all discussions with the IRS regarding such request for a private letter ruling. Distribution Provider shall allow Interconnection Customer to attend all meetings with IRS officials about the request and shall permit Interconnection Customer to prepare the initial drafts of any follow-up letters in connection with the request.

- 5.17.6 Subsequent Taxable Events. If, within 10 years from the date on which the relevant Distribution Provider's Interconnection Facilities are placed in service, (i) Interconnection Customer Breaches the covenants contained in Article 5.17.2, (ii) a "disqualification event" occurs within the meaning of IRS Notice 88-129, or (iii) this GIA terminates and Distribution Provider retains ownership of the Interconnection Facilities, Distribution Upgrades, and Network Upgrades, Interconnection Customer shall pay a tax gross-up for the cost consequences of any current tax liability imposed on Distribution Provider, calculated using the methodology described in Article 5.17.4 and in accordance with IRS Notice 90-60.
- **5.17.7 Contests.** In the event any Governmental Authority determines that Distribution Provider's receipt of payments or property constitutes income that is subject to taxation, Distribution Provider shall notify Interconnection Customer, in writing, within thirty (30) Calendar Days of receiving notification of such determination by a Governmental Authority. Upon the timely written request by Interconnection Customer and at Interconnection Customer's sole expense,

Distribution Provider may appeal, protest, seek abatement of, or otherwise oppose such determination. Upon Interconnection Customer's written request and sole expense, Distribution Provider may file a claim for refund with respect to any taxes paid under this Article 5.17, whether or not it has received such a determination. Distribution Provider reserves the right to make all decisions with regard to the prosecution of such appeal, protest, abatement or other contest, including the selection of counsel and compromise or settlement of the claim, but Distribution Provider shall keep Interconnection Customer informed, shall consider in good faith suggestions from Interconnection Customer about the conduct of the contest, and shall reasonably permit Interconnection Customer or an Interconnection Customer representative to attend contest proceedings.

Interconnection Customer shall pay to Distribution Provider on a periodic basis, as invoiced by Distribution Provider, Distribution Provider's documented reasonable costs of prosecuting such appeal, protest, abatement or other contest. At any time during the contest, Distribution Provider may agree to a settlement either with Interconnection Customer's consent or after obtaining written advice from nationally-recognized tax counsel, selected by Distribution Provider, but reasonably acceptable to Interconnection Customer, that the proposed settlement represents a reasonable settlement given the hazards of litigation. Interconnection Customer's obligation shall be based on the amount of the settlement agreed to by Interconnection Customer, or if a higher amount, so much of the settlement that is supported by the written advice from nationally-recognized tax counsel selected under the terms of the preceding sentence. The settlement amount shall be calculated on a fully-grossed-up basis to cover any related cost consequences of the current tax liability. Any settlement without Interconnection Customer's consent or such written advice will relieve Interconnection Customer from any obligation to indemnify Distribution Provider for the tax at issue in the contest.

5.17.8 Refund. In the event that (a) a private letter ruling is issued to Distribution Provider which holds that any amount paid or the value of any property transferred by Interconnection Customer to Distribution Provider under the terms of this GIA is not subject to federal income taxation, (b) any legislative change or administrative announcement, notice, ruling or other determination makes it reasonably clear to Distribution Provider in good faith that any amount paid or the value of any property transferred by Interconnection Customer to Distribution Provider under the terms of this GIA is not taxable to Distribution Provider, (c) any abatement, appeal, protest, or other contest results in a determination that any payments or transfers made by Interconnection Customer to Distribution Provider are not subject to federal income tax, or (d) if Distribution Provider receives a refund from any taxing authority for any overpayment of tax attributable to any payment or property transfer made by Interconnection Customer to Distribution Provider pursuant to this GIA, Distribution Provider shall promptly refund to Interconnection Customer the following:

- (i) any payment made by Interconnection Customer under this Article 5.17 for taxes that is attributable to the amount determined to be non-taxable, together with interest thereon,
- (ii) interest on any amounts paid by Interconnection Customer to Distribution Provider for such taxes which Distribution Provider did not submit to the taxing authority, calculated in accordance with the methodology set forth in FERC's regulations at 18 CFR §35.19a(a)(2)(iii) from the date payment was made by Interconnection Customer to the date Distribution Provider refunds such payment to Interconnection Customer, and
- (iii) with respect to any such taxes paid by Distribution Provider, any refund or credit Distribution Provider receives or to which it may be entitled from any Governmental Authority, interest (or that portion thereof attributable to the payment described in clause (i), above) owed to Distribution Provider for such overpayment of taxes (including any reduction in interest otherwise payable by Distribution Provider to any Governmental Authority resulting from an offset or credit); provided, however, that Distribution Provider will remit such amount promptly to Interconnection Customer only after and to the extent that Distribution Provider has received a tax refund, credit or offset from any Governmental Authority for any applicable overpayment of income tax related to Distribution Provider's Interconnection Facilities.

The intent of this provision is to leave the Parties, to the extent practicable, in the event that no taxes are due with respect to any payment for Interconnection Facilities, Distribution Upgrades, and Network Upgrades hereunder, in the same position they would have been in had no such tax payments been made.

5.17.9 Taxes Other Than Income Taxes. Upon the timely request by Interconnection Customer, and at Interconnection Customer's sole expense, Distribution Provider may appeal, protest, seek abatement of, or otherwise contest any tax (other than federal or state income tax) asserted or assessed against Distribution Provider for which Interconnection Customer may be required to reimburse Distribution Provider under the terms of this GIA. Interconnection Customer shall pay to Distribution Provider on a periodic basis, as invoiced by Distribution Provider, Distribution Provider's documented reasonable costs of prosecuting such appeal, protest, abatement, or other contest. Interconnection Customer and Distribution Provider shall cooperate in good faith with respect to any such contest. Unless the payment of such taxes is a prerequisite to an appeal or abatement or cannot be deferred, no amount shall be payable by Interconnection Customer to Distribution Provider for such taxes until they are assessed by a final, non-appealable order by any court or agency of competent jurisdiction. In the event that a tax payment is withheld and ultimately due and payable after appeal, Interconnection Customer

will be responsible for all taxes, interest and penalties, other than penalties attributable to any delay caused by Distribution Provider.

- **5.17.10 Distribution Owners Who Are Not Distribution Providers.** If Distribution Provider is not the same entity as the Distribution Owner, then (i) all references in this Article 5.17 to Distribution Provider shall be deemed also to refer to and to include the Distribution Owner, as appropriate, and (ii) this GIA shall not become effective until such Distribution Owner shall have agreed in writing to assume all of the duties and obligations of Distribution Provider under this Article 5.17 of this GIA.
- **5.18 Tax Status.** Each Party shall cooperate with the other to maintain the other Party's tax status. Nothing in this GIA is intended to adversely affect any Distribution Provider's tax exempt status with respect to the issuance of bonds including, but not limited to, Local Furnishing Bonds.

5.19 Modification.

5.19.1 General. Either Party may undertake modifications to its facilities. If a Party plans to undertake a modification that reasonably may be expected to affect the other Party's facilities, that Party shall provide to the other Party sufficient information regarding such modification so that the other Party may evaluate the potential impact of such modification prior to commencement of the work. Such information shall be deemed to be confidential hereunder and shall include information concerning the timing of such modifications and whether such modifications are expected to interrupt the flow of electricity from the Generating Facility. The Party desiring to perform such work shall provide the relevant drawings, plans, and specifications to the other Party at least ninety (90) Calendar Days in advance of the commencement of the work or such shorter period upon which the Parties may agree, which agreement shall not unreasonably be withheld, conditioned or delayed.

In the case of Generating Facility modifications that do not require Interconnection Customer to submit an Interconnection Request, Distribution Provider shall provide, within thirty (30) Calendar Days (or such other time as the Parties may agree), an estimate of any additional modifications to the Distribution System, Distribution Provider's Interconnection Facilities, Distribution Upgrades, or Network Upgrades necessitated by such Interconnection Customer modification and a good faith estimate of the costs thereof.

- **5.19.2 Standards.** Any additions, modifications, or replacements made to a Party's facilities shall be designed, constructed and operated in accordance with this GIA and Good Utility Practice.
- **5.19.3 Modification Costs.** Interconnection Customer shall not be directly assigned for the costs of any additions, modifications, or replacements that Distribution

Provider makes to Distribution Provider's Interconnection Facilities or the Distribution System to facilitate the interconnection of a third party to Distribution Provider's Interconnection Facilities or the Distribution System, or to provide transmission service to a third party under Distribution Provider's Tariff. Interconnection Customer shall be responsible for the costs of any additions, modifications, or replacements to Interconnection Customer's Interconnection Facilities that may be necessary to maintain or upgrade such Interconnection Customer's Interconnection Facilities consistent with Applicable Laws and Regulations, Applicable Reliability Standards or Good Utility Practice.

5.19.4 Permitted Reductions in Output Capacity (MW Generating Capacity) of the Generating Facility. An Interconnection Customer may reduce the MW capacity of the Generating Facility by up to five percent (5%) for any reason during the time period between the Effective Date of this GIA and the Commercial Operation Date. The five percent (5%) value shall be established by reference to the MW generating capacity as set forth in Appendix C.

The Distribution Provider will consider an Interconnection Customer's request for a reduction in the MW generating capacity greater than five percent (5%) under limited conditions where the Interconnection Customer reasonably demonstrates to the Distribution Provider that the MW generation capacity reduction is warranted due to reasons beyond the control of the Interconnection Customer. Reasons beyond the control of the Interconnection Customer shall consist of any one or more of the following:

- (i) The Interconnection Customer's failure to secure required permits and other governmental approvals to construct the Generating Facility at its total MW generating capacity as specified in Appendix C after the Interconnection Customer has made diligent effort to secure such permits or approvals;
- (ii) The Interconnection Customer's receipt of a written statement from the permitting or approval authority (such as a draft environmental impact report) indicating that construction of a Generating Facility of the total MW generating capacity size specified in Appendix C will likely result in disapproval due to a significant environmental or other impact that cannot be mitigated;
- (iii) Failure to obtain the legal right of use of the full site acreage necessary to construct and/or operate the total MW generating capacity size for the entire Generating Facility specified in Appendix C, after the Interconnection Customer has made a diligent attempt to secure such legal right of use. This subsection (iii) applies only where an Interconnection Customer has previously demonstrated and maintained its demonstration of Site Exclusivity prior to invoking this subsection as a reason for downsizing.

If relying on subsection (i) or (ii) above, in order to be eligible for a capacity reduction greater than five percent (5%), the Interconnection Customer must also demonstrate to the Distribution Provider that a reduction of MW generating capacity of the Generating Facility to the reduced size that the Interconnection Customer proposes will likely overcome the objection of the permitting/approving authority or otherwise cause the permitting/approving authority to grant the permit or approval. The Interconnection Customer may satisfy this demonstration requirement by submitting to the Distribution Provider either a writing from the permitting/approving authority to this effect or other evidence of a commitment by the permitting/approving authority that the MW capacity reduction will remove the objections of the authority to the permit/approval application.

If relying on subsection (iii) above, the Interconnection Customer must also reasonably demonstrate to the Distribution Provider that the proposed reduced-capacity Generating Facility can be constructed on the site over which the Interconnection Customer has been able to obtain legal rights of use.

Upon such demonstration to the reasonable satisfaction of the Distribution Provider, the Distribution Provider will permit such reduction. No permitted reduction of MW generation capacity under this Article shall operate to diminish the Interconnection Customer's cost responsibility for Network Upgrades or to diminish the Interconnection Customer's right to repayment for financing of Network Upgrades under this GIA.

5.20 Annual Reassessment Process. In accordance with Section 7.4 of Appendix DD of the ISO Tariff, the ISO will perform an annual reassessment, as part of a Queue Cluster interconnection study cycle, in which it will update certain base case data prior to beginning the Phase II Interconnection Studies. As set forth in Section 7.4 of Appendix DD of the ISO Tariff, the ISO may determine through this assessment that Delivery Network Upgrades already identified and included in executed generator interconnection agreements should be modified in order to reflect the current circumstances of interconnection customers in the queue, including any withdrawals therefrom, and any additions and upgrades approved in the ISO's most recent transmission planning process cycle. To the extent that this determination modifies the scope or characteristics of, or the cost responsibility for, any Delivery Network Upgrades set forth in Appendix A to this GIA, such modification(s) will be reflected through an amendment to this GIA.

Article 6. Testing and Inspection

Operation Date, Distribution Provider shall test Distribution Provider's Interconnection Facilities, Distribution Upgrades, and Network Upgrades and Interconnection Customer shall test the Generating Facility and Interconnection Customer's Interconnection Facilities to ensure their safe and reliable operation. Similar testing may be required after initial operation. Each Party shall make any modifications to its facilities that are found to be necessary as a result of such testing. Interconnection Customer shall bear the cost of all such testing and modifications. The Interconnection Customer shall not commence

initial parallel operation of an Electric Generating Unit with the Distribution Provider's Distribution System until the Distribution Provider provides prior written approval as set forth in Appendix B, Milestones, which approval shall not be unreasonably withheld, for operation of such Electric Generating Unit. Interconnection Customer shall generate test energy at the Generating Facility only if it has arranged for the delivery of such test energy.

- **6.2 Post-Commercial Operation Date Testing and Modifications.** Each Party shall at its own expense perform routine inspection and testing of its facilities and equipment in accordance with Good Utility Practice as may be necessary to ensure the continued interconnection of the Generating Facility with the Distribution System in a safe and reliable manner. Each Party shall have the right, upon advance written notice, to require reasonable additional testing of the other Party's facilities, at the requesting Party's expense, as may be in accordance with Good Utility Practice.
- **Right to Observe Testing.** Each Party shall notify the other Party in advance of its performance of tests of its Interconnection Facilities. The other Party has the right, at its own expense, to observe such testing.
- **Right to Inspect.** Each Party shall have the right, but shall have no obligation to: (i) observe the other Party's tests and/or inspection of any of its System Protection Facilities and other protective equipment, including Power System Stabilizers; (ii) review the settings of the other Party's System Protection Facilities and other protective equipment; and (iii) review the other Party's maintenance records relative to the Interconnection Facilities, the System Protection Facilities and other protective equipment. A Party may exercise these rights from time to time as it deems necessary upon reasonable notice to the other Party. The exercise or non-exercise by a Party of any such rights shall not be construed as an endorsement or confirmation of any element or condition of the Interconnection Facilities or the System Protection Facilities or other protective equipment or the operation thereof, or as a warranty as to the fitness, safety, desirability, or reliability of same. Any information that a Party obtains through the exercise of any of its rights under this Article 6.4 shall be deemed to be Confidential Information and treated pursuant to Article 22 of this GIA.

Article 7. Metering

7.1 General. Each Party shall comply with any Applicable Reliability Standards and the Applicable Reliability Council requirements. The Interconnection Customer shall comply with the provisions of the ISO Tariff regarding metering, including Section 10 of the ISO Tariff. Unless otherwise agreed by the Parties, Distribution Provider may install additional Metering Equipment at the Point of Interconnection prior to any operation of the Generating Facility and shall own, operate, test and maintain such Metering Equipment. Power flows to and from the Generating Facility shall be measured at or, at Distribution Provider's option, compensated to, the Point of Interconnection. Interconnection Customer's access to meter data shall be provided in accordance with the ISO Tariff. Interconnection Customer shall bear all reasonable documented costs

- associated with the purchase, installation, operation, testing and maintenance of the Metering Equipment.
- 7.2 Check Meters. Interconnection Customer, at its option and expense, may install and operate, on its premises and on its side of the Point of Interconnection, one or more check meters to check the ISO-polled meters or Distribution Provider's meters. Such check meters shall be for check purposes only and shall not be used for the measurement of power flows for purposes of this GIA, except in the case that no other means are available on a temporary basis at the option of the Distribution Provider. The check meters shall be subject at all reasonable times to inspection and examination by Distribution Provider or its designee. The installation, operation and maintenance thereof shall be performed entirely by Interconnection Customer in accordance with Good Utility Practice.
- **7.3 Distribution Provider Retail Metering.** Distribution Provider may install retail revenue quality meters and associated equipment, pursuant to the Distribution Provider's applicable retail tariffs.

Article 8. Communications

- 8.1 Interconnection Customer Obligations. Interconnection Customer shall maintain satisfactory operating communications with Distribution Provider's Distribution System dispatcher or representative designated by Distribution Provider. Interconnection Customer shall provide standard voice line, dedicated voice line and facsimile communications at its Generating Facility control room or central dispatch facility through use of either the public telephone system, or a voice communications system that does not rely on the public telephone system. Interconnection Customer shall also provide the dedicated data circuit(s) necessary to provide Interconnection Customer data to Distribution Provider as set forth in Appendix D, Security Arrangements Details. The data circuit(s) shall extend from the Generating Facility to the location(s) specified by Distribution Provider. Any required maintenance of such communications equipment shall be performed by Interconnection Customer. Operational communications shall be activated and maintained under, but not be limited to, the following events: system paralleling or separation, scheduled and unscheduled shutdowns, equipment clearances, and hourly and daily load data.
- 8.2 Remote Terminal Unit. Prior to the Initial Synchronization Date of the Generating Facility, a Remote Terminal Unit, or equivalent data collection and transfer equipment acceptable to the Parties, shall be installed by Interconnection Customer, or by Distribution Provider at Interconnection Customer's expense, to gather accumulated and instantaneous data to be telemetered to the location(s) designated by Distribution Provider through use of a dedicated point-to-point data circuit(s) as indicated in Article 8.1. The communication protocol for the data circuit(s) shall be specified by Distribution Provider. Instantaneous bi-directional analog real power and reactive power flow information must be telemetered directly to the location(s) specified by Distribution Provider.

Each Party will promptly advise the other Party if it detects or otherwise learns of any metering, telemetry or communications equipment errors or malfunctions that require the attention and/or correction by the other Party. The Party owning such equipment shall correct such error or malfunction as soon as reasonably feasible.

8.3 No Annexation. Any and all equipment placed on the premises of a Party shall be and remain the property of the Party providing such equipment regardless of the mode and manner of annexation or attachment to real property, unless otherwise mutually agreed by the Parties.

Article 9. Operations

- **9.1 General.** Each Party shall comply with Applicable Reliability Standards and the Applicable Reliability Council requirements. Each Party shall provide to the other Party all information that may reasonably be required by the other Party to comply with Applicable Laws and Regulations and Applicable Reliability Standards.
- 9.2 Control Area Notification. At least three months before Initial Synchronization Date, Interconnection Customer shall notify Distribution Provider in writing of the Control Area in which the Generating Facility will be located. If Interconnection Customer elects to locate the Generating Facility in a Control Area other than the Control Area in which the Generating Facility is physically located, and if permitted to do so by the relevant transmission tariffs, all necessary arrangements, including but not limited to those set forth in Article 7 and Article 8 of this GIA, and remote Control Area generator interchange agreements, if applicable, and the appropriate measures under such agreements, shall be executed and implemented prior to the placement of the Generating Facility in the other Control Area.
- 9.3 Distribution Provider Obligations. Distribution Provider shall cause the Distribution System and Distribution Provider's Interconnection Facilities to be operated, maintained and controlled in a safe and reliable manner and in accordance with this GIA. Distribution Provider may provide operating instructions to Interconnection Customer consistent with this GIA and Distribution Provider's operating protocols and procedures as they may change from time to time. Distribution Provider will consider changes to its operating protocols and procedures proposed by Interconnection Customer.
- 9.4 Interconnection Customer Obligations. Interconnection Customer shall at its own expense operate, maintain and control the Generating Facility and Interconnection Customer's Interconnection Facilities in a safe and reliable manner and in accordance with this GIA. Interconnection Customer shall operate the Generating Facility and Interconnection Customer's Interconnection Facilities in accordance with all applicable requirements of the Control Area of which it is part, as such requirements are set forth in Appendix C, Interconnection Details, of this GIA. Appendix C, Interconnection Details, will be modified to reflect changes to the requirements as they may change from time to

time. Either Party may request that the other Party provide copies of the requirements set forth in Appendix C, Interconnection Details, of this GIA.

9.5 Start-Up and Synchronization. Consistent with the Parties' mutually acceptable procedures, Interconnection Customer is responsible for the proper synchronization of the Generating Facility to Distribution Provider's Distribution System.

9.6 Reactive Power.

9.6.1 Power Factor Design Criteria.

9.6.1.1 Synchronous Generation. Interconnection Customer shall design the Generating Facility to maintain a composite power delivery at continuous rated power output at the Point of Interconnection at a power factor within the range of 0.95 leading to 0.95 lagging, unless the Distribution Provider has established different requirements that apply to all synchronous generators in the Control Area on a comparable basis.

9.6.1.2 Non-Synchronous Generation. Interconnection Customer shall design the Generating Facility to maintain a composite power delivery at continuous rated power output at the high-side of the generator substation, or equivalent location when there is not a generator substation, at a power factor within the range of 0.95 leading to 0.95 lagging, unless the Distribution Provider has established a different power factor range that applies to all non-synchronous generators in the Control Area on a comparable basis. This power factor range standard shall be dynamic and can be met using, for example, power electronics designed to supply this level of reactive capability (taking into account any limitations due to voltage level, real power output, etc.) or fixed and switched capacitors, or a combination of the two. This requirement shall only apply to newly interconnecting non-synchronous generators that have not yet submitted the initial posting of Interconnection Financial Security as of the effective date of the Final Rule establishing this requirement (Order No. 827).

Newly interconnecting non-synchronous generators that have submitted the initial posting of Interconnection Financial Security and have not executed a GIA, or requested the filing of an unexecuted GIA, as of the effective date of the Final Rule, will be required to maintain a composite power delivery at continuous rated power output at the Point of Interconnection at a power factor within the range of 0.95 leading to 0.95 lagging, if an Interconnection Study shows that such a requirement is necessary to ensure safety or reliability.

9.6.2 Voltage Schedules. Once Interconnection Customer has synchronized the Generating Facility with the Distribution System, Distribution Provider shall require Interconnection Customer to operate the Generating Facility to produce or absorb reactive power within the design limitations of the Generating Facility set forth in Article 9.6.1 (Power Factor Design Criteria). Distribution Provider's voltage schedules shall treat all sources of reactive power interconnected with the

Distribution System in an equitable and not unduly discriminatory manner and consistent with the applicable requirements of the ISO Tariff. Distribution Provider shall exercise Reasonable Efforts to provide Interconnection Customer with such schedules at least one (1) day in advance, and may make changes to such schedules as necessary to maintain the reliability of the Distribution System and Transmission System. Interconnection Customer shall operate the Generating Facility to maintain the specified output voltage or power factor at the Point of Interconnection within the design limitations of the Generating Facility set forth in Article 9.6.1 (Power Factor Design Criteria). If Interconnection Customer is unable to maintain the specified voltage or power factor, it shall promptly notify the Distribution Provider and the ISO.

- **9.6.2.1 Governors and Regulators.** Whenever the Generating Facility is operated in parallel with the Distribution System and the speed governors (if installed on the generating unit pursuant to Good Utility Practice) and voltage regulators are capable of operation, Interconnection Customer shall operate the Generating Facility with its speed governors and voltage regulators in automatic operation. If the Generating Facility's speed governors and voltage regulators are not capable of such automatic operation, Interconnection Customer shall immediately notify Distribution Provider and the ISO, and ensure that the Electric Generating Unit operates as specified in Article 9.6.2 through manual operation and that such Generating Facility's reactive power production or absorption (measured in MVARs) are within the design capability of the Generating Facility's generating unit(s) and steady state stability limits. Interconnection Customer shall not cause its Generating Facility to disconnect automatically or instantaneously from the Distribution System or trip any generating unit comprising the Generating Facility for an under or over frequency condition unless the abnormal frequency condition persists for a time period beyond the limits set forth in ANSI/IEEE Standard C37.106, or such other standard as applied to other generators in the Control Area on a comparable basis.
- **9.6.3 Payment for Reactive Power.** Payment to Interconnection Customer for reactive power that Interconnection Customer provides or absorbs from the Generating Facility when the ISO requests Interconnection Customer to operate its Generating Facility outside the range specified in Article 9.6.1 will be made by the ISO in accordance with the applicable provisions of the ISO Tariff.
- 9.7 Outages and Interruptions.
 - **9.7.1** Outages.
 - **9.7.1.1 Outage Authority and Coordination.** Each Party may in accordance with Good Utility Practice in coordination with the other Party remove from service any of its respective Interconnection Facilities or Network

Upgrades that may impact the other Party's facilities as necessary to perform maintenance or testing or to install or replace equipment. Absent an Emergency Condition, the Party scheduling a removal of such facility(ies) from service will use Reasonable Efforts to schedule such removal on a date and time mutually acceptable to the Parties. In all circumstances, any Party planning to remove such facility(ies) from service shall use Reasonable Efforts to minimize the effect on the other Party of such removal.

- 9.7.1.2 Outage Schedules. Interconnection Customer shall submit its planned maintenance schedules for the Generating Facility to Distribution Provider for a minimum of a rolling twenty-four month period. Interconnection Customer shall update its planned maintenance schedules as necessary. Distribution Provider may request Interconnection Customer to reschedule its maintenance as necessary to maintain the reliability of the Distribution System and Transmission System. Distribution Provider shall compensate Interconnection Customer for any additional direct costs that Interconnection Customer incurs as a result of having to reschedule maintenance, including any additional overtime, breaking of maintenance contracts or other costs above and beyond the cost Interconnection Customer would have incurred absent Distribution Provider's request to reschedule maintenance. Interconnection Customer will not be eligible to receive compensation, if during the twelve (12) months prior to the date of the scheduled maintenance, Interconnection Customer had modified its schedule of maintenance activities. Distribution Provider shall have no obligation to pay Interconnection Customer any costs the Interconnection Customer incurs as the result of being directed by the ISO to reschedule maintenance.
- 9.7.1.3 Outage Restoration. If an outage on a Party's Interconnection Facilities or Network Upgrades adversely affects the other Party's operations or facilities, the Party that owns or controls the facility that is out of service shall use Reasonable Efforts to promptly restore such facility(ies) to a normal operating condition consistent with the nature of the outage. The Party that owns or controls the facility that is out of service shall provide the other Party, to the extent such information is known, information on the nature of the Emergency Condition, an estimated time of restoration, and any corrective actions required. Initial verbal notice shall be followed up as soon as practicable with written notice explaining the nature of the outage.
- **9.7.2 Interruption of Service.** If required by Good Utility Practice to do so, Distribution Provider may require Interconnection Customer to interrupt or reduce deliveries of electricity if such delivery of electricity could adversely affect Distribution Provider's ability to perform such activities as are necessary to safely and reliably operate and maintain the Distribution System and Transmission

System. The following provisions shall apply to any interruption or reduction permitted under this Article 9.7.2:

- **9.7.2.1** The interruption or reduction shall continue only for so long as reasonably necessary under Good Utility Practice;
- **9.7.2.2** Any such interruption or reduction shall be made on an equitable, non-discriminatory basis with respect to all generating facilities directly connected to the Distribution System;
- **9.7.2.3** When the interruption or reduction must be made under circumstances which do not allow for advance notice, Distribution Provider shall notify Interconnection Customer by telephone as soon as practicable of the reasons for the curtailment, interruption, or reduction, and, if known, its expected duration. Telephone notification shall be followed by written notification as soon as practicable;
- 9.7.2.4 Except during the existence of an Emergency Condition, when the interruption or reduction can be scheduled without advance notice, Distribution Provider shall notify Interconnection Customer in advance regarding the timing of such scheduling and further notify Interconnection Customer of the expected duration. Distribution Provider shall coordinate with Interconnection Customer using Good Utility Practice to schedule the interruption or reduction during periods of least impact to Interconnection Customer and Distribution Provider:
- **9.7.2.5** The Parties shall cooperate and coordinate with each other to the extent necessary in order to restore the Generating Facility, Interconnection Facilities, and the Distribution System and Transmission System to their normal operating state, consistent with system conditions and Good Utility Practice.
- 9.7.3 Frequency and Voltage Ride Through. The Interconnection Customer shall ensure "frequency ride through" capability and "voltage ride through" capability of the Generating Facility. The Interconnection Customer shall enable these capabilities such that the Generating Facility shall not disconnect automatically or instantaneously from the system or equipment of the Distribution Provider and any Affected Systems for a defined under-frequency or over-frequency condition, or an under-voltage or over-voltage condition, as tested pursuant to Article 6 of this GIA. The defined conditions shall be in accordance with Good Utility Practice and consistent with any standards and guidelines that are applied to other generating facilities in the Control Area on a comparable basis.
- 9.7.4 System Protection and Other Control Requirements.

- 9.7.4.1 System Protection Facilities. Interconnection Customer shall, at its expense, install, operate and maintain System Protection Facilities as a part of the Generating Facility or Interconnection Customer's Interconnection Facilities. Distribution Provider shall install at Interconnection Customer's expense any System Protection Facilities that may be required on Distribution Provider's Interconnection Facilities, Distribution System, or the Transmission System as a result of the interconnection of the Generating Facility and Interconnection Customer's Interconnection Facilities.
- **9.7.4.2** Each Party's protection facilities shall be designed and coordinated with other systems in accordance with Applicable Reliability Standards, Applicable Reliability Council criteria, and Good Utility Practice.
- **9.7.4.3** Each Party shall be responsible for protection of its facilities consistent with Good Utility Practice.
- **9.7.4.4** Each Party's protective relay design shall incorporate the necessary test switches to perform the tests required in Article 6. The required test switches will be placed such that they allow operation of lockout relays while preventing breaker failure schemes from operating and causing unnecessary breaker operations and/or the tripping of Interconnection Customer's units.
- **9.7.4.5** Each Party will test, operate and maintain System Protection Facilities in accordance with Good Utility Practice and, if applicable, the requirements of the Distribution Provider's Interconnection Handbook.
- 9.7.4.6 Prior to the In-Service Date, and again prior to the Commercial Operation Date, each Party or its agent shall perform a complete calibration test and functional trip test of the System Protection Facilities. At intervals suggested by Good Utility Practice, the standards and procedures of the Distribution Provider, including, if applicable, the requirements of the Distribution Provider's Interconnection Handbook, and following any apparent malfunction of the System Protection Facilities, each Party shall perform both calibration and functional trip tests of its System Protection Facilities. These tests do not require the tripping of any in-service generation unit. These tests do, however, require that all protective relays and lockout contacts be activated.
- **9.7.5 Requirements for Protection.** In compliance with Good Utility Practice and, if applicable, the requirements of the Distribution Provider's Interconnection Handbook, Interconnection Customer shall provide, install, own, and maintain relays, circuit breakers and all other devices necessary to remove any fault contribution of the Generating Facility to any short circuit occurring on the Distribution System not otherwise isolated by Distribution Provider's equipment,

such that the removal of the fault contribution shall be coordinated with the protective requirements of the Distribution System. Such protective equipment shall include, without limitation, a disconnecting device or switch with load-interrupting capability located between the Generating Facility and the Distribution System at a site selected upon mutual agreement (not to be unreasonably withheld, conditioned or delayed) of the Parties. Interconnection Customer shall be responsible for protection of the Generating Facility and Interconnection Customer's other equipment from such conditions as negative sequence currents, over- or under-frequency, sudden load rejection, over- or under-voltage, and generator loss-of-field. Interconnection Customer shall be solely responsible to disconnect the Generating Facility and Interconnection Customer's other equipment if conditions on the Distribution System could adversely affect the Generating Facility.

- 9.7.6 Power Quality. Neither Party's facilities shall cause excessive voltage flicker nor introduce excessive distortion to the sinusoidal voltage or current waves as defined by ANSI Standard C84.1-1989, in accordance with IEEE Standard 519, or any applicable superseding electric industry standard or any alternative Applicable Reliability Standard or Applicable Reliability Council standard. In the event of a conflict among ANSI Standard C84.1-1989, or any applicable superseding electric industry standard, or any alternative Applicable Reliability Standard or Applicable Reliability Council standard, the alternative Applicable Reliability Standard or Applicable Reliability Council standard shall control.
- **9.8 Switching and Tagging Rules.** Each Party shall provide the other Party a copy of its switching and tagging rules that are applicable to the other Party's activities. Such switching and tagging rules shall be developed on a non-discriminatory basis. The Parties shall comply with applicable switching and tagging rules, as amended from time to time, in obtaining clearances for work or for switching operations on equipment.
- 9.9 Use of Interconnection Facilities by Third Parties.
 - **9.9.1 Purpose of Interconnection Facilities.** Except as may be required by Applicable Laws and Regulations, or as otherwise agreed to among the Parties, the Interconnection Facilities shall be constructed for the sole purpose of interconnecting the Generating Facility to the Distribution System and shall be used for no other purpose.
 - 9.9.2 Third Party Users. If required by Applicable Laws and Regulations or if the Parties mutually agree, such agreement not to be unreasonably withheld, to allow one or more third parties to use Distribution Provider's Interconnection Facilities, or any part thereof, Interconnection Customer will be entitled to compensation for the capital expenses it incurred in connection with the Interconnection Facilities based upon the pro rata use of the Interconnection Facilities by Distribution Provider, all third party users, and Interconnection Customer, in accordance with Applicable Laws and Regulations or upon some other mutually-agreed upon

methodology. In addition, cost responsibility for ongoing costs, including operation and maintenance costs associated with the Interconnection Facilities, will be allocated between Interconnection Customer and any third party users based upon the pro rata use of the Interconnection Facilities by Distribution Provider, all third party users, and Interconnection Customer, in accordance with Applicable Laws and Regulations or upon some other mutually agreed upon methodology. If the issue of such compensation or allocation cannot be resolved through such negotiations, it shall be submitted to FERC for resolution.

9.10 Disturbance Analysis Data Exchange. The Parties will cooperate with one another in the analysis of disturbances to either the Generating Facility or Distribution Provider's Distribution System and Transmission System by gathering and providing access to any information relating to any disturbance, including information from oscillography, protective relay targets, breaker operations and sequence of events records, and any disturbance information required by Good Utility Practice.

Article 10. Maintenance

- **10.1 Distribution Provider Obligations.** Distribution Provider shall maintain the Distribution System, Transmission System and Distribution Provider's Interconnection Facilities in a safe and reliable manner and in accordance with this GIA.
- **10.2 Interconnection Customer Obligations.** Interconnection Customer shall maintain the Generating Facility and Interconnection Customer's Interconnection Facilities in a safe and reliable manner and in accordance with this GIA.
- **10.3** Coordination. The Parties shall confer regularly to coordinate the planning, scheduling and performance of preventive and corrective maintenance on the Generating Facility and the Interconnection Facilities.
- 10.4 Secondary Systems. Each Party shall cooperate with the other in the inspection, maintenance, and testing of control or power circuits that operate below 600 volts, AC or DC, including, but not limited to, any hardware, control or protective devices, cables, conductors, electric raceways, secondary equipment panels, transducers, batteries, chargers, and voltage and current transformers that directly affect the operation of a Party's facilities and equipment which may reasonably be expected to impact the other Party. Each Party shall provide advance notice to the other Party before undertaking any work on such circuits, especially on electrical circuits involving circuit breaker trip and close contacts, current transformers, or potential transformers.
- **10.5 Operating and Maintenance Expenses.** Subject to the provisions herein addressing the use of facilities by others, and except for operations and maintenance expenses associated with modifications made for providing interconnection or transmission service to a third party and such third party pays for such expenses, Interconnection Customer shall be responsible for all reasonable expenses including overheads, associated with: (1) owning, operating, maintaining, repairing, and replacing Interconnection Customer's

Interconnection Facilities; and (2) operation, maintenance, repair and replacement of Distribution Provider's Interconnection Facilities.

Article 11. Performance Obligation

- 11.1 Interconnection Customer Interconnection Facilities. Interconnection Customer shall design, procure, construct, install, own and/or control Interconnection Customer Interconnection Facilities described in Appendix A, Interconnection Facilities, Network Upgrades and Distribution Upgrades, at its sole expense.
- Distribution Provider's Interconnection Facilities. Distribution Provider or Distribution Owner shall design, procure, construct, install, own and/or control the Distribution Provider's Interconnection Facilities described in Appendix A, Interconnection Facilities, Network Upgrades and Distribution Upgrades, at the sole expense of the Interconnection Customer. The Interconnection Customer shall be responsible for funding all costs related to Distribution Provider's Interconnection Facilities. The costs set forth in Appendix A are estimates only and will not establish any cap or maximum cost responsibility limit on the cost responsibility of the Interconnection Customer for the Distribution Provider's Interconnection Facilities. The Interconnection Customer shall be responsible for the actual costs related to Distribution Provider's Interconnection Facilities.
- 11.3 Network Upgrades and Distribution Upgrades. Distribution Provider or Distribution Owner shall design, procure, construct, install, and own the Network Upgrades and Distribution Upgrades described in Appendix A, Interconnection Facilities, Network Upgrades and Distribution Upgrades, except for any Stand Alone Network Upgrades and Merchant Network Upgrades (as such term is defined in the ISO Tariff).
 - 11.3.1 Distribution Upgrades. The Interconnection Customer shall be responsible for funding its share of the costs related to Distribution Upgrades. The costs set forth in Appendices A and G are estimates only and will not establish any cap or maximum cost responsibility limit on the cost responsibility of the Interconnection Customer for Distribution Upgrades. The Interconnection Customer shall be responsible for the actual costs of its share of the costs related to Distribution Upgrades.
 - 11.3.2 Reliability Network Upgrades. The Interconnection Customer shall be responsible for funding its share of the costs of the Reliability Network Upgrades up to the maximum cost responsibility limit established for the Interconnection Customer in accordance with Section 4.6 of the GIP for such facilities. The costs set forth in Appendices A and G are estimates only. The Interconnection Customer shall be responsible for its share of the actual costs of Reliability Network Upgrades up to its maximum cost responsibility limit. The Interconnection Customer may be entitled to repayment of all or a portion of the costs it funded for Reliability Network Upgrades in accordance with Article 11.4.1.

- 11.3.3 Local Delivery Network Upgrades. If the Interconnection Customer has an Option (A) Generating Facility, or if the Interconnection Customer has an Option (B) Generating Facility and did not select the Merchant Option for the Local Delivery Network Upgrades, then the Interconnection Customer shall be responsible for funding its share of the costs of Local Delivery Network Upgrades up to the maximum cost responsibility limit established for the Interconnection Customer in accordance with Section 4.6 of the GIP for such facilities. The costs set forth in Appendices A and G are estimates only. The Interconnection Customer shall be responsible for its share of the actual costs of Local Delivery Network Upgrades up to its maximum cost responsibility limit. The Interconnection Customer may be entitled to repayment for the costs it funded for Local Delivery Network Upgrades in accordance with Article 11.4.1.
- 11.3.4 Area Delivery Network Upgrades. If the Interconnection Customer has an Option (A) Generating Facility, the Interconnection Customer will not be responsible for funding the costs of any Area Delivery Network Upgrades. If the Interconnection Customer has an Option (B) Generating Facility and did not select the Merchant Option for the Area Delivery Network Upgrades, then the Interconnection Customer shall be responsible for funding the costs of Area Delivery Network Upgrades. The costs set forth in Appendices A and G are advisory estimates only and will not establish any cap or maximum cost responsibility limit on the cost responsibility of the Interconnection Customer for Area Delivery Network Upgrades. The Interconnection Customer shall be responsible for the actual costs of Area Delivery Network Upgrades. The Interconnection Customer will not be entitled to repayment for the costs it funded for Area Delivery Network Upgrades in accordance with Article 11.4.1.

11.4 Transmission Credits.

11.4.1 Repayment of Amounts Advanced for Network Upgrades. An Interconnection Customer in Queue Cluster 8 or earlier may be entitled, in accordance with this Article 11.4.1, to a repayment for the Interconnection Customer's contribution to the cost of Network Upgrades commencing on the Commercial Operation Date of its Generating Facility.

An Interconnection Customer in Queue Cluster 9 or later may be entitled, in accordance with this Article 11.4.1, to a repayment for the Interconnection Customer's contribution to the cost of Network Upgrades placed in service on or before the Commercial Operation Date of its Generating Facility, commencing on the Commercial Operation Date of its Generating Facility. Repayment for the Interconnection Customer's contribution to the cost of Network Upgrades placed in service after the Commercial Operation Date of its Generating Facility shall, for each of these Network Upgrades, commence no later than the later of: (i) the first month of the calendar year following the year in which the Network Upgrade is placed into service or (ii) ninety (90) Calendar Days after the Network Upgrade is placed into service.

Interconnection Customer may be entitled to a cash repayment based on the amount paid to Distribution Provider and Affected System Operator, if any, for the Network Upgrades, including any tax gross-up or other tax-related payments associated with Network Upgrades, and not refunded to Interconnection Customer pursuant to Article 5.17.8 or otherwise, as follows:

a) Reliability Network Upgrades. The Interconnection Customer shall be entitled to a repayment of the amount the Interconnection Customer paid to the Distribution Provider for Reliability Network Upgrades as set forth in Appendix A and G, up to a maximum of \$60,000 per MW of Generating Facility capacity. For purposes of this determination, the Generating Facility capacity will be based on the capacity of the Interconnection Customer's Generating Facility at the time it achieves Commercial Operation. However, to the extent that such repayment does not cover all of the costs of Interconnection Customer's Reliability Network Upgrades, the Interconnection Customer may receive Congestion Revenue Rights (as such term is defined in the ISO Tariff) from the ISO in accordance with the ISO Tariff for that portion of its Reliability Network Upgrades that are not covered by cash repayment.

b) Local Delivery Network Upgrades.

- i. If the Interconnection Customer has an Option (A) Generating Facility, the Interconnection Customer shall be entitled to a repayment equal to the total amount the Interconnection Customer paid to the Distribution Provider for the costs of Local Delivery Network Upgrades.
- ii. If the Interconnection Customer has an Option (B) Generating Facility and has been allocated TP Deliverability and continues to be eligible to retain such TP Deliverability pursuant to Appendix DD of the ISO Tariff, the Interconnection Customer shall be entitled to repayment of a portion of the total amount paid to the Distribution Provider for the costs of Local Delivery Network Upgrades. The repayment amount shall be determined by dividing the amount of TP Deliverability received by the amount of TP Deliverability requested by the Interconnection Customer, and multiplying that percentage by the total amount paid to the Distribution Provider by the Interconnection Customer for Local Delivery Network Upgrades. However, the Interconnection Customer may be entitled to receive Congestion Revenue Rights from the ISO in accordance with the ISO Tariff for that portion of its Local Delivery Network Upgrades that are not covered by cash repayment.
- iii. If the Interconnection Customer has an Option (B) Generating Facility and has not been allocated any TP Deliverability pursuant to Appendix DD of the ISO Tariff, the Interconnection Customer shall not be

entitled to repayment of the amount paid to the Distribution Provider for the costs of Local Delivery Network Upgrades. However, the Interconnection Customer may be entitled to receive Congestion Revenue Rights from the ISO in accordance with the ISO Tariff for the costs of Local Delivery Network Upgrades that are not covered by cash repayment.

c) Area Delivery Network Upgrades. The Interconnection Customer shall not be entitled to repayment of the amount paid to the Distribution Provider for the costs of Area Delivery Network Upgrades. However, the Interconnection Customer may be entitled to receive Congestion Revenue Rights from the ISO in accordance with the ISO Tariff for the costs of Area Delivery Network Upgrades that are not covered by cash repayment.

Any repayment for Reliability Network Upgrades and Local Delivery Network Upgrades, as specified above, will be paid to the Interconnection Customer by the Distribution Provider on a dollar-for-dollar basis for the non-usage sensitive portion of transmission charges, as payments are made under Distribution Provider's Tariff and Affected System's Tariff for transmission services with respect to the Generating Facility. Any repayment shall include interest calculated in accordance with the methodology set forth in FERC's regulations at 18 C.F.R. §35.19a(a)(2)(iii) from the date of any payment for Network Upgrades through the date on which the Interconnection Customer receives a repayment of such payment pursuant to this subparagraph. Interconnection Customer may assign such repayment rights to any person.

Notwithstanding the foregoing, Interconnection Customer, Distribution Provider, and Affected System Operator may adopt any alternative payment schedule that is mutually agreeable so long as Distribution Provider and Affected System Operator take one of the following actions no later than five years from the applicable date as provided for in this Article 11.4.1: (1) return to Interconnection Customer any amounts advanced for Network Upgrades not previously repaid, or (2) declare in writing that Distribution Provider or Affected System Operator will continue to provide payments to Interconnection Customer on a dollar-for-dollar basis for the non-usage sensitive portion of transmission charges, or develop an alternative schedule that is mutually agreeable and provides for the return of all amounts advanced for Network Upgrades not previously repaid; however, full reimbursement shall not extend beyond twenty (20) years from the applicable commencement date.

If the Generating Facility fails to achieve commercial operation, but it or another Generating Facility is later constructed and makes use of the Network Upgrades, Distribution Provider and Affected System Operator shall at that time reimburse Interconnection Customer for the amounts advanced for the Network Upgrades. Before any such reimbursement can occur, the Interconnection Customer, or the

- entity that ultimately constructs the Generating Facility, if different, is responsible for identifying the entity to which reimbursement must be made.
- 11.4.2 Special Provisions for Affected Systems. Unless Distribution Provider provides, under the GIA, for the repayment of amounts advanced to Affected System Operator for Network Upgrades, Interconnection Customer and Affected System Operator shall enter into an agreement that provides for such repayment. The agreement shall specify the terms governing payments to be made by Interconnection Customer to the Affected System Operator as well as the repayment by the Affected System Operator.
- 11.4.3 Notwithstanding any other provision of this GIA, nothing herein shall be construed as relinquishing or foreclosing any rights, including but not limited to firm transmission rights, capacity rights, transmission congestion rights, or transmission credits, that Interconnection Customer, shall be entitled to, now or in the future under any other agreement or tariff as a result of, or otherwise associated with, the transmission capacity, if any, created by the Network Upgrades, including the right to obtain cash reimbursements or transmission credits for transmission service that is not associated with the Generating Facility.
- **11.5 Provision of Interconnection Financial Security.** The Interconnection Customer is obligated to provide all necessary Interconnection Financial Security required under Section 4.8 of the GIP in a manner acceptable under Section 4.8 of the GIP.

Article 12. Invoice

- **12.1 General.** Each Party shall submit to the other Party, on a monthly basis, invoices of amounts due for the preceding month. Each invoice shall state the month to which the invoice applies and fully describe the services and equipment provided. The Parties may discharge mutual debts and payment obligations due and owing to each other on the same date through netting, in which case all amounts a Party owes to the other Party under this GIA, including interest payments or credits, shall be netted so that only the net amount remaining due shall be paid by the owing Party.
- 12.2 Final Invoice. Within twelve (12) months after completion of the construction of Distribution Provider's Interconnection Facilities, Distribution Upgrades, and the Network Upgrades, Distribution Provider shall provide an invoice of the final cost of the construction of Distribution Provider's Interconnection Facilities, Distribution Upgrades, and the Network Upgrades and shall set forth such costs in sufficient detail to enable Interconnection Customer to compare the actual costs with the estimates and to ascertain deviations, if any, from the cost estimates. Distribution Provider shall refund to Interconnection Customer any amount by which the actual payment by Interconnection Customer for estimated costs exceeds the actual costs of construction within thirty (30) Calendar Days of the issuance of such final construction invoice.

- **12.3 Payment.** Invoices shall be rendered to the paying Party at the address specified in Appendix F. The Party receiving the invoice shall pay the invoice within thirty (30) Calendar Days of receipt. All payments shall be made in immediately available funds payable to the other Party, or by wire transfer to a bank named and account designated by the invoicing Party. Payment of invoices by either Party will not constitute a waiver of any rights or claims either Party may have under this GIA.
- 12.4 Disputes. In the event of a billing dispute between Distribution Provider and Interconnection Customer, Distribution Provider shall continue to provide Interconnection Service under this GIA as long as Interconnection Customer: (i) continues to make all payments not in dispute; and (ii) pays to Distribution Provider or into an independent escrow account the portion of the invoice in dispute, pending resolution of such dispute. If Interconnection Customer fails to meet these two requirements for continuation of service, then Distribution Provider may provide notice to Interconnection Customer of a Default pursuant to Article 17. Within thirty (30) Calendar Days after the resolution of the dispute, the Party that owes money to the other Party shall pay the amount due with interest calculated in accord with the methodology set forth in FERC's regulations at 18 CFR § 35.19a(a)(2)(iii).

Article 13. Emergencies

- 13.1 Definition. "Emergency Condition" shall mean a condition or situation: (i) that in the judgment of the Party making the claim is imminently likely to endanger life or property; or (ii) that, in the case of Distribution Provider, is imminently likely (as determined in a non-discriminatory manner) to cause a material adverse effect on the security of, or damage to the Distribution System, Distribution Provider's Interconnection Facilities or the Transmission Systems of others to which the Distribution System is directly connected; or (iii) that, in the case of Interconnection Customer, is imminently likely (as determined in a non-discriminatory manner) to cause a material adverse effect on the security of, or damage to, the Generating Facility or Interconnection Customer's Interconnection Facilities' System restoration and black start shall be considered Emergency Conditions; provided, that Interconnection Customer is not obligated by this GIA to possess black start capability.
- **13.2 Obligations.** Each Party shall comply with the Emergency Condition procedures of the ISO, NERC, the Applicable Reliability Council, Applicable Reliability Standards, Applicable Laws and Regulations, and any emergency procedures set forth in this GIA.
- 13.3 Notice. Distribution Provider shall notify Interconnection Customer promptly when it becomes aware of an Emergency Condition that affects Distribution Provider's Interconnection Facilities, Distribution System or the Transmission System that may reasonably be expected to affect Interconnection Customer's operation of the Generating Facility or Interconnection Customer's Interconnection Facilities. Interconnection Customer shall notify Distribution Provider promptly when it becomes aware of an Emergency Condition that affects the Generating Facility or Interconnection Customer's Interconnection Facilities that may reasonably be expected to affect the Distribution

System, Transmission System or Distribution Provider's Interconnection Facilities. To the extent information is known, the notification shall describe the Emergency Condition, the extent of the damage or deficiency, the expected effect on the operation of Interconnection Customer's or Distribution Provider's facilities and operations, its anticipated duration and the corrective action taken and/or to be taken. The initial notice shall be followed as soon as practicable with written notice.

13.4 Immediate Action. Unless, in Interconnection Customer's reasonable judgment, immediate action is required, Interconnection Customer shall obtain the consent of Distribution Provider, such consent to not be unreasonably withheld, prior to performing any manual switching operations at the Generating Facility or Interconnection Customer's Interconnection Facilities in response to an Emergency Condition either declared by Distribution Provider or otherwise regarding the Distribution System.

13.5 Distribution Provider Authority.

13.5.1 General. Distribution Provider may take whatever actions or inactions with regard to the Distribution System and Transmission System or Distribution Provider's Interconnection Facilities it deems necessary during an Emergency Condition in order to (i) preserve public health and safety, (ii) preserve the reliability of the Distribution System and Transmission System or Distribution Provider's Interconnection Facilities, (iii) limit or prevent damage, and (iv) expedite restoration of service.

Distribution Provider shall use Reasonable Efforts to minimize the effect of such actions or inactions on the Generating Facility or Interconnection Customer's Interconnection Facilities. Distribution Provider may, on the basis of technical considerations, require the Generating Facility to mitigate an Emergency Condition by taking actions necessary and limited in scope to remedy the Emergency Condition, including, but not limited to, directing Interconnection Customer to shut-down, start-up, increase or decrease the real or reactive power output of the Generating Facility; implementing a reduction or disconnection pursuant to Article 13.5.2; directing Interconnection Customer to assist with blackstart (if available) or restoration efforts; or altering the outage schedules of the Generating Facility and Interconnection Customer's Interconnection Facilities. Interconnection Customer shall comply with all of Distribution Provider's operating instructions concerning Generating Facility real power and reactive power output within the manufacturer's design limitations of the Generating Facility's equipment that is in service and physically available for operation at the time, in compliance with Applicable Laws and Regulations.

13.5.2 Reduction and Disconnection. Distribution Provider may reduce Interconnection Service or disconnect the Generating Facility or Interconnection Customer's Interconnection Facilities, when such, reduction or disconnection is necessary under Good Utility Practice due to Emergency Conditions. These rights are separate and distinct from any right of curtailment of the ISO pursuant

to the ISO Tariff. When Distribution Provider can schedule the reduction or disconnection in advance, Distribution Provider shall notify Interconnection Customer of the reasons, timing and expected duration of the reduction or disconnection. Distribution Provider shall coordinate with Interconnection Customer using Good Utility Practice to schedule the reduction or disconnection during periods of least impact to Interconnection Customer and Distribution Provider. Any reduction or disconnection shall continue only for so long as reasonably necessary under Good Utility Practice. The Parties shall cooperate with each other to restore the Generating Facility, the Interconnection Facilities, and the Distribution System to their normal operating state as soon as practicable consistent with Good Utility Practice.

- 13.6 Interconnection Customer Authority. Consistent with Good Utility Practice and the GIA and the GIP, Interconnection Customer may take actions or inactions with regard to the Generating Facility or Interconnection Customer's Interconnection Facilities during an Emergency Condition in order to (i) preserve public health and safety, (ii) preserve the reliability of the Generating Facility or Interconnection Customer's Interconnection Facilities, (iii) limit or prevent damage, and (iv) expedite restoration of service. Interconnection Customer shall use Reasonable Efforts to minimize the effect of such actions or inactions on the Distribution System and Distribution Provider's Interconnection Facilities. Distribution Provider shall use Reasonable Efforts to assist Interconnection Customer in such actions.
- **13.7 Limited Liability.** Neither Party shall be liable to the other for any action it takes in responding to an Emergency Condition so long as such action is made in good faith and is consistent with Good Utility Practice.

Article 14. Regulatory Requirements and Governing Law

14.1 Regulatory Requirements. Each Party's obligations under this GIA shall be subject to its receipt of any required approval or certificate from one or more Governmental Authorities in the form and substance satisfactory to the applying Party, or the Party making any required filings with, or providing notice to, such Governmental Authorities, and the expiration of any time period associated therewith. Each Party shall in good faith seek and use its Reasonable Efforts to obtain such other approvals. Nothing in this GIA shall require Interconnection Customer to take any action that could result in its inability to obtain, or its loss of, status or exemption under the Federal Power Act, the Public Utility Holding Company Act of 1935, as amended, or the Public Utility Regulatory Policies Act of 1978.

14.2 Governing Law.

14.2.1 The validity, interpretation and performance of this GIA and each of its provisions shall be governed by the laws of the state where the Point of Interconnection is located, without regard to its conflicts of law principles.

- **14.2.2** This GIA is subject to all Applicable Laws and Regulations.
- **14.2.3** Each Party expressly reserves the right to seek changes in, appeal, or otherwise contest any laws, orders, rules, or regulations of a Governmental Authority.

Article 15. Notices.

15.1 General. Unless otherwise provided in this GIA, any notice, demand or request required or permitted to be given by either Party to the other and any instrument required or permitted to be tendered or delivered by either Party in writing to the other shall be effective when delivered and may be so given, tendered or delivered, by recognized national courier, or by depositing the same with the United States Postal Service with postage prepaid, for delivery by certified or registered mail, addressed to the Party, or personally delivered to the Party, at the address set out in Appendix F, Addresses for Delivery of Notices and Billings.

Either Party may change the notice information in this GIA by giving five (5) Business Days written notice prior to the effective date of the change.

- **15.2 Billings and Payments.** Billings and payments shall be sent to the addresses set out in Appendix F.
- **15.3 Alternative Forms of Notice.** Any notice or request required or permitted to be given by a Party to the other and not required by this Agreement to be given in writing may be so given by telephone, facsimile or email to the telephone numbers and email addresses set out in Appendix F.
- **15.4 Operations and Maintenance Notice.** Each Party shall notify the other Party in writing of the identity of the person(s) that it designates as the point(s) of contact with respect to the implementation of Articles 9 and 10.

Article 16. Uncontrollable Force

16.1 Uncontrollable Force.

- **16.1.1** Economic hardship is not considered an Uncontrollable Force event.
- 16.1.2 Neither Party shall be considered to be in Default with respect to any obligation hereunder, (including obligations under Article 4), other than the obligation to pay money when due, if prevented from fulfilling such obligation by Uncontrollable Force. A Party unable to fulfill any obligation hereunder (other than an obligation to pay money when due) by reason of an Uncontrollable Force shall give notice and the full particulars of such Uncontrollable Force to the other Party in writing or by telephone as soon as reasonably possible after the occurrence of the cause relied upon. Telephone notices given pursuant to this article shall be confirmed in writing as soon as reasonably possible and shall specifically state full particulars

of the Uncontrollable Force, the time and date when the Uncontrollable Force occurred and when the Uncontrollable Force is reasonably expected to cease. The Party affected shall exercise due diligence to remove such disability with reasonable dispatch, but shall not be required to accede or agree to any provision not satisfactory to it in order to settle and terminate a strike or other labor disturbance.

Article 17. Default

17.1 Default

- 17.1.1 General. No Default shall exist where such failure to discharge an obligation (other than the payment of money) is the result of an Uncontrollable Force as defined in this GIA or the result of an act of omission of the other Party. Upon a Breach, the non-breaching Party shall give written notice of such Breach to the breaching Party. Except as provided in Article 17.1.2, the breaching Party shall have thirty (30) Calendar Days from receipt of the Default notice within which to cure such Breach; provided however, if such Breach is not capable of cure within thirty (30) Calendar Days, the breaching Party shall commence such cure within thirty (30) Calendar Days after notice and continuously and diligently complete such cure within ninety (90) Calendar Days from receipt of the Default notice; and, if cured within such time, the Breach specified in such notice shall cease to exist.
- 17.1.2 Right to Terminate. If a Breach is not cured as provided in this article, or if a Breach is not capable of being cured within the period provided for herein, the non-breaching Party shall have the right to declare a Default and terminate this GIA by written notice at any time until cure occurs, and be relieved of any further obligation hereunder and, whether or not that Party terminates this GIA, to recover from the breaching Party all amounts due hereunder, plus all other damages and remedies to which it is entitled at law or in equity. The provisions of this article will survive termination of this GIA.

Article 18. Indemnity, Consequential Damages and Insurance

- **18.1 Indemnity.** The Parties shall at all times indemnify, defend, and hold the other Party harmless from, any and all damages, losses, claims, including claims and actions relating to injury to or death of any person or damage to property, demand, suits, recoveries, costs and expenses, court costs, attorney fees, and all other obligations by or to third parties, arising out of or resulting from the other Party's action or inactions of its obligations under this GIA on behalf of the Indemnifying Party, except in cases of gross negligence or intentional wrongdoing by the Indemnified Party.
 - **18.1.1 Indemnified Person.** If an Indemnified Person is entitled to indemnification under this Article 18 as a result of a claim by a third party, and the Indemnifying Party fails, after notice and reasonable opportunity to proceed under Article 18.1,

to assume the defense of such claim, such Indemnified Person may at the expense of the Indemnifying Party contest, settle or consent to the entry of any judgment with respect to, or pay in full, such claim.

- **18.1.2 Indemnifying Party.** If an Indemnifying Party is obligated to indemnify and hold any Indemnified Person harmless under this Article 18, the amount owing to the Indemnified Person shall be the amount of such Indemnified Person's actual Loss, net of any insurance or other recovery.
 - 18.1.3 Indemnity Procedures. Promptly after receipt by an Indemnified Person of any claim or notice of the commencement of any action or administrative or legal proceeding or investigation as to which the indemnity provided for in Article 18.1 may apply, the Indemnified Person shall notify the Indemnifying Party of such fact. Any failure of or delay in such notification shall not affect a Party's indemnification obligation unless such failure or delay is materially prejudicial to the Indemnifying Party.

The Indemnifying Party shall have the right to assume the defense thereof with counsel designated by such Indemnifying Party and reasonably satisfactory to the Indemnified Person. If the defendants in any such action include one or more Indemnified Persons and the Indemnifying Party and if the Indemnified Person reasonably concludes that there may be legal defenses available to it and/or other Indemnified Persons which are different from or additional to those available to the Indemnifying Party, the Indemnified Person shall have the right to select separate counsel to assert such legal defenses and to otherwise participate in the defense of such action on its own behalf. In such instances, the Indemnifying Party shall only be required to pay the fees and expenses of one additional attorney to represent an Indemnified Person or Indemnified Persons having such differing or additional legal defenses.

The Indemnified Person shall be entitled, at its expense, to participate in any such action, suit or proceeding, the defense of which has been assumed by the Indemnifying Party. Notwithstanding the foregoing, the Indemnifying Party (i) shall not be entitled to assume and control the defense of any such action, suit or proceedings if and to the extent that, in the opinion of the Indemnified Person and its counsel, such action, suit or proceeding involves the potential imposition of criminal liability on the Indemnified Person, or there exists a conflict or adversity of interest between the Indemnified Person and the Indemnifying Party, in such event the Indemnifying Party shall pay the reasonable expenses of the Indemnified Person, and (ii) shall not settle or consent to the entry of any judgment in any action, suit or proceeding without the consent of the Indemnified Person, which shall not be reasonably withheld, conditioned or delayed.

18.2 Consequential Damages. Other than the Liquidated Damages heretofore described, in no event shall either Party be liable under any provision of this GIA for any losses, damages, costs or expenses for any special, indirect, incidental, consequential, or punitive

damages, including but not limited to loss of profit or revenue, loss of the use of equipment, cost of capital, cost of temporary equipment or services, whether based in whole or in part in contract, in tort, including negligence, strict liability, or any other theory of liability; provided, however, that damages for which a Party may be liable to the other Party under another agreement will not be considered to be special, indirect, incidental, or consequential damages hereunder.

- **18.3 Insurance.** As indicated below, the designated Party shall, at its own expense, maintain in force throughout the period of this GIA, and until released by the other Party, the following minimum insurance coverages, with insurers rated no less than A- (with a minimum size rating of VII) by Bests' Insurance Guide and Key Ratings and authorized to do business in the state where the Point of Interconnection is located:
 - 18.3.1 Workers' Compensation Insurance and Employers' Liability. The Distribution Provider and the Interconnection Customer shall maintain such coverage from the commencement of any Construction Activities providing statutory benefits for workers compensation coverage and coverage amounts of no less than one million dollars (\$1,000,000) for employer's liability for each employee for bodily injury by accident and one million dollars (\$1,000,000) for each employee for bodily injury by disease in accordance with the laws and regulations of the state in which the Point of Interconnection is located. The Distribution Provider shall provide the Interconnection Customer with evidence of such insurance coverage within thirty (30) Calendar Days of any request by the Interconnection Customer. The Interconnection Customer and contractor or any other person acting on Interconnection Customer's behalf shall provide evidence of such insurance thirty (30) Calendar Days prior to entry by any employee or contractor or other person acting on the Interconnection Customer's behalf onto any construction site to perform any work related to the Interconnection Facilities or Generating Facility.
 - **18.3.2 Commercial General Liability Insurance.** The Distribution Provider and the Interconnection Customer shall maintain commercial general liability insurance coverage commencing within thirty (30) Calendar Days of the Effective Date of this GIA, including coverage for premises and operations, bodily injury (including death), personal injury, property damage, products and completed operations coverage, coverage for explosion, collapse and underground hazards, independent contractors coverage, and (i) liability of Distribution Provider and the Interconnection Customer that would be imposed without the GIA, or (ii) liability assumed by the Distribution Provider and the Interconnection Customer in a contract or agreement that is an "insured contract" under commercial general liability insurance policy. Such insurance shall include no cross liability exclusions or separation of insured clause endorsement exclusions, with minimum limits of one million dollars (\$1,000,000) per occurrence/one million dollars (\$1,000,000) aggregate. If the activities of the Interconnection Customer are being conducted through the actions of an Affiliate, then the Interconnection Customer may satisfy the insurance requirements of this Article 18.3.2 by

providing evidence of insurance coverage carried by such Affiliate and showing the Distribution Provider as an additional insured only with respect to the GIA, together with the Interconnection Customer's written representation to the Distribution Provider that the insured Affiliate is conducting all of the necessary pre-construction work. Within thirty (30) Calendar Days prior to the entry of any person on behalf of the Interconnection Customer onto any construction site to perform work related to the Interconnection Facilities or Generating Facility, the Interconnection Customer shall replace any evidence of Affiliate insurance with evidence of such insurance carried by the Interconnection Customer, naming the Distribution Provider as additional insured only with respect to the GIA.

- 18.3.3 Business Automobile Liability Insurance. Prior to the entry of any vehicles on any construction site in connection with work done by or on behalf of the Interconnection Customer, the Interconnection Customer shall provide evidence of coverage of owned and non-owned and hired vehicles, trailers or semi-trailers designed for travel on public roads, with a minimum, combined single limit of one million dollars (\$1,000,000) per occurrence for bodily injury, including death, and property damage. The Interconnection Customer shall include the Distribution Provider as an additional insured with respect to the GIA on any such policies.
- 18.3.4 Excess Liability Insurance. Commencing at the time of entry of any person on its behalf upon any construction site for the Distribution Upgrades, Interconnection Facilities, or Generating Facility, the Distribution Provider and the Interconnection Customer shall maintain excess liability insurance over and above the Employers' Liability, Commercial General Liability, and Business Automobile Liability Insurance coverage, with a minimum limit of one million dollars per MW, of Generating Facility capacity, rounded up to the nearest MW, per occurrence, up to a maximum of twenty million dollars (\$20,000,000) per occurrence/twenty million dollars (\$20,000,000) aggregate. Such insurance carried by the Distribution Provider shall include the Interconnection Customer as an additional insured with respect to the GIA, and such insurance carried by the Interconnection Customer shall include the Distribution Provider as an additional insured with respect to the GIA. The requirements of Article 18.3.2 and 18.3.4 may be met by any combination of general and excess liability insurance.
- 18.3.5 The Commercial General Liability Insurance, Business Automobile Liability Insurance and Excess Liability Insurance policies shall include the other Party identified in the articles above, its parent, their subsidiaries, respective directors, officers, agents, servants and employees ("Other Party Group") as additional insured. All policies shall contain provisions whereby the insurers waive all rights of subrogation in accordance with the provisions of this GIA against the Other Party Group. If any Party can reasonably demonstrate that coverage policies containing provisions for insurer waiver of subrogation rights, or advance notice are not commercially available, then the Parties shall meet and confer and mutually determine to (i) establish replacement or equivalent terms in lieu of

- subrogation or notice or (ii) waive the requirements that coverage(s) include such subrogation provision or require advance written notice from such insurers.
- **18.3.6** The Commercial General Liability Insurance, Business Automobile Liability Insurance and Excess Liability Insurance policies shall contain provisions that specify that the policies are primary and non-contributory. Each Party shall be responsible for its respective deductibles or self-insured retentions.
- 18.3.7 The Commercial General Liability Insurance, Business Automobile Liability Insurance and Excess Liability Insurance policies, if written on a Claims First Made Basis, shall be maintained in full force and effect for two (2) years after termination of this GIA, which coverage may be in the form of extended reporting period coverage if agreed by the Parties.

18.3.8 [Not Used.]

- **18.3.9** Thirty (30) Calendar Days prior to the start of any work at the construction site related to Interconnection Facilities or Generating Facility under this GIA, and as soon as practicable after the end of each fiscal year or at the renewal of the insurance policy and in any event within ninety (90) Calendar Days thereafter, each Party shall provide a certificate of insurance for all insurance required in this GIA, executed by each insurer or by an authorized representative of each insurer.
- **18.3.10** Notwithstanding the foregoing, each Party may self-insure (a) to meet the minimum insurance requirements of Article 18.3.1, to the extent that it maintains a self-insurance program and is a qualified self-insurer within the state in which the Point of Interconnection is located, under the laws and regulations of such state; and (b) to meet the minimum insurance requirements of Articles 18.3.2 through 18.3.9 to the extent it maintains a self-insurance program; provided that, such Party is organized under the laws of the United States or a political subdivision thereof and such Party's rating for its senior unsecured, long-term debt (not supported by third party credit enhancements) or if such Party does not have a rating for its senior unsecured long-term debt, then the rating then assigned to such Party by Standard & Poor's Rating Group (a division of McGraw-Hill, Inc.) or its successor ("S&P") or Moody's Investor Services, Inc. or its successor ("Moody's") is (i) if rated by S&P and Moody's is rated at least "BBB-" by S&P and "Baa3" by Moody's, or (ii) if rated by only one of S&P or Moody's, rated at least "BBB-" by S&P or "Baa3" by Moody's, and (iii) that its self-insurance program meets the minimum insurance requirements of Articles 18.3.2 through 18.3.9. For any period of time that a Party's senior unsecured, long-term debt is unrated by S&P or Moody's, or its unsecured long-term debt or the rating assigned to such Party does not meet the requirements in (i) or (ii), such Party shall comply with the insurance requirements applicable to it under Articles 18.3.2 through 18.3.9. In the event that a Party is permitted to self-insure pursuant to this Article 18.3.10, it shall notify the other Party that it meets the requirements to self-insure and that its self-insurance program meets the

- minimum insurance requirements in a manner consistent with that specified in Article 18.3.9.
- **18.3.11** The Parties agree to report to each other in writing as soon as practical all accidents or occurrences resulting in injuries to any person, including death, and any property damage greater than \$25,000, including within the scope of coverage of such insurance whether or not such coverage is sought.

Article 19. Assignment

19.1 **Assignment.** This GIA may be assigned by either Party only with the written consent of the other; provided that either Party may assign this GIA without the consent of the other Party to any Affiliate of the assigning Party with an equal or greater credit rating and with the legal authority and operational ability to satisfy the obligations of the assigning Party under this GIA; and provided further that Interconnection Customer shall have the right to assign this GIA, without the consent of Distribution Provider, for collateral security purposes to aid in providing financing for the Generating Facility, provided that Interconnection Customer will promptly notify Distribution Provider of any such assignment. Any financing arrangement entered into by Interconnection Customer pursuant to this article will provide that prior to or upon the exercise of the secured party's, trustee's or mortgagee's assignment rights pursuant to said arrangement, the secured creditor, the trustee or mortgagee will notify Distribution Provider of the date and particulars of any such exercise of assignment right(s), including providing the Distribution Provider with proof that it meets the requirements of Articles 11.5 and 18.3. Any attempted assignment that violates this article is void and ineffective. Any assignment under this GIA shall not relieve a Party of its obligations, nor shall a Party's obligations be enlarged, in whole or in part, by reason thereof. Where required, consent to assignment will not be unreasonably withheld, conditioned or delayed.

Article 20. Severability

20.1 Severability. If any provision in this GIA is finally determined to be invalid, void or unenforceable by any court or other Governmental Authority having jurisdiction, such determination shall not invalidate, void or make unenforceable any other provision, agreement or covenant of this GIA; provided that if Interconnection Customer (or any third party, but only if such third party is not acting at the direction of Distribution Provider) seeks and obtains such a final determination with respect to any provision of the Alternate Option (Article 5.1.2), or the Negotiated Option (Article 5.1.4), then none of these provisions shall thereafter have any force or effect and the Parties' rights and obligations shall be governed solely by the Standard Option (Article 5.1.1).

Article 21. Comparability

21.1 Comparability. The Parties will comply with all applicable comparability and code of conduct laws, rules and regulations, as amended from time to time.

Article 22. Confidentiality

22.1 Confidentiality. Confidential Information shall include, without limitation, all information relating to a Party's technology, research and development, business affairs, and pricing, and any information supplied by either of the Parties to the other prior to the execution of this GIA.

Information is Confidential Information only if it is clearly designated or marked in writing as confidential on the face of the document, or, if the information is conveyed orally or by inspection, if the Party providing the information orally informs the Party receiving the information that the information is confidential.

If requested by either Party, the other Party shall provide in writing, the basis for asserting that the information referred to in this Article 22 warrants confidential treatment, and the requesting Party may disclose such writing to the appropriate Governmental Authority. Each Party shall be responsible for the costs associated with affording confidential treatment to its information.

- **22.1.1 Term.** During the term of this GIA, and for a period of three (3) years after the expiration or termination of this GIA, except as otherwise provided in this Article 22, each Party shall hold in confidence and shall not disclose to any person Confidential Information.
- **22.1.2 Scope.** Confidential Information shall not include information that the receiving Party can demonstrate: (1) is generally available to the public other than as a result of a disclosure by the receiving Party; (2) was in the lawful possession of the receiving Party on a non-confidential basis before receiving it from the disclosing Party; (3) was supplied to the receiving Party without restriction by a third party, who, to the knowledge of the receiving Party after due inquiry, was under no obligation to the disclosing Party to keep such information confidential; (4) was independently developed by the receiving Party without reference to Confidential Information of the disclosing Party; (5) is, or becomes, publicly known, through no wrongful act or omission of the receiving Party or Breach of this GIA; or (6) is required, in accordance with Article 22.1.7 of the GIA, Order of Disclosure, to be disclosed by any Governmental Authority or is otherwise required to be disclosed by law or subpoena, or is necessary in any legal proceeding establishing rights and obligations under this GIA. Information designated as Confidential Information will no longer be deemed confidential if the Party that designated the information as confidential notifies the other Party that it no longer is confidential.
- **22.1.3 Release of Confidential Information.** Neither Party shall release or disclose Confidential Information to any other person, except to its Affiliates (limited by the Standards of Conduct requirements), subcontractors, employees, consultants, or to parties who may be or considering providing financing to or equity participation with Interconnection Customer, or to potential purchasers or

- assignees of Interconnection Customer, on a need-to-know basis in connection with this GIA, unless such person has first been advised of the confidentiality provisions of this Article 22 and has agreed to comply with such provisions. Notwithstanding the foregoing, a Party providing Confidential Information to any person shall remain primarily responsible for any release of Confidential Information in contravention of this Article 22.
- **22.1.4 Rights.** Each Party retains all rights, title, and interest in the Confidential Information that each Party discloses to the other Party. The disclosure by each Party to the other Party of Confidential Information shall not be deemed a waiver by either Party or any other person or entity of the right to protect the Confidential Information from public disclosure.
- **22.1.5 No Warranties.** By providing Confidential Information, neither Party makes any warranties or representations as to its accuracy or completeness. In addition, by supplying Confidential Information, neither Party obligates itself to provide any particular information or Confidential Information to the other Party nor to enter into any further agreements or proceed with any other relationship or joint venture.
- **22.1.6 Standard of Care.** Each Party shall use at least the same standard of care to protect Confidential Information it receives as it uses to protect its own Confidential Information from unauthorized disclosure, publication or dissemination. Each Party may use Confidential Information solely to fulfill its obligations to the other Party under this GIA or its regulatory requirements.
- 22.1.7 Order of Disclosure. If a court or a Government Authority or entity with the right, power, and apparent authority to do so requests or requires either Party, by subpoena, oral deposition, interrogatories, requests for production of documents, administrative order, or otherwise, to disclose Confidential Information, that Party shall provide the other Party with prompt notice of such request(s) or requirement(s) so that the other Party may seek an appropriate protective order or waive compliance with the terms of this GIA. Notwithstanding the absence of a protective order or waiver, the Party may disclose such Confidential Information which, in the opinion of its counsel, the Party is legally compelled to disclose. Each Party will use Reasonable Efforts to obtain reliable assurance that confidential treatment will be accorded any Confidential Information so furnished.
- **22.1.8 Termination of Agreement.** Upon termination of this GIA for any reason, each Party shall, within ten (10) Calendar Days of receipt of a written request from the other Party, use Reasonable Efforts to destroy, erase, or delete (with such destruction, erasure, and deletion certified in writing to the other Party) or return to the other Party, without retaining copies thereof, any and all written or electronic Confidential Information received from the other Party.

- 22.1.9 Remedies. The Parties agree that monetary damages would be inadequate to compensate a Party for the other Party's Breach of its obligations under this Article 22. Each Party accordingly agrees that the other Party shall be entitled to equitable relief, by way of injunction or otherwise, if the first Party Breaches or threatens to Breach its obligations under this Article 22, which equitable relief shall be granted without bond or proof of damages, and the receiving Party shall not plead in defense that there would be an adequate remedy at law. Such remedy shall not be deemed an exclusive remedy for the Breach of this Article 22, but shall be in addition to all other remedies available at law or in equity. The Parties further acknowledge and agree that the covenants contained herein are necessary for the protection of legitimate business interests and are reasonable in scope. No Party, however, shall be liable for indirect, incidental, or consequential or punitive damages of any nature or kind resulting from or arising in connection with this Article 22.
- 22.1.10 Disclosure to FERC, its Staff, or a State. Notwithstanding anything in this Article 22 to the contrary, and pursuant to 18 CFR section 1b.20, if FERC or its staff, during the course of an investigation or otherwise, requests information from one of the Parties that is otherwise required to be maintained in confidence pursuant to this GIA, the Party shall provide the requested information to FERC or its staff, within the time provided for in the request for information. In providing the information to FERC or its staff, the Party must, consistent with 18 CFR section 388.112, request that the information be treated as confidential and non-public by FERC and its staff and that the information be withheld from public disclosure. Parties are prohibited from notifying the other Party to this GIA prior to the release of the Confidential Information to FERC or its staff. The Party shall notify the other Party to the GIA when it is notified by FERC or its staff that a request to release Confidential Information has been received by FERC, at which time either of the Parties may respond before such information would be made public, pursuant to 18 CFR section 388.112. Requests from a state regulatory body conducting a confidential investigation shall be treated in a similar manner if consistent with the applicable state rules and regulations.
- 22.1.11 Subject to the exception in Article 22.1.10, any information that a Party claims is competitively sensitive, commercial or financial information under this GIA ("Confidential Information") shall not be disclosed by the other Party to any person not employed or retained by the other Party, except to the extent disclosure is (i) required by law; (ii) reasonably deemed by the disclosing Party to be required to be disclosed in connection with a dispute between or among the Parties, or the defense of litigation or dispute; (iii) otherwise permitted by consent of the other Party, such consent not to be unreasonably withheld; or (iv) necessary to fulfill its obligations under this GIA or as a transmission service provider or a Control Area operator including disclosing the Confidential Information to an RTO or ISO or to a regional or national reliability organization. The Party asserting confidentiality shall notify the other Party in writing of the information it claims is confidential. Prior to any disclosures of the other Party's Confidential

Information under this subparagraph, or if any third party or Governmental Authority makes any request or demand for any of the information described in this subparagraph, the disclosing Party agrees to promptly notify the other Party in writing and agrees to assert confidentiality and cooperate with the other Party in seeking to protect the Confidential Information from public disclosure by confidentiality agreement, protective order or other reasonable measures.

Article 23. Environmental Releases

23.1 Each Party shall notify the other Party, first orally and then in writing, of the release of any Hazardous Substances, any asbestos or lead abatement activities, or any type of remediation activities related to the Generating Facility or the Interconnection Facilities, each of which may reasonably be expected to affect the other Party. The notifying Party shall: (i) provide the notice as soon as practicable, provided such Party makes a good faith effort to provide the notice no later than twenty-four hours after such Party becomes aware of the occurrence; and (ii) promptly furnish to the other Party copies of any publicly available reports filed with any Governmental Authorities addressing such events.

Article 24. Information Requirements

- **24.1 Information Acquisition.** Distribution Provider and Interconnection Customer shall submit specific information regarding the electrical characteristics of their respective facilities to each other as described below and in accordance with Applicable Reliability Standards.
- 24.2 Information Submission by Distribution Provider. The initial information submission by Distribution Provider shall occur no later than one hundred eighty (180) Calendar Days prior to Trial Operation and shall include Distribution System and Transmission System information necessary to allow Interconnection Customer to select equipment and meet any system protection and stability requirements, unless otherwise agreed to by the Parties. On a monthly basis Distribution Provider shall provide Interconnection Customer a status report on the construction and installation of Distribution Provider's Interconnection Facilities, Distribution Upgrades, and Network Upgrades, including, but not limited to, the following information: (1) progress to date; (2) a description of the activities since the last report; (3) a description of the action items for the next period; and (4) the delivery status of equipment ordered.
- 24.3 Updated Information Submission by Interconnection Customer. The updated information submission by Interconnection Customer, including manufacturer information, shall occur no later than one hundred eighty (180) Calendar Days prior to the Trial Operation. Interconnection Customer shall submit a completed copy of the Generating Facility data requirements contained in Appendix 1 to the GIP. It shall also include any additional information provided to Distribution Provider for the Feasibility and Facilities Study. Information in this submission shall be the most current Generating Facility design or expected performance data. Information submitted for stability models

shall be compatible with Distribution Provider standard models. If there is no compatible model, Interconnection Customer will work with a consultant mutually agreed to by the Parties to develop and supply a standard model and associated information.

If Interconnection Customer's data is materially different from what was originally provided to Distribution Provider pursuant to the Interconnection Study Agreement between Distribution Provider and Interconnection Customer, then Distribution Provider will conduct appropriate studies to determine the impact on Distribution Provider Distribution System and Transmission System based on the actual data submitted pursuant to this Article 24.3. The Interconnection Customer shall not begin Trial Operation until such studies are completed.

24.4 Information Supplementation. Prior to the Trial Operation Date, the Parties shall supplement their information submissions described above in this Article 24 with any and all "as-built" Generating Facility information or "as-tested" performance information that differs from the initial submissions or, alternatively, written confirmation that no such differences exist. The Interconnection Customer shall conduct tests on the Generating Facility as required by Good Utility Practice such as an open circuit "step voltage" test on the Generating Facility to verify proper operation of the Generating Facility's automatic voltage regulator.

Unless otherwise agreed, the test conditions shall include: (1) Generating Facility at synchronous speed; (2) automatic voltage regulator on and in voltage control mode; and (3) a five percent change in Generating Facility terminal voltage initiated by a change in the voltage regulators reference voltage. Interconnection Customer shall provide validated test recordings showing the responses of Generating Facility terminal and field voltages. In the event that direct recordings of these voltages is impractical, recordings of other voltages or currents that mirror the response of the Generating Facility's terminal or field voltage are acceptable if information necessary to translate these alternate quantities to actual Generating Facility terminal or field voltages is provided. Generating Facility testing shall be conducted and results provided to Distribution Provider for each individual generating unit in a station.

Subsequent to the Commercial Operation Date, Interconnection Customer shall provide Distribution Provider any information changes due to equipment replacement, repair, or adjustment. Distribution Provider shall provide Interconnection Customer any information changes due to equipment replacement, repair or adjustment in the directly connected substation or any adjacent Distribution Provider-owned substation that may affect Interconnection Customer's Interconnection Facilities equipment ratings, protection or operating requirements. The Parties shall provide such information no later than thirty (30) Calendar Days after the date of the equipment replacement, repair or adjustment.

Article 25. Information Access and Audit Rights

- **25.1 Information Access.** Each Party (the "disclosing Party") shall make available to the other Party information that is in the possession of the disclosing Party and is necessary in order for the other Party to: (i) verify the costs incurred by the disclosing Party for which the other Party is responsible under this GIA; and (ii) carry out its obligations and responsibilities under this GIA. The Parties shall not use such information for purposes other than those set forth in this Article 25.1 and to enforce their rights under this GIA.
- 25.2 Reporting of Non-Uncontrollable Force Events. Each Party (the "notifying Party") shall notify the other Party when the notifying Party becomes aware of its inability to comply with the provisions of this GIA for a reason other than an Uncontrollable Force event. The Parties agree to cooperate with each other and provide necessary information regarding such inability to comply, including the date, duration, reason for the inability to comply, and corrective actions taken or planned to be taken with respect to such inability to comply. Notwithstanding the foregoing, notification, cooperation or information provided under this article shall not entitle the Party receiving such notification to allege a cause for anticipatory breach of this GIA.
- **25.3 Audit Rights.** Subject to the requirements of confidentiality under Article 22 of this GIA, each Party shall have the right, during normal business hours, and upon prior reasonable notice to the other Party, to audit at its own expense the other Party's accounts and records pertaining to either Party's performance or either Party's satisfaction of obligations under this GIA. Such audit rights shall include audits of the other Party's costs, calculation of invoiced amounts, Distribution Provider's efforts to allocate responsibility for interruption or reduction of generation on the Distribution System, and each Party's actions in an Emergency Condition. Any audit authorized by this article shall be performed at the offices where such accounts and records are maintained and shall be limited to those portions of such accounts and records that relate to each Party's performance and satisfaction of obligations under this GIA. Each Party shall keep such accounts and records for a period equivalent to the audit rights periods described in Article 25.4.

25.4 Audit Rights Periods.

- 25.4.1 Audit Rights Period for Construction-Related Accounts and Records.

 Accounts and records related to the design, engineering, procurement, and construction of Distribution Provider's Interconnection Facilities, Distribution Upgrades, and Network Upgrades shall be subject to audit for a period of twenty-four months following Distribution Provider's issuance of a final invoice in accordance with Article 12.2.
- 25.4.2 Audit Rights Period for All Other Accounts and Records. Accounts and records related to either Party's performance or satisfaction of all obligations under this GIA other than those described in Article 25.4.1 shall be subject to audit as follows: (i) for an audit relating to cost obligations, the applicable audit rights period shall be twenty-four months after the auditing Party's receipt of an invoice giving rise to such cost obligations; and (ii) for an audit relating to all

- other obligations, the applicable audit rights period shall be twenty-four months after the event for which the audit is sought.
- **25.5 Audit Results.** If an audit by a Party determines that an overpayment or an underpayment has occurred, a notice of such overpayment or underpayment shall be given to the other Party together with those records from the audit which support such determination.

Article 26. Subcontractors

- **26.1 General.** Nothing in this GIA shall prevent a Party from utilizing the services of any subcontractor as it deems appropriate to perform its obligations under this GIA; provided, however, that each Party shall require its subcontractors to comply with all applicable terms and conditions of this GIA in providing such services and each Party shall remain primarily liable to the other Party for the performance of such subcontractor.
- **26.2 Responsibility of Principal.** The creation of any subcontract relationship shall not relieve the hiring Party of any of its obligations under this GIA. The hiring Party shall be fully responsible to the other Party for the acts or omissions of any subcontractor the hiring Party hires as if no subcontract had been made; provided, however, that in no event shall Distribution Provider be liable for the actions or inactions of Interconnection Customer or its subcontractors with respect to obligations of Interconnection Customer under Article 5 of this GIA. Any applicable obligation imposed by this GIA upon the hiring Party shall be equally binding upon, and shall be construed as having application to, any subcontractor of such Party.
- **26.3 No Limitation by Insurance.** The obligations under this Article 26 will not be limited in any way by any limitation of subcontractor's insurance.

Article 27. Disputes

27.1 Submission. In the event either Party has a dispute, or asserts a claim, that arises out of or in connection with this GIA or its performance, such Party (the "disputing Party") shall provide the other Party with written notice of the dispute or claim ("Notice of Dispute"). Such dispute or claim shall be referred to a designated senior representative of each Party for resolution on an informal basis as promptly as practicable after receipt of the Notice of Dispute by the other Party. In the event the designated representatives are unable to resolve the claim or dispute through unassisted or assisted negotiations within thirty (30) Calendar Days of the other Party's receipt of the Notice of Dispute, such claim or dispute may, upon mutual agreement of the Parties, be submitted to arbitration and resolved in accordance with the arbitration procedures set forth below. In the event the Parties do not agree to submit such claim or dispute to arbitration, each Party may exercise whatever rights and remedies it may have in equity or at law consistent with the terms of this GIA.

- External Arbitration Procedures. Any arbitration initiated under this GIA shall be 27.2 conducted before a single neutral arbitrator appointed by the Parties. If the Parties fail to agree upon a single arbitrator within ten (10) Calendar Days of the submission of the dispute to arbitration, each Party shall choose one arbitrator who shall sit on a threemember arbitration panel. The two arbitrators so chosen shall within twenty (20) Calendar Days select a third arbitrator to chair the arbitration panel. In either case, the arbitrators shall be knowledgeable in electric utility matters, including electric transmission and bulk power issues, and shall not have any current or past substantial business or financial relationships with any party to the arbitration (except prior arbitration). The arbitrator(s) shall provide each of the Parties an opportunity to be heard and, except as otherwise provided herein, shall conduct the arbitration in accordance with the Commercial Arbitration Rules of the American Arbitration Association ("Arbitration Rules") and any applicable FERC regulations; provided, however, in the event of a conflict between the Arbitration Rules and the terms of this Article 27, the terms of this Article 27 shall prevail.
- 27.3 Arbitration Decisions. Unless otherwise agreed by the Parties, the arbitrator(s) shall render a decision within ninety (90) Calendar Days of appointment and shall notify the Parties in writing of such decision and the reasons therefor. The arbitrator(s) shall be authorized only to interpret and apply the provisions of this GIA and shall have no power to modify or change any provision of this Agreement in any manner. The decision of the arbitrator(s) shall be final and binding upon the Parties, and judgment on the award may be entered in any court having jurisdiction. The decision of the arbitrator(s) may be appealed solely on the grounds that the conduct of the arbitrator(s), or the decision itself, violated the standards set forth in the Federal Arbitration Act or the Administrative Dispute Resolution Act. The final decision of the arbitrator must also be filed with FERC if it affects jurisdictional rates, terms and conditions of service, Interconnection Facilities, Distribution Upgrades, or Network Upgrades.
- **27.4 Costs.** Each Party shall be responsible for its own costs incurred during the arbitration process and for the following costs, if applicable: (1) the cost of the arbitrator chosen by the Party to sit on the three member panel and one half of the cost of the third arbitrator chosen; or (2) one half the cost of the single arbitrator jointly chosen by the Parties.

Article 28. Representations, Warranties, and Covenants

- **28.1** General. Each Party makes the following representations, warranties and covenants:
 - **28.1.1 Good Standing.** Such Party is duly organized, validly existing and in good standing under the laws of the state in which it is organized, formed, or incorporated, as applicable; that it is qualified to do business in the state or states in which the Generating Facility, Interconnection Facilities and Network Upgrades owned by such Party, as applicable, are located; and that it has the corporate power and authority to own its properties, to carry on its business as now being conducted and to enter into this GIA and carry out the transactions

- contemplated hereby and perform and carry out all covenants and obligations on its part to be performed under and pursuant to this GIA.
- **28.1.2 Authority.** Such Party has the right, power and authority to enter into this GIA, to become a Party hereto and to perform its obligations hereunder. This GIA is a legal, valid and binding obligation of such Party, enforceable against such Party in accordance with its terms, except as the enforceability thereof may be limited by applicable bankruptcy, insolvency, reorganization or other similar laws affecting creditors' rights generally and by general equitable principles (regardless of whether enforceability is sought in a proceeding in equity or at law).
- **28.1.3** No Conflict. The execution, delivery and performance of this GIA does not violate or conflict with the organizational or formation documents, or bylaws or operating agreement, of such Party, or any judgment, license, permit, order, material agreement or instrument applicable to or binding upon such Party or any of its assets.
- **28.1.4 Consent and Approval.** Such Party has sought or obtained, or, in accordance with this GIA will seek or obtain, each consent, approval, authorization, order, or acceptance by any Governmental Authority in connection with the execution, delivery and performance of this GIA, and it will provide to any Governmental Authority notice of any actions under this GIA that are required by Applicable Laws and Regulations.

Article 29. [Reserved]

Article 30. Miscellaneous

- **30.1 Binding Effect.** This GIA and the rights and obligations hereof, shall be binding upon and shall inure to the benefit of the successors and assigns of the Parties hereto.
- **30.2 Conflicts.** In the event of a conflict between the body of this GIA and any attachment, appendices or exhibits hereto, the terms and provisions of the body of this GIA shall prevail and be deemed the final intent of the Parties.
- 30.3 Rules of Interpretation. This GIA, unless a clear contrary intention appears, shall be construed and interpreted as follows: (1) the singular number includes the plural number and vice versa; (2) reference to any person includes such person's successors and assigns but, in the case of a Party, only if such successors and assigns are permitted by this GIA, and reference to a person in a particular capacity excludes such person in any other capacity or individually; (3) reference to any agreement (including this GIA), document, instrument or tariff means such agreement, document, instrument, or tariff as amended or modified and in effect from time to time in accordance with the terms thereof and, if applicable, the terms hereof; (4) reference to any Applicable Laws and Regulations means such Applicable Laws and Regulations as amended, modified, codified, or reenacted, in whole or in part, and in effect from time to time, including, if applicable,

rules and regulations promulgated thereunder; (5) unless expressly stated otherwise, reference to any Article, Section or Appendix means such Article of this GIA or such Appendix to this GIA, or such Section to the GIP or such Appendix to the GIP, as the case may be; (6) "hereunder", "hereof", "herein", "hereto" and words of similar import shall be deemed references to this GIA as a whole and not to any particular Article or other provision hereof or thereof; (7) "including" (and with correlative meaning "include") means including without limiting the generality of any description preceding such term; and (8) relative to the determination of any period of time, "from" means "from and including", "to" means "to but excluding" and "through" means "through and including".

- **30.4 Entire Agreement.** This GIA, including all Appendices and Schedules attached hereto, constitutes the entire agreement between the Parties with reference to the subject matter hereof, and supersedes all prior and contemporaneous understandings or agreements, oral or written, between the Parties with respect to the subject matter of this GIA. There are no other agreements, representations, warranties, or covenants which constitute any part of the consideration for, or any condition to, either Party's compliance with its obligations under this GIA.
- **30.5 No Third Party Beneficiaries.** This GIA is not intended to and does not create rights, remedies, or benefits of any character whatsoever in favor of any persons, corporations, associations, or entities other than the Parties, and the obligations herein assumed are solely for the use and benefit of the Parties, their successors in interest and, where permitted, their assigns.
- **30.6 Waiver.** The failure of a Party to this GIA to insist, on any occasion, upon strict performance of any provision of this GIA will not be considered a waiver of any obligation, right, or duty of, or imposed upon, such Party.

Any waiver at any time by either Party of its rights with respect to this GIA shall not be deemed a continuing waiver or a waiver with respect to any other failure to comply with any other obligation, right, duty of this GIA. Termination or Default of this GIA for any reason by Interconnection Customer shall not constitute a waiver of Interconnection Customer's legal rights to obtain an interconnection from Distribution Provider. Any waiver of this GIA shall, if requested, be provided in writing.

- **30.7 Headings.** The descriptive headings of the various Articles of this GIA have been inserted for convenience of reference only and are of no significance in the interpretation or construction of this GIA.
- **30.8 Multiple Counterparts.** This GIA may be executed in two or more counterparts, each of which is deemed an original but all constitute one and the same instrument.
- **30.9 Amendment.** The Parties may by mutual agreement amend this GIA by a written instrument duly executed by the Parties.

- **30.10 Modification by the Parties.** The Parties may by mutual agreement amend the Appendices to this GIA by a written instrument duly executed by the Parties. Such amendment shall become effective and a part of this GIA upon satisfaction of all Applicable Laws and Regulations.
- 30.11 Reservation of Rights. Distribution Provider shall have the right to make a unilateral filing with FERC to modify this GIA with respect to any rates, terms and conditions, charges, classifications of service, rule or regulation under section 205 or any other applicable provision of the Federal Power Act and FERC's rules and regulations thereunder, and Interconnection Customer shall have the right to make a unilateral filing with FERC to modify this GIA pursuant to section 206 or any other applicable provision of the Federal Power Act and FERC's rules and regulations thereunder; provided that each Party shall have the right to protest any such filing by the other Party and to participate fully in any proceeding before FERC in which such modifications may be considered. Nothing in this GIA shall limit the rights of the Parties or of FERC under sections 205 or 206 of the Federal Power Act and FERC's rules and regulations thereunder, except to the extent that the Parties otherwise mutually agree as provided herein.
- **30.12 No Partnership.** This GIA shall not be interpreted or construed to create an association, joint venture, agency relationship, or partnership between the Parties or to impose any partnership obligation or partnership liability upon either Party. Neither Party shall have any right, power or authority to enter into any agreement or undertaking for, or act on behalf of, or to act as or be an agent or representative of, or to otherwise bind, the other Party.

IN WITNESS WHEREOF, the Parties have executed this GIA in duplicate originals, each of which shall constitute and be an original effective Agreement between the Parties.

Southe	ern California Edison Company	
By:	/S/	
Name:	: Robert G. Woods	
Title:	Managing Director, Asset Management and C	perations Support
Date:	2/5/2018	
Stanto	on Energy Reliability Center, LLC	
By:	/S/	
Name:	: Kara J. Miles	
Title:	President	
Date:	2/8/2018	

Appendix A to GIA

Description of Interconnection Facilities, Network Upgrades, Distribution Upgrades, Costs and Financial Security

Additional Definitions: For the purposes of the Appendices to the GIA, the following terms, when used with initial capitalization, whether in the singular or the plural, shall have the meanings specified below:

- (a) Amended Letter Agreement: The agreement entered into between the Interconnection Customer and the Distribution Provider on July 11, 2017, designated as Service Agreement No. 968 under the Distribution Provider's Tariff, to expedite the engineering, design, and specifications for the Barre WDT1189 66kV Line, perform archeological and biological surveys, and which agreement supersedes the Letter Agreement, and was accepted by FERC under Docket No. ER17-2167-000.
- (b) <u>Letter Agreement</u>: The agreement entered into between the Interconnection Customer and the Distribution Provider on February 3, 2017, designated as Service Agreement No. 945 under the Distribution Provider's Tariff, to expedite the engineering, design, and specifications for the Barre WDT1189 generation tie line, and accepted by FERC on March 22, 2017 under Docket No. ER17-958-000, with an effective date of February 3, 2017.
- (c) <u>Modification Request:</u> The request to modify the Large Generating Facility characteristics submitted by the Interconnection Customer to the Distribution Provider on September 14, 2017, and determined not to be Material by the Distribution Provider on September 27, 2017, and pursuant to WDAT GIP Section 4.5.7.2. The request describes the Interconnection Customer's changes to WDT1189 and WDT1293.
- (d) <u>WDT1189</u>: The Interconnection Customer's Interconnection Request to Queue Cluster 7 for the Stanton Energy Reliability Center Project, proposing to interconnect a 151.8 MW gas-fired synchronous generating facility to the Distribution Provider's Barre 66kV bus, as modified by the Modification Request.
- (e) <u>WDT1293:</u> The Interconnection Customer's Interconnection Request to Queue Cluster 8 for the Stanton Energy Reliability Center Project, proposing to expand the Stanton Energy Reliability Center Project by adding to it a 20 MW inverter based (battery energy storage system) generating facility, resulting in a total project capacity of 170MW, as modified by the Modification Request.

This Agreement is based upon the results of (i) WDT1189 Phase II Study, (ii) the results of the WDT1293 Phase II Study, (iii) the ISO's 2016 Reassessment Report, (iv) the work conducted pursuant to the Letter Agreement, (v) the work completed pursuant to the Amended Letter Agreement, and (vi) the Modification Request which resulted in a 151.6 gross MW hybrid gasturbine (101.6 MW) and inverter based (50.0 MW) battery energy storage system Generating Facility.

1. Interconnection Facilities.

- (a) **Interconnection Customer's Interconnection Facilities.** The Interconnection Customer shall:
 - (i) Install a substation with one (1) 66kV/13.8kV/13.8kV, 170/130/100 MVA, three winding main step-up transformer with a nine (9) percent impedance on a 100 MVA base, on the H-X and H-Y windings, and a twelve (12) percent impedance on a 100MVA base on the X-Y winding.
 - (ii) Install, at a position designated by the Distribution Provider at the Generating Facility project site located at 10711 Dale Avenue in Stanton, CA, a structure designed and engineered in accordance with the Distribution Provider's specifications to terminate the Barre Skip 66kV Line ("Last Structure").
 - (iii) Allow the Distribution Provider to connect the conductors of the Barre Skip 66kV Line to the Last Structure. In accordance with Article 5.12 of this GIA, the Interconnection Customer acknowledges that the access required under such article will include allowing Distribution Provider's personnel the ability to access twenty-four hours a day the space provided for the Distribution Provider's Barre Skip 66kV Line.
 - (iv) Procure and construct underground duct banks and related structures required for the Distribution Provider's Interconnection Facilities ("Civil Construction") in accordance with specifications and designs provided by the Distribution Provider, subject to the following conditions:
 - 1. Prior to commencing construction of the Civil Construction, Distribution Provider shall review Interconnection Customer's construction documents and Interconnection Customer shall obtain Distribution Provider's approval of such documents. Such approval shall not be unreasonably withheld.
 - 2. During construction of the Civil Construction, Distribution Provider shall have the right to access the Civil Construction to conduct inspections.
 - 3. If at any time during construction, Distribution Provider determines that the Civil Construction does not meet Distribution Provider's standards and specifications, Interconnection Customer shall remedy such deficiencies.
 - 4. Following completion of construction of the Civil Construction and prior to the in-service date of the Civil Construction, Distribution Provider shall provide final inspection and field testing of the Civil Construction, and Interconnection Customer shall obtain an inspection release from the proper inspection authority.
 - 5. Following completion of the Civil Construction, the Distribution Provider may determine that the Civil Construction, or a portion thereof, in support of the interconnection for the Stanton Energy Reliability Center Project may need to be owned by the Distribution Provider. Upon such determination, the Civil Construction, or a portion thereof, will be reclassified as Distribution Provider's Interconnection Facilities and the Interconnection Customer shall be required to transfer ownership to the Distribution Provider. The Interconnection Customer understands and acknowledges that upon such

- transfer, it shall provide to Distribution Provider the final costs of the Civil Construction actually transferred in a form acceptable to the Distribution Provider, and Interconnection Customer shall be responsible for the ITCC and Interconnection Facilities Charge for the portion of the Civil Construction transferred to Distribution Provider. Any reclassification of the Civil Construction and the terms and conditions related to the transfer of the reclassified portions of the Civil Construction to the Distribution Provider shall be reflected in an amendment to the GIA.
- 6. Within one hundred-twenty (120) calendar days of the Commercial Operation Date, Interconnection Customer shall deliver to Distribution Provider "asbuilt" drawings, information, and any other documents that are required by Distribution Provider to assure that the Civil Construction is built to the standards and specifications required by Distribution Provider.
- (v) Acquire, and provide to the Distribution Provider within thirty (30) calendar days following the Effective Date, an agreement from the property owner at 10711 Dale St., Stanton, CA, for the Distribution Provider to have the following:
 - 1. the right to enter property owner's premises for any purpose connected with the Distribution Provider's Interconnection Facilities or interconnection service,
 - 2. the right for the use of a Distribution Provider approved locking device if Interconnection Customer wants to prevent unauthorized access to Distribution Provider's Interconnection Facilities,
 - 3. the right for safe and ready access for Distribution Provider's personnel free from unrestrained animals,
 - 4. the right for unobstructed ready access for Distribution Provider's vehicles and equipment to install, remove, repair, and maintain its Distribution Provider's Interconnection Facilities,
 - 5. the right to remove Distribution Provider's Interconnection Facilities after termination of interconnection service.
- (vi) Allow Distribution Provider access to install all dielectric self-supporting (ADSS) fiber optic cable (including fiber optic cables, and appurtenant facilities) within the Civil Construction and terminating at the Large Generating Facility and the Distribution Provider's Barre Substation to provide the main path of the two telecommunication paths required for the line protection scheme and, the remote terminal units ("RTU"). A minimum of eight (8) strands within the ADSS fiber optic cable shall be provided for the Distribution Provider's exclusive use into Barre Substation.
- (vii) Allow Distribution Provider access to install a second ADSS fiber optic cable (including fiber optic cables, and appurtenant facilities) within the Civil Construction and terminating at the Large Generating Facility and the Distribution Provider's Barre Substation to provide the second telecommunication path required for the line protection scheme. A minimum of eight (8) strands within the single mode fiber optic cable shall be provided for the Distribution Provider's exclusive use. Pursuant to the Applicable Reliability Standards criteria for diversity, telecommunication path diversity is not required for the Barre Skip 66kV Line.

- (viii) Allow the Distribution Provider to review the Interconnection Customer's telecommunication equipment design and perform inspections to ensure compatibility with the Distribution Provider's terminal equipment and protection engineering requirements; allow the Distribution Provider to perform acceptance testing of the telecommunication equipment and the right to request and/or to perform correction of installation deficiencies.
- (ix) Provide required data signals, make available adequate space, facilities, and associated dedicated electrical circuits within a secure building having suitable environmental controls for the installation of the Distribution Provider's RTU in accordance with the Interconnection Handbook. The space provided for the RTU must be a location that would allow twenty-four (24) hour access to the RTU for the Distribution Provider's personnel.
- (x) Make available adequate space, facilities, and associated dedicated electrical circuits within a secure building having suitable environmental controls for the installation of the Distribution Provider's telecommunications terminal equipment in accordance with the Interconnection Handbook. The space provided for the Distribution Provider's telecommunications terminal equipment must be a location that would allow twenty-four (24) hour access to the RTU for the Distribution Provider's personnel.
- (xi) Extend the fiber optic cables for the two telecommunication paths to an Interconnection Customer provided and installed patch panel located adjacent to the Distribution Provider's telecommunications terminal equipment specified above.
- (xii) Install all required ISO-approved compliant metering equipment at the Generating Facility, in accordance with Section 10 of the ISO Tariff.
- (xiii) Install metering cabinet(s) and metering equipment (typically, potential and current transformers) at the Generating Facility to meter the Generating Facility retail load, as specified by the Distribution Provider. The metering cabinet must be placed at a location that would allow twenty-four hour access for the Distribution Provider's metering personnel.
- (xiv) Install metering cabinet(s) and metering equipment (typically, potential and current transformers) at the Generating Facility to meter the Generating Facility charging load, as specified by the Distribution Provider. The metering cabinet must be placed at a location that would allow twenty-four hour access for the Distribution Provider's metering personnel.
- (xv) Allow the Distribution Provider to install, in the metering cabinet(s) provided by the Interconnection Customer, meters required to meter the retail load and to separately meter the charging load, at the Generating Facility.
- (xvi) Install relay protection to be specified by the Distribution Provider to match the relay protection used by the Distribution Provider at Barre Substation, in order to protect the Barre Skip 66kV Line, as follows:

Two (2) line current differential relays with dedicated digital communication channels to Barre Substation. The make and type of line current differential relays will be specified by the Distribution Provider during final engineering of the Distribution Provider's Interconnection Facilities.

- (xvii)Install all equipment necessary to comply with the power factor requirements of Article 9.6.1 of the GIA, including the ability to automatically regulate the power factor to a schedule (VAR schedule) in accordance with the Interconnection Handbook.
- (xviii) Install disconnect facilities in accordance with the Distribution Provider's Interconnection Handbook to comply with the Distribution Provider's switching and tagging procedures.
- (xix) Acquire the necessary rights-of-way for the Interconnection Customer's Interconnection Facilities.
- (xx) Perform the necessary environmental studies and obtain permits for the Interconnection Customer's Interconnection Facilities, and perform the environmental activities related to the Distribution Provider's Interconnection Facilities as described in the Section 1(b) of this Appendix A, and the Distribution Upgrades as described in Section 3 of this Appendix A.

(b) **Distribution Provider's Interconnection Facilities.** The Distribution Provider shall:

- (i) Barre Substation.
 - 1. Install the Interconnection Facilities portion for a new 66kV switchrack position to terminate the Barre Skip 66kV Line. This work includes the following:
 - a. One (1) 66kV dead-end substation structure.
 - b. Three (3) 66kV potential transformers with steel pedestal support structures.
 - c. Three (3) 66kV Line drops.
 - 2. Install the following relays to protect the Barre Skip 66kV Line:
 - a. Two (2) line current differential relays via dedicated digital communications channels to the Generating Facility.

(ii) Barre – Skip 66kV Line.

Install an appropriate number of 66 kV sub-transmission structures, underground duct bank conduits and vaults; including insulator/hardware assemblies, the appropriate number of spans of conductor, and fiber optic cable between the Last Structure and the dead-end substation structure at Barre Substation. The actual number and location of the sub-transmission tower structures, underground facilities, and spans of conductor and fiber optic cable will be determined by the Distribution Provider following completion of final engineering of the Distribution Provider's Interconnection Facilities. The engineering work performed pursuant to the Letter Agreement assumes one (1) sub-transmission tubular steel pole structure, six thousand eight hundred and sixteen (6,816) feet of bundled 3000 kcmil AL cable, and three (3) vaults. This work includes pulling the conductor and making the terminations.

(Note: The Barre – Skip 66kV Line name is subject to change by the Distribution Provider based upon its transmission line naming criteria. Should the Barre – Skip 66 kV Line name be changed, this GIA may be amended to reflect such change.

The normal (continuous) rating of the Interconnection Customer's 66 kV equipment that is part of the generation tie-line is 1575A and the emergency (four-hour) rating is 1575A.

(iii) Telecommunications.

- 1. Install all required lightwave, channel bank(s), and associated equipment (including terminal equipment), supporting protection, RTU requirements at the Generating Facility and Barre Substation for the interconnection of the Generating Facility. Notwithstanding that certain telecommunication equipment, including the telecommunications terminal equipment, will be located on the Interconnection Customer's side of the Point of Change of Ownership, the Distribution Provider shall own, operate and maintain such telecommunication equipment as part of the Distribution Provider's Interconnection Facilities.
- 2. Install appropriate length of fiber optic cable, including conduit and vaults, from the point designated by the Distribution Provider near the Last Structure to extend the fiber optic cable into the communication room at Barre Substation. This work includes pulling the cable and making the terminations. The actual location and length of fiber optic cable and conduit, and location and number of vaults, will be determined during final engineering of the Distribution Provider's Interconnection Facilities. The WDT1293 Phase II Interconnection Study assumed the installation of approximately three thousand and three hundred (3,300) feet of underground fiber optic cable inside 5-inch conduit, and two (2) new vaults to extend the fiber optic cable into the communication room at Barre Substation.
- 3. Install appropriate length of fiber optic cable, including conduit and vaults, to extend the secondary telecommunications from the point designated by the Distribution Provider near the Last Structure into the communication room at Barre Substation. This work includes pulling the cable and making the terminations. The actual location and length of fiber optic cable and conduit, and location and number of vaults, will be determined during final engineering of the Distribution Provider's Interconnection Facilities. The WDT1189 Phase II Interconnection Study assumed the installation of approximately two thousand and six hundred (2,600) feet of underground fiber optic cable inside 5-inch conduit, and one (1) vault to extend the Interconnection Customer's diverse telecommunications into the communication room at Barre Substation.

(iv) Real Properties.

The Distribution Provider may obtain easements and/or acquire land for, and obtain licensing and permits for, the installation of the Distribution Provider's Interconnection Facilities, including any associated telecommunication equipment for the Barre – Skip 66kV Line. This will involve the Distribution Provider utilizing its franchise rights for installation of its Interconnection Facilities from Barre Substation to the Interconnection Customer's property line, and it will involve the Distribution Provider obtaining property rights from the land owner at 10711 Dale Ave., Stanton, CA, for its Interconnection Facilities located on the Generating Facility project site.

(v) **Metering.**

- 1. Install revenue meters required to meter the retail load at the Generating Facility Notwithstanding that the meters will be located on the Interconnection Customer's side of the Point of Change of Ownership, the Distribution Provider shall own, operate and maintain such facilities as part of the Distribution Provider's Interconnection Facilities.
- 2. Install meters required to meter the charging load at the Generating Facility. Notwithstanding that the meters will be located on the Interconnection Customer's side of the Point of Change of Ownership, the Distribution Provider shall own, operate and maintain such facilities as part of the Distribution Provider's Interconnection Facilities.

(vi) Power System Control.

Install one (1) RTU at the Generating Facility to monitor typical generation elements such as MW, MVAR, terminal voltage and circuit breaker status for the Generating Facility and plant auxiliary load, and transmit the information received thereby to the Distribution Provider's grid control center. Notwithstanding that the RTU will be located on the Interconnection Customer's side of the Point of Change of Ownership, the Distribution Provider shall own, operate and maintain the RTU as part of the Distribution Provider's Interconnection Facilities.

(vii) Environmental Activities, Permits, and Licensing.

Perform all required environmental activities, and obtain required licensing and permits for the installation of the Distribution Provider's Interconnection Facilities, including any associated telecommunication equipment.

The Interconnection Customer shall:

- 1. Prepare draft environmental permit applications related to the installation of the Distribution Provider's Interconnection Facilities.
- 2. Obtain the Distribution Provider's approval of proposed study methodologies, documents resulting from environmental studies, and draft permit applications intended for the Distribution Provider's use.
- 3. Perform pre-construction activities and construction monitoring and related activities.
- 4. Provide, to the Distribution Provider, the cost of such work in a form acceptable to the Distribution Provider; the cost of such work shall be subject to on-going monthly charges and ITCC as may be reflected in an amendment to the GIA

2. Network Upgrades.

- (a) **Stand Alone Network Upgrades**. None identified in the Phase II Study Results.
- (b) Other Network Upgrades.
 - (i) Distribution Provider's Reliability Network Upgrades.

Under Frequency Load Shedding Scheme;

Perform programming work on the Barre Substation node portion of the under frequency load shedding scheme as needed and pursuant to Appendix C Section 5 (L).

(ii) Delivery Network Upgrades.

1. Area Delivery Network Upgrades.

None identified in the Phase II Study Results

2. Local Delivery Network Upgrades.

None identified in the Phase II Study Results.

3. **Distribution Upgrades.** The Distribution Provider shall:

- (a) Barre Substation.
 - (i) Install the distribution facilities necessary for a new 66 kV position to terminate the Barre Skip 66 kV Line. This work includes the following:
 - a. Two (2) 66 kV circuit breakers.
 - b. Four (4) sets of 66 kV disconnect switches.
 - c. Perform ground grid study
- (b) Power Systems Controls.

Substation Automation System (SAS) point additions to the existing Barre SAS to accommodate new relay protection, status, and alarm.

(c) Real Properties, Transmission Project Licensing, and Corporate Environmental Health and Safety.

Obtain easements and/or acquire land, obtain licensing and permits, and perform all required environmental activities for the installation of the Distribution Upgrades.

(d) Short Circuit Duty (SCD) Mitigation – DU None

(e) Ground Grid Studies.

Perform ground grid studies at Barre 66kV, Fullerton 66 kV, Gilbert 66 kV, Kindler 66 kV, La Palma 66 kV, Lampson 66 kV, Marion 66 kV, and Sunny Hills 66 kV Substations.

(f) Add the inverter based (battery energy storage system) generating facility to the Distributed Energy Resource Management System (DERMS)

i. Power System Control


Add the inverter based (battery energy storage system) portion of the generating facility to the Distributed Energy Resource Management System which is within the Energy Management System (EMS) to support the charging activities of the energy storage portion of the Generating Facility. This work includes the following;

- 1) Barre Substation: Service and test the storage control system.
- 2) Telecommunication: Install packet radio.
- 3) Operating Bulletin/Operating Procedure:
 - a. The Distribution Provider will draft and provide to the Interconnection Customer an operating bulletin/operating procedure associated with the charging component and charging operations of the Stanton Energy Reliability Center Project. The operating bulletin/operating procedure will be submitted to the Interconnection Customer pursuant to Appendix B, Section 2(x).
 - b. Such operating bulletin/operating procedure is required initially as an interim battery charging operating system mitigation measure, until the Distributed Energy Resource Management System described in this Appendix A, Section 3(f) is completed and implemented.

c. The Interconnection Customer also understands and acknowledges that following the implementation of the Distributed Energy Resource Management System, an operating bulletin/operating procedure may still be required.

4. Point of Change of Ownership, Point of Interconnection and One-Line Diagram of Interconnection

- (a) Point of Change of Ownership.
 - where the conductors of the Barre Skip 66kV Line are attached to the Last Structure, which will be the dead end structure in the Interconnection Customer's substation. The Interconnection Customer shall own and maintain the Last Structure, the disconnect switch, the conductors, and insulators from such Last Structure to the Interconnection Customer's Generating Facility. The Distribution Provider will own and maintain the Barre Substation, as well as all circuit breakers, disconnects, relay facilities and metering within the Barre Substation, together with the underground conductors and risers, in their entirety, from the Last Structure to Barre Substation. The Distribution Provider will own the insulators that are used to attach the Distribution Provider-owned conductors to the Last Structure.
 - (ii) Telecommunication main ADSS fiber optic cable: The Point of Change of Ownership shall be the point designated by the Distribution Provider near the Last Structure in an Interconnection Customer provided vault adjacent to the Last Structure where the Interconnection Customer's fiber optic cable is connected to the Distribution Provider's fiber optic cable.
 - (iii) Telecommunication secondary ADSS fiber optic cable: The Point of Change of Ownership shall be the point designated by the Distribution Provider near the Last Structure in an Interconnection Customer owned vault adjacent to the Last Structure where the Interconnection Customer's fiber optic cable is connected to the Distribution Provider's fiber optic cable.
- (b) **Point of Interconnection.** The Distribution Provider's Barre Substation at the 66kV bus AB section.
- (c) One-Line Diagram of Interconnection to Barre 66 kV Substation bus section AB.



- 5. Cost of Interconnection Facilities, Distribution Upgrades and Network Upgrades, Payment Schedule, On-Going Monthly charges and Financial Security:
- (a) Estimated Cost

Element-	Interconnection Facilities Cost	Distribution Upgrades Cost	Reliability Network Upgrades Cost	Area Delivery Network Upgrades Cost	Local Delivery Network Upgrades Cost	One-Time Cost	Total	ITCC*
Distribution Provider's Interconnection Facilities								
Barre Substation – 66kV line drop	\$1,290,251					\$0	\$1,290,251	
The Barre – Skip 66kV Transmission Line	\$3,148,985					\$0	\$3,148,985	
Telecommunicat ions	\$773,053					\$0	\$773,053	
Transmission Telecommunicat ions	\$179,341					\$0	\$179,341	

Total	\$5,811,676	\$2,403,170	\$0	\$0	ቅሀ	\$598,772	\$8,813,618	\$ 2,136,21 7 1,970,321
None	ØE 011 757	¢2 402 170	40	φn	\$0 \$0	\$0	\$0	Ø2 127 244
Upgrades					Φ0	40	40	
Network								
Local Delivery								
None				\$0		\$0	\$0	
Upgrades				+ -		±	± -	
Network								
Area Delivery								
Subtotal			\$0			\$0	\$0	
Upgrades								
Network								
Reliability								
		\$2,403,170				\$598,772	\$3,001,942	6,72 1
Subtotal								\$ 625,581 <u>5</u>
system		\$0				\$522,639	\$522,639	
Barre 66kV								
study for the								
Ground grid						<u></u>		
Substation		\$0				\$47,018	\$47,018	
study – Barre								
Ground grid					_			_
Barre Sub RTU		\$0				\$29,115	\$29,115	
points to the								
Control – add								
Power System								
Services		\$61,238				\$0	\$61,238	
Environmental		·						
position		\$2,341,932				\$0	\$2,341,932	
- 66kV bus								
Barre Substation								
Upgrades								
Distribution	, - , , •					+ "	, - ,, 0	
Subtotal	\$5,811,676					\$0	\$5,811,676	393,600
Services	\$140,279			-		\$ U	\$146,279	\$1, 510,63 6
Services Services	\$146,279					\$0	\$146.270	
Control Environmental	\$79,171					\$0	\$79,171	
Power System	¢70.171					¢ο	¢70.171	
Metering	\$63,089					\$0	\$63,089	
Licensing	\$131,507					\$0	\$131,507	
Permits and	4444 505					40	***	
Real Properties,								

All amounts shown above are in nominal dollars.

The costs associated with any mitigation measures required to third party transmission systems, which result from interconnection of the Stanton Energy Reliability Center Project to the Distribution Provider's electrical system, are not reflected in this GIA.

The Interconnection Customer's obligation for the costs of the Reliability Network Upgrades and Local Delivery Network Upgrades required to interconnect the Generating Facility is capped at \$1,196,000 pursuant to the GIP.

* ITCC/estimated tax liability will be provided pursuant to Section 5(d)(ii) of this Appendix A.

(b) Payment Schedule.

The payment amounts shown below are based on an estimate of the monthly incurred costs for the Distribution Upgrades, Distribution Provider's Interconnection Facilities, and Network Upgrades.

Payment No.	Payment Due Date	Interconnection Facilities Cost	Distribution Upgrades Cost	Reliability Network Upgrades Costs	Area Delivery Network Upgrades Cost	Local Delivery Network Upgrades Cost	One-Time Cost	Project Payment	ITCC
A	Received pursuant to the Amended Letter	\$60,091	\$2,000	\$0	\$0	\$0		\$64,342	\$14,155
	Agreement March 1,	** **********************************	***	\$0	\$0	\$0	\$2,251		\$88,416
1	2018	\$64,957	\$27,118				\$6,738	\$98,813	,,,,,,
2	April 1, 2018	\$84,898	\$35,443	\$0	\$0	\$0	\$8,806	\$129,147	
3	May 1, 2018	\$110,042	\$45,941	\$0	\$0	\$0	\$11,413	\$167,396	
4	June 1, 2018	\$141,096	\$58,904	\$0	\$0	\$0	\$14,633	\$214,633	\$184,129
5	July 1, 2018	\$178,427	\$74,489	\$0	\$0	\$0	\$18,505	\$271,421	
6	August 1, 2018	\$221,723	\$92,565	\$0	\$0	\$0	\$22,995	\$337,284	
7	September 1, 2018	\$269,619	\$112,561	\$0	\$0	\$0	\$27,963	\$410,144	\$325,113
8	October 1, 2018	\$319,354	\$133,324	\$0	\$0	\$0	\$33,122	\$485,800	
9	November 1, 2018	\$366,693	\$153,086	\$0	\$0	\$0	\$38,031	\$557,811	
10	December 1, 2018	\$406,326	\$169,633	\$0	\$0	\$0	\$42,141	\$618,100	\$ 473,141 <u>435</u> ,929
11	January 1, 2019	\$432,863	\$180,712	\$0	\$0	\$0	\$44,894	\$658,469	
12	February 1, 2019	\$442,220	\$184,617	\$0	\$0	\$0	\$45,865	\$672,702	
13	March 1, 2019	\$443,989	\$185,357	\$0	\$0	\$0	\$46,048	\$675,394	\$4 73,377 420 ,780
14	April 1, 2019	\$416,770	\$173,992	\$0	\$0	\$0	\$43,225	\$633,987	
15	May 1, 2019	\$376,118	\$157,022	\$0	\$0	\$0	\$39,009	\$572,149	
16	June 1, 2019	\$327,564	\$136,751	\$0	\$0	\$0	\$33,973	\$498,288	\$318,243 <u>282</u> ,883
17	July 1, 2019	\$276,548	\$115,453	\$0	\$0	\$0	\$28,683	\$420,683	
18	August 1, 2019	\$227,420	\$94,943	\$0	\$0	\$0	\$23,586	\$345,949	
19	September 1, 2019	\$183,010	\$76,403	\$0	\$0	\$0	\$18,980	\$278,394	\$168,627 <u>149</u> ,891
20	October 1, 2019	\$144,722	\$60,419	\$0	\$0	\$0	\$15,010	\$220,151	
21	November 1, 2019	\$112,870	\$47,121	\$0	\$0	\$0	\$11,706	\$171,696	

22	December 1, 2019	\$87,081	\$36,355	\$0	\$0	\$0	\$9,032	\$132,468	\$ 91,016 69,0 26
23	January 1, 2020	\$66,625	\$27,815	\$0	\$0	\$0	\$6,910	\$101,350	
24	February 1, 2020	\$50,650	\$21,145	\$0	\$0	\$0	\$5,253	\$77,048	
Total		\$5,811,676	\$2,403,170	\$0	\$0	\$0	\$598,772	\$8,813,618	\$ 2,136,217 1, 970,321

All amounts shown above are in nominal dollars.

In accordance with the Amended Letter Agreement, this GIA will supersede the Amended Letter Agreement following the Effective Date. Interconnection Customer's deposits made pursuant to the Letter Agreement will be credited to the amounts due under this GIA.

In accordance with Article 11.4 of the GIA and Section 9 of this Appendix A, transmission credits are available as follows:

- a) Transmission credits for Reliability Network Upgrades = the lessor of the Reliability Network Upgrades Payment \$0 or \$60,000 per MW of Generating Facility capacity at the time it achieves Commercial Operation.
- b) Transmission credits for Local Deliverability Network Upgrades = the Local Deliverability Network Upgrades Payment = \$0

(c) On-Going Monthly Charges.

Commencing on or following the Interconnection Facilities Completion Date or Distribution Upgrades Completion Date, if applicable, each month the Distribution Provider will render bills to the Interconnection Customer for the Interconnection Facilities Charge and/or Distribution Upgrades Charge as set forth below. The Interconnection Facilities Charge and Distribution Upgrades Charge shall initially be based on the estimated Interconnection Facilities Cost and Distribution Upgrades Cost, and payments made for such Interconnection Facilities Charge and Distribution Upgrades Charge shall be subject to later adjustment to reflect actual costs.

In the event that any portion of the Distribution Provider's Interconnection Facilities or Distribution Upgrades is not complete but, at the request of the Interconnection Customer, the Distribution Provider commences interconnection service under this GIA notwithstanding the incomplete facilities, the Distribution Provider shall commence billing, and the Interconnection Customer shall pay, the Interconnection Facilities Charge and the Distribution Upgrades Charge, as applicable, commencing on the date that such service commences.

i. Interconnection Facilities Charge

		Estimated		
Effective	Customer-	Interconnection	Interconnection Facilities Charge	
	Financed Monthly	Facilities Cost		
	Rate for Non-ISO-			
	Controlled			
	Facilities			
As of the Interconnection	See Section 4.1 of		Customer-Financed Monthly Rate	
	Attachment J to	\$5,811,676	for Non-ISO-Controlled Facilities	
Facilities Completion Date	the Tariff*		x Interconnection Facilities Cost	

^{*} Attachment J to the Tariff is available at the following link: https://www.sce.com/openaccess

ii. Distribution Upgrades Charge

			Estimated
Effective	Customer-	Distribution	Distribution Upgrades Charge
	Financed Monthly	Upgrades Cost	
	Rate for Non-		
	ISO-Controlled		
	Facilities		
As of the Distribution Hassadas	See Section 4.1 of		Customer-Financed Monthly Rate
As of the Distribution Upgrades	Attachment J to	¢2 402 170	for Non-ISO-Controlled Facilities
Completion Date	the Tariff*	\$2,403,170	x Distribution Upgrades Cost

^{*} Attachment J to the Tariff is available at the following link: https://www.sce.com/openaccess

(d) Financial Security

- i. Interconnection Financial Security
 - 1. Distribution Upgrades: Pursuant to Section 4.8 of the GIP, and Article 11.5 and Appendix B of the GIA, the Interconnection Customer has provided Credit Support in the total amount of \$6,143,000 for the second posting and shall provide Credit Support in the total amount of \$3,001,942 for the third posting to cover the costs for constructing, procuring and installing the Distribution Upgrades.
 - 2. The Distribution Provider's Interconnection Facilities: Pursuant to Section 4.8 of the GIP, and Article 11.5 and Appendix B of the GIA, the Interconnection Customer has provided Credit Support in the total amount of \$2,583,000 for the second posting and shall provide Credit Support in the total amount of \$5,811,676 for the third posting to cover the costs for constructing, procuring and installing the Distribution Provider's Interconnection Facilities.
 - 3. Network Upgrades: Pursuant to Section 4.8 of the GIP, and Article 11.5 and Appendix B of the GIA, the Interconnection Customer has provided Credit Support in the total amount of \$30,000 for the second posting and shall provide \$0 for the third posting to cover the costs for constructing, procuring and installing the Network Upgrades.
 - 4. To the extent that any Credit Support is not utilized by the Distribution Provider, the release of such Credit Support shall be made in accordance with the Interconnection Customer's instruction.
- ii. Security Amount for Estimated Tax Liability.
 Pursuant to Article 5.17.4 of the GIA, the Interconnection Customer's estimated tax liability is as follows:
 - (a) Estimated tax liability for Distribution Provider's Interconnection Facilities = The sum of the product of (i) the applicable ITCC rate for the year payments are anticipated to

be received, and (ii) the total of the payments anticipated to be received for the Interconnection Facilities Cost for that year.

Year(s)	Applicable	Total anticipated payments	ITCC for Distribution
payments	ITCC rate	received for Interconnection	Provider's
anticipated		Facilities Cost	Interconnection
to be			Facilities
received			
2017	See Section	\$60,091	\$13,220**
	4.4 of		
	Attachment J		
	to the Tariff*		
2018	"	\$2,163,136	\$519,153
2019	"	\$3,471,174	\$ 937,217 <u>833,082</u>
2020	"	\$117,275	\$ 41,046 <u>28,146</u>
Total		\$5,811,676	\$1,510,636393,600

^{*} The estimated tax liability is based on the applicable ITCC rate in Attachment J to the Tariff as of the Effective Date and is available at the following link: https://www.sce.com/openaccess

(b) Estimated tax liability for Distribution Upgrades = The sum of the product of (i) the applicable ITCC rate for the year payments are anticipated to be received, and (ii) the total of the payments anticipated to be received for the Distribution Upgrades Cost for that year.

Year(s)	Applicable	Total of anticipated	ITCC for Distribution
payments	ITCC rate	payments received for	Upgrades
anticipated to		Distribution Upgrades	
be received		Cost	
2017	See Section 4.4	\$2,000	\$440**
	of Attachment J		
	to the Tariff*		
2018	"	\$903,065	\$216,736
2019	"	\$1,449,145	\$ 391,269 <u>347,795</u>
2020	"	\$48,960	\$ 17,136 <u>11,750</u>
Total		\$2,403,170	\$ 625,581 <u>576,721</u>

^{*} The estimated tax liability is based on the applicable ITCC rate in Attachment J to the Tariff as of the Effective Date and is available at the following link: https://www.sce.com/openaccess

Based upon the total estimated tax liability, the Interconnection Customer shall provide the Distribution Provider Tax Security in the form of a cash deposit in an escrow account, a letter of credit, or parent guaranty in the amount of \$2,136,2171,970,321 pursuant to Article 5.17.3 and Appendix B of the GIA. The letter of credit, cash deposit in an escrow account, or parent guaranty shall meet the requirements of Section 4.8 of the GIP.

Page No. 93

Upon notification of the Annual Tax Security Reassessment, the Interconnection Customer shall modify its Tax Security accordingly. If the Annual Tax Security Reassessment results in a deficiency in the Tax Security amount, the Interconnection Customer will be required to increase its Tax Security amount within 30 days after receipt of the deficiency notification. If the Annual Tax Security Reassessment results in a reduction of the Tax Security amount, the Interconnection Customer may choose to reduce its Tax Security amount or maintain the Tax Security in the current amount for the following year.

The Interconnection Customer's obligation to provide Tax Security shall terminate in accordance with Article 5.17.3 of this GIA. Upon termination of the Interconnection Customer's obligation to provide Tax Security, and Distribution Provider's receipt of the Interconnection Customer's written instructions regarding the release of any unused Tax Security, any unused amount of the Tax Security shall be released to the Interconnection Customer.

**Tax Security in the amount of \$14,155 was provided pursuant to the Amended Letter Agreement. The Interconnection Customer may reduce the amount of the instrument used to meet the requirements for the Amended Letter Agreement to meet the requirements for this Appendix A Section 5(d)(b).

Appendix B to GIA

Milestones

- 1. **The Interconnection Customer's Selected Option:** Pursuant to Article 5.1 of the GIA, the Interconnection Customer has selected the Standard Option.
- 2. Milestone Dates:

Item	Milestone	Responsible Party	Due Date
(a)	Submit proof of insurance coverage in accordance with Article 18.3 of the	T., 4	Within thirty (30)
	GIA	Interconnection Customer	Calendar Days after the Effective Date
(b)	Submittal of written authorization to	Customer	Effective Date
(0)	proceed with design and		
	procurement of the Distribution		
	Provider's Interconnection Facilities,		
	Distribution Upgrades and Network		
	Upgrades to the Distribution		Within thirty (30)
	Provider, in accordance with Article	Interconnection	Calendar Days after the
	5.5.2 of the GIA	Customer	Effective Date
(c)	Submittal of second posting of		
	Interconnection Financial Security		
	for the Distribution Provider's		
	Interconnection Facilities,		
	Distribution Upgrades and Network		
	Upgrades to the Distribution		
	Provider, pursuant to Article 11.5		
	and Section 5(d)(i) of Appendix A of	Interconnection	
	the GIA	Customer	Completed June 5, 2017
(d)	Submittal of third posting of		
	Interconnection Financial Security		
	for the Distribution Provider's		
	Interconnection Facilities,		
	Distribution Upgrades and Network		
	Upgrades to the Distribution		On or before the start of
	Provider, pursuant to Article 11.5	Interconnection	Construction Activities
	and Section 5(d)(i) of Appendix A of the GIA	Customer	January 1, 2019
(e)	Submittal of written authorization to	Customer	January 1, 2017
(6)	proceed with construction to the		Within sixty (60)
	Distribution Provider, pursuant to	Interconnection	Calendar Days after the
	Article 5.6.3 of the GIA	Customer	Effective Date

Item	Milestone	Responsible Party	Due Date
(f)	Submittal of Tax Security for the		
	estimated tax liability to the		Quarterly, commencing
	Distribution Provider, pursuant to		with the first payment,
	Article 5.17.3 and Section 5(d)(ii) of	Interconnection	pursuant to Appendix A
	Appendix A of the GIA	Customer	Section 5(b)
(g)	Submittal of initial specifications for		
	the Interconnection Customer's		
	Interconnection Facilities and		
	Generating Facility – including the		
	1.50 MVA inverters, and the System		
	Protection Facilities, to the		Within sixty (60)
	Distribution Provider, pursuant to	Interconnection	Calendar Days after
	Article 5.10.1 of the GIA	Customer	Milestone (i) below.
(h)	Review of and comment on the		Within thirty (30)
	Interconnection Customer's initial		Calendar Days after the
	specifications, pursuant to Article		Interconnection
	5.10.1 of the GIA	Distribution	Customer's submission
		Provider	of initial specifications
(i)	Submittal of initial information		
	including the Distribution Provider's		
	Transmission System information		
	necessary to allow the		
	Interconnection Customer to select		Within thirty (30)
	equipment, in accordance with	Distribution	Calendar Days after the
	Article 24.2 of the GIA	Provider	Effective Date
(j)	Submittal of final specifications for		At least twelve (12)
	the Interconnection Customer's		months prior to
	Interconnection Facilities and		completion of the
	Generating Facility, including		Distribution Provider's
	System Protection Facilities, to the		Interconnection
	Distribution Provider, as specified in		Facilities, Distribution
	Article 5.10.1 of the GIA	Interconnection	Upgrades and Network
(1.)		Customer	Upgrades
(k)	Review of and comment on the		Within thirty (30)
	Interconnection Customer's final		Calendar Days after the
	specifications, pursuant to Article	D' ('1 .'	Interconnection
	5.10.1 of the GIA	Distribution	Customer's submission
(1)		Provider	of final specifications
(1)	Submittal of updated information by		N - 1-4 41 4
	the Interconnection Customer,		No later than one
	including manufacturer information,	T /	hundred eighty (180)
	in accordance with Article 24.3 of	Interconnection	Calendar Days prior to
	the GIA	Customer	Trial Operation

Item	Milestone	Responsible Party	Due Date
(m)	Notification of Control Area to the		At least three (3) months
	Distribution Provider, pursuant to	Interconnection	prior to the Initial
	Article 9.2	Customer	Synchronization Date
(n)	Completion of the Distribution		Within twenty – four (24)
	Provider's Interconnection Facilities,		months following the
	Distribution Upgrades, and Network		Effective Date and
	Upgrades		receipt of payments
		Distribution	pursuant to Appendix A
		Provider	Section 5(b)*
(o)	Performance of a complete		
	calibration test and functional trip	Interconnection	
	test of the System Protection	Customer and	
	Facilities, pursuant to Article 9.7.4.6	Distribution	Prior to the In-Service
	of the GIA	Provider	Date
(p)	In-Service Date	Interconnection	
		Customer	February 1, 2020
(q)	Testing of the Distribution		
	Provider's Interconnection Facilities,		
	Distribution Upgrades, and Network		
	Upgrades, and testing of the		
	Interconnection Customer's		
	Interconnection Facilities and	Interconnection	At least thirty (30)
	Generating Facility, all in	Customer and	Calendar Days prior to
	accordance with Article 6.1 of the	Distribution	the Initial
	GIA	Provider	Synchronization Date
(r)	Provide written approval to the		
	Interconnection Customer for the		(10) (1)
	operation of the Generating Facility,	D' ('1 ('	At least ten (10) Calendar
	in accordance with Article 6.1 of the	Distribution	Days prior to the Initial
(-)	GIA Provide the ISO written notice that	Provider	Synchronization Date
(s)			
	the required Distribution Provider facilities have been installed and		
	tested, and that initial		
	synchronization of the Electric		
	Generating Unit(s) at the Generating Facility to the Distribution System is		At least tan (10) Colondar
	expected to occur on the Initial	Distribution	At least ten (10) Calendar Days prior to the Initial
	Synchronization Date	Provider	Synchronization Date
(t)	Initial Synchronization Date/Trial	Interconnection	by nonionization Date
(1)	Operation	Customer	March 1, 2020
(u)	Provide the ISO written notice that	Customer	Within five (5) Calendar
(u)	the required Distribution Provider		Days after the Initial
	facilities have been installed and	Distribution	Synchronization Date
	tested, and have been approved to	Provider	and satisfaction of the
	tostea, and have been approved to	110 / 1001	and building of the

Page No. 97

Item	Milestone	Responsible Party	Due Date
	allow the Generating Facility to		testing requirements of
	operate in parallel with the		Articles 6.1 and 9.7.4.6
	Distribution System		of the GIA
(v)	Commercial Operation Date	Interconnection	
		Customer	April 1, 2020**
(w)	Submittal to the Distribution		
	Provider of "as-built" drawings,		
	information and documents for the		Within one hundred
	Interconnection Customer's		twenty (120) Calendar
	Interconnection Facilities and the		Days after the
	Electric Generating Units, in		Commercial Operation
	accordance with Article 5.10.3 of the	Interconnection	Date, unless otherwise
	GIA	Customer	agreed
(x)	Submit to the Interconnection		
	Customer an operating bulletin that		Within thirty (30)
	defines the restrictions on charging		Calendar days before the
	operations pursuant to Appendix C	Distribution	Commercial Operation
	Section 5(j)	Provider	Date

*Note: Pursuant to Article 5.1.1, Distribution Provider shall use Reasonable Efforts to complete Distribution Provider's Interconnection Facilities, Distribution Upgrades, and Network Upgrades by the dates set forth above. In the event Distribution Provider reasonably expects that it will not be able to complete Distribution Provider's Interconnection Facilities, Distribution Upgrades, and Network Upgrades by the specified dates, Distribution Provider shall promptly provide written notice to Interconnection Customer and shall undertake Reasonable Efforts to meet the earliest dates thereafter.

**Note: The Interconnection Customer will be allowed to commence Commercial Operation before the completion of the Distribution Upgrades pursuant to Appendix C Sections 2(i, 2 (j), and 2 (k).

Appendix C to GIA

Interconnection Details

1. Generating Facility: All equipment and facilities comprising the Interconnection Customer's 148.1 net MW (151.6 gross MW) hybrid gas-turbine (101.6 MW) and inverter based (50.0 MW) battery energy storage system Stanton Energy Reliability Center generating facility in Stanton, California, as disclosed by the Interconnection Customer in its WDT1189 Interconnection Request, its WDT1293 Interconnection Request, and subsequent Modification Request, as each may have been amended during the Interconnection Study process, which consists of (i) two (2) 71.176 MVA, three phase generators with a proposed output of 50.8 MW each, (ii) forty (40) 1500kVA GE Brilliance Inverters with a proposed output of 1.50MW each, (iii) appropriate amount of shunt capacitor installations to comply with the 0.95 power factor requirements at the Point of Interconnection when the gas fired turbines are not in operation, (iv) the associated infrastructure including the 13.8/.480kV padmount transformers with 6 percent impedance on a 1.5 MVA base on the H-X winding for the inverters, (v) meters and metering equipment, and (vi) appurtenant equipment. The Stanton Energy Reliability Center Project shall consist of the Generating Facility and the Interconnection Customer's Interconnection Facilities. After accounting for losses between the Generating Facility and the Point of Interconnection, the amount of interconnection capacity provided at the Point of Interconnection under the GIA is 148.1 MW. The maximum rated charging capacity of the battery energy storage system portion of the Generating Facility, when charging from the Distribution Provider's Distribution System, is 48.3MW.


The Interconnection Customer has requested, and this GIA provides for, a maximum export capacity of 148.1 MW at the Point of Interconnection. If under real-time operating conditions, the Generating Facility is capable of exceeding the maximum export capacity provided under the GIA, the Interconnection Customer shall be required to install, own and maintain a control limiting device, or control limiting system, that will restrict the maximum output of the Generating Facility as measured at the Point of Interconnection to no greater than the maximum export capacity of 148.1 MW.

The Interconnection Customer acknowledges that if the Interconnection Customer wishes to increase the amount of interconnection capacity provided pursuant to this GIA, the Interconnection Customer shall be required to submit a new Interconnection Request in accordance with the terms and conditions of the Tariff.

2. Interconnection Customer Operational Requirements:

(a) The Interconnection Customer shall control the Generating Facility's output ramp rate so as to prevent adverse voltage conditions on the Distribution System. Such ramp rate control shall be in accordance with parameters, which may be modified from time to time by the Distribution Provider, set forth by the Distribution Provider and provided to the Interconnection Customer within thirty (30) Calendar Days following the Distribution Provider's completion of final engineering for the Distribution Provider's

- Interconnection Facilities, Distribution Upgrades, and Network Upgrades, as applicable.
- (b) The Generating Facility will be required to operate within a 0.95 leading (boost) to 0.95 lagging (buck) power factor in accordance with Article 9.6.1.2 of the GIA. Under real-time operations, it is anticipated the project will be required to operate as shown in the figure below. The actual values of the Vmin and Vmax will be provided by the Distribution Provider once final engineering and design is completed.



(c) Following outages of the Interconnection Facilities or the Generating Facility, the

- Interconnection Customer shall not energize the Stanton Energy Reliability Center Project for any reason without specific permission from the Distribution Provider's operations personnel. Such permission shall not be unreasonably withheld.
- (d) The Interconnection Customer shall maintain operating communications with the Distribution Provider's designated switching center. The operating communications shall include, but not be limited to, system parallel operation or separation, scheduled and unscheduled outages, equipment clearances, protective relay operations, and levels of operating voltage and reactive power.
- (e) The WDT1189 Interconnection Request for the Generating Facility was evaluated as part of Queue Cluster 7 and the WDT1293 Interconnection Request for the Generating Facility was evaluated as part of Queue Cluster 8. The Interconnection Customer selected Option A for both as the deliverability option under GIP Section 4.6.2. In accordance with the TP Deliverability allocation procedures of Section 8.9 of Appendix DD of the ISO Tariff, following the ISO's allocation of TP Deliverability, the Interconnection Customer has elected for the Generating Facility to have Full Capacity Deliverability Status. The Interconnection Customer acknowledges and understands that until (i) all required Network Upgrades as stated in this GIA and (ii) all required network upgrades identified for the Generating Facility as stated in the governing interconnection study report (i.e., Phase II Interconnection Study report as that report may have been amended or modified in subsequent studies or reassessments), including all required transmission upgrades triggered by earlier queued generation that were assumed in-service in the governing interconnection study, are constructed and placed in service, the Generating Facility will not achieve Full Capacity Deliverability Status.
- (f) Compliance with Applicable Reliability Standards: As provided in Article 4.3 of this GIA, the Interconnection Customer shall comply with all Applicable Reliability Standards for the Interconnection Customer's Interconnection Facilities and the Generating Facility. The Distribution Provider will not assume any responsibility for complying with mandatory reliability standards for such facilities and offers no opinion as to whether the Interconnection Customer must register with NERC. If required to register with NERC, the Interconnection Customer shall be responsible for complying with all Applicable Reliability Standards for the Interconnection Customer's Interconnection Facilities and the Generating Facility up to the Point of Change of Ownership, as described in Section 4 of Appendix A of this GIA.
- (g) The Interconnection Customer shall be required to install multiple sets of meters (i.e., separate sets of potential transformers and current transformers and appurtenant metering equipment) for the Project. In addition, the Generating Facility may be required to connect its station light and power load to a separate transformer from the transformer that is connected to the charging load, following the completion of the Distribution Provider's detailed design and engineering specifications.
- (h) The Stanton Energy Reliability Center Project will be allowed to commence Commercial Operation before the implementation of the Distributed Energy Resource Management System, in accordance with Appendix C Section 2(i), Appendix C Section

- 2(j), and Appendix C Section 2(k).
- Restrictions to charging operations: Pursuant to the Distribution Provider's (i) Interconnection Studies, restrictions on the Generating Facility's charging operations must be implemented for reliability reasons. The restrictions on charging operations will be documented in a Distribution Provider's system operating bulletin which will be developed after execution of the GIA and provided to the Interconnection Customer prior to the Commercial Operation Date, pursuant to Appendix B Section (X). The Distribution Provider will monitor conditions at the Point of Interconnection to determine the acceptable limits under which the Generating Facility may conduct charging operations. Charging operations shall cease as directed by the Distribution Provider when such acceptable limits are anticipated to be violated, and shall be allowed to recommence as further directed by the Distribution Provider. Such direction will initially be made by written schedule or telephone notice from the Distribution Provider's distribution operations center to the Interconnection Customer's control room operator 24 hour telephone. An automated procedure will be implemented upon the installation of the Distributed Energy Resource Management System.
- (j) The requirement to perform additional programming work on the Barre Substation portion of the under frequency load shedding scheme existed earlier than the start of Queue Cluster 7 and are not part of the cost allocation pursuant to the GIP.
- (k) Pursuant to the Distribution Provider's Interconnection Studies, 66 kV circuit breakers on the Barre 66kV bus AB and C Sections were identified as requiring replacement prior to operating the Generating Facility. The Distribution Provider has an existing project to replace the identified overstressed 66 kV circuit breakers on the Barre AB and C Sections with a target In-Service date of December 31, 2019. The Interconnection Studies have also determined that the project may not operate under conditions where the sectionalizing bus breakers on the Barre 66kV bus AB and C sections are closed. Following completion of the circuit breaker upgrades, further evaluation will be required to determine if the Generating Facility's operating restrictions, that were identified in the Interconnection Studies, can be removed.
- (1) The Interconnection Customer provided the second postings of the Interconnection Financial Security in amounts based upon the Interconnection Studies. After the Interconnection Studies were completed, the Distribution Provider became aware that certain upgrades costs had been incorrectly attributed to the Interconnection Customer. As such the Interconnection Facilities Costs, Distribution Upgrades Costs, and Network Upgrades Costs were revised downward. The Interconnection Customer may amend the second posting of the Interconnection Financial Security instrument so that the amounts are equal to thirty percent (30%) of the Interconnection Facilities Costs, Distribution Upgrades Costs, and Network Upgrades Costs pursuant to this GIA Appendix A Sections 5(a) and 5(d).
- (m) After the third posting of the Interconnection Financial Security has been received by the Distribution Provider, the Interconnection Customer may reduce the amount of

Interconnection Financial Security posted, in amounts equal to payments made pursuant to this GIA Appendix A Section 5 Payment Schedule, after such payments are received by the Distribution Provider.

Appendix D to GIA

Security Arrangements Details

Infrastructure security of Distribution System and Transmission System equipment and operations and control hardware and software is essential to ensure day-to-day Distribution System reliability and operational security. FERC will expect the ISO, all transmission providers, market participants, and interconnection customers interconnected to the Distribution System and Transmission System to comply with the recommendations offered by the President's Critical Infrastructure Protection Board and, eventually, best practice recommendations from the electric reliability authority. All public utilities will be expected to meet basic standards for system infrastructure and operational security, including physical, operational, and cyber-security practices.

Appendix E to GIA

Commercial Operation Date

This Appendix E is a part of the GIA between Distribution Provider and Interconnection Customer.

[Date]
Manager, Grid Contract Management Southern California Edison Company P. O. Box 800 2244 Walnut Grove Avenue
Rosemead, California 91770
Re: Generating Facility
Dear:
On [Date] [Interconnection Customer] has completed Trial Operation of Unit No etter confirms that [Interconnection Customer] commenced Commercial Operation of Unit at the Generating Facility, effective as of [Date plus one day].
Thank you.
[Signature]
[Interconnection Customer Representative]

Appendix F to GIA

Addresses for Delivery of Notices and Billings

1. General Notices:

Distribution Provider	Interconnection Customer	
Southern California Edison	Stanton Energy Reliability Center	
Company		
Attn: Manager, Grid Contract	Attn: Kara J. Miles	
Management	W Power, LLC	
P. O. Box 800	650 Bercut Drive, Suite A	
Rosemead, CA 91770	Sacramento, CA 95811	

2. Operating Communications and Notifications:

The Distribution Provider and the Interconnection Customer shall provide for operating communications through their respective designated representatives as follows:

The Parties agree to exchange the following information prior to the Initial Synchronization Date of each Electric Generating Unit:

Distribution Provider	Interconnection Customer
Grid Control Center/24 Hour	Operator Name and/or Title:
Telephone:	Control Room Operator 24 Hour Telephone:
	1
	Operation Center Fax. No.:
	E-mail:

Operational Matters, Force Majeure, and Outage Notices:

Distribution Provider	Interconnection Customer
Name/Title:	Name/Title:
Phone:	Phone:

For Emergencies:

Distribution Provider	Interconnection Customer
Name/Title:	Name/Title:
Phone:	Phone:

3. Billing and Payments:

Distribution Provider	Interconnection Customer
Southern California Edison	Stanton Energy Reliability
Company	Center
Attn: Accounts Receivable (GCM)	Attn: Kara J. Miles W Power, LLC
P. O. Box 800 Rosemead, CA 91771-0001	650 Bercut Drive, Suite A Sacramento, CA 95811

4. Alternative Forms of Delivery of Notices (telephone, facsimile or e-mail):

Distribution Provider	Interconnection Customer
Southern California Edison	Stanton Energy Reliability
Company	Center
Attn: Manager, Grid Contract Management	Attn: Kara J. Miles W Power LLC
Phone: (626) 302-9640 Fax: (626) 302-1152	Phone: (916) 492-9486 Fax: (916) 880-5318
	Electronic mail: kmiles@wpowerllc.com

Appendix G to GIA

Interconnection Customer's Share of Costs of Network Upgrades for Applicable Project Group

	Giva	r		
Type	Upgrades	Needed For	Cost factor	Cost Share (\$1000)
Network Upgrade	No Network Upgrades identified	Not applicable	0	\$0
	•		Total:	\$0

Note: The amounts shown above are in nominal dollars.

FERC FPA Electric Tariff

Tariff Record Title: Service Agreement No. 999

GENERATOR INTERCONNECTION AGREEMENT (GIA) FOR A GENERATING FACILITY

INTERCONNECTING UNDER THE CLUSTER STUDY PROCESS

(Applicable for Queue Cluster 5 and Subsequent Queue Clusters)

BETWEEN

STANTON ENERGY RELIABILITY CENTER, LLC

AND

SOUTHERN CALIFORNIA EDISON COMPANY

PROJECT: STANTON ENERGY RELIABILITY CENTER (SCE WDT1189 and WDT1293)

Contract Effective Date: 02/08/18
905.999.1
WDT1189 and WDT1293
Tariff Record Proposed Effective Date: 02/08/18
Version Number: 1.0.0
Option Code: A

TABLE OF CONTENTS

Page No.

Recita	S		7
Article	1. Definition	1S	7
Article	2. Effective	Date, Term, and Termination	20
2.1			
2.2	Term of Agree	ment	20
2.3	Termination P	rocedures	20
2.3	.1 Written N	otice	20
2.3	.2 Default		21
2.3	.3 Suspension	n of Work	21
2.4	Termination C	osts	21
2.5	Disconnection		22
2.6	Survival		22
Article	3. Regulator	ry Filings	22
3.1	Filing		22
Article	4. Scope of	Service	22
4.1	Interconnectio	n Service	22
4.1	.1 Distributi	on Service Implications	22
4.1	.2 Transmiss	ion Service Implications	23
4.2	Provision of S	ervice	23
4.3	Performance S	tandards	23
4.4	No Distributio	n Service or Transmission Service	23
4.5		n Customer Provided Services	
4.6		ity	
Article		nection Facilities Engineering, Procurement, and Construction	
5.1			
5.1		Option	
5.1		Option	
5.1	1	Build	
5.1	_	d Option	
5.1		Option	
5.2		tions Applicable to Option to Build	
5.3	1	mages	
5.4		Stabilizers	
5.5		ocurement	
5.6		Commencement	
5.7	_	S	
5.8		rchange	
5.9	1	tion	
5.10		n Customer's Interconnection Facilities ('ICIF')	
5.1		ection Customer's Interconnection Facility Specifications	
		on Provider's Review	
5 1	0.3 ICIF Cons	etruction	30

	0.4	Interconnection Customer to Meet Requirements of the Distribution Provider's	
Inte		nection Handbook	
5.11	Dis	tribution Provider's Interconnection Facilities Construction	30
5.12		ess Rights	
5.13	Lan	ds of Other Property Owners	31
5.14		mits	
5.15	Ear	ly Construction of Base Case Facilities	31
5.16	Sus	pension	31
5.17	Tax	es	33
5.1	7.1	Interconnection Customer Payments Not Taxable	33
5.1	7.2	Representations and Covenants	
5.1	7.3	Indemnification for the Cost Consequences of Current Tax Liability Imposed U	Jpon
the	Distr	ibution Provider	33
5.1	7.4	Tax Gross-Up Amount	34
5.1	7.5	Private Letter Ruling or Change or Clarification of Law	35
5.1	7.6	Subsequent Taxable Events	
5.1	7.7	Contests	35
5.1	7.8	Refund	36
5.1	7.9	Taxes Other Than Income Taxes	37
5.1	7.10 1	Distribution Owners Who Are Not Distribution Providers	38
5.18	Tax	Status	38
5.19	Mo	dification	38
5.1	9.1	General	38
5.1	9.2	Standards	38
5.1	9.3	Modification Costs	38
5.1	9.4	Permitted Reductions in Output Capacity (MW Generating Capacity) of the	
Ge	nerati	ng Facility	39
5.20	Anı	nual Reassessment Process	40
Article	6.	Testing and Inspection	40
6.1	Pre-	-Commercial Operation Date Testing and Modifications	40
6.2	Pos	t-Commercial Operation Date Testing and Modifications	41
6.3	Rig	ht to Observe Testing	41
6.4	Rig	ht to Inspect	41
Article	7.	Metering	41
7.1	Ger	neral	41
7.2		eck Meters	
7.3	Dis	tribution Provider Retail Metering	42
Article	8.	Communications	42
8.1	Inte	rconnection Customer Obligations	42
8.2	Ren	note Terminal Unit	42
8.3	No	Annexation	
Article	9.	Operations	43
9.1		neral	
9.2	Cor	ntrol Area Notification	43
9.3	Dis	tribution Provider Obligations	43
9.4	Inte	rconnection Customer Obligations.	43

9.5 Start-Up and Synchronization	44
9.6 Reactive Power	44
9.6.1 Power Factor Design Criteria	44
9.6.1.1 Synchronous Generation.	44
9.6.1.2 Non-Synchronous Generation.	
9.6.2 Voltage Schedules	
9.6.2.1 Governors and Regulators	
9.6.3 Payment for Reactive Power.	
9.7 Outages and Interruptions.	
9.7.1 Outages	
9.7.1.1 Outage Authority and Coordination	
9.7.1.2 Outage Schedules	
9.7.1.3 Outage Restoration	
9.7.2 Interruption of Service	
9.7.3 Frequency and Voltage Ride Through	
9.7.4 System Protection and Other Control Requirements	
9.7.4.1 System Protection Facilities	
9.7.5 Requirements for Protection	
9.7.6 Power Quality	
9.8 Switching and Tagging Rules	
9.9 Use of Interconnection Facilities by Third Parties	
9.9.1 Purpose of Interconnection Facilities	
9.9.2 Third Party Users	
9.10 Disturbance Analysis Data Exchange	
Article 10. Maintenance	
10.1 Distribution Provider Obligations	
10.2 Interconnection Customer Obligations	
10.3 Coordination	
10.4 Secondary Systems	
10.5 Operating and Maintenance Expenses	
Article 11. Performance Obligation	
11.1 Interconnection Customer Interconnection Facilities	
11.2 Distribution Provider's Interconnection Facilities	
11.3 Network Upgrades and Distribution Upgrades	
11.3.1 Distribution Upgrades	
11.3.2 Reliability Network Upgrades	
11.3.3 Local Delivery Network Upgrades	
11.3.4 Area Delivery Network Upgrades	
11.4 Transmission Credits.	
11.4.1 Repayment of Amounts Advanced for Network Upgrades	
11.4.2 Special Provisions for Affected Systems	
11.5 Provision of Interconnection Financial Security	
Article 12. Invoice	
12.1 General	
12.2 Final Invoice	

12.3	Payment	56
12.4	Disputes	56
Article	13. Emergencies	56
13.1	Definition	56
13.2	Obligations	56
13.3	Notice	
13.4	Immediate Action	57
13.5	Distribution Provider Authority.	
13.5	•	
13.5		
13.6	Interconnection Customer Authority	
13.7	Limited Liability	
	14. Regulatory Requirements and Governing Law	
14.1	Regulatory Requirements	
14.2	Governing Law	
Article		
15.1	General	
15.1	Billings and Payments	
15.2	Alternative Forms of Notice	
15.3	Operations and Maintenance Notice	
	16. Uncontrollable Force	
16.1	Uncontrollable Force	
Article		
	Default	
17.1		
17.1	6	
Article	V / 1	
	Indemnity	
18.1		
18.1	, ,	
18.1	J	
18.2	1 &	
	Insurance	
	19. Assignment	
	Assignment	
Article 2	$oldsymbol{v}$	
20.1	Severability	
Article 2	21. Comparability	65
21.1	Comparability	65
Article 2	22. Confidentiality	66
22.1	Confidentiality	66
22.1		
22.1	1	
22.1	.3 Release of Confidential Information	66
22.1	.4 Rights	67
22.1	5 No Warranties	67

22.1	.6 Standard of Care	67
22.1	.7 Order of Disclosure	67
22.1	.8 Termination of Agreement	67
22.1	.9 Remedies	68
22.1	.10 Disclosure to FERC, its Staff, or a State	68
Article 2		
Article 2		
24.1	Information Acquisition	
24.2	Information Submission by Distribution Provider	69
24.3	Updated Information Submission by Interconnection Customer	69
24.4	Information Supplementation	
Article 2	25. Information Access and Audit Rights	70
25.1	Information Access	
25.2	Reporting of Non-Uncontrollable Force Events	71
25.3	Audit Rights	71
25.4	Audit Rights Periods.	71
25.4	.1 Audit Rights Period for Construction-Related Accounts and Records	71
25.4		
25.5	Audit Results	72
Article 2	26. Subcontractors	72
26.1	General	72
26.2	Responsibility of Principal	
26.3	No Limitation by Insurance	
Article 2	27. Disputes	
27.1	Submission	72
27.2	External Arbitration Procedures	73
27.3	Arbitration Decisions	73
27.4	Costs	73
Article 2	28. Representations, Warranties, and Covenants	73
28.1	General	
28.1	.1 Good Standing	73
28.1	.2 Authority	74
28.1	.3 No Conflict	74
28.1	.4 Consent and Approval	74
Article 2	* *	
Article 3	30. Miscellaneous	74
30.1	Binding Effect	74
30.2	Conflicts	74
30.3	Rules of Interpretation	74
30.4	Entire Agreement	75
30.5	No Third Party Beneficiaries	
30.6	Waiver	
30.7	Headings	75
30.8	Multiple Counterparts	
30.9	Amendment	
30.10	Modification by the Parties	

30.11 30.12	Reservation of Rights	
1 1	A – Description of Interconnection Facilities, Network Upgrades, Distribution Costs and Financial Security	
Appendix	B – Milestones	
Appendix	C – Interconnection Details	
Appendix	D – Security Arrangements Details	
Appendix	E – Commercial Operation Date	
Appendix	F – Addresses for Delivery of Notices and Billings	
1 1	G – Interconnection Customer's Share of Costs of Network for Applicable Project Group	

GENERATOR INTERCONNECTION AGREEMENT

THIS GENERATOR INTERCON	NECTION AGRE	EEMENT ("GIA" or	
"Agreement") is made and entered on	2/8/2018	, by and between <u>Stanton</u>	
Energy Reliability Center, LLC, a limited lia	ability company org	ganized and existing under the	
laws of the State/Commonwealth of Delawa	re ("Interconnection	n Customer" with a Generating	
Facility), and Southern California Edison Co	ompany, a corporati	ion organized and existing under	
the laws of the State of California ("Distribu	ition Provider and/o	or Distribution Owner").	
Interconnection Customer and Distribution Provider each may be referred to as a "Party" or			
collectively as the "Parties."			

Recitals

WHEREAS, Distribution Provider operates the Distribution System; and

WHEREAS, Interconnection Customer intends to own, lease and/or control and operate the Generating Facility identified in Appendix C to this Agreement; and,

WHEREAS, Interconnection Customer and Distribution Provider have agreed to enter into this Agreement for the purpose of interconnecting the Generating Facility with the Distribution System;

NOW, THEREFORE, in consideration of and subject to the mutual covenants contained herein, it is agreed:

When used in this Generator Interconnection Agreement, terms with initial capitalization that are not defined in Article 1 shall have the meanings specified in the Article in which they are used or the Tariff.

Article 1. Definitions

Adverse System Impact shall mean the negative effects due to technical or operational limits on conductors or equipment being exceeded that may compromise the safety and reliability of the electric system.

Affected System shall mean an electric system other than the Distribution Provider's Distribution System that may be affected by the proposed interconnection.

Affected System Operator shall mean the entity that operates an Affected System.

Affiliate shall mean, with respect to a corporation, partnership or other entity, each such other corporation, partnership or other entity that directly or indirectly, through one or more intermediaries, controls, is controlled by, or is under common control with, such corporation, partnership or other entity.

Ancillary Services shall mean those services that are necessary to support the transmission of capacity and energy from resources to loads while maintaining reliable operation of the Distribution Provider's Distribution System in accordance with Good Utility Practice.

Annual Tax Security Reassessment shall mean the annual reassessment of the current tax liability in accordance with the directives of FERC Orders 2003-A and 2003-B associated with Article 5.17.4 of the GIA which will commence the first year after Interconnection Customer's in-service date.

Applicable Laws and Regulations shall mean all duly promulgated applicable federal, state and local laws, regulations, rules, ordinances, codes, decrees, judgments, directives, or judicial or administrative orders, permits and other duly authorized actions of any Governmental Authority.

Applicable Reliability Council shall mean the reliability council applicable to the Distribution System to which the Generating Facility is directly interconnected.

Applicable Reliability Standards shall mean the requirements and guidelines of NERC, the Applicable Reliability Council, and the Control Area of the Distribution System to which the Generating Facility is directly interconnected, including the requirements pursuant to Section 215 of the Federal Power Act.

Area Deliverability Constraint shall mean a Transmission System operating limit that either (a) would constrain the deliverability of a substantial number of generators if the ISO were to assign Full Capacity Deliverability Status or Partial Capacity Deliverability Status to additional generating facilities in one or more specified geographic or electrical areas of the ISO Grid in a total amount that is greater than the TP Deliverability for those areas; (b) constrains a quantity of generation in a local area of the grid that is larger than the generation amount identified in the applicable transmission planning process portfolio for the entire portfolio area; or (c) constrains all or most of the same generation already constrained by a previously identified Area Deliverability Constraint.

Area Delivery Network Upgrades shall mean a transmission upgrade or addition identified by the ISO to relieve an Area Deliverability Constraint.

Area Delivery Network Upgrades Cost shall mean the Interconnection Customer's allocated share of all costs, excluding One-Time Cost, determined by the Distribution Provider to be associated with the design, engineering, procurement, construction and installation of the Area Delivery Network Upgrades constructed and owned by the Distribution Provider. The Area Delivery Network Upgrades Cost is provided in Section 5 of Appendix A to the GIA.

Base Case shall mean data including, but not limited to, base power flow, short circuit, and stability data bases, underlying load, generation, and transmission facility assumptions, contingency lists, including relevant special protection systems, and transmission diagrams used to perform Phase I Interconnection and Phase II Interconnection Studies. The Base Case may

include Critical Energy Infrastructure Information (as that term is defined by FERC). The Base Case shall include transmission facilities as approved by the Distribution Provider or ISO, as applicable, and Distribution Upgrades and Network Upgrades associated with generating facilities in (iv) below and generating facilities that (i) are directly interconnected to the Distribution System or ISO Grid; (ii) are interconnected to Affected Systems and may have an impact on the Interconnection Request; (iii) have a pending request to interconnect to the Distribution System or an Affected System; or (iv) are not interconnected to the Distribution System or ISO Grid, but are subject to a fully executed generator interconnection agreement (or its equivalent predecessor agreement) has been requested to be filed with FERC.

Breach shall mean the failure of a Party to perform or observe any material term or condition of the GIA.

Breaching Party shall mean a Party that is in Breach of the GIA.

Business Day shall mean Monday through Friday, excluding Federal Holidays.

Calendar Day shall mean any day including Saturday, Sunday or a Federal Holiday.

Cluster Application Window shall mean a period of time specified by the Distribution Provider in which Interconnection Requests will be accepted for processing under the Cluster Study Process as set forth in Section 4.1 of the GIP.

Cluster Study Process shall mean the interconnection study process set forth in GIP Section 4.

Commercial Operation shall mean the status of a Generating Facility that has commenced generating electricity for sale, excluding electricity generated during Trial Operation.

Commercial Operation Date of an Electric Generating Unit shall mean the date on which an Electric Generating Unit at a Generating Facility commences Commercial Operation as agreed to by the Parties pursuant to Appendix E to the GIA.

Confidential Information shall mean any confidential, proprietary or trade secret information of a plan, specification, pattern, procedure, design, device, list, concept, policy or compilation relating to the present or planned business of a Party, which is designated as confidential by the Party supplying the information, whether conveyed orally, electronically, in writing, through inspection, or otherwise.

Construction Activities shall mean actions by the Distribution Provider that result in irrevocable financial commitments for the purchase of major electrical equipment or land for Distribution Provider's Interconnection Facilities, Distribution Upgrades, or Network Upgrades assigned to the Interconnection Customer that occur after receipt of the appropriate governmental

approvals needed for the Distribution Provider's Interconnection Facilities, Distribution Upgrades, or Network Upgrades.

Control Area shall mean an electrical system or systems bounded by interconnection metering and telemetry, capable of controlling generation to maintain its interchange schedule with other Control Areas and contributing to frequency regulation of the interconnection. A Control Area must be certified by the Applicable Reliability Council.

Customer-Financed Monthly Rate for Non-ISO-Controlled Facilities shall have the meaning assigned to it in Attachment J of the Tariff. The currently effective Customer-Financed Monthly Rate for Non-ISO-Controlled Facilities is as provided in Attachment J of the Tariff.

Default shall mean the failure of a Breaching Party to cure its Breach in accordance with Article 17 of the GIA.

Delivery Network Upgrades shall mean the transmission facilities at or beyond the point where the Distribution Provider's Distribution System interconnects to the ISO Grid, other than Reliability Network Upgrades, identified in the Interconnection Studies to relieve constraints on the ISO Grid. Delivery Network Upgrades may be further classified as Local Delivery Network Upgrades or Area Delivery Network Upgrades.

Dispute Resolution shall mean the procedure for resolution of a dispute between the Parties in which they will first attempt to resolve the dispute on an informal basis.

Distribution Owner shall mean an entity that owns, leases or otherwise possesses an interest in the portion of the Distribution System at the Point of Interconnection and may be a Party to the GIA to the extent necessary.

Distribution Provider shall mean the public utility (or its designated agent) that owns, controls, or operates transmission or distribution facilities used for the transmission of electricity in interstate commerce and provides transmission service under the Tariff. The term Distribution Provider should be read to include the Distribution Owner when the Distribution Owner is separate from the Distribution Provider.

Distribution Provider's Interconnection Facilities shall mean all facilities and equipment owned, controlled or operated by the Distribution Provider from the Point of Change of Ownership to the Point of Interconnection as identified in Appendix A to the GIA, including any modifications, additions or upgrades to such facilities and equipment. Distribution Provider's Interconnection Facilities are sole use facilities and shall not include Distribution Upgrades, Stand Alone Network Upgrades or Network Upgrades.

Distribution Service shall mean the wholesale distribution service provided under the Tariff.

Distribution System shall mean those non-ISO transmission and distribution facilities owned, controlled and operated by the Distribution Provider that are used to provide Distribution

Service under the Tariff, which facilities and equipment are used to transmit electricity to ultimate usage points such as homes and industries directly from nearby generators or from interchanges with higher voltage transmission networks which transport bulk power over longer distances. The voltage levels at which distribution systems operate differ among areas.

Distribution Upgrades shall mean the additions, modifications, and upgrades to the Distribution Provider's Distribution System at or beyond the Point of Interconnection to facilitate interconnection of the Generating Facility and render the transmission service necessary to effect Interconnection Customer's wholesale sale of electricity in interstate commerce. Distribution Upgrades do not include Interconnection Facilities.

Distribution Upgrades Charge shall mean the monthly charge to the Interconnection Customer to recover the revenue requirements for the Distribution Provider's Distribution Upgrades, calculated as the product of the Customer-Financed Monthly Rate for Non-ISO-Controlled Facilities and the Distribution Upgrades Cost. The Distribution Upgrades Charge is provided in Section 5 of Appendix A to the GIA.

Distribution Upgrades Completion Date shall mean the date upon which the construction of the Distribution Upgrades is complete and such facilities are successfully tested and ready for service.

Distribution Upgrades Cost shall mean the Interconnection Customer's allocated share of all costs, excluding One-Time Cost, determined by the Distribution Provider to be associated with the design, engineering, procurement, construction and installation of the Distribution Upgrades. The Distribution Upgrades Cost is provided in Section 5 of Appendix A to the GIA.

Effective Date shall mean the date on which the GIA becomes effective upon execution by the Parties subject to acceptance by FERC, or if filed unexecuted, upon the date specified by FERC.

Electric Generating Unit shall mean an individual electric generator and its associated plant and apparatus whose electrical output is capable of being separately identified and metered.

Emergency Condition shall mean a condition or situation: (1) that in the judgment of the Party making the claim is imminently likely to endanger life or property; or (2) that, in the case of a Distribution Provider, is imminently likely (as determined in a non-discriminatory manner) to cause a material adverse effect on the security of, or damage to Distribution Provider's Distribution System, Distribution Provider's Interconnection Facilities or the electric systems of others to which the Distribution Provider's Distribution System is directly connected; or (3) that, in the case of Interconnection Customer, is imminently likely (as determined in a non-discriminatory manner) to cause a material adverse effect on the security of, or damage to, the Generating Facility or Interconnection Customer's Interconnection Facilities. System restoration and black start shall be considered Emergency Conditions; provided, that Interconnection Customer is not obligated by the GIA to possess black start capability.

Engineering & Procurement (E&P) Agreement shall mean an agreement that authorizes the Distribution Provider to begin engineering and procurement of long lead-time items necessary for the establishment of the interconnection in order to advance the implementation of the Interconnection Request.

Environmental Law shall mean Applicable Laws and Regulations relating to pollution or protection of the environment or natural resources.

Federal Power Act shall mean the Federal Power Act, as amended, 16 U.S.C. §§ 791a <u>et seq.</u>

FERC shall mean the Federal Energy Regulatory Commission (Commission) or its successor.

Full Capacity Deliverability Status entitles a Generating Facility interconnected with the Distribution System to a Net Qualifying Capacity (as defined in the ISO Tariff) amount on the ISO Grid that could be as large as its Qualifying Capacity (as defined in the ISO Tariff) and may be less pursuant to the assessment of its Net Qualifying Capacity by the ISO.

Generating Facility shall mean Interconnection Customer's Electric Generating Unit(s) used for the production and/or storage for later injection of electricity identified in the Interconnection Request, but shall not include the Interconnection Customer's Interconnection Facilities.

Generating Facility Capacity shall mean the net capacity of the Generating Facility and the aggregate net capacity of the Generating Facility where it includes multiple Electric Generating Units.

Generator Interconnection Agreement (GIA) shall mean the form of interconnection agreement applicable to an Interconnection Request pertaining to a Generating Facility processed pursuant to the Cluster Study Process of the Generator Interconnection Procedures, a *pro forma* version of which is set forth in Appendix 5 to the GIP.

Generator Interconnection Procedures (GIP) shall mean the interconnection procedures applicable to an Interconnection Request pertaining to a Generating Facility set forth in Attachment I of the Distribution Provider's Tariff.

Generator Interconnection Study Process Agreement shall mean the agreement between the Distribution Customer and the Interconnection Customer for conducting the Interconnection Studies for a proposed Generating Facility under the Cluster Study Process, a *pro forma* version of which is set forth in Appendix 3 of the GIP.

Good Utility Practice shall mean any of the practices, methods and acts engaged in or approved by a significant portion of the electric industry during the relevant time period, or any of the practices, methods and acts which, in the exercise of reasonable judgment in light of the facts known at the time the decision was made, could have been expected to accomplish the

desired result at a reasonable cost consistent with good business practices, reliability, safety and expedition. Good Utility Practice is not intended to be limited to the optimum practice, method, or act to the exclusion of all others, but rather to be acceptable practices, methods, or acts generally accepted in the region.

Governmental Authority shall mean any federal, state, local or other governmental regulatory or administrative agency, court, commission, department, board, or other governmental subdivision, legislature, rulemaking board, tribunal, or other governmental authority having jurisdiction over the Parties, their respective facilities, or the respective services they provide, and exercising or entitled to exercise any administrative, executive, police, or taxing authority or power; provided, however, that such term does not include Interconnection Customer, Distribution Provider, or any Affiliate thereof.

Group Study shall mean the process whereby more than one Interconnection Request are studied together, instead of individually, for the purpose of conducting one or more of the Interconnection Studies or analyses therein.

Hazardous Substances shall mean any chemicals, materials or substances defined as or included in the definition of "hazardous substances," "hazardous wastes," "hazardous materials," "hazardous constituents," "restricted hazardous materials," "extremely hazardous substances," "toxic substances," "radioactive substances," "contaminants," "pollutants," "toxic pollutants" or words of similar meaning and regulatory effect under any applicable Environmental Law, or any other chemical, material or substance, exposure to which is prohibited, limited or regulated by any applicable Environmental Law.

Initial Synchronization Date shall mean the date upon which the Generating Facility is initially synchronized and upon which Trial Operation begins.

In-Service Date shall mean the date upon which the Interconnection Customer reasonably expects it will be ready to begin use of the Distribution Provider's Interconnection Facilities to obtain back feed power.

Interconnection Customer shall mean any entity, including the Distribution Provider, Distribution Owner or any of the Affiliates or subsidiaries of either, that proposes to interconnect its Generating Facility with the Distribution Provider's Distribution System.

Interconnection Customer's Interconnection Facilities shall mean all facilities and equipment, as identified in Appendix A of the GIA, that are located between the Generating Facility and the Point of Change of Ownership, including any modification, addition, or upgrades to such facilities and equipment necessary to physically and electrically interconnect the Generating Facility to the Distribution Provider's Distribution System. Interconnection Customer's Interconnection Facilities are sole use facilities.

Interconnection Facilities shall mean the Distribution Provider's Interconnection Facilities and the Interconnection Customer's Interconnection Facilities. Collectively, Interconnection Facilities include all facilities and equipment between the Generating Facility

and the Point of Interconnection, including any modification, additions or upgrades that are necessary to physically and electrically interconnect the Generating Facility to the Distribution Provider's Distribution System. Interconnection Facilities are sole use facilities and shall not include Distribution Upgrades, Stand Alone Network Upgrades or Network Upgrades.

Interconnection Facilities Charge shall mean the monthly charge to the Interconnection Customer to recover the revenue requirements for the Distribution Provider's Interconnection Facilities, calculated as the product of the Customer-Financed Monthly Rate for Non-ISO-Controlled Facilities and the Interconnection Facilities Cost. The Interconnection Facilities Charge is provided in Section 5 of Appendix A to the GIA.

Interconnection Facilities Completion Date shall mean the date upon which the construction of the Distribution Provider's Interconnection Facilities is complete and such facilities are successfully tested and ready for service.

Interconnection Facilities Cost shall mean all costs, excluding One-Time Cost, determined by the Distribution Provider to be associated with the design, engineering, procurement, construction and installation of the Distribution Provider's Interconnection Facilities. The Interconnection Facilities Cost is provided in Section 5 of Appendix A to the GIA.

Interconnection Financial Security shall have the meaning assigned to it in Section 4.8 of the GIP.

Interconnection Handbook shall mean a handbook, developed by the Distribution Provider and posted on the Distribution Provider's website or otherwise made available by the Distribution Provider, describing the technical and operational requirements for wholesale generators and loads connected to the Distribution System, as such handbook may be modified or superseded from time to time. Distribution Provider's standards contained in the Interconnection Handbook shall be deemed consistent with Good Utility Practice and Applicable Reliability Standards. In the event of a conflict between the terms of this GIA and the terms of the Distribution Provider's Interconnection Handbook, the terms in this GIA shall govern.

Interconnection Request shall mean an Interconnection Customer's request, in the form of Appendix 1 to the GIP, in accordance with the Tariff, to interconnect a new Generating Facility, or to increase the capacity of, or make a Material Modification to the operating characteristics of, an existing Generating Facility that is interconnected with the Distribution Provider's Distribution System.

Interconnection Service shall mean the service provided by the Distribution Provider associated with interconnecting the Interconnection Customer's Generating Facility to the Distribution Provider's Distribution System and enabling it to receive electric energy and capacity from the Generating Facility at the Point of Interconnection, pursuant to the terms of the GIA and, if applicable, the Distribution Provider's Tariff.

Interconnection Study shall mean any of the following studies: the Phase I Interconnection Study and the Phase II Interconnection Study described in Section 4.5 and Section 4.6 of the GIP.

Interconnection Study Cycle shall mean all requirements, actions, and respective obligations of the Distribution Provider and Interconnection Customer under the GIP applicable to an Interconnection Request submitted in a particular Cluster Application Window through execution by the parties of a GIA, or submission to FERC by Distribution Provider of an unexecuted GIA pursuant to Section 9 of the GIP.

IRS shall mean the Internal Revenue Service.

ISO shall mean the California Independent System Operator Corporation, a state-chartered, nonprofit, corporation that controls certain transmission facilities of all Participating Transmission Owners and dispatches certain generating units and loads.

ISO Grid shall mean the system of transmission lines and associated facilities of the Participating Transmission Owners that have been placed under the ISO's operational control.

ISO Tariff shall mean the California Independent System Operator Corporation Operating Agreement and Tariff, dated March 31, 1997, as it may be modified from time to time, and accepted by the FERC.

ISO's Generator Interconnection Procedures (ISO Tariff GIP) shall mean the procedures included in Appendix Y of the ISO Tariff to interconnect a Generating Facility directly to the ISO Grid, as such procedures may be modified from time to time, and accepted by the Commission.

ITCC (**Income Tax Component of Contribution**) shall have the meaning assigned to it in Attachment J of the Tariff.

Local Deliverability Constraint shall mean a Transmission System operating limit that would be exceeded if the ISO were to assign Full Capacity Deliverability Status or Partial Capacity Deliverability Status to one or more additional generating facilities interconnecting to the ISO Grid in a specific local area, and that is not an Area Deliverability Constraint.

Local Delivery Network Upgrades shall mean a transmission upgrade or addition identified by the ISO to relieve a Local Deliverability Constraint.

Local Delivery Network Upgrades Cost shall mean the Interconnection Customer's allocated share of all costs, excluding One-Time Cost, determined by the Distribution Provider to be associated with the design, engineering, procurement, construction and installation of the Local Delivery Network Upgrades constructed and owned by the Distribution Provider. The Local Delivery Network Upgrades Cost is provided in Section 5 of Appendix A to the GIA.

Loss shall mean any and all losses relating to injury to or death of any person or damage to property, demand, suits, recoveries, costs and expenses, court costs, attorney fees, and all other obligations by or to third parties, arising out of or resulting from the other Party's performance, or non-performance of its obligations under the GIA on behalf of the indemnifying Party, except in cases of gross negligence or intentional wrongdoing by the indemnifying Party.

Material Modification shall mean those modifications that have a material impact on the cost or timing of any Interconnection Request with a later queue priority date.

Metering Equipment shall mean all metering equipment installed or to be installed at the Generating Facility pursuant to the GIA at the metering points, including but not limited to instrument transformers, MWh-meters, data acquisition equipment, transducers, remote terminal unit, communications equipment, phone lines, and fiber optics.

NERC shall mean the North American Electric Reliability Corporation or its successor organization.

Network Upgrades shall mean Delivery Network Upgrades and Reliability Network Upgrades.

Notice of Dispute shall mean a written notice of a dispute or claim that arises out of or in connection with the GIA or its performance.

Off-Peak Deliverability Assessment shall mean the technical study performed under Section 4.5.4.2.2 of the GIP.

On-Peak Deliverability Assessment shall mean the technical study performed under Section 4.5.4.2.1 of the GIP.

One-Time Cost shall mean all costs determined by the Distribution Provider to be associated with the installation of the Distribution Provider's Interconnection Facilities, Distribution Upgrades, Reliability Network Upgrades, or Delivery Network Upgrades which are not capitalized. The One-Time Cost is provided in Section 5 of Appendix A to the GIA.

Operational Control shall mean the rights of the ISO under the Transmission Control Agreement and the ISO Tariff to direct the parties to the Transmission Control Agreement how to operate their transmission lines and facilities and other electric plant affecting the reliability of those lines and facilities for the purpose of affording comparable non-discriminatory transmission access and meeting applicable reliability criteria.

Option (A) **Generating Facility** shall mean a Generating Facility for which the Interconnection Customer has selected Option (A) as the deliverability option under GIP Section 4.6.2.

Option (B) Generating Facility shall mean a Generating Facility for which the Interconnection Customer has selected Option (B) as the deliverability option under GIP Section 4.6.2.

Partial Capacity Deliverability Status entitles a Generating Facility interconnected with the Distribution System to a Net Qualifying Capacity (as defined in the ISO Tariff) amount on the ISO Grid that cannot be larger than a specified amount of its Qualifying Capacity (as defined in the ISO Tariff), and may be less pursuant to the assessment of its Net Qualifying Capacity by the ISO.

Participating Transmission Owner shall mean an entity which (i) owns, operates, and maintains transmission lines and associated facilities and/or has entitlements to use certain transmission lines and associated facilities and (ii) has transferred to the ISO operational control of such facilities and/or entitlements to be made part of the ISO Grid.

Party or Parties shall mean Distribution Provider, Distribution Owner, Interconnection Customer or any combination of the above.

Phase I Interconnection Study shall mean an engineering study conducted by the Distribution Provider, that evaluates the impact of the proposed interconnection on the safety and reliability of the Distribution System, ISO Grid, and, if applicable, an Affected System. The portion of the study required to evaluate the impacts on the ISO Grid will be coordinated with the ISO and will be completed in a manner consistent with the ISO Tariff GIP. The study shall identify and detail the system impacts that would result if the Generating Facility(ies) were interconnected without identified project modifications or system modifications, as provided in the On-Peak Deliverability Assessment or Off-Peak Deliverability Assessment, and other potential impacts, including but not limited to those identified in the Scoping Meeting as described in the GIP. The study will also identify the approximate total costs of mitigating these impacts, along with an equitable allocation of those costs to Interconnection Customers for their individual Generating Facilities.

Phase II Interconnection Study shall mean an engineering and operational study conducted by the Distribution Provider to determine the Point of Interconnection and a list of facilities (including Distribution Provider's Interconnection Facilities, Network Upgrades, Distribution Upgrades, and Stand Alone Network Upgrades), the estimated cost of those facilities, and the estimated time required to interconnect the Generating Facility(ies) with the Distribution System. The portion of the study required to evaluate the impacts on the ISO Grid will be coordinated with the ISO and will be completed in a manner consistent with the ISO Tariff GIP.

Point of Change of Ownership shall mean the point, as set forth in Appendix A to the GIA, where the Interconnection Customer's Interconnection Facilities connect to the Distribution Provider's Interconnection Facilities.

Point of Interconnection shall mean the point, as set forth in Appendix A to the GIA, where the Interconnection Facilities connect to the Distribution Provider's Distribution System.

Pre-Construction Activities shall mean the actions by the Distribution Provider, other than those required by an Engineering and Procurement Agreement under Section 8 of the GIP, undertaken prior to Construction Activities in order to prepare for the construction of the Distribution Provider's Interconnection Facilities, Distribution Upgrades, or Network Upgrades assigned to the Interconnection Customer, including, but not limited to, preliminary engineering, permitting activities, environmental analysis, or other activities specifically needed to obtain governmental approvals for the Distribution Provider's Interconnection Facilities, Distribution Upgrades, or Network Upgrades.

Queue Cluster shall mean a set of Interconnection Requests in an Interconnection Study Cycle processed pursuant to the Cluster Study Process.

Reasonable Efforts shall mean, with respect to an action required to be attempted or taken by a Party under the GIA, efforts that are timely and consistent with Good Utility Practice and are otherwise substantially equivalent to those a Party would use to protect its own interests.

Reliability Network Upgrades shall mean the transmission facilities at or beyond the point where the Distribution Provider's Distribution System interconnects to the ISO Grid, necessary to interconnect one or more Generating Facility(ies) safely and reliably to the ISO Grid, which would not have been necessary but for the interconnection of one or more Generating Facility(ies), including Network Upgrades necessary to remedy short circuit or stability problems, or thermal overloads. Reliability Network Upgrades shall only be deemed necessary for system operating limits, occurring under any system condition, which system operating limits cannot be adequately mitigated through the ISO's congestion management, operating procedures, or special protection systems based on the characteristics of the Generating Facilities included in the Interconnection Studies, limitations on market models, systems, or information, or other factors specifically identified in the Interconnection Studies. Reliability Network Upgrades also include, consistent with the Applicable Reliability Council's practice and Applicable Reliability Standards, the facilities necessary to mitigate any adverse impact the Generating Facility's interconnection may have on a path's Applicable Reliability Council rating.

Reliability Network Upgrades Cost shall mean the Interconnection Customer's allocated share of all costs, excluding One-Time Cost, determined by the Distribution Provider to be associated with the design, engineering, procurement, construction and installation of the Reliability Network Upgrades. The Reliability Network Upgrades Cost is provided in Section 5 of Appendix A to the GIA.

Remedial Action Scheme (RAS) shall mean a scheme designed to detect predetermined system conditions and automatically take corrective actions that may include, but are not limited to, adjusting or tripping generation.

Results Meeting shall mean the meeting among the Distribution Provider, the Interconnection Customer, and, if applicable, the ISO and other Affected System operators to discuss the results of the Phase I Interconnection Study as set forth in Section 4.5.7 of the GIP.

Scoping Meeting shall mean the meeting between representatives of the Interconnection Customer and Distribution Provider, and if applicable, the ISO, conducted for the purpose of discussing alternative interconnection options, to exchange information including any transmission data and earlier study evaluations that would be reasonably expected to impact such interconnection options, to analyze such information, and to determine the potential feasible Points of Interconnection.

Site Exclusivity shall mean documentation reasonably demonstrating: (1) For private land: (a) Ownership of, a leasehold interest in, or a right to develop property upon which the Generating Facility will be located consisting of a minimum of 50% of the acreage reasonably necessary to accommodate the Generating Facility; or (b) an option to purchase or acquire a leasehold interest in property upon which the Generating Facility will be located consisting of a minimum of 50% of the acreage reasonably necessary to accommodate the Generating Facility. (2) For Public land, including that controlled or managed by any federal, state or local agency, a final, non-appealable permit, license, or other right to use the property for the purpose of generating electric power and in acreage reasonably necessary to accommodate the Generating Facility, which exclusive right to use public land under the management of the federal Bureau of Land Management shall be in a form specified by the Bureau of Land Management.

Site Exclusivity Deposit shall mean the cash deposit provided to the Distribution Provider by Interconnection Customers under Section 4.2.1 of the GIP as an option in lieu of demonstrating Site Exclusivity for a valid Interconnection Request and treated in accordance with Section 4.2.1.2 of the GIP.

Stand Alone Network Upgrades shall mean Network Upgrades that an Interconnection Customer may construct without affecting day-to-day operations of the Transmission System during their construction. Both the Distribution Provider and the Interconnection Customer must agree as to what constitutes Stand Alone Network Upgrades and identify them in Appendix A to the GIA.

System Protection Facilities shall mean the equipment, including necessary protection signal communications equipment, required to protect (1) the Distribution Provider's Distribution System, the ISO Grid, and Affected Systems from faults or other electrical disturbances occurring at the Generating Facility and (2) the Generating Facility from faults or other electrical system disturbances occurring on the Distribution Provider's Distribution System, the ISO Grid or on other delivery systems or other generating systems to which the Distribution Provider's Distribution System and Transmission System is directly connected.

Tariff shall mean the Wholesale Distribution Access Tariff, the Distribution Provider's Tariff through which open access transmission service and Interconnection Service are offered, as filed with FERC, and as amended or supplemented from time to time, or any successor tariff.

Tax Security shall mean the Interconnection Customer's provision of security with respect to the Interconnection Customer's tax indemnification obligations, provided in accordance with Article 5.17.3. The Tax Security is provided in Section 5 of Appendix A to the GIA.

TP Deliverability shall mean the capability, measured in MW, of the ISO Grid as modified by transmission upgrades and additions modeled or identified in the annual Transmission Plan to support the interconnection with Full Capacity Deliverability Status or Partial Capacity Deliverability Status of additional Generating Facilities in a specified geographic or electrical area of the ISO Grid.

Transmission Control Agreement shall mean ISO FERC Electric Tariff No. 7.

Transmission Plan shall mean the report prepared by the ISO on an annual basis pursuant to Section 24 of the ISO Tariff, which documents the outcome of the ISO's transmission planning process by which the ISO assesses the ISO Grid.

Transmission System shall mean those transmission facilities owned by the Distribution Provider that have been placed under the ISO's Operational Control and are part of the ISO Grid.

Trial Operation shall mean the period during which Interconnection Customer is engaged in on-site test operations and commissioning of the Generating Facility prior to Commercial Operation.

Uncontrollable Force shall mean any act of God, labor disturbance, act of the public enemy, war, insurrection, riot, fire, storm, flood, earthquake, explosion, breakage or accident to machinery or equipment, any curtailment, order, regulation or restriction imposed by governmental, military or lawfully established civilian authorities, or any other cause beyond the reasonable control of the Distribution Provider or Interconnection Customer which could not be avoided through the exercise of Good Utility Practice. An Uncontrollable Force event does not include acts of negligence or intentional wrongdoing by the Party claiming Uncontrollable Force.

Article 2. Effective Date, Term, and Termination

- **2.1 Effective Date.** This GIA shall become effective upon execution by the Parties subject to acceptance by FERC (if applicable), or if filed unexecuted, upon the date specified by FERC. Distribution Provider shall promptly file this GIA with FERC upon execution in accordance with Article 3.1, if required.
- **2.2 Term of Agreement.** Subject to the provisions of Article 2.3, this GIA shall remain in effect for a period of <u>twenty-five</u> (25) years from the Effective Date (term specified in individual agreements to be ten (10) years or such other longer period as the Interconnection Customer may request) and shall be automatically renewed for each successive one-year period thereafter.

2.3 Termination Procedures.

2.3.1 Written Notice. This GIA may be terminated by Interconnection Customer after giving Distribution Provider ninety (90) Calendar Days advance written notice, or by Distribution Provider notifying FERC after the Generating Facility permanently ceases Commercial Operation.

- **2.3.2 Default.** Either Party may terminate this GIA in accordance with Article 17.
- **2.3.3 Suspension of Work.** This GIA may be deemed terminated in accordance with Article 5.16.
- **2.3.4** Notwithstanding Articles 2.3.1 and 2.3.2, and 2.3.3, no termination shall become effective until the Parties have complied with all Applicable Laws and Regulations applicable to such termination, including the filing with FERC of a notice of termination of this GIA, which notice has been accepted for filing by FERC, and the Interconnection Customer has fulfilled its termination cost obligations under Article 2.4.
- 2.4 Termination Costs. If a Party elects to terminate this Agreement pursuant to Article 2.3 above, each Party shall pay all costs incurred (including any cancellation costs relating to orders or contracts for Interconnection Facilities and equipment) or charges assessed by the other Party, as of the date of the other Party's receipt of such notice of termination, that are the responsibility of the Terminating Party under this GIA. In the event of termination by a Party, the Parties shall use commercially Reasonable Efforts to mitigate the costs, damages and charges arising as a consequence of termination. Upon termination of this GIA, unless otherwise ordered or approved by FERC:
 - 2.4.1 With respect to any portion of Distribution Provider's Interconnection Facilities that have not yet been constructed or installed, Distribution Provider shall to the extent possible and with Interconnection Customer's authorization cancel any pending orders of, or return, any materials or equipment for, or contracts for construction of, such facilities; provided that in the event Interconnection Customer elects not to authorize such cancellation, Interconnection Customer shall assume all payment obligations with respect to such materials, equipment, and contracts, and Distribution Provider shall deliver such material and equipment, and, if necessary, assign such contracts, to Interconnection Customer as soon as practicable, at Interconnection Customer's expense. To the extent that Interconnection Customer has already paid Distribution Provider for any or all such costs of materials or equipment not taken by Interconnection Customer, Distribution Provider shall promptly refund such amounts to Interconnection Customer, less any costs, including penalties incurred by Distribution Provider to cancel any pending orders of or return such materials, equipment, or contracts.

If an Interconnection Customer terminates this GIA, it shall be responsible for all costs incurred in association with that Interconnection Customer's interconnection, including any cancellation costs relating to orders or contracts for Interconnection Facilities and equipment, and other expenses including any Distribution Upgrades and Network Upgrades for which Distribution Provider has incurred expenses and has not been reimbursed by Interconnection Customer.

- **2.4.2** Distribution Provider may, at its option, retain any portion of such materials, equipment, or facilities that Interconnection Customer chooses not to accept delivery of, in which case Distribution Provider shall be responsible for all costs associated with procuring such materials, equipment, or facilities.
- 2.4.3 With respect to any portion of the Interconnection Facilities, and any other facilities already installed or constructed pursuant to the terms of this GIA, Interconnection Customer shall be responsible for all costs associated with the removal, relocation or other disposition or retirement of such materials, equipment, or facilities.
- **2.5 Disconnection.** Upon termination of this GIA, the Parties will take all appropriate steps to disconnect the Generating Facility from the Distribution System. All costs required to effectuate such disconnection shall be borne by the terminating Party, unless such termination resulted from the non-terminating Party's Default of this GIA or such non-terminating Party otherwise is responsible for these costs under this GIA.
- **2.6 Survival.** This GIA shall continue in effect after termination to the extent necessary to provide for final billings and payments and for costs incurred hereunder, including billings and payments pursuant to this GIA; to permit the determination and enforcement of liability and indemnification obligations arising from acts or events that occurred while this GIA was in effect; and to permit each Party to have access to the lands of the other Party pursuant to this GIA or other applicable agreements, to disconnect, remove or salvage its own facilities and equipment.

Article 3. Regulatory Filings

3.1 Filing. Distribution Provider shall file this GIA (and any amendment hereto) with the appropriate Governmental Authority, if required. Interconnection Customer may request that any information so provided be subject to the confidentiality provisions of Article 22. If Interconnection Customer has executed this GIA, or any amendment thereto, Interconnection Customer shall reasonably cooperate with Distribution Provider with respect to such filing and to provide any information reasonably requested by Distribution Provider needed to comply with applicable regulatory requirements.

Article 4. Scope of Service

- 4.1 Interconnection Service. Interconnection Service allows Interconnection Customer to connect the Generating Facility to the Distribution System and be eligible to deliver the Generating Facility's output using the capacity of the Distribution System to the ISO Grid. To the extent Interconnection Customer wants to receive Interconnection Service, Distribution Provider shall construct facilities identified in Appendices A and C that the Distribution Provider is responsible to construct.
 - **4.1.1 Distribution Service Implications.** Interconnection Customer will be eligible to inject power from the Generating Facility into Distribution Provider's

Distribution System pursuant to the Tariff. The Interconnection Customer may not deliver power over the Distribution Provider's Distribution System absent procuring Distribution Service. The Interconnection Customer must apply for Distribution Service pursuant to Section 15.2 of the Tariff and meet the conditions specified in Section 14 of the Tariff to be eligible for Distribution Service.

- 4.1.2 Transmission Service Implications. Interconnection Service does not necessarily provide Interconnection Customer with the capability to physically deliver the output of its Generating Facility to any particular load on the ISO Grid without incurring congestion costs. In the event of transmission constraints on the ISO Grid, Interconnection Customer's Generating Facility shall be subject to the applicable congestion management procedures in the ISO Tariff in the same manner as all other resources. The Interconnection Customer shall be solely responsible for completing all of the necessary arrangements required under the ISO Tariff to be eligible to schedule the output of its resource.
- **4.2 Provision of Service.** Distribution Provider shall provide Interconnection Service for the Generating Facility at the Point of Interconnection.
- 4.3 Performance Standards. Each Party shall perform all of its obligations under this GIA in accordance with Applicable Laws and Regulations, Applicable Reliability Standards, and Good Utility Practice, and to the extent a Party is required or prevented or limited in taking any action by such regulations and standards, such Party shall not be deemed to be in Breach of this GIA for its compliance therewith. If such Party is a Distribution Provider or Distribution Owner, then that Party shall amend the GIA and submit the amendment to FERC for approval.
- **4.4 No Distribution Service or Transmission Service.** The execution of this GIA does not constitute a request for, nor the provision of, Distribution Service under the Tariff or any transmission service under the ISO Tariff.
- **4.5 Interconnection Customer Provided Services.** The services provided by Interconnection Customer under this GIA are set forth in Article 9.6 and Article 13.5.1. Interconnection Customer shall be paid for such services in accordance with Article 9.6.3.
- 4.6 TP Deliverability. To the extent that an Interconnection Customer is eligible for and has been allocated TP Deliverability pursuant to Section 8.9 of Appendix DD of the ISO Tariff, the Interconnection Customer's retention of such allocated TP Deliverability shall be contingent upon satisfying the obligations set forth in Section 4.6.13 of the GIP. In the event that the Interconnection Customer does not retain allocated TP Deliverability with regard to any portion of the Generating Facility, such portion of the Generating Facility shall be deemed to receive Interconnection Service under this GIA as Energy Only Deliverability Status (as such term is defined in the ISO Tariff).

Article 5. Interconnection Facilities Engineering, Procurement, and Construction

- **Options.** Unless otherwise mutually agreed to between the Parties, Interconnection Customer shall select the In-Service Date, Initial Synchronization Date, and Commercial Operation Date; and either Standard Option, Alternate Option, or, if eligible in accordance with ISO Tariff requirements, Merchant Option, set forth below for completion of Distribution Provider's Interconnection Facilities, Distribution Upgrades, and Network Upgrades as set forth in Appendix A, Interconnection Facilities, Distribution Upgrades, and Network Upgrades, and such dates and selected option shall be set forth in Appendix B, Milestones.
 - 5.1.1 Standard Option. Distribution Provider shall design, procure, and construct Distribution Provider's Interconnection Facilities, Distribution Upgrades, and Network Upgrades, using Reasonable Efforts to complete Distribution Provider's Interconnection Facilities, Distribution Upgrades, and Network Upgrades by the dates set forth in Appendix B, Milestones. Distribution Provider shall not be required to undertake any action which is inconsistent with its standard safety practices, its material and equipment specifications, its design criteria and construction procedures, its labor agreements, and Applicable Laws and Regulations. In the event Distribution Provider reasonably expects that it will not be able to complete Distribution Provider's Interconnection Facilities, Distribution Upgrades, and Network Upgrades by the specified dates, Distribution Provider shall promptly provide written notice to Interconnection Customer and shall undertake Reasonable Efforts to meet the earliest dates thereafter.
 - **5.1.2 Alternate Option.** If the dates designated by Interconnection Customer are acceptable to Distribution Provider, Distribution Provider shall so notify Interconnection Customer within thirty (30) Calendar Days, and shall assume responsibility for the design, procurement and construction of Distribution Provider's Interconnection Facilities and Distribution Upgrades by the designated dates.

If Distribution Provider subsequently fails to complete Distribution Provider's Interconnection Facilities and Distribution Upgrades by the In-Service Date, to the extent necessary to provide back feed power; or fails to complete Network Upgrades by the Initial Synchronization Date to the extent necessary to allow for Trial Operation at full power output, unless other arrangements are made by the Parties for such Trial Operation; or fails to complete the Network Upgrades by the Commercial Operation Date, as such dates are reflected in Appendix B, Milestones; Distribution Provider shall pay Interconnection Customer liquidated damages in accordance with Article 5.3, Liquidated Damages, provided, however, the dates designated by Interconnection Customer shall be extended day for day for each day that the ISO refuses to grant clearances to install equipment.

5.1.3 Option to Build. If the dates designated by Interconnection Customer are not acceptable to Distribution Provider, Distribution Provider shall so notify Interconnection Customer within thirty (30) Calendar Days, and unless the Parties agree otherwise, Interconnection Customer shall have the option to assume

responsibility for the design, procurement and construction of Distribution Provider's Interconnection Facilities and Stand Alone Network Upgrades on the dates specified in Article 5.1.2. Distribution Provider and Interconnection Customer must agree as to what constitutes Stand Alone Network Upgrades and identify such Stand Alone Network Upgrades in Appendix A. Except for Stand Alone Network Upgrades, Interconnection Customer shall have no right to construct Network Upgrades under this option. This provision only applies to Generating Facilities larger than 20 MW.

- 5.1.4 Negotiated Option. If Interconnection Customer elects not to exercise its option under Article 5.1.3, Option to Build, Interconnection Customer shall so notify Distribution Provider within thirty (30) Calendar Days, and the Parties shall in good faith attempt to negotiate terms and conditions (including revision of the specified dates and liquidated damages, the provision of incentives or the procurement and construction of a portion of Distribution Provider's Interconnection Facilities and Stand Alone Network Upgrades by Interconnection Customer) pursuant to which Distribution Provider is responsible for the design, procurement and construction of Distribution Provider's Interconnection Facilities, Distribution Upgrades, and Network Upgrades. If the Parties are unable to reach agreement on such terms and conditions, Distribution Provider shall assume responsibility for the design, procurement and construction of Distribution Provider's Interconnection Facilities, Distribution Upgrades, and Network Upgrades pursuant to 5.1.1, Standard Option.
- **5.1.5 Merchant Option.** In addition to any Option to Build set forth in Article 5.1.3 of this GIA, an Interconnection Customer having an Option (B) Generating Facility may elect, pursuant to the ISO Tariff, to have a party other than the Distribution Provider construct some or all of the Local Delivery Network Upgrades and Area Delivery Network Upgrades for which the Interconnection Customer has the obligation to fund and which are not subject to reimbursement. Such Local Delivery Network Upgrades and Area Delivery Network Upgrades will be constructed and incorporated into the ISO Grid pursuant to the provisions for merchant transmission facilities in ISO Tariff Sections 24.4.6.1 and 36.11.
- **5.2 General Conditions Applicable to Option to Build.** If Interconnection Customer assumes responsibility for the design, procurement and construction of Distribution Provider's Interconnection Facilities and Stand Alone Network Upgrades,
 - (1) Interconnection Customer shall engineer, procure equipment, and construct Distribution Provider's Interconnection Facilities and Stand Alone Network Upgrades (or portions thereof) using Good Utility Practice and using standards and specifications provided in advance by Distribution Provider;
 - (2) Interconnection Customer's engineering, procurement and construction of Distribution Provider's Interconnection Facilities and Stand Alone Network Upgrades shall comply with all requirements of law to which Distribution Provider would be subject in the engineering, procurement or construction of

Distribution Provider's Interconnection Facilities and Stand Alone Network Upgrades;

- (3) Distribution Provider shall review and approve the engineering design, equipment acceptance tests, and the construction of Distribution Provider's Interconnection Facilities and Stand Alone Network Upgrades;
- (4) prior to commencement of construction, Interconnection Customer shall provide to Distribution Provider a schedule for construction of Distribution Provider's Interconnection Facilities and Stand Alone Network Upgrades, and shall promptly respond to requests for information from Distribution Provider;
- (5) at any time during construction, Distribution Provider shall have the right to gain unrestricted access to Distribution Provider's Interconnection Facilities and Stand Alone Network Upgrades and to conduct inspections of the same;
- (6) at any time during construction, should any phase of the engineering, equipment procurement, or construction of Distribution Provider's Interconnection Facilities and Stand Alone Network Upgrades not meet the standards and specifications provided by Distribution Provider, Interconnection Customer shall be obligated to remedy deficiencies in that portion of Distribution Provider's Interconnection Facilities and Stand Alone Network Upgrades;
- (7) Interconnection Customer shall indemnify Distribution Provider for claims arising from Interconnection Customer's construction of Distribution Provider's Interconnection Facilities and Stand Alone Network Upgrades under the terms and procedures applicable to Article 18.1 Indemnity;
- (8) Interconnection Customer shall transfer control of Distribution Provider's Interconnection Facilities to the Distribution Provider and shall transfer Operational Control of Stand Alone Network Upgrades to the ISO;
- (9) Unless Parties otherwise agree, Interconnection Customer shall transfer ownership of Distribution Provider's Interconnection Facilities and Stand-Alone Network Upgrades to Distribution Provider;
- (10) Distribution Provider shall approve and accept for operation and maintenance Distribution Provider's Interconnection Facilities and Stand Alone Network Upgrades to the extent engineered, procured, and constructed in accordance with this Article 5.2; and
- (11) Interconnection Customer shall deliver to Distribution Provider "as-built" drawings, information, and any other documents that are reasonably required by Distribution Provider to assure that the Interconnection Facilities and Stand-Alone Network Upgrades are built to the standards and specifications required by Distribution Provider.

Distribution Provider's Interconnection Facilities, Distribution Upgrades, or Network Upgrades are not completed by the dates designated by Interconnection Customer and accepted by Distribution Provider pursuant to subparagraphs 5.1.2 or 5.1.4, above, may include Interconnection Customer's fixed operation and maintenance costs and lost opportunity costs. Such actual damages are uncertain and impossible to determine at this time. Because of such uncertainty, any liquidated damages paid by Distribution Provider to Interconnection Customer in the event that Distribution Provider does not complete any portion of Distribution Provider's Interconnection Facilities, Distribution Upgrades, or Network Upgrades by the applicable dates, shall be an amount equal to ½ of 1 percent per day of the actual cost of Distribution Provider's Interconnection Facilities, Distribution Upgrades, and Network Upgrades, in the aggregate, for which Distribution Provider has assumed responsibility to design, procure and construct.

However, in no event shall the total liquidated damages exceed 20 percent of the actual cost of Distribution Provider's Interconnection Facilities, Distribution Upgrades, and Network Upgrades for which Distribution Provider has assumed responsibility to design, procure, and construct. The foregoing payments will be made by Distribution Provider to Interconnection Customer as just compensation for the damages caused to Interconnection Customer, which actual damages are uncertain and impossible to determine at this time, and as reasonable liquidated damages, but not as a penalty or a method to secure performance of this GIA. Liquidated damages, when the Parties agree to them, are the exclusive remedy for the Distribution Provider's failure to meet its schedule.

No liquidated damages shall be paid to Interconnection Customer if: (1) Interconnection Customer is not ready to commence use of Distribution Provider's Interconnection Facilities, Distribution Upgrades, or Network Upgrades to take the delivery of power for the Generating Facility's Trial Operation or to export power from the Generating Facility on the specified dates, unless Interconnection Customer would have been able to commence use of Distribution Provider's Interconnection Facilities, Distribution Upgrades, or Network Upgrades to take the delivery of power for Generating Facility's Trial Operation or to export power from the Generating Facility, but for Distribution Provider's delay; (2) Distribution Provider's failure to meet the specified dates is the result of the action or inaction of Interconnection Customer or any other Interconnection Customer who has entered into a GIA with Distribution Provider, action or inaction by the ISO, or any cause beyond Distribution Provider's reasonable control or reasonable ability to cure; (3) the Interconnection Customer has assumed responsibility for the design, procurement and construction of Distribution Provider's Interconnection Facilities and Stand Alone Network Upgrades; or (4) the Parties have otherwise agreed.

Power System Stabilizers. The Interconnection Customer shall procure, install, maintain and operate Power System Stabilizers in accordance with Applicable Reliability Standards, the guidelines and procedures established by the Applicable Reliability Council, and in accordance with the provisions of Section 4.6.5.1 of the ISO Tariff.

Distribution Provider reserves the right to reasonably establish minimum acceptable settings for any installed Power System Stabilizers, subject to the design and operating limitations of the Generating Facility. If the Generating Facility's Power System Stabilizers are removed from service or not capable of automatic operation, Interconnection Customer shall immediately notify Distribution Provider and Distribution Provider's system operator, or its designated representative. The requirements of this paragraph shall not apply to wind generators of the induction type.

- **5.5 Equipment Procurement.** If responsibility for construction of Distribution Provider's Interconnection Facilities, Distribution Upgrades, or Network Upgrades is to be borne by Distribution Provider, then Distribution Provider shall commence design of Distribution Provider's Interconnection Facilities, Distribution Upgrades, or Network Upgrades and procure necessary equipment as soon as practicable after all of the following conditions are satisfied, unless the Parties otherwise agree in writing:
 - **5.5.1** Distribution Provider has completed the Interconnection Studies pursuant to the Generator Interconnection Study Process Agreement;
 - **5.5.2** Distribution Provider has received written authorization to proceed with design and procurement from Interconnection Customer by the date specified in Appendix B, Milestones; and
 - **5.5.3** Interconnection Customer has provided security to Distribution Provider in accordance with Article 11.5 by the dates specified in Appendix B, Milestones.
- **5.6 Construction Commencement.** Distribution Provider shall commence construction of Distribution Provider's Interconnection Facilities, Distribution Upgrades, and Network Upgrades for which it is responsible as soon as practicable after the following additional conditions are satisfied:
 - **5.6.1** Approval of the appropriate Governmental Authority has been obtained for any facilities requiring regulatory approval;
 - **5.6.2** Necessary real property rights and rights-of-way have been obtained, to the extent required for the construction of a discrete aspect of Distribution Provider's Interconnection Facilities, Distribution Upgrades, and Network Upgrades;
 - **5.6.3** Distribution Provider has received written authorization to proceed with construction from Interconnection Customer by the date specified in Appendix B, Milestones; and
 - **5.6.4** Interconnection Customer has provided security to Distribution Provider in accordance with Article 11.5 by the dates specified in Appendix B, Milestones.
- **5.7 Work Progress.** The Parties will keep each other advised periodically as to the progress of their respective design, procurement and construction efforts. Either Party may, at any

time, request a progress report from the other Party. If, at any time, Interconnection Customer determines that the completion of Distribution Provider's Interconnection Facilities will not be required until after the specified In-Service Date, Interconnection Customer will provide written notice to Distribution Provider of such later date upon which the completion of Distribution Provider's Interconnection Facilities will be required.

- **5.8 Information Exchange.** As soon as reasonably practicable after the Effective Date, the Parties shall exchange information regarding the design and compatibility of the Parties' Interconnection Facilities and compatibility of the Interconnection Facilities with Distribution Provider's Distribution System, and shall work diligently and in good faith to make any necessary design changes.
- 5.9 Limited Operation. If any of Distribution Provider's Interconnection Facilities, Distribution Upgrades, or Network Upgrades are not reasonably expected to be completed prior to the Commercial Operation Date of the Generating Facility, Distribution Provider shall, upon the request and at the expense of Interconnection Customer, perform operating studies on a timely basis to determine the extent to which the Generating Facility and Interconnection Customer's Interconnection Facilities may operate prior to the completion of Distribution Provider's Interconnection Facilities, Distribution Upgrades, or Network Upgrades consistent with Applicable Laws and Regulations, Applicable Reliability Standards, Good Utility Practice, and this GIA. Distribution Provider shall permit Interconnection Customer to operate the Generating Facility and Interconnection Customer's Interconnection Facilities in accordance with the results of such studies.
- **5.10 Interconnection Customer's Interconnection Facilities ('ICIF').** Interconnection Customer shall, at its expense, design, procure, construct, own and install the ICIF, as set forth in Appendix A, Interconnection Facilities, Network Upgrades and Distribution Upgrades.
 - **5.10.1** Interconnection Customer's Interconnection Facility Specifications.

Interconnection Customer shall submit initial specifications for the ICIF, including System Protection Facilities, to Distribution Provider at least one hundred eighty (180) Calendar Days prior to the Initial Synchronization Date; and final specifications for review and comment at least ninety (90) Calendar Days prior to the Initial Synchronization Date. Distribution Provider shall review such specifications to ensure that the ICIF are compatible with the technical specifications, operational control, and safety requirements of Distribution Provider and comment on such specifications within thirty (30) Calendar Days of Interconnection Customer's submission. All specifications provided hereunder shall be deemed confidential.

5.10.2 Distribution Provider's Review. Distribution Provider's review of Interconnection Customer's final specifications shall not be construed as confirming, endorsing, or providing a warranty as to the design, fitness, safety,

durability or reliability of the Generating Facility, or the ICIF. Interconnection Customer shall make such changes to the ICIF as may reasonably be required by Distribution Provider, in accordance with Good Utility Practice, to ensure that the ICIF are compatible with the technical specifications, operational control, and safety requirements of Distribution Provider.

- **5.10.3 ICIF Construction.** The ICIF shall be designed and constructed in accordance with Good Utility Practice. Within one hundred twenty (120) Calendar Days after the Commercial Operation Date, unless the Parties agree on another mutually acceptable deadline, Interconnection Customer shall deliver to Distribution Provider "as-built" drawings, information and documents for the ICIF, such as: a one-line diagram, a site plan showing the Generating Facility and the ICIF, plan and elevation drawings showing the layout of the ICIF, a relay functional diagram, relaying AC and DC schematic wiring diagrams and relay settings for all facilities associated with Interconnection Customer's step-up transformers, the facilities connecting the Generating Facility to the step-up transformers and the ICIF, and the impedances (determined by factory tests) for the associated step-up transformers and the Generating Facility. The Interconnection Customer shall provide Distribution Provider specifications for the excitation system, automatic voltage regulator, Generating Facility control and protection settings, transformer tap settings, and communications, if applicable.
- **5.10.4** Interconnection Customer to Meet Requirements of the Distribution Provider's Interconnection Handbook. The Interconnection Customer shall comply with the Distribution Provider's Interconnection Handbook. In the event of a conflict between the terms of this GIA and the terms of the Distribution Provider's Interconnection Handbook, the terms in this GIA shall govern.
- 5.11 Distribution Provider's Interconnection Facilities Construction. Distribution Provider's Interconnection Facilities shall be designed and constructed in accordance with Good Utility Practice. Upon request, within one hundred twenty (120) Calendar Days after the Commercial Operation Date, unless the Parties agree on another mutually acceptable deadline, Distribution Provider shall deliver to Interconnection Customer the following "as-built" drawings, information and documents for Distribution Provider's Interconnection Facilities [include appropriate drawings and relay diagrams]: No as-built drawings will be provided.

Distribution Provider will obtain control for operating and maintenance purposes of Distribution Provider's Interconnection Facilities and Stand Alone Network Upgrades upon completion of such facilities. Pursuant to Article 5.2, the ISO will obtain Operational Control of the Stand Alone Network Upgrades prior to the Commercial Operation Date.

5.12 Access Rights. Upon reasonable notice and supervision by a Party, and subject to any required or necessary regulatory approvals, a Party ("Granting Party") shall furnish at no cost to the other Party ("Access Party") any rights of use, licenses, rights of way and

easements with respect to lands owned or controlled by the Granting Party, its agents (if allowed under the applicable agency agreement), or any Affiliate, that are necessary to enable the Access Party to obtain ingress and egress to construct, operate, maintain, repair, test (or witness testing), inspect, replace or remove facilities and equipment to: (i) interconnect the Generating Facility with the Distribution System; (ii) operate and maintain the Generating Facility, the Interconnection Facilities and the Distribution System; and (iii) disconnect or remove the Access Party's facilities and equipment upon termination of this GIA. In exercising such licenses, rights of way and easements, the Access Party shall not unreasonably disrupt or interfere with normal operation of the Granting Party's business and shall adhere to the safety rules and procedures established in advance, as may be changed from time to time, by the Granting Party and provided to the Access Party.

- 5.13 Lands of Other Property Owners. If any part of Distribution Provider or Distribution Owner's Interconnection Facilities, Distribution Upgrades, and/or Network Upgrades is to be installed on property owned by persons other than Interconnection Customer or Distribution Provider or Distribution Owner, Distribution Provider or Distribution Owner shall at Interconnection Customer's expense use efforts, similar in nature and extent to those that it typically undertakes on its own behalf or on behalf of its Affiliates, including use of its eminent domain authority, and to the extent consistent with state law, to procure from such persons any rights of use, licenses, rights of way and easements that are necessary to construct, operate, maintain, test, inspect, replace or remove Distribution Provider or Distribution Owner's Interconnection Facilities, Distribution Upgrades, and/or Network Upgrades upon such property.
- **5.14 Permits.** Distribution Provider or Distribution Owner and Interconnection Customer shall cooperate with each other in good faith in obtaining all permits, licenses and authorizations that are necessary to accomplish the interconnection in compliance with Applicable Laws and Regulations. With respect to this paragraph, Distribution Provider or Distribution Owner shall provide permitting assistance to Interconnection Customer comparable to that provided to Distribution Provider's own, or an Affiliate's generation.
- 5.15 Early Construction of Base Case Facilities. Interconnection Customer may request Distribution Provider to construct, and Distribution Provider shall construct, using Reasonable Efforts to accommodate Interconnection Customer's In-Service Date, all or any portion of any Distribution Upgrades or Network Upgrades required for Interconnection Customer to be interconnected to the Distribution System which are included in the Base Case of the Facilities Study for Interconnection Customer, and which also are required to be constructed for another Interconnection Customer, but where such construction is not scheduled to be completed in time to achieve Interconnection Customer's In-Service Date.
- **5.16 Suspension.** Interconnection Customer reserves the right, upon written notice to Distribution Provider, to suspend at any time all work by Distribution Provider associated with the construction and installation of Distribution Provider's Interconnection Facilities, Distribution Upgrades, and/or Network Upgrades required under this GIA,

other than Network Upgrades identified in the Phase II Interconnection Study as common to multiple generating facilities, with the condition that Distribution System shall be left in a safe and reliable condition in accordance with Good Utility Practice and Distribution Provider's safety and reliability criteria. In such event, Interconnection Customer shall be responsible for all reasonable and necessary costs which Distribution Provider (i) has incurred pursuant to this GIA prior to the suspension and (ii) incurs in suspending such work, including any costs incurred to perform such work as may be necessary to ensure the safety of persons and property and the integrity of the Distribution System and Transmission System during such suspension and, if applicable, any costs incurred in connection with the cancellation or suspension of material, equipment and labor contracts which Distribution Provider cannot reasonably avoid; provided, however, that prior to canceling or suspending any such material, equipment or labor contract, Distribution Provider shall obtain Interconnection Customer's authorization to do so.

Network Upgrades common to multiple generating facilities, and to which the Interconnection Customer's right of suspension shall not extend, consist of Network Upgrades identified for:

- i. Generating facilities which are the subject of all Interconnection Requests made prior to the Interconnection Customer's Interconnection Request; or
- ii. Generating facilities which are the subject of Interconnection Requests within the Queue Cluster where the Interconnection Customer's request for Full Capacity Deliverability Status or Partial Capacity Deliverability Status is assessed; or
- iii. Generating facilities that are the subject of Interconnection Requests that were made after the Interconnection Customer's Interconnection Request but no later than the date on which the Interconnection Customer's Phase II Interconnection Study report was issued, and have been modeled in the Base Case at the time the Interconnection Customer seeks to exercise its suspension rights under this section.

Distribution Provider shall invoice Interconnection Customer for such costs pursuant to Article 12 and shall use due diligence to minimize its costs. In the event Interconnection Customer suspends work by Distribution Provider required under this GIA pursuant to this Article 5.16, and has not requested Distribution Provider to recommence the work or has not itself recommenced work required under this GIA on or before the expiration of three (3) years following commencement of such suspension, this GIA shall be deemed terminated and the Interconnection Customer's responsibility for costs will be determined in accordance with Article 2.4 of this GIA. The three-year period shall begin on the date the suspension is requested, or the date of the written notice to Distribution Provider, if no effective date is specified. The maximum three-year period shall apply to the projected Commercial Operation Date for the Generating Facility identified in the initial Interconnection Request, without regard to any subsequent changes to the dates set forth in the Interconnection Request, without regard to the milestone schedule dates set forth in Appendix B hereto or any changes to those dates, and without regard to any other

scheduled dates for action affecting the Generating Facility, Interconnection Facilities, or Network Upgrades or any changes to those dates.

5.17 Taxes.

- 5.17.1 Interconnection Customer Payments Not Taxable. The Parties intend that all payments or property transfers made by Interconnection Customer to Distribution Provider for the installation of Distribution Provider's Interconnection Facilities, Distribution Upgrades, and the Network Upgrades shall be non-taxable, either as contributions to capital, or as an advance, in accordance with the Internal Revenue Code and any applicable state income tax laws and shall not be taxable as contributions in aid of construction or otherwise under the Internal Revenue Code and any applicable state income tax laws.
- **5.17.2 Representations and Covenants.** In accordance with IRS Notice 2001-82 and IRS Notice 88-129, Interconnection Customer represents and covenants that (i) ownership of the electricity generated at the Generating Facility will pass to another party prior to the transmission of the electricity on the Distribution System, (ii) for income tax purposes, the amount of any payments and the cost of any property transferred to Distribution Provider for Distribution Provider's Interconnection Facilities will be capitalized by Interconnection Customer as an intangible asset and recovered using the straight-line method over a useful life of twenty (20) years, and (iii) any portion of Distribution Provider's Interconnection Facilities that is a "dual-use intertie," within the meaning of IRS Notice 88-129, is reasonably expected to carry only a de minimis amount of electricity in the direction of the Generating Facility. For this purpose, "de minimis amount" means no more than 5 percent of the total power flows in both directions, calculated in accordance with the "5 percent test" set forth in IRS Notice 88-129. This is not intended to be an exclusive list of the relevant conditions that must be met to conform to IRS requirements for non-taxable treatment.

At Distribution Provider's request, Interconnection Customer shall provide Distribution Provider with a report from an independent engineer confirming its representation in clause (iii), above. Distribution Provider represents and covenants that the cost of Distribution Provider's Interconnection Facilities paid for by Interconnection Customer will have no net effect on the base upon which rates are determined.

5.17.3 Indemnification for the Cost Consequences of Current Tax Liability Imposed Upon the Distribution Provider. Notwithstanding Article 5.17.1, Interconnection Customer shall protect, indemnify and hold harmless Distribution Provider from the cost consequences of any current tax liability imposed against Distribution Provider as the result of payments or property transfers made by Interconnection Customer to Distribution Provider under this GIA for Interconnection Facilities, as well as any interest and penalties, other than interest and penalties attributable to any delay caused by Distribution Provider.

Distribution Provider shall not include a gross-up for the cost consequences of any current tax liability in the amounts it charges Interconnection Customer under this GIA unless (i) Distribution Provider has determined, in good faith, that the payments or property transfers made by Interconnection Customer to Distribution Provider should be reported as income subject to taxation or (ii) any Governmental Authority directs Distribution Provider to report payments or property as income subject to taxation; provided, however, that Distribution Provider may require Interconnection Customer to provide security for Interconnection Facilities, in a form reasonably acceptable to Distribution Provider (such as a parental guarantee or a letter of credit), in an amount equal to the cost consequences of any current tax liability under this Article 5.17. Interconnection Customer shall reimburse Distribution Provider for such costs on a fully grossed-up basis, in accordance with Article 5.17.4, within thirty (30) Calendar Days of receiving written notification from Distribution Provider of the amount due, including detail about how the amount was calculated.

The indemnification obligation shall terminate at the earlier of (1) the expiration of the ten year testing period and the applicable statute of limitation, as it may be extended by Distribution Provider upon request of the IRS, to keep these years open for audit or adjustment, or (2) the occurrence of a subsequent taxable event and the payment of any related indemnification obligations as contemplated by this Article 5.17.

5.17.4 Tax Gross-Up Amount. Interconnection Customer's liability for the cost consequences of any current tax liability under this Article 5.17 shall be calculated on a fully grossed-up basis. Except as may otherwise be agreed to by the parties, this means that Interconnection Customer will pay Distribution Provider, in addition to the amount paid for the Interconnection Facilities, Distribution Upgrades, and Network Upgrades, an amount equal to (1) the current taxes imposed on Distribution Provider ("Current Taxes") on the excess of (a) the gross income realized by Distribution Provider as a result of payments or property transfers made by Interconnection Customer to Distribution Provider under this GIA (without regard to any payments under this Article 5.17) (the "Gross Income Amount") over (b) the present value of future tax deductions for depreciation that will be available as a result of such payments or property transfers (the "Present Value Depreciation Amount"), plus (2) an additional amount sufficient to permit Distribution Provider to receive and retain, after the payment of all Current Taxes, an amount equal to the net amount described in clause (1).

For this purpose, (i) Current Taxes shall be computed based on Distribution Provider's composite federal and state tax rates at the time the payments or property transfers are received and Distribution Provider will be treated as being subject to tax at the highest marginal rates in effect at that time (the "Current Tax Rate"), and (ii) the Present Value Depreciation Amount shall be computed by discounting Distribution Provider's anticipated tax depreciation deductions as a

result of such payments or property transfers by Distribution Provider's current weighted average cost of capital. Thus, the formula for calculating Interconnection Customer's liability to Distribution Owner pursuant to this Article 5.17.4 can be expressed as follows: (Current Tax Rate x (Gross Income Amount – Present Value of Tax Depreciation))/(1-Current Tax Rate). Interconnection Customer's estimated tax liability in the event taxes are imposed shall be stated in Appendix A, Interconnection Facilities, Network Upgrades and Distribution Upgrades.

5.17.5 Private Letter Ruling or Change or Clarification of Law. At Interconnection Customer's request and expense, Distribution Provider shall file with the IRS a request for a private letter ruling as to whether any property transferred or sums paid, or to be paid, by Interconnection Customer to Distribution Provider under this GIA are subject to federal income taxation. Interconnection Customer will prepare the initial draft of the request for a private letter ruling, and will certify under penalties of perjury that all facts represented in such request are true and accurate to the best of Interconnection Customer's knowledge. Distribution Provider and Interconnection Customer shall cooperate in good faith with respect to the submission of such request.

Distribution Provider shall keep Interconnection Customer fully informed of the status of such request for a private letter ruling and shall execute either a privacy act waiver or a limited power of attorney, in a form acceptable to the IRS, that authorizes Interconnection Customer to participate in all discussions with the IRS regarding such request for a private letter ruling. Distribution Provider shall allow Interconnection Customer to attend all meetings with IRS officials about the request and shall permit Interconnection Customer to prepare the initial drafts of any follow-up letters in connection with the request.

- 5.17.6 Subsequent Taxable Events. If, within 10 years from the date on which the relevant Distribution Provider's Interconnection Facilities are placed in service, (i) Interconnection Customer Breaches the covenants contained in Article 5.17.2, (ii) a "disqualification event" occurs within the meaning of IRS Notice 88-129, or (iii) this GIA terminates and Distribution Provider retains ownership of the Interconnection Facilities, Distribution Upgrades, and Network Upgrades, Interconnection Customer shall pay a tax gross-up for the cost consequences of any current tax liability imposed on Distribution Provider, calculated using the methodology described in Article 5.17.4 and in accordance with IRS Notice 90-60.
- **5.17.7 Contests.** In the event any Governmental Authority determines that Distribution Provider's receipt of payments or property constitutes income that is subject to taxation, Distribution Provider shall notify Interconnection Customer, in writing, within thirty (30) Calendar Days of receiving notification of such determination by a Governmental Authority. Upon the timely written request by Interconnection Customer and at Interconnection Customer's sole expense,

Distribution Provider may appeal, protest, seek abatement of, or otherwise oppose such determination. Upon Interconnection Customer's written request and sole expense, Distribution Provider may file a claim for refund with respect to any taxes paid under this Article 5.17, whether or not it has received such a determination. Distribution Provider reserves the right to make all decisions with regard to the prosecution of such appeal, protest, abatement or other contest, including the selection of counsel and compromise or settlement of the claim, but Distribution Provider shall keep Interconnection Customer informed, shall consider in good faith suggestions from Interconnection Customer about the conduct of the contest, and shall reasonably permit Interconnection Customer or an Interconnection Customer representative to attend contest proceedings.

Interconnection Customer shall pay to Distribution Provider on a periodic basis, as invoiced by Distribution Provider, Distribution Provider's documented reasonable costs of prosecuting such appeal, protest, abatement or other contest. At any time during the contest, Distribution Provider may agree to a settlement either with Interconnection Customer's consent or after obtaining written advice from nationally-recognized tax counsel, selected by Distribution Provider, but reasonably acceptable to Interconnection Customer, that the proposed settlement represents a reasonable settlement given the hazards of litigation. Interconnection Customer's obligation shall be based on the amount of the settlement agreed to by Interconnection Customer, or if a higher amount, so much of the settlement that is supported by the written advice from nationally-recognized tax counsel selected under the terms of the preceding sentence. The settlement amount shall be calculated on a fully-grossed-up basis to cover any related cost consequences of the current tax liability. Any settlement without Interconnection Customer's consent or such written advice will relieve Interconnection Customer from any obligation to indemnify Distribution Provider for the tax at issue in the contest.

5.17.8 Refund. In the event that (a) a private letter ruling is issued to Distribution Provider which holds that any amount paid or the value of any property transferred by Interconnection Customer to Distribution Provider under the terms of this GIA is not subject to federal income taxation, (b) any legislative change or administrative announcement, notice, ruling or other determination makes it reasonably clear to Distribution Provider in good faith that any amount paid or the value of any property transferred by Interconnection Customer to Distribution Provider under the terms of this GIA is not taxable to Distribution Provider, (c) any abatement, appeal, protest, or other contest results in a determination that any payments or transfers made by Interconnection Customer to Distribution Provider are not subject to federal income tax, or (d) if Distribution Provider receives a refund from any taxing authority for any overpayment of tax attributable to any payment or property transfer made by Interconnection Customer to Distribution Provider pursuant to this GIA, Distribution Provider shall promptly refund to Interconnection Customer the following:

- (i) any payment made by Interconnection Customer under this Article 5.17 for taxes that is attributable to the amount determined to be non-taxable, together with interest thereon,
- (ii) interest on any amounts paid by Interconnection Customer to Distribution Provider for such taxes which Distribution Provider did not submit to the taxing authority, calculated in accordance with the methodology set forth in FERC's regulations at 18 CFR §35.19a(a)(2)(iii) from the date payment was made by Interconnection Customer to the date Distribution Provider refunds such payment to Interconnection Customer, and
- (iii) with respect to any such taxes paid by Distribution Provider, any refund or credit Distribution Provider receives or to which it may be entitled from any Governmental Authority, interest (or that portion thereof attributable to the payment described in clause (i), above) owed to Distribution Provider for such overpayment of taxes (including any reduction in interest otherwise payable by Distribution Provider to any Governmental Authority resulting from an offset or credit); provided, however, that Distribution Provider will remit such amount promptly to Interconnection Customer only after and to the extent that Distribution Provider has received a tax refund, credit or offset from any Governmental Authority for any applicable overpayment of income tax related to Distribution Provider's Interconnection Facilities.

The intent of this provision is to leave the Parties, to the extent practicable, in the event that no taxes are due with respect to any payment for Interconnection Facilities, Distribution Upgrades, and Network Upgrades hereunder, in the same position they would have been in had no such tax payments been made.

5.17.9 Taxes Other Than Income Taxes. Upon the timely request by Interconnection Customer, and at Interconnection Customer's sole expense, Distribution Provider may appeal, protest, seek abatement of, or otherwise contest any tax (other than federal or state income tax) asserted or assessed against Distribution Provider for which Interconnection Customer may be required to reimburse Distribution Provider under the terms of this GIA. Interconnection Customer shall pay to Distribution Provider on a periodic basis, as invoiced by Distribution Provider, Distribution Provider's documented reasonable costs of prosecuting such appeal, protest, abatement, or other contest. Interconnection Customer and Distribution Provider shall cooperate in good faith with respect to any such contest. Unless the payment of such taxes is a prerequisite to an appeal or abatement or cannot be deferred, no amount shall be payable by Interconnection Customer to Distribution Provider for such taxes until they are assessed by a final, non-appealable order by any court or agency of competent jurisdiction. In the event that a tax payment is withheld and ultimately due and payable after appeal, Interconnection Customer

will be responsible for all taxes, interest and penalties, other than penalties attributable to any delay caused by Distribution Provider.

- **5.17.10 Distribution Owners Who Are Not Distribution Providers.** If Distribution Provider is not the same entity as the Distribution Owner, then (i) all references in this Article 5.17 to Distribution Provider shall be deemed also to refer to and to include the Distribution Owner, as appropriate, and (ii) this GIA shall not become effective until such Distribution Owner shall have agreed in writing to assume all of the duties and obligations of Distribution Provider under this Article 5.17 of this GIA.
- **5.18 Tax Status.** Each Party shall cooperate with the other to maintain the other Party's tax status. Nothing in this GIA is intended to adversely affect any Distribution Provider's tax exempt status with respect to the issuance of bonds including, but not limited to, Local Furnishing Bonds.

5.19 Modification.

5.19.1 General. Either Party may undertake modifications to its facilities. If a Party plans to undertake a modification that reasonably may be expected to affect the other Party's facilities, that Party shall provide to the other Party sufficient information regarding such modification so that the other Party may evaluate the potential impact of such modification prior to commencement of the work. Such information shall be deemed to be confidential hereunder and shall include information concerning the timing of such modifications and whether such modifications are expected to interrupt the flow of electricity from the Generating Facility. The Party desiring to perform such work shall provide the relevant drawings, plans, and specifications to the other Party at least ninety (90) Calendar Days in advance of the commencement of the work or such shorter period upon which the Parties may agree, which agreement shall not unreasonably be withheld, conditioned or delayed.

In the case of Generating Facility modifications that do not require Interconnection Customer to submit an Interconnection Request, Distribution Provider shall provide, within thirty (30) Calendar Days (or such other time as the Parties may agree), an estimate of any additional modifications to the Distribution System, Distribution Provider's Interconnection Facilities, Distribution Upgrades, or Network Upgrades necessitated by such Interconnection Customer modification and a good faith estimate of the costs thereof.

- **5.19.2 Standards.** Any additions, modifications, or replacements made to a Party's facilities shall be designed, constructed and operated in accordance with this GIA and Good Utility Practice.
- **5.19.3 Modification Costs.** Interconnection Customer shall not be directly assigned for the costs of any additions, modifications, or replacements that Distribution

Provider makes to Distribution Provider's Interconnection Facilities or the Distribution System to facilitate the interconnection of a third party to Distribution Provider's Interconnection Facilities or the Distribution System, or to provide transmission service to a third party under Distribution Provider's Tariff. Interconnection Customer shall be responsible for the costs of any additions, modifications, or replacements to Interconnection Customer's Interconnection Facilities that may be necessary to maintain or upgrade such Interconnection Customer's Interconnection Facilities consistent with Applicable Laws and Regulations, Applicable Reliability Standards or Good Utility Practice.

5.19.4 Permitted Reductions in Output Capacity (MW Generating Capacity) of the Generating Facility. An Interconnection Customer may reduce the MW capacity of the Generating Facility by up to five percent (5%) for any reason during the time period between the Effective Date of this GIA and the Commercial Operation Date. The five percent (5%) value shall be established by reference to the MW generating capacity as set forth in Appendix C.

The Distribution Provider will consider an Interconnection Customer's request for a reduction in the MW generating capacity greater than five percent (5%) under limited conditions where the Interconnection Customer reasonably demonstrates to the Distribution Provider that the MW generation capacity reduction is warranted due to reasons beyond the control of the Interconnection Customer. Reasons beyond the control of the Interconnection Customer shall consist of any one or more of the following:

- (i) The Interconnection Customer's failure to secure required permits and other governmental approvals to construct the Generating Facility at its total MW generating capacity as specified in Appendix C after the Interconnection Customer has made diligent effort to secure such permits or approvals;
- (ii) The Interconnection Customer's receipt of a written statement from the permitting or approval authority (such as a draft environmental impact report) indicating that construction of a Generating Facility of the total MW generating capacity size specified in Appendix C will likely result in disapproval due to a significant environmental or other impact that cannot be mitigated;
- (iii) Failure to obtain the legal right of use of the full site acreage necessary to construct and/or operate the total MW generating capacity size for the entire Generating Facility specified in Appendix C, after the Interconnection Customer has made a diligent attempt to secure such legal right of use. This subsection (iii) applies only where an Interconnection Customer has previously demonstrated and maintained its demonstration of Site Exclusivity prior to invoking this subsection as a reason for downsizing.

If relying on subsection (i) or (ii) above, in order to be eligible for a capacity reduction greater than five percent (5%), the Interconnection Customer must also demonstrate to the Distribution Provider that a reduction of MW generating capacity of the Generating Facility to the reduced size that the Interconnection Customer proposes will likely overcome the objection of the permitting/approving authority or otherwise cause the permitting/approving authority to grant the permit or approval. The Interconnection Customer may satisfy this demonstration requirement by submitting to the Distribution Provider either a writing from the permitting/approving authority to this effect or other evidence of a commitment by the permitting/approving authority that the MW capacity reduction will remove the objections of the authority to the permit/approval application.

If relying on subsection (iii) above, the Interconnection Customer must also reasonably demonstrate to the Distribution Provider that the proposed reduced-capacity Generating Facility can be constructed on the site over which the Interconnection Customer has been able to obtain legal rights of use.

Upon such demonstration to the reasonable satisfaction of the Distribution Provider, the Distribution Provider will permit such reduction. No permitted reduction of MW generation capacity under this Article shall operate to diminish the Interconnection Customer's cost responsibility for Network Upgrades or to diminish the Interconnection Customer's right to repayment for financing of Network Upgrades under this GIA.

5.20 Annual Reassessment Process. In accordance with Section 7.4 of Appendix DD of the ISO Tariff, the ISO will perform an annual reassessment, as part of a Queue Cluster interconnection study cycle, in which it will update certain base case data prior to beginning the Phase II Interconnection Studies. As set forth in Section 7.4 of Appendix DD of the ISO Tariff, the ISO may determine through this assessment that Delivery Network Upgrades already identified and included in executed generator interconnection agreements should be modified in order to reflect the current circumstances of interconnection customers in the queue, including any withdrawals therefrom, and any additions and upgrades approved in the ISO's most recent transmission planning process cycle. To the extent that this determination modifies the scope or characteristics of, or the cost responsibility for, any Delivery Network Upgrades set forth in Appendix A to this GIA, such modification(s) will be reflected through an amendment to this GIA.

Article 6. Testing and Inspection

Operation Date, Distribution Provider shall test Distribution Provider's Interconnection Facilities, Distribution Upgrades, and Network Upgrades and Interconnection Customer shall test the Generating Facility and Interconnection Customer's Interconnection Facilities to ensure their safe and reliable operation. Similar testing may be required after initial operation. Each Party shall make any modifications to its facilities that are found to be necessary as a result of such testing. Interconnection Customer shall bear the cost of all such testing and modifications. The Interconnection Customer shall not commence

initial parallel operation of an Electric Generating Unit with the Distribution Provider's Distribution System until the Distribution Provider provides prior written approval as set forth in Appendix B, Milestones, which approval shall not be unreasonably withheld, for operation of such Electric Generating Unit. Interconnection Customer shall generate test energy at the Generating Facility only if it has arranged for the delivery of such test energy.

- **6.2 Post-Commercial Operation Date Testing and Modifications.** Each Party shall at its own expense perform routine inspection and testing of its facilities and equipment in accordance with Good Utility Practice as may be necessary to ensure the continued interconnection of the Generating Facility with the Distribution System in a safe and reliable manner. Each Party shall have the right, upon advance written notice, to require reasonable additional testing of the other Party's facilities, at the requesting Party's expense, as may be in accordance with Good Utility Practice.
- **Right to Observe Testing.** Each Party shall notify the other Party in advance of its performance of tests of its Interconnection Facilities. The other Party has the right, at its own expense, to observe such testing.
- **Right to Inspect.** Each Party shall have the right, but shall have no obligation to: (i) observe the other Party's tests and/or inspection of any of its System Protection Facilities and other protective equipment, including Power System Stabilizers; (ii) review the settings of the other Party's System Protection Facilities and other protective equipment; and (iii) review the other Party's maintenance records relative to the Interconnection Facilities, the System Protection Facilities and other protective equipment. A Party may exercise these rights from time to time as it deems necessary upon reasonable notice to the other Party. The exercise or non-exercise by a Party of any such rights shall not be construed as an endorsement or confirmation of any element or condition of the Interconnection Facilities or the System Protection Facilities or other protective equipment or the operation thereof, or as a warranty as to the fitness, safety, desirability, or reliability of same. Any information that a Party obtains through the exercise of any of its rights under this Article 6.4 shall be deemed to be Confidential Information and treated pursuant to Article 22 of this GIA.

Article 7. Metering

7.1 General. Each Party shall comply with any Applicable Reliability Standards and the Applicable Reliability Council requirements. The Interconnection Customer shall comply with the provisions of the ISO Tariff regarding metering, including Section 10 of the ISO Tariff. Unless otherwise agreed by the Parties, Distribution Provider may install additional Metering Equipment at the Point of Interconnection prior to any operation of the Generating Facility and shall own, operate, test and maintain such Metering Equipment. Power flows to and from the Generating Facility shall be measured at or, at Distribution Provider's option, compensated to, the Point of Interconnection. Interconnection Customer's access to meter data shall be provided in accordance with the ISO Tariff. Interconnection Customer shall bear all reasonable documented costs

- associated with the purchase, installation, operation, testing and maintenance of the Metering Equipment.
- 7.2 Check Meters. Interconnection Customer, at its option and expense, may install and operate, on its premises and on its side of the Point of Interconnection, one or more check meters to check the ISO-polled meters or Distribution Provider's meters. Such check meters shall be for check purposes only and shall not be used for the measurement of power flows for purposes of this GIA, except in the case that no other means are available on a temporary basis at the option of the Distribution Provider. The check meters shall be subject at all reasonable times to inspection and examination by Distribution Provider or its designee. The installation, operation and maintenance thereof shall be performed entirely by Interconnection Customer in accordance with Good Utility Practice.
- **7.3 Distribution Provider Retail Metering.** Distribution Provider may install retail revenue quality meters and associated equipment, pursuant to the Distribution Provider's applicable retail tariffs.

Article 8. Communications

- 8.1 Interconnection Customer Obligations. Interconnection Customer shall maintain satisfactory operating communications with Distribution Provider's Distribution System dispatcher or representative designated by Distribution Provider. Interconnection Customer shall provide standard voice line, dedicated voice line and facsimile communications at its Generating Facility control room or central dispatch facility through use of either the public telephone system, or a voice communications system that does not rely on the public telephone system. Interconnection Customer shall also provide the dedicated data circuit(s) necessary to provide Interconnection Customer data to Distribution Provider as set forth in Appendix D, Security Arrangements Details. The data circuit(s) shall extend from the Generating Facility to the location(s) specified by Distribution Provider. Any required maintenance of such communications equipment shall be performed by Interconnection Customer. Operational communications shall be activated and maintained under, but not be limited to, the following events: system paralleling or separation, scheduled and unscheduled shutdowns, equipment clearances, and hourly and daily load data.
- 8.2 Remote Terminal Unit. Prior to the Initial Synchronization Date of the Generating Facility, a Remote Terminal Unit, or equivalent data collection and transfer equipment acceptable to the Parties, shall be installed by Interconnection Customer, or by Distribution Provider at Interconnection Customer's expense, to gather accumulated and instantaneous data to be telemetered to the location(s) designated by Distribution Provider through use of a dedicated point-to-point data circuit(s) as indicated in Article 8.1. The communication protocol for the data circuit(s) shall be specified by Distribution Provider. Instantaneous bi-directional analog real power and reactive power flow information must be telemetered directly to the location(s) specified by Distribution Provider.

Each Party will promptly advise the other Party if it detects or otherwise learns of any metering, telemetry or communications equipment errors or malfunctions that require the attention and/or correction by the other Party. The Party owning such equipment shall correct such error or malfunction as soon as reasonably feasible.

8.3 No Annexation. Any and all equipment placed on the premises of a Party shall be and remain the property of the Party providing such equipment regardless of the mode and manner of annexation or attachment to real property, unless otherwise mutually agreed by the Parties.

Article 9. Operations

- **9.1 General.** Each Party shall comply with Applicable Reliability Standards and the Applicable Reliability Council requirements. Each Party shall provide to the other Party all information that may reasonably be required by the other Party to comply with Applicable Laws and Regulations and Applicable Reliability Standards.
- 9.2 Control Area Notification. At least three months before Initial Synchronization Date, Interconnection Customer shall notify Distribution Provider in writing of the Control Area in which the Generating Facility will be located. If Interconnection Customer elects to locate the Generating Facility in a Control Area other than the Control Area in which the Generating Facility is physically located, and if permitted to do so by the relevant transmission tariffs, all necessary arrangements, including but not limited to those set forth in Article 7 and Article 8 of this GIA, and remote Control Area generator interchange agreements, if applicable, and the appropriate measures under such agreements, shall be executed and implemented prior to the placement of the Generating Facility in the other Control Area.
- 9.3 Distribution Provider Obligations. Distribution Provider shall cause the Distribution System and Distribution Provider's Interconnection Facilities to be operated, maintained and controlled in a safe and reliable manner and in accordance with this GIA. Distribution Provider may provide operating instructions to Interconnection Customer consistent with this GIA and Distribution Provider's operating protocols and procedures as they may change from time to time. Distribution Provider will consider changes to its operating protocols and procedures proposed by Interconnection Customer.
- 9.4 Interconnection Customer Obligations. Interconnection Customer shall at its own expense operate, maintain and control the Generating Facility and Interconnection Customer's Interconnection Facilities in a safe and reliable manner and in accordance with this GIA. Interconnection Customer shall operate the Generating Facility and Interconnection Customer's Interconnection Facilities in accordance with all applicable requirements of the Control Area of which it is part, as such requirements are set forth in Appendix C, Interconnection Details, of this GIA. Appendix C, Interconnection Details, will be modified to reflect changes to the requirements as they may change from time to

time. Either Party may request that the other Party provide copies of the requirements set forth in Appendix C, Interconnection Details, of this GIA.

9.5 Start-Up and Synchronization. Consistent with the Parties' mutually acceptable procedures, Interconnection Customer is responsible for the proper synchronization of the Generating Facility to Distribution Provider's Distribution System.

9.6 Reactive Power.

9.6.1 Power Factor Design Criteria.

9.6.1.1 Synchronous Generation. Interconnection Customer shall design the Generating Facility to maintain a composite power delivery at continuous rated power output at the Point of Interconnection at a power factor within the range of 0.95 leading to 0.95 lagging, unless the Distribution Provider has established different requirements that apply to all synchronous generators in the Control Area on a comparable basis.

9.6.1.2 Non-Synchronous Generation. Interconnection Customer shall design the Generating Facility to maintain a composite power delivery at continuous rated power output at the high-side of the generator substation, or equivalent location when there is not a generator substation, at a power factor within the range of 0.95 leading to 0.95 lagging, unless the Distribution Provider has established a different power factor range that applies to all non-synchronous generators in the Control Area on a comparable basis. This power factor range standard shall be dynamic and can be met using, for example, power electronics designed to supply this level of reactive capability (taking into account any limitations due to voltage level, real power output, etc.) or fixed and switched capacitors, or a combination of the two. This requirement shall only apply to newly interconnecting non-synchronous generators that have not yet submitted the initial posting of Interconnection Financial Security as of the effective date of the Final Rule establishing this requirement (Order No. 827).

Newly interconnecting non-synchronous generators that have submitted the initial posting of Interconnection Financial Security and have not executed a GIA, or requested the filing of an unexecuted GIA, as of the effective date of the Final Rule, will be required to maintain a composite power delivery at continuous rated power output at the Point of Interconnection at a power factor within the range of 0.95 leading to 0.95 lagging, if an Interconnection Study shows that such a requirement is necessary to ensure safety or reliability.

9.6.2 Voltage Schedules. Once Interconnection Customer has synchronized the Generating Facility with the Distribution System, Distribution Provider shall require Interconnection Customer to operate the Generating Facility to produce or absorb reactive power within the design limitations of the Generating Facility set forth in Article 9.6.1 (Power Factor Design Criteria). Distribution Provider's voltage schedules shall treat all sources of reactive power interconnected with the

Distribution System in an equitable and not unduly discriminatory manner and consistent with the applicable requirements of the ISO Tariff. Distribution Provider shall exercise Reasonable Efforts to provide Interconnection Customer with such schedules at least one (1) day in advance, and may make changes to such schedules as necessary to maintain the reliability of the Distribution System and Transmission System. Interconnection Customer shall operate the Generating Facility to maintain the specified output voltage or power factor at the Point of Interconnection within the design limitations of the Generating Facility set forth in Article 9.6.1 (Power Factor Design Criteria). If Interconnection Customer is unable to maintain the specified voltage or power factor, it shall promptly notify the Distribution Provider and the ISO.

- **9.6.2.1 Governors and Regulators.** Whenever the Generating Facility is operated in parallel with the Distribution System and the speed governors (if installed on the generating unit pursuant to Good Utility Practice) and voltage regulators are capable of operation, Interconnection Customer shall operate the Generating Facility with its speed governors and voltage regulators in automatic operation. If the Generating Facility's speed governors and voltage regulators are not capable of such automatic operation, Interconnection Customer shall immediately notify Distribution Provider and the ISO, and ensure that the Electric Generating Unit operates as specified in Article 9.6.2 through manual operation and that such Generating Facility's reactive power production or absorption (measured in MVARs) are within the design capability of the Generating Facility's generating unit(s) and steady state stability limits. Interconnection Customer shall not cause its Generating Facility to disconnect automatically or instantaneously from the Distribution System or trip any generating unit comprising the Generating Facility for an under or over frequency condition unless the abnormal frequency condition persists for a time period beyond the limits set forth in ANSI/IEEE Standard C37.106, or such other standard as applied to other generators in the Control Area on a comparable basis.
- **9.6.3 Payment for Reactive Power.** Payment to Interconnection Customer for reactive power that Interconnection Customer provides or absorbs from the Generating Facility when the ISO requests Interconnection Customer to operate its Generating Facility outside the range specified in Article 9.6.1 will be made by the ISO in accordance with the applicable provisions of the ISO Tariff.
- 9.7 Outages and Interruptions.
 - **9.7.1** Outages.
 - **9.7.1.1 Outage Authority and Coordination.** Each Party may in accordance with Good Utility Practice in coordination with the other Party remove from service any of its respective Interconnection Facilities or Network

Upgrades that may impact the other Party's facilities as necessary to perform maintenance or testing or to install or replace equipment. Absent an Emergency Condition, the Party scheduling a removal of such facility(ies) from service will use Reasonable Efforts to schedule such removal on a date and time mutually acceptable to the Parties. In all circumstances, any Party planning to remove such facility(ies) from service shall use Reasonable Efforts to minimize the effect on the other Party of such removal.

- 9.7.1.2 Outage Schedules. Interconnection Customer shall submit its planned maintenance schedules for the Generating Facility to Distribution Provider for a minimum of a rolling twenty-four month period. Interconnection Customer shall update its planned maintenance schedules as necessary. Distribution Provider may request Interconnection Customer to reschedule its maintenance as necessary to maintain the reliability of the Distribution System and Transmission System. Distribution Provider shall compensate Interconnection Customer for any additional direct costs that Interconnection Customer incurs as a result of having to reschedule maintenance, including any additional overtime, breaking of maintenance contracts or other costs above and beyond the cost Interconnection Customer would have incurred absent Distribution Provider's request to reschedule maintenance. Interconnection Customer will not be eligible to receive compensation, if during the twelve (12) months prior to the date of the scheduled maintenance, Interconnection Customer had modified its schedule of maintenance activities. Distribution Provider shall have no obligation to pay Interconnection Customer any costs the Interconnection Customer incurs as the result of being directed by the ISO to reschedule maintenance.
- 9.7.1.3 Outage Restoration. If an outage on a Party's Interconnection Facilities or Network Upgrades adversely affects the other Party's operations or facilities, the Party that owns or controls the facility that is out of service shall use Reasonable Efforts to promptly restore such facility(ies) to a normal operating condition consistent with the nature of the outage. The Party that owns or controls the facility that is out of service shall provide the other Party, to the extent such information is known, information on the nature of the Emergency Condition, an estimated time of restoration, and any corrective actions required. Initial verbal notice shall be followed up as soon as practicable with written notice explaining the nature of the outage.
- **9.7.2 Interruption of Service.** If required by Good Utility Practice to do so, Distribution Provider may require Interconnection Customer to interrupt or reduce deliveries of electricity if such delivery of electricity could adversely affect Distribution Provider's ability to perform such activities as are necessary to safely and reliably operate and maintain the Distribution System and Transmission

System. The following provisions shall apply to any interruption or reduction permitted under this Article 9.7.2:

- **9.7.2.1** The interruption or reduction shall continue only for so long as reasonably necessary under Good Utility Practice;
- **9.7.2.2** Any such interruption or reduction shall be made on an equitable, non-discriminatory basis with respect to all generating facilities directly connected to the Distribution System;
- **9.7.2.3** When the interruption or reduction must be made under circumstances which do not allow for advance notice, Distribution Provider shall notify Interconnection Customer by telephone as soon as practicable of the reasons for the curtailment, interruption, or reduction, and, if known, its expected duration. Telephone notification shall be followed by written notification as soon as practicable;
- 9.7.2.4 Except during the existence of an Emergency Condition, when the interruption or reduction can be scheduled without advance notice, Distribution Provider shall notify Interconnection Customer in advance regarding the timing of such scheduling and further notify Interconnection Customer of the expected duration. Distribution Provider shall coordinate with Interconnection Customer using Good Utility Practice to schedule the interruption or reduction during periods of least impact to Interconnection Customer and Distribution Provider:
- **9.7.2.5** The Parties shall cooperate and coordinate with each other to the extent necessary in order to restore the Generating Facility, Interconnection Facilities, and the Distribution System and Transmission System to their normal operating state, consistent with system conditions and Good Utility Practice.
- 9.7.3 Frequency and Voltage Ride Through. The Interconnection Customer shall ensure "frequency ride through" capability and "voltage ride through" capability of the Generating Facility. The Interconnection Customer shall enable these capabilities such that the Generating Facility shall not disconnect automatically or instantaneously from the system or equipment of the Distribution Provider and any Affected Systems for a defined under-frequency or over-frequency condition, or an under-voltage or over-voltage condition, as tested pursuant to Article 6 of this GIA. The defined conditions shall be in accordance with Good Utility Practice and consistent with any standards and guidelines that are applied to other generating facilities in the Control Area on a comparable basis.
- 9.7.4 System Protection and Other Control Requirements.

- 9.7.4.1 System Protection Facilities. Interconnection Customer shall, at its expense, install, operate and maintain System Protection Facilities as a part of the Generating Facility or Interconnection Customer's Interconnection Facilities. Distribution Provider shall install at Interconnection Customer's expense any System Protection Facilities that may be required on Distribution Provider's Interconnection Facilities, Distribution System, or the Transmission System as a result of the interconnection of the Generating Facility and Interconnection Customer's Interconnection Facilities.
- **9.7.4.2** Each Party's protection facilities shall be designed and coordinated with other systems in accordance with Applicable Reliability Standards, Applicable Reliability Council criteria, and Good Utility Practice.
- **9.7.4.3** Each Party shall be responsible for protection of its facilities consistent with Good Utility Practice.
- **9.7.4.4** Each Party's protective relay design shall incorporate the necessary test switches to perform the tests required in Article 6. The required test switches will be placed such that they allow operation of lockout relays while preventing breaker failure schemes from operating and causing unnecessary breaker operations and/or the tripping of Interconnection Customer's units.
- **9.7.4.5** Each Party will test, operate and maintain System Protection Facilities in accordance with Good Utility Practice and, if applicable, the requirements of the Distribution Provider's Interconnection Handbook.
- 9.7.4.6 Prior to the In-Service Date, and again prior to the Commercial Operation Date, each Party or its agent shall perform a complete calibration test and functional trip test of the System Protection Facilities. At intervals suggested by Good Utility Practice, the standards and procedures of the Distribution Provider, including, if applicable, the requirements of the Distribution Provider's Interconnection Handbook, and following any apparent malfunction of the System Protection Facilities, each Party shall perform both calibration and functional trip tests of its System Protection Facilities. These tests do not require the tripping of any in-service generation unit. These tests do, however, require that all protective relays and lockout contacts be activated.
- **9.7.5 Requirements for Protection.** In compliance with Good Utility Practice and, if applicable, the requirements of the Distribution Provider's Interconnection Handbook, Interconnection Customer shall provide, install, own, and maintain relays, circuit breakers and all other devices necessary to remove any fault contribution of the Generating Facility to any short circuit occurring on the Distribution System not otherwise isolated by Distribution Provider's equipment,

such that the removal of the fault contribution shall be coordinated with the protective requirements of the Distribution System. Such protective equipment shall include, without limitation, a disconnecting device or switch with load-interrupting capability located between the Generating Facility and the Distribution System at a site selected upon mutual agreement (not to be unreasonably withheld, conditioned or delayed) of the Parties. Interconnection Customer shall be responsible for protection of the Generating Facility and Interconnection Customer's other equipment from such conditions as negative sequence currents, over- or under-frequency, sudden load rejection, over- or under-voltage, and generator loss-of-field. Interconnection Customer shall be solely responsible to disconnect the Generating Facility and Interconnection Customer's other equipment if conditions on the Distribution System could adversely affect the Generating Facility.

- 9.7.6 Power Quality. Neither Party's facilities shall cause excessive voltage flicker nor introduce excessive distortion to the sinusoidal voltage or current waves as defined by ANSI Standard C84.1-1989, in accordance with IEEE Standard 519, or any applicable superseding electric industry standard or any alternative Applicable Reliability Standard or Applicable Reliability Council standard. In the event of a conflict among ANSI Standard C84.1-1989, or any applicable superseding electric industry standard, or any alternative Applicable Reliability Standard or Applicable Reliability Council standard, the alternative Applicable Reliability Standard or Applicable Reliability Council standard shall control.
- **9.8 Switching and Tagging Rules.** Each Party shall provide the other Party a copy of its switching and tagging rules that are applicable to the other Party's activities. Such switching and tagging rules shall be developed on a non-discriminatory basis. The Parties shall comply with applicable switching and tagging rules, as amended from time to time, in obtaining clearances for work or for switching operations on equipment.
- 9.9 Use of Interconnection Facilities by Third Parties.
 - **9.9.1 Purpose of Interconnection Facilities.** Except as may be required by Applicable Laws and Regulations, or as otherwise agreed to among the Parties, the Interconnection Facilities shall be constructed for the sole purpose of interconnecting the Generating Facility to the Distribution System and shall be used for no other purpose.
 - 9.9.2 Third Party Users. If required by Applicable Laws and Regulations or if the Parties mutually agree, such agreement not to be unreasonably withheld, to allow one or more third parties to use Distribution Provider's Interconnection Facilities, or any part thereof, Interconnection Customer will be entitled to compensation for the capital expenses it incurred in connection with the Interconnection Facilities based upon the pro rata use of the Interconnection Facilities by Distribution Provider, all third party users, and Interconnection Customer, in accordance with Applicable Laws and Regulations or upon some other mutually-agreed upon

methodology. In addition, cost responsibility for ongoing costs, including operation and maintenance costs associated with the Interconnection Facilities, will be allocated between Interconnection Customer and any third party users based upon the pro rata use of the Interconnection Facilities by Distribution Provider, all third party users, and Interconnection Customer, in accordance with Applicable Laws and Regulations or upon some other mutually agreed upon methodology. If the issue of such compensation or allocation cannot be resolved through such negotiations, it shall be submitted to FERC for resolution.

9.10 Disturbance Analysis Data Exchange. The Parties will cooperate with one another in the analysis of disturbances to either the Generating Facility or Distribution Provider's Distribution System and Transmission System by gathering and providing access to any information relating to any disturbance, including information from oscillography, protective relay targets, breaker operations and sequence of events records, and any disturbance information required by Good Utility Practice.

Article 10. Maintenance

- **10.1 Distribution Provider Obligations.** Distribution Provider shall maintain the Distribution System, Transmission System and Distribution Provider's Interconnection Facilities in a safe and reliable manner and in accordance with this GIA.
- **10.2 Interconnection Customer Obligations.** Interconnection Customer shall maintain the Generating Facility and Interconnection Customer's Interconnection Facilities in a safe and reliable manner and in accordance with this GIA.
- **10.3** Coordination. The Parties shall confer regularly to coordinate the planning, scheduling and performance of preventive and corrective maintenance on the Generating Facility and the Interconnection Facilities.
- 10.4 Secondary Systems. Each Party shall cooperate with the other in the inspection, maintenance, and testing of control or power circuits that operate below 600 volts, AC or DC, including, but not limited to, any hardware, control or protective devices, cables, conductors, electric raceways, secondary equipment panels, transducers, batteries, chargers, and voltage and current transformers that directly affect the operation of a Party's facilities and equipment which may reasonably be expected to impact the other Party. Each Party shall provide advance notice to the other Party before undertaking any work on such circuits, especially on electrical circuits involving circuit breaker trip and close contacts, current transformers, or potential transformers.
- **10.5 Operating and Maintenance Expenses.** Subject to the provisions herein addressing the use of facilities by others, and except for operations and maintenance expenses associated with modifications made for providing interconnection or transmission service to a third party and such third party pays for such expenses, Interconnection Customer shall be responsible for all reasonable expenses including overheads, associated with: (1) owning, operating, maintaining, repairing, and replacing Interconnection Customer's

Interconnection Facilities; and (2) operation, maintenance, repair and replacement of Distribution Provider's Interconnection Facilities.

Article 11. Performance Obligation

- 11.1 Interconnection Customer Interconnection Facilities. Interconnection Customer shall design, procure, construct, install, own and/or control Interconnection Customer Interconnection Facilities described in Appendix A, Interconnection Facilities, Network Upgrades and Distribution Upgrades, at its sole expense.
- Distribution Provider's Interconnection Facilities. Distribution Provider or Distribution Owner shall design, procure, construct, install, own and/or control the Distribution Provider's Interconnection Facilities described in Appendix A, Interconnection Facilities, Network Upgrades and Distribution Upgrades, at the sole expense of the Interconnection Customer. The Interconnection Customer shall be responsible for funding all costs related to Distribution Provider's Interconnection Facilities. The costs set forth in Appendix A are estimates only and will not establish any cap or maximum cost responsibility limit on the cost responsibility of the Interconnection Customer for the Distribution Provider's Interconnection Facilities. The Interconnection Customer shall be responsible for the actual costs related to Distribution Provider's Interconnection Facilities.
- 11.3 Network Upgrades and Distribution Upgrades. Distribution Provider or Distribution Owner shall design, procure, construct, install, and own the Network Upgrades and Distribution Upgrades described in Appendix A, Interconnection Facilities, Network Upgrades and Distribution Upgrades, except for any Stand Alone Network Upgrades and Merchant Network Upgrades (as such term is defined in the ISO Tariff).
 - 11.3.1 Distribution Upgrades. The Interconnection Customer shall be responsible for funding its share of the costs related to Distribution Upgrades. The costs set forth in Appendices A and G are estimates only and will not establish any cap or maximum cost responsibility limit on the cost responsibility of the Interconnection Customer for Distribution Upgrades. The Interconnection Customer shall be responsible for the actual costs of its share of the costs related to Distribution Upgrades.
 - 11.3.2 Reliability Network Upgrades. The Interconnection Customer shall be responsible for funding its share of the costs of the Reliability Network Upgrades up to the maximum cost responsibility limit established for the Interconnection Customer in accordance with Section 4.6 of the GIP for such facilities. The costs set forth in Appendices A and G are estimates only. The Interconnection Customer shall be responsible for its share of the actual costs of Reliability Network Upgrades up to its maximum cost responsibility limit. The Interconnection Customer may be entitled to repayment of all or a portion of the costs it funded for Reliability Network Upgrades in accordance with Article 11.4.1.

- 11.3.3 Local Delivery Network Upgrades. If the Interconnection Customer has an Option (A) Generating Facility, or if the Interconnection Customer has an Option (B) Generating Facility and did not select the Merchant Option for the Local Delivery Network Upgrades, then the Interconnection Customer shall be responsible for funding its share of the costs of Local Delivery Network Upgrades up to the maximum cost responsibility limit established for the Interconnection Customer in accordance with Section 4.6 of the GIP for such facilities. The costs set forth in Appendices A and G are estimates only. The Interconnection Customer shall be responsible for its share of the actual costs of Local Delivery Network Upgrades up to its maximum cost responsibility limit. The Interconnection Customer may be entitled to repayment for the costs it funded for Local Delivery Network Upgrades in accordance with Article 11.4.1.
- 11.3.4 Area Delivery Network Upgrades. If the Interconnection Customer has an Option (A) Generating Facility, the Interconnection Customer will not be responsible for funding the costs of any Area Delivery Network Upgrades. If the Interconnection Customer has an Option (B) Generating Facility and did not select the Merchant Option for the Area Delivery Network Upgrades, then the Interconnection Customer shall be responsible for funding the costs of Area Delivery Network Upgrades. The costs set forth in Appendices A and G are advisory estimates only and will not establish any cap or maximum cost responsibility limit on the cost responsibility of the Interconnection Customer for Area Delivery Network Upgrades. The Interconnection Customer shall be responsible for the actual costs of Area Delivery Network Upgrades. The Interconnection Customer will not be entitled to repayment for the costs it funded for Area Delivery Network Upgrades in accordance with Article 11.4.1.

11.4 Transmission Credits.

11.4.1 Repayment of Amounts Advanced for Network Upgrades. An Interconnection Customer in Queue Cluster 8 or earlier may be entitled, in accordance with this Article 11.4.1, to a repayment for the Interconnection Customer's contribution to the cost of Network Upgrades commencing on the Commercial Operation Date of its Generating Facility.

An Interconnection Customer in Queue Cluster 9 or later may be entitled, in accordance with this Article 11.4.1, to a repayment for the Interconnection Customer's contribution to the cost of Network Upgrades placed in service on or before the Commercial Operation Date of its Generating Facility, commencing on the Commercial Operation Date of its Generating Facility. Repayment for the Interconnection Customer's contribution to the cost of Network Upgrades placed in service after the Commercial Operation Date of its Generating Facility shall, for each of these Network Upgrades, commence no later than the later of: (i) the first month of the calendar year following the year in which the Network Upgrade is placed into service or (ii) ninety (90) Calendar Days after the Network Upgrade is placed into service.

Interconnection Customer may be entitled to a cash repayment based on the amount paid to Distribution Provider and Affected System Operator, if any, for the Network Upgrades, including any tax gross-up or other tax-related payments associated with Network Upgrades, and not refunded to Interconnection Customer pursuant to Article 5.17.8 or otherwise, as follows:

a) Reliability Network Upgrades. The Interconnection Customer shall be entitled to a repayment of the amount the Interconnection Customer paid to the Distribution Provider for Reliability Network Upgrades as set forth in Appendix A and G, up to a maximum of \$60,000 per MW of Generating Facility capacity. For purposes of this determination, the Generating Facility capacity will be based on the capacity of the Interconnection Customer's Generating Facility at the time it achieves Commercial Operation. However, to the extent that such repayment does not cover all of the costs of Interconnection Customer's Reliability Network Upgrades, the Interconnection Customer may receive Congestion Revenue Rights (as such term is defined in the ISO Tariff) from the ISO in accordance with the ISO Tariff for that portion of its Reliability Network Upgrades that are not covered by cash repayment.

b) Local Delivery Network Upgrades.

- i. If the Interconnection Customer has an Option (A) Generating Facility, the Interconnection Customer shall be entitled to a repayment equal to the total amount the Interconnection Customer paid to the Distribution Provider for the costs of Local Delivery Network Upgrades.
- ii. If the Interconnection Customer has an Option (B) Generating Facility and has been allocated TP Deliverability and continues to be eligible to retain such TP Deliverability pursuant to Appendix DD of the ISO Tariff, the Interconnection Customer shall be entitled to repayment of a portion of the total amount paid to the Distribution Provider for the costs of Local Delivery Network Upgrades. The repayment amount shall be determined by dividing the amount of TP Deliverability received by the amount of TP Deliverability requested by the Interconnection Customer, and multiplying that percentage by the total amount paid to the Distribution Provider by the Interconnection Customer for Local Delivery Network Upgrades. However, the Interconnection Customer may be entitled to receive Congestion Revenue Rights from the ISO in accordance with the ISO Tariff for that portion of its Local Delivery Network Upgrades that are not covered by cash repayment.
- iii. If the Interconnection Customer has an Option (B) Generating Facility and has not been allocated any TP Deliverability pursuant to Appendix DD of the ISO Tariff, the Interconnection Customer shall not be

entitled to repayment of the amount paid to the Distribution Provider for the costs of Local Delivery Network Upgrades. However, the Interconnection Customer may be entitled to receive Congestion Revenue Rights from the ISO in accordance with the ISO Tariff for the costs of Local Delivery Network Upgrades that are not covered by cash repayment.

c) Area Delivery Network Upgrades. The Interconnection Customer shall not be entitled to repayment of the amount paid to the Distribution Provider for the costs of Area Delivery Network Upgrades. However, the Interconnection Customer may be entitled to receive Congestion Revenue Rights from the ISO in accordance with the ISO Tariff for the costs of Area Delivery Network Upgrades that are not covered by cash repayment.

Any repayment for Reliability Network Upgrades and Local Delivery Network Upgrades, as specified above, will be paid to the Interconnection Customer by the Distribution Provider on a dollar-for-dollar basis for the non-usage sensitive portion of transmission charges, as payments are made under Distribution Provider's Tariff and Affected System's Tariff for transmission services with respect to the Generating Facility. Any repayment shall include interest calculated in accordance with the methodology set forth in FERC's regulations at 18 C.F.R. §35.19a(a)(2)(iii) from the date of any payment for Network Upgrades through the date on which the Interconnection Customer receives a repayment of such payment pursuant to this subparagraph. Interconnection Customer may assign such repayment rights to any person.

Notwithstanding the foregoing, Interconnection Customer, Distribution Provider, and Affected System Operator may adopt any alternative payment schedule that is mutually agreeable so long as Distribution Provider and Affected System Operator take one of the following actions no later than five years from the applicable date as provided for in this Article 11.4.1: (1) return to Interconnection Customer any amounts advanced for Network Upgrades not previously repaid, or (2) declare in writing that Distribution Provider or Affected System Operator will continue to provide payments to Interconnection Customer on a dollar-for-dollar basis for the non-usage sensitive portion of transmission charges, or develop an alternative schedule that is mutually agreeable and provides for the return of all amounts advanced for Network Upgrades not previously repaid; however, full reimbursement shall not extend beyond twenty (20) years from the applicable commencement date.

If the Generating Facility fails to achieve commercial operation, but it or another Generating Facility is later constructed and makes use of the Network Upgrades, Distribution Provider and Affected System Operator shall at that time reimburse Interconnection Customer for the amounts advanced for the Network Upgrades. Before any such reimbursement can occur, the Interconnection Customer, or the

- entity that ultimately constructs the Generating Facility, if different, is responsible for identifying the entity to which reimbursement must be made.
- 11.4.2 Special Provisions for Affected Systems. Unless Distribution Provider provides, under the GIA, for the repayment of amounts advanced to Affected System Operator for Network Upgrades, Interconnection Customer and Affected System Operator shall enter into an agreement that provides for such repayment. The agreement shall specify the terms governing payments to be made by Interconnection Customer to the Affected System Operator as well as the repayment by the Affected System Operator.
- 11.4.3 Notwithstanding any other provision of this GIA, nothing herein shall be construed as relinquishing or foreclosing any rights, including but not limited to firm transmission rights, capacity rights, transmission congestion rights, or transmission credits, that Interconnection Customer, shall be entitled to, now or in the future under any other agreement or tariff as a result of, or otherwise associated with, the transmission capacity, if any, created by the Network Upgrades, including the right to obtain cash reimbursements or transmission credits for transmission service that is not associated with the Generating Facility.
- **11.5 Provision of Interconnection Financial Security.** The Interconnection Customer is obligated to provide all necessary Interconnection Financial Security required under Section 4.8 of the GIP in a manner acceptable under Section 4.8 of the GIP.

Article 12. Invoice

- **12.1 General.** Each Party shall submit to the other Party, on a monthly basis, invoices of amounts due for the preceding month. Each invoice shall state the month to which the invoice applies and fully describe the services and equipment provided. The Parties may discharge mutual debts and payment obligations due and owing to each other on the same date through netting, in which case all amounts a Party owes to the other Party under this GIA, including interest payments or credits, shall be netted so that only the net amount remaining due shall be paid by the owing Party.
- 12.2 Final Invoice. Within twelve (12) months after completion of the construction of Distribution Provider's Interconnection Facilities, Distribution Upgrades, and the Network Upgrades, Distribution Provider shall provide an invoice of the final cost of the construction of Distribution Provider's Interconnection Facilities, Distribution Upgrades, and the Network Upgrades and shall set forth such costs in sufficient detail to enable Interconnection Customer to compare the actual costs with the estimates and to ascertain deviations, if any, from the cost estimates. Distribution Provider shall refund to Interconnection Customer any amount by which the actual payment by Interconnection Customer for estimated costs exceeds the actual costs of construction within thirty (30) Calendar Days of the issuance of such final construction invoice.

- **12.3 Payment.** Invoices shall be rendered to the paying Party at the address specified in Appendix F. The Party receiving the invoice shall pay the invoice within thirty (30) Calendar Days of receipt. All payments shall be made in immediately available funds payable to the other Party, or by wire transfer to a bank named and account designated by the invoicing Party. Payment of invoices by either Party will not constitute a waiver of any rights or claims either Party may have under this GIA.
- 12.4 Disputes. In the event of a billing dispute between Distribution Provider and Interconnection Customer, Distribution Provider shall continue to provide Interconnection Service under this GIA as long as Interconnection Customer: (i) continues to make all payments not in dispute; and (ii) pays to Distribution Provider or into an independent escrow account the portion of the invoice in dispute, pending resolution of such dispute. If Interconnection Customer fails to meet these two requirements for continuation of service, then Distribution Provider may provide notice to Interconnection Customer of a Default pursuant to Article 17. Within thirty (30) Calendar Days after the resolution of the dispute, the Party that owes money to the other Party shall pay the amount due with interest calculated in accord with the methodology set forth in FERC's regulations at 18 CFR § 35.19a(a)(2)(iii).

Article 13. Emergencies

- 13.1 Definition. "Emergency Condition" shall mean a condition or situation: (i) that in the judgment of the Party making the claim is imminently likely to endanger life or property; or (ii) that, in the case of Distribution Provider, is imminently likely (as determined in a non-discriminatory manner) to cause a material adverse effect on the security of, or damage to the Distribution System, Distribution Provider's Interconnection Facilities or the Transmission Systems of others to which the Distribution System is directly connected; or (iii) that, in the case of Interconnection Customer, is imminently likely (as determined in a non-discriminatory manner) to cause a material adverse effect on the security of, or damage to, the Generating Facility or Interconnection Customer's Interconnection Facilities' System restoration and black start shall be considered Emergency Conditions; provided, that Interconnection Customer is not obligated by this GIA to possess black start capability.
- **13.2 Obligations.** Each Party shall comply with the Emergency Condition procedures of the ISO, NERC, the Applicable Reliability Council, Applicable Reliability Standards, Applicable Laws and Regulations, and any emergency procedures set forth in this GIA.
- 13.3 Notice. Distribution Provider shall notify Interconnection Customer promptly when it becomes aware of an Emergency Condition that affects Distribution Provider's Interconnection Facilities, Distribution System or the Transmission System that may reasonably be expected to affect Interconnection Customer's operation of the Generating Facility or Interconnection Customer's Interconnection Facilities. Interconnection Customer shall notify Distribution Provider promptly when it becomes aware of an Emergency Condition that affects the Generating Facility or Interconnection Customer's Interconnection Facilities that may reasonably be expected to affect the Distribution

System, Transmission System or Distribution Provider's Interconnection Facilities. To the extent information is known, the notification shall describe the Emergency Condition, the extent of the damage or deficiency, the expected effect on the operation of Interconnection Customer's or Distribution Provider's facilities and operations, its anticipated duration and the corrective action taken and/or to be taken. The initial notice shall be followed as soon as practicable with written notice.

13.4 Immediate Action. Unless, in Interconnection Customer's reasonable judgment, immediate action is required, Interconnection Customer shall obtain the consent of Distribution Provider, such consent to not be unreasonably withheld, prior to performing any manual switching operations at the Generating Facility or Interconnection Customer's Interconnection Facilities in response to an Emergency Condition either declared by Distribution Provider or otherwise regarding the Distribution System.

13.5 Distribution Provider Authority.

13.5.1 General. Distribution Provider may take whatever actions or inactions with regard to the Distribution System and Transmission System or Distribution Provider's Interconnection Facilities it deems necessary during an Emergency Condition in order to (i) preserve public health and safety, (ii) preserve the reliability of the Distribution System and Transmission System or Distribution Provider's Interconnection Facilities, (iii) limit or prevent damage, and (iv) expedite restoration of service.

Distribution Provider shall use Reasonable Efforts to minimize the effect of such actions or inactions on the Generating Facility or Interconnection Customer's Interconnection Facilities. Distribution Provider may, on the basis of technical considerations, require the Generating Facility to mitigate an Emergency Condition by taking actions necessary and limited in scope to remedy the Emergency Condition, including, but not limited to, directing Interconnection Customer to shut-down, start-up, increase or decrease the real or reactive power output of the Generating Facility; implementing a reduction or disconnection pursuant to Article 13.5.2; directing Interconnection Customer to assist with blackstart (if available) or restoration efforts; or altering the outage schedules of the Generating Facility and Interconnection Customer's Interconnection Facilities. Interconnection Customer shall comply with all of Distribution Provider's operating instructions concerning Generating Facility real power and reactive power output within the manufacturer's design limitations of the Generating Facility's equipment that is in service and physically available for operation at the time, in compliance with Applicable Laws and Regulations.

13.5.2 Reduction and Disconnection. Distribution Provider may reduce Interconnection Service or disconnect the Generating Facility or Interconnection Customer's Interconnection Facilities, when such, reduction or disconnection is necessary under Good Utility Practice due to Emergency Conditions. These rights are separate and distinct from any right of curtailment of the ISO pursuant

to the ISO Tariff. When Distribution Provider can schedule the reduction or disconnection in advance, Distribution Provider shall notify Interconnection Customer of the reasons, timing and expected duration of the reduction or disconnection. Distribution Provider shall coordinate with Interconnection Customer using Good Utility Practice to schedule the reduction or disconnection during periods of least impact to Interconnection Customer and Distribution Provider. Any reduction or disconnection shall continue only for so long as reasonably necessary under Good Utility Practice. The Parties shall cooperate with each other to restore the Generating Facility, the Interconnection Facilities, and the Distribution System to their normal operating state as soon as practicable consistent with Good Utility Practice.

- 13.6 Interconnection Customer Authority. Consistent with Good Utility Practice and the GIA and the GIP, Interconnection Customer may take actions or inactions with regard to the Generating Facility or Interconnection Customer's Interconnection Facilities during an Emergency Condition in order to (i) preserve public health and safety, (ii) preserve the reliability of the Generating Facility or Interconnection Customer's Interconnection Facilities, (iii) limit or prevent damage, and (iv) expedite restoration of service. Interconnection Customer shall use Reasonable Efforts to minimize the effect of such actions or inactions on the Distribution System and Distribution Provider's Interconnection Facilities. Distribution Provider shall use Reasonable Efforts to assist Interconnection Customer in such actions.
- **13.7 Limited Liability.** Neither Party shall be liable to the other for any action it takes in responding to an Emergency Condition so long as such action is made in good faith and is consistent with Good Utility Practice.

Article 14. Regulatory Requirements and Governing Law

14.1 Regulatory Requirements. Each Party's obligations under this GIA shall be subject to its receipt of any required approval or certificate from one or more Governmental Authorities in the form and substance satisfactory to the applying Party, or the Party making any required filings with, or providing notice to, such Governmental Authorities, and the expiration of any time period associated therewith. Each Party shall in good faith seek and use its Reasonable Efforts to obtain such other approvals. Nothing in this GIA shall require Interconnection Customer to take any action that could result in its inability to obtain, or its loss of, status or exemption under the Federal Power Act, the Public Utility Holding Company Act of 1935, as amended, or the Public Utility Regulatory Policies Act of 1978.

14.2 Governing Law.

14.2.1 The validity, interpretation and performance of this GIA and each of its provisions shall be governed by the laws of the state where the Point of Interconnection is located, without regard to its conflicts of law principles.

- **14.2.2** This GIA is subject to all Applicable Laws and Regulations.
- **14.2.3** Each Party expressly reserves the right to seek changes in, appeal, or otherwise contest any laws, orders, rules, or regulations of a Governmental Authority.

Article 15. Notices.

15.1 General. Unless otherwise provided in this GIA, any notice, demand or request required or permitted to be given by either Party to the other and any instrument required or permitted to be tendered or delivered by either Party in writing to the other shall be effective when delivered and may be so given, tendered or delivered, by recognized national courier, or by depositing the same with the United States Postal Service with postage prepaid, for delivery by certified or registered mail, addressed to the Party, or personally delivered to the Party, at the address set out in Appendix F, Addresses for Delivery of Notices and Billings.

Either Party may change the notice information in this GIA by giving five (5) Business Days written notice prior to the effective date of the change.

- **15.2 Billings and Payments.** Billings and payments shall be sent to the addresses set out in Appendix F.
- **15.3 Alternative Forms of Notice.** Any notice or request required or permitted to be given by a Party to the other and not required by this Agreement to be given in writing may be so given by telephone, facsimile or email to the telephone numbers and email addresses set out in Appendix F.
- **15.4 Operations and Maintenance Notice.** Each Party shall notify the other Party in writing of the identity of the person(s) that it designates as the point(s) of contact with respect to the implementation of Articles 9 and 10.

Article 16. Uncontrollable Force

16.1 Uncontrollable Force.

- **16.1.1** Economic hardship is not considered an Uncontrollable Force event.
- 16.1.2 Neither Party shall be considered to be in Default with respect to any obligation hereunder, (including obligations under Article 4), other than the obligation to pay money when due, if prevented from fulfilling such obligation by Uncontrollable Force. A Party unable to fulfill any obligation hereunder (other than an obligation to pay money when due) by reason of an Uncontrollable Force shall give notice and the full particulars of such Uncontrollable Force to the other Party in writing or by telephone as soon as reasonably possible after the occurrence of the cause relied upon. Telephone notices given pursuant to this article shall be confirmed in writing as soon as reasonably possible and shall specifically state full particulars

of the Uncontrollable Force, the time and date when the Uncontrollable Force occurred and when the Uncontrollable Force is reasonably expected to cease. The Party affected shall exercise due diligence to remove such disability with reasonable dispatch, but shall not be required to accede or agree to any provision not satisfactory to it in order to settle and terminate a strike or other labor disturbance.

Article 17. Default

17.1 Default

- 17.1.1 General. No Default shall exist where such failure to discharge an obligation (other than the payment of money) is the result of an Uncontrollable Force as defined in this GIA or the result of an act of omission of the other Party. Upon a Breach, the non-breaching Party shall give written notice of such Breach to the breaching Party. Except as provided in Article 17.1.2, the breaching Party shall have thirty (30) Calendar Days from receipt of the Default notice within which to cure such Breach; provided however, if such Breach is not capable of cure within thirty (30) Calendar Days, the breaching Party shall commence such cure within thirty (30) Calendar Days after notice and continuously and diligently complete such cure within ninety (90) Calendar Days from receipt of the Default notice; and, if cured within such time, the Breach specified in such notice shall cease to exist.
- 17.1.2 Right to Terminate. If a Breach is not cured as provided in this article, or if a Breach is not capable of being cured within the period provided for herein, the non-breaching Party shall have the right to declare a Default and terminate this GIA by written notice at any time until cure occurs, and be relieved of any further obligation hereunder and, whether or not that Party terminates this GIA, to recover from the breaching Party all amounts due hereunder, plus all other damages and remedies to which it is entitled at law or in equity. The provisions of this article will survive termination of this GIA.

Article 18. Indemnity, Consequential Damages and Insurance

- **18.1 Indemnity.** The Parties shall at all times indemnify, defend, and hold the other Party harmless from, any and all damages, losses, claims, including claims and actions relating to injury to or death of any person or damage to property, demand, suits, recoveries, costs and expenses, court costs, attorney fees, and all other obligations by or to third parties, arising out of or resulting from the other Party's action or inactions of its obligations under this GIA on behalf of the Indemnifying Party, except in cases of gross negligence or intentional wrongdoing by the Indemnified Party.
 - **18.1.1 Indemnified Person.** If an Indemnified Person is entitled to indemnification under this Article 18 as a result of a claim by a third party, and the Indemnifying Party fails, after notice and reasonable opportunity to proceed under Article 18.1,

to assume the defense of such claim, such Indemnified Person may at the expense of the Indemnifying Party contest, settle or consent to the entry of any judgment with respect to, or pay in full, such claim.

- **18.1.2 Indemnifying Party.** If an Indemnifying Party is obligated to indemnify and hold any Indemnified Person harmless under this Article 18, the amount owing to the Indemnified Person shall be the amount of such Indemnified Person's actual Loss, net of any insurance or other recovery.
 - 18.1.3 Indemnity Procedures. Promptly after receipt by an Indemnified Person of any claim or notice of the commencement of any action or administrative or legal proceeding or investigation as to which the indemnity provided for in Article 18.1 may apply, the Indemnified Person shall notify the Indemnifying Party of such fact. Any failure of or delay in such notification shall not affect a Party's indemnification obligation unless such failure or delay is materially prejudicial to the Indemnifying Party.

The Indemnifying Party shall have the right to assume the defense thereof with counsel designated by such Indemnifying Party and reasonably satisfactory to the Indemnified Person. If the defendants in any such action include one or more Indemnified Persons and the Indemnifying Party and if the Indemnified Person reasonably concludes that there may be legal defenses available to it and/or other Indemnified Persons which are different from or additional to those available to the Indemnifying Party, the Indemnified Person shall have the right to select separate counsel to assert such legal defenses and to otherwise participate in the defense of such action on its own behalf. In such instances, the Indemnifying Party shall only be required to pay the fees and expenses of one additional attorney to represent an Indemnified Person or Indemnified Persons having such differing or additional legal defenses.

The Indemnified Person shall be entitled, at its expense, to participate in any such action, suit or proceeding, the defense of which has been assumed by the Indemnifying Party. Notwithstanding the foregoing, the Indemnifying Party (i) shall not be entitled to assume and control the defense of any such action, suit or proceedings if and to the extent that, in the opinion of the Indemnified Person and its counsel, such action, suit or proceeding involves the potential imposition of criminal liability on the Indemnified Person, or there exists a conflict or adversity of interest between the Indemnified Person and the Indemnifying Party, in such event the Indemnifying Party shall pay the reasonable expenses of the Indemnified Person, and (ii) shall not settle or consent to the entry of any judgment in any action, suit or proceeding without the consent of the Indemnified Person, which shall not be reasonably withheld, conditioned or delayed.

18.2 Consequential Damages. Other than the Liquidated Damages heretofore described, in no event shall either Party be liable under any provision of this GIA for any losses, damages, costs or expenses for any special, indirect, incidental, consequential, or punitive

damages, including but not limited to loss of profit or revenue, loss of the use of equipment, cost of capital, cost of temporary equipment or services, whether based in whole or in part in contract, in tort, including negligence, strict liability, or any other theory of liability; provided, however, that damages for which a Party may be liable to the other Party under another agreement will not be considered to be special, indirect, incidental, or consequential damages hereunder.

- **18.3 Insurance.** As indicated below, the designated Party shall, at its own expense, maintain in force throughout the period of this GIA, and until released by the other Party, the following minimum insurance coverages, with insurers rated no less than A- (with a minimum size rating of VII) by Bests' Insurance Guide and Key Ratings and authorized to do business in the state where the Point of Interconnection is located:
 - 18.3.1 Workers' Compensation Insurance and Employers' Liability. The Distribution Provider and the Interconnection Customer shall maintain such coverage from the commencement of any Construction Activities providing statutory benefits for workers compensation coverage and coverage amounts of no less than one million dollars (\$1,000,000) for employer's liability for each employee for bodily injury by accident and one million dollars (\$1,000,000) for each employee for bodily injury by disease in accordance with the laws and regulations of the state in which the Point of Interconnection is located. The Distribution Provider shall provide the Interconnection Customer with evidence of such insurance coverage within thirty (30) Calendar Days of any request by the Interconnection Customer. The Interconnection Customer and contractor or any other person acting on Interconnection Customer's behalf shall provide evidence of such insurance thirty (30) Calendar Days prior to entry by any employee or contractor or other person acting on the Interconnection Customer's behalf onto any construction site to perform any work related to the Interconnection Facilities or Generating Facility.
 - **18.3.2 Commercial General Liability Insurance.** The Distribution Provider and the Interconnection Customer shall maintain commercial general liability insurance coverage commencing within thirty (30) Calendar Days of the Effective Date of this GIA, including coverage for premises and operations, bodily injury (including death), personal injury, property damage, products and completed operations coverage, coverage for explosion, collapse and underground hazards, independent contractors coverage, and (i) liability of Distribution Provider and the Interconnection Customer that would be imposed without the GIA, or (ii) liability assumed by the Distribution Provider and the Interconnection Customer in a contract or agreement that is an "insured contract" under commercial general liability insurance policy. Such insurance shall include no cross liability exclusions or separation of insured clause endorsement exclusions, with minimum limits of one million dollars (\$1,000,000) per occurrence/one million dollars (\$1,000,000) aggregate. If the activities of the Interconnection Customer are being conducted through the actions of an Affiliate, then the Interconnection Customer may satisfy the insurance requirements of this Article 18.3.2 by

providing evidence of insurance coverage carried by such Affiliate and showing the Distribution Provider as an additional insured only with respect to the GIA, together with the Interconnection Customer's written representation to the Distribution Provider that the insured Affiliate is conducting all of the necessary pre-construction work. Within thirty (30) Calendar Days prior to the entry of any person on behalf of the Interconnection Customer onto any construction site to perform work related to the Interconnection Facilities or Generating Facility, the Interconnection Customer shall replace any evidence of Affiliate insurance with evidence of such insurance carried by the Interconnection Customer, naming the Distribution Provider as additional insured only with respect to the GIA.

- 18.3.3 Business Automobile Liability Insurance. Prior to the entry of any vehicles on any construction site in connection with work done by or on behalf of the Interconnection Customer, the Interconnection Customer shall provide evidence of coverage of owned and non-owned and hired vehicles, trailers or semi-trailers designed for travel on public roads, with a minimum, combined single limit of one million dollars (\$1,000,000) per occurrence for bodily injury, including death, and property damage. The Interconnection Customer shall include the Distribution Provider as an additional insured with respect to the GIA on any such policies.
- 18.3.4 Excess Liability Insurance. Commencing at the time of entry of any person on its behalf upon any construction site for the Distribution Upgrades, Interconnection Facilities, or Generating Facility, the Distribution Provider and the Interconnection Customer shall maintain excess liability insurance over and above the Employers' Liability, Commercial General Liability, and Business Automobile Liability Insurance coverage, with a minimum limit of one million dollars per MW, of Generating Facility capacity, rounded up to the nearest MW, per occurrence, up to a maximum of twenty million dollars (\$20,000,000) per occurrence/twenty million dollars (\$20,000,000) aggregate. Such insurance carried by the Distribution Provider shall include the Interconnection Customer as an additional insured with respect to the GIA, and such insurance carried by the Interconnection Customer shall include the Distribution Provider as an additional insured with respect to the GIA. The requirements of Article 18.3.2 and 18.3.4 may be met by any combination of general and excess liability insurance.
- 18.3.5 The Commercial General Liability Insurance, Business Automobile Liability Insurance and Excess Liability Insurance policies shall include the other Party identified in the articles above, its parent, their subsidiaries, respective directors, officers, agents, servants and employees ("Other Party Group") as additional insured. All policies shall contain provisions whereby the insurers waive all rights of subrogation in accordance with the provisions of this GIA against the Other Party Group. If any Party can reasonably demonstrate that coverage policies containing provisions for insurer waiver of subrogation rights, or advance notice are not commercially available, then the Parties shall meet and confer and mutually determine to (i) establish replacement or equivalent terms in lieu of

- subrogation or notice or (ii) waive the requirements that coverage(s) include such subrogation provision or require advance written notice from such insurers.
- **18.3.6** The Commercial General Liability Insurance, Business Automobile Liability Insurance and Excess Liability Insurance policies shall contain provisions that specify that the policies are primary and non-contributory. Each Party shall be responsible for its respective deductibles or self-insured retentions.
- 18.3.7 The Commercial General Liability Insurance, Business Automobile Liability Insurance and Excess Liability Insurance policies, if written on a Claims First Made Basis, shall be maintained in full force and effect for two (2) years after termination of this GIA, which coverage may be in the form of extended reporting period coverage if agreed by the Parties.

18.3.8 [Not Used.]

- **18.3.9** Thirty (30) Calendar Days prior to the start of any work at the construction site related to Interconnection Facilities or Generating Facility under this GIA, and as soon as practicable after the end of each fiscal year or at the renewal of the insurance policy and in any event within ninety (90) Calendar Days thereafter, each Party shall provide a certificate of insurance for all insurance required in this GIA, executed by each insurer or by an authorized representative of each insurer.
- **18.3.10** Notwithstanding the foregoing, each Party may self-insure (a) to meet the minimum insurance requirements of Article 18.3.1, to the extent that it maintains a self-insurance program and is a qualified self-insurer within the state in which the Point of Interconnection is located, under the laws and regulations of such state; and (b) to meet the minimum insurance requirements of Articles 18.3.2 through 18.3.9 to the extent it maintains a self-insurance program; provided that, such Party is organized under the laws of the United States or a political subdivision thereof and such Party's rating for its senior unsecured, long-term debt (not supported by third party credit enhancements) or if such Party does not have a rating for its senior unsecured long-term debt, then the rating then assigned to such Party by Standard & Poor's Rating Group (a division of McGraw-Hill, Inc.) or its successor ("S&P") or Moody's Investor Services, Inc. or its successor ("Moody's") is (i) if rated by S&P and Moody's is rated at least "BBB-" by S&P and "Baa3" by Moody's, or (ii) if rated by only one of S&P or Moody's, rated at least "BBB-" by S&P or "Baa3" by Moody's, and (iii) that its self-insurance program meets the minimum insurance requirements of Articles 18.3.2 through 18.3.9. For any period of time that a Party's senior unsecured, long-term debt is unrated by S&P or Moody's, or its unsecured long-term debt or the rating assigned to such Party does not meet the requirements in (i) or (ii), such Party shall comply with the insurance requirements applicable to it under Articles 18.3.2 through 18.3.9. In the event that a Party is permitted to self-insure pursuant to this Article 18.3.10, it shall notify the other Party that it meets the requirements to self-insure and that its self-insurance program meets the

- minimum insurance requirements in a manner consistent with that specified in Article 18.3.9.
- **18.3.11** The Parties agree to report to each other in writing as soon as practical all accidents or occurrences resulting in injuries to any person, including death, and any property damage greater than \$25,000, including within the scope of coverage of such insurance whether or not such coverage is sought.

Article 19. Assignment

19.1 **Assignment.** This GIA may be assigned by either Party only with the written consent of the other; provided that either Party may assign this GIA without the consent of the other Party to any Affiliate of the assigning Party with an equal or greater credit rating and with the legal authority and operational ability to satisfy the obligations of the assigning Party under this GIA; and provided further that Interconnection Customer shall have the right to assign this GIA, without the consent of Distribution Provider, for collateral security purposes to aid in providing financing for the Generating Facility, provided that Interconnection Customer will promptly notify Distribution Provider of any such assignment. Any financing arrangement entered into by Interconnection Customer pursuant to this article will provide that prior to or upon the exercise of the secured party's, trustee's or mortgagee's assignment rights pursuant to said arrangement, the secured creditor, the trustee or mortgagee will notify Distribution Provider of the date and particulars of any such exercise of assignment right(s), including providing the Distribution Provider with proof that it meets the requirements of Articles 11.5 and 18.3. Any attempted assignment that violates this article is void and ineffective. Any assignment under this GIA shall not relieve a Party of its obligations, nor shall a Party's obligations be enlarged, in whole or in part, by reason thereof. Where required, consent to assignment will not be unreasonably withheld, conditioned or delayed.

Article 20. Severability

20.1 Severability. If any provision in this GIA is finally determined to be invalid, void or unenforceable by any court or other Governmental Authority having jurisdiction, such determination shall not invalidate, void or make unenforceable any other provision, agreement or covenant of this GIA; provided that if Interconnection Customer (or any third party, but only if such third party is not acting at the direction of Distribution Provider) seeks and obtains such a final determination with respect to any provision of the Alternate Option (Article 5.1.2), or the Negotiated Option (Article 5.1.4), then none of these provisions shall thereafter have any force or effect and the Parties' rights and obligations shall be governed solely by the Standard Option (Article 5.1.1).

Article 21. Comparability

21.1 Comparability. The Parties will comply with all applicable comparability and code of conduct laws, rules and regulations, as amended from time to time.

Article 22. Confidentiality

22.1 Confidentiality. Confidential Information shall include, without limitation, all information relating to a Party's technology, research and development, business affairs, and pricing, and any information supplied by either of the Parties to the other prior to the execution of this GIA.

Information is Confidential Information only if it is clearly designated or marked in writing as confidential on the face of the document, or, if the information is conveyed orally or by inspection, if the Party providing the information orally informs the Party receiving the information that the information is confidential.

If requested by either Party, the other Party shall provide in writing, the basis for asserting that the information referred to in this Article 22 warrants confidential treatment, and the requesting Party may disclose such writing to the appropriate Governmental Authority. Each Party shall be responsible for the costs associated with affording confidential treatment to its information.

- **22.1.1 Term.** During the term of this GIA, and for a period of three (3) years after the expiration or termination of this GIA, except as otherwise provided in this Article 22, each Party shall hold in confidence and shall not disclose to any person Confidential Information.
- **22.1.2 Scope.** Confidential Information shall not include information that the receiving Party can demonstrate: (1) is generally available to the public other than as a result of a disclosure by the receiving Party; (2) was in the lawful possession of the receiving Party on a non-confidential basis before receiving it from the disclosing Party; (3) was supplied to the receiving Party without restriction by a third party, who, to the knowledge of the receiving Party after due inquiry, was under no obligation to the disclosing Party to keep such information confidential; (4) was independently developed by the receiving Party without reference to Confidential Information of the disclosing Party; (5) is, or becomes, publicly known, through no wrongful act or omission of the receiving Party or Breach of this GIA; or (6) is required, in accordance with Article 22.1.7 of the GIA, Order of Disclosure, to be disclosed by any Governmental Authority or is otherwise required to be disclosed by law or subpoena, or is necessary in any legal proceeding establishing rights and obligations under this GIA. Information designated as Confidential Information will no longer be deemed confidential if the Party that designated the information as confidential notifies the other Party that it no longer is confidential.
- **22.1.3 Release of Confidential Information.** Neither Party shall release or disclose Confidential Information to any other person, except to its Affiliates (limited by the Standards of Conduct requirements), subcontractors, employees, consultants, or to parties who may be or considering providing financing to or equity participation with Interconnection Customer, or to potential purchasers or

- assignees of Interconnection Customer, on a need-to-know basis in connection with this GIA, unless such person has first been advised of the confidentiality provisions of this Article 22 and has agreed to comply with such provisions. Notwithstanding the foregoing, a Party providing Confidential Information to any person shall remain primarily responsible for any release of Confidential Information in contravention of this Article 22.
- **22.1.4 Rights.** Each Party retains all rights, title, and interest in the Confidential Information that each Party discloses to the other Party. The disclosure by each Party to the other Party of Confidential Information shall not be deemed a waiver by either Party or any other person or entity of the right to protect the Confidential Information from public disclosure.
- **22.1.5 No Warranties.** By providing Confidential Information, neither Party makes any warranties or representations as to its accuracy or completeness. In addition, by supplying Confidential Information, neither Party obligates itself to provide any particular information or Confidential Information to the other Party nor to enter into any further agreements or proceed with any other relationship or joint venture.
- **22.1.6 Standard of Care.** Each Party shall use at least the same standard of care to protect Confidential Information it receives as it uses to protect its own Confidential Information from unauthorized disclosure, publication or dissemination. Each Party may use Confidential Information solely to fulfill its obligations to the other Party under this GIA or its regulatory requirements.
- 22.1.7 Order of Disclosure. If a court or a Government Authority or entity with the right, power, and apparent authority to do so requests or requires either Party, by subpoena, oral deposition, interrogatories, requests for production of documents, administrative order, or otherwise, to disclose Confidential Information, that Party shall provide the other Party with prompt notice of such request(s) or requirement(s) so that the other Party may seek an appropriate protective order or waive compliance with the terms of this GIA. Notwithstanding the absence of a protective order or waiver, the Party may disclose such Confidential Information which, in the opinion of its counsel, the Party is legally compelled to disclose. Each Party will use Reasonable Efforts to obtain reliable assurance that confidential treatment will be accorded any Confidential Information so furnished.
- **22.1.8 Termination of Agreement.** Upon termination of this GIA for any reason, each Party shall, within ten (10) Calendar Days of receipt of a written request from the other Party, use Reasonable Efforts to destroy, erase, or delete (with such destruction, erasure, and deletion certified in writing to the other Party) or return to the other Party, without retaining copies thereof, any and all written or electronic Confidential Information received from the other Party.

- 22.1.9 Remedies. The Parties agree that monetary damages would be inadequate to compensate a Party for the other Party's Breach of its obligations under this Article 22. Each Party accordingly agrees that the other Party shall be entitled to equitable relief, by way of injunction or otherwise, if the first Party Breaches or threatens to Breach its obligations under this Article 22, which equitable relief shall be granted without bond or proof of damages, and the receiving Party shall not plead in defense that there would be an adequate remedy at law. Such remedy shall not be deemed an exclusive remedy for the Breach of this Article 22, but shall be in addition to all other remedies available at law or in equity. The Parties further acknowledge and agree that the covenants contained herein are necessary for the protection of legitimate business interests and are reasonable in scope. No Party, however, shall be liable for indirect, incidental, or consequential or punitive damages of any nature or kind resulting from or arising in connection with this Article 22.
- 22.1.10 Disclosure to FERC, its Staff, or a State. Notwithstanding anything in this Article 22 to the contrary, and pursuant to 18 CFR section 1b.20, if FERC or its staff, during the course of an investigation or otherwise, requests information from one of the Parties that is otherwise required to be maintained in confidence pursuant to this GIA, the Party shall provide the requested information to FERC or its staff, within the time provided for in the request for information. In providing the information to FERC or its staff, the Party must, consistent with 18 CFR section 388.112, request that the information be treated as confidential and non-public by FERC and its staff and that the information be withheld from public disclosure. Parties are prohibited from notifying the other Party to this GIA prior to the release of the Confidential Information to FERC or its staff. The Party shall notify the other Party to the GIA when it is notified by FERC or its staff that a request to release Confidential Information has been received by FERC, at which time either of the Parties may respond before such information would be made public, pursuant to 18 CFR section 388.112. Requests from a state regulatory body conducting a confidential investigation shall be treated in a similar manner if consistent with the applicable state rules and regulations.
- 22.1.11 Subject to the exception in Article 22.1.10, any information that a Party claims is competitively sensitive, commercial or financial information under this GIA ("Confidential Information") shall not be disclosed by the other Party to any person not employed or retained by the other Party, except to the extent disclosure is (i) required by law; (ii) reasonably deemed by the disclosing Party to be required to be disclosed in connection with a dispute between or among the Parties, or the defense of litigation or dispute; (iii) otherwise permitted by consent of the other Party, such consent not to be unreasonably withheld; or (iv) necessary to fulfill its obligations under this GIA or as a transmission service provider or a Control Area operator including disclosing the Confidential Information to an RTO or ISO or to a regional or national reliability organization. The Party asserting confidentiality shall notify the other Party in writing of the information it claims is confidential. Prior to any disclosures of the other Party's Confidential

Information under this subparagraph, or if any third party or Governmental Authority makes any request or demand for any of the information described in this subparagraph, the disclosing Party agrees to promptly notify the other Party in writing and agrees to assert confidentiality and cooperate with the other Party in seeking to protect the Confidential Information from public disclosure by confidentiality agreement, protective order or other reasonable measures.

Article 23. Environmental Releases

23.1 Each Party shall notify the other Party, first orally and then in writing, of the release of any Hazardous Substances, any asbestos or lead abatement activities, or any type of remediation activities related to the Generating Facility or the Interconnection Facilities, each of which may reasonably be expected to affect the other Party. The notifying Party shall: (i) provide the notice as soon as practicable, provided such Party makes a good faith effort to provide the notice no later than twenty-four hours after such Party becomes aware of the occurrence; and (ii) promptly furnish to the other Party copies of any publicly available reports filed with any Governmental Authorities addressing such events.

Article 24. Information Requirements

- **24.1 Information Acquisition.** Distribution Provider and Interconnection Customer shall submit specific information regarding the electrical characteristics of their respective facilities to each other as described below and in accordance with Applicable Reliability Standards.
- 24.2 Information Submission by Distribution Provider. The initial information submission by Distribution Provider shall occur no later than one hundred eighty (180) Calendar Days prior to Trial Operation and shall include Distribution System and Transmission System information necessary to allow Interconnection Customer to select equipment and meet any system protection and stability requirements, unless otherwise agreed to by the Parties. On a monthly basis Distribution Provider shall provide Interconnection Customer a status report on the construction and installation of Distribution Provider's Interconnection Facilities, Distribution Upgrades, and Network Upgrades, including, but not limited to, the following information: (1) progress to date; (2) a description of the activities since the last report; (3) a description of the action items for the next period; and (4) the delivery status of equipment ordered.
- 24.3 Updated Information Submission by Interconnection Customer. The updated information submission by Interconnection Customer, including manufacturer information, shall occur no later than one hundred eighty (180) Calendar Days prior to the Trial Operation. Interconnection Customer shall submit a completed copy of the Generating Facility data requirements contained in Appendix 1 to the GIP. It shall also include any additional information provided to Distribution Provider for the Feasibility and Facilities Study. Information in this submission shall be the most current Generating Facility design or expected performance data. Information submitted for stability models

shall be compatible with Distribution Provider standard models. If there is no compatible model, Interconnection Customer will work with a consultant mutually agreed to by the Parties to develop and supply a standard model and associated information.

If Interconnection Customer's data is materially different from what was originally provided to Distribution Provider pursuant to the Interconnection Study Agreement between Distribution Provider and Interconnection Customer, then Distribution Provider will conduct appropriate studies to determine the impact on Distribution Provider Distribution System and Transmission System based on the actual data submitted pursuant to this Article 24.3. The Interconnection Customer shall not begin Trial Operation until such studies are completed.

24.4 Information Supplementation. Prior to the Trial Operation Date, the Parties shall supplement their information submissions described above in this Article 24 with any and all "as-built" Generating Facility information or "as-tested" performance information that differs from the initial submissions or, alternatively, written confirmation that no such differences exist. The Interconnection Customer shall conduct tests on the Generating Facility as required by Good Utility Practice such as an open circuit "step voltage" test on the Generating Facility to verify proper operation of the Generating Facility's automatic voltage regulator.

Unless otherwise agreed, the test conditions shall include: (1) Generating Facility at synchronous speed; (2) automatic voltage regulator on and in voltage control mode; and (3) a five percent change in Generating Facility terminal voltage initiated by a change in the voltage regulators reference voltage. Interconnection Customer shall provide validated test recordings showing the responses of Generating Facility terminal and field voltages. In the event that direct recordings of these voltages is impractical, recordings of other voltages or currents that mirror the response of the Generating Facility's terminal or field voltage are acceptable if information necessary to translate these alternate quantities to actual Generating Facility terminal or field voltages is provided. Generating Facility testing shall be conducted and results provided to Distribution Provider for each individual generating unit in a station.

Subsequent to the Commercial Operation Date, Interconnection Customer shall provide Distribution Provider any information changes due to equipment replacement, repair, or adjustment. Distribution Provider shall provide Interconnection Customer any information changes due to equipment replacement, repair or adjustment in the directly connected substation or any adjacent Distribution Provider-owned substation that may affect Interconnection Customer's Interconnection Facilities equipment ratings, protection or operating requirements. The Parties shall provide such information no later than thirty (30) Calendar Days after the date of the equipment replacement, repair or adjustment.

Article 25. Information Access and Audit Rights

- **25.1 Information Access.** Each Party (the "disclosing Party") shall make available to the other Party information that is in the possession of the disclosing Party and is necessary in order for the other Party to: (i) verify the costs incurred by the disclosing Party for which the other Party is responsible under this GIA; and (ii) carry out its obligations and responsibilities under this GIA. The Parties shall not use such information for purposes other than those set forth in this Article 25.1 and to enforce their rights under this GIA.
- 25.2 Reporting of Non-Uncontrollable Force Events. Each Party (the "notifying Party") shall notify the other Party when the notifying Party becomes aware of its inability to comply with the provisions of this GIA for a reason other than an Uncontrollable Force event. The Parties agree to cooperate with each other and provide necessary information regarding such inability to comply, including the date, duration, reason for the inability to comply, and corrective actions taken or planned to be taken with respect to such inability to comply. Notwithstanding the foregoing, notification, cooperation or information provided under this article shall not entitle the Party receiving such notification to allege a cause for anticipatory breach of this GIA.
- **25.3 Audit Rights.** Subject to the requirements of confidentiality under Article 22 of this GIA, each Party shall have the right, during normal business hours, and upon prior reasonable notice to the other Party, to audit at its own expense the other Party's accounts and records pertaining to either Party's performance or either Party's satisfaction of obligations under this GIA. Such audit rights shall include audits of the other Party's costs, calculation of invoiced amounts, Distribution Provider's efforts to allocate responsibility for interruption or reduction of generation on the Distribution System, and each Party's actions in an Emergency Condition. Any audit authorized by this article shall be performed at the offices where such accounts and records are maintained and shall be limited to those portions of such accounts and records that relate to each Party's performance and satisfaction of obligations under this GIA. Each Party shall keep such accounts and records for a period equivalent to the audit rights periods described in Article 25.4.

25.4 Audit Rights Periods.

- 25.4.1 Audit Rights Period for Construction-Related Accounts and Records.

 Accounts and records related to the design, engineering, procurement, and construction of Distribution Provider's Interconnection Facilities, Distribution Upgrades, and Network Upgrades shall be subject to audit for a period of twenty-four months following Distribution Provider's issuance of a final invoice in accordance with Article 12.2.
- 25.4.2 Audit Rights Period for All Other Accounts and Records. Accounts and records related to either Party's performance or satisfaction of all obligations under this GIA other than those described in Article 25.4.1 shall be subject to audit as follows: (i) for an audit relating to cost obligations, the applicable audit rights period shall be twenty-four months after the auditing Party's receipt of an invoice giving rise to such cost obligations; and (ii) for an audit relating to all

- other obligations, the applicable audit rights period shall be twenty-four months after the event for which the audit is sought.
- **25.5 Audit Results.** If an audit by a Party determines that an overpayment or an underpayment has occurred, a notice of such overpayment or underpayment shall be given to the other Party together with those records from the audit which support such determination.

Article 26. Subcontractors

- **26.1 General.** Nothing in this GIA shall prevent a Party from utilizing the services of any subcontractor as it deems appropriate to perform its obligations under this GIA; provided, however, that each Party shall require its subcontractors to comply with all applicable terms and conditions of this GIA in providing such services and each Party shall remain primarily liable to the other Party for the performance of such subcontractor.
- **26.2 Responsibility of Principal.** The creation of any subcontract relationship shall not relieve the hiring Party of any of its obligations under this GIA. The hiring Party shall be fully responsible to the other Party for the acts or omissions of any subcontractor the hiring Party hires as if no subcontract had been made; provided, however, that in no event shall Distribution Provider be liable for the actions or inactions of Interconnection Customer or its subcontractors with respect to obligations of Interconnection Customer under Article 5 of this GIA. Any applicable obligation imposed by this GIA upon the hiring Party shall be equally binding upon, and shall be construed as having application to, any subcontractor of such Party.
- **26.3 No Limitation by Insurance.** The obligations under this Article 26 will not be limited in any way by any limitation of subcontractor's insurance.

Article 27. Disputes

27.1 Submission. In the event either Party has a dispute, or asserts a claim, that arises out of or in connection with this GIA or its performance, such Party (the "disputing Party") shall provide the other Party with written notice of the dispute or claim ("Notice of Dispute"). Such dispute or claim shall be referred to a designated senior representative of each Party for resolution on an informal basis as promptly as practicable after receipt of the Notice of Dispute by the other Party. In the event the designated representatives are unable to resolve the claim or dispute through unassisted or assisted negotiations within thirty (30) Calendar Days of the other Party's receipt of the Notice of Dispute, such claim or dispute may, upon mutual agreement of the Parties, be submitted to arbitration and resolved in accordance with the arbitration procedures set forth below. In the event the Parties do not agree to submit such claim or dispute to arbitration, each Party may exercise whatever rights and remedies it may have in equity or at law consistent with the terms of this GIA.

- External Arbitration Procedures. Any arbitration initiated under this GIA shall be 27.2 conducted before a single neutral arbitrator appointed by the Parties. If the Parties fail to agree upon a single arbitrator within ten (10) Calendar Days of the submission of the dispute to arbitration, each Party shall choose one arbitrator who shall sit on a threemember arbitration panel. The two arbitrators so chosen shall within twenty (20) Calendar Days select a third arbitrator to chair the arbitration panel. In either case, the arbitrators shall be knowledgeable in electric utility matters, including electric transmission and bulk power issues, and shall not have any current or past substantial business or financial relationships with any party to the arbitration (except prior arbitration). The arbitrator(s) shall provide each of the Parties an opportunity to be heard and, except as otherwise provided herein, shall conduct the arbitration in accordance with the Commercial Arbitration Rules of the American Arbitration Association ("Arbitration Rules") and any applicable FERC regulations; provided, however, in the event of a conflict between the Arbitration Rules and the terms of this Article 27, the terms of this Article 27 shall prevail.
- 27.3 Arbitration Decisions. Unless otherwise agreed by the Parties, the arbitrator(s) shall render a decision within ninety (90) Calendar Days of appointment and shall notify the Parties in writing of such decision and the reasons therefor. The arbitrator(s) shall be authorized only to interpret and apply the provisions of this GIA and shall have no power to modify or change any provision of this Agreement in any manner. The decision of the arbitrator(s) shall be final and binding upon the Parties, and judgment on the award may be entered in any court having jurisdiction. The decision of the arbitrator(s) may be appealed solely on the grounds that the conduct of the arbitrator(s), or the decision itself, violated the standards set forth in the Federal Arbitration Act or the Administrative Dispute Resolution Act. The final decision of the arbitrator must also be filed with FERC if it affects jurisdictional rates, terms and conditions of service, Interconnection Facilities, Distribution Upgrades, or Network Upgrades.
- **27.4 Costs.** Each Party shall be responsible for its own costs incurred during the arbitration process and for the following costs, if applicable: (1) the cost of the arbitrator chosen by the Party to sit on the three member panel and one half of the cost of the third arbitrator chosen; or (2) one half the cost of the single arbitrator jointly chosen by the Parties.

Article 28. Representations, Warranties, and Covenants

- **28.1** General. Each Party makes the following representations, warranties and covenants:
 - **28.1.1 Good Standing.** Such Party is duly organized, validly existing and in good standing under the laws of the state in which it is organized, formed, or incorporated, as applicable; that it is qualified to do business in the state or states in which the Generating Facility, Interconnection Facilities and Network Upgrades owned by such Party, as applicable, are located; and that it has the corporate power and authority to own its properties, to carry on its business as now being conducted and to enter into this GIA and carry out the transactions

- contemplated hereby and perform and carry out all covenants and obligations on its part to be performed under and pursuant to this GIA.
- **28.1.2 Authority.** Such Party has the right, power and authority to enter into this GIA, to become a Party hereto and to perform its obligations hereunder. This GIA is a legal, valid and binding obligation of such Party, enforceable against such Party in accordance with its terms, except as the enforceability thereof may be limited by applicable bankruptcy, insolvency, reorganization or other similar laws affecting creditors' rights generally and by general equitable principles (regardless of whether enforceability is sought in a proceeding in equity or at law).
- **28.1.3** No Conflict. The execution, delivery and performance of this GIA does not violate or conflict with the organizational or formation documents, or bylaws or operating agreement, of such Party, or any judgment, license, permit, order, material agreement or instrument applicable to or binding upon such Party or any of its assets.
- **28.1.4 Consent and Approval.** Such Party has sought or obtained, or, in accordance with this GIA will seek or obtain, each consent, approval, authorization, order, or acceptance by any Governmental Authority in connection with the execution, delivery and performance of this GIA, and it will provide to any Governmental Authority notice of any actions under this GIA that are required by Applicable Laws and Regulations.

Article 29. [Reserved]

Article 30. Miscellaneous

- **30.1 Binding Effect.** This GIA and the rights and obligations hereof, shall be binding upon and shall inure to the benefit of the successors and assigns of the Parties hereto.
- **30.2 Conflicts.** In the event of a conflict between the body of this GIA and any attachment, appendices or exhibits hereto, the terms and provisions of the body of this GIA shall prevail and be deemed the final intent of the Parties.
- 30.3 Rules of Interpretation. This GIA, unless a clear contrary intention appears, shall be construed and interpreted as follows: (1) the singular number includes the plural number and vice versa; (2) reference to any person includes such person's successors and assigns but, in the case of a Party, only if such successors and assigns are permitted by this GIA, and reference to a person in a particular capacity excludes such person in any other capacity or individually; (3) reference to any agreement (including this GIA), document, instrument or tariff means such agreement, document, instrument, or tariff as amended or modified and in effect from time to time in accordance with the terms thereof and, if applicable, the terms hereof; (4) reference to any Applicable Laws and Regulations means such Applicable Laws and Regulations as amended, modified, codified, or reenacted, in whole or in part, and in effect from time to time, including, if applicable,

rules and regulations promulgated thereunder; (5) unless expressly stated otherwise, reference to any Article, Section or Appendix means such Article of this GIA or such Appendix to this GIA, or such Section to the GIP or such Appendix to the GIP, as the case may be; (6) "hereunder", "hereof", "herein", "hereto" and words of similar import shall be deemed references to this GIA as a whole and not to any particular Article or other provision hereof or thereof; (7) "including" (and with correlative meaning "include") means including without limiting the generality of any description preceding such term; and (8) relative to the determination of any period of time, "from" means "from and including", "to" means "to but excluding" and "through" means "through and including".

- **30.4 Entire Agreement.** This GIA, including all Appendices and Schedules attached hereto, constitutes the entire agreement between the Parties with reference to the subject matter hereof, and supersedes all prior and contemporaneous understandings or agreements, oral or written, between the Parties with respect to the subject matter of this GIA. There are no other agreements, representations, warranties, or covenants which constitute any part of the consideration for, or any condition to, either Party's compliance with its obligations under this GIA.
- **30.5 No Third Party Beneficiaries.** This GIA is not intended to and does not create rights, remedies, or benefits of any character whatsoever in favor of any persons, corporations, associations, or entities other than the Parties, and the obligations herein assumed are solely for the use and benefit of the Parties, their successors in interest and, where permitted, their assigns.
- **30.6 Waiver.** The failure of a Party to this GIA to insist, on any occasion, upon strict performance of any provision of this GIA will not be considered a waiver of any obligation, right, or duty of, or imposed upon, such Party.

Any waiver at any time by either Party of its rights with respect to this GIA shall not be deemed a continuing waiver or a waiver with respect to any other failure to comply with any other obligation, right, duty of this GIA. Termination or Default of this GIA for any reason by Interconnection Customer shall not constitute a waiver of Interconnection Customer's legal rights to obtain an interconnection from Distribution Provider. Any waiver of this GIA shall, if requested, be provided in writing.

- **30.7 Headings.** The descriptive headings of the various Articles of this GIA have been inserted for convenience of reference only and are of no significance in the interpretation or construction of this GIA.
- **30.8 Multiple Counterparts.** This GIA may be executed in two or more counterparts, each of which is deemed an original but all constitute one and the same instrument.
- **30.9 Amendment.** The Parties may by mutual agreement amend this GIA by a written instrument duly executed by the Parties.

- **30.10 Modification by the Parties.** The Parties may by mutual agreement amend the Appendices to this GIA by a written instrument duly executed by the Parties. Such amendment shall become effective and a part of this GIA upon satisfaction of all Applicable Laws and Regulations.
- 30.11 Reservation of Rights. Distribution Provider shall have the right to make a unilateral filing with FERC to modify this GIA with respect to any rates, terms and conditions, charges, classifications of service, rule or regulation under section 205 or any other applicable provision of the Federal Power Act and FERC's rules and regulations thereunder, and Interconnection Customer shall have the right to make a unilateral filing with FERC to modify this GIA pursuant to section 206 or any other applicable provision of the Federal Power Act and FERC's rules and regulations thereunder; provided that each Party shall have the right to protest any such filing by the other Party and to participate fully in any proceeding before FERC in which such modifications may be considered. Nothing in this GIA shall limit the rights of the Parties or of FERC under sections 205 or 206 of the Federal Power Act and FERC's rules and regulations thereunder, except to the extent that the Parties otherwise mutually agree as provided herein.
- **30.12 No Partnership.** This GIA shall not be interpreted or construed to create an association, joint venture, agency relationship, or partnership between the Parties or to impose any partnership obligation or partnership liability upon either Party. Neither Party shall have any right, power or authority to enter into any agreement or undertaking for, or act on behalf of, or to act as or be an agent or representative of, or to otherwise bind, the other Party.

IN WITNESS WHEREOF, the Parties have executed this GIA in duplicate originals, each of which shall constitute and be an original effective Agreement between the Parties.

Southe	ern California Edison Company	
By:	/S/	
Name:	: Robert G. Woods	
Title:	Managing Director, Asset Management and C	perations Support
Date:	2/5/2018	
Stanto	on Energy Reliability Center, LLC	
By:	/S/	
Name:	: Kara J. Miles	
Title:	President	
Date:	2/8/2018	

Appendix A to GIA

Description of Interconnection Facilities, Network Upgrades, Distribution Upgrades, Costs and Financial Security

Additional Definitions: For the purposes of the Appendices to the GIA, the following terms, when used with initial capitalization, whether in the singular or the plural, shall have the meanings specified below:

- (a) Amended Letter Agreement: The agreement entered into between the Interconnection Customer and the Distribution Provider on July 11, 2017, designated as Service Agreement No. 968 under the Distribution Provider's Tariff, to expedite the engineering, design, and specifications for the Barre WDT1189 66kV Line, perform archeological and biological surveys, and which agreement supersedes the Letter Agreement, and was accepted by FERC under Docket No. ER17-2167-000.
- (b) <u>Letter Agreement</u>: The agreement entered into between the Interconnection Customer and the Distribution Provider on February 3, 2017, designated as Service Agreement No. 945 under the Distribution Provider's Tariff, to expedite the engineering, design, and specifications for the Barre WDT1189 generation tie line, and accepted by FERC on March 22, 2017 under Docket No. ER17-958-000, with an effective date of February 3, 2017.
- (c) <u>Modification Request:</u> The request to modify the Large Generating Facility characteristics submitted by the Interconnection Customer to the Distribution Provider on September 14, 2017, and determined not to be Material by the Distribution Provider on September 27, 2017, and pursuant to WDAT GIP Section 4.5.7.2. The request describes the Interconnection Customer's changes to WDT1189 and WDT1293.
- (d) <u>WDT1189</u>: The Interconnection Customer's Interconnection Request to Queue Cluster 7 for the Stanton Energy Reliability Center Project, proposing to interconnect a 151.8 MW gas-fired synchronous generating facility to the Distribution Provider's Barre 66kV bus, as modified by the Modification Request.
- (e) <u>WDT1293:</u> The Interconnection Customer's Interconnection Request to Queue Cluster 8 for the Stanton Energy Reliability Center Project, proposing to expand the Stanton Energy Reliability Center Project by adding to it a 20 MW inverter based (battery energy storage system) generating facility, resulting in a total project capacity of 170MW, as modified by the Modification Request.

This Agreement is based upon the results of (i) WDT1189 Phase II Study, (ii) the results of the WDT1293 Phase II Study, (iii) the ISO's 2016 Reassessment Report, (iv) the work conducted pursuant to the Letter Agreement, (v) the work completed pursuant to the Amended Letter Agreement, and (vi) the Modification Request which resulted in a 151.6 gross MW hybrid gasturbine (101.6 MW) and inverter based (50.0 MW) battery energy storage system Generating Facility.

1. Interconnection Facilities.

- (a) **Interconnection Customer's Interconnection Facilities.** The Interconnection Customer shall:
 - (i) Install a substation with one (1) 66kV/13.8kV/13.8kV, 170/130/100 MVA, three winding main step-up transformer with a nine (9) percent impedance on a 100 MVA base, on the H-X and H-Y windings, and a twelve (12) percent impedance on a 100MVA base on the X-Y winding.
 - (ii) Install, at a position designated by the Distribution Provider at the Generating Facility project site located at 10711 Dale Avenue in Stanton, CA, a structure designed and engineered in accordance with the Distribution Provider's specifications to terminate the Barre Skip 66kV Line ("Last Structure").
 - (iii) Allow the Distribution Provider to connect the conductors of the Barre Skip 66kV Line to the Last Structure. In accordance with Article 5.12 of this GIA, the Interconnection Customer acknowledges that the access required under such article will include allowing Distribution Provider's personnel the ability to access twenty-four hours a day the space provided for the Distribution Provider's Barre Skip 66kV Line.
 - (iv) Procure and construct underground duct banks and related structures required for the Distribution Provider's Interconnection Facilities ("Civil Construction") in accordance with specifications and designs provided by the Distribution Provider, subject to the following conditions:
 - 1. Prior to commencing construction of the Civil Construction, Distribution Provider shall review Interconnection Customer's construction documents and Interconnection Customer shall obtain Distribution Provider's approval of such documents. Such approval shall not be unreasonably withheld.
 - 2. During construction of the Civil Construction, Distribution Provider shall have the right to access the Civil Construction to conduct inspections.
 - 3. If at any time during construction, Distribution Provider determines that the Civil Construction does not meet Distribution Provider's standards and specifications, Interconnection Customer shall remedy such deficiencies.
 - 4. Following completion of construction of the Civil Construction and prior to the in-service date of the Civil Construction, Distribution Provider shall provide final inspection and field testing of the Civil Construction, and Interconnection Customer shall obtain an inspection release from the proper inspection authority.
 - 5. Following completion of the Civil Construction, the Distribution Provider may determine that the Civil Construction, or a portion thereof, in support of the interconnection for the Stanton Energy Reliability Center Project may need to be owned by the Distribution Provider. Upon such determination, the Civil Construction, or a portion thereof, will be reclassified as Distribution Provider's Interconnection Facilities and the Interconnection Customer shall be required to transfer ownership to the Distribution Provider. The Interconnection Customer understands and acknowledges that upon such

- transfer, it shall provide to Distribution Provider the final costs of the Civil Construction actually transferred in a form acceptable to the Distribution Provider, and Interconnection Customer shall be responsible for the ITCC and Interconnection Facilities Charge for the portion of the Civil Construction transferred to Distribution Provider. Any reclassification of the Civil Construction and the terms and conditions related to the transfer of the reclassified portions of the Civil Construction to the Distribution Provider shall be reflected in an amendment to the GIA.
- 6. Within one hundred-twenty (120) calendar days of the Commercial Operation Date, Interconnection Customer shall deliver to Distribution Provider "asbuilt" drawings, information, and any other documents that are required by Distribution Provider to assure that the Civil Construction is built to the standards and specifications required by Distribution Provider.
- (v) Acquire, and provide to the Distribution Provider within thirty (30) calendar days following the Effective Date, an agreement from the property owner at 10711 Dale St., Stanton, CA, for the Distribution Provider to have the following:
 - 1. the right to enter property owner's premises for any purpose connected with the Distribution Provider's Interconnection Facilities or interconnection service,
 - 2. the right for the use of a Distribution Provider approved locking device if Interconnection Customer wants to prevent unauthorized access to Distribution Provider's Interconnection Facilities,
 - 3. the right for safe and ready access for Distribution Provider's personnel free from unrestrained animals,
 - 4. the right for unobstructed ready access for Distribution Provider's vehicles and equipment to install, remove, repair, and maintain its Distribution Provider's Interconnection Facilities,
 - 5. the right to remove Distribution Provider's Interconnection Facilities after termination of interconnection service.
- (vi) Allow Distribution Provider access to install all dielectric self-supporting (ADSS) fiber optic cable (including fiber optic cables, and appurtenant facilities) within the Civil Construction and terminating at the Large Generating Facility and the Distribution Provider's Barre Substation to provide the main path of the two telecommunication paths required for the line protection scheme and, the remote terminal units ("RTU"). A minimum of eight (8) strands within the ADSS fiber optic cable shall be provided for the Distribution Provider's exclusive use into Barre Substation.
- (vii) Allow Distribution Provider access to install a second ADSS fiber optic cable (including fiber optic cables, and appurtenant facilities) within the Civil Construction and terminating at the Large Generating Facility and the Distribution Provider's Barre Substation to provide the second telecommunication path required for the line protection scheme. A minimum of eight (8) strands within the single mode fiber optic cable shall be provided for the Distribution Provider's exclusive use. Pursuant to the Applicable Reliability Standards criteria for diversity, telecommunication path diversity is not required for the Barre Skip 66kV Line.

- (viii) Allow the Distribution Provider to review the Interconnection Customer's telecommunication equipment design and perform inspections to ensure compatibility with the Distribution Provider's terminal equipment and protection engineering requirements; allow the Distribution Provider to perform acceptance testing of the telecommunication equipment and the right to request and/or to perform correction of installation deficiencies.
- (ix) Provide required data signals, make available adequate space, facilities, and associated dedicated electrical circuits within a secure building having suitable environmental controls for the installation of the Distribution Provider's RTU in accordance with the Interconnection Handbook. The space provided for the RTU must be a location that would allow twenty-four (24) hour access to the RTU for the Distribution Provider's personnel.
- (x) Make available adequate space, facilities, and associated dedicated electrical circuits within a secure building having suitable environmental controls for the installation of the Distribution Provider's telecommunications terminal equipment in accordance with the Interconnection Handbook. The space provided for the Distribution Provider's telecommunications terminal equipment must be a location that would allow twenty-four (24) hour access to the RTU for the Distribution Provider's personnel.
- (xi) Extend the fiber optic cables for the two telecommunication paths to an Interconnection Customer provided and installed patch panel located adjacent to the Distribution Provider's telecommunications terminal equipment specified above.
- (xii) Install all required ISO-approved compliant metering equipment at the Generating Facility, in accordance with Section 10 of the ISO Tariff.
- (xiii) Install metering cabinet(s) and metering equipment (typically, potential and current transformers) at the Generating Facility to meter the Generating Facility retail load, as specified by the Distribution Provider. The metering cabinet must be placed at a location that would allow twenty-four hour access for the Distribution Provider's metering personnel.
- (xiv) Install metering cabinet(s) and metering equipment (typically, potential and current transformers) at the Generating Facility to meter the Generating Facility charging load, as specified by the Distribution Provider. The metering cabinet must be placed at a location that would allow twenty-four hour access for the Distribution Provider's metering personnel.
- (xv) Allow the Distribution Provider to install, in the metering cabinet(s) provided by the Interconnection Customer, meters required to meter the retail load and to separately meter the charging load, at the Generating Facility.
- (xvi) Install relay protection to be specified by the Distribution Provider to match the relay protection used by the Distribution Provider at Barre Substation, in order to protect the Barre Skip 66kV Line, as follows:

Two (2) line current differential relays with dedicated digital communication channels to Barre Substation. The make and type of line current differential relays will be specified by the Distribution Provider during final engineering of the Distribution Provider's Interconnection Facilities.

- (xvii)Install all equipment necessary to comply with the power factor requirements of Article 9.6.1 of the GIA, including the ability to automatically regulate the power factor to a schedule (VAR schedule) in accordance with the Interconnection Handbook.
- (xviii) Install disconnect facilities in accordance with the Distribution Provider's Interconnection Handbook to comply with the Distribution Provider's switching and tagging procedures.
- (xix) Acquire the necessary rights-of-way for the Interconnection Customer's Interconnection Facilities.
- (xx) Perform the necessary environmental studies and obtain permits for the Interconnection Customer's Interconnection Facilities, and perform the environmental activities related to the Distribution Provider's Interconnection Facilities as described in the Section 1(b) of this Appendix A, and the Distribution Upgrades as described in Section 3 of this Appendix A.

(b) **Distribution Provider's Interconnection Facilities.** The Distribution Provider shall:

- (i) Barre Substation.
 - 1. Install the Interconnection Facilities portion for a new 66kV switchrack position to terminate the Barre Skip 66kV Line. This work includes the following:
 - a. One (1) 66kV dead-end substation structure.
 - b. Three (3) 66kV potential transformers with steel pedestal support structures.
 - c. Three (3) 66kV Line drops.
 - 2. Install the following relays to protect the Barre Skip 66kV Line:
 - a. Two (2) line current differential relays via dedicated digital communications channels to the Generating Facility.

(ii) Barre – Skip 66kV Line.

Install an appropriate number of 66 kV sub-transmission structures, underground duct bank conduits and vaults; including insulator/hardware assemblies, the appropriate number of spans of conductor, and fiber optic cable between the Last Structure and the dead-end substation structure at Barre Substation. The actual number and location of the sub-transmission tower structures, underground facilities, and spans of conductor and fiber optic cable will be determined by the Distribution Provider following completion of final engineering of the Distribution Provider's Interconnection Facilities. The engineering work performed pursuant to the Letter Agreement assumes one (1) sub-transmission tubular steel pole structure, six thousand eight hundred and sixteen (6,816) feet of bundled 3000 kcmil AL cable, and three (3) vaults. This work includes pulling the conductor and making the terminations.

(Note: The Barre – Skip 66kV Line name is subject to change by the Distribution Provider based upon its transmission line naming criteria. Should the Barre – Skip 66 kV Line name be changed, this GIA may be amended to reflect such change.

The normal (continuous) rating of the Interconnection Customer's 66 kV equipment that is part of the generation tie-line is 1575A and the emergency (four-hour) rating is 1575A.

(iii) Telecommunications.

- 1. Install all required lightwave, channel bank(s), and associated equipment (including terminal equipment), supporting protection, RTU requirements at the Generating Facility and Barre Substation for the interconnection of the Generating Facility. Notwithstanding that certain telecommunication equipment, including the telecommunications terminal equipment, will be located on the Interconnection Customer's side of the Point of Change of Ownership, the Distribution Provider shall own, operate and maintain such telecommunication equipment as part of the Distribution Provider's Interconnection Facilities.
- 2. Install appropriate length of fiber optic cable, including conduit and vaults, from the point designated by the Distribution Provider near the Last Structure to extend the fiber optic cable into the communication room at Barre Substation. This work includes pulling the cable and making the terminations. The actual location and length of fiber optic cable and conduit, and location and number of vaults, will be determined during final engineering of the Distribution Provider's Interconnection Facilities. The WDT1293 Phase II Interconnection Study assumed the installation of approximately three thousand and three hundred (3,300) feet of underground fiber optic cable inside 5-inch conduit, and two (2) new vaults to extend the fiber optic cable into the communication room at Barre Substation.
- 3. Install appropriate length of fiber optic cable, including conduit and vaults, to extend the secondary telecommunications from the point designated by the Distribution Provider near the Last Structure into the communication room at Barre Substation. This work includes pulling the cable and making the terminations. The actual location and length of fiber optic cable and conduit, and location and number of vaults, will be determined during final engineering of the Distribution Provider's Interconnection Facilities. The WDT1189 Phase II Interconnection Study assumed the installation of approximately two thousand and six hundred (2,600) feet of underground fiber optic cable inside 5-inch conduit, and one (1) vault to extend the Interconnection Customer's diverse telecommunications into the communication room at Barre Substation.

(iv) Real Properties.

The Distribution Provider may obtain easements and/or acquire land for, and obtain licensing and permits for, the installation of the Distribution Provider's Interconnection Facilities, including any associated telecommunication equipment for the Barre – Skip 66kV Line. This will involve the Distribution Provider utilizing its franchise rights for installation of its Interconnection Facilities from Barre Substation to the Interconnection Customer's property line, and it will involve the Distribution Provider obtaining property rights from the land owner at 10711 Dale Ave., Stanton, CA, for its Interconnection Facilities located on the Generating Facility project site.

(v) **Metering.**

- 1. Install revenue meters required to meter the retail load at the Generating Facility Notwithstanding that the meters will be located on the Interconnection Customer's side of the Point of Change of Ownership, the Distribution Provider shall own, operate and maintain such facilities as part of the Distribution Provider's Interconnection Facilities.
- 2. Install meters required to meter the charging load at the Generating Facility. Notwithstanding that the meters will be located on the Interconnection Customer's side of the Point of Change of Ownership, the Distribution Provider shall own, operate and maintain such facilities as part of the Distribution Provider's Interconnection Facilities.

(vi) Power System Control.

Install one (1) RTU at the Generating Facility to monitor typical generation elements such as MW, MVAR, terminal voltage and circuit breaker status for the Generating Facility and plant auxiliary load, and transmit the information received thereby to the Distribution Provider's grid control center. Notwithstanding that the RTU will be located on the Interconnection Customer's side of the Point of Change of Ownership, the Distribution Provider shall own, operate and maintain the RTU as part of the Distribution Provider's Interconnection Facilities.

(vii) Environmental Activities, Permits, and Licensing.

Perform all required environmental activities, and obtain required licensing and permits for the installation of the Distribution Provider's Interconnection Facilities, including any associated telecommunication equipment.

The Interconnection Customer shall:

- 1. Prepare draft environmental permit applications related to the installation of the Distribution Provider's Interconnection Facilities.
- 2. Obtain the Distribution Provider's approval of proposed study methodologies, documents resulting from environmental studies, and draft permit applications intended for the Distribution Provider's use.
- 3. Perform pre-construction activities and construction monitoring and related activities.
- 4. Provide, to the Distribution Provider, the cost of such work in a form acceptable to the Distribution Provider; the cost of such work shall be subject to on-going monthly charges and ITCC as may be reflected in an amendment to the GIA

2. Network Upgrades.

- (a) **Stand Alone Network Upgrades**. None identified in the Phase II Study Results.
- (b) Other Network Upgrades.
 - (i) Distribution Provider's Reliability Network Upgrades.

Under Frequency Load Shedding Scheme;

Perform programming work on the Barre Substation node portion of the under frequency load shedding scheme as needed and pursuant to Appendix C Section 5 (L).

(ii) Delivery Network Upgrades.

1. Area Delivery Network Upgrades.

None identified in the Phase II Study Results

2. Local Delivery Network Upgrades.

None identified in the Phase II Study Results.

3. **Distribution Upgrades.** The Distribution Provider shall:

- (a) Barre Substation.
 - (i) Install the distribution facilities necessary for a new 66 kV position to terminate the Barre Skip 66 kV Line. This work includes the following:
 - a. Two (2) 66 kV circuit breakers.
 - b. Four (4) sets of 66 kV disconnect switches.
 - c. Perform ground grid study
- (b) Power Systems Controls.

Substation Automation System (SAS) point additions to the existing Barre SAS to accommodate new relay protection, status, and alarm.

(c) Real Properties, Transmission Project Licensing, and Corporate Environmental Health and Safety.

Obtain easements and/or acquire land, obtain licensing and permits, and perform all required environmental activities for the installation of the Distribution Upgrades.

(d) Short Circuit Duty (SCD) Mitigation – DU None

(e) Ground Grid Studies.

Perform ground grid studies at Barre 66kV, Fullerton 66 kV, Gilbert 66 kV, Kindler 66 kV, La Palma 66 kV, Lampson 66 kV, Marion 66 kV, and Sunny Hills 66 kV Substations.

(f) Add the inverter based (battery energy storage system) generating facility to the Distributed Energy Resource Management System (DERMS)

i. Power System Control


Add the inverter based (battery energy storage system) portion of the generating facility to the Distributed Energy Resource Management System which is within the Energy Management System (EMS) to support the charging activities of the energy storage portion of the Generating Facility. This work includes the following;

- 1) Barre Substation: Service and test the storage control system.
- 2) Telecommunication: Install packet radio.
- 3) Operating Bulletin/Operating Procedure:
 - a. The Distribution Provider will draft and provide to the Interconnection Customer an operating bulletin/operating procedure associated with the charging component and charging operations of the Stanton Energy Reliability Center Project. The operating bulletin/operating procedure will be submitted to the Interconnection Customer pursuant to Appendix B, Section 2(x).
 - b. Such operating bulletin/operating procedure is required initially as an interim battery charging operating system mitigation measure, until the Distributed Energy Resource Management System described in this Appendix A, Section 3(f) is completed and implemented.

c. The Interconnection Customer also understands and acknowledges that following the implementation of the Distributed Energy Resource Management System, an operating bulletin/operating procedure may still be required.

4. Point of Change of Ownership, Point of Interconnection and One-Line Diagram of Interconnection

- (a) Point of Change of Ownership.
 - where the conductors of the Barre Skip 66kV Line are attached to the Last Structure, which will be the dead end structure in the Interconnection Customer's substation. The Interconnection Customer shall own and maintain the Last Structure, the disconnect switch, the conductors, and insulators from such Last Structure to the Interconnection Customer's Generating Facility. The Distribution Provider will own and maintain the Barre Substation, as well as all circuit breakers, disconnects, relay facilities and metering within the Barre Substation, together with the underground conductors and risers, in their entirety, from the Last Structure to Barre Substation. The Distribution Provider will own the insulators that are used to attach the Distribution Provider-owned conductors to the Last Structure.
 - (ii) Telecommunication main ADSS fiber optic cable: The Point of Change of Ownership shall be the point designated by the Distribution Provider near the Last Structure in an Interconnection Customer provided vault adjacent to the Last Structure where the Interconnection Customer's fiber optic cable is connected to the Distribution Provider's fiber optic cable.
 - (iii) Telecommunication secondary ADSS fiber optic cable: The Point of Change of Ownership shall be the point designated by the Distribution Provider near the Last Structure in an Interconnection Customer owned vault adjacent to the Last Structure where the Interconnection Customer's fiber optic cable is connected to the Distribution Provider's fiber optic cable.
- (b) **Point of Interconnection.** The Distribution Provider's Barre Substation at the 66kV bus AB section.
- (c) One-Line Diagram of Interconnection to Barre 66 kV Substation bus section AB.



- 5. Cost of Interconnection Facilities, Distribution Upgrades and Network Upgrades, Payment Schedule, On-Going Monthly charges and Financial Security:
- (a) Estimated Cost

Element-	Interconnection Facilities Cost	Distribution Upgrades Cost	Reliability Network Upgrades Cost	Area Delivery Network Upgrades Cost	Local Delivery Network Upgrades Cost	One-Time Cost	Total	ITCC*
Distribution Provider's Interconnection								
Facilities								
Barre Substation								
– 66kV line drop	\$1,290,251					\$0	\$1,290,251	
The Barre – Skip 66kV								
Transmission								
Line	\$3,148,985					\$0	\$3,148,985	
Telecommunicat								
ions	\$773,053					\$0	\$773,053	
Transmission								
Telecommunicat	¢170.241					# 0	¢170.241	
ions	\$179,341					\$0	\$179,341	

Permits and Licensing \$131,507 \$0 \$ \$0 \$ \$131,507 Metering \$63,089 \$0 \$ \$0 \$ \$63,089 Power System \$0 \$ \$79,171 \$0 \$ \$0 \$ \$79,171 Environmental \$5,811,676 \$0 \$ \$146,279 Subtotal \$5,811,676 \$0 \$ \$0 \$ \$146,279 Subtotal \$5,811,676 \$0 \$ \$0 \$ \$146,279 Subtotal \$5,811,676 \$0 \$ \$0 \$ \$5,811,676 Substation \$1,400	Real Properties,								
Metering	Permits and								
Power System S79,171 S0 S79,171 S0 S79,171 S146,279 S0 S146,279 Subtotal S5,811,676 S1,393,600 S	Licensing	\$131,507					\$0	\$131,507	
Control S79,171 S0 S79,171 S0 S79,171 S146,279 S0 S146,279 S146,2	Metering	\$63,089					\$0	\$63,089	
Control S79,171 S0 S79,171 S0 S79,171 S146,279 S0 S146,279 S146,2	Power System								
Environmental Services		\$79,171					\$0	\$79,171	
Subtotal \$5,811,676 \$0 \$5,811,676 \$1,393,600	Environmental								
Distribution Upgrades	Services	\$146,279					\$0	\$146,279	
Upgrades		\$5,811,676					\$0	\$5,811,676	\$1,393,600
Barre Substation	Distribution								
GokV bus position \$2,341,932 \$0 \$2,341,9	Upgrades								
Desition Security	Barre Substation								
Environmental Services \$61,238 \$0 \$61,238 \$0 \$61,238 \$0 \$0 \$61,238 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0	- 66kV bus								
Services \$61,238 \$0 \$61,238 \$0 \$61,238 \$0 \$0 \$61,238 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0 \$0	position		\$2,341,932				\$0	\$2,341,932	
Power System Control - add points to the Barre Sub RTU	Environmental								
Control - add points to the Barre Sub RTU	Services		\$61,238				\$0	\$61,238	
Control - add points to the Barre Sub RTU	Power System								
Sarre Sub RTU									
Ground grid Study - Barre Substation So Station Statio	points to the								
Ground grid Study - Barre Substation So Station Statio	Barre Sub RTU		\$0				\$29,115	\$29,115	
Study - Barre Substation SO									
Substation \$0 \$47,018 \$47,01									
study for the Barre 66kV system \$0 \$522,639 \$522,639 Subtotal \$2,403,170 \$598,772 \$3,001,942 \$576,721 Reliability Network Upgrades \$0 \$0 \$0 Subtotal \$0 \$0 \$0 Area Delivery Network Upgrades \$0 \$0 \$0 None \$0 \$0 \$0 Local Delivery Network Upgrades \$0 \$0 \$0 None \$0 \$0 \$0			\$0				\$47,018	\$47,018	
study for the Barre 66kV system \$0 \$522,639 \$522,639 Subtotal \$2,403,170 \$598,772 \$3,001,942 \$576,721 Reliability Network Upgrades \$0 \$0 \$0 Subtotal \$0 \$0 \$0 Area Delivery Network Upgrades \$0 \$0 \$0 None \$0 \$0 \$0 Local Delivery Network Upgrades \$0 \$0 \$0 None \$0 \$0 \$0	Ground grid								
System \$0 \$522,639 \$522,639 Subtotal \$2,403,170 \$598,772 \$3,001,942 \$576,721 Reliability Network Upgrades \$0 \$0 \$0 Area Delivery Network Upgrades \$0 \$0 \$0 None \$0 \$0 \$0 Local Delivery Network Upgrades \$0 \$0 \$0 Local Delivery Network \$0 \$0 \$0 Local Delivery Network \$0 \$0 \$0 None \$0 \$0 \$0 \$0 None \$0 \$0 \$0 \$0 So \$0 S									
Subtotal \$2,403,170 \$598,772 \$3,001,942 \$576,721 Reliability Network Upgrades \$0 \$0 \$0 \$0 Area Delivery Network Upgrades \$0 \$0 \$0 \$0 \$0 Local Delivery Network Upgrades \$0	Barre 66kV								
Reliability Network Upgrades So \$0<	system		\$0				\$522,639	\$522,639	
Reliability Network Upgrades So \$0<	Subtotal		\$2,403,170				\$598,772	\$3,001,942	\$576,721
Network Upgrades Upgrades \$0 \$0 \$0 Subtotal \$0 \$0 \$0 Area Delivery Network Upgrades \$0 \$0 \$0 None \$0 \$0 \$0 Local Delivery Network Upgrades \$0 \$0 \$0 None \$0 \$0 \$0							,		,
Subtotal \$0 \$0 \$0 Area Delivery Network Upgrades \$0 \$0 \$0 None \$0 \$0 \$0 Local Delivery Network Upgrades \$0 \$0 \$0 None \$0 \$0 \$0									
Subtotal \$0 \$0 \$0 Area Delivery Network Upgrades \$0 \$0 \$0 None \$0 \$0 \$0 Local Delivery Network Upgrades \$0 \$0 \$0 None \$0 \$0 \$0	Upgrades								
Area Delivery Network Upgrades None \$0 \$0 Local Delivery Network Upgrades None \$0 \$0				\$0			\$0	\$0	
Network Upgrades Upgrades None \$0 \$0 \$0 Local Delivery Network Upgrades \$0				·					
Upgrades \$0 \$0 \$0 None \$0 \$0 \$0 Local Delivery Network \$0 \$0 \$0 Vegrades \$0 \$0 \$0 \$0									
None \$0 \$0 \$0 Local Delivery Network \$0 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>									
Local Delivery Network Upgrades None \$0 \$0 \$0					\$0		\$0	\$0	
Network Upgrades Upgrades \$0 \$0 \$0									
Upgrades \$0 \$0 \$0 None \$0 \$0 \$0									
None \$0 \$0 \$0									
						\$0	\$0	\$0	
		\$5,811,676	\$2,403,170	\$0	\$0				\$1,970,321

All amounts shown above are in nominal dollars.

The costs associated with any mitigation measures required to third party transmission systems, which result from interconnection of the Stanton Energy Reliability Center Project to the Distribution Provider's electrical system, are not reflected in this GIA.

The Interconnection Customer's obligation for the costs of the Reliability Network Upgrades and Local Delivery Network Upgrades required to interconnect the Generating Facility is capped at \$1,196,000 pursuant to the GIP.

^{*} ITCC/estimated tax liability will be provided pursuant to Section 5(d)(ii) of this Appendix A.

(b) Payment Schedule.

The payment amounts shown below are based on an estimate of the monthly incurred costs for the Distribution Upgrades, Distribution Provider's Interconnection Facilities, and Network Upgrades.

Payment No.	Payment Due Date	Interconnection Facilities Cost	Distribution Upgrades Cost	Reliability Network Upgrades Costs	Area Delivery Network Upgrades Cost	Local Delivery Network Upgrades Cost	One-Time Cost	Project Payment	ITCC
A	Received pursuant to the Amended Letter	\$60,091	\$2,000	\$0	\$0	\$0		\$64,342	\$14,155
1	Agreement March 1,	\$64,957	\$27,118	\$0	\$0	\$0	\$2,251 \$6,738	\$98,813	\$88,416
2	2018 April 1,	\$84,898	\$35,443	\$0	\$0	\$0	\$8,806	\$129,147	
3	2018 May 1, 2018	\$110,042	\$45,941	\$0	\$0	\$0	\$11,413	\$167,396	
4	June 1, 2018	\$141,096	\$58,904	\$0	\$0	\$0	\$14,633	\$214,633	\$184,129
5	July 1, 2018	\$178,427	\$74,489	\$0	\$0	\$0	\$18,505	\$271,421	
6	August 1, 2018	\$221,723	\$92,565	\$0	\$0	\$0	\$22,995	\$337,284	
7	September 1, 2018	\$269,619	\$112,561	\$0	\$0	\$0	\$27,963	\$410,144	\$325,113
8	October 1, 2018	\$319,354	\$133,324	\$0	\$0	\$0	\$33,122	\$485,800	
9	November 1, 2018	\$366,693	\$153,086	\$0	\$0	\$0	\$38,031	\$557,811	
10	December 1, 2018	\$406,326	\$169,633	\$0	\$0	\$0	\$42,141	\$618,100	\$435,929
11	January 1, 2019	\$432,863	\$180,712	\$0	\$0	\$0	\$44,894	\$658,469	
12	February 1, 2019	\$442,220	\$184,617	\$0	\$0	\$0	\$45,865	\$672,702	
13	March 1, 2019	\$443,989	\$185,357	\$0	\$0	\$0	\$46,048	\$675,394	\$420,780
14	April 1, 2019	\$416,770	\$173,992	\$0	\$0	\$0	\$43,225	\$633,987	
15	May 1, 2019	\$376,118	\$157,022	\$0	\$0	\$0	\$39,009	\$572,149	
16	June 1, 2019	\$327,564	\$136,751	\$0	\$0	\$0	\$33,973	\$498,288	\$282,883
17	July 1, 2019	\$276,548	\$115,453	\$0	\$0	\$0	\$28,683	\$420,683	
18	August 1, 2019	\$227,420	\$94,943	\$0	\$0	\$0	\$23,586	\$345,949	**
19	September 1, 2019	\$183,010	\$76,403	\$0	\$0	\$0	\$18,980	\$278,394	\$149,891
20	October 1, 2019	\$144,722	\$60,419	\$0	\$0	\$0	\$15,010	\$220,151	
21	November 1, 2019	\$112,870	\$47,121	\$0	\$0	\$0	\$11,706	\$171,696	\$70.027
22	December 1, 2019	\$87,081	\$36,355	\$0	\$0	\$0	\$9,032	\$132,468	\$69,026

23	January 1, 2020	\$66,625	\$27,815	\$0	\$0	\$0	\$6,910	\$101,350	
24	February 1, 2020	\$50,650	\$21,145	\$0	\$0	\$0	\$5,253	\$77,048	
Total		\$5,811,676	\$2,403,170	\$0	\$0	\$0	\$598,772	\$8,813,618	\$1,970,321

All amounts shown above are in nominal dollars.

In accordance with the Amended Letter Agreement, this GIA will supersede the Amended Letter Agreement following the Effective Date. Interconnection Customer's deposits made pursuant to the Letter Agreement will be credited to the amounts due under this GIA.

In accordance with Article 11.4 of the GIA and Section 9 of this Appendix A, transmission credits are available as follows:

- a) Transmission credits for Reliability Network Upgrades = the lessor of the Reliability Network Upgrades Payment \$0 or \$60,000 per MW of Generating Facility capacity at the time it achieves Commercial Operation.
- b) Transmission credits for Local Deliverability Network Upgrades = the Local Deliverability Network Upgrades Payment = \$0

(c) On-Going Monthly Charges.

Commencing on or following the Interconnection Facilities Completion Date or Distribution Upgrades Completion Date, if applicable, each month the Distribution Provider will render bills to the Interconnection Customer for the Interconnection Facilities Charge and/or Distribution Upgrades Charge as set forth below. The Interconnection Facilities Charge and Distribution Upgrades Charge shall initially be based on the estimated Interconnection Facilities Cost and Distribution Upgrades Cost, and payments made for such Interconnection Facilities Charge and Distribution Upgrades Charge shall be subject to later adjustment to reflect actual costs.

In the event that any portion of the Distribution Provider's Interconnection Facilities or Distribution Upgrades is not complete but, at the request of the Interconnection Customer, the Distribution Provider commences interconnection service under this GIA notwithstanding the incomplete facilities, the Distribution Provider shall commence billing, and the Interconnection Customer shall pay, the Interconnection Facilities Charge and the Distribution Upgrades Charge, as applicable, commencing on the date that such service commences.

i. Interconnection Facilities Charge

		Estimated		
Effective	Customer-	Interconnection	Interconnection Facilities Charge	
	Financed Monthly	Facilities Cost		
	Rate for Non-ISO-			
	Controlled			
	Facilities			
As of the Interconnection	See Section 4.1 of		Customer-Financed Monthly Rate	
	Attachment J to	\$5,811,676	for Non-ISO-Controlled Facilities	
Facilities Completion Date	the Tariff*		x Interconnection Facilities Cost	

^{*} Attachment J to the Tariff is available at the following link: https://www.sce.com/openaccess

ii. Distribution Upgrades Charge

		Estimated		
Effective	Customer-	Distribution	Distribution Upgrades Charge	
	Financed Monthly	Upgrades Cost		
	Rate for Non-			
	ISO-Controlled			
	Facilities			
As of the Distribution Unamedes	See Section 4.1 of		Customer-Financed Monthly Rate	
As of the Distribution Upgrades	Attachment J to	¢2.402.170	for Non-ISO-Controlled Facilities	
Completion Date	the Tariff*	\$2,403,170	x Distribution Upgrades Cost	

^{*} Attachment J to the Tariff is available at the following link: https://www.sce.com/openaccess

(d) Financial Security

- i. Interconnection Financial Security
 - 1. Distribution Upgrades: Pursuant to Section 4.8 of the GIP, and Article 11.5 and Appendix B of the GIA, the Interconnection Customer has provided Credit Support in the total amount of \$6,143,000 for the second posting and shall provide Credit Support in the total amount of \$3,001,942 for the third posting to cover the costs for constructing, procuring and installing the Distribution Upgrades.
 - 2. The Distribution Provider's Interconnection Facilities: Pursuant to Section 4.8 of the GIP, and Article 11.5 and Appendix B of the GIA, the Interconnection Customer has provided Credit Support in the total amount of \$2,583,000 for the second posting and shall provide Credit Support in the total amount of \$5,811,676 for the third posting to cover the costs for constructing, procuring and installing the Distribution Provider's Interconnection Facilities.
 - 3. Network Upgrades: Pursuant to Section 4.8 of the GIP, and Article 11.5 and Appendix B of the GIA, the Interconnection Customer has provided Credit Support in the total amount of \$30,000 for the second posting and shall provide \$0 for the third posting to cover the costs for constructing, procuring and installing the Network Upgrades.
 - 4. To the extent that any Credit Support is not utilized by the Distribution Provider, the release of such Credit Support shall be made in accordance with the Interconnection Customer's instruction.
- ii. Security Amount for Estimated Tax Liability.
 Pursuant to Article 5.17.4 of the GIA, the Interconnection Customer's estimated tax liability is as follows:
 - (a) Estimated tax liability for Distribution Provider's Interconnection Facilities = The sum of the product of (i) the applicable ITCC rate for the year payments are anticipated to be received, and (ii) the total of the payments anticipated to be received for the Interconnection Facilities Cost for that year.

Year(s)	Applicable	Total anticipated payments	ITCC for Distribution
payments	ITCC rate	received for Interconnection	Provider's
anticipated		Facilities Cost	Interconnection
to be			Facilities
received			
2017	See Section	\$60,091	\$13,220**
	4.4 of		
	Attachment J		
	to the Tariff*		
2018	"	\$2,163,136	\$519,153
2019	"	\$3,471,174	\$833,082
2020	"	\$117,275	\$28,146
Total		\$5,811,676	\$1,393,600

^{*} The estimated tax liability is based on the applicable ITCC rate in Attachment J to the Tariff as of the Effective Date and is available at the following link: https://www.sce.com/openaccess

(b) Estimated tax liability for Distribution Upgrades = The sum of the product of (i) the applicable ITCC rate for the year payments are anticipated to be received, and (ii) the total of the payments anticipated to be received for the Distribution Upgrades Cost for that year.

Year(s)	Applicable	Total of anticipated	ITCC for Distribution
payments	ITCC rate	payments received for	Upgrades
anticipated to		Distribution Upgrades	
be received		Cost	
2017	See Section 4.4	\$2,000	\$440**
	of Attachment J		
	to the Tariff*		
2018	"	\$903,065	\$216,736
2019	"	\$1,449,145	\$347,795
2020	"	\$48,960	\$11,750
Total		\$2,403,170	\$576,721

^{*} The estimated tax liability is based on the applicable ITCC rate in Attachment J to the Tariff as of the Effective Date and is available at the following link: https://www.sce.com/openaccess

Based upon the total estimated tax liability, the Interconnection Customer shall provide the Distribution Provider Tax Security in the form of a cash deposit in an escrow account, a letter of credit, or parent guaranty in the amount of \$1,970,321 pursuant to Article 5.17.3 and Appendix B of the GIA. The letter of credit, cash deposit in an escrow account, or parent guaranty shall meet the requirements of Section 4.8 of the GIP.

Upon notification of the Annual Tax Security Reassessment, the Interconnection Customer shall modify its Tax Security accordingly. If the Annual Tax Security Reassessment results in a deficiency in the Tax Security amount, the Interconnection Customer will be required to increase

Page No. 93

its Tax Security amount within 30 days after receipt of the deficiency notification. If the Annual Tax Security Reassessment results in a reduction of the Tax Security amount, the Interconnection Customer may choose to reduce its Tax Security amount or maintain the Tax Security in the current amount for the following year.

The Interconnection Customer's obligation to provide Tax Security shall terminate in accordance with Article 5.17.3 of this GIA. Upon termination of the Interconnection Customer's obligation to provide Tax Security, and Distribution Provider's receipt of the Interconnection Customer's written instructions regarding the release of any unused Tax Security, any unused amount of the Tax Security shall be released to the Interconnection Customer.

**Tax Security in the amount of \$14,155 was provided pursuant to the Amended Letter Agreement. The Interconnection Customer may reduce the amount of the instrument used to meet the requirements for the Amended Letter Agreement to meet the requirements for this Appendix A Section 5(d)(b).

Appendix B to GIA

Milestones

1. **The Interconnection Customer's Selected Option:** Pursuant to Article 5.1 of the GIA, the Interconnection Customer has selected the Standard Option.

2. Milestone Dates:

Item	Milestone	Responsible Party	Due Date
(a)	Submit proof of insurance coverage		Within thirty (30)
	in accordance with Article 18.3 of the GIA	Interconnection	Calendar Days after the
	GIA	Customer	Effective Date
(b)	Submittal of written authorization to		
	proceed with design and		
	procurement of the Distribution		
	Provider's Interconnection Facilities,		
	Distribution Upgrades and Network		
	Upgrades to the Distribution		Within thirty (30)
	Provider, in accordance with Article	Interconnection	Calendar Days after the
	5.5.2 of the GIA	Customer	Effective Date
(c)	Submittal of second posting of		
	Interconnection Financial Security		
	for the Distribution Provider's		
	Interconnection Facilities,		
	Distribution Upgrades and Network		
	Upgrades to the Distribution		
	Provider, pursuant to Article 11.5	Intonoonnootion	
	and Section 5(d)(i) of Appendix A of the GIA	Interconnection	Completed June 5, 2017
(4)		Customer	Completed June 5, 2017
(d)	Submittal of third posting of		
	Interconnection Financial Security for the Distribution Provider's		
	Interconnection Facilities,		
	Distribution Upgrades and Network		
	Upgrades to the Distribution		
	Provider, pursuant to Article 11.5		On or before the start of
	and Section 5(d)(i) of Appendix A of	Interconnection	Construction Activities
	the GIA	Customer	January 1, 2019
(e)	Submittal of written authorization to		, ,
` /	proceed with construction to the		Within sixty (60)
	Distribution Provider, pursuant to	Interconnection	Calendar Days after the
	Article 5.6.3 of the GIA	Customer	Effective Date
(f)	Submittal of Tax Security for the		Quarterly, commencing
	estimated tax liability to the		with the first payment,
	Distribution Provider, pursuant to	Interconnection	pursuant to Appendix A
	_	Customer	Section 5(b)

Item	Milestone	Responsible Party	Due Date
	Article 5.17.3 and Section 5(d)(ii) of		
	Appendix A of the GIA		
(g)	Submittal of initial specifications for		
	the Interconnection Customer's		
	Interconnection Facilities and		
	Generating Facility – including the		
	1.50 MVA inverters, and the System		W.1
	Protection Facilities, to the	T	Within sixty (60)
	Distribution Provider, pursuant to	Interconnection	Calendar Days after
(1-)	Article 5.10.1 of the GIA	Customer	Milestone (i) below.
(h)	Review of and comment on the		Within thirty (30)
	Interconnection Customer's initial		Calendar Days after the Interconnection
	specifications, pursuant to Article 5.10.1 of the GIA	Distribution	Customer's submission
	3.10.1 of the GIA	Provider	of initial specifications
(i)	Submittal of initial information	Tiovidei	of filitial specifications
(1)	including the Distribution Provider's		
	Transmission System information		
	necessary to allow the		
	Interconnection Customer to select		Within thirty (30)
	equipment, in accordance with	Distribution	Calendar Days after the
	Article 24.2 of the GIA	Provider	Effective Date
(j)	Submittal of final specifications for		At least twelve (12)
_	the Interconnection Customer's		months prior to
	Interconnection Facilities and		completion of the
	Generating Facility, including		Distribution Provider's
	System Protection Facilities, to the		Interconnection
	Distribution Provider, as specified in		Facilities, Distribution
	Article 5.10.1 of the GIA	Interconnection	Upgrades and Network
		Customer	Upgrades
(k)	Review of and comment on the		Within thirty (30)
	Interconnection Customer's final		Calendar Days after the
	specifications, pursuant to Article	Distribution	Interconnection Customer's submission
	5.10.1 of the GIA	Distribution	
(1)	Submittal of updated information by	Provider	of final specifications
(1)	the Interconnection Customer,		No later than one
	including manufacturer information,		hundred eighty (180)
	in accordance with Article 24.3 of	Interconnection	Calendar Days prior to
	the GIA	Customer	Trial Operation
(m)	Notification of Control Area to the		At least three (3) months
()	Distribution Provider, pursuant to	Interconnection	prior to the Initial
	Article 9.2	Customer	Synchronization Date
(n)	Completion of the Distribution	Distribution	Within twenty – four (24)
. /	Provider's Interconnection Facilities,	Provider	months following the

Item	Milestone	Responsible Party	Due Date
	Distribution Upgrades, and Network	•	Effective Date and
	Upgrades		receipt of payments
			pursuant to Appendix A
			Section 5(b)*
(o)	Performance of a complete		
	calibration test and functional trip	Interconnection	
	test of the System Protection	Customer and	
	Facilities, pursuant to Article 9.7.4.6	Distribution	Prior to the In-Service
	of the GIA	Provider	Date
(p)	In-Service Date	Interconnection	
		Customer	February 1, 2020
(q)	Testing of the Distribution		
	Provider's Interconnection Facilities,		
	Distribution Upgrades, and Network		
	Upgrades, and testing of the		
	Interconnection Customer's		
	Interconnection Facilities and	Interconnection	At least thirty (30)
	Generating Facility, all in	Customer and	Calendar Days prior to
	accordance with Article 6.1 of the	Distribution	the Initial
	GIA	Provider	Synchronization Date
(r)	Provide written approval to the		
	Interconnection Customer for the		410 61 1
	operation of the Generating Facility,	D	At least ten (10) Calendar
	in accordance with Article 6.1 of the	Distribution	Days prior to the Initial
	GIA	Provider	Synchronization Date
(s)	Provide the ISO written notice that		
	the required Distribution Provider facilities have been installed and		
	tested, and that initial		
	synchronization of the Electric		
	1 =		
	Generating Unit(s) at the Generating Facility to the Distribution System is		At least ten (10) Calendar
	expected to occur on the Initial	Distribution	Days prior to the Initial
	Synchronization Date	Provider	Synchronization Date
(t)	Initial Synchronization Date/Trial	Interconnection	Syncin on Zanon Date
(1)	Operation	Customer	March 1, 2020
(u)	Provide the ISO written notice that		Within five (5) Calendar
	the required Distribution Provider		Days after the Initial
	facilities have been installed and		Synchronization Date
	tested, and have been approved to		and satisfaction of the
	allow the Generating Facility to		testing requirements of
	operate in parallel with the	Distribution	Articles 6.1 and 9.7.4.6
	Distribution System	Provider	of the GIA
(v)	Commercial Operation Date	Interconnection	
	1	Customer	April 1, 2020**
	ı	L	· · · · · · · · · · · · · · · · · · ·

Page No. 97

Item	Milestone	Responsible Party	Due Date
(w)	Submittal to the Distribution		
	Provider of "as-built" drawings,		
	information and documents for the		Within one hundred
	Interconnection Customer's		twenty (120) Calendar
	Interconnection Facilities and the		Days after the
	Electric Generating Units, in		Commercial Operation
	accordance with Article 5.10.3 of the	Interconnection	Date, unless otherwise
	GIA	Customer	agreed
(x)	Submit to the Interconnection		
	Customer an operating bulletin that		Within thirty (30)
	defines the restrictions on charging		Calendar days before the
	operations pursuant to Appendix C	Distribution	Commercial Operation
	Section 5(j)	Provider	Date

*Note: Pursuant to Article 5.1.1, Distribution Provider shall use Reasonable Efforts to complete Distribution Provider's Interconnection Facilities, Distribution Upgrades, and Network Upgrades by the dates set forth above. In the event Distribution Provider reasonably expects that it will not be able to complete Distribution Provider's Interconnection Facilities, Distribution Upgrades, and Network Upgrades by the specified dates, Distribution Provider shall promptly provide written notice to Interconnection Customer and shall undertake Reasonable Efforts to meet the earliest dates thereafter.

**Note: The Interconnection Customer will be allowed to commence Commercial Operation before the completion of the Distribution Upgrades pursuant to Appendix C Sections 2(i, 2 (j), and 2 (k).

Appendix C to GIA

Interconnection Details

1. Generating Facility: All equipment and facilities comprising the Interconnection Customer's 148.1 net MW (151.6 gross MW) hybrid gas-turbine (101.6 MW) and inverter based (50.0 MW) battery energy storage system Stanton Energy Reliability Center generating facility in Stanton, California, as disclosed by the Interconnection Customer in its WDT1189 Interconnection Request, its WDT1293 Interconnection Request, and subsequent Modification Request, as each may have been amended during the Interconnection Study process, which consists of (i) two (2) 71.176 MVA, three phase generators with a proposed output of 50.8 MW each, (ii) forty (40) 1500kVA GE Brilliance Inverters with a proposed output of 1.50MW each, (iii) appropriate amount of shunt capacitor installations to comply with the 0.95 power factor requirements at the Point of Interconnection when the gas fired turbines are not in operation, (iv) the associated infrastructure including the 13.8/.480kV padmount transformers with 6 percent impedance on a 1.5 MVA base on the H-X winding for the inverters, (v) meters and metering equipment, and (vi) appurtenant equipment. The Stanton Energy Reliability Center Project shall consist of the Generating Facility and the Interconnection Customer's Interconnection Facilities. After accounting for losses between the Generating Facility and the Point of Interconnection, the amount of interconnection capacity provided at the Point of Interconnection under the GIA is 148.1 MW. The maximum rated charging capacity of the battery energy storage system portion of the Generating Facility, when charging from the Distribution Provider's Distribution System, is 48.3MW.


The Interconnection Customer has requested, and this GIA provides for, a maximum export capacity of 148.1 MW at the Point of Interconnection. If under real-time operating conditions, the Generating Facility is capable of exceeding the maximum export capacity provided under the GIA, the Interconnection Customer shall be required to install, own and maintain a control limiting device, or control limiting system, that will restrict the maximum output of the Generating Facility as measured at the Point of Interconnection to no greater than the maximum export capacity of 148.1 MW.

The Interconnection Customer acknowledges that if the Interconnection Customer wishes to increase the amount of interconnection capacity provided pursuant to this GIA, the Interconnection Customer shall be required to submit a new Interconnection Request in accordance with the terms and conditions of the Tariff.

2. Interconnection Customer Operational Requirements:

(a) The Interconnection Customer shall control the Generating Facility's output ramp rate so as to prevent adverse voltage conditions on the Distribution System. Such ramp rate control shall be in accordance with parameters, which may be modified from time to time by the Distribution Provider, set forth by the Distribution Provider and provided to the Interconnection Customer within thirty (30) Calendar Days following the Distribution Provider's completion of final engineering for the Distribution Provider's

- Interconnection Facilities, Distribution Upgrades, and Network Upgrades, as applicable.
- (b) The Generating Facility will be required to operate within a 0.95 leading (boost) to 0.95 lagging (buck) power factor in accordance with Article 9.6.1.2 of the GIA. Under real-time operations, it is anticipated the project will be required to operate as shown in the figure below. The actual values of the Vmin and Vmax will be provided by the Distribution Provider once final engineering and design is completed.



(c) Following outages of the Interconnection Facilities or the Generating Facility, the Interconnection Customer shall not energize the Stanton Energy Reliability Center Project for any reason without specific permission from the Distribution Provider's

- operations personnel. Such permission shall not be unreasonably withheld.
- (d) The Interconnection Customer shall maintain operating communications with the Distribution Provider's designated switching center. The operating communications shall include, but not be limited to, system parallel operation or separation, scheduled and unscheduled outages, equipment clearances, protective relay operations, and levels of operating voltage and reactive power.
- (e) The WDT1189 Interconnection Request for the Generating Facility was evaluated as part of Queue Cluster 7 and the WDT1293 Interconnection Request for the Generating Facility was evaluated as part of Queue Cluster 8. The Interconnection Customer selected Option A for both as the deliverability option under GIP Section 4.6.2. In accordance with the TP Deliverability allocation procedures of Section 8.9 of Appendix DD of the ISO Tariff, following the ISO's allocation of TP Deliverability, the Interconnection Customer has elected for the Generating Facility to have Full Capacity Deliverability Status. The Interconnection Customer acknowledges and understands that until (i) all required Network Upgrades as stated in this GIA and (ii) all required network upgrades identified for the Generating Facility as stated in the governing interconnection study report (i.e., Phase II Interconnection Study report as that report may have been amended or modified in subsequent studies or reassessments), including all required transmission upgrades triggered by earlier queued generation that were assumed in-service in the governing interconnection study, are constructed and placed in service, the Generating Facility will not achieve Full Capacity Deliverability Status.
- (f) Compliance with Applicable Reliability Standards: As provided in Article 4.3 of this GIA, the Interconnection Customer shall comply with all Applicable Reliability Standards for the Interconnection Customer's Interconnection Facilities and the Generating Facility. The Distribution Provider will not assume any responsibility for complying with mandatory reliability standards for such facilities and offers no opinion as to whether the Interconnection Customer must register with NERC. If required to register with NERC, the Interconnection Customer shall be responsible for complying with all Applicable Reliability Standards for the Interconnection Customer's Interconnection Facilities and the Generating Facility up to the Point of Change of Ownership, as described in Section 4 of Appendix A of this GIA.
- (g) The Interconnection Customer shall be required to install multiple sets of meters (i.e., separate sets of potential transformers and current transformers and appurtenant metering equipment) for the Project. In addition, the Generating Facility may be required to connect its station light and power load to a separate transformer from the transformer that is connected to the charging load, following the completion of the Distribution Provider's detailed design and engineering specifications.
- (h) The Stanton Energy Reliability Center Project will be allowed to commence Commercial Operation before the implementation of the Distributed Energy Resource Management System, in accordance with Appendix C Section 2(i), Appendix C Section 2(j), and Appendix C Section 2(k).

Page No. 101

- (i) Restrictions to charging operations: Pursuant to the Distribution Provider's Interconnection Studies, restrictions on the Generating Facility's charging operations must be implemented for reliability reasons. The restrictions on charging operations will be documented in a Distribution Provider's system operating bulletin which will be developed after execution of the GIA and provided to the Interconnection Customer prior to the Commercial Operation Date, pursuant to Appendix B Section (X). The Distribution Provider will monitor conditions at the Point of Interconnection to determine the acceptable limits under which the Generating Facility may conduct charging operations. Charging operations shall cease as directed by the Distribution Provider when such acceptable limits are anticipated to be violated, and shall be allowed to recommence as further directed by the Distribution Provider. Such direction will initially be made by written schedule or telephone notice from the Distribution Provider's distribution operations center to the Interconnection Customer's control room operator 24 hour telephone. An automated procedure will be implemented upon the installation of the Distributed Energy Resource Management System.
- (j) The requirement to perform additional programming work on the Barre Substation portion of the under frequency load shedding scheme existed earlier than the start of Queue Cluster 7 and are not part of the cost allocation pursuant to the GIP.
- (k) Pursuant to the Distribution Provider's Interconnection Studies, 66 kV circuit breakers on the Barre 66kV bus AB and C Sections were identified as requiring replacement prior to operating the Generating Facility. The Distribution Provider has an existing project to replace the identified overstressed 66 kV circuit breakers on the Barre AB and C Sections with a target In-Service date of December 31, 2019. The Interconnection Studies have also determined that the project may not operate under conditions where the sectionalizing bus breakers on the Barre 66kV bus AB and C sections are closed. Following completion of the circuit breaker upgrades, further evaluation will be required to determine if the Generating Facility's operating restrictions, that were identified in the Interconnection Studies, can be removed.
- (l) The Interconnection Customer provided the second postings of the Interconnection Financial Security in amounts based upon the Interconnection Studies. After the Interconnection Studies were completed, the Distribution Provider became aware that certain upgrades costs had been incorrectly attributed to the Interconnection Customer. As such the Interconnection Facilities Costs, Distribution Upgrades Costs, and Network Upgrades Costs were revised downward. The Interconnection Customer may amend the second posting of the Interconnection Financial Security instrument so that the amounts are equal to thirty percent (30%) of the Interconnection Facilities Costs, Distribution Upgrades Costs, and Network Upgrades Costs pursuant to this GIA Appendix A Sections 5(a) and 5(d).
- (m) After the third posting of the Interconnection Financial Security has been received by the Distribution Provider, the Interconnection Customer may reduce the amount of Interconnection Financial Security posted, in amounts equal to payments made pursuant to this GIA Appendix A Section 5 Payment Schedule, after such payments are received

by the Distribution Provider.

Appendix D to GIA

Security Arrangements Details

Infrastructure security of Distribution System and Transmission System equipment and operations and control hardware and software is essential to ensure day-to-day Distribution System reliability and operational security. FERC will expect the ISO, all transmission providers, market participants, and interconnection customers interconnected to the Distribution System and Transmission System to comply with the recommendations offered by the President's Critical Infrastructure Protection Board and, eventually, best practice recommendations from the electric reliability authority. All public utilities will be expected to meet basic standards for system infrastructure and operational security, including physical, operational, and cyber-security practices.

Appendix E to GIA

Commercial Operation Date

This Appendix E is a part of the GIA between Distribution Provider and Interconnection Customer.

[Date]
Manager, Grid Contract Management Southern California Edison Company P. O. Box 800 2244 Walnut Grove Avenue
Rosemead, California 91770
Re: Generating Facility
Dear:
On [Date] [Interconnection Customer] has completed Trial Operation of Unit No etter confirms that [Interconnection Customer] commenced Commercial Operation of Unit at the Generating Facility, effective as of [Date plus one day].
Thank you.
[Signature]
[Interconnection Customer Representative]

Appendix F to GIA

Addresses for Delivery of Notices and Billings

1. General Notices:

Distribution Provider	Interconnection Customer	
Southern California Edison	Stanton Energy Reliability Center	
Company		
Attn: Manager, Grid Contract	Attn: Kara J. Miles	
Management	W Power, LLC	
P. O. Box 800	650 Bercut Drive, Suite A	
Rosemead, CA 91770	Sacramento, CA 95811	

2. Operating Communications and Notifications:

The Distribution Provider and the Interconnection Customer shall provide for operating communications through their respective designated representatives as follows:

The Parties agree to exchange the following information prior to the Initial Synchronization Date of each Electric Generating Unit:

Distribution Provider	Interconnection Customer	
Grid Control Center/24 Hour	Operator Name and/or Title:	
Telephone:	Control Room Operator 24 Hour Telephone:	
	Operation Center Fax. No.:	
	E-mail:	

Operational Matters, Force Majeure, and Outage Notices:

Distribution Provider	Interconnection Customer	
Name/Title:	Name/Title:	
Phone:	Phone:	

For Emergencies:

Distribution Provider	Interconnection Customer	
Name/Title:	Name/Title:	
Phone:	Phone:	

3. Billing and Payments:

Distribution Provider	Interconnection Customer	
Southern California Edison	Stanton Energy Reliability	
Company	Center	
Attn: Accounts Receivable (GCM)	Attn: Kara J. Miles W Power, LLC	
P. O. Box 800 Rosemead, CA 91771-0001	650 Bercut Drive, Suite A Sacramento, CA 95811	

4. Alternative Forms of Delivery of Notices (telephone, facsimile or e-mail):

Distribution Provider	Interconnection Customer	
Southern California Edison	Stanton Energy Reliability	
Company	Center	
Attn: Manager, Grid Contract Management	Attn: Kara J. Miles W Power LLC	
Phone: (626) 302-9640 Fax: (626) 302-1152	Phone: (916) 492-9486 Fax: (916) 880-5318	
	Electronic mail: kmiles@wpowerllc.com	

Appendix G to GIA

Interconnection Customer's Share of Costs of Network Upgrades for Applicable Project Group

			Cost	Cost Share
Type	Upgrades	Needed For	factor	(\$1000)
Network Upgrade	No Network Upgrades identified	Not applicable	0	\$0
			Total:	\$0

Note: The amounts shown above are in nominal dollars.