

DOCKETED

Docket Number:	17-AAER-14
Project Title:	Appliance Efficiency Standards Certification Rulemaking for Residential Air Filters, Residential Pool Pump and Motor Combinations, and Replacement Residential Pool Pump Motors
TN #:	217977
Document Title:	Email from Intex, February 16, 2017 Regarding Drop Dead Dates for Shipment
Description:	Supporting document originally filed in Docket No. 17-AAER-03
Filer:	Patrick Saxton
Organization:	California Energy Commission
Submitter Role:	Commission Staff
Submission Date:	6/8/2017 12:28:19 PM
Docketed Date:	6/8/2017

DOCKETED

Docket Number:	17-AAER-03
Project Title:	Appliance Efficiency Standards Emergency Rulemaking for Residential Pool Pump and Motor Combinations
TN #:	216290
Document Title:	Email from Intex, February 16, 2017 Regarding Drop Dead Dates for Shipment
Description:	N/A
Filer:	Sean Steffensen
Organization:	Intex Corp./Matthew Whalen
Submitter Role:	Public
Submission Date:	2/28/2017 4:01:43 PM
Docketed Date:	2/28/2017

Steffensen, Sean@Energy

From: Matthew Whalen <mwhalen@intexcorp.com>
Sent: Thursday, February 16, 2017 3:32 PM
To: Steffensen, Sean@Energy
Cc: Yolanda Morales
Subject: Drop dead date

Dear Sean,

I double checked with our analyst on Walmart and they are using 2/27/2017 as their in-store date for shipments to arrive at California stores for the Spring set. Typically, the product is to arrive in stores two weeks prior to actually being placed on the selling floor. In general, retailers usually place pools out on the floor immediately following Easter (April 16th this year) but many set out a smaller display earlier and then expand once Easter is complete. I understand that Walmart is following this logic. Given the shipping times involved, I am keeping my drop dead date as 2/28/17 as per our phone conversation.

Thank you as always for your help and understanding as to the issues we are facing.

Best regards,

Matthew (Chip) Whalen
Director of Risk Management
(310) 549-5400 ext. 229