

# Memorandum

**Date:** March 10, 2011

**Telephone:** (916) 654-4996

**To:** Robert B. Weisenmiller, Ph.D., Chairman  
James D. Boyd, Vice Chair  
Karen Douglas, J.D., Commissioner  
Carla Peterman, Commissioner

**From:** **California Energy Commission – Melissa Jones**  
1516 Ninth Street  
Sacramento, CA 95814-5512  
**Executive Director**

**Subject:** **PIO PICO ENERGY CENTER, DATA ADEQUACY RECOMMENDATION (11-AFC-1)**

**DOCKET**

**11-AFC-1**

DATE MAR 10 2011

RECD. MAR 10 2011

On February 10, 2011, Pio Pico Energy Center LLC submitted an Application for Certification (AFC) to the California Energy Commission seeking permission to construct and operate a nominal 300-megawatt (MW) natural gas-fired simple-cycle generating facility, the Pio Pico Energy Center (PPEC). The current AFC replaces the previously proposed project that was withdrawn on December 10, 2010. The new project site is approximately 10 acres of disturbed land located on Alta Road in an unincorporated area of southwestern San Diego County, known as Otay Mesa.

The PPEC would include three General Electric (GE) LMS100 natural gas-fired combustion turbine generators together with air emissions control equipment. The facility would connect to the existing Otay Mesa power plant switchyard via a new overhead 230kV transmission line. The project would also include an aboveground aqueous ammonia storage tank, three water storage tanks and separate underground pipelines to transport natural gas, potable water, reclaimed water, storm water and waste water.

Staff has completed its data adequacy review of the AFC and has determined that it does not meet all the requirements listed in 20 California Code of Regulations, section 1704, Appendix B (2007) for the 12-month process. Of the 23 technical disciplines reviewed, we believe the information contained in the AFC is deficient in nine areas which are: Air Quality, Biological Resources, Cultural Resources, Land Use, Paleontological Resources, Project Overview, Soils, Transmission System Design and Water Resources. Therefore, we recommend that the Energy Commission find the AFC inadequate and adopt the attached list of deficiencies.

Attached is a summary table and data adequacy worksheets for all technical disciplines. The worksheets for the aforementioned sections identify the additional information that we believe is necessary to fulfill the AFC data adequacy requirements. At the Energy Commission's business meeting on March 23, 2011, I will recommend that the Energy Commission adopt the list of deficiencies and not accept the AFC until the additional information specified in the data adequacy worksheets is supplied. If you have any questions, please call Eric Solorio, staff's Project Manager, at (916) 651-0966.

**Attachment A**  
**Overview of Energy Commission Staff's**  
**Data Adequacy Determination**  
**Pio Pico Energy Center**  
**11-AFC-1**

Technical Area	Attachment B Page No.	Adequate?
AIR QUALITY .....	1	NO
ALTERNATIVES .....	7	YES
BIOLOGICAL RESOURCES .....	8	NO
CULTURAL RESOURCES .....	15	NO
EFFICIENCY .....	22	YES
FACILITY DESIGN .....	24	YES
GEOLOGIC HAZARDS .....	27	YES
HAZARDOUS MATERIALS HANDLING .....	29	YES
LAND USE .....	32	NO
NOISE .....	35	YES
PALEONTOLOGY .....	39	NO
PROJECT OVERVIEW .....	41	NO
PUBLIC HEALTH .....	45	YES
RELIABILITY .....	48	YES
SOCIOECONOMICS .....	50	YES
SOILS .....	54	NO
TRAFFIC AND TRANSPORTATION .....	56	YES
TRANS LINE SAFETY & NUISANCE .....	60	YES
TRANSMISSION SYSTEM DESIGN .....	62	NO
VISUAL RESOURCES .....	65	YES
WASTE MANAGEMENT .....	70	YES
WATER .....	73	NO
WORKER SAFETY .....	79	YES

**ATTACHMENT B**

**ENERGY COMMISSION STAFF'S  
Data Adequacy Worksheets**

**Pio Pico Energy Center  
11-AFC-1**

**March 10, 2011**

Adequacy Issue: Adequate \_\_\_\_\_ Inadequate  X  DATA ADEQUACY WORKSHEET Revision No.  0  Date  March 10, 2011   
 Technical Area:  Air Quality  Project:  Pio Pico Energy Center  Technical Staff:  Wenjun Qian   
 Project Manager:  Eric K. Solorio  Docket:  11-AFC-1  Technical Senior:  Gerry Bemis

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (1)	...provide a discussion of the existing site conditions, the expected direct, indirect and cumulative impacts due to the construction, operation and maintenance of the project, the measures proposed to mitigate adverse environmental impacts of the project, the effectiveness of the proposed measures, and any monitoring plans proposed to verify the effectiveness of the mitigation.	See Below	Yes	
Appendix B (g) (8) (A)	The information necessary for the air pollution control district where the project is located to complete a Determination of Compliance.	See Below	No	Please provide a copy of the letter of completeness from San Diego Air Pollution Control District
Appendix B (g) (8) (B)	The heating value and chemical characteristics of the proposed fuels, the stack height and diameter, the exhaust velocity and temperature, the heat rate and the expected capacity factor of the proposed facility.	Heating value and chemical characteristics of fuel: Section 5.2.4.2, Table 5.2-16. Stack Height, diameter, exhaust velocity, and temperature: Appendix G-4, Tables G-4.1, G-4.2, G-4.3 and Appendix G-7, Table G-7.1. Heat rate and capacity factor: Section 3.5.4.2, Table 3.5-2.	Yes	
Appendix B (g) (8) (C)	A description of the control technologies proposed to limit the emission of criteria pollutants.	Sections 5.2.4.4 and 5.2.6.3, Table 5.2-34.	Yes	
Appendix B (g) (8) (D)	A description of the cooling system, the estimated cooling tower drift rate, the rate of water flow through the cooling tower, and the maximum concentrations of total dissolved solids.	Sections 3.5.7.1 and 5.2.4.2 and Appendix G-3, Table G-3.2.	Yes	

Adequacy Issue: Adequate \_\_\_\_\_ Inadequate  X  DATA ADEQUACY WORKSHEET Revision No.  0  Date  March 10, 2011   
 Technical Area:  Air Quality  Project:  Pio Pico Energy Center  Technical Staff:  Wenjun Qian   
 Project Manager:  Eric K. Solorio  Docket:  11-AFC-1  Technical Senior:  Gerry Bemis

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (8) (E)	The emission rates of criteria pollutants and greenhouse gases (CO <sub>2</sub> , CH <sub>4</sub> , N <sub>2</sub> O, and SF <sub>6</sub> ) from the stack, cooling towers, fuels and materials handling processes, delivery and storage systems, and from all on-site secondary emission sources.	Section 5.2.4.3, Table 5.2-17; Section 5.2.4.4, Tables 5.2-17 to 5.2-21; Section 5.2.4.6, Table 5.2-24.	Yes	
Appendix B (g) (8) (F)(i)	A description of typical operational modes, and start-up and shutdown modes for the proposed project, including the estimated frequency of occurrence and duration of each mode, and estimated emission rate for each criteria pollutant during each mode.	Section 5.4.4.4, Tables 5.2-19 to 5.2-21.	Yes	
Appendix B (g) (8) (F)(ii)	A description of the project's planned initial commissioning phase, which is the phase between the first firing of emissions sources and the commercial operations date, including the types and durations of equipment tests, criteria pollutant emissions, and monitoring techniques to be used during such tests.	Section 5.4.4.3, Table 5.2-17.	Yes	
Appendix B (g) (8) (G)	The ambient concentrations of all criteria pollutants for the previous three years as measured at the three Air Resources Board certified monitoring stations located closest to the project site, and an analysis of whether this data is representative of conditions at the project site. The applicant may substitute an explanation as to why information from one, two, or all stations is either not available or unnecessary.	Sections 5.2.1.4 and 5.2.4.12	Yes	
Appendix B (g) (8) (H)	One year of meteorological data collected from either the Federal Aviation Administration Class 1 station nearest to the project or from the project site, or meteorological data approved by the California Air Resources Board or the local air pollution control district.	Section 5.2.4.11	Yes	

Adequacy Issue: Adequate \_\_\_\_\_ Inadequate X DATA ADEQUACY WORKSHEET Revision No. 0 Date March 10, 2011  
 Technical Area: Air Quality Project: Pio Pico Energy Center Technical Staff: Wenjun Qian  
 Project Manager: Eric K. Solorio Docket: 11-AFC-1 Technical Senior: Gerry Bemis

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (8) (H) (i)	If the data is collected from the project site, the applicant shall demonstrate compliance with the requirements of the U.S. Environmental Protection Agency document entitled "On-Site Meteorological Program Guidance for Regulatory Modeling Applications" (EPA - 450/4-87-013 (August 1995)), which is incorporated by reference in its entirety.	N/A – Data not collected onsite.	Yes	
Appendix B (g) (8) (H) (ii)	The data shall include quarterly wind tables and wind roses, ambient temperatures, relative humidity, stability and mixing heights, upper atmospheric air data, and an analysis of whether this data is representative of conditions at the project site.	Sections 5.2.1.2 and 5.2.4.11, Appendix G.1, CD containing modeling files.	Yes	
Appendix B (g) (8) (I)	An evaluation of the project's direct and cumulative air quality impacts, consisting of the following:	See Below	Yes	
Appendix B (g) (8) (I) (i)	A screening level air quality modeling analysis, or a more detailed modeling analysis if so desired by the applicant, of the direct criteria pollutant impacts of project construction activities on ambient air quality conditions, including fugitive dust (PM <sub>10</sub> ) emissions from grading, excavation and site disturbance, as well as the combustion emissions [nitrogen oxides (NO <sub>x</sub> ), sulfur dioxide (SO <sub>2</sub> ), carbon monoxide (CO), and particulate matter less than 10 microns in diameter (PM <sub>10</sub> ) and particulate matter less than 2.5 microns in diameter (PM <sub>2.5</sub> )] from construction-related equipment;	Section 5.2.4.13, Table 5.2-25.	Yes	

Adequacy Issue: Adequate \_\_\_\_\_ Inadequate  X  DATA ADEQUACY WORKSHEET Revision No.  0  Date  March 10, 2011   
 Technical Area:  Air Quality  Project:  Pio Pico Energy Center  Technical Staff:  Wenjun Qian   
 Project Manager:  Eric K. Solorio  Docket:  11-AFC-1  Technical Senior:  Gerry Bemis

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (8) (I) (ii)	A screening level air quality modeling analysis, or a more detailed modeling analysis if so desired by the applicant, of the direct criteria pollutant (NO <sub>x</sub> , SO <sub>2</sub> , CO, PM <sub>10</sub> , and PM <sub>2.5</sub> ) impacts on ambient air quality conditions of the project during typical (normal) operation, and during shutdown and startup modes of operation. Identify and include in the modeling of each operating mode the estimated maximum emissions rates and the assumed meteorological conditions;	Section 5.2.4.15, Tables 5.2-27 to 5.2-29.	Yes	
Appendix B (g) (8) (I) (iii)	A protocol for a cumulative air quality modeling impacts analysis of the project's typical operating mode in combination with other stationary emissions sources within a six mile radius which have received construction permits but are not yet operational, or are in the permitting process. The cumulative inert pollutant impact analysis should assess whether estimated emissions concentrations will cause or contribute to a violation of any ambient air quality standard; and	Section 5.2.5.1	Yes	
Appendix B (g) (8) (I) (iv)	An air dispersion modeling analysis of the impacts of the initial commissioning phase emissions on state and federal ambient air quality standards for NO <sub>x</sub> , SO <sub>2</sub> , CO, PM <sub>10</sub> , and PM <sub>2.5</sub> .	Section 5.2.4.14, Table 5.2-26.	Yes	
Appendix B (g) (8) (J)	If an emission offset strategy is proposed to mitigate the project's impacts under subsection (g)(1), provide the following information:	See Below	Yes	
Appendix B (g) (8) (J) (i)	The quantity of offsets or emission reductions that are needed to satisfy air permitting requirements of local permitting agencies (such as the air district), state and federal oversight air agencies, and the California Energy Commission. Identify by criteria air pollutant, and if appropriate, greenhouse gas; and	For criteria pollutants: Sections 5.2.6.3 (offset subsection) and 5.2.7. For GHGs: Section 5.2.7.	Yes	

Adequacy Issue: Adequate \_\_\_\_\_ Inadequate  X  DATA ADEQUACY WORKSHEET Revision No.  0  Date  March 10, 2011   
 Technical Area:  Air Quality  Project:  Pio Pico Energy Center  Technical Staff:  Wenjun Qian   
 Project Manager:  Eric K. Solorio  Docket:  11-AFC-1  Technical Senior:  Gerry Bemis

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (8) (J) (ii)	Potential offset sources, including location, and quantity of emission reductions;	Confidential Filing	Yes	
Appendix B (g) (8) (K)	A detailed description of the mitigation, if any, which an applicant may propose, for all projects impacts from criteria pollutants that currently exceed state or federal ambient air quality standards, but are not subject to offset requirements under the district's new source review rule.	Section 5.2.7	Yes	
Appendix B (i) (1) (A)	Tables which identify laws, regulations, ordinances, standards, adopted local, regional, state, and federal land use plans, leases, and permits applicable to the proposed project, and a discussion of the applicability of, and conformance with each. The table or matrix shall explicitly reference pages in the application wherein conformance, with each law or standard during both construction and operation of the facility is discussed; and	Section 5.2.3, Table 5.2-12.	Yes	
Appendix B (i) (1) (B)	Tables which identify each agency with jurisdiction to issue applicable permits, leases, and approvals or to enforce identified laws, regulations, standards, and adopted local, regional, state and federal land use plans, and agencies which would have permit approval or enforcement authority, but for the exclusive authority of the commission to certify sites and related facilities.	Sections 5.2.2 and 5.2.3.	Yes	
Appendix B (i) (2)	The name, title, phone number, address (required), and email address (if known), of an official who was contacted within each agency, and also provide the name of the official who will serve as a contact person for Commission staff.	Section 5.2.2, Table 5.2-9.	Yes	



Adequacy Issue: Adequate \_\_\_\_\_ Inadequate  X  DATA ADEQUACY WORKSHEET Revision No.  0  Date  March 10, 2011   
 Technical Area:  Air Quality  Project:  Pio Pico Energy Center  Technical Staff:  Wenjun Qian   
 Project Manager:  Eric K. Solorio  Docket:  11-AFC-1  Technical Senior:  Gerry Bemis

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (i) (3)	A schedule indicating when permits outside the authority of the commission will be obtained and the steps the applicant has taken or plans to take to obtain such permits.	Section 5.2.8	Yes	

Adequacy Issue: Adequate  Inadequate   
 Technical Area: Alternatives  
 Project Manager: Eric Solorio

DATA ADEQUACY WORKSHEET

Revision No.: 0 Date: March 10, 2011

Project: Pio Pico Energy Center Technical Staff: Eric Solorio  
 Docket: 11-AFC-1 Technical Senior: Roger Johnson

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (b) (1) (D)	A description of how the site and related facilities were selected and the consideration given to engineering constraints, site geology, environmental impacts, water, waste and fuel constraints, electric transmission constraints, and any other factors considered by the applicant.	Section 4.0, pp. 4-1 through 4-21	Yes	
Appendix B (f) (1)	A discussion of the range of reasonable alternatives to the project, or to the location of the project, including the no project alternative, which would feasibly attain most of the basic objectives of the project but would avoid or substantially lessen any of the significant effects of the project, and an evaluation of the comparative merits of the alternatives. In accordance with Public Resources Code section 25540.6(b), a discussion of the applicant's site selection criteria, any alternative sites considered for the project, and the reasons why the applicant chose the proposed site.	Section 4.0, pp. 4-1 through 4-21	Yes	
Appendix B (f) (2)	An evaluation of the comparative engineering, economic, and environmental merits of the alternatives discussed in subsection (f)(1).	Section 4.0, pp. 4-1 through 4-21	Yes	

Adequacy Issue: Adequate \_\_\_\_\_ Inadequate X DATA ADEQUACY WORKSHEET Revision No.: 0 Date: March 10, 2011

Technical Area: Biological Resources Project: Pio Pico Energy Center Technical Staff: Carol Watson  
 Project Manager: Eric Solorio Docket: 11-AFC-1 Technical Senior: Rick York

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (1)	...provide a discussion of the existing site conditions, the expected direct, indirect and cumulative impacts due to the construction, operation and maintenance of the project, the measures proposed to mitigate adverse environmental impacts of the project, the effectiveness of the proposed measures, and any monitoring plans proposed to verify the effectiveness of the mitigation.	Sections 5.6.2, 5.6.3, 5.6.4, and 5.6.5  Appendix J	Yes	
Appendix B (g) (13) (A)	A regional overview and discussion of terrestrial and aquatic biological resources, with particular attention to sensitive biological resources within (10) miles of the project Include a map at a ten scale of 1:100,000 (or other suitable scale) showing sensitive biological resource location(s) in relation to the project site and related facilities and any boundaries of a local Habitat Conservation Plan or similar open space land use plan or designation. Sensitive biological resources include the following:	Section 5.6.2  Figure 5.6-1, 5.6-3  Appendix J2	No	While the boundary of the Multiple Species Habitat Conservation Plan has been mapped, the boundaries of the San Diego National Wildlife Refuge were not. Please provide a map of the refuge boundaries. Also, a discussion of sensitive biological resources of the Refuge and MSCP must be provided.
Appendix B (g) (13) (A) (i)	species listed under state or federal Endangered Species Acts;	Section 5.6.2  Tables 5.6-4 and 5.6-5	Yes	
Appendix B (g) (13) (A) (ii)	resources defined in sections 1702(q) and (v) of Title 20 of the California Code of Regulations;	Section 5.6.2	Yes	
Appendix B (g) (13) (A) (iii)	species identified as state Fully Protected;	Section 5.6.2  Tables 5.6-4 and 5.6-5, appendix J	Yes	
Appendix B (g) (13) (A) (iv)	species covered by Migratory Bird Treaty Act;		No	Please provide a list of species covered by the MBTA.
Appendix B (g) (13) (A) (v)	species and habitats identified by local, state, and federal agencies as needing protection, including but not limited to those identified by the California Natural Diversity Database, or where applicable, in Local Coastal Programs or in relevant decisions of the California Coastal Commission; and	Section 5.6.2	Yes	

Adequacy Issue: Adequate \_\_\_\_\_ Inadequate X DATA ADEQUACY WORKSHEET Revision No.: 0 Date: March 10, 2011

Technical Area: Biological Resources Project: Pio Pico Energy Center Technical Staff: Carol Watson  
 Project Manager: Eric Solorio Docket: 11-AFC-1 Technical Senior: Rick York

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (13) (A) (vi)	fish and wildlife species that have commercial and/or recreational value .	Section 5.6.2	Yes	
Appendix B (g) (13) (B)	Include a list of the species actually observed and those with a potential to occur within 1 mile of the project site and 1,000 feet from the outer edge of linear facility corridors. Maps or aerial photographs shall include the following:	Section 5.6.2 Figure 5.6-2 Tables 5.6-2 and 5.6-3	Yes	
Appendix B (g) (13) (B) (i)	Detailed maps at a scale of 1:6,000 or color aerial photographs taken at a recommended scale of 1 inch equals 500 feet (1:6,000) with a 30 percent overlap that show the proposed project site and related facilities, biological resources including, but not limited to, those found during project-related field surveys and in records from the California Natural Diversity Database, and the associated areas where biological surveys were conducted. Label the biological resources and survey areas as well as the project facilities;	Section 5.6.2 Figures 5.6-1 and 5.6-2	Yes	
Appendix B (g) (13) (B) (ii)	A depiction of the extent of the thermal plume at the surface of the water if cooling water is proposed to be discharged to a water source. Provide the location for the intake and discharge structures on an aerial photograph(s) or detailed maps. Water sources include, but are not limited to, waterways, lakes, impoundments, oceans, bays, rivers, and estuaries; and	N/A	N/A	
Appendix B (g) (13) (B) (iii)	An aerial photo or wetlands delineation maps at a scale of (1:2,400) showing any potential jurisdictional and non-jurisdictional wetlands delineated out to 250 feet from the edge of disturbance if wetlands occur within 250 feet of the project site and/or related facilities that would be included with the US Army Corps of Engineers Section 404 Permit application. For projects proposed to be located within the coastal zone, also provide aerial photographs or maps as described above that identify wetlands as defined by the Coastal Act.	Appendix J2	Yes	

Adequacy Issue: Adequate \_\_\_\_\_ Inadequate X DATA ADEQUACY WORKSHEET Revision No.: 0 Date: March 10, 2011

Technical Area: Biological Resources Project: Pio Pico Energy Center Technical Staff: Carol Watson  
 Project Manager: Eric Solorio Docket: 11-AFC-1 Technical Senior: Rick York

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (13) (C)	A discussion of the biological resources at the proposed project site and related facilities. Related facilities include, but are not limited to, laydown and parking areas, gas and water supply pipelines, transmission lines, and roads. The discussion shall address the distribution of vegetation community types, denning or nesting sites, population concentrations, migration corridors, breeding habitats, and other appropriate biological resources including the following:	Section 5.6.2	Yes	
Appendix B (g) (13) (C) (i)	A list of all the species actually observed;	Section 5.6.2 Tables 5.6-2 and 5.6-3	Yes	
Appendix B (g) (13) (C) (ii)	A list of sensitive species and habitats with a potential to occur (as defined in (A) above); and	Section 5.6.2 Tables 5.6-2 and 5.6-3	Yes	
Appendix B (g) (13) (C) (iii)	If cooling water is taken directly from or discharged to a surface water feature source, include a description of the intake structure, screens, water volume, intake velocity hydraulic zone field of influence, and the thermal plume dispersion area as depicted in response to B(ii) above. Describe the thermal plume size and dispersion under high and low tides, and in response to local currents and seasonal changes. Provide a discussion of the aquatic habitats, biological resources, and critical life stages found in these affected waters. For repower projects that anticipate no change in cooling water flow, this information shall be provided in the form of the most recent federal Clean Water Act 316(a) and (b) studies of entrainment and impingement impacts that has been completed within the last five (5) years. For new projects or repower projects proposing to use once-through cooling and anticipating an increase in cooling water flow, provide a complete impingement and entrainment analysis per guidance in (D)(ii), below.	N/A	N/A	

Adequacy Issue: Adequate \_\_\_\_\_ Inadequate X DATA ADEQUACY WORKSHEET Revision No.: 0 Date: March 10, 2011

Technical Area: Biological Resources Project: Pio Pico Energy Center Technical Staff: Carol Watson  
 Project Manager: Eric Solorio Docket: 11-AFC-1 Technical Senior: Rick York

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (13) (D)	A description and results of all field studies and seasonal surveys used to provide biological baseline information about the project site and associated facilities. Include copies of the California Natural Diversity Database records and field survey forms completed by the applicant's biologist(s). Identify the date(s) the surveys were completed, methods used to complete the surveys, and the name(s) and qualifications of the biologists conducting the surveys. Include:		No	When available, provide results of surveys for San Diego fairy shrimp, vernal pool, and burrowing owl. Identify the date(s) the surveys were completed, methods used to complete the surveys, and the name(s) and qualifications of the biologists conducting the surveys.
Appendix B (g) (13) (D) (i)	Current biological resources surveys conducted using appropriate field survey protocols during the appropriate season(s). State and federal agencies with jurisdiction shall be consulted for field survey protocol guidance prior to surveys if a protocol exists;		No	Please undertake protocol surveys for San Diego fairy shrimp, vernal pool, and burrowing owl, and provide details of methodology and results.  According to the USFWS Quino Survey Area Map ( <a href="http://www.fws.gov/carlsbad/TEspecies/Documents/QuinoDocs/web-map20052.pdf">http://www.fws.gov/carlsbad/TEspecies/Documents/QuinoDocs/web-map20052.pdf</a> ), and Quino survey protocol ( <a href="http://www.fws.gov/carlsbad/TEspecies/Documents/QuinoDocs/2002%20Quino%20protocol%20complete.pdf">http://www.fws.gov/carlsbad/TEspecies/Documents/QuinoDocs/2002%20Quino%20protocol%20complete.pdf</a> ) the project falls within a recommended site assessment area. Please provide a copy of a recent site assessment.
Appendix B (g) (13) (D) (ii)	If cooling water is proposed to be taken directly from or discharged to a surface water feature seasonal aquatic resource studies and surveys shall be conducted. Aquatic resource survey data shall include, but is not limited to, fish trawls, ichthyoplankton and benthic sampling, and related temperature and water quality samples. For new projects or repower projects anticipating a change in cooling water flows, sampling protocols shall be provided to the Energy Commission staff for review and concurrence prior to the start of sampling. For repower projects not anticipating a change in cooling water flows, this information shall be provided in the form of the most recent federal Clean Water Act 316(b) impingement and entrainment impact study completed within five (5) years of the AFC filing date; and	N/A	N/A	

Adequacy Issue: Adequate \_\_\_\_\_ Inadequate X DATA ADEQUACY WORKSHEET Revision No.: 0 Date: March 10, 2011

Technical Area: Biological Resources Project: Pio Pico Energy Center Technical Staff: Carol Watson  
 Project Manager: Eric Solorio Docket: 11-AFC-1 Technical Senior: Rick York

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (13) (D) (iii)	If the project or any related facilities could impact a jurisdictional or non-jurisdictional wetland, provide completed Army Corps of Engineers wetland delineation forms and/or determination of wetland status pursuant to Coastal Act requirements, name(s) and qualifications of biologist(s) completing the delineation, the results of the delineation and a table showing wetland acreage amounts to be impacted.	Appendix J2	Yes	
Appendix B (g) (13) (E)	Impacts discussion of the following:		Yes	
Appendix B (g) (13) (E) (i)	all impacts (direct, indirect, and cumulative) to biological resources from project site preparation, construction activities, plant operation, maintenance, and closure. Discussion shall also address sensitive species habitat impacts from cooling tower drift and air emissions;	Sections 5.6.3 and 5.6.4	Yes	
Appendix B (g) (13) (E) (ii)	facilities that propose to take water directly from, and/or discharge water to surface water features, daytime and nighttime impacts from the intake and discharge of water during operation, water velocity at the intake screen, the intake field of influence, impingement, entrainment, and thermal discharge. Provide a discussion of the extent of the thermal plume, effluent chemicals, oxygen saturation, intake pump operations, and the volume and rate of cooling water flow at the intake and discharge location; and	N/A	N/A	
Appendix B (g) (13) (E) (iii)	Methods to control biofouling and chemical concentrations, and temperatures that are currently being discharged or will be discharged to receiving waters.	N/A	N/A	
Appendix B (g) (13) (F)	A discussion of all feasible mitigation measures including, but not limited to the following:	Section 5.6.5	Yes	
Appendix B (g) (13) (F) (i)	All measures proposed to avoid and/or reduce adverse impacts to biological resources;	Section 5.6.5	Yes	

Adequacy Issue: Adequate \_\_\_\_\_ Inadequate  X  DATA ADEQUACY WORKSHEET Revision No.:  0  Date:  March 10, 2011

Technical Area:  Biological Resources  Project:  Pio Pico Energy Center  Technical Staff:  Carol Watson   
 Project Manager:  Eric Solorio  Docket:  11-AFC-1  Technical Senior:  Rick York

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (13) (F) (ii)	All off -site habitat mitigation and habitat improvement or compensation, and an identification of contacts for compensation habitat and management;		No	Please provide contacts and offsite habitat mitigation and/or improvement. If none is believed necessary, please provide rationale for decision.
Appendix B (g) (13) (F) (iii)	Design features to better disperse or eliminate a thermal discharge;	N/A	N/A	
Appendix B (g) (13) (F) (iv)	All measures proposed to avoid or minimize adverse impacts of cooling water intake. This shall include a Best Technology Available (BTA) discussion. If BTA is not being proposed, the rationale for not selecting BTA must be provided; and	N/A	N/A	
Appendix B (g) (13) (F) (v)	Educational programs to enhance employee awareness during construction and operation to protect biological resources.	Section 5.6.5	Yes	
Appendix B (g) (13) (G)	A discussion of compliance and monitoring programs to ensure the effectiveness of impact avoidance and mitigation measures incorporated into the project.	Section 5.6.5	Yes	
Appendix B (g) (13) (H)	Submit copies of any preliminary correspondence between the project applicant and state and federal resource agencies regarding whether federal or state permits from other agencies such as the U. S. Fish and Wildlife Service the National Marine Fisheries, Service, the U.S. Army Corps of Engineers, the California Department of Fish and Game, and the Regional Water Quality Control Board will the proposed project be required for		No	Please copies of any preliminary correspondence between PPEC and state and federal resource agencies regarding applicable federal or state permits from other agencies (e.g. USFWS, U.S. Army Corps of Engineers, the California Department of Fish and Game, or the Regional Water Quality Control Board).
Appendix B (i) (1) (A)	Tables which identify laws, regulations, ordinances, standards, adopted local, regional, state, and federal land use plans, leases, and permits applicable to the proposed project, and a discussion of the applicability of, and conformance with each. The table or matrix shall explicitly reference pages in the application wherein conformance, with each law or standard during both construction and operation of the facility is discussed; and	Section 5.6.6 Table 5.6-7	Yes	



Adequacy Issue: Adequate \_\_\_\_\_ Inadequate X DATA ADEQUACY WORKSHEET Revision No.: 0 Date: March 10, 2011

Technical Area: Biological Resources Project: Pio Pico Energy Center Technical Staff: Carol Watson  
 Project Manager: Eric Solorio Docket: 11-AFC-1 Technical Senior: Rick York

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (i) (1) (B)	Tables which identify each agency with jurisdiction to issue applicable permits, leases, and approvals or to enforce identified laws, regulations, standards, and adopted local, regional, state and federal land use plans, and agencies which would have permit approval or enforcement authority, but for the exclusive authority of the commission to certify sites and related facilities.	Sections 5.6.6 and 5.6.7 Tables 5.6-7 and 5.6-8	Yes	
Appendix B (i) (2)	The name, title, phone number, address (required), and email address (if known), of an official who was contacted within each agency, and also provide the name of the official who will serve as a contact person for Commission staff.	Section 5.6.7 Table 5.6-8	No	Please provide contacts for the following agencies: USFWS, CDFG, USACE, and RWQCB.
Appendix B (i) (3)	A schedule indicating when permits outside the authority of the commission will be obtained and the steps the applicant has taken or plans to take to obtain such permits.	Section 5.6.8 Table 5.6-9	No	Table 5.69-9 has been included which lists milestones, but no schedule has been developed. Please determine and provide a schedule for permitting outside of the Energy Commission's permitting authority.

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g)(1)	Provide a discussion of the existing site conditions, the expected direct, indirect and cumulative impacts due to the construction, operation and maintenance of the project, the measures proposed to mitigate adverse environmental impacts of the project, the effectiveness of the proposed measures, and any monitoring plans proposed to verify the effectiveness of the mitigation.	Existing site conditions. Pp. 5.7-3 and 5.7-4, vol. I, AFC.  Expected project impacts. Pp. 5.7-50 and 5.7-51, vol. I, AFC.  Proposed mitigation measures. Pp. 5.7-52–5.7-64, vol. I, AFC.  Effectiveness of proposed mitigation measures. Pp. 5.7-51 and 5.7-52, vol. I, AFC.  Monitoring plans proposed to verify mitigation effectiveness.	Yes  Yes  Yes  Yes  N/A	
Appendix B (g)(2)(A)	A summary of the ethnology, prehistory, and history of the region with emphasis on the area within no more than a 5-mile radius of the project location.	Summary of the ethnology, prehistory, and history. Pp. 5.7-5–5.7-13, vol. I, AFC; pp. 4-1–4-9, app. K ( <i>Cultural Resources Assessment Report</i> ), vol. II, AFC.	No	Please derive a context for the prehistory of the area in a 5-mile radius around the appropriate project area of analysis. The basis for this context should be the information that the applicant provides in vols. II–V, app. K ( <i>Cultural Resources Assessment Report</i> ), vol. II, AFC.
Appendix B (g)(2)(B)	The results of a literature search to identify cultural resources within an area not less than a 1-mile radius around the project site and not less than one-quarter (0.25) mile on each side of the linear facilities. Identify any cultural resources listed pursuant to ordinance by a city or county, or recognized by any local historical or archaeological society or museum. Literature searches to identify the above cultural resources must be completed by, or under the direction of, individuals who meet the Secretary of the Interior’s Professional Standards for the technical area addressed.	Literature search results per the regulations. Pp. 5.7-15–5.7-37, vol. 1, AFC; pp. 5-1–5-34, app. K ( <i>Cultural Resources Assessment Report</i> ), vol. II, AFC.  Cultural resources listed under a city or county ordinance. Pp. 6-3 and 6-4, app. K ( <i>Cultural Resources Assessment Report</i> ), vol. II, AFC.	Yes  Yes	

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
	Copies of California Department of Parks and Recreation (DPR) 523 forms (Title 14 CCR §4853) shall be provided for all cultural resources (ethnographic, architectural, historical, and archaeological) identified in the literature search as being 45 years or older or of exceptional importance as defined in the National Register Bulletin Guidelines, (36CFR60.4(g)). A copy of the USGS 7.5' quadrangle map of the literature search area delineating the areas of all past surveys and noting the California Historical Resources Information System (CHRIS) identifying number shall be provided. Copies also shall be provided of all technical reports whose survey coverage is wholly or partly within .25 mile of the area surveyed for the project under Section (g)(2)(C), or which report on any archaeological excavations or architectural surveys within the literature search area.	<p>Cultural resources recognized by local heritage society or museum. Pp. 6-3 and 6-4, app. K (<i>Cultural Resources Assessment Report</i>), vol. II, AFC.</p> <p>Interior Secretary's PQS for archaeology. Exhibit A, app. K (<i>Cultural Resources Assessment Report</i>), vol. II, AFC.</p> <p>Interior Secretary's PQS for history or architectural history. Exhibit A, app. K (<i>Cultural Resources Assessment Report</i>), vol. II, AFC.</p> <p>DPR 523 forms.</p> <p>Map of literature search area with areas of past surveys and CHRIS Nos. Exhibit E, app. K (<i>Cultural Resources Assessment Report</i>), vol. II, AFC.</p>	<p>Yes</p> <p>Yes</p> <p>Yes</p> <p>No</p> <p>Yes</p>	<p>The presence or locations of the DPR 523 forms in the AFC is unclear. Staff requests that the applicant either provide a list clearly identifying the locations of the DPR 523 forms for all cultural resources identified in the literature search as being 45 years or older or of exceptional importance as defined in the National Register Bulletin Guidelines, (36CFR60.4(g)), or collect said forms into a separate appendix.</p>

Adequacy Issue: Adequate \_\_\_\_\_ Inadequate  X   
 Technical Area:  Cultural Resources   
 Project Manager:  Eric Solorio

DATA ADEQUACY WORKSHEET

Revision No.  0  Date  March 10, 2011   
 Project:  Pio Pico Energy Center  Technical Staff:  Sarah Allred/Mike McGuirt   
 Docket:  11-AFC-1  Technical Senior:  Shaelyn Strattan

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
		CHRIS reports. Exhibit F, app. K ( <i>Cultural Resources Assessment Report</i> ), vol. II, AFC.	Yes	
Appendix B (g) (2) (C)	<p>The results of new surveys or surveys less than 5 years old shall be provided if survey records of the area potentially affected by the project are more than five (5) years old. Surveys to identify new cultural resources must be completed by (or under the direction of) individuals who meet the Secretary of the Interior's Professional Standards for the technical area addressed.</p> <p>New pedestrian archaeological surveys shall be conducted inclusive of the project site and project linear facility routes, extending to no less than 200' around the project site, substations and staging areas, and to no less than 50' to either side of the right-of-way of project linear facility routes. New historic architecture field surveys in rural areas shall be conducted inclusive of the project site and the project linear facility routes, extending no less than .5 mile out from the proposed plant site and from the routes of all above-ground linear facilities. New historic architecture field surveys in urban and suburban areas shall be conducted inclusive of the project site, extending no less than one parcel's distance from all proposed plant site boundaries. New historic architecture field reconnaissance ("windshield survey") in urban and suburban areas shall be conducted along the routes of all linear facilities to identify, inventory, and characterize structures and districts that appear to be older than 45 years or that are exceptionally significant, whatever their age.</p>	<p>Interior Secretary's PQS for archaeology. Exhibit A, app. K (<i>Cultural Resources Assessment Report</i>), vol. II, AFC.</p> <p>Interior Secretary's PQS for history or architectural history. Exhibit A, app. K (<i>Cultural Resources Assessment Report</i>), vol. II, AFC.</p> <p>Archaeology survey coverage. P. 6-1, and figs. 1-3 and 1-4, app. K (<i>Cultural Resources Assessment Report</i>), vol. II, AFC.</p> <p>Built-environment survey coverage. P. 6-3, and figs. 1-3 and 1-4, app. K (<i>Cultural Resources Assessment Report</i>), vol. II, AFC.</p> <p>Technical report of results of new archaeological surveys. app. K (<i>Cultural Resources Assessment Report</i>), vol. II, AFC.</p>	<p>Yes</p> <p>Yes</p> <p>Yes</p> <p>Yes</p> <p>No</p>	<p>The present technical report does not conform to the ARMR format. The technical report needs to more closely adhere to the direction of subsection VI.B.1.b of ARMR; develop, pursuant to section VII of ARMR, research designs for both the prehistoric and the historic archeological resource bases in the project area; incorporate the direction of section X of ARMR; and, to facilitate the development of appropriate mitigation measures, incorporate the direction of subsection XI.B of ARMR.</p>

Adequacy Issue: Adequate \_\_\_\_\_ Inadequate  X

DATA ADEQUACY WORKSHEET

Revision No.  0  Date  March 10, 2011

Technical Area:  Cultural Resources

Project:  Pio Pico Energy Center

Technical Staff:  Sarah Allred/Mike McGuirt

Project Manager:  Eric Solorio

Docket:  11-AFC-1

Technical Senior:  Shaelyn Strattan

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
	A technical report of the results of the new surveys, conforming to the Archaeological Resource Management Report format (CA Office of Historic Preservation Feb 1990), which is incorporated by reference, shall be separately provided and submitted (under confidential cover if archaeological site locations are included).	Technical report of results of a built-environment survey. Pp. 6-7-6-12, app. K ( <i>Cultural Resources Assessment Report</i> ), vol. II, AFC.	Yes	
Appendix B (g) (2) (C) cont.	Information included in the technical report shall also be provided in the Application for Certification, except that confidential information (archaeological sites or areas of religious significance) shall be submitted under a request for confidentiality pursuant to Title 20, California Code of Regulations, § 2501 et seq. At a minimum, the technical report shall include the following:	AFC must include non-confidential technical report data. Section 5.7, vol. I, AFC.	Yes	
Appendix B (g) (2) (C) (i)	The summary from Appendix B (g)(2)(A) and the literature search results from Appendix B (g)(2)(B);	Summary of the ethnology, prehistory, and history. Section 4, app. K ( <i>Cultural Resources Assessment Report</i> ), vol. II, AFC.  Literature search and results. Section 5, app. K ( <i>Cultural Resources Assessment Report</i> ), vol. II, AFC.	Yes  Yes	
Appendix B (g) (2) (C) (ii)	The survey procedures and methodology used to identify cultural resources and a discussion of the cultural resources identified by the survey;	Archaeological survey methodology. P. 6-1, and figs. 1-3 and 1-4, app. K ( <i>Cultural Resources Assessment Report</i> ), vol. II, AFC.  Built-environment survey methodology. P. 6-3, and	Yes  Yes	

Adequacy Issue: Adequate \_\_\_\_\_ Inadequate X

DATA ADEQUACY WORKSHEET

Revision No. 0 Date March 10, 2011

Technical Area: Cultural Resources

Project: Pio Pico Energy Center

Technical Staff: Sarah Allred/Mike McGuirt

Project Manager: Eric Solorio

Docket: 11-AFC-1

Technical Senior: Shaelyn Strattan

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
		<p>figs. 1-3 and 1-4, app. K (<i>Cultural Resources Assessment Report</i>), vol. II, AFC.</p> <p>Discussion of archaeological resources. Pp. 6-4–6-7, app. K (<i>Cultural Resources Assessment Report</i>), vol. II, AFC.</p> <p>Discussion of built-environment resources. Pp. 6-7–6-12, app. K (<i>Cultural Resources Assessment Report</i>), vol. II, AFC.</p>	<p>Yes</p> <p>Yes</p>	
<p>Appendix B (g) (2) (C) (iii)</p>	<p>Copies of all new and updated DPR 523(A) forms. If a cultural resource may be impacted by the project, also include the appropriate DPR 523 detail form for each such resource;</p>	<p>Archaeology forms. Vol. 3, app. B</p> <p>Built-environment forms.</p>	<p>No</p> <p>No</p>	<p>The presence or locations of the DPR 523 forms in the AFC is unclear. Staff requests that the applicant either provide a list clearly identifying the locations of all new and updated DPR 523(A) forms, or collect said forms into a separate appendix.</p> <p>The presence or locations of the DPR 523 forms in the AFC is unclear. Staff requests that the applicant either provide a list clearly identifying the locations of all new and updated DPR 523(A) forms, or collect said forms into a separate appendix.</p>
<p>Appendix B (g) (2) (C) (iv)</p>	<p>A map at a scale of 1:24,000 U.S. Geological Survey quadrangle depicting the locations of all previously known and newly identified cultural resources compiled through the research required by Appendix B (g)(2)(B) and Appendix B (g)(2)(C) (ii); and</p>	<p>1:24,000 scale, USGS 7.5' topographic quadrangle map, one map, of all previously recorded and newly found cultural resources. Exhibit E, app. K (<i>Cultural Resources Assessment Report</i>), vol. II, AFC.</p>	<p>Yes</p>	

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (2) (C) (v)	The names and qualifications of the cultural resources specialists who contributed to and were responsible for literature searches, surveys, and preparation of the technical report.	<p>Personnel and qualifications to conduct archaeological research. Exhibit A, app. K (<i>Cultural Resources Assessment Report</i>), vol. II, AFC.</p> <p>Personnel and qualifications to conduct built-environment research. Exhibit A, app. K (<i>Cultural Resources Assessment Report</i>), vol. II, AFC.</p>	<p>Yes</p> <p>Yes</p>	
Appendix B (g) (2) (D)	Provide a copy of your request to the Native American Heritage Commission (NAHC) for information on Native American sacred sites and lists of Native Americans interested in the project vicinity, and copies of any correspondence received from the NAHC. Notify the Native Americans on the NAHC list about the project, including a project description and map. Provide a copy of all correspondence sent to Native American individuals and groups listed by the NAHC and copies of all responses. Provide a written summary of any oral responses.	<p>NAHC request. Exhibit B, app. K, vol. 2, AFC.</p> <p>NAHC response(s). Exhibit B, app. K, vol. 2, AFC.</p> <p>Letters sent to Native Americans. Exhibit B, app. K, vol. 2, AFC.</p> <p>Response(s) from Native Americans. Exhibit B, app. K, vol. 2, AFC.</p> <p>Summary of oral responses from Native Americans. Exhibit B, app. K, vol. 2, AFC.</p>	<p>Yes</p> <p>Yes</p> <p>Yes</p> <p>Yes</p> <p>Yes</p>	
Appendix B (g) (2) (E)	Include in the discussion of proposed mitigation measures required by subdivision (g)(1):	_____	_____	
Appendix B (g) (2) (E) (i)	A discussion of measures proposed to mitigate project impacts to known cultural resources;	Proposed mitigation measures. Section 5.7.4, vol. I, AFC.	Yes	
Appendix B (g) (2) (E) (ii)	A set of contingency measures proposed to mitigate potential impacts to previously unknown cultural resources and any unanticipated impacts to known cultural resources; and	Contingency mitigation measures. Section 5.7.4, vol. I, AFC.	Yes	

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (2) (E) (iii)	Educational programs to enhance employee awareness during construction and operation to protect cultural resources.	Labor education. Section 5.7.4, vol. 1, AFC.	Yes	
Appendix B (i) (1) (A)	Tables which identify laws, regulations, ordinances, standards, adopted local, regional, state, and federal land use plans, leases, and permits applicable to the proposed project, and a discussion of the applicability of, and conformance with each. The table or matrix shall explicitly reference pages in the application wherein conformance, with each law or standard during both construction and operation of the facility is discussed; and	Tables identifying applicable LORS. Section 5.7.5, and table 5.7-7, vol. 1, AFC.  Discussion of LORS applicability and conformance. Section 5.7.5, and table 5.7-7, vol. 1, AFC.  Conformance page references. Section 5.7.5, and table 5.7-7, vol. 1, AFC.	Yes  Yes  Yes	
Appendix B (i) (1) (B)	Tables which identify each agency with jurisdiction to issue applicable permits, leases, and approvals or to enforce identified laws, regulations, standards, and adopted local, regional, state and federal land use plans, and agencies which would have permit approval or enforcement authority, but for the exclusive authority of the commission to certify sites and related facilities.	Jurisdictional agencies. Table 5.7-7, vol. 1, AFC.	Yes	
Appendix B (i) (2)	The name, title, phone number, address (required), and email address (if known), of an official who was contacted within each agency, and also provide the name of the official who will serve as a contact person for Commission staff.	Agency contacts. Table 5.7-8, vol. 1, AFC.	Yes	
Appendix B (i) (3)	A schedule indicating when permits outside the authority of the commission will be obtained and the steps the applicant has taken or plans to take to obtain such permits.	Extra-agency Permits. P. 5.7-72, vol. 1, AFC.	Yes	



Adequacy Issue: Adequate  Inadequate   
 Technical Area: Efficiency  
 Project Manager: Eric Solorio

DATA ADEQUACY WORKSHEET

Revision No. 0 Date March 10, 2011  
 Technical Staff: Erin Bright  
 Technical Senior: Shahab Koshmashrab

Project: Pio Pico Energy Center  
 Docket: 11-AFC-1

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (1)	...provide a discussion of the existing site conditions, the expected direct, indirect and cumulative impacts due to the construction, operation and maintenance of the project, the measures proposed to mitigate adverse environmental impacts of the project, the effectiveness of the proposed measures, and any monitoring plans proposed to verify the effectiveness of the mitigation.	§§1.1, 1.2, 3.1, 3.5.1, 3.5.4, 3.5.6, 3.10.2, 4.3	Yes	
Appendix B (h) (4) (A)	Heat and mass balance diagrams for design conditions for each mode of operation.	§ 3.5.4.2 Tables 3.5-2 and 3.5-3 Figures 3.5-2A through 3.5-2D	Yes	
Appendix B (h) (4) (B)	Annual fuel consumption in BTUs for each mode of operation, including hot restarts and cold starts.	§§ 3.5.4.2, 3.5.6; Table 3.5-2	Yes	
Appendix B (h) (4) (C)	Annual net electrical energy produced in MWh for each mode of operation including starts and shutdowns.	§ 3.10.2.1; Table 3.5-3	Yes	
Appendix B (h) (4) (D)	Number of hours the plant will be operated in each design condition in each year.	§§ 3.5.4.2, 3.10.2.1; Table 3.5-3	Yes	
Appendix B (h) (4) (E)	If the project will be a cogeneration facility, calculations showing compliance with applicable efficiency and operating standards.	N/A	N/A	
Appendix B (h) (4) (F)	A discussion of alternative generating technologies available for the project, including the projected efficiency of each, and an explanation why the chosen equipment was selected over these alternatives.	§§ 3.1, 4.3	Yes	

Adequacy Issue: Adequate  Inadequate   
 Technical Area: Efficiency  
 Project Manager: Eric Solorio

DATA ADEQUACY WORKSHEET

Revision No. 0 Date March 10, 2011  
 Technical Staff: Erin Bright  
 Technical Senior: Shahab Koshmashrab

Project: Pio Pico Energy Center  
 Docket: 11-AFC-1

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (i) (1) (A)	Tables which identify laws, regulations, ordinances, standards, adopted local, regional, state, and federal land use plans, leases, and permits applicable to the proposed project, and a discussion of the applicability of, and conformance with each. The table or matrix shall explicitly reference pages in the application wherein conformance, with each law or standard during both construction and operation of the facility is discussed; and	N/A	N/A	
Appendix B (i) (1) (B)	Tables which identify each agency with jurisdiction to issue applicable permits, leases, and approvals or to enforce identified laws, regulations, standards, and adopted local, regional, state and federal land use plans, and agencies which would have permit approval or enforcement authority, but for the exclusive authority of the commission to certify sites and related facilities.	N/A	N/A	
Appendix B (i) (2)	The name, title, phone number, address (required), and email address (if known), of an official who was contacted within each agency, and also provide the name of the official who will serve as a contact person for Commission staff.	N/A	N/A	
Appendix B (i) (3)	A schedule indicating when permits outside the authority of the commission will be obtained and the steps the applicant has taken or plans to take to obtain such permits.	N/A	N/A	

Adequacy Issue: Adequate  Inadequate

**DATA ADEQUACY WORKSHEET**

Revision No. 0 Date March 10, 2011

Technical Area: Facility Design  
 Project Manager: Eric Solorio

Project: Pio Pico Energy Center  
 Docket: 11-AFC-1

Technical Staff: Shahab Khoshmashrab  
 Technical Senior: Shahab Khoshmashrab

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (h) (1) (A)	A description of the site conditions and investigations or studies conducted to determine the site conditions used as the basis for developing design criteria. The descriptions shall include, but not be limited to, seismic and other geologic hazards, adverse conditions that could affect the project's foundation, adverse meteorological and climatic conditions, and flooding hazards, if applicable.	§§ 1.1, 3.4, 3.6; Appendices A and B	Yes	
Appendix B (h) (1) (B)	A discussion of any measures proposed to improve adverse site conditions.	§§ 3.4, 3.6; Appendix B	Yes	
Appendix B (h) (1) (C)	A description of the proposed foundation types, design criteria (including derivation), analytical techniques, assumptions, loading conditions, and loading combinations to be used in the design of facility structures and major mechanical and electrical equipment	Appendix B	Yes	
Appendix B (h) (1) (D)	For each of the following facilities and/or systems, provide a description including drawings, dimensions, surface-area requirements, typical operating data, and performance and design criteria for protection from impacts due to adverse site conditions:	—	—	
Appendix B (h) (1) (D) (i)	The power generation system;	§§ 1.1, 1.2, 3.5.4; Table 3.5-1; Figures 3.1-3, 3.3-1	Yes	
Appendix B (h) (1) (D) (ii)	The heat dissipation system;	§§ 3.5.7.1, 3.5.7.3	Yes	
Appendix B (h) (1) (D) (iii)	The cooling water supply system, and, where applicable, pre-plant treatment procedures;	§ 3.5.7; Figures 3.5-4A, 3.5-4B	Yes	

Adequacy Issue: Adequate  Inadequate

**DATA ADEQUACY WORKSHEET**

Revision No. 0 Date March 10, 2011

Technical Area: Facility Design  
 Project Manager: Eric Solorio

Project: Pio Pico Energy Center  
 Docket: 11-AFC-1

Technical Staff: Shahab Khoshmashrab  
 Technical Senior: Shahab Khoshmashrab

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (h) (1) (D) (iv)	The atmospheric emission control system;	§ 3.5.9	Yes	
Appendix B (h) (1) (D) (v)	The waste disposal system and on-site disposal sites;	§ 3.5.8	Yes	
Appendix B (h) (1) (D) (vi)	The noise emission abatement system;	§ 3.5.14	Yes	
Appendix B (h) (1) (D) (vii)	The geothermal resource conveyance and re-injection lines (if applicable);	N/A	N/A	
Appendix B (h) (1) (D) (viii)	Switchyards/transformer systems; and	§§ 3.5.5, 3.7	Yes	
Appendix B (h) (1) (D) (ix)	Other significant facilities, structures, or system components proposed by the applicant.	N/A	N/A	
Appendix B (i) (1) (A)	Tables which identify laws, regulations, ordinances, standards, adopted local, regional, state, and federal land use plans, leases, and permits applicable to the proposed project, and a discussion of the applicability of, and conformance with each. The table or matrix shall explicitly reference pages in the application wherein conformance, with each law or standard during both construction and operation of the facility is discussed; and	Appendices A through F	Yes	

Adequacy Issue: Adequate  Inadequate

**DATA ADEQUACY WORKSHEET**

Revision No. 0 Date March 10, 2011

Technical Area: Facility Design  
 Project Manager: Eric Solorio

Project: Pio Pico Energy Center  
 Docket: 11-AFC-1

Technical Staff: Shahab Khoshmashrab  
 Technical Senior: Shahab Khoshmashrab

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (i) (1) (B)	Tables which identify each agency with jurisdiction to issue applicable permits, leases, and approvals or to enforce identified laws, regulations, standards, and adopted local, regional, state and federal land use plans, and agencies which would have permit approval or enforcement authority, but for the exclusive authority of the commission to certify sites and related facilities.	Table 5.3-4	Yes	
Appendix B (i) (2)	The name, title, phone number, address (required), and email address (if known), of an official who was contacted within each agency, and also provide the name of the official who will serve as a contact person for Commission staff.	Table 5.3-5	Yes	
Appendix B (i) (3)	A schedule indicating when permits outside the authority of the commission will be obtained and the steps the applicant has taken or plans to take to obtain such permits.	N/A	N/A	

Adequacy Issue: Adequate  Inadequate

DATA ADEQUACY WORKSHEET

Revision No. 0 Date March 10, 2011

Technical Area: Geologic Hazards

Project: Pio Pico Energy Center

Technical Staff: Casey Weaver

Project Manager: Eric Solorio

Docket: 11-AFC-1

Technical Senior: Paul Marshall

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (1)	...provide a discussion of the existing site conditions, the expected direct, indirect and cumulative impacts due to the construction, operation and maintenance of the project, the measures proposed to mitigate adverse environmental impacts of the project, the effectiveness of the proposed measures, and any monitoring plans proposed to verify the effectiveness of the mitigation.	Sections 5.3.1, 5.3.2, 5.3.3, and 5.3.4	Yes	
Appendix B (g) (17) (A)	A summary of the geology, seismicity, and geologic resources of the project site and related facilities including linear facilities.	Section 5.3.1	Yes	
Appendix B (g) (17) (B)	A map at a scale of 1:24,000 and description of all recognized stratigraphic units, geologic structures, and geomorphic features within two (2) miles of the project site and along proposed facilities. Include an analysis of the likelihood of ground rupture, seismic shaking, mass wasting and slope stability, liquefaction, subsidence, tsunami runup, and expansion or collapse of soil structures at the plant site. Describe known geologic hazards along or crossing linear facilities.	Figures 5.3-1A, 5.3-1B, and 5.3-2, Section 5.3.1	Yes	
Appendix B (g) (17) (C)	A map and description of geologic resources of recreational, commercial, or scientific value which may be affected by the project. Include a discussion of the techniques used to identify and evaluate these resources.	Figures 5.3-1A and 5.3-1B, Section 5.3.1.14	Yes	

Adequacy Issue: Adequate  Inadequate

DATA ADEQUACY WORKSHEET

Revision No. 0 Date March 10, 2011

Technical Area: Geologic Hazards

Project: Pio Pico Energy Center

Technical Staff: Casey Weaver

Project Manager: Eric Solorio

Docket: 11-AFC-1

Technical Senior: Paul Marshall

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (i) (1) (A)	Tables which identify laws, regulations, ordinances, standards, adopted local, regional, state, and federal land use plans, leases, and permits applicable to the proposed project, and a discussion of the applicability of, and conformance with each. The table of matrix shall explicitly reference pages in the application wherein conformance, with each law or standard during both construction and operation of the facility is discussed; and	Table 5.3-3, Section 5.3.5.3	Yes	
Appendix B (i) (1) (B)	Tables which identify each agency with jurisdiction to issue applicable permits, leases, and approvals or to enforce identified laws, regulations, standards, and adopted local, regional, state and federal land use plans, and agencies which would have permit approval or enforcement authority, but for the exclusive authority of the commission to certify sites and related facilities.	Tables 5.3-3, 5.3-4, and 5.3-5, Section 5.3.5	Yes	
Appendix B (i) (2)	The name, title, phone number, address (required), and email address (if known), of an official who was contacted within each agency, and also provide the name of the official who will serve as a contact person for Commission staff.	Table 5.3-4, Section 5.3.5.4	Yes	
Appendix B (i) (3)	A schedule indicating when permits outside the authority of the commission will be obtained and the steps the applicant has taken or plans to take to obtain such permits.	Table 5.3-5, Section 5.3.5.5	Yes	

Adequacy Issue: Adequate  Inadequate   
 Technical Area: Hazardous Materials Handling  
 Project Manager: Eric Solorio

DATA ADEQUACY WORKSHEET

Revision No. 0 Date March 10, 2011

Project: Pio Pico Energy Center  
 Docket: 11-AFC-1

Technical Staff: Rick Tyler  
 Technical Senior: Rick Tyler

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (e) (1)	A discussion of how facility closure will be accomplished in the event of premature or unexpected cessation of operations.	Section 5.15 Pages 15 - 16	Yes	
Appendix B (g) (1)	...provide a discussion of the existing site conditions, the expected direct, indirect and cumulative impacts due to the construction, operation and maintenance of the project, the measures proposed to mitigate adverse environmental impacts of the project, the effectiveness of the proposed measures, and any monitoring plans proposed to verify the effectiveness of the mitigation.	Section 5.15 Pages 1 -26	Yes	
Appendix B (g) (10) (A)	A list of all materials used or stored on-site which are hazardous or acutely hazardous, as defined in Title 22, California Code of Regulations, § 66261.20 et seq., and a discussion of the toxicity of each material.	Sections 5.15.2.1 and 5.15.2.2 Pages 1 - 6 Tables 5.15.1 through 4	Yes	
Appendix B (g) (10) (B)	A map at a scale of 1:24,000 depicting the location of schools, hospitals, day-care facilities, emergency response facilities and long-term health care facilities, within the area potentially affected by any release of hazardous materials.	Figure 5.15 -1	Yes	
Appendix B (g) (10) (C)	A discussion of the storage and handling system for each hazardous material used or stored at the site.	Sections 5.15 Pages 1 - 26	Yes	
Appendix B (g) (10) (D)	The protocol that will be used in modeling potential consequences of accidental releases that could result in off site impacts. Identify the model(s) to be used, a description of all input assumptions, including meteorological conditions. The results of the modeling analysis can be submitted after the AFC is complete.	Section 5.15.2.3 Pages 9 -15	Yes	



Adequacy Issue: Adequate  Inadequate   
 Technical Area: **Hazardous Materials Handling**  
 Project Manager: Eric Solorio

**DATA ADEQUACY WORKSHEET**

Revision No. 0 Date March 10, 2011

Project: Pio Pico Energy Center  
 Docket: 11-AFC-1

Technical Staff: Rick Tyler  
 Technical Senior: Rick Tyler

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (10) (E)	A discussion of whether a risk management plan (Health and Safety Code § 25531 et seq.) will be required, and if so, the requirements that will likely be incorporated into the plan.	Section 5.15.2.2 Pages 4 – 9 Tables 5.15-5 and 5.15-6	Yes	
Appendix B (g) (10) (F)	A discussion of measures proposed to reduce the risk of any release of hazardous materials.	Section 5.15 Pages 1 - 26	Yes	
Appendix B (g) (10) (G)	A discussion of the fire and explosion risks associated with the project.	Section 5.15.2.2 Pages 6	Yes	
Appendix B (i) (1) (A)	Tables which identify laws, regulations, ordinances, standards, adopted local, regional, state, and federal land use plans, leases, and permits applicable to the proposed project, and a discussion of the applicability of, and conformance with each. The table or matrix shall explicitly reference pages in the application wherein conformance, with each law or standard during both construction and operation of the facility is discussed; and	Section 5.15.5 Table 5.15-7 Pages 20-22	Yes	
Appendix B (i) (1) (B)	Tables which identify each agency with jurisdiction to issue applicable permits, leases, and approvals or to enforce identified laws, regulations, standards, and adopted local, regional, state and federal land use plans, and agencies which would have permit approval or enforcement authority, but for the exclusive authority of the commission to certify sites and related facilities.	Sections 5.15.5 Pages 20-22	Yes	
Appendix B (i) (2)	The name, title, phone number, address (required), and email address (if known), of an official who was contacted within each agency, and also provide the name of the official who will serve as a contact person for Commission staff.	Section 5.15.6 Page 24 Table 5.15-8	Yes	

Adequacy Issue: Adequate  Inadequate   
 Technical Area: **Hazardous Materials Handling**  
 Project Manager: Eric Solorio

**DATA ADEQUACY WORKSHEET**

Revision No. 0 Date March 10, 2011  
 Technical Staff: Rick Tyler  
 Technical Senior: Rick Tyler

Project: Pio Pico Energy Center  
 Docket: 11-AFC-1

<b>SITING REGULATIONS</b>	<b>INFORMATION</b>	<b>AFC PAGE NUMBER AND SECTION NUMBER</b>	<b>ADEQUATE YES OR NO</b>	<b>INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS</b>
Appendix B (i) (3)	A schedule indicating when permits outside the authority of the commission will be obtained and the steps the applicant has taken or plans to take to obtain such permits.	Section 5.15.7 Page 25 Table 5.15 - 9	Yes	

Adequacy Issue: Adequate \_\_\_\_\_ Inadequate X DATA ADEQUACY WORKSHEET Revision No.: 0 Date: March 10, 2011

Technical Area: Land Use Project: Pio Pico Energy Center Technical Staff: Candace M. Hill  
 Project Manager: Eric Solorio Docket: 11-AFC-1 Technical Senior: Amanda Stennick

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (1)	...provide a discussion of the existing site conditions, the expected direct, indirect and cumulative impacts due to the construction, operation and maintenance of the project, the measures proposed to mitigate adverse environmental impacts of the project, the effectiveness of the proposed measures, and any monitoring plans proposed to verify the effectiveness of the mitigation.	Page 5.9-4; Section 5.9.1.2 Page 5.9-12; Section 5.9.2 Page 5.9-13-21; Section 5.9.5	Yes	
Appendix B (g) (3) (A)	A discussion of existing land uses and current zoning at the site, land uses and land use patterns within one mile of the proposed site and within one-quarter mile of any project related linear facilities. Include:	Page 5.9-3-7; Section 5.9.1.2 and Table 5.9-1	Yes	
Appendix B (g) (3) (A) (i)	An identification of residential, commercial, industrial, recreational, scenic, agricultural, natural resource protection, natural resource extraction, educational, religious, cultural, and historic areas, and any other area of unique land uses;	Page 5.9-3-7; Section 5.9.1.2 and Table 5.9-1 Page 5.9-12; Section 5.9.2	Yes	
Appendix B (g) (3) (A) (ii)	A discussion of any recent or proposed zone changes and/or general plan amendments; noticed by an elected or appointed board, commission, or similar entity at the state or local level;	Page 5.9-9-10; Section 5.9.1.6	Yes	
Appendix B (g) (3) (A) (iii)	Identification of all discretionary reviews by public agencies initiated or completed within 18 months prior to filing the application for those changes or developments identified in subsection (g)(3)(A)(ii); and	Page 5.9-10-12; Section 5.9.1.7 and Table 5.9-2	Yes	
Appendix B (g) (3) (A) (iv)	Legible maps of the areas identified in subsection (g)(3)(A) potentially affected by the project, on which existing land uses, jurisdictional boundaries, general plan designations, specific plan designations, and zoning have been clearly delineated.	Figures 5.9-1; 5.9-2; 5.9-3; 5.9-4; 5.9-5	Yes	

Adequacy Issue: Adequate \_\_\_\_\_ Inadequate X DATA ADEQUACY WORKSHEET Revision No.: 0 Date: March 10, 2011

Technical Area: Land Use Project: Pio Pico Energy Center Technical Staff: Candace M. Hill  
 Project Manager: Eric Solorio Docket: 11-AFC-1 Technical Senior: Amanda Stennick

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (3) (B)	<p>A discussion of the compatibility of the proposed project with present and expected land uses, and conformity with any long-range land use plans adopted by any federal, state, regional, or local planning agencies. The discussion shall identify the need, if any, for land use decisions by another public agency or as part of the commission's decision that would be necessary to make the project conform to adopted federal, state, regional, or local coastal use plans, or zoning ordinances plans, land.</p> <p>Examples of land use decisions include: general plan amendments, zoning changes, lot line adjustments, parcel mergers, subdivision maps, Agricultural Land Conservation Act contracts cancellation, and Airport Land Use Plan consistency determinations.</p>	Page 5.9-7-8; Section 5.9.1.3	Yes	
Appendix B (g) (3) (C)	<p>A discussion of the legal status of the parcel(s) on which the project is proposed. If the proposed site consists of more than one legal parcel, describe the method and timetable for merging or otherwise combining those parcels so that the proposed project, excluding linears and temporary laydown or staging area, will be located on a single legal parcel. The merger need not occur prior to a decision on the Application but must be completed prior to the start of construction.</p>	N/A	No	Please provide a discussion of the legal status of the parcel(s) on which the project is proposed.
Appendix B (g) (3) (D)	<p>A map at a scale of 1:24,000 and written description of agricultural land uses found within all areas affected by the proposed project. The description shall include:</p>	Page 5.9-4; Section 5.9.1.2; Figure 5.9-5	Yes	
Appendix B (g) (3) (D) (i)	<p>Crop types, irrigation systems, and any special cultivation practices;</p>	Page 5.9-4; Section 5.9.1.2	Yes	
Appendix B (g) (3) (D) (ii)	<p>Whether farmland affected by the project is prime, of statewide importance, or unique as defined by the California Department of Conservation; and</p>	Page 5.9-4; Section 5.9.1.2; Figure 5.9-5	Yes	

Adequacy Issue: Adequate \_\_\_\_\_ Inadequate X DATA ADEQUACY WORKSHEET Revision No.: 0 Date: March 10, 2011

Technical Area: Land Use Project: Pio Pico Energy Center Technical Staff: Candace M. Hill  
 Project Manager: Eric Solorio Docket: 11-AFC-1 Technical Senior: Amanda Stennick

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (3) (D) (iii)	Direct, indirect and cumulative effects on agricultural land uses. If the proposed site or related facilities are subject to an Agricultural Land Conservation contract provide a written, copy and a discussion of the status of the expiration or canceling of such contract.	age 5.9-4; Section 5.9.1.2	Yes	
Appendix B (i) (1) (A)	Tables which identify laws, regulations, ordinances, standards, adopted local, regional, state, and federal land use plans, leases, and permits applicable to the proposed project, and a discussion of the applicability of, and conformance with each. The table or matrix shall explicitly reference pages in the application wherein conformance, with each law or standard during both construction and operation of the facility is discussed; and	Page 5.9-21-22; Table 5.9-3	Yes	
Appendix B (i) (1) (B)	Tables which identify each agency with jurisdiction to issue applicable permits, leases, and approvals or to enforce identified laws, regulations, standards, and adopted local, regional, state and federal land use plans, and agencies which would have permit approval or enforcement authority, but for the exclusive authority of the commission to certify sites and related facilities.	Page 5.9-23; Section 5.9.5.5, Table 5.9-5	Yes	
Appendix B (i) (2)	The name, title, phone number, address (required), and email address (if known), of an official who was contacted within each agency, and also provide the name of the official who will serve as a contact person for Commission staff.	Page 5.9-22-23; Section 5.9.5.4, Table 5.9-4	Yes	
Appendix B (i) (3)	A schedule indicating when permits outside the authority of the commission will be obtained and the steps the applicant has taken or plans to take to obtain such permits.	Page 5.9-23; Section 5.9.5.5	Yes	

Adequacy Issue: Adequate  Inadequate

DATA ADEQUACY WORKSHEET

Revision No. 0 Date March 10, 2011

Technical Area: Noise

Project: Pio Pico Energy Center

Technical Staff: Shahab Khoshmashrab

Project Manager: Eric Solorio

Docket: 11-AFC-1

Technical Senior: Shahab Khoshmashrab

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (1)	...provide a discussion of the existing site conditions, the expected direct, indirect and cumulative impacts due to the construction, operation and maintenance of the project, the measures proposed to mitigate adverse environmental impacts of the project, the effectiveness of the proposed measures, and any monitoring plans proposed to verify the effectiveness of the mitigation.	§§ 5.12.2, 5.2.14, 5.12.5, 5.12.6	Yes	
Appendix B (g) (4) (A)	A land use map which identifies residences, hospitals, libraries, schools, places of worship, or other facilities where quiet is an important attribute of the environment within the area impacted by the proposed project. The area potentially impacted by the proposed project is that area where, during either construction or operation, there is a potential increase of five (5) dBA or more, over existing background levels.	§ 5.12.2.1; Figures 5.12-2, 5.9-1	Yes	

Adequacy Issue: Adequate  Inadequate

DATA ADEQUACY WORKSHEET

Revision No. 0 Date March 10, 2011

Technical Area: Noise

Project: Pio Pico Energy Center

Technical Staff: Shahab Khoshmashrab

Project Manager: Eric Solorio

Docket: 11-AFC-1

Technical Senior: Shahab Khoshmashrab

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (4) (B)	A description of the ambient noise levels at those sites identified under subsection (g)(4)(A) which the applicant believes provide a representative characterization of the ambient noise levels in the project vicinity, and a discussion of the general atmospheric conditions, including temperature, humidity, and the presence of wind and rain at the time of the measurements. The existing noise levels shall be determined by taking noise measurements for a minimum of 25 consecutive hours at a minimum of one site. Other sites may be monitored for a lesser duration at the applicant's discretion, preferably during the same 25-hour period. The results of the noise level measurements shall be reported as hourly averages in Leq (equivalent sound or noise level), Ldn (day-night sound or noise level) or CNEL (Community Noise Equivalent Level) in units of dBA. The L10, L50, and L90 values (noise levels exceeded 10%, 50%, and 90% of the time, respectively) shall also be reported in units of dBA.	§ 5.12.2.2	Yes	
Appendix B (g) (4) (C)	A description of the major noise sources of the project, including the range of noise levels and the tonal and frequency characteristics of the noise emitted.	§ 5.12.4	Yes	
Appendix B (g) (4) (D)	An estimate of the project noise levels, during both construction and operation, at residences, hospitals, libraries, schools, places of worship or other facilities where quiet is an important attribute of the environment, within the area impacted by the proposed project.	§ 5.12.4	Yes	
Appendix B (g) (4) (E)	An estimate of the project noise levels within the project site boundary during both construction and operation and the impact to the workers at the site due to the estimated noise levels.	§ 5.12.4	Yes	

Adequacy Issue: Adequate  Inadequate

**DATA ADEQUACY WORKSHEET**

Revision No. 0 Date March 10, 2011

Technical Area: Noise

Project: Pio Pico Energy Center

Technical Staff: Shahab Khoshmashrab

Project Manager: Eric Solorio

Docket: 11-AFC-1

Technical Senior: Shahab Khoshmashrab

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (4) (F)	The audible noise from existing switchyards and overhead transmission lines that would be affected by the project and estimates of the future audible noise levels that would result from existing and proposed switchyards and transmission lines. Noise levels shall be calculated at the property boundary for switchyards and at the edge of the rights-of-way for transmission lines.	§ 5.12.4.2	Yes	
Appendix B (i) (1) (A)	Tables which identify laws, regulations, ordinances, standards, adopted local, regional, state, and federal land use plans, leases, and permits applicable to the proposed project, and a discussion of the applicability of, and conformance with each. The table or matrix shall explicitly reference pages in the application wherein conformance, with each law or standard during both construction and operation of the facility is discussed; and	§ 5.12.7; Table 5.12-25	Yes	
Appendix B (i) (1) (B)	Tables which identify each agency with jurisdiction to issue applicable permits, leases, and approvals or to enforce identified laws, regulations, standards, and adopted local, regional, state and federal land use plans, and agencies which would have permit approval or enforcement authority, but for the exclusive authority of the commission to certify sites and related facilities.	§§ 5.12.7, 5.12.9; Table 5.12-25	Yes	
Appendix B (i) (2)	The name, title, phone number, address (required), and email address (if known), of an official who was contacted within each agency, and also provide the name of the official who will serve as a contact person for Commission staff.	§ 5.12.8 Table 5.12-26	Yes	



Adequacy Issue: Adequate  Inadequate

DATA ADEQUACY WORKSHEET

Revision No. 0 Date March 10, 2011

Technical Area: Noise

Project: Pio Pico Energy Center

Technical Staff: Shahab Khoshmashrab

Project Manager: Eric Solorio

Docket: 11-AFC-1

Technical Senior: Shahab Khoshmashrab

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (i) (3)	A schedule indicating when permits outside the authority of the commission will be obtained and the steps the applicant has taken or plans to take to obtain such permits.	§ 5.12.9	Yes	

Adequacy Issue: Adequate \_\_\_\_\_ Inadequate X DATA ADEQUACY WORKSHEET Revision No.: 0 Date: March 10, 2011

Technical Area: Paleontology Project: Pio Pico Energy Center Technical Staff: Casey Weaver  
 Project Manager: Eric Solorio Docket: 11-AFC-1 Technical Senior: Paul Marshall

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (1)	...provide a discussion of the existing site conditions, the expected direct, indirect and cumulative impacts due to the construction, operation and maintenance of the project, the measures proposed to mitigate adverse environmental impacts of the project, the effectiveness of the proposed measures, and any monitoring plans proposed to verify the effectiveness of the mitigation.	Sections 5.8.1, 5.8.2, 5.8.3 and 5.8.4	Yes	
Appendix B (g) (16) (A)	Identification of the physiographic province and a brief summary of the geologic setting, formations, and stratigraphy of the project area. The size of the paleontological study area may vary depending on the depositional history of the region.	Sections 5.8.1	Yes	
Appendix B (g) (16) (B)	A discussion of the sensitivity of the project area described in subsection (g)(16)(A) and the presence and significance of any known paleontologic localities or other paleontologic resources within or adjacent to the project. Include a discussion of sensitivity for each geologic unit identified on the most recent geologic map at a scale of 1:24,000. Provide rationale as to why the sensitivity was assigned.	Section 5.8.1.4 and 5.8.1.5 Confidential Appendix L	Yes	
Appendix B (g) (16) (C)	A summary of all local museums, literature searches and field surveys used to provide information about paleontologic resources in the project area described in subsection (g)(16)(A). Identify the dates of the surveys, methods used in completing the surveys, and the names and qualifications of the individuals conducting the surveys.	Section 5.8.1.3	Yes	
Appendix B (g) (16) (D)	Information on the specific location of known paleontologic resources, survey reports, locality records, and maps at a scale of 1:24,000, showing occurrences of fossil, finds if known, within a one-mile radius of the project and related facilities shall be included in a separate appendix to the	Confidential Appendix L	Yes	

Adequacy Issue: Adequate \_\_\_\_\_ Inadequate X DATA ADEQUACY WORKSHEET Revision No.: 0 Date: March 10, 2011

Technical Area: Paleontology Project: Pio Pico Energy Center Technical Staff: Casey Weaver  
 Project Manager: Eric Solorio Docket: 11-AFC-1 Technical Senior: Paul Marshall

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
	Application and submitted to the Commission under a request for confidentiality, pursuant to Title 20, California Code of Regulations, s 2501 et seq.			
Appendix B (g) (16) (E)	A discussion of any educational programs proposed to enhance awareness of potential impacts to paleontological resources by employees, measures proposed for mitigation of impacts to known paleontologic resources, and a set of contingency measures for mitigation of potential impacts to currently unknown paleontologic resources.	Section 5.8.4	Yes	
Appendix B (i) (1) (A)	Tables which identify laws, regulations, ordinances, standards, adopted local, regional, state, and federal land use plans, leases, and permits applicable to the proposed project, and a discussion of the applicability of, and conformance with each. The table or matrix shall explicitly reference pages in the application wherein conformance, with each law or standard during both construction and operation of the facility is discussed; and	Section 5.8.5 Table 5.8-1	No	Should include reference to paleontological guidelines developed by the City of San Diego in 1998.
v (i) (1) (B)	Tables which identify each agency with jurisdiction to issue applicable permits, leases, and approvals or to enforce identified laws, regulations, standards, and adopted local, regional, state and federal land use plans, and agencies which would have permit approval or enforcement authority, but for the exclusive authority of the commission to certify sites and related facilities.	Section 5.8.5 and 5.8.6 Tables 5.8-1 and 5.8-2	Yes	
Appendix B (i) (2)	The name, title, phone number, address (required), and email address (if known), of an official who was contacted within each agency, and also provide the name of the official who will serve as a contact person for Commission staff.	Section 5.8.6 Tables 5.8-2	Yes	
Appendix B (i) (3)	A schedule indicating when permits outside the authority of the commission will be obtained and the steps the applicant has taken or plans to take to obtain such permits.	Section 5.8.7	Yes	

Adequacy Issue: Adequate \_\_\_\_\_ Inadequate X

**DATA ADEQUACY WORKSHEET**

Revision No. 0 Date March 10, 2011

Technical Area: Project Overview

Project: Pio Pico Energy Center

Technical Staff: Eric K. Solorio

Project Manager: Eric Solorio

Docket: 11-AFC-1

Technical Senior: Roger Johnson

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Cal. Code Regs., tit. 20, § 1704, (a) (3) (A)	Descriptions of all significant assumptions, methodologies, and computational methods used in arriving at conclusions in the document.	Sections 1.0 through 5.18 Appendices A through R	Yes	
Cal. Code Regs., tit. 20, § 1704, (a) (3) (B)	Descriptions, including methodologies and findings, of all major studies or research efforts undertaken and relied upon to provide information for the document; and a description of ongoing research of significance to the project (including expected completion dates; and	Sections 1.0 through 5.18 Appendices A through R	Yes	
Cal. Code Regs., tit. 20, § 1704, (a) (3) (C)	A list of all literature relied upon or referenced in the documents, along with brief discussions of the relevance of each such reference	Section 3.14, p. 3-55 Section 5.2.9, p. 5.2-69 Section 5.3.6, p. 5.3-12 Section 5.4.6, p. 5.4-15 Section 5.5.8, p. 5.5-32 Section 5.6.9, p. 5.6-35 Section 5.7.8, p. 5.7-72 Section 5.8.8, p. 5.8-18 Section 5.9.6, p. 5.9-23 Section 5.10.7, p. 5.10-26 Section 5.11.8, p. 5.11-35 Section 5.12.10, p. 5.12-41 Section 5.13.8, p. 5.13-32 Section 5.14.8, p. 5.14-19 Section 5.15.8, p. 5.15-25 Section 5.16.8, p. 5.16-20 Section 5.17.8, p. 5.17-22 Section 5.18.8, p. 5.18-11	Yes	
Cal. Code Regs., tit. 20, § 1704, (a) (4)	Each principal subject area covered in a notice or application shall be set forth in a separate chapter or section, each of which shall identify the person or persons responsible for its preparation.	Table of Contents Section 7.0	No	Please provide the name of the person responsible for preparing the following sections: Alternatives, Facility Description, Project Objectives and Cumulative Impacts.

Adequacy Issue: Adequate \_\_\_\_\_ Inadequate X  
 Technical Area: Project Overview  
 Project Manager: Eric Solorio

**DATA ADEQUACY WORKSHEET**

Revision No. 0 Date March 10, 2011

Project: Pio Pico Energy Center  
 Docket: 11-AFC-1

Technical Staff: Eric K. Solorio  
 Technical Senior: Roger Johnson

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (a) (1) (A)	A general description of the proposed site and related facilities, including the location of the site or transmission routes, the type, size and capacity of the generating or transmission facilities, fuel characteristics, fuel supply routes and facilities, water supply routes and facilities, pollution control systems, and other general characteristics.	Section 1, p. 1.1-1.5 Sections 3.3, 3.5.6, 3.5.7, and 3.5.9, pp. 3-3 through 3-54	Yes	
Appendix B (a) (1) (B)	Identification of the location of the proposed site and related facilities by section, township, range, county and assessor's parcel numbers.	Section 3.3, pp. 3-3 and 3-4	Yes	
Appendix B (a) (1) (C)	A description of and maps depicting the region, the vicinity, and the site and its immediate surroundings.	Sections 3.1 and 3.3, pp.3-1 through 3-3  Figures 3.1-1, 3.1-2, 3.3-2, and 3.3-4	Yes	
Appendix B (a) (1) (D)	A full-page color photographic reproduction depicting the visual appearance of the site prior to construction, and a full-page color simulation or artist's rendering of the site and all project components at the site, after construction.	Figures 5.13-10 through 5.13-17.	Yes	
Appendix B (a) (1) (E)	In an appendix to the application, a list of current assessor's parcel numbers and owners' names and addresses for all parcels within 500 feet of the proposed transmission line and other linear facilities, and within 1000 feet of the proposed powerplant and related facilities.	Appendix M	Yes	
Appendix B (a) (2)	Project Schedule: Proposed dates of initiation and completion of construction, initial start-up, and full-scale operation of the proposed facilities.	Table 3.9-1, p. 3-45	Yes	

Adequacy Issue: Adequate \_\_\_\_\_ Inadequate  X   
 Technical Area:  Project Overview   
 Project Manager:  Eric Solorio

DATA ADEQUACY WORKSHEET  
 Project:  Pio Pico Energy Center   
 Docket:  11-AFC-1

Revision No.  0  Date  March 10, 2011   
 Technical Staff:  Eric K. Solorio   
 Technical Senior:  Roger Johnson

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (a) (3) (A)	A list of all owners and operators of the site(s), the power plant facilities, and, if applicable, thermal host, the geothermal leasehold, the geothermal resource conveyance lines, and the geothermal re-injection system, and a description of their legal interest in these facilities.	Section 1.4, p. 1.5-3 Section 6.0, p. 6-1	Yes	
Appendix B (a) (3) (B)	A list of all owners and operators of the proposed electric transmission facilities.	Section 3.1, p. 3-3	Yes	
Appendix B (a) (3) (C)	A description of the legal relationship between the applicant and each of the persons or entities specified in subsections (a)(3)(A) and (B).	Sections 1.1, Section 3.1, p. 3-1 Section 6.0, p. 6-1	Yes	
Appendix B (b) (1)	In a section entitled, "Generation Facility Description, Design, and Operation" provide the following information:	—	—	
Appendix B (b) (1) (A)	Maps at a scale of 1:24,000 (1" = 2000'), (or appropriate map scale agreed to by staff) along with an identification of the dedicated leaseholds by section, township, range, county, and county assessor's parcel number, showing the proposed final locations and layout of the power plant and all related facilities;	Figures 3.1-3A, 3.1-3B, 3.3-1, and 5.9-5	No	Please provide new figures with accurate map scales.
Appendix B (b) (1) (B)	Scale plan and elevation drawings depicting the relative size and location of the power plant and all related facilities to establish the accuracy of the photo simulations required in Sections (a)(1)(D) and (g)(6)(F);	Figure 3.5-1	No	Please provide new figures with accurate map scales.
Appendix B (b) (1) (C)	A detailed description of the design, construction and operation of the facilities, specifically including the power generation, cooling, water supply and treatment, waste handling and control, pollution control, fuel handling, and safety, emergency and auxiliary systems, and fuel types and fuel use scenarios; and	Sections 3.5 through 3.12 pp. 3-6 through 3-55	Yes	

Adequacy Issue: Adequate \_\_\_\_\_ Inadequate X  
 Technical Area: Project Overview  
 Project Manager: Eric Solorio

DATA ADEQUACY WORKSHEET

Revision No. 0 Date March 10, 2011

Project: Pio Pico Energy Center  
 Docket: 11-AFC-1

Technical Staff: Eric K. Solorio  
 Technical Senior: Roger Johnson

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (b) (1) (D)	A description of how the site and related facilities were selected and the consideration given to engineering constraints, site geology, environmental impacts, water, waste and fuel constraints, electric transmission constraints, and any other factors considered by the applicant.	Section 4.0, p. 4-1 through 4-21	Yes	
Appendix B (b) (2)	In a section entitled, "Transmission Lines Description, Design, and Operation" provide the following information:	—	—	
Appendix B (b) (2) (A)	Maps at a scale of 1:24,000 (or appropriate map scale agreed to by staff) of each proposed transmission line route, showing the settled areas, parks, recreational areas, scenic areas, and existing transmission lines within one mile of the proposed route(s);	Figure 3.3-4	Yes	
Appendix B (b) (2) (B)	A full-page color photographic reproduction depicting a representative above ground section of the transmission line route prior to construction and a full-page color photographic simulation of that section of the transmission line route after construction.	Figures 5.13-10 through 5.13-17.	No	Please provide a representative above ground section of the transmission line route prior to construction and a full-page color photographic simulation of that section of the transmission line route after construction.
Appendix B (b) (2) (C)	A detailed description of the design, construction, and operation of any electric transmission facilities, such as power lines, substations, switchyards, or other transmission equipment, which will be constructed or modified to transmit electrical power from the proposed power plant to the load centers to be served by the facility. Such description shall include the width of rights-of-way and the physical and electrical characteristics of electrical transmission facilities such as towers, conductors, and insulators.	Section 3.7, pp. 3-34 through 3-42	Yes	

Adequacy Issue: Adequate  Inadequate

DATA ADEQUACY WORKSHEET

Revision No. 0 Date March 10, 2011

Technical Area: Public Health  
 Project Manager: Eric Solorio

Project: Pio Pico Energy Center  
 Docket: 11-AFC-1

Technical Staff: Obed Odoemelam  
 Technical Senior: Gerry Bemis

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (1)	...provide a discussion of the existing site conditions, the expected direct, indirect and cumulative impacts due to the construction, operation and maintenance of the project, the measures proposed to mitigate adverse environmental impacts of the project, the effectiveness of the proposed measures, and any monitoring plans proposed to verify the effectiveness of the mitigation.	Section 5.0, pages 5.16-2, through 5.16-3. Section 5.0, pages 5.9-1 through 5.9-3.	Yes	
Appendix B (g) (9) (A)	An assessment of the potential risk to human health from the project's hazardous air emissions using the Air Resources Board Hotspots Analysis and Reporting Program (HARP) (HSC §§44360-44366) or its successor and Approved Risk Assessment Health Values. These values should include the cancer potency values and noncancer reference exposure levels approved by the Office of Environmental Health Hazard Assessment (OEHHA Guidelines, Cal-EPA 2005).	Section 5.0, pages 5.16-8 through 5.16-4.	Yes	
Appendix B (g) (9) (B)	A listing of the input data and output results, in both electronic and print formats, used to prepare the HARP health risk assessment.	Section 5.0, pages 5.16-13 and 5.16-14. Appendix P-1, Tables P-1.1 through P-1.3.	Yes	
Appendix B (g) (9) (C)	Identification of available health studies through the local public health department concerning the potentially affected population(s) within a six-mile radius of the proposed power plant site related to respiratory illnesses, cancers or related diseases.	Section 5.0, page 5.16-4 and 5.16-5.	Yes	
Appendix B (g) (9) (D)	A map showing sensitive receptors within the area exposed to the substances identified in subsection (g)(9)(A).	Section 5.0, page 5.16-4	Yes	
Appendix B (g) (9) (E)	For purposes of this section, the following definitions apply:			



Adequacy Issue: Adequate  Inadequate

DATA ADEQUACY WORKSHEET

Revision No. 0 Date March 10, 2011

Technical Area: Public Health  
 Project Manager: Eric Solorio

Project: Pio Pico Energy Center  
 Docket: 11-AFC-1

Technical Staff: Obed Odoemelam  
 Technical Senior: Gerry Bemis

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (9) (E) (i)	A sensitive receptor refers to infants and children, the elderly, and the chronically ill, and any other member of the general population who is more susceptible to the effects of the exposure than the population at large;	Section 5.0, pages 5.16-2 through 5.16-5.	Yes	
Appendix B (g) (9) (E) (ii)	An acute exposure is one which occurs over a time period of less than or equal to one (1) hour; and	Section 5.0, pages 5.16-2 through 5.16-5.	Yes	
Appendix B (g) (9) (E) (iii)	A chronic exposure is one which is greater than twelve (12%) of a lifetime of seventy (70) years.	Section 5.0, pages 5.16-2 through 5.16-5.		
Appendix B (i) (1) (A)	Tables which identify laws, regulations, ordinances, standards, adopted local, regional, state, and federal land use plans, leases, and permits applicable to the proposed project, and a discussion of the applicability of, and conformance with each. The table or matrix shall explicitly reference pages in the application wherein conformance, with each law or standard during both construction and operation of the facility is discussed; and	Section 5.0, page 5.16-17.	Yes	
Appendix B (i) (1) (B)	Tables which identify each agency with jurisdiction to issue applicable permits, leases, and approvals or to enforce identified laws, regulations, standards, and adopted local, regional, state and federal land use plans, and agencies which would have permit approval or enforcement authority, but for the exclusive authority of the commission to certify sites and related facilities.	Section 5.0, page 5.16-17 and 5.16-18.	Yes	
Appendix B (i) (2)	The name, title, phone number, address (required), and email address (if known), of an official who was contacted within each agency, and also provide the name of the official who will serve as a contact person for Commission staff.	Section 5.0, page 5.16-19.	Yes	

Adequacy Issue: Adequate  Inadequate

### DATA ADEQUACY WORKSHEET

Revision No. 0 Date March 10, 2011

Technical Area: Public Health

Project: Pio Pico Energy Center

Technical Staff: Obed Odoemelam

Project Manager: Eric Solorio

Docket: 11-AFC-1

Technical Senior: Gerry Bemis

<b>SITING REGULATIONS</b>	<b>INFORMATION</b>	<b>AFC PAGE NUMBER AND SECTION NUMBER</b>	<b>ADEQUATE YES OR NO</b>	<b>INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS</b>
Appendix B (i) (3)	A schedule indicating when permits outside the authority of the commission will be obtained and the steps the applicant has taken or plans to take to obtain such permits.	Section 5.0, page 5.16-20.	Yes	

Adequacy Issue: Adequate  Inadequate   
 Technical Area: Reliability  
 Project Manager: Eric Solorio

DATA ADEQUACY WORKSHEET

Revision No. 0 Date March 10, 2011

Project: Pio Pico Energy Center  
 Docket: 11-AFC-1

Technical Staff: Erin Bright  
 Technical Senior: Shahab Koshmashrab

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (1)	...provide a discussion of the existing site conditions, the expected direct, indirect and cumulative impacts due to the construction, operation and maintenance of the project, the measures proposed to mitigate adverse environmental impacts of the project, the effectiveness of the proposed measures, and any monitoring plans proposed to verify the effectiveness of the mitigation.	§§ 1.1, 1.2, 3.1, 3.2, 3.4, 3.5, 3.12, 5.3.1, 5.5.1	Yes	
Appendix B (h) (3) (A)	A discussion of the sources and availability of the fuel or fuels to be used over the estimated service life of the facilities.	§§ 3.5.6, 3.12.5, 5.5	Yes	
Appendix B (h) (3) (B)	A discussion of the anticipated service life and degree of reliability expected to be achieved by the proposed facilities based on a consideration of:	—	—	
Appendix B (h) (3) (B) (i)	Expected overall availability factor, and annual and lifetime capacity factors;	§§ 3.5.1, 3.5.4.2, 3.12.3	Yes	
Appendix B (h) (3) (B) (ii)	The demonstrated or anticipated feasibility of the technologies, systems, components, and measures proposed to be employed in the facilities, including the power generation system, the heat dissipation system, the water supply system, the reinjection system, the atmospheric emission control system, resource conveyance lines, and the waste disposal system;	§§3.5.4, 3.5.5, 3.5.6, 3.5.7, 3.5.8, 3.5.9, 3.5.10, 3.12.4	Yes	
Appendix B (h) (3) (B) (iii)	Geologic and flood hazards, meteorologic conditions and climatic extremes, and cooling water availability;	§§ 3.4.2, 3.5.7, 5.3.1.6, 5.5.1.5, 5.5.1.7	Yes	
Appendix B (h) (3) (B) (iv)	Special design features adopted by the applicant or resource supplier to ensure power plant reliability including equipment redundancy; and	§§ 3.12.4, 3.12.6	Yes	

Adequacy Issue: Adequate  Inadequate   
 Technical Area: Reliability  
 Project Manager: Eric Solorio

DATA ADEQUACY WORKSHEET

Revision No. 0 Date March 10, 2011

Project: Pio Pico Energy Center  
 Docket: 11-AFC-1

Technical Staff: Erin Bright  
 Technical Senior: Shahab Koshmashrab

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (h) (3) (B) (v)	For technologies not previously installed and operated in California, the expected power plant maturation period.	N/A	N/A	
Appendix B (i) (1) (A)	Tables which identify laws, regulations, ordinances, standards, adopted local, regional, state, and federal land use plans, leases, and permits applicable to the proposed project, and a discussion of the applicability of, and conformance with each. The table or matrix shall explicitly reference pages in the application wherein conformance, with each law or standard during both construction and operation of the facility is discussed; and	N/A	N/A	
Appendix B (i) (1) (B)	Tables which identify each agency with jurisdiction to issue applicable permits, leases, and approvals or to enforce identified laws, regulations, standards, and adopted local, regional, state and federal land use plans, and agencies which would have permit approval or enforcement authority, but for the exclusive authority of the commission to certify sites and related facilities.	N/A	N/A	
Appendix B (i) (2)	The name, title, phone number, address (required), and email address (if known), of an official who was contacted within each agency, and also provide the name of the official who will serve as a contact person for Commission staff.	N/A	N/A	
Appendix B (i) (3)	A schedule indicating when permits outside the authority of the commission will be obtained and the steps the applicant has taken or plans to take to obtain such permits.	N/A	N/A	

Adequacy Issue: Adequate  Inadequate   
 Technical Area: Socioeconomics  
 Project Manager: Eric Solorio

DATA ADEQUACY WORKSHEET

Revision No. 0 Date March 10, 2011

Project: Pio Pico Energy Center Technical Staff: Lisa Worrall  
 Docket: 11-AFC-1 Technical Senior: Amanda Stennick

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (1)	...provide a discussion of the existing site conditions, the expected direct, indirect and cumulative impacts due to the construction, operation and maintenance of the project, the measures proposed to mitigate adverse environmental impacts of the project, the effectiveness of the proposed measures, and any monitoring plans proposed to verify the effectiveness of the mitigation.	Sections 5.10.1, 5.10.2, 5.10.3, 5.10.4, 5.10.5, Tables 5.10-1 through 5.10-10. Pages 5.10-1 to 5.10-23.	Yes	
Appendix B (g) (7) (A)	A description of the socioeconomic circumstances of the vicinity and region affected by construction and operation of the project. Include:	_____	_____	
Appendix B (g) (7) (A) (i)	The economic characteristics, including the economic base, fiscal resources, and a list of the applicable local agencies with taxing powers and their most recent and projected revenues;	Sections 5.10.1.2, 5.10.1.4, and 5.10.2.7 Pages 5.10-4, 5.10-7 & 5.10-15.	Yes	
Appendix B (g) (7) (A) (ii)	The social characteristics, including population and demographic and community trends;	Tables 5.10-1 through 5.10-4, 5.10-9, and 5.10-10, Sections 5.10.1.2 and 5.10.3.1 Pages 5.10-1 to 5.10-5.10-5.	Yes	
Appendix B (g) (7) (A) (iii)	Existing and projected unemployment rates;	Section 5.10.1.2 Table 5.10-4 Pages 5.10-4 to 5.10-5.	Yes	
Appendix B (g) (7) (A) (iv)	Availability of skilled workers by craft required for construction and operation of the project;	Table 5.10-6, and discussed in Sections 5.10.2.2 and 5.10.2.4 Pages 5.10-9 to 5.10-10 & 5.10-12.	Yes	
Appendix B (g) (7) (A) (v)	Availability of temporary and permanent housing and current vacancy rate; and	Section 5.10.1.2 and Table 5.10-2. Pages 5.10-2 to 5.10-3.	Yes	

Adequacy Issue: Adequate  Inadequate   
 Technical Area: Socioeconomics  
 Project Manager: Eric Solorio

DATA ADEQUACY WORKSHEET

Revision No. 0 Date March 10, 2011

Project: Pio Pico Energy Center  
 Docket: 11-AFC-1

Technical Staff: Lisa Worrall  
 Technical Senior: Amanda Stennick

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (7) (A) (vi)	Capacities, existing and expected use levels, and planned expansion of utilities (gas, water and waste) and public services, including fire protection, law enforcement, emergency response, medical facilities, other assessment districts, and school districts. For projects outside metropolitan areas with a population of 500,000 or more, information for each school district shall include current enrollment and yearly expected enrollment by grade level groupings, excluding project-related changes for the duration of the project schedule.	Sections 5.10.1.3, Sections 5.10.1, 5.10.2.5, and 5.10.2.6 Pages 5.10-5 to 5.10-7, 5.10-10, 5.10-13 to 5.10-15.	Yes	
Appendix B (g) (7) (B)	A discussion of the socioeconomic impacts caused by the construction and operation of the project (note year of estimate, model, if used, and appropriate sources), including:	Section 5.10.2.7 (economic modeling and analysis appears under heading, "Indirect and Induced Economic Effects" Pages 5.10-17 to 5.10-19.	Yes	
Appendix B (g) (7) (B) (i)	An estimate of the number of workers to be employed each month by craft during construction, and for operations, an estimate of the number of permanent operations workers during a year;	Tables 5.10-5 and 5.10-7 Pages 5.10-11 & 5.10-12.	Yes	
Appendix B (g) (7) (B) (ii)	An estimate of the percentage of non-local workers who will relocate to the project area to work on the project;	Sections 5.10.2.1, 5.10.2.2, 5.10.2.3, and 5.10.2.4 Page 5.10-8.	Yes	
Appendix B (g) (7) (B) (iii)	An estimate of the potential population increase caused directly and indirectly by the project;	Sections 5.10.2.1, 5.10.2.3 Pages 5.10-8 & 5.10-9	Yes	
Appendix B (g) (7) (B) (iv)	The potential impact of population increase on housing during the construction and operations phases;	Sections 5.10.2.1 and 5.10.2.3 Pages 5.10-8 & 5.10-9	Yes	

Adequacy Issue: Adequate  Inadequate   
 Technical Area: Socioeconomics  
 Project Manager: Eric Solorio

DATA ADEQUACY WORKSHEET

Revision No. 0 Date March 10, 2011

Project: Pio Pico Energy Center Technical Staff: Lisa Worrall  
 Docket: 11-AFC-1 Technical Senior: Amanda Stennick

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (7) (B) (v)	The potential impacts, including additional costs, on utilities (gas, water, and waste) and public services, including fire, law enforcement, emergency response, medical facilities, other assessment districts, and school districts. Include response times to hospitals and for police, and emergency services. For projects outside metropolitan areas with a population of 500,000 or more, information on schools shall include project-related enrollment changes by grade level groupings and associated facility and staffing impacts by school district during the construction and operating phases;	Sections 5.10.2.5 and 5.10.2.6 Pages 5.10-10, 5.10-13 to 5.10-15.	Yes	
Appendix B (g) (7) (B) (vi)	An estimate of applicable school impact fees;	Section 5.10.2.7 (under the heading "School Impact Fees") Page 5.10-17.	Yes	
Appendix B (g) (7) (B) (vii)	An estimate of the total construction payroll and separate estimates of the total operation payroll for permanent and short-term (contract) operations employees;	Sections 5.10.2.2 and 5.10.2.4 Pages 5.10-9 & 5.10-10.	Yes	
Appendix B (g) (7) (B) (viii)	An estimate of the expenditures for locally purchased materials for the construction and operation phases of the project;	Section 5.10.2.7 (under the heading "Sales Tax") Pages 5.10-15 & 5.10-16.	Yes	
Appendix B (g) (7) (B) (ix)	An estimate of the capital cost (plant and equipment) of the project;	Section 5.10.2.7 (under the heading "Property Tax") Page 5.10-15.	Yes	
Appendix B (g) (7) (B) (x)	An estimate of sales taxes generated during construction and separately during an operational year of the project;	Section 5.10.2.7 (under the heading "Sales Tax") (including Table 5.10-8) Page 5.10-16.	Yes	
Appendix B (g) (7) (B) (xi)	An estimate of property taxes generated during an operational year of the project; and	Section 5.10.2.7 (under the heading, "Property Tax") Page 5.10-15.	Yes	

Adequacy Issue: Adequate  Inadequate   
 Technical Area: Socioeconomics  
 Project Manager: Eric Solorio

DATA ADEQUACY WORKSHEET

Revision No. 0 Date March 10, 2011

Project: Pio Pico Energy Center Technical Staff: Lisa Worrall  
 Docket: 11-AFC-1 Technical Senior: Amanda Stennick

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (7) (B) (xii)	The expected direct, indirect, and induced income and employment effects due to construction, operation, and maintenance of the project.	Sections 5.10.2.7 (under the heading, "Indirect and Induced Economic Effects") Pages 5.10-15 to 5.10-19.	Yes	
Appendix B (i) (1) (A)	Tables which identify laws, regulations, ordinances, standards, adopted local, regional, state, and federal land use plans, leases, and permits applicable to the proposed project, and a discussion of the applicability of, and conformance with each. The table or matrix shall explicitly reference pages in the application wherein conformance, with each law or standard during both construction and operation of the facility is discussed; and	Table 5.10-11 Page 5.10-23	Yes	
Appendix B (i) (1) (B)	Tables which identify each agency with jurisdiction to issue applicable permits, leases, and approvals or to enforce identified laws, regulations, standards, and adopted local, regional, state and federal land use plans, and agencies which would have permit approval or enforcement authority, but for the exclusive authority of the commission to certify sites and related facilities.	Table 5.10-13 Page 5.10-26.	Yes	
Appendix B (i) (2)	The name, title, phone number, address (required), and email address (if known), of an official who was contacted within each agency, and also provide the name of the official who will serve as a contact person for Commission staff.	Section 5.10.6.4, Table 5.10-12 Page 5.10-25.	Yes	
Appendix B (i) (3)	A schedule indicating when permits outside the authority of the commission will be obtained and the steps the applicant has taken or plans to take to obtain such permits.	Section 5.10.6.5, Table 5.10-13 Page 5.10-26.	Yes	



Adequacy Issue: Adequate \_\_\_\_\_ Inadequate X DATA ADEQUACY WORKSHEET Revision No.: 0 Date: March 10, 2011

Technical Area: Soils Project: Pio Pico Energy Center Technical Staff: Marylou Taylor  
 Project Manager: Eric Solorio Docket: 11-AFC-1 Technical Senior: Paul Marshall

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (1)	...provide a discussion of the existing site conditions, the expected direct, indirect and cumulative impacts due to the construction, operation and maintenance of the project, the measures proposed to mitigate adverse environmental impacts of the project, the effectiveness of the proposed measures, and any monitoring plans proposed to verify the effectiveness of the mitigation.	Section 5.4 (pgs. 5.4-1 through 5.4-16)	Yes	
Appendix B (g) (15) (A)	A map at a scale of 1:24,000 and written description of soil types and all agricultural land uses that will be affected by the proposed project. The description shall include:	Fig. 5-4.1 Section 5.4.1.2 (pgs. 5.4-2 through 5.4-4)  Section 5.9.1.2	Yes	
Appendix B (g) (15) (A) (i)	The depth, texture, permeability, drainage, erosion hazard rating, and land capability class of the soil;	Section 5.4.1.2 (pgs. 5.4-2 through 5.4-4)	Yes	
Appendix B (g) (15) (A) (ii)	An identification of other physical and chemical characteristics of the soil necessary to allow an evaluation of soil erodibility, permeability, re-vegetation potential, and cycling of pollutants in the soil-vegetation system;	Section 5.4.1.2 (pgs. 5.4-2 through 5.4-4) and Section 5.4.2.4 (pg. 5.4-11)	Yes	
Appendix B (g) (15) (A) (iii)	The location of any proposed fill disposal or fill procurement (borrow) sites; and	N/A	No	The grading plan (Appendix I-3) indicates unbalanced earthwork, with 6152 cubic yards of cut and 11,925 cubic yards of fill. Please identify the location of proposed fill procurement (borrow) sites.
Appendix B (g) (15) (A) (iv)	The location of any contaminated soils that could be disturbed by project construction.	N/A		
Appendix B (g) (15) (B)	An assessment of the effects of the proposed project on soil resources and agricultural land uses. This discussion shall include:	Section 5.4.1.2 (pg. 5.4-4) and Section 5.4.2 (pgs. 5.4-4 through 5.4-11)	Yes	
Appendix B (g) (15) (B) (i)	The quantification of accelerated soil loss due to wind and water erosion; and	Section 5.4.2.2 (pgs. 5.4-6 through 5.4-11)	Yes	

Adequacy Issue: Adequate \_\_\_\_\_ Inadequate X DATA ADEQUACY WORKSHEET Revision No.: 0 Date: March 10, 2011

Technical Area: Soils Project: Pio Pico Energy Center Technical Staff: Marylou Taylor  
 Project Manager: Eric Solorio Docket: 11-AFC-1 Technical Senior: Paul Marshall

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
		Tables 5.4-2 through 5.4-4		
Appendix B (g) (15) (B) (ii)	The effect of power plant emissions on surrounding soil-vegetation systems.	Sections 5.4.2.4 (pg. 5.4-11) and 5.4.3 (pg. 5.4-12)	Yes	
Appendix B (i) (1) (A)	Tables which identify laws, regulations, ordinances, standards, adopted local, regional, state, and federal land use plans, leases, and permits applicable to the proposed project, and a discussion of the applicability of, and conformance with each. The table or matrix shall explicitly reference pages in the application wherein conformance, with each law or standard during both construction and operation of the facility is discussed; and	Section 5.4.5 (pgs. 5.4-13 through 5.4-14)  Table 5.4-5 (pg. 5.4-13)  ---	Yes	
Appendix B (i) (1) (B)	Tables which identify each agency with jurisdiction to issue applicable permits, leases, and approvals or to enforce identified laws, regulations, standards, and adopted local, regional, state and federal land use plans, and agencies which would have permit approval or enforcement authority, but for the exclusive authority of the commission to certify sites and related facilities.	Section 5.4.5.4 (pg. 5.4-15)  Table 5.4-7 (pg. 5.4-15)	Yes	
Appendix B (i) (2)	The name, title, phone number, address (required), and email address (if known), of an official who was contacted within each agency, and also provide the name of the official who will serve as a contact person for Commission staff.	Section 5.4.5.4 (pg. 5.4-15)  Table 5.4-6 (pg. 5.4-15)	Yes	
Appendix B (i) (3)	A schedule indicating when permits outside the authority of the commission will be obtained and the steps the applicant has taken or plans to take to obtain such permits.	Section 5.4.5.5 (pg. 5.4-15)  Table 5.4-7 (pg. 5.4-15)	Yes	

Adequacy Issue: Adequate  Inadequate

DATA ADEQUACY WORKSHEET

Revision No. 0 Date March 10, 2011

Technical Area: Traffic and Transportation

Project: Pio Pico Energy Center

Technical Staff: Kristin Ford

Project Manager: Eric Solorio

Docket: 11-AFC-1

Technical Senior: Dave Flores

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (1)	...provide a discussion of the existing site conditions, the expected direct, indirect and cumulative impacts due to the construction, operation and maintenance of the project, the measures proposed to mitigate adverse environmental impacts of the project, the effectiveness of the proposed measures, and any monitoring plans proposed to verify the effectiveness of the mitigation.	Section 5.11-1, Pages 5.11-1 to 5.11-3 Section 5.11.1.1; Pages 5.11-3 to 5.11-8 Section 5.11.1.4; Pages 5.11-9 to 5.11-11 Section 5.11.2.3; Pages 5.11-14 to 5.11-15 Section 5.11.2.4; Pages 5.11-15 to 5.11-16 Section 5.11.2.7; Pages 5.11-18 to 5.11-21 Section 5.11.2.8; Pages 5.11-21 to 5.11-23 Section 5.11.3; Pages 5.11-23 to 5.11-24 Section 5.11.4; Page 5.11-24 to 5.11-25	Yes	
Appendix B (g) (5) (A)	A regional transportation setting, on topographic maps (scale of 1:250,000), identifying the project location and major transportation facilities. Include a reference to the transportation element of any applicable local or regional plan.	Section 5.11.1.1; Page 5.11-3 Figure 5.11-1	Yes	

Adequacy Issue: Adequate  Inadequate   
 Technical Area: Traffic and Transportation  
 Project Manager: Eric Solorio

DATA ADEQUACY WORKSHEET

Revision No. 0 Date March 10, 2011

Project: Pio Pico Energy Center Technical Staff: Kristin Ford  
 Docket: 11-AFC-1 Technical Senior: Dave Flores

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (5) (B)	If the proposed project including any linear facility is to be located within 20,000 feet of an airport runway that is at least 3,200 feet in actual length, or 5,000 feet of a heliport (or planned or proposed airport runway or an airport runway under construction, that is the subject of a notice or proposal on file with the Federal Aviation Administration), discuss the project's compliance with the applicable sections of the current Federal Aviation Regulation Part 77 – Objects Affecting Navigable Airspace, specifically any potential to obstruct or impede air navigation generated by the project at operation; such as, a thermal plume, a visible water vapor plume, glare, electrical interference, or surface structure height. The discussion should include a map at a scale of 1:24,000 that displays the airport or airstrip runway configuration, the proposed power plant site and related facilities.	Section 5.11.1.1; Pages 5.11-7 to 5.11-8  Section 5.11.5.1; Page 5.11-27  Figure 5.11-2	Yes	
Appendix B (g) (5) (C)	An identification, on topographic maps at a scale of 1:24,000, and a description of existing and planned roads, rail lines (including light rail), bike trails, airports, bus routes serving the project vicinity, pipelines, and canals in the project area affected by or serving the proposed facility. For each road identified, include the following information, where applicable:	Section 5.11.1.1; Pages 5.11-5 to 5.11-8  Figure 5.11-2	Yes	
Appendix B (g) (5) (C) (i)	Road classification and design capacity;	Section 5.11.1.1; Pages 5.11-5 to 5.11-6,  Section 5.11.2.; Page 5.11-12  Table 5.11-6	Yes	

Adequacy Issue: Adequate  Inadequate

DATA ADEQUACY WORKSHEET

Revision No. 0 Date March 10, 2011

Technical Area: Traffic and Transportation

Project: Pio Pico Energy Center

Technical Staff: Kristin Ford

Project Manager: Eric Solorio

Docket: 11-AFC-1

Technical Senior: Dave Flores

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (5) (C) (ii)	Current daily average and peak traffic counts;	Section 5.11.1.4, Table 5.11-3; Page 5.11-10  Figure 5.11-2  Figure 5.11-5	Yes	
Appendix B (g) (5) (C) (iii)	Current and projected levels of service before project development, during construction, and during project operation;	Section 5.11.1.4, Table 5-11-3, Table 5.11-4, Page 5.11-10  Section 5.11.2.7, Table 5.11-9, Table 5.11-10, Table 5.11-11, Table 5.11-12; Pages 5.11-18 to 5.11-20  Section 5.11.2.8, Table 5.11-13, Table 5.11-14, Table 5.11-15, Table 5.11-16; Pages 5.11-21 to 5.11-23	Yes	
Appendix B (g) (5) (C) (iv)	Weight and load limitations;	Section 5.11.1.1; Pages 5.11-3 to 5.11-6	Yes	
Appendix B (g) (5) (C) (v)	Estimated percentage of current traffic flows for passenger vehicles and trucks; and	Section 5.11.1.4, Table 5.11-3; Page 5.11-10	Yes	
Appendix B (g) (5) (C) (vi)	An identification of any road features affecting public safety.	Section 5.11.1.2; Page 5.11-8	Yes	
Appendix B (g) (5) (D)	An assessment of the construction and operation impacts of the proposed project on the transportation facilities identified in subsection (g) (5) (C). Also include anticipated project-specific traffic, estimated changes to daily average and peak traffic counts, levels of service, and traffic/truck mix, and the impact of construction of any facilities identified in subsection (g)(5)(C).	Section 5.11.2.6; Pages 5.11-17 to 5.11-18  Section 5.11.2.7; Pages 5.11-18 to 5.11-21;  Section 5.11.2.8; Pages 5.11-21 to 5.11-23	Yes	

Adequacy Issue: Adequate  Inadequate   
 Technical Area: Traffic and Transportation  
 Project Manager: Eric Solorio

DATA ADEQUACY WORKSHEET

Revision No. 0 Date March 10, 2011

Project: Pio Pico Energy Center Technical Staff: Kristin Ford  
 Docket: 11-AFC-1 Technical Senior: Dave Flores

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (5) (E)	A discussion of project-related hazardous materials to be transported to or from the project during construction and operation of the project, including the types, estimated quantities, estimated number of trips, anticipated routes, means of transportation, and any transportation hazards associated with such transport.	Section 5.11.2.3; Pages 5.11-14 to 15  Section 5.11.2.4; Pages 5.11-15 to 16	Yes	
Appendix B (i) (1) (A)	Tables which identify laws, regulations, ordinances, standards, adopted local, regional, state, and federal land use plans, leases, and permits applicable to the proposed project, and a discussion of the applicability of, and conformance with each. The table or matrix shall explicitly reference pages in the application wherein conformance, with each law or standard during both construction and operation of the facility is discussed; and	Section 5.11.5; Pages 5.11-25 to 5.11-30  Table 5.11-17; Pages 5.11-30 to 5.11-33	Yes	
Appendix B (i) (1) (B)	Tables which identify each agency with jurisdiction to issue applicable permits, leases, and approvals or to enforce identified laws, regulations, standards, and adopted local, regional, state and federal land use plans, and agencies which would have permit approval or enforcement authority, but for the exclusive authority of the commission to certify sites and related facilities.	Table 5.11-18; Pages 5.11-34  Table 5.11-19; Page 5.11-35	Yes	
Appendix B (i) (2)	The name, title, phone number, address (required), and email address (if known), of an official who was contacted within each agency, and also provide the name of the official who will serve as a contact person for Commission staff.	Table 5.11-18; Pages 5.11-34	Yes	
Appendix B (i) (3)	A schedule indicating when permits outside the authority of the commission will be obtained and the steps the applicant has taken or plans to take to obtain such permits.	Section 5.11.7; Pages 5.11-34 to 5.11-35  Table 5.11-19; Page 5.11-35	Yes	

Adequacy Issue: Adequate  Inadequate

**DATA ADEQUACY WORKSHEET**

Revision No. 0 Date March 10, 2011

Technical Area: **Trans Line Safety & Nuisance**

Project: Pio Pico Energy Center

Technical Staff: Obed Odoemelam

Project Manager: Eric Solorio

Docket: 11-AFC-1

Technical Senior: Gerry Bemis

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (1)	...provide a discussion of the existing site conditions, the expected direct, indirect and cumulative impacts due to the construction, operation and maintenance of the project, the measures proposed to mitigate adverse environmental impacts of the project, the effectiveness of the proposed measures, and any monitoring plans proposed to verify the effectiveness of the mitigation.	Section 1.0, page 1-1. Section 2.0, p. 2-1. Section 3.0, pages 3-33 through 3-36.	Yes	
Appendix B (g) (18) (A)	The locations and a description of the existing switchyards and overhead and underground transmission lines that would be affected by the proposed project.	Section 3.0, pages 3-34 and 3-35.	Yes	
Appendix B (g) (18) (B)	An estimate of the existing electric and magnetic fields from the facilities listed in (A) above and the future electric and magnetic fields that would be created by the proposed project, calculated at the property boundary of the site and at the edge of the rights of way for any transmission line. Also provide an estimate of the radio and television interference that could result from the project.	Section 3.0, pages 3-36 through 3-39.	Yes	
Appendix B (g) (18) (C)	Specific measures proposed to mitigate identified impacts, including a description of measures proposed to eliminate or reduce radio and television interference, and all measures taken to reduce electric and magnetic field levels.	Section 3.0, pages 3-36 through 3-39.	Yes	

Adequacy Issue: Adequate  Inadequate

DATA ADEQUACY WORKSHEET

Revision No. 0 Date March 10, 2011

Technical Area: **Trans Line Safety & Nuisance**

Project: Pio Pico Energy Center

Technical Staff: Obed Odoemelam

Project Manager: Eric Solorio

Docket: 11-AFC-1

Technical Senior: Gerry Bemis

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (i) (1) (A)	Tables which identify laws, regulations, ordinances, standards, adopted local, regional, state, and federal land use plans, leases, and permits applicable to the proposed project, and a discussion of the applicability of, and conformance with each. The table or matrix shall explicitly reference pages in the application wherein conformance, with each law or standard during both construction and operation of the facility is discussed; and	Section 3.0, pages 3-39 through 3-42.	Yes	
Appendix B (i) (1) (B)	Tables which identify each agency with jurisdiction to issue applicable permits, leases, and approvals or to enforce identified laws, regulations, standards, and adopted local, regional, state and federal land use plans, and agencies which would have permit approval or enforcement authority, but for the exclusive authority of the commission to certify sites and related facilities.	Section 3.0, page 3-42.	Yes	
Appendix B (i) (2)	The name, title, phone number, address (required), and email address (if known), of an official who was contacted within each agency, and also provide the name of the official who will serve as a contact person for Commission staff.	Section 3.0, page 3-42.	Yes	
Appendix B (i) (3)	A schedule indicating when permits outside the authority of the commission will be obtained and the steps the applicant has taken or plans to take to obtain such permits.	Section 3.0, page 3-36.	Yes	



Adequacy Issue: Adequate \_\_\_\_\_ Inadequate X DATA ADEQUACY WORKSHEET Revision No. 0 Date March 10, 2011

Technical Area: Transmission System Design Project: Pio Pico Energy Center Technical Staff: Laiping Ng  
 Project Manager: Eric Solorio Docket: 11-AFC-1 Technical Senior: Mark Hesters

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (h) (2) (A)	A discussion of the need for the additional electric transmission lines, substations, or other equipment, the basis for selecting principal points of junction with the existing electric transmission system, and the capacity and voltage levels of the proposed lines, along with the basis for selection of the capacity and voltage levels.	Section 2.0 Page 2-1 to 2-3  Section 3.2 Page 3-3	Yes	
Appendix B (h) (2) (B)	A discussion of the extent to which the proposed electric transmission facilities have been designed, planned, and routed to meet the transmission requirements created by additional generating facilities planned by the applicant or any other entity.	Section 1.2  Section 3.3 Page 3-4  Section 3.5.5 Page 3-11 to 3-12	Yes	
Appendix B (b) (2) (C)	A detailed description of the design, construction, and operation of any electric transmission facilities, such as power lines, substations, switchyards, or other transmission equipment, which will be constructed or modified to transmit electrical power from the proposed power plant to the load centers to be served by the facility. Such description shall include the width of rights of way and the physical and electrical characteristics of electrical transmission facilities such as towers, conductors, and insulators.	Section 3.5.5 Page 3-11 to 3-13  Section 3.7 Page 3-34 to 3-35  Figure 3.5-3  Figure 3.7-1A to 3.7-1D	No	<ol style="list-style-type: none"> <li>1. Provide a detailed one-line diagram for the existing Otay Mesa switchyard before the interconnection of the project.</li> <li>2. Provide a detailed one-line diagram for the Otay Mesa switchyard after addition of the project.                             <ul style="list-style-type: none"> <li>• Show bay arrangement and the necessary equipment which are required to interconnect the project.</li> <li>• Provide ratings of the breakers, disconnect switches, relays, buses, and etc.</li> </ul> </li> <li>3. Provide the required auxiliary load of the proposed project in MW.</li> </ol>

Adequacy Issue: Adequate \_\_\_\_\_ Inadequate X DATA ADEQUACY WORKSHEET Revision No. 0 Date March 10, 2011

Technical Area: Transmission System Design Project: Pio Pico Energy Center Technical Staff: Laiping Ng  
 Project Manager: Eric Solorio Docket: 11-AFC-1 Technical Senior: Mark Hesters

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (b) (2) (D)	A description of how the route and additional transmission facilities were selected, and the consideration given to engineering constraints, environmental impacts, resource conveyance constraints, and electric transmission constraints.	Section 3.5.5 Page 3-11 to 3-12	Yes	
Appendix B (b) (2) (E)	<p>A completed System Impact Study or signed System Impact Study Agreement with the California Independent System Operator and proof of payment. When not connecting to the California Independent System Operator controlled grid, provide the executed System Impact Study agreement and proof of payment to the interconnecting utility.</p> <p>If the interconnection and operation of the proposed project will likely impact an transmission system that is not controlled by the interconnecting utility (or California Independent System Operator), provide evidence of a System Impact Study or agreement and proof of payment (when applicable) with/to the impacted transmission owner or provide evidence that there are no system impacts requiring mitigation.</p>	Section 3.7.3.2 Page 3-36  Appendix H	Yes	
Appendix B (i) (1) (A)	Tables which identify laws, regulations, ordinances, standards, adopted local, regional, state, and federal land use plans, leases, and permits applicable to the proposed project, and a discussion of the applicability of, and conformance with each. The table or matrix shall explicitly reference pages in the application wherein conformance, with each law or standard during both construction and operation of the facility is discussed; and	Section 3.7.5 Page 3-40 to 3-41	Yes	

Adequacy Issue: Adequate \_\_\_\_\_ Inadequate X

DATA ADEQUACY WORKSHEET

Revision No. 0 Date March 10, 2011

Technical Area: Transmission System Design

Project: Pio Pico Energy Center

Technical Staff: Laiping Ng

Project Manager: Eric Solorio

Docket: 11-AFC-1

Technical Senior: Mark Hesters

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (i) (1) (B)	Tables which identify each agency with jurisdiction to issue applicable permits, leases, and approvals or to enforce identified laws, regulations, standards, and adopted local, regional, state and federal land use plans, and agencies which would have permit approval or enforcement authority, but for the exclusive authority of the commission to certify sites and related facilities.	Section 3.7.6 Page 3-41 to 3-42	Yes	
Appendix B (i) (2)	The name, title, phone number, address (required), and email address (if known), of an official who was contacted within each agency, and also provide the name of the official who will serve as a contact person for Commission staff.	Section 3.7.6 Page 3-41 to 3-42	Yes	
Appendix B (i) (3)	A schedule indicating when permits outside the authority of the commission will be obtained and the steps the applicant has taken or plans to take to obtain such permits.	Section 3.7.3.2 Page 3-36	No	Provide a schedule describing when the CAISO Cluster Study (Phase I and Phase II) of the proposed project would be available for Energy Commission staff review.

Adequacy Issue: Adequate  Inadequate

DATA ADEQUACY WORKSHEET

Revision No. 0 Date March 10, 2011

Technical Area: Visual Resources

Project: Pio Pico Energy Center

Technical Staff: Melissa Mourkas

Project Manager: Eric Solorio

Docket: 11-AFC-1

Technical Senior: David Flores

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (1)	...provide a discussion of the existing site conditions, the expected direct, indirect and cumulative impacts due to the construction, operation and maintenance of the project, the measures proposed to mitigate adverse environmental impacts of the project, the effectiveness of the proposed measures, and any monitoring plans proposed to verify the effectiveness of the mitigation.	Section 5.13.1, pages 5.13-1 to 6; Section 5.13.1.4, Section 5.13.2, Section 5.13.3 and Section 5.13.4, pages 5.13-10 to 27.	Yes	
Appendix B (g) (6) (A)	Descriptions of the existing visual setting of the vicinity of the proposed project site and the proposed routes for any project-related linear facilities. Include:	Section 5.13.1, pages 5.13-1 to 6.	Yes	
Appendix B (g) (6) (A) (i)	Topographic maps at a scale of 1:24,000 that depict directions from which the project would be seen, the view areas most sensitive to the potential visual impacts of the project, and the locations where photographs were taken for (g)(6)(C); and	Figures 5.13-1, 5.13-2 and 5.13-3.	Yes	
Appendix B (g) (6) (A) (ii)	Description of the existing visual properties of the topography, vegetation, and any modifications to the landscape as a result of human activities, including existing water vapor plumes, above-ground electrical transmission lines, and nighttime lighting levels in the project viewshed.	Section 5.13.1, pages 5.13-1 to 6.	Yes	

Adequacy Issue: Adequate  Inadequate

DATA ADEQUACY WORKSHEET

Revision No. 0 Date March 10, 2011

Technical Area: Visual Resources

Project: Pio Pico Energy Center

Technical Staff: Melissa Mourkas

Project Manager: Eric Solorio

Docket: 11-AFC-1

Technical Senior: David Flores

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (6) (B)	An assessment of the visual quality of those areas that would be affected by the proposed project. For projects proposed to be located within the coastal zone, the assessment should also describe how the proposed project would be sited to protect views to and along the ocean and scenic coastal areas, would minimize the alteration of natural land forms, would be visually compatible with the character of surrounding areas.	Section 5.13.1, pages 5.13-1 to 6; Section 5.13.2, pages 5.13-10 to 26.	Yes	
Appendix B (g) (6) (C)	In consultation with Energy Commission staff, identify: i) any designated scenic roadways or scenic corridors and any visually sensitive areas that would be affected by the proposed project, including recreational and residential areas; and ii) the locations of the key observation points to represent the most critical viewing locations from which to conduct detailed analyses of the visual impacts of the proposed project. Indicate the approximate number of people using each of these sensitive areas and the estimated number of residences with views of the project. Also identify any major public roadways and trails of local importance that would be visually impacted by the project and indicate the types of travelers (e.g., local residents, recreationists, workers, commuters, etc.) and the approximate number of vehicles, bicyclists, and/or hikers per day.	Section 5.13.1.4, pages 5.13-10 to 15; Table 5-13-2, page 5.13-17; Table 5.13-3, page 5.13-19 and Figures 5.13-1 and 5.13-3.	Yes	

Adequacy Issue: Adequate  Inadequate

DATA ADEQUACY WORKSHEET

Revision No. 0 Date March 10, 2011

Technical Area: Visual Resources

Project: Pio Pico Energy Center

Technical Staff: Melissa Mourkas

Project Manager: Eric Solorio

Docket: 11-AFC-1

Technical Senior: David Flores

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (6) (D)	A table providing the dimensions (height, length, and width, or diameter) and, proposed color(s), materials, finishes, patterns, and other proposed design characteristics of each major component visible from off the project site, including any project-related electrical transmission line and/or offsite aboveground pipelines and metering stations.	Section 5.13.2.3, Table 5.13-4, pages 5.13-20 to 21.	Yes	
Appendix B (g) (6) (E)	Provide the cooling tower and heat recovery steam generator (HRSG) exhaust design parameters that affect visible plume formation. For the cooling tower, data shall include heat rejection rate, exhaust temperature, exhaust mass flow rate, liquid to gas mass flow ratio, and, if the tower is plume-abated, moisture content (percent by weight) or plume-abated fogging curve(s). The parameters shall account for a range of ambient conditions (temperature and relative humidity) and proposed operating scenarios, such as duct firing and shutting down individual cells. For the heat recovery steam generator exhausts, data shall include moisture content (percent by weight), exhaust mass flow rate, and exhaust temperature. The parameters must correspond to full-load operating conditions at specified ambient conditions, and shall account for proposed operating scenarios, such as power augmentation (i.e., evaporative coolers, inlet foggers, or steam injection) and duct firing, or proposed HRSG visible plume abatement, such as the use of an economizer bypass. For simple-cycle projects, provide analogous data for the exhaust stack(s).	Section 5.13.2.6, page 5.13-24; Section 5.2.4, pages 5.2-37 to 39; Table 5.13-6, page 5.13-24.	Yes	

Adequacy Issue: Adequate  Inadequate

DATA ADEQUACY WORKSHEET

Revision No. 0 Date March 10, 2011

Technical Area: Visual Resources

Project: Pio Pico Energy Center

Technical Staff: Melissa Mourkas

Project Manager: Eric Solorio

Docket: 11-AFC-1

Technical Senior: David Flores

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (6) (F)	Provide: i) full-page color photographic reproductions of the existing site, and ii) full-page color simulations of the proposed project at life-size scale when the picture is held 10 inches from the viewer's eyes, including any project-related electrical transmission lines, in the existing setting from each key observation point. If any landscaping is proposed to comply with zoning requirements or to mitigate visual impacts, include the landscaping in simulation(s) representing sensitive area views, depicting the landscaping five years after installation; and estimate the expected time until maturity is reached.	Figures 5.13-10 through 5.13-17.	Yes	
Appendix B (g) (6) (G)	An assessment of the visual impacts of the project, including light, glare, and any modeling of visible plumes. Include a description of the method and identify any computer model used to assess the impacts. Provide an estimate of the expected frequency and dimensions (height, length, and width) of the visible cooling tower and/or exhaust stack plumes. Provide the supporting assumptions, meteorological data, operating parameters, and calculations used.	Section 5.13.2, pages 5.13-19 to 27; Section 5.2.4, pages 5.13-37 to 39; Appendix G.	Yes	
Appendix B (g) (6) (H)	If any landscaping is proposed to reduce the visual impacts of the project, provide a conceptual landscaping plan at a 1:40 scale (1"=40'). Include information on the type of plant species proposed, their size, quantity, and spacing at planting, expected heights at 5 years and maturity, and expected growth rates.	Section 5.13.5.2, pages 5.13-27 to 28.	Yes	

Adequacy Issue: Adequate  Inadequate

DATA ADEQUACY WORKSHEET

Revision No. 0 Date March 10, 2011

Technical Area: Visual Resources

Project: Pio Pico Energy Center

Technical Staff: Melissa Mourkas

Project Manager: Eric Solorio

Docket: 11-AFC-1

Technical Senior: David Flores

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (i) (1) (A)	Tables which identify laws, regulations, ordinances, standards, adopted local, regional, state, and federal land use plans, leases, and permits applicable to the proposed project, and a discussion of the applicability of, and conformance with each. The table or matrix shall explicitly reference pages in the application wherein conformance, with each law or standard during both construction and operation of the facility is discussed; and	Section 5.13.5, Table 5.13-7, pages 5.13-29 to 31.	Yes	
Appendix B (i) (1) (B)	Tables which identify each agency with jurisdiction to issue applicable permits, leases, and approvals or to enforce identified laws, regulations, standards, and adopted local, regional, state and federal land use plans, and agencies which would have permit approval or enforcement authority, but for the exclusive authority of the commission to certify sites and related facilities.	Section 5.13.7, page 5.13-32.	Yes	
Appendix B (i) (2)	The name, title, phone number, address (required), and email address (if known), of an official who was contacted within each agency, and also provide the name of the official who will serve as a contact person for Commission staff.	Section 5.13.6, page 5.13-32.	Yes	
Appendix B (i) (3)	A schedule indicating when permits outside the authority of the commission will be obtained and the steps the applicant has taken or plans to take to obtain such permits.	Section 5.13.7, page 5.13-32	Yes	



Adequacy Issue: Adequate  Inadequate

DATA ADEQUACY WORKSHEET

Revision No. 0 Date March 10, 2011

Technical Area: Waste Management

Project: Pio Pico Energy Center

Technical Staff: Ellie Townsend-Hough

Project Manager: Eric Solorio

Docket: 11-AFC-1

Technical Senior: Paul Marshall

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (b) (1) (C)	A detailed description of the design, construction and operation of the facilities, specifically including the power generation, cooling, water supply and treatment, waste handling and control, pollution control, fuel handling, and safety, emergency and auxiliary systems, and fuel types and fuel use scenarios; and	Sections 1.0 & 3.0 Page 5.14-1 Sections 5.14.1, 5.14.2 & 5.14.4	Yes	
Appendix B (e) (1)	A discussion of how facility closure will be accomplished in the event of premature or unexpected cessation of operations.	Section 5.14.2.3	Yes	
Appendix B (g) (1)	...provide a discussion of the existing site conditions, the expected direct, indirect and cumulative impacts due to the construction, operation and maintenance of the project, the measures proposed to mitigate adverse environmental impacts of the project, the effectiveness of the proposed measures, and any monitoring plans proposed to verify the effectiveness of the mitigation.	Page 5.14-1 Section 5.14.1 Page 5.14-10 Section 5.14.3 Page 5.14-10 Section 5.14.4 Page 5.14-13 Section 5.14.4.1 Appendix Q	Yes	
Appendix B (g) (12) (A)	A Phase I Environmental Site Assessment (ESA) for the proposed power plant site using methods prescribed by the American Society for Testing and Materials (ASTM) document entitled "Standard Practice for Environmental Site Assessments: Phase 1 Environmental Site Assessment Process" (Designation: E 1527-93, May 1993), which is incorporated by reference in its entirety; or an equivalent method agreed upon by the applicant and the CEC Staff that provides similar documentation of the potential level and extent of site contamination. The Phase I ESA shall have been completed no earlier than one year prior to the filing of the AFC.	Page 5.14-1 Section 5.14.1 Appendix Q	Yes	

Adequacy Issue: Adequate  Inadequate

DATA ADEQUACY WORKSHEET

Revision No. 0 Date March 10, 2011

Technical Area: Waste Management

Project: Pio Pico Energy Center

Technical Staff: Ellie Townsend-Hough

Project Manager: Eric Solorio

Docket: 11-AFC-1

Technical Senior: Paul Marshall

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (12) (B)	A description of each waste stream estimated to be generated during project construction and operation, including origin, hazardous or nonhazardous classification pursuant to Title 22, California Code of Regulations, § 66261.20 et seq., chemical composition, estimated annual weight or volume generated, and estimated frequency of generation.	Section 3.5.8 Table 3.5-8 Page 5.14.4- 5.14-9 Sections 5.14.2.1 & Section 5.14.2.2 Table 5.14-2 Table 5.14-3	Yes	
Appendix B (g) (12) (C)	A description of all waste disposal sites which may feasibly be used for disposal of project wastes. For each site, include the name, location, classification under Title 23, California Code of Regulations, § 2530 et seq., the daily or annual permitted capacity, daily or annual amounts of waste currently being accepted, the estimated closure date and remaining capacity, and a description of any enforcement action taken by local or state agencies due to waste disposal activities at the site.	Table 5.14-1	Yes	
Appendix B (g) (12) (D)	A description of management methods for each waste stream, including methods used to minimize waste generation, length of on- and off-site waste storage, re-use and recycling opportunities, waste treatment methods used, and use of contractors for treatment.	Table 3.5-8 Table 5.14-2 Table 5.14-3	Yes	
Appendix B (h) (1) (B)	A discussion of any measures proposed to improve adverse site conditions.	Section 5.14.4.1	Yes	
Appendix B (h) (1) (D) (v)	The waste disposal system and on-site disposal sites;	5.14.2.1, 5.14.2.2, 5.14.4, Table 5.14-1	Yes	

Adequacy Issue: Adequate  Inadequate

DATA ADEQUACY WORKSHEET

Revision No. 0 Date March 10, 2011

Technical Area: Waste Management

Project: Pio Pico Energy Center

Technical Staff: Ellie Townsend-Hough

Project Manager: Eric Solorio

Docket: 11-AFC-1

Technical Senior: Paul Marshall

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (i) (1) (A)	Tables which identify laws, regulations, ordinances, standards, adopted local, regional, state, and federal land use plans, leases, and permits applicable to the proposed project, and a discussion of the applicability of, and conformance with each. The table or matrix shall explicitly reference pages in the application wherein conformance, with each law or standard during both construction and operation of the facility is discussed; and	Table 5.14-4	Yes	
Appendix B (i) (1) (B)	Tables which identify each agency with jurisdiction to issue applicable permits, leases, and approvals or to enforce identified laws, regulations, standards, and adopted local, regional, state and federal land use plans, and agencies which would have permit approval or enforcement authority, but for the exclusive authority of the commission to certify sites and related facilities.	Table 5.14-4 Table 5.14-5 Table 5.14-6	Yes	
Appendix B (i) (2)	The name, title, phone number, address (required), and email address (if known), of an official who was contacted within each agency, and also provide the name of the official who will serve as a contact person for Commission staff.	Table 5.14-5	Yes	
Appendix B (i) (3)	A schedule indicating when permits outside the authority of the commission will be obtained and the steps the applicant has taken or plans to take to obtain such permits.	Table 5.14-6	Yes	

Adequacy Issue: Adequate \_\_\_\_\_ Inadequate X DATA ADEQUACY WORKSHEET Revision No.: 0 Date: March 10, 2011

Technical Area: Water Project: Pio Pico Energy Center Technical Staff: M. Taylor & A-K Abulaban  
 Project Manager: Eric Solorio Docket: 11-AFC-1 Technical Senior: Paul Marshall

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (1)	...provide a discussion of the existing site conditions, the expected direct, indirect and cumulative impacts due to the construction, operation and maintenance of the project, the measures proposed to mitigate adverse environmental impacts of the project, the effectiveness of the proposed measures, and any monitoring plans proposed to verify the effectiveness of the mitigation.	Sections 5.5.1, 5.5.2, 5.5.3 and 5.5.4	No	Please include discussion of project impacts if recycled water system is not available as expected and potable water is required instead.
Appendix B (g) (14) (A)	All the information required to apply for the following permits if applicable, including:		Yes	
Appendix B (g) (14) (A) (i)	Waste Discharge Requirements; National Pollutant Discharge Elimination System Permit; and/or a Section 401 Certification or Waiver from the appropriate Regional Water Quality Control Board (RWQCB);	Sections 5.5.2.9, 5.5.4, 5.5.5, and 5.5.7 Appendix I-3	Yes	
Appendix B (g) (14) (A) (ii)	Construction and Industrial Waste Discharge and/or Industrial Pretreatment permits from wastewater treatment agencies;	Sections 5.5.2.6, 5.5.2.7, 5.5.2.8, 5.5.3.3, and 5.5.7	Yes	
Appendix B (g) (14) (A) (iii)	Nationwide Permits and/or Section 404 Permits from the U.S. Army Corps of Engineers; and	Sections 5.5.3.2, 5.5.5.1, 5.5.6, and 5.5.7 Tables 5.5-5 and 5.5-7	Yes	
Appendix B (g) (14) (A) (iv)	Underground Injection Control Permit(s) from the U.S. Environmental Protection Agency, California Division of Oil and Gas, and RWQCB.	N/A	N/A	
Appendix B (g) (14) (B)	A detailed description of the hydrologic setting of the project. The information shall include a narrative discussion and on maps at a scale of 1:24,000 (or appropriate scale approved by staff), describing the chemical and physical characteristics of the following nearby water bodies that may be affected by the proposed project:	Sections 5.5.1.4, 5.5.1.5, and 5.5.1.6 Figure 5.5-1 Figure 5.5-2 (1:24,000)	Yes	
Appendix B (g) (14) (B) (i)	Ground water bodies and related geologic structures;	Section 5.5.1.6	Yes	

Adequacy Issue: Adequate \_\_\_\_\_ Inadequate X DATA ADEQUACY WORKSHEET Revision No.: 0 Date: March 10, 2011

Technical Area: Water Project: Pio Pico Energy Center Technical Staff: M. Taylor & A-K Abulaban  
 Project Manager: Eric Solorio Docket: 11-AFC-1 Technical Senior: Paul Marshall

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (14) (B) (ii)	Surface water bodies;	Section 5.5.1.4	Yes	
Appendix B (g) (14) (B) (iii)	Water inundation zones, such as the 100-year flood plain and tsunami run-up zones;	Section 5.5.1.5	Yes	
Appendix B (g) (14) (B) (iv)	Flood control facilities (existing and proposed); and	Section 5.5.2.9	Yes	
Appendix B (g) (14) (B) (v)	Groundwater wells within ½ mile if the project will include pumping.	N/A	N/A	
Appendix B (g) (14) (C)	A description of the water to be used and discharged by the project. This information shall include:	Section 5.5.2	_____	
Appendix B (g) (14) (C) (i)	Source(s) of the primary and back-up water supplies and the rationale for their selection;	Sections 5.5.2.1 and 5.5.2.2	Yes	
Appendix B (g) (14) (C) (ii)	The expected physical and chemical characteristics of the source and discharge water(s) including identification of both organic and inorganic constituents before and after any project-related treatment. For source waters with seasonal variation, provide seasonal ranges of the expected physical and chemical characteristics. Provide copies of background material used to create this description (e.g., laboratory analysis);	Section 5.5.2.1 Table 5.5-4 Appendix I-2	Yes	
Appendix B (g) (14) (C) (iii)	Average and maximum daily and annual water demand and waste water discharge for both the construction and operation phases of the project;	Section 5.5.2, including Sections 5.5.2.7 and 5.5.2.10 Table 5.5-3 Figures 3.5-4A and 3.5-4B	No	Please include the average and maximum daily and annual water demand and waste water discharge for both the construction and operation phases of the project.
Appendix B (g) (14) (C) (iv)	A detailed description of all facilities to be used in water conveyance (from primary source to the power plant site), water treatment, and wastewater discharge. Include a water mass balance diagram;	Section 5.5.2 Figures 3.4-4A and 3.4-4B	Yes	
Appendix B (g) (14) (C) (v)	For all water supplies intended for industrial uses to be provided from public or private water purveyors, a	Sections 5.5.2.2 and 5.5.2.5	Yes	

Adequacy Issue: Adequate \_\_\_\_\_ Inadequate X DATA ADEQUACY WORKSHEET Revision No.: 0 Date: March 10, 2011

Technical Area: Water Project: Pio Pico Energy Center Technical Staff: M. Taylor & A-K Abulaban  
 Project Manager: Eric Solorio Docket: 11-AFC-1 Technical Senior: Paul Marshall

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
	letter of intent or will-serve letter indicating that the purveyor is willing to serve the project, has adequate supplies available for the life of the project, and any conditions or restrictions under which water will be provided. In the event that a will-serve letter or letter of intent cannot be provided, identify the most likely water purveyor and discuss the necessary assurances from the water purveyor to serve the project;	Appendix I-1		
Appendix B (g) (14) (C) (vi)	For all water supplied which necessitates transfers and/or exchanges at any point, identify all parties and contracts/agreements involved, the primary source for the transfer and/or exchange water (e.g., surface water, groundwater), and provide the status of all appropriate agencies' approvals for the proposed use, environmental impact analysis on the specific transfers and/or exchanges required to obtain the proposed supplies, a copy of any agency regulations that govern the use of the water, and an explanation of how the project complies with the agency regulation(s);	N/A	N/A	
Appendix B (g) (14) (C) (vii)	Provide water mass balance and heat balance diagrams for both average and maximum flows that include all process and/or ancillary water supplies and wastewater streams. Highlight any water conservation measures on the diagram and the amount that they reduce water demand; and	Section 5.5.2 Figures 3.4-4A and 3.4-4B, and Figures 3.5-2A through 3.5-2D	Yes	
Appendix B (g) (14) (C) (viii)	For all projects which have a discharge, provide a copy of the will-serve letter, permit or contract with the public or private entity that will be accepting the wastewater and contact storm water from the project. The letter, permit or contract if possible, shall identify the discharge volumes and the chemical or physical characteristics under which the wastewater and contact storm water will be accepted. In the event that a will-serve letter, permit, or contract cannot be provided, identify the most likely wastewater/storm water entity and discuss why	Sections 5.5.3.2 and 5.5.3.3 Appendix I-1	Yes	

Adequacy Issue: Adequate \_\_\_\_\_ Inadequate X DATA ADEQUACY WORKSHEET Revision No.: 0 Date: March 10, 2011

Technical Area: Water Project: Pio Pico Energy Center Technical Staff: M. Taylor & A-K Abulaban  
 Project Manager: Eric Solorio Docket: 11-AFC-1 Technical Senior: Paul Marshall

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
	the applicant was unable to secure the necessary assurances to serve the project's wastewater/storm water needs. Also, discuss the term of the wastewater service to the project, whether the wastewater entity has adequate permit capacity for the volume of wastewater from the project and has adequate permit levels for the chemical/physical characteristics of the project's wastewater and storm water for the life of the project, and any issues or conditions/restrictions the wastewater entity may impose on the project.			
Appendix B (g) (14) (D)	Identify all project elements associated with stormwater drainage, including a description of the following:	Sections 5.5.2.9 and 5.5.3.2 Appendix I-3	Yes	
Appendix B (g) (14) (D) (i)	Monthly and/or seasonal precipitation and stormwater runoff and drainage patterns for the proposed site and surrounding area that may be affected by the project's construction and operation;	Section 5.5.1.3 Table 5.5-2 Figure 3.4-3 Appendix I-3	Yes	
Appendix B (g) (14) (D) (ii)	Drainage facilities and the design criteria used for the plant site and ancillary facilities, including but not limited to capacity of designed system, design storm, and estimated runoff;	Sections 5.5.2.9 and 5.5.3.2 Figure 3.4-3 Appendix A and I-3	Yes	
Appendix B (g) (14) (D) (iii)	All assumptions and calculations used to calculate runoff and to estimate changes in flow rates between pre- and post construction; and	Appendix A and I-3	Yes	
Appendix B (g) (14) (D) (iv)	A copy of applicable regional and local requirements regulating the drainage systems, and a discussion of how the project's drainage design complies with these requirements.	Section 5.5.5	Yes	
Appendix B (g) (14) (E)	An impacts analysis of the proposed project on water resources and a discussion of conformance with water -related LORS and policy. This discussion	_____	___	

Adequacy Issue: Adequate \_\_\_\_\_ Inadequate X DATA ADEQUACY WORKSHEET Revision No.: 0 Date: March 10, 2011

Technical Area: Water Project: Pio Pico Energy Center Technical Staff: M. Taylor & A-K Abulaban  
 Project Manager: Eric Solorio Docket: 11-AFC-1 Technical Senior: Paul Marshall

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
	shall include:			
Appendix B (g) (14) (E) (i)	The effects of project demand on the water supply and other users of this source including, but not limited to, water availability for other uses during construction or after the power plant begins operation, consistency of the water use with applicable RWQCB basin plans or other applicable resource management plans, and any changes in the physical or chemical conditions of existing water supplies as a result of water use by the power plant;	Sections 5.5.3.1, 5.5.3.2, 5.5.3.6, and 5.5.5.3	No	AFC states "In the event that the expanded recycled water system has not been completed and is not operational, PPEC would rely on potable water... until such time that recycled water became available." (5.5.2) Please include the effects of project demand on potable water supply if recycled water system is not available as expected.
Appendix B (g) (14) (E) (ii)	If the project will pump groundwater, an estimation of aquifer drawdown based on a computer modeling study shall be conducted by a professional geologist and include the estimated drawdown on neighboring wells within 0.5 mile of the proposed well(s), any effects on the migration of groundwater contaminants, and the likelihood of any changes in existing physical or chemical conditions of groundwater resources shall be provided;	N/A	N/A	
Appendix B (g) (14) (iii)	The effects of construction activities and plant operation on water quality and to what extent these effects could be mitigated by best management practices;	Sections 5.5.3.2, 5.5.3.3, 5.5.3.5, and 5.5.4	Yes	
Appendix B (g) (14) (iv)	If not using a zero liquid discharge project design for cooling and process waters, include the effects of the proposed wastewater disposal method on receiving waters, the feasibility of using pre-treatment techniques to reduce impacts, and beneficial uses of the receiving waters. Include an explanation why the zero liquid discharge process is "environmentally undesirable," or "economically unsound;"	Sections 5.5.2.7 and 5.5.3.3	Yes	
Appendix B (g) (14) (v)	If using fresh water, include a discussion of the cumulative impacts, alternative water supply sources and alternative cooling technologies considered as part of the project design. Include an explanation of	N/A	N/A	



Adequacy Issue: Adequate \_\_\_\_\_ Inadequate X DATA ADEQUACY WORKSHEET Revision No.: 0 Date: March 10, 2011

Technical Area: Water Project: Pio Pico Energy Center Technical Staff: M. Taylor & A-K Abulaban  
 Project Manager: Eric Solorio Docket: 11-AFC-1 Technical Senior: Paul Marshall

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
	why alternative water and alternative cooling are supplies "environmentally undesirable," or "economically unsound";			
Appendix B (g) (14) (vi)	The effects of the project on the 100-year flood plain, flooding potential of adjacent lands or water bodies, or other water inundation zones ; and	Section 5.5.3.4	Yes	
Appendix B (g) (14) (vii)	All assumptions, evidence, references, and calculations used in the analysis to assess these effects.	Section 5.5.5.4 Appendix A and I-3	No	Please include the effects of project demand on potable water supply if recycled water system is not available as expected.
Appendix B (i) (1) (A)	Tables which identify laws, regulations, ordinances, standards, adopted local, regional, state, and federal land use plans, leases, and permits applicable to the proposed project, and a discussion of the applicability of, and conformance with each. The table or matrix shall explicitly reference pages in the application wherein conformance, with each law or standard during both construction and operation of the facility is discussed; and	Section 5.5.5 Table 5.5-5	Yes	
Appendix B (i) (1) (B)	Tables which identify each agency with jurisdiction to issue applicable permits, leases, and approvals or to enforce identified laws, regulations, standards, and adopted local, regional, state and federal land use plans, and agencies which would have permit approval or enforcement authority, but for the exclusive authority of the commission to certify sites and related facilities.	Section 5.5.7 Table 5.5-7	Yes	
Appendix B (i) (2)	The name, title, phone number, address (required), and email address (if known), of an official who was contacted within each agency, and also provide the name of the official who will serve as a contact person for Commission staff.	Section 5.5.6 Table 5.5-6	Yes	
Appendix B (i) (3)	A schedule indicating when permits outside the authority of the commission will be obtained and the steps the applicant has taken or plans to take to obtain such permits.	Section 5.5-7 Table 5.5-7	Yes	

Adequacy Issue: Adequate  Inadequate

DATA ADEQUACY WORKSHEET

Revision No. 0 Date March 10, 2011

Technical Area: Worker Safety

Project: Pio Pico Energy Project

Technical Staff: Rick Tyler

Project Manager: Eric Solorio

Docket: 11-AFC-1

Technical Senior: Rick Tyler

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (g) (1)	...provide a discussion of the existing site conditions, the expected direct, indirect and cumulative impacts due to the construction, operation and maintenance of the project, the measures proposed to mitigate adverse environmental impacts of the project, the effectiveness of the proposed measures, and any monitoring plans proposed to verify the effectiveness of the mitigation.	Section 5.17	Yes	
Appendix B (g) (11) (A)	A description of the safety training programs which will be required for construction and operation personnel.	Section 5.17.2	Yes	
Appendix B (g) (11) (B)	A complete description of the fuel handling system and the fire suppression system.	Section 5.17.2	Yes	
Appendix B (g) (11) (C)	Provide draft outlines of the Construction Health and Safety Program and the Operation Health and Safety Program, as follows:			
	Construction Health and Safety Program: * Injury and Illness Prevention Plan (8 Cal. Code Regs., § 1509);	Section 5.17.2	Yes	
	* Fire Protection and Prevention Plan (8 Cal. Code Regs., § 1920);	Section 5.17.2	Yes	
	* Personal Protective Equipment Program (8 Cal. Code Regs., §§ 1514-1522)	Section 5.17.2	Yes	
	Operation Health and Safety Program: * Injury and Illness Prevention Program (8 Cal. Code Regs., § 3203);	Section 5.17.2	Yes	
	* Fire Prevention Plan (8 Cal. Code Regs., § 3221);	Section 5.17.2	Yes	
	* Emergency Action Plan (8 Cal. Code Regs., § 3220);	Section 5.17.2	Yes	
	Personal Protective Equipment Program (8 Cal. Code Regs., §§ 3401-3411).	Section 5.17.2	Yes	

Adequacy Issue: Adequate  Inadequate

DATA ADEQUACY WORKSHEET

Revision No. 0 Date March 10, 2011

Technical Area: Worker Safety

Project: Pio Pico Energy Project

Technical Staff: Rick Tyler

Project Manager: Eric Solorio

Docket: 11-AFC-1

Technical Senior: Rick Tyler

SITING REGULATIONS	INFORMATION	AFC PAGE NUMBER AND SECTION NUMBER	ADEQUATE YES OR NO	INFORMATION REQUIRED TO MAKE AFC CONFORM WITH REGULATIONS
Appendix B (i) (1) (A)	Tables which identify laws, regulations, ordinances, standards, adopted local, regional, state, and federal land use plans, leases, and permits applicable to the proposed project, and a discussion of the applicability of, and conformance with each. The table or matrix shall explicitly reference pages in the application wherein conformance, with each law or standard during both construction and operation of the facility is discussed; and	Section 5.17.5 Table 5.17-6	Yes	
Appendix B (i) (1) (B)	Tables which identify each agency with jurisdiction to issue applicable permits, leases, and approvals or to enforce identified laws, regulations, standards, and adopted local, regional, state and federal land use plans, and agencies which would have permit approval or enforcement authority, but for the exclusive authority of the commission to certify sites and related facilities.	Section 5.17.5 Table 5.17-8	Yes	
Appendix B (i) (2)	The name, title, phone number, address (required), and email address (if known), of an official who was contacted within each agency, and also provide the name of the official who will serve as a contact person for Commission staff.	Section 5.17.6 Table 5.17-7	Yes	
Appendix B (i) (3)	A schedule indicating when permits outside the authority of the commission will be obtained and the steps the applicant has taken or plans to take to obtain such permits.	Section 5.17.7 Table 5.17-8	Yes	