Morgan K. Groover Mountain House Community Services District 230 S. Sterling Dr. Suite 100 Mountain House, CA 95391

DOCKET		
09-AFC-3		
DATE		
RECD.	JAN 07 2011	

STATE OF CALIFORNIA State Energy Resources Conservation and Development Commission

In the Matter of:

DOCKET No. 09-AFC-03

Mariposa Energy Project

Comments on Staff Assessment and Supplemental Staff Assessment

Dear Mr. Hoffman,

Section 4.14 of the Staff Assessment, titled "Worker Safety and Fire Protection," states: "Fire support services to the site would be under the jurisdiction of the Alameda County Fire Department (ACFD). Station #8 in Livermore would provide first response to the facility. The response time to the facility would be approximately 30 minutes. The facility may also be serviced by the Tracy Fire Department through a mutual aid agreement (MEP 2009a)."

)

)

)

))

In the Supplemental Staff Assessment, Intervenor Sarvey states, "Obviously in a true medical emergency or fire a 30 minute response time will be inadequate. In the event of a medical response or fire response Tracy Rural Fire would be the first responder."

Attached is a letter from Fire Division Chief Bramell of the Tracy Fire/South County Fire Authority. The letter confirms that Alameda County has a Mutual Aid Agreement with Tracy Rural Fire Protection District. Further, that Tracy Rural Fire Protection District's closest asset to MEP is the Fire Station in Mountain House, 2.5 miles from the MEP. Also, that Mountain House Community Services District would bear the impact, if any, for the delivery of emergency response to the MEP.



RECEIVED

2010 DEC 2.9 AM 10: 54

City of Tracy 835 Central Ave. Tracy, CA 95376

FIRE ADMINISTRATION

MAIN 209.831.6700 FAX 209.831.6703 WWW.ci.tracy.ca.us

MHCSD

December 20, 2010

Paul M. Sensibaugh, General Manager Mountain House Community Services District 230 S. Sterling Drive, Suite 100 Mountain House, CA 95391

Dear Mr. Sensibaugh:

The Tracy Fire Department is in receipt of a Staff Assessment from the California Energy Commission dated November 8, 2010 for the Mariposa Energy Project (MEP). As I am sure you are aware, the MEP is a natural gas-fired, simple cycle peaking facility with a generating capacity of 200 megawatts. The project location is in northeast Alameda County approximately 2.5 miles west of the community of Mountain House in San Joaquin County.

In reviewing the Staff Assessment for public safety impacts, it is noted that the project area falls within the jurisdictional authority of the Alameda County Fire Department. The Staff Assessment further states that the facility may also be serviced by the Tracy Fire Department through a mutual aid agreement.

The current mutual aid agreement with Alameda County is not with the City of Tracy. The mutual aid agreement provides that the Tracy Rural Fire Protection District will aid in firefighting or rescue operations upon request. The fire department unit that is closest to the MEP site is stationed in Mountain House. As such, the Mountain House Community Services District would bear the impact, if any, of delivery of emergency services to the MEP.

The Staff Assessment section titled "Worker Safety and Fire Protection" (pages 4.14-1 through 4.14-14) describes project impacts and mitigation measures. The cumulative impacts and mitigation determined by the report states that the proposed facility will not have a significant direct or incremental impact on the fire department's ability to respond to a fire or medical emergency. As the contract provider to your contractor, the Tracy Rural Fire Protection District, staff believes it is prudent to advise you of the potential for the Mountain House Community Service District's funded resource to respond to emergencies at the MEP site upon the request of the Alameda County Fire Department. If calls for service to the MEP site increase during construction and regular operation,



December 21, 2010 Page 2 of 2

your resource could become increasingly unavailable for emergencies in Mountain House.

At present, I am unaware of any proposed mitigation for the impact to Mountain House Community Services District as a result of any potential mutual aid response to the MEP. Although emergency responses to the MEP site would likely be infrequent, an opportunity for mitigation may exist due to these potential responses. The Mountain House Community Services District may want to consider requesting mitigation and/or contracting for additional resources or equipment to facilitate emergency responses to the MEP when requested. To the extent you have questions or wish to discuss this issue further, please feel free to contact me directly at (209) 831-6705 or by e-mail <u>david.bramell@ci.tracy.ca.us</u>

Sincerely,

David A. Bramell Fire Division Chief Tracy Fire/South County Fire Authority

Cc: Celeste Farron, MHCSD Board Michael Klinkner, MHCSD Board Jim Lamb, MHCSD Board Andy Su, MHCSD Board Bernice King Tingle, MHCSD Board James Thoming, Tracy Rural Fire District





BEFORE THE ENERGY RESOURCES CONSERVATION AND DEVELOPMENT COMMISSION OF THE STATE OF CALIFORNIA 1516 NINTH STREET, SACRAMENTO, CA 95814 1-800-822-6228 – <u>WWW.ENERGY.CA.GOV</u>

APPLICATION FOR CERTIFICATION FOR THE MARIPOSA ENERGY PROJECT (MEP)

APPLICANT

Bo Buchynsky Diamond Generating Corporation 333 South Grand Avenue, #1570 Los Angeles, California 90071 b.buchynsky@dgc-us.com

APPLICANT'S CONSULTANTS

Doug Urry 2485 Natomas Park Dr #600 Sacramento, CA 95833-2975 Doug.Urry@CH2M.com

COUNSEL FOR APPLICANT

Gregg Wheatland Ellison, Schneider & Harris L.L.P. 2600 Capitol Avenue, Suite 400 Sacramento, CA 95816-5905 glw@eslawfirm.com

INTERESTED AGENCIES

California ISO E-mail Service Preferred e-recipient@caiso.com

INTERVENORS

Mr. Robert Sarvey 501 W. Grantline Road Tracy, California 95376 Sarveybob@aol.com California Pilots Association c/o Andy Wilson 31438 Greenbrier Lane Hayward, CA 94544 andy_psi@sbcglobal.net

Rajesh Dighe 395 W. Conejo Avenue Mountain House, California 95391 <u>dighe.rajesh@gmail.com</u>

Morgan K. Groover Development Director Mountain House Community Services District 230 S. Sterling Drive, Suite 100 Mountain House, CA 95391 mgroover@sjgov.org

*Mr. Jass Singh 291 N. Altadena Street Mountain House, California 95391 jass.singh2000@gmail.com

ENERGY COMMISSION

JEFFREY D. BYRON Commissioner and Presiding Member jbyron@energy.state.ca.us

ROBERT B. WEISENMILLER Commissioner and Associate Member rweisenm@energy.state.ca.us

Kenneth Celli Hearing Officer kcelli@energy.state.ca.us Docket No. 09-AFC-3

PROOF OF SERVICE (Revised 12/23/2010)

> Kristy Chew Advisor to Commissioner Byron E-Mail Service preferred kchew@energy.state.ca.us

Craig Hoffman Siting Project Manager choffman@energy.state.ca.us

Kerry Willis Staff Counsel kwillis@energy.state.ca.us

Jennifer Jennings Public Adviser publicadviser@energy.state.ca.us

*indicates change

STATE OF CALIFORNIA State Energy Resources Conservation and Development Commission

In the Matter of:)	DOCKET No. 09-AFC-03
Mariposa Energy Project)	DECLARATION OF SERVICE

I, Morgan K. Groover declare that on April 8, 2010 I served and filed copies of the attached *Letter and attached letter from Fire Services Provider*, accompanied by a copy of the most recent *Proof of Service* list (most recent version is located on the proceeding's web page) with the Docket Unit. The document has been sent to the Commission <u>AND</u> the applicant, as well as the other parties in this proceeding (as shown on the *Proof of Service* list), in the following manner:

(Check all that Apply)

FOR SERVICE TO THE APPLICANT AND ALL OTHER PARTIES:

X sent electronically to all email addresses on the Proof of Service list;

AND

FOR FILING WITH THE ENERGY COMMISSION:

<u>X</u> sending an original paper copy and one electronic copy, mailed and emailed respectively, to the address below (preferred method);

CALIFORNIA ENERGY COMMISSION Attn: Docket No. 09-AFC-03 1516 Ninth Street, MS-4 Sacramento, CA 95814-5512

docket@energy.state.ca.us

I declare under, penalty of perjury that the foregoing is true and correct.

Morgan/K. Groover, P.E. Development Director Mountain House CSD