

**DOCKETED**

<b>Docket Number:</b>	81-AFC-03C
<b>Project Title:</b>	NCPA Geothermal Project No. 3 - Compliance
<b>TN #:</b>	231922
<b>Document Title:</b>	Monthly Emissions Summary Report 07-2019
<b>Description:</b>	SUMMARY OF H2S EMISSIONS
<b>Filer:</b>	Anthony Edward Allegra
<b>Organization:</b>	Northern California Power Agency - Geothermal Project
<b>Submitter Role:</b>	Public Agency
<b>Submission Date:</b>	2/3/2020 2:05:27 PM
<b>Docketed Date:</b>	2/3/2020

**NORTHERN CALIFORNIA POWER AGENCY**

**SUMMARY OF H2S EMISSIONS**

Month: July  
Year: 2019

<b>UNIT NUMBER</b>	<b>EMISSION LIMIT</b>	<b>DATE</b>	<b>SOURCE TEST RESULTS</b>	<b>REMARKS</b>
1	5.0 lbs/hr	07/16/2019	0.34 lbs/hr	Fe Feedrate: 7 lbs/hr H2O2 Feedrate: 0 lbs/hr Sweet Gas H2S: 3.4 ppm Fe in Circ. Wtr.: 0.96 ppm
2	5.0 lbs/hr	07/16/2019	0.28 lbs/hr	Fe Feedrate: 7 lbs/hr H2O2 Feedrate: 0 lbs/hr Sweet Gas H2S: 3.4 ppm Fe in Circ. Wtr.: 1.57 ppm
4	5.5 lbs/hr	07/15/2019	3.54 lbs/hr	Fe Feedrate: 0 lbs/hr H2O2 Feedrate: 0 lbs/hr Sweet Gas H2S: 0.1 ppm Fe in Circ. Wtr.:0.16 ppm

**Notes/Comments:**

<b>Hours in Month:</b> 744	<b>*Hours Houston Atlas On-Line:</b>	<u><b>Plant 1</b></u> 744	<u><b>Plant 2</b></u> 744
----------------------------	--------------------------------------	------------------------------	------------------------------

**\*Note: Calibration hours are considered on-line hours.**