DOCKETED	
Docket Number:	19-BSTD-06
Project Title:	Local Ordinances Exceeding the 2019 Energy Code
TN #:	235917-7
Document Title:	City of Campbell 2019 Low-Rise Res NC CE Study
Description:	Plain text of the City of Campbell 2019 Low-Rise Residential New Construction Cost Effectiveness Study
Filer:	Danuta Drozdowicz
Organization:	California Energy Commission
Submitter Role:	Commission Staff
Submission Date:	12/11/2020 11:37:26 AM
Docketed Date:	12/11/2020



Title 24, Parts 6 and 11 Local Energy Efficiency Ordinances

# 2019 Cost-effectiveness Study: Low-Rise Residential New Construction

### Prepared for:

Kelly Cunningham Codes and Standards Program Pacific Gas and Electric Company

### Prepared by:

Frontier Energy, Inc. Misti Bruceri & Associates, LLC

Last Modified: August 01, 2019

### **LEGAL NOTICE**

This report was prepared by Pacific Gas and Electric Company and funded by the California utility customers under the auspices of the California Public Utilities Commission.

Copyright 2019, Pacific Gas and Electric Company. All rights reserved, except that this document may be used, copied, and distributed without modification.

Neither PG&E nor any of its employees makes any warranty, express or implied; or assumes any legal liability or responsibility for the accuracy, completeness or usefulness of any data, information, method, product, policy or process disclosed in this document; or represents that its use will not infringe any privately-owned rights including, but not limited to, patents, trademarks or copyrights.

# **Table of Contents**

Α	cron	yms		5
1			uction	
2			odology and Assumptions	
	2.1		uilding Prototypes	
	2.2		leasure Analysis	
		.2.1	Federal Preemption	
	2.	.2.2	Energy Design Rating	4
	2.	.2.3	Energy Efficiency Measures	5
	2.3	Pa	ackage Development	8
	2.	3.1	Solar Photovoltaics (PV)	8
	2.	3.2	Energy Storage (Batteries)	8
	2.4	Inc	cremental Costs	9
	2.5	Со	ost-effectiveness	13
	2.	5.1	On-Bill Customer Lifecycle Cost	13
	2.	5.2	TDV Lifecycle Cost	15
	2.6	Ele	ectrification Evaluation	15
	2.7		reenhouse Gas Emissions	
3	Re			
	3.1		/ and Battery System Sizing	
	3.2	Sin	ngle Family Results	21
	3.	2.1	GHG Emission Reductions	26
	3.3	Мι	ultifamily Results	26
	3.	3.1	GHG Emission Reductions	32
	3.4	Ele	ectrification Results	32
	3.4	4.1	Single Family	
	3.4	4.2	Multifamily	
4	Со	nclus	sions & Summary	
5	Re	feren	nces	44
			– California Climate Zone Map	
٩p	pend	lix B -	- Utility Tariff Details	47
			- Single Family Detailed Results - Single Family Measure Summary	
٦. qe	pend	lix E –	- Multifamily Detailed Results	68 pT
٩p	pend	lix F –	- Multifamily Measure Summary	72
٩p	pend	lix G -	– Results by Climate Zone	79

# **List of Tables**

Table 1: Prototype Characteristics	2
Table 2: Characteristics of the Mixed Fuel vs All-Electric Prototype	2
Table 3: Lifetime of Water Heating & Space Conditioning Equipment Measures	9
Table 4: Incremental Cost Assumptions	10
Table 5: IOU Utility Tariffs Applied Based on Climate Zone	14
Table 6: Incremental Costs – All-Electric Code Compliant Home Compared to a Mixed Fuel Code Compliant Home	me
	16
Table 7: PV & Battery Sizing Details by Package Type	20
Table 8: Single Family Package Lifetime Incremental Costs	22
Table 9: Single Family Package Cost-Effectiveness Results for the Mixed Fuel Case 1,2	23
Table 10: Single Family Package Cost-Effectiveness Results for the All-Electric Case <sup>1,2</sup>	24
Table 11: Multifamily Package Incremental Costs per Dwelling Unit	28
Table 12: Multifamily Package Cost-Effectiveness Results for the Mixed Fuel Case <sup>1,2</sup>	29
Table 13: Multifamily Package Cost-effectiveness Results for the All-Electric Case <sup>1,2</sup>	30
Table 14: Single Family Electrification Results	34
Table 15: Comparison of Single Family On-Bill Cost Effectiveness Results with Additional PV	36
Table 16: Multifamily Electrification Results (Per Dwelling Unit)	38
Table 17: Comparison of Multifamily On-Bill Cost Effectiveness Results with Additional PV (Per Dwelling Unit) 3	39
Table 18: Summary of Single Family Target EDR Margins	43
Table 19: Summary of Multifamily Target EDR Margins	43
Table 20: PG&E Baseline Territory by Climate Zone	48
Table 21: SCE Baseline Territory by Climate Zone	51
Table 22: SoCalGas Baseline Territory by Climate Zone	53
Table 23: SDG&E Baseline Territory by Climate Zone5	54
Table 24: Real Utility Rate Escalation Rate Assumptions	56
Table 25: Single Family Mixed Fuel Efficiency Package Cost-Effectiveness Results	57
Table 26: Single Family Mixed Fuel Efficiency & PV/Battery Package Cost-Effectiveness Results5	58
Table 27: Single Family All-Electric Efficiency Package Cost-Effectiveness Results5	59
Table 28: Single Family All-Electric Efficiency & PV-PV/Battery Package Cost-Effectiveness Results	50
Table 29: Single Family Mixed Fuel Efficiency – Non-Preempted Package Measure Summary 6	61
Table 30: Single Family Mixed Fuel Efficiency – Equipment, Preempted Package Measure Summary 6	52
Table 31: Single Family Mixed Fuel Efficiency & PV/Battery Package Measure Summary	53
Table 32: Single Family All-Electric Efficiency – Non-Preempted Package Measure Summary 6	54
Table 33: Single Family All-Electric Efficiency – Equipment, Preempted Package Measure Summary 6	55
Table 34: Single Family All-Electric Efficiency & PV Package Measure Summary	6
Table 35: Single Family All-Electric Efficiency & PV/Battery Package Measure Summary	57
Table 36: Multifamily Mixed Fuel Efficiency Package Cost-Effectiveness Results	8
Table 37: Multifamily Mixed Fuel Efficiency & PV/Battery Package Cost-Effectiveness Results	9
Table 38: Multifamily All-Electric Efficiency Package Cost-Effectiveness Results	0'
Table 39: Multifamily All-Electric Efficiency & PV-PV/Battery Package Cost-Effectiveness Results	1
Table 40: Multifamily Mixed Fuel Efficiency – Non-Preempted Package Measure Summary	2
Table 41: Multifamily Mixed Fuel Efficiency – Equipment, Preempted Package Measure Summary	3
Table 42: Multifamily Mixed Fuel Efficiency & PV/Battery Package Measure Summary	4
Table 43: Multifamily All-Electric Efficiency – Non-Preempted Package Measure Summary	5
Table 44: Multifamily All-Electric Efficiency – Equipment, Preempted Package Measure Summary	6
Table 45: Multifamily All-Electric Efficiency & PV Package Measure Summary	7
Table 46: Multifamily All-Electric Efficiency & PV/Battery Package Measure Summary	8
Fable 47: Single Family Climate Zone 1 Results Summary	0

Table 48: Multifamily Climate Zone 1 Results Summary (Per Dwelling Unit)	81
Table 49: Single Family Climate Zone 2 Results Summary	
Table 50: Multifamily Climate Zone 2 Results Summary (Per Dwelling Unit)	
Table 51: Single Family Climate Zone 3 Results Summary	
Table 52: Multifamily Climate Zone 3 Results Summary (Per Dwelling Unit)	85
Table 53: Single Family Climate Zone 4 Results Summary	86
Table 54: Multifamily Climate Zone 4 Results Summary (Per Dwelling Unit)	
Table 55: Single Family Climate Zone 5 PG&E Results Summary	88
Table 56: Multifamily Climate Zone 5 PG&E Results Summary (Per Dwelling Unit)	89
Table 57: Single Family Climate Zone 5 PG&E/SoCalGas Results Summary	
Table 58: Multifamily Climate Zone 5 PG&E/SoCalGas Results Summary (Per Dwelling Unit)	
Table 59: Single Family Climate Zone 6 Results Summary	
Table 60: Multifamily Climate Zone 6 Results Summary (Per Dwelling Unit)	
Table 61: Single Family Climate Zone 7 Results Summary	94
Table 62: Multifamily Climate Zone 7 Results Summary (Per Dwelling Unit)	
Table 63: Single Family Climate Zone 8 Results Summary	96
Table 64: Multifamily Climate Zone 8 Results Summary (Per Dwelling Unit)	97
Table 65: Single Family Climate Zone 9 Results Summary	98
Table 66: Multifamily Climate Zone 9 Results Summary (Per Dwelling Unit)	99
Table 67: Single Family Climate Zone 10 SCE/SoCalGas Results Summary	100
Table 68: Multifamily Climate Zone 10 SCE/SoCalGas Results Summary (Per Dwelling Unit)	101
Table 69: Single Family Climate Zone 10 SDGE Results Summary	102
Table 70: Multifamily Climate Zone 10 SDGE Results Summary (Per Dwelling Unit)	103
Table 71: Single Family Climate Zone 11 Results Summary	
Table 72: Multifamily Climate Zone 11 Results Summary (Per Dwelling Unit)	105
Table 73: Single Family Climate Zone 12 Results Summary	106
Table 74: Multifamily Climate Zone 12 Results Summary (Per Dwelling Unit)	107
Table 75: Single Family Climate Zone 13 Results Summary	108
Table 76: Multifamily Climate Zone 13 Results Summary (Per Dwelling Unit)	109
Table 77: Single Family Climate Zone 14 SCE/SoCalGas Results Summary	110
Table 78: Multifamily Climate Zone 14 SCE/SoCalGas Results Summary (Per Dwelling Unit)	111
Table 79: Single Family Climate Zone 14 SDGE Results Summary	112
Table 80: Multifamily Climate Zone 14 SDGE Results Summary (Per Dwelling Unit)	113
Table 81: Single Family Climate Zone 15 Results Summary	114
Table 82: Multifamily Climate Zone 15 Results Summary (Per Dwelling Unit)	115
Table 83: Single Family Climate Zone 16 Results Summary	116
Table 84: Multifamily Climate Zone 16 Results Summary (Per Dwelling Unit)	117
List of Figures	
Figure 1: Graphical description of EDR scores (courtesy of Energy Code Ace)	E
Figure 2: B/C ratio comparison for PV and battery sizing	20
Figure 3: Single family Total EDR comparison	25
Figure 4: Single family EDR Margin comparison (based on Efficiency EDR Margin for the Efficiency package	es and
the Total EDR Margin for the Efficiency & PV and Efficiency & PV/Battery packages)	25
Figure 5: Single family greenhouse gas emissions comparison	26
Figure 6: Multifamily Total EDR comparison	31
Figure 7: Multifamily EDR Margin comparison (based on Efficiency EDR Margin for the Efficiency packages	and
the Total EDR Margin for the Efficiency & PV and Efficiency & PV/Battery packages)	31
Figure 8: Multifamily greenhouse gas emissions comparison	32

### 2019 Energy Efficiency Ordinance Cost-effectiveness Study

Figure 9: B/C ratio results for a single family all-electric code compliant home versus a mixed fuel code complia	
Figure 10: B/C ratio results for the single family Efficiency & PV all-electric home versus a mixed fuel code compliant home	37
Figure 11: B/C ratio results for the single family neutral cost package all-electric home versus a mixed fuel code compliant home	è
Figure 12: B/C ratio results for a multifamily all-electric code compliant home versus a mixed fuel code compliant home	
Figure 13: B/C ratio results for the multifamily Efficiency & PV all-electric home versus a mixed fuel code compliant home	40
Figure 14: B/C ratio results for the multifamily neutral cost package all-electric home versus a mixed fuel code compliant home	
Figure 15: Map of California Climate Zones (courtesy of the California Energy Commission)	

# **Acronyms**

2020 PV\$ Present value costs in 2020

ACH50 Air Changes per Hour at 50 pascals pressure differential

ACM Alternative Calculation Method

AFUE Annual Fuel Utilization Efficiency

B/C Lifecycle Benefit-to-Cost Ratio

BEopt Building Energy Optimization Tool

BSC Building Standards Commission

CAHP California Advanced Homes Program

CBECC-Res Computer program developed by the California Energy Commission for use in demonstrating

compliance with the California Residential Building Energy Efficiency Standards

CFI California Flexible Installation

CFM Cubic Feet per Minute

CMFNH California Multifamily New Homes

CO<sub>2</sub> Carbon Dioxide

CPC California Plumbing Code

CZ California Climate Zone

DHW Domestic Hot Water

DOE Department of Energy

DWHR Drain Water Heat Recovery

EDR Energy Design Rating

EER Energy Efficiency Ratio

EF Energy Factor

GHG Greenhouse Gas

HERS Rater Home Energy Rating System Rater

**HPA** High Performance Attic

HPWH Heat Pump Water Heater

HSPF Heating Seasonal Performance Factor

HVAC Heating, Ventilation, and Air Conditioning

IECC International Energy Conservation Code

IOU Investor Owned Utility

kBtu kilo-British thermal unit

kWh Kilowatt Hour

LBNL Lawrence Berkeley National Laboratory

### 2019 Energy Efficiency Ordinance Cost-effectiveness Study

LCC

Lifecycle Cost

LLAHU

Low Leakage Air Handler Unit

**VLLDCS** 

Verified Low Leakage Ducts in Conditioned Space

MF

Multifamily

NAECA

**National Appliance Energy Conservation Act** 

**NEEA** 

Northwest Energy Efficiency Alliance

NEM

**Net Energy Metering** 

NPV

**Net Present Value** 

NREL

National Renewable Energy Laboratory

PG&E

Pacific Gas and Electric Company

PV

Photovoltaic

SCE

Southern California Edison

SDG&E

San Diego Gas and Electric

SEER

Seasonal Energy Efficiency Ratio

SF

**Single Family** 

CASE

**Codes and Standards Enhancement** 

TDV

Time Dependent Valuation

Therm

Unit for quantity of heat that equals 100,000 British thermal units

Title 24

Title 24, Part 6

TOU

Time-Of-Use

UEF

**Uniform Energy Factor** 

ZNE

Zero-net Energy

### 1 Introduction

The California Building Energy Efficiency Standards Title 24, Part 6 (Title 24) (Energy Commission, 2018b) is maintained and updated every three years by two state agencies, the California Energy Commission (Energy Commission) and the Building Standards Commission (BSC). In addition to enforcing the code, local jurisdictions have the authority to adopt local energy efficiency ordinances, or reach codes, that exceed the minimum standards defined by Title 24 (as established by Public Resources Code Section 25402.1(h)2 and Section 10-106 of the Building Energy Efficiency Standards). Local jurisdictions must demonstrate that the requirements of the proposed ordinance are cost-effective and do not result in buildings consuming more energy than is permitted by Title 24. In addition, the jurisdiction must obtain approval from the Energy Commission and file the ordinance with the BSC for the ordinance to be legally enforceable.

This report documents cost-effective combinations of measures that exceed the minimum state requirements, the 2019 Building Energy Efficiency Standards, effective January 1, 2020, for new single family and low-rise (one-to three-story) multifamily residential construction. The analysis includes evaluation of both mixed fuel and all-electric homes, documenting that the performance requirements can be met by either type of building design. Compliance package options and cost-effectiveness analysis in all sixteen California climate zones (CZs) are presented (see Appendix A – California Climate Zone Map for a graphical depiction of Climate Zone locations). All proposed package options include a combination of efficiency measures and on-site renewable energy.

### 2 Methodology and Assumptions

This analysis uses two different metrics to assess cost-effectiveness. Both methodologies require estimating and quantifying the incremental costs and energy savings associated with energy efficiency measures. The main difference between the methodologies is the manner in which they value energy and thus the cost savings of reduced or avoided energy use.

- <u>Utility Bill Impacts (On-Bill)</u>: Customer-based Lifecycle Cost (LCC) approach that values energy based upon estimated site energy usage and customer on-bill savings using electricity and natural gas utility rate schedules over a 30-year duration accounting for discount rate and energy cost inflation.
- <u>Time Dependent Valuation (TDV)</u>: Energy Commission LCC methodology, which is intended to capture the "societal value or cost" of energy use including long-term projected costs such as the cost of providing energy during peak periods of demand and other societal costs such as projected costs for carbon emissions, as well as grid transmission and distribution impacts. This metric values energy use differently depending on the fuel source (gas, electricity, and propane), time of day, and season. Electricity used (or saved) during peak periods has a much higher value than electricity used (or saved) during off-peak periods (Horii et al., 2014). This is the methodology used by the Energy Commission in evaluating cost-effectiveness for efficiency measures in Title 24, Part 6.

### 2.1 Building Prototypes

The Energy Commission defines building prototypes which it uses to evaluate the cost-effectiveness of proposed changes to Title 24 requirements. At the time that this report was written, there are two single family prototypes and one low-rise multifamily prototype. All three are used in this analysis in development of the above-code packages. Table 1 describes the basic characteristics of each prototype. Additional details on the prototypes can be found in the Alternative Calculation Method (ACM) Approval Manual (Energy Commission, 2018a). The prototypes have equal geometry on all walls, windows and roof to be orientation neutral.



**Table 1: Prototype Characteristics** 

Characteristic	Single Family One-Story	Single Family Two-Story	Multifamily
Conditioned Floor Area	2,100 ft <sup>2</sup>	2,700 ft <sup>2</sup>	6,960 ft <sup>2</sup> : (4) 780 ft <sup>2</sup> & (4) 960 ft <sup>2</sup> units
Num. of Stories	1	2	2
Num. of Bedrooms	3	3	(4) 1-bed & (4) 2-bed units
Window-to-Floor Area Ratio	20%	20%	15%

Source: 2019 Alternative Calculation Method Approval Manual (California Energy Commission, 2018a).

The Energy Commission's protocol for single family prototypes is to weight the simulated energy impacts by a factor that represents the distribution of single-story and two-story homes being built statewide, assuming 45 percent single-story and 55 percent two-story. Simulation results in this study are characterized according to this ratio, which is approximately equivalent to a 2,430-square foot (ft²) house.<sup>1</sup>

The methodology used in the analyses for each of the prototypical building types begins with a design that precisely meets the minimum 2019 prescriptive requirements (zero compliance margin). Table 150.1-A in the 2019 Standards (Energy Commission, 2018b) lists the prescriptive measures that determine the baseline design in each climate zone. Other features are consistent with the Standard Design in the ACM Reference Manual (Energy Commission, 2019), and are designed to meet, but not exceed, the minimum requirements. Each prototype building has the following features:

- Slab-on-grade foundation.
- Vented attic.
- High performance attic in climate zones where prescriptively required (CZ 4, 8-16) with insulation installed at the ceiling and below the roof deck per Option B. (Refer to Table 150.1-A in the 2019 Standards.)
- Ductwork located in the attic for single family and within conditioned space for multifamily.

Both mixed fuel and all-electric prototypes are evaluated in this study. While in past code cycles an all-electric home was compared to a home with gas for certain end-uses, the 2019 code includes separate prescriptive and performance paths for mixed-fuel and all-electric homes. The fuel specific characteristics of the mixed fuel and all-electric prototypes are defined according to the 2019 ACM Reference Manual and described in Table 2.<sup>2</sup>

<sup>&</sup>lt;sup>2</sup> Standards Section 150.1(c)8.A.iv.a specifies that compact hot water distribution design and a drain water heat recovery system or extra PV capacity are required when a heat pump water heater is installed prescriptively. The efficiency of the distribution and the drain water heat recovery systems as well as the location of the water heater applied in this analysis are based on the Standard Design assumptions in CBECC-Res which result in a zero-compliance margin for the 2019 basecase model.



 $<sup>^{1}</sup>$  2,430 ft<sup>2</sup> = (45% x 2,100 ft<sup>2</sup>) + (55% x 2,700 ft<sup>2</sup>)

Table 2: Characteristics of the Mixed Fuel vs All-Electric Prototype

Characteristic	Mixed Fuel	All-Electric
Space Heating/Cooling <sup>1</sup>	Gas furnace 80 AFUE	Split heat pump 8.2 HSPF,
Space reading/cooming	Split A/C 14 SEER, 11.7 EER	14 SEER, 11.7 EER
Water Heater <sup>1,2, 3, 4</sup>	Gas tankless UEF = 0.81	50gal HPWH UEF = 2.0 SF: located in the garage MF CZ 2,4,6-16: located in living space MF CZ 1,3,5: located in exterior closet
Hot Water Distribution	Code minimum. All hot water lines insulated	Basic compact distribution credit,  (CZ 6-8,15)  Expanded compact distribution credit,  compactness factor = 0.6  (CZ 1-5,9-14,16)
Drain Water Heat Recovery Efficiency	None	CZ 1: unequal flow to shower = 42% CZ 16: equal flow to shower & water heater = 65% None in other CZs
Cooking	Gas	Electric
Clothes Drying	Gas	Electric

<sup>&</sup>lt;sup>1</sup>Equipment efficiencies are equal to minimum federal appliance efficiency standards.

### 2.2 Measure Analysis

The California Building Energy Code Compliance simulation tool, CBECC-RES 2019.1.0, was used to evaluate energy impacts using the 2019 Title 24 prescriptive standards as the benchmark, and the 2019 TDV values. TDV is the energy metric used by the Energy Commission since the 2005 Title 24 energy code to evaluate compliance with the Title 24 standards.

Using the 2019 baseline as the starting point, prospective energy efficiency measures were identified and modeled in each of the prototypes to determine the projected energy (Therm and kWh) and compliance impacts. A large set of parametric runs were conducted to evaluate various options and develop packages of measures that exceed minimum code performance. The analysis utilizes a parametric tool based on Micropas³ to automate and manage the generation of CBECC-Res input files. This allows for quick evaluation of various efficiency measures across multiple climate zones and prototypes and improves quality control. The batch process functionality of CBECC-Res is utilized to simulate large groups of input files at once. Annual utility costs were calculated using hourly data output from CBECC-Res and electricity and natural gas tariffs for each of the investor owned utilities (IOUs).

<sup>&</sup>lt;sup>3</sup> Developed by Ken Nittler of Enercomp, Inc.



<sup>&</sup>lt;sup>2</sup>The multifamily prototype is evaluated with individual water heaters. HPWHs located in the living space do not have ducting for either inlet or exhaust air; CBECC-Res does not have the capability to model ducted HPWHs.

<sup>&</sup>lt;sup>3</sup>UEF = uniform energy factor. HPWH = heat pump water heater. SF = single family. MF = multifamily.

<sup>&</sup>lt;sup>4</sup>CBECC-Res applies a 50gal water heater when specifying a storage water heater. Hot water draws differ between the prototypes based on number of bedrooms.

The Reach Codes Team selected packages and measures based on cost-effectiveness as well as decades of experience with residential architects, builders, and engineers along with general knowledge of the relative acceptance of many measures.

### 2.2.1 Federal Preemption

The Department of Energy (DOE) sets minimum efficiency standards for equipment and appliances that are federally regulated under the National Appliance Energy Conservation Act (NAECA), including heating, cooling, and water heating equipment. Since state and local governments are prohibited from adopting policies that mandate higher minimum efficiencies than the federal standards require, the focus of this study is to identify and evaluate cost-effective packages that do not include high efficiency equipment. While this study is limited by federal preemption, in practice builders may use any package of compliant measures to achieve the performance goals, including high efficiency appliances. Often, these measures are the simplest and most affordable measures to increase energy performance.

### 2.2.2 Energy Design Rating

The 2019 Title 24 code introduces California's Energy Design Rating (EDR) as the primary metric to demonstrate compliance with the energy code. EDR is still based on TDV but it uses a building that is compliant with the 2006 International Energy Conservation Code (IECC) as the reference building. The reference building has an EDR score of 100 while a zero-net energy (ZNE) home has an EDR score of zero (Energy Commission, 2018d). See Figure 1 for a graphical representation of this. While the Reference Building is used to determine the rating, the Proposed Design is still compared to the Standard Design based on the prescriptive baseline assumptions to determine compliance.

The EDR is calculated by CBECC-Res and has two components:

- 1. An "Efficiency EDR" which represents the building's energy use without solar generation.4
- 2. A "Total EDR" that represents the final energy use of the building based on the combined impact of efficiency measures, PV generation and demand flexibility.

For a building to comply, two criteria are required:

- (1) the proposed Efficiency EDR must be equal to or less than the Efficiency EDR of the Standard Design, and
- (2) the proposed Total EDR must be equal to or less than the Total EDR of the Standard Design.

Single family prototypes used in this analysis that are minimally compliant with the 2019 Title 24 code achieve a Total EDR between 20 and 35 in most climates.

This concept, consistent with California's "loading order" which prioritizes energy efficiency ahead of renewable generation, requires projects meet a minimum Efficiency EDR before PV is credited but allows for PV to be traded off with additional efficiency when meeting the Total EDR. A project may improve on building efficiency beyond the minimum required and subsequently reduce the PV generation capacity required to achieve the required Total EDR but may not increase the size of the PV system and trade this off with a reduction of efficiency measures. Figure 1 graphically summarizes how both Efficiency EDR and PV / demand flexibility EDR are used to calculate the Total EDR used in the 2019 code and in this analysis.

<sup>&</sup>lt;sup>4</sup> While there is no compliance credit for solar PV as there is under the 2016 Standards, the credit for installing electric storage battery systems that meet minimum qualifications can be applied to the Efficiency EDR.






Figure 1: Graphical description of EDR scores (courtesy of Energy Code Ace<sup>5</sup>)

Results from this analysis are presented as EDR Margin, a reduction in the EDR score relative to the Standard Design. EDR Margin is a better metric to use than absolute EDR in the context of a reach code because absolute values vary, based on the home design and characteristics such as size and orientation. This approach aligns with how compliance is determined for the 2019 Title 24 code, as well as utility incentive programs, such as the California Advanced Homes Program (CAHP) & California Multifamily New Homes (CMFNH), which require minimum performance criteria based on an EDR Margin for low-rise residential projects. The EDR Margin is calculated according to Equation 1 for the two efficiency packages and Equation 2 for the Efficiency & PV and Efficiency & PV/Battery packages (see Section 2.3).

### **Equation 1**

 $EDR\ Margin_{efficiency} = Standard\ Design\ Efficiency\ EDR - Proposed\ Design\ Efficiency\ EDR$ 

### **Equation 2**

EDR Margin<sub>efficiency & PV</sub> = Standard Design **Total** EDR - Proposed Design **Total** EDR

### 2.2.3 Energy Efficiency Measures

Following are descriptions of each of the efficiency measures evaluated under this analysis. Because not all of the measures described below were found to be cost-effective and cost-effectiveness varied by climate zone, not all measures are included in all packages and some of the measures listed are not included in any final package. For a list of measures included in each efficiency package by climate zone, see Appendix D – Single Family Measure Summary and Appendix F – Multifamily Measure Summary.

Reduced Infiltration (ACH50): Reduce infiltration in single family homes from the default infiltration assumption of five (5) air changes per hour at 50 Pascals (ACH50)<sup>6</sup> by 40 to 60 percent to either 3 ACH50 or 2 ACH50. HERS

\_



<sup>5</sup> https://energycodeace.com/

<sup>&</sup>lt;sup>6</sup> Whole house leakage tested at a pressure difference of 50 Pascals between indoors and outdoors.

rater field verification and diagnostic testing of building air leakage according to the procedures outlined in the 2019 Reference Appendices RA3.8 (Energy Commission, 2018c). This measure was not applied to multifamily homes because CBECC-Res does not allow reduced infiltration credit for multifamily buildings.

<u>Improved Fenestration</u>: Reduce window U-factor to 0.24. The prescriptive U-factor is 0.30 in all climates. In climate zones 1, 3, 5, and 16 where heating loads dominate, an increase in solar heat gain coefficient (SHGC) from the default assumption of 0.35 to 0.50 was evaluated in addition to the reduction in U-factor.

<u>Cool Roof</u>: Install a roofing product that's rated by the Cool Roof Rating Council to have an aged solar reflectance (ASR) equal to or greater than 0.25. Steep-sloped roofs were assumed in all cases. Title 24 specifies a prescriptive ASR of 0.20 for Climate Zones 10 through 15 and assumes 0.10 in other climate zones.

Exterior Wall Insulation: Decrease wall U-factor in 2x6 walls to 0.043 from the prescriptive requirement of 0.048 by increasing exterior insulation from one-inch R-5 to 1-1/2 inch R-7.5. This was evaluated for single family buildings only in all climate zones except 6 and 7 where the prescriptive requirement is higher (U-factor of 0.065) and improving beyond the prescriptive value has little impact.

High Performance Attics (HPA): HPA with R-38 ceiling insulation and R-30 insulation under the roof deck. In climates where HPA is already required prescriptively this measure requires an incremental increase in roof insulation from R-19 or R-13 to R-30. In climates where HPA is not currently required (Climate Zones 1 through 3, and 5 through 7), this measure adds roof insulation to an uninsulated roof as well as increasing ceiling insulation from R-30 to R-38 in Climate Zones 3, 5, 6 and 7.

<u>Slab Insulation:</u> Install R-10 perimeter slab insulation at a depth of 16-inches. For climate zone 16, where slab insulation is required, prescriptively this measure increases that insulation from R-7 to R-10.

<u>Duct Location (Ducts in Conditioned Space)</u>: Move the ductwork and equipment from the attic to inside the conditioned space in one of the three following ways.

- 1. Locate ductwork in conditioned space. The air handler may remain in the attic provided that 12 linear feet or less of duct is located outside the conditioned space including the air handler and plenum. Meet the requirements of 2019 Reference Appendices RA3.1.4.1.2. (Energy Commission, 2018c)
- 2. All ductwork and equipment located entirely in conditioned space meeting the requirements of 2019 Reference Appendices RA3.1.4.1.3. (Energy Commission, 2018c)
- All ductwork and equipment located entirely in conditioned space with ducts tested to have less than or equal to 25 cfm leakage to outside. Meet the requirements of Verified Low Leakage Ducts in Conditioned Space (VLLDCS) in the 2019 Reference Appendices RA3.1.4.3.8. (Energy Commission, 2018c)

Option 1 and 2 above apply to single family only since the basecase for multifamily assumes ducts are within conditioned space. Option 3 applies to both single family and multifamily cases.

Reduced Distribution System (Duct) Leakage: Reduce duct leakage from 5% to 2% and install a low leakage air handler unit (LLAHU). This is only applicable to single family homes since the basecase for multifamily assumes ducts are within conditioned space and additional duct leakage credit is not available.

Low Pressure Drop Ducts: Upgrade the duct distribution system to reduce external static pressure and meet a maximum fan efficacy of 0.35 Watts per cfm for gas furnaces and 0.45 Watts per cfm for heat pumps operating at full speed. This may involve upsizing ductwork, reducing the total effective length of ducts, and/or selecting low pressure drop components such as filters. Fan watt draw must be verified by a HERS rater according to the procedures outlined in the 2019 Reference Appendices RA3.3 (Energy Commission, 2018c). New federal regulations that went into effect July 3, 2019 require higher fan efficiency for gas furnaces than for heat pumps and air handlers, which is why the recommended specification is different for mixed fuel and all-electric homes.



<u>HERS Verification of Hot Water Pipe Insulation</u>: The California Plumbing Code (CPC) requires pipe insulation on all hot water lines. This measure provides credit for HERS rater verification of pipe insulation requirements according to the procedures outlined in the 2019 Reference Appendices RA3.6.3. (Energy Commission, 2018c)

**Compact Hot Water Distribution**: Two credits for compact hot water distribution were evaluated.

- 1. Basic Credit: Design the hot water distribution system to meet minimum requirements for the basic compact hot water distribution credit according to the procedures outlined in the 2019 Reference Appendices RA4.4.6 (Energy Commission, 2018c). In many single family homes this may require moving the water heater from an exterior to an interior garage wall. Multifamily homes with individual water heaters are expected to easily meet this credit with little or no alteration to plumbing design. CBECC-Res software assumes a 30% reduction in distribution losses for the basic credit.
- 2. Expanded Credit: Design the hot water distribution system to meet minimum requirements for the expanded compact hot water distribution credit according to the procedures outlined in the 2019 Reference Appendices RA3.6.5 (Energy Commission, 2018c). In addition to requiring HERS verification that the minimum requirements for the basic compact distribution credit are met, this credit also imposes limitations on pipe location, maximum pipe diameter, and recirculation system controls allowed.

<u>Drain Water Heat Recovery (DWHR)</u>: For multifamily buildings add DWHR that serves the showers in an unequal flow configuration (pre-heated water is piped directly to the shower) with 50% efficiency. This upgrade assumes all apartments are served by a DWHR with one unit serving each apartment individually. For a slab-on-grade building this requires a horizontal unit for the first-floor apartments.

### **Federally Preempted Measures:**

The following additional measures were evaluated. Because these measures require upgrading appliances that are federally regulated to high efficiency models, they cannot be used to show cost-effectiveness in a local ordinance. The measures and packages are presented here to show that there are several options for builders to meet the performance targets. Heating and cooling capacities are autosized by CBECC-Res in all cases.

<u>High Efficiency Furnace</u>: For the mixed-fuel prototypes, upgrade natural gas furnace to one of two condensing furnace options with an efficiency of 92% or 96% AFUE.

<u>High Efficiency Air Conditioner</u>: For the mixed-fuel prototypes, upgrade the air conditioner to either single-stage SEER 16 / EER 13 or two-stage SEER 18 / EER 14 equipment.

<u>High Efficiency Heat Pump:</u> For the all-electric prototypes, upgrade the heat pump to either single-stage SEER 16 / EER 13 / HSPF 9 or two-stage SEER 18 / EER 14 / HSPF 10 equipment.

<u>High Efficiency Tankless Water Heater</u>: For the mixed-fuel prototype, upgrade tankless water heater to a condensing unit with a rated Uniform Energy Factor (UEF) of 0.96.

High Efficiency Heat Pump Water Heater (HPWH): For the all-electric prototypes, upgrade the federal minimum heat pump water heater to a HPWH that meets the Northwest Energy Efficiency Alliance (NEEA)<sup>7</sup> Tier 3 rating. The evaluated NEEA water heater is an 80gal unit and is applied to all three building prototypes. Using the same

<sup>&</sup>lt;sup>7</sup> Based on operational challenges experienced in the past, NEEA established rating test criteria to ensure newly installed HPWHs perform adequately, especially in colder climates. The NEEA rating requires an Energy Factor equal to the ENERGY STAR performance level and includes requirements regarding noise and prioritizing heat pump use over supplemental electric resistance heating.



water heater provides consistency in performance across all the equipment upgrade cases, even though hot water draws differ across the prototypes.

### 2.3 Package Development

Three to four packages were evaluated for each prototype and climate zone, as described below.

- 1) <u>Efficiency Non-Preempted</u>: This package uses only efficiency measures that don't trigger federal preemption issues including envelope, and water heating and duct distribution efficiency measures.
- 2) <u>Efficiency Equipment, Preempted</u>: This package shows an alternative design that applies HVAC and water heating equipment that are more efficient than federal standards. The Reach Code Team considers this more reflective of how builders meet above code requirements in practice.
- 3) Efficiency & PV: Using the Efficiency Non-Preempted Package as a starting point<sup>8</sup>, PV capacity is added to offset most of the estimated electricity use. This only applies to the all-electric case, since for the mixed fuel cases, 100% of the projected electricity use is already being offset as required by 2019 Title 24, Part 6.
- 4) <u>Efficiency & PV/Battery</u>: Using the Efficiency & PV Package as a starting point, PV capacity is added as well as a battery system.

### 2.3.1 Solar Photovoltaics (PV)

Installation of on-site PV is required in the 2019 residential code. The PV sizing methodology in each package was developed to offset annual building electricity use and avoid oversizing which would violate net energy metering (NEM) rules. In all cases, PV is evaluated in CBECC-Res according to the California Flexible Installation (CFI) assumptions.

The Reach Code Team used two options within the CBECC-Res software for sizing the PV system, described below. Analysis was conducted to determine the most appropriate sizing method for each package which is described in the results.

- Standard Design PV the same PV capacity as is required for the Standard Design case<sup>10</sup>
- Specify PV System Scaling a PV system sized to offset a specified percentage of the estimated electricity use of the Proposed Design case

### 2.3.2 Energy Storage (Batteries)

A battery system was evaluated in CBECC-Res with control type set to "Time of Use" and with default efficiencies of 95% for both charging and discharging. The "Time of Use" option assumes batteries are charged anytime PV generation is greater than the house load but controls when the battery storage system discharges. During the summer months (July – September) the battery begins to discharge at the beginning of the peak period at a maximum rate until fully discharged. During discharge the battery first serves the house load but will

<sup>&</sup>lt;sup>10</sup> The Standard Design PV system is sized to offset the electricity use of the building loads which are typically electric in a mixed fuel home, which includes all loads except space heating, water heating, clothes drying, and cooking.



<sup>&</sup>lt;sup>8</sup> In cases where there was no cost-effective Efficiency – Non-Preempted Package, the most cost-effective efficiency measures for that climate zone were also included in the Efficiency & PV Package in order to provide a combination of both efficiency and PV beyond code minimum.

<sup>&</sup>lt;sup>9</sup> NEM rules apply to the IOU territories only.

discharge to the electric grid if there is excess energy available. During other months the battery discharges whenever the PV system does not cover the entire house load and does not discharge to the electric grid. This control option is considered to be most reflective of the current products on the market. This control option requires an input for the "First Hour of the Summer Peak" and the Statewide CASE Team applied the default hour in CBECC-Res which differs by climate zone (either a 6pm or 7pm start). The Self Utilization Credit was taken when the battery system was modeled.

### 2.4 Incremental Costs

Table 4 below summarizes the incremental cost assumptions for measures evaluated in this study. Incremental costs represent the equipment, installation, replacement, and maintenance costs of the proposed measures relative to the base case. Replacement costs are applied to HVAC and DHW equipment, PV inverters, and battery systems over the 30-year evaluation period. There is no assumed maintenance on the envelope, HVAC, or DHW measures since there should not be any additional maintenance cost for a more efficient version of the same system type as the baseline. Costs were estimated to reflect costs to the building owner. When costs were obtained from a source that didn't already include builder overhead and profit, a markup of ten percent was added. All costs are provided as present value in 2020 (2020 PV\$). Costs due to variations in furnace, air conditioner, and heat pump capacity by climate zone were not accounted for in the analysis.

Equipment lifetimes applied in this analysis for the water heating and space conditioning measures are summarized in Table 3.

Table 3: Lifetime of Water Heating & Space Conditioning Equipment Measures

Measure	Lifetime
Gas Furnace	20
Air Conditioner	20
Heat Pump	15
<b>Gas Tankless Water Heater</b>	20
<b>Heat Pump Water Heater</b>	15

Source: City of Palo Alto 2019 Title 24 Energy Reach Code Costeffectiveness Analysis Draft (TRC, 2018) which is based on the Database of Energy Efficiency Resources (DEER).<sup>12</sup>



<sup>&</sup>lt;sup>11</sup> Interest costs due to financing are not included in the incremental costs presented in the Table 4 but are accounted for in the lifetime cost analysis. All first costs are assumed to be financed in a mortgage, see Section 2.5 for details.

<sup>12</sup> http://www.deeresources.com

Table 4: Incremental Cost Assumptions

			A 44 74 74 41 4	Table 4: mer emental cost Assumptions
		<u>Incremental</u> C	Incremental Cost (2020 PV\$)	
			Multifamily	
	Performance		(Per Dwelling	
Measure	Level	Single Family	Unit)	Source & Notes
Non-Preemp	Non-Preempted Measures			
Reduced	3.0 vs 5.0 ACH50	\$391	n/a	NREL's BEopt cost database (\$0.115/ft² for 3 ACH50 & \$0.207/ft² for 2 ACH50) + \$100 HEBS
Infiltration	2.0 vs 5.0 ACH50	\$613	n/a	rater verification.
Window U- factor	0.24 vs 0.30	\$2,261	\$607	\$4.23/ft² window area based on analysis conducted for the 2019 and 2022 Title 24 cycles (Statewide CASE Team, 2018).
Window SHGC	0.50 vs 0.35	\$0	\$0	Data from CASE Report along with direct feedback from Statewide CASE Team that higher SHGC does not necessarily have any incremental cost (Statewide CASE Team, 2017d). Applies to CZ 1,3,5,16.
Cool Roof -	0.25 vs 0.20	\$237	\$58	Costs based on 2016 Cost-effectiveness Study for Coal Roofe reach codo analysis for 0.30 and 2.20
Reflectance	0.20 vs 0.10	\$0	\$0	reflectance product. (Statewide Reach Codes Team, 2017b).
Exterior Wall Insulation	R-7.5 vs R-5	\$818	n/a	Based on increasing exterior insulation from 1" R-5 to 1.5" R-7.5 in a 2x6 wall (Statewide CASE Team, 2017c). Applies to single family only in all climates except CZ 6. 7.
Under-Deck	R-13 vs R-0	\$1,338	\$334	Costs for R-13 (\$0.64/ft²). R-19 (\$0.78/ft²) and R-30 (\$1.61/ft²) hased on data precented in the
Roof	R-19 vs R-13	\$282	\$70	2019 HPA CASE Report (Statewide CASE Team, 2017b) along with data collected directly from
Insulation	R-30 vs R-19	\$1,831	\$457	builders during the 2019 CASE process. The R-30 costs include additional labor costs for
(HPA)	R-38 vs R-30	\$585	\$146	cabling. Costs for R-38 from NREL's Beopt cost database.
Attic Floor Insulation	R-38 vs R-30	\$584	\$146	NREL's BEopt cost database: \$0.34/ft² ceiling area
Slab Edge	R-10 vs R-0	\$553	\$121	\$4/linear foot of slab perimeter based on internet research. Assumes 16in depth.
Insulation	R-10 vs R-7	\$157	\$21	\$1.58/linear foot of slab perimeter based on NREL's BEopt cost database. This applies to CZ 16 only where R-7 slab edge insulation is required prescriptively. Assumes 16in death
	<12 feet in attic	\$358	n/a	
	Ducts in			
acitero I tour	Conditioned Space	\$658	n/a	Costs based on a 2015 report on the Evaluation of Ducts in Conditioned Space for New
במני בסכמווסו	Verified Low			California Homes (Davis Energy Group, 2015). HERS verification cost of \$100 for the Verified
	Leakage Ducts in	\$768	\$110	Low Leakage Ducts in Conditioned Space credit.
	Space			



Table 4: Incremental Cost Assumptions

			l able 4: I	Table 4: Incremental Cost Assumptions
		Incremental C	Incremental Cost (2020 PV\$)	
			Multifamily	
	Performance		(Per Dwelling	
Measure	Level	Single Family	Unit)	Source & Notes
Distribution System	2% vs 5%	96\$	n/a	1-hour labor. Labor rate of \$96 per hour is from 2019 RSMeans for sheet metal workers and includes an average City Cost Index for labor for California cities & 10% for overhead and profit. Applies to single family only since ducts are assumed to be in conditioned space for multifamily
Leakage	Low Leakage Air Handler	\$0	n/a	Negligible cost based on review of available products. There are more than 6,000 Energy Commission certified units and the list includes many furnace and heat pump air handler product lines from the major manufacturers, including minimum efficiency, low cost product lines.
Low Pressure	0.35 vs 0.45	96\$	\$48	Costs assume one-hour labor for single family and half-hour per multifamily apartment. Labor
(Fan W/cfm)	0.45 vs 0.58	96\$	\$48	rate of ২৬৩ per hour is from 2019 RSMeans for sheet metal workers and includes an average City Cost Index for labor for California cities.
Hot Water Pipe Insulation	HERS verified	\$110	\$83	Cost for HERS verification only, based on feedback from HERS raters. \$100 per single family home and \$75 per multifamily unit before markup.
Compact Hot Water Distribution	Basic credit	\$150	0\$	For single family add 20-feet venting at \$12/ft to locate water heater on interior garage wall, less 20-feet savings for less PEX and pipe insulation at \$4.88/ft. Costs from online retailers. Many multifamily buildings are expected to meet this credit without any changes to distribution design.
	Expanded credit	n/a	\$83	Cost for HERS verification only. \$75 per multifamily unit before markup. This was only evaluated for multifamily buildings.
Drain Water Heat Recovery	50% efficiency	n/a	069\$	Cost from the 2019 DWHR CASE Report assuming a 2-inch DWHR unit. The CASE Report multifamily costs were based on one unit serving 4 dwelling units with a central water heater. Since individual water heaters serve each dwelling unit in this analysis, the Reach Code Team used single family costs from the CASE Report. Costs in the CASE Report were based on a 46.1% efficient unit, a DWHR device that meets the 50% efficiency assumed in this analysis may cost a little more. (Statewide CASE Team, 2017a)
Federally Pre-	Federally Pre-empted Measures	es		
Eurosco ACIIE	92% vs 80%	\$139	\$139	Equipment costs from online retailers for 40-kBtu/h unit. Cost saving for 6-feet of venting at \$26/foot due to lower cost venting requirements for condensing (PVC) vs non-condensing
	96% vs 80%	\$244	\$244	(stainless) furnaces. Replacement at year 20 assumes a 50% reduction in first cost. Value at year 30 based on remaining useful life is included
Air	16/13 vs 14/11.7	\$111	\$111	and the second s
Conditioner SEER/EER	18/14 vs 14/11.7	\$1,148	\$1,148	costs from online retailers for z-ton unit. Replacement at year 20 assumes a 50% reduction in first cost. Value at year 30 based on remaining useful life is included.



# Table 4: Incremental Cost Assumptions

			Table 4: I	Table 4: Incremental Cost Assumptions
		Incremental C	Incremental Cost (2020 PV\$)	
			Multifamily	
	Performance		(Per Dwelling	
Measure	Level	Single Family	Unit)	Source & Notes
Heat Pump	16/13/9 vs 14/11.7/8.2	\$411	\$411	Costs from online retailers for 2-ton unit. Replacement at year 15 assumes a 50% reduction in
/HSPF	18/14/10 vs 14/11.7/8.2	\$1,511	\$1,511	first cost.
Tankless Water Heater	0.96 vs 0.81	\$203	\$203	Equipment costs from online retailers for 40-kBtu/h unit. Cost saving for 6-feet of venting at \$26/foot due to lower cost venting requirements for condensing (PVC) vs non-condensing
HPWH	NEEA Tier 3 vs 2.0 EF	\$294	\$294	(stainless) furnaces. Replacement at year 15 assumes a 50% reduction in first cost.  Equipment costs from online retailers. Replacement at year 15 assumes a 50% reduction in first cost.
PV + Battery				
PV System	System size varies	\$3.72/W-DC	\$3.17/W-DC	First costs are from LBNL's Tracking the Sun 2018 costs (Barbose et al., 2018) and represent costs for the first half of 2018 of \$3.50/W-DC for residential system and \$2.90/W-DC for non-residential system ≤500 kW-DC. These costs were reduced by 16% for the solar investment tax credit, which is the average credit over years 2020-2022.  Inverter replacement cost of \$0.14/W-DC present value includes replacements at year 11 at \$0.15/W-DC (nominal) and at year 21 at \$0.12/W-DC (nominal) per the 2019 PV CASE Report (California Energy Commission, 2017).  System maintenance costs of \$0.31/W-DC present value assume \$0.02/W-DC (nominal) annually per the 2019 PV CASE Report (California Energy Commission, 2017).
Battery	System size varies by building type	\$656/kWh	\$656/kWh	\$633/kWh first cost based on the PV Plus Battery Study report (Statewide Reach Codes Team, 2018) as the average cost of the three systems that were analyzed. This cost was reduced by 16% for the solar investment tax credit, which is the average credit over years 2020-2022. Replacement cost at year 15 of \$100/kWh based on target price reductions (Penn. 2018).



### 2.5 Cost-effectiveness

Cost-effectiveness was evaluated for all sixteen climate zones and is presented based on both TDV energy, using the Energy Commission's LCC methodology, and an On-Bill approach using residential customer utility rates. Both methodologies require estimating and quantifying the value of the energy impact associated with energy efficiency measures over the life of the measures (30 years) as compared to the prescriptive Title 24 requirements.

Results are presented as a lifecycle benefit-to-cost (B/C) ratio, a net present value (NPV) metric which represents the cost-effectiveness of a measure over a 30-year lifetime taking into account discounting of future savings and costs and financing of incremental first costs. A value of one indicates the NPV of the savings over the life of the measure is equivalent to the NPV of the lifetime incremental cost of that measure. A value greater than one represents a positive return on investment. The B/C ratio is calculated according to Equation 3.

Equation 3
$$Benefit - to - Cost Ratio = \frac{NPV \text{ of lifetime benefit}}{NPV \text{ of lifetime cost}}$$

In most cases the benefit is represented by annual utility savings or TDV savings and the cost by incremental first cost and replacement costs. However, in some cases a measure may have incremental cost savings but with increased energy related costs. In this case, the benefit is the lower first cost and the cost is the increase in utility bills. The lifetime costs or benefits are calculated according to Equation 4.

# Equation 4 NPV of lifetime cost/benefit = $\sum_{t=1}^{n} Annual cost/benefit_t * (1+r)^t$

Where:

- n = analysis term
- r = discount rate

The following summarizes the assumptions applied in this analysis to both methodologies.

- Analysis term of 30-years
- Real discount rate of 3 percent
- Inflation rate of 2 percent
- First incremental costs are financed into a 30-year mortgage
- Mortgage interest rate of 4.5 percent
- Average tax rate of 20 percent (to account for tax savings due to loan interest deductions)

### 2.5.1 <u>On-Bill Customer Lifecycle Cost</u>

Residential utility rates were used to calculate utility costs for all cases and determine On-Bill customer cost-effectiveness for the proposed packages. The Reach Codes Team obtained the recommended utility rates from each IOU based on the assumption that the reach codes go into effect January of 2020. Annual utility costs were calculated using hourly electricity and gas output from CBECC-Res and applying the utility tariffs summarized in Table 5. Appendix B – Utility Tariff Details includes the utility rate schedules used for this study. The applicable residential time-of-use (TOU) rate was applied to all cases. Annual electricity production in excess of annual electricity consumption is credited to the utility account at the applicable wholesale rate based on the approved

<sup>&</sup>lt;sup>13</sup> Under NEM rulings by the CPUC (D-16-01-144, 1/28/16), all new PV customers shall be in an approved TOU rate structure. <a href="https://www.cpuc.ca.gov/General.aspx?id=3800">https://www.cpuc.ca.gov/General.aspx?id=3800</a>



NEM2 tariffs for that utility. Minimum daily use billing and mandatory non-bypassable charges have been applied. Future change to the NEM tariffs are likely; however, there is a lot of uncertainty about what those changes will be and if they will become effective during the 2019 code cycle (2020-2022). The net surplus compensation rates for each utility are as follows:<sup>14</sup>

PG&E: \$0.0287 / kWh
 SCE: \$0.0301 / kWh
 SDG&E: \$0.0355 / kWh

Utility rates were applied to each climate zone based on the predominant IOU serving the population of each zone according to Two SCE tariff options were evaluated: TOU-D-4-9 and TOU-D-PRIME. The TOU-D-PRIME rate is only available to customers with heat pumps for either space or water heating, a battery storage system, or an electric vehicle and therefore was only evaluated for the all-electric cases and the Efficiency & PV/Battery packages. The rate which resulted in the lowest annual cost to the customer was used for this analysis, which was TOU-D-4-9 in all cases with the exception of the single family all-electric cases in Climate Zone 14.

Table 5. Climate Zones 10 and 14 are evaluated with both SCE/SoCalGas and SDG&E tariffs since each utility has customers within these climate zones. Climate Zone 5 is evaluated under both PG&E and SoCalGas natural gas rates.

Two SCE tariff options were evaluated: TOU-D-4-9 and TOU-D-PRIME. The TOU-D-PRIME rate is only available to customers with heat pumps for either space or water heating, a battery storage system, or an electric vehicle and therefore was only evaluated for the all-electric cases and the Efficiency & PV/Battery packages. The rate which resulted in the lowest annual cost to the customer was used for this analysis, which was TOU-D-4-9 in all cases with the exception of the single family all-electric cases in Climate Zone 14.


Table 5: IOU Utility Tariffs Applied Based on Climate Zone

Climate Zones	Electric / Gas Utility	Electricity (Time-of-use)	Natural Gas
1-5, 11-13, 16	PG&E	E-TOU, Option B	G1
5	PG&E / SoCalGas	E-TOU, Option B	GR
6, 8-10, 14, 15	SCE / SoCal Gas	TOU-D-4-9 or	CD
0, 8-10, 14, 13	SCE / SOCAl Gas	TOU-D-PRIME	GR
7, 10, 14	SDG&E	TOU-DR1	GR

Source: Utility websites, See Appendix B — Utility Tariff Details for details on the tariffs applied.

Utility rates are assumed to escalate over time, using assumptions from research conducted by Energy and Environmental Economics (E3) in the 2019 study Residential Building Electrification in California study (Energy & Environmental Economics, 2019). Escalation of natural gas rates between 2019 and 2022 is based on the currently filed General Rate Cases (GRCs) for PG&E, SoCalGas and SDG&E. From 2023 through 2025, gas rates are assumed to escalate at 4% per year above inflation, which reflects historical rate increases between 2013 and 2018. Escalation of electricity rates from 2019 through 2025 is assumed to be 2% per year above inflation, based on electric utility estimates. After 2025, escalation rates for both natural gas and electric rates are assumed to drop to a more conservative 1% escalation per year above inflation for long-term rate trajectories beginning in 2026 through 2050. See Appendix B – Utility Tariff Details for additional details.

<sup>&</sup>lt;sup>14</sup> Net surplus compensation rates based on 1-year average February 2018 – January 2019.



### 2.5.2 TDV Lifecycle Cost

Cost-effectiveness was also assessed using the Energy Commission's TDV LCC methodology. TDV is a normalized monetary format developed and used by the Energy Commission for comparing electricity and natural gas savings, and it considers the cost of electricity and natural gas consumed during different times of the day and year. The 2019 TDV values are based on long term discounted costs of 30 years for all residential measures. The CBECC-Res simulation software outputs are in terms of TDV kBTUs. The present value of the energy cost savings in dollars is calculated by multiplying the TDV kBTU savings by a net present value (NPV) factor, also developed by the Energy Commission. The NPV factor is \$0.173/TDV kBtu for residential buildings.

Like the customer B/C ratio, a TDV B/C ratio value of one indicates the savings over the life of the measure are equivalent to the incremental cost of that measure. A value greater than one represents a positive return on investment. The ratio is calculated according to Equation 5.

### 2.6 Electrification Evaluation

In addition to evaluating upgrades to mixed fuel and all-electric buildings independently that do not result in fuel switching, the Reach Code Team also analyzed the impact on construction costs, utility costs, and TDV when a builder specifies and installs electric appliances instead of the gas appliances typically found in a mixed fuel building. This analysis compared the code compliant mixed fuel prototype, which uses gas for space heating, water heating, cooking, and clothes drying, with the code compliant all-electric prototype. It also compared the all-electric Efficiency & PV Package with the code compliance mixed fuel prototype. In these cases, the relative costs between natural gas and electric appliances, differences between in-house electricity and gas infrastructure and the associated infrastructure costs for providing gas to the building were also included.

A variety of sources were reviewed when determining incremental costs. The sources are listed below.

- SMUD All-Electric Homes Electrification Case Study (EPRI, 2016)
- City of Palo Alto 2019 Title 24 Energy Reach Code Cost-effectiveness Analysis (TRC, 2018)
- Building Electrification Market Assessment (E3, 2019)
- Decarbonization of Heating Energy Use in California Buildings (Hopkins et al., 2018)
- Analysis of the Role of Gas for a Low-Carbon California Future (Navigant, 2008)
- Rulemaking No. 15-03-010 An Order Instituting Rulemaking to Identify Disadvantaged Communities in the San Joaquin Valley and Analyze Economically Feasible Options to Increase Access to Affordable Energy in Those Disadvantages Communities (California Public Utilities Commission, 2016)
- 2010-2012 WO017 Ex Ante Measure Cost Study: Final Report (Itron, 2014)
- Natural gas infrastructure costs provided by utility staff through the Reach Code subprogram
- Costs obtained from builders, contractors and developers

Incremental costs are presented in Table 6. Values in parentheses represent a lower cost or cost reduction in the electric option relative to mixed fuel. The costs from the available sources varied widely, making it difficult to develop narrow cost estimates for each component. For certain components data is provided with a low to high range as well as what were determined to be typical costs and ultimately applied in this analysis. Two sets of typical costs are presented, one which is applied in the On-Bill cost effectiveness methodology and another applied in the TDV methodology. Details of these differences are explained in the discussion of site gas infrastructure costs in the following pages.



Table 6: Incremental Costs – All-Electric Code Compliant Home Compared to a Mixed Fuel

		Juc Goin	Parente	TOTILO				
Measure	Inci	remental C		PV\$)			ost (2020	
		Single	Family <sup>1</sup>		<u>Multifa</u>	mily <sup>1</sup> (Pe	er Dwellin	g Unit)
	Low	High	Typical (On-Bill)	Typical (TDV)	Low	High	Typical (On-Bill)	Typical (TDV)
Heat Pump vs Gas Furnace/Split AC	(\$2,770)	\$620	(\$	221)				, ,
Heat Pump Water Heater vs Gas	(\$1,120)	\$1,120		\$0	1			
Tankless	(+2)220)	<b>V</b> =/==0		<b>70</b>		man na Ci	aala Famil	
Electric vs Gas Clothes Dryer <sup>2</sup>	(\$428)	\$820		\$0	] 58	ime as Si	ngle Famil	У
Electric vs Gas Cooking <sup>2</sup>	\$0	\$1,800	\$0					
Electric Service Upgrade	\$200	\$800	\$	600	\$150	\$600	\$6	00
In-House Gas Infrastructure	(\$1,670)	(\$550)	(\$	800)	(\$600)	(\$150)	(\$6	00)
Site Gas Infrastructure	(\$25,000)	(\$900)	(\$5,750)	(\$11,836)	(\$16,250)	(\$310)	(\$3,140)	(\$6,463)
Total First Cost	(\$30,788)	\$3,710	(\$6,171)	(\$12,257)	(\$20,918)	\$4,500	(\$3,361)	(\$6,684)
Present Value of Equipment Replace	ment Cost		\$1	,266			\$1,.	
Lifetime Cost Including Replacement Cost	t & Financir	g of First	(\$5,349)	(\$11,872)			(\$2,337)	(\$5,899)

<sup>&</sup>lt;sup>1</sup>Low and high costs represent the potential range of costs and typical represents the costs used in this analysis and determined to be most representative of the conditions described in this report. Two sets of typical costs are presented, one which is applied in the On-Bill cost effectiveness methodology and another applied in the TDV methodology. 
<sup>2</sup>Typical costs assume electric resistance technology. The high range represents higher end induction cooktops and heat pump clothes dryers. Lower cost induction cooktops are available.

Typical incremental costs for switching from a mixed fuel design to an all-electric design are based on the following assumptions:

<u>Appliances</u>: The Reach Code Team determined that the typical first installed cost for electric appliances is very similar to that for natural gas appliances. This was based on information provided by HVAC contractors, plumbers and builders as well as a review of other studies. After review of various sources, the Reach Code Team concluded that the cost difference between gas and electric resistance options for clothes dryers and stoves is negligible and that the lifetimes of the two technologies are also similar.

HVAC: Typical HVAC incremental costs were based on the City of Palo Alto 2019 Title 24 Energy Reach Code Cost-effectiveness Analysis (TRC, 2018) which assumes approximately \$200 first cost savings for the heat pump relative to the gas furnace and air conditioner. Table 6 also includes the present value of the incremental replacement costs for the heat pump based on a 15-year lifetime and a 20-year lifetime for the gas furnace in the mixed fuel home.

**DHW**: Typical costs for the water heating system were based on equivalent installed first costs for the HPWH and tankless gas water heater. This accounts for slightly higher equipment cost but lower installation labor due to the elimination of the gas flue. Incremental replacement costs for the HPWH are based on a 15-year lifetime and a 20-year lifetime for the tankless water heater.

For multifamily, less data was available and therefore a range of low and high costs is not provided. The typical first cost for multifamily similarly is expected to be close to the same for the mixed fuel and all-electric designs. However, there are additional considerations with multifamily such as greater complexity for venting of natural gas appliances as well as for locating the HPWH within the conditioned space (all climates except Climate Zones 1, 3, and 5, see Table 2) that may impact the total costs.

<u>Electric service upgrade</u>: The study assumes an incremental cost to run 220V service to each appliance of \$200 per appliance for single family homes and \$150 per appliance per multifamily apartment based on cost estimates from builders and contractors. The Reach Code Team reviewed production builder utility plans for



mixed-fuel homes and consulted with contractors to estimate which electricity and/or natural gas services are usually provided to the dryer and oven. Typical practice varied, with some builders providing both gas and electric service to both appliances, others providing both services to only one of the appliances, and some only providing gas. For this study, the Reach Code Team determined that for single family homes the typical cost is best qualified by the practice of providing 220V service and gas to either the dryer and the oven and only gas service to the other. For multifamily buildings it's assumed that only gas is provided to the dryer and oven in the mixed fuel home.

It is assumed that no upgrades to the electrical panel are required and that a 200 Amp panel is typically installed for both mixed fuel and all-electric new construction homes. There are no incremental electrical site infrastructure requirements.

<u>In-house gas infrastructure (from meter to appliances)</u>: Installation cost to run a gas line from the meter to the appliance location is \$200 per appliance for single family and \$150 per appliance per multifamily apartment based on cost estimates from builders and contractors. The cost estimate includes providing gas to the water heater, furnace, dryer and cooktop.

Site gas infrastructure: The cost-effective analysis components with the highest degree of variability are the costs for on-site gas infrastructure. These costs can be project dependent and may be significantly impacted by such factors as utility territory, site characteristics, distance to the nearest gas main and main location, joint trenching, whether work is conducted by the utility or a private contractor, and number of dwelling units per development. All gas utilities participating in this study were solicited for cost information. The typical infrastructure costs for single family homes presented in Table 6 are based on cost data provided by PG&E and reflect those for a new subdivision in an undeveloped area requiring the installation of natural gas infrastructure, including a main line. Infrastructure costs for infill development can also be highly variable and may be higher than in an undeveloped area. The additional costs associated with disruption of existing roads, sidewalks, and other structures can be significant. Total typical costs in Table 6 assume \$10,000 for extension of a gas main, \$1,686 for a service lateral, and \$150 for the meter.

Utility Gas Main Extensions rules<sup>15</sup> specify that the developer has the option to only pay 50% of the total cost for a main extension after subtraction of allowances for installation of gas appliances. This 50% refund and the appliance allowance deductions are accounted for in the site gas infrastructure costs under the On-Bill cost-effectiveness methodology. The net costs to the utility after partial reimbursement from the developer are included in utility ratebase and recovered via rates to all customers. The total cost of \$5,750 presented in Table 6 reflects a 50% refund on the \$10,000 extension and appliance deductions of \$1,086 for a furnace, water heater, cooktop, and dryer. Under the On-Bill methodology this analysis assumes this developer option will remain available through 2022 and that the cost savings are passed along to the customer.

The 50% refund and appliance deductions were not applied to the site gas infrastructure costs under the TDV cost-effectiveness methodology based on input received from the Energy Commission and agreement from the Reach Code technical advisory team that the approach is appropriate. TDV cost savings impacts extend beyond the customer and account for societal impacts of energy use. Accounting for the full cost of the infrastructure upgrades was determined to be justified when evaluating under the TDV methodology.

SDG&E Rule 15: http://regarchive.sdge.com/tm2/pdf/GAS GAS-RULES GRULE15.pdf



<sup>&</sup>lt;sup>15</sup> PG&E Rule 15: https://www.pge.com/tariffs/tm2/pdf/GAS\_RULES\_15.pdf

SoCalGas Rule 20: https://www.socalgas.com/regulatory/tariffs/tm2/pdf/20.pdf

Less information was available for the costs associated with gas infrastructure for low-rise multifamily development. The typical cost in Table 6 for the On-Bill methodology is based on TRC's City of Palo Alto 2019 Title 24 Energy Reach Code Cost-effectiveness Analysis (TRC, 2018). These costs, provided by the City of Palo Alto, are approximately \$25,100 for an 8-unit new construction building and reflect connection to an existing main for infill development. Specific costs include plan review, connection charges, meter and manifold, plumbing distribution, and street cut fees. While these costs are specifically based on infill development and from one municipal utility, the estimates are less than those provided by PG&E reflecting the average cost differences charged to the developer between single family and multifamily in an undeveloped area (after accounting for deductions per the Gas Main Extensions rule). To convert costs charged to the developer to account for the full infrastructure upgrade cost (costs applied in the TDV methodology analysis), a factor of 2.06<sup>16</sup> was calculated based on the single family analysis. This same factor was applied to the multifamily cost of \$3,140 to arrive at \$6,463 (see Table 6).

### 2.7 Greenhouse Gas Emissions

Equivalent CO<sub>2</sub> emission savings were calculated based on outputs from the CBECC-Res simulation software. Electricity emissions vary by region and by hour of the year. CBECC-Res applies two distinct hourly profiles, one for Climate Zones 1 through 5 and 11 through 13 and another for Climate Zones 6 through 10 and 14 through 16. For natural gas a fixed factor of 0.005307 metric tons/therm is used. To compare the mixed fuel and all-electric cases side-by-side, greenhouse gas (GHG) emissions are presented as CO<sub>2</sub>-equivalent emissions per square foot of conditioned floor area.

### 3 Results

The primary objective of the evaluation is to identify cost-effective, non-preempted performance targets for both single family and low-rise multifamily prototypes, under both mixed fuel and all-electric cases, to support the design of local ordinances requiring new low-rise residential buildings to exceed the minimum state requirements. The packages presented are representative examples of designs and measures that can be used to meet the requirements. In practice, a builder can use any combination of non-preempted or preempted compliant measures to meet the requirements.

This analysis covered all sixteen climate zones and evaluated two efficiency packages, including a non-preempted package and a preempted package that includes upgrades to federally regulated equipment, an Efficiency & PV Package for the all-electric scenario only, and an Efficiency & PV/Battery Package. For the efficiency-only packages, measures were refined to ensure that the non-preempted package was cost-effective based on one of the two metrics applied in this study, TDV or On-Bill. The preempted equipment package, which the Reach Code Team considers to be a package of upgrades most reflective of what builders commonly apply to exceed code requirements, was designed to be cost-effective based on the On-Bill cost-effectiveness approach.

Results are presented as EDR Margin instead of compliance margin. EDR is the metric used to determine code compliance in the 2019 cycle. Target EDR Margin is based on taking the calculated EDR Margin for the case and rounding down to the next half of a whole number. Target EDR Margin for the Efficiency Package are defined based on the lower of the EDR Margin of the non-preempted package and the equipment, preempted package. For example, if for a particular case the cost-effective non-preempted package has an EDR Margin of 3 and the preempted package an EDR Margin of 4, the Target EDR Margin is set at 3.

<sup>&</sup>lt;sup>16</sup> This factor includes the elimination of the 50% refund for the main extension and adding back in the appliance allowance deductions.



.2.0 to nigraM In certain cases, the Reach Code Team did not identify a cost-effective package that achieved the minimum EDR corresponds to a compliance margin lower than 5% and was considered too small to ensure repeatable results. achieved an EDR Margin of 0.4, for example, was not considered. An EDR Margin less than 0.5 generally For a package to qualify, a minimum EDR Margin of 0.5 was required. This is to say that a package that only

measures are included in at least one package: Although some of the efficiency measures evaluated were not cost-effective and were eliminated, the following

- Reduced infiltration
- Improved fenestration
- Improved cool roofs
- High performance attics
- Slab insulation
- Reduced duct leakage
- Verified low leakage ducts in conditioned space
- Low pressure-drop distribution system
- Compact hot water distribution system, basic and expanded
- High efficiency furnace, air conditioner & heat pump (preempted)
- High efficiency tankless water heater & heat pump water heater (preempted)

### 3.1 PV and Battery System Sizing

electricity usage as opposed to keeping the PV system the same size as the Standard Design. analysis confirmed that cost-effectiveness improved when reducing the system size to offset 100% of the consumed, reducing cost-effectiveness and violating NEM rules. While the impact of this in most cases is minor, downsizing the PV system after adding efficiency measures runs the risk of producing more electricity than is load and any electricity savings from efficiency measures were traded off with a smaller PV system. Not each the two fuel scenarios. In all mixed fuel cases, the PV was sized to offset 100% of the estimated electrical Efficiency Non-preempted and Efficiency – Equipment, Preempted packages a different method was applied to source fuel. Table 7 describes the PV and battery sizing approaches applied to each of the four packages. For the The approach to determining the size of the PV and battery systems varied based on each package and the

the same size and offset a greater percentage of the electrical load. PV system is sized to meet the electricity load of a mixed fuel home, it is cost-effective to keep the PV system the inclusion of energy efficiency measures was not traded off with a reduced capacity PV system. Because the In the all-electric Efficiency cases, the PV system size was left to match the Standard Design (Std Design PV), and

.sgnives match the annual minimum bill; increasing the PV size beyond this adds first cost but does not result in utility bill around \$120 across all the utilities. The "sweet spot" is a PV system that reduces electricity bills just enough to cost-effective based on customer utility bills. This is a result of the impact of the annual minimum bill which is 100%, 90% and 80% of the total calculated electricity use. Of these three, sizing to 90% proved to be the most For the Efficiency & PV case on the all-electric home, the Reach Code Team evaluated PV system sizing to offset



Table 7: PV & Battery Sizing Details by Package Type

M. M		-BJP-
<u>Package</u>	Mixed Fuel	All-Electric
Efficiency (Envelope & Equipment)	PV Scaled @ 100% electricity	Std Design PV
Efficiency & PV	n/a	PV Scaled @ 90%
Efficiency & PV/Battery	PV Scaled @ 100% electricity 5kWh / SF home	PV Scaled @ 100% 5kWh / SF home
	2.75kWh/ MF apt	2.75kWh/ MF apt

A sensitivity analysis was conducted to determine the appropriate battery and PV capacity for the Efficiency & PV/Battery Packages using the 1-story 2,100 square foot prototype in Climate Zone 12. Results are shown in Figure 2. The current version of CBECC-Res requires a minimum battery size of 5 kWh to qualify for the self-utilization credit. CBECC-Res allows for PV oversizing up to 160% of the building's estimated electricity load when battery storage systems are installed; however, the Reach Code Team considered this high, potentially problematic from a grid perspective, and likely not acceptable to the utilities or customers. The Reach Code Team compared cost-effectiveness of 5kWh and 7.5kWh battery systems as well as of PV systems sized to offset 90%, 100%, or 120% of the estimated electrical load.

Results show that from an on-bill perspective a smaller battery size is more cost-effective. The sensitivity analysis also showed that increasing the PV capacity from 90% to 120% of the electricity use reduced cost-effectiveness. From the TDV perspective there was little difference in results across all the scenarios, with the larger battery size being marginally more cost-effective. Based on these results, the Reach Code Team applied to the Efficiency & PV/Battery Package a 5kWh battery system for single family homes with PV sized to offset 100% of the electricity load. Even though PV scaled to 90% was the most cost-effective, sizing was increased to 100% to evaluate greater generation beyond the Efficiency & PV Package and to achieve zero net electricity. These results also show that in isolation, the inclusion of a battery system reduces cost-effectiveness compared to the same size PV system without batteries.

For multifamily buildings the battery capacity was scaled to reflect the average ratio of battery size to PV system capacity (kWh/kW) for the single family Efficiency & PV Package. This resulted in a 22kWh battery for the multifamily building, or 2.75kWh per apartment.




Figure 2: B/C ratio comparison for PV and battery sizing



### 3.2 Single Family Results

Table 8 through Table 10 contain cost effectiveness findings for the single family packages. Table 8 summarizes the package costs for all of the mixed fuel and all-electric efficiency, PV and battery packages. The mixed fuel results are evaluated and presented relative to a mixed fuel code compliant basecase while the all-electric results are relative to an all-electric code compliant basecase.

Table 9 and Table 10 present the B/C ratios for all the single family packages according to both the On-Bill and TDV methodologies for the mixed fuel and the all-electric cases, respectively. Results are cost-effective based on TDV for all cases except for Climate Zone 7 where no cost-effective combination of non-preempted efficiency measures was found that met the minimum 0.5 EDR Margin threshold. Cases where the B/C ratio is indicated as ">1. refer to instances where there are incremental cost savings in addition to annual utility bill savings. In these cases, there is no cost associated with the upgrade and benefits are realized immediately.

Figure 3 presents a comparison of Total EDRs for single family buildings and Figure 4 presents the EDR Margin results. Each graph compares the mixed fuel and all-electric cases as well as the various packages. The EDR Margin for the Efficiency Package for most climates is between 1.0 and 5.5 for mixed fuel cases and slightly higher, between 1.5 and 6.5, for the all-electric design. No cost-effective mixed fuel or all-electric non-preempted Efficiency package was found Climate Zone 7.

For the **mixed fuel case, the Efficiency & PV/Battery** Package increased the EDR Margin to values between 7.0 and 10.5. Because of the limitations on oversizing PV systems to offset natural gas use it is not feasible to achieve higher EDR Margins by increasing PV system capacity.

For the all-electric case, the Efficiency & PV Package resulted in EDR Margins of 11.0 to 19.0 for most climates; adding a battery system increased the EDR Margin by an additional 7 to 13 points. Climate zones 1 and 16, which have high heating loads, have much higher EDR Margins for the Efficiency & PV package (26.5-31.0). The Standard Design PV, which is what is applied in the all-electric Efficiency Package, is not sized to offset any of the heating load. When the PV system is sized to offset 90% of the total electricity use, the increase is substantial as a result. In contrast, in Climate Zone 15 the Standard Design PV system is already sized to cover the cooling electricity load, which represents 40% of whole building electricity use. Therefore, increasing the PV size to offset 90% of the electric load in this climate only results in adding approximately 120 Watts of PV capacity and offset 90% of the electric load in this climate only results in adding approximately 120 Watts of PV capacity and subsequently a negligible impact on the EDR.

Additional results details can be found in Appendix C – Single Family Detailed Results with summaries of measures included in each of the packages in Appendix D – Single Family Measure Summary. A summary of results by climate zone is presented in Appendix G – Results by Climate Zone.



Table 8: Single Family Package Lifetime Incremental Costs

Ffficiency & Non-Preempted Preempted         Equipment - Preempted Preempted Preempted Preempted Preempted Preempted Preempted +\$5,311         Equipment - Fficiency & PV/B PV/B PV/B PV/B PV/B PV/B PV/B PV/B			Mixed Fuel		0	All-Flortric	octric	
+\$1,355       +\$1,280       +\$5,311       +\$7,642       +\$2,108       +\$11,210         +\$1,504       +\$724       +\$5,334       +\$2,108       +\$12,106         +\$1,552       +\$1,448       +\$5,438       +\$1,519       +\$2,108       +\$12,106         +\$1,552       +\$1,448       +\$5,434       +\$1,519       +\$2,108       +\$8,517         +\$1,554       +\$1,519       +\$2,108       +\$8,786       +\$8,786         +\$1,571       +\$4,889       +\$1,519       +\$3,486       +\$5,341         +\$2,003       +\$606       +\$4,028       n/a       +\$44,86       +\$44,36       +\$44,36         +\$581       +\$4,666       +\$4,028       +\$4,41       +\$5,373       +\$5,412       +\$5,373         +\$1,648       +\$5,66       +\$4,785       +\$1,180       +\$846       +\$5,405       +\$6,405         +\$1,648       +\$5,522       +\$1,773       +\$949       +\$6,408       +\$1,620       +\$1,640         +\$1,669       +\$5,640       +\$3,735       +\$2,108       +\$10,82       +\$10,82       +\$10,82         +\$1,662       +\$6,941       +\$5,568       +\$3,735       +\$2,108       +\$10,82       +\$10,82         +\$1,662       +\$6,043       +\$6,043       +\$5,10	Climate Zone	Non-Preempted	Equipment - Preempted	Efficiency & PV/Battery	Non-Preempted	Equipment -	Efficiency & PV	Efficiency & PV/Battery
+\$1,504       +\$724       +\$5,393       +\$3,943       +\$2,108       +\$12,106         +\$1,552       +\$1,448       +\$5,438       +\$1,519       +\$2,108       +\$8,517         +\$1,554       +\$5,434       +\$1,519       +\$2,108       +\$8,517         +\$1,504       +\$5,434       +\$1,519       +\$3,786       +\$8,307         +\$1,003       +\$581       +\$4,889       +\$926       +\$846       +\$6,341         +\$1,003       +\$586       +\$4,028       n/a       +\$846       +\$6,341         +\$581       +\$4,028       n/a       +\$846       +\$6,341         +\$581       +\$4,028       +\$926       +\$44,36       +\$5,373         +\$51       +\$586       +\$4,466       +\$926       +\$44,36       +\$5,373         +\$51       +\$586       +\$4,785       +\$1,773       +\$846       +\$5,373         +\$1,679       +\$5,522       +\$1,773       +\$949       +\$10,827         +\$3,143       +\$5,122       +\$1,773       +\$949       +\$10,827         +\$3,600       +\$61       +\$5,568       +\$4,154       +\$2,108       +\$10,532         +\$1,662       +\$6,043       +\$6,043       +\$4,154       +\$2,108       +\$10,459 <td< th=""><th>CZ01</th><td></td><td>+\$1,280</td><td>+\$5,311</td><td></td><td>+\$2,108</td><td>+\$18,192</td><td>+\$24.770</td></td<>	CZ01		+\$1,280	+\$5,311		+\$2,108	+\$18,192	+\$24.770
+\$1,552       +\$1,448       +\$5,434       +\$1,519       +\$2,108       +\$8,786         +\$1,556       +\$7,88       +\$1,519       +\$2,108       +\$8,786         +\$1,503       +\$5,434       +\$1,519       +\$8,786       +\$8,307         +\$1,003       +\$581       +\$4,889       +\$926       +\$846       +\$6,341         +\$1,003       +\$586       +\$4,028       n/a       +\$846       +\$6,341         +\$581       +\$586       +\$4,466       +\$926       +\$44,436         +\$581       +\$586       +\$4,466       +\$926       +\$44,436         +\$51       +\$554       +\$4,436       +\$5,373         +\$1,64       +\$5,74       +\$4,785       +\$1,180       +\$5,405         +\$1,67       +\$5,43       +\$5,177       +\$6,405       +\$6,405         +\$1,67       +\$5,52       +\$1,773       +\$2,108       +\$10,827         +\$1,67       +\$6,94       +\$5,72       +\$10,827       +\$10,827         +\$1,67       +\$6,94       +\$6,94       +\$4,154       +\$2,108       +\$10,532         +\$1,67       +\$6,94       +\$4,154       +\$2,108       +\$10,459         +\$1,66       +\$6,94       +\$4,154       +\$2,108       +\$10,459     <	CZ02		+\$724	+\$5,393		+\$2,108	+\$12,106	+\$18.132
+\$1,556       +\$758       +\$5,434       +\$1,519       +\$2,108       +\$8,786         +\$1,571       +\$5,433       +\$1,519       +\$2,108       +\$8,307         +\$1,003       +\$581       +\$4,889       +\$926       +\$4,436         +\$1,003       +\$586       +\$4,4028       n/a       +\$44,36         +\$51,003       +\$586       +\$4,466       +\$926       +\$412       +\$5,373         +\$912       +\$586       +\$4,466       +\$926       +\$412       +\$5,373         +\$1,648       +\$5,54       +\$4,785       +\$1,180       +\$5405       +\$5,778         +\$1,648       +\$5,52       +\$1,773       +\$949       +\$6,405       +\$6,405         +\$3,143       +\$1,22       +\$1,702       +\$1,173       +\$10,827         +\$3,160       +\$654       +\$5,528       +\$3,735       +\$2,108       +\$10,827         +\$1,67       +\$6,94       +\$6,94       +\$4,154       +\$2,108       +\$10,532         +\$1,66       +\$6,94       +\$6,043       +\$4,154       +\$2,108       +\$5,085         +\$2,179       +\$6,044       +\$4,154       +\$2,108       +\$5,085         +\$2,179       +\$5,044       +\$5,739       +\$5,108       +\$5,108	CZ03		+\$1,448	+\$5,438		+\$2,108	+\$8,517	+\$14,380
+\$1,571       +\$5,433       +\$1,519       +\$8,307       +\$8,307         +\$1,003       +\$581       +\$4,889       +\$926       +\$846       +\$4,436         +\$581       +\$586       +\$4,028       n/a       +\$846       +\$4,436         +\$581       +\$586       +\$4,466       +\$926       +\$44,36       +\$5,373         +\$912       +\$57,64       +\$4,785       +\$1,773       +\$846       +\$5,778         +\$1,678       +\$5,702       +\$1,773       +\$949       +\$6,405         +\$1,679       +\$65,640       +\$5,522       +\$1,773       +\$949       +\$6,405         +\$1,679       +\$65,64       +\$5,702       +\$3,735       +\$2,108       +\$10,520         +\$1,679       +\$6,954       +\$4,154       +\$2,108       +\$10,532         +\$1,662       +\$6,954       +\$4,154       +\$2,108       +\$10,459         +\$2,179       +\$6,043       +\$6,044       +\$4,612       +\$2,108       +\$5,085         +\$3,542       +\$4,154       +\$2,108       +\$5,085       +\$5,085         +\$2,179       +\$2,140       +\$5,085       +\$5,108       +\$5,085         +\$3,542       +\$6,043       +\$6,043       +\$6,043       +\$6,043       +\$6,043	CZ04		+\$758	+\$5,434		+\$2,108	+\$8,786	+\$14,664
+\$1,003       +\$581       +\$4,889       +\$926       +\$84,436       +\$6,436         n/a       +\$606       +\$4,028       n/a       +\$846       +\$4,436         +\$581       +\$586       +\$4,466       +\$926       +\$412       +\$5,373         +\$1,648       +\$5,64       +\$4,785       +\$1,180       +\$846       +\$5,778         +\$1,648       +\$5,522       +\$1,773       +\$949       +\$6,405         +\$3,143       +\$1,222       +\$1,773       +\$949       +\$6,405         +\$3,143       +\$1,222       +\$3,735       +\$2,108       +\$10,827         +\$3,060       +\$61       +\$5,568       +\$3,735       +\$2,108       +\$10,530         +\$3,060       +\$61       +\$6,954       +\$4,154       +\$2,108       +\$10,532         +\$1,62       +\$6,954       +\$4,154       +\$2,108       +\$10,459         +\$2,179       +\$2,108       +\$5,085         +\$2,179       +\$2,108       +\$5,085         +\$2,179       +\$5,085         +\$2,179       +\$5,085         +\$2,179       +\$5,085	CZ02		+\$772	+\$5,433		+\$2,108	+\$8,307	+\$14,047
n/a         +\$606         +\$4,028         n/a         +\$846         +\$4,436           +\$581         +\$586         +\$4,466         +\$926         +\$412         +\$5,373           +\$912         +\$578         +\$4,785         +\$1,180         +\$846         +\$5,373           +\$1,648         +\$592         +\$1,773         +\$949         +\$6,405           +\$3,143         +\$1,222         +\$1,773         +\$949         +\$6,405           +\$3,143         +\$1,222         +\$1,773         +\$10,827         +\$10,827           +\$1,679         +\$654         +\$5,568         +\$3,735         +\$2,108         +\$11,520           +\$3,060         +\$611         +\$6,954         +\$4,154         +\$2,108         +\$10,532           +\$1,662         +\$5,16         +\$4,154         +\$2,108         +\$10,459           +\$2,179         +\$6,043         +\$4,154         +\$2,108         +\$5,085           +\$2,179         +\$5,781         +\$5,085         +\$5,085           +\$3,542         +\$5,781         +\$5,085         +\$5,085           +\$3,542         +\$5,781         +\$5,085	CZ06	Ţ\$+		+\$4,889		+\$846	+\$6,341	+\$12,036
+\$581       +\$586       +\$4,466       +\$926       +\$412       +\$5,373         +\$912       +\$574       +\$4,785       +\$1,180       +\$846       +\$5,378         +\$1,648       +\$592       +\$1,78       +\$5,708       +\$5,708         +\$3,143       +\$1,222       +\$1,773       +\$949       +\$6,405         +\$3,143       +\$1,222       +\$5,702       +\$3,735       +\$10,827         +\$3,060       +\$611       +\$6,954       +\$4,154       +\$2,108       +\$10,532         +\$1,662       +\$5,99       +\$6,954       +\$4,154       +\$2,108       +\$10,459         +\$2,179       +\$6,043       +\$4,154       +\$2,108       +\$5,085         +\$2,179       +\$5,781       +\$5,085	CZ02			+\$4,028		+\$846	+\$4,436	+\$9,936
+\$912       +\$574       +\$4,785       +\$1,180       +\$846       +\$5,778         +\$1,648       +\$593       +\$5,522       +\$1,773       +\$949       +\$6,405         +\$3,143       +\$1,222       +\$7,026       +\$3,735       +\$2,108       +\$10,827         +\$1,679       +\$654       +\$5,568       +\$4,154       +\$2,108       +\$11,520         +\$3,060       +\$611       +\$6,954       +\$4,154       +\$2,108       +\$10,532         +\$1,662       +\$799       +\$6,043       +\$4,154       +\$2,108       +\$5,085         +\$2,179       +\$2,144       +\$2,108       +\$5,085         +\$2,179       +\$5,741       +\$5,731       +\$5,085	CZ08	+		+\$4,466	+\$926	+\$412	+\$5,373	+\$11,016
+\$1,648+\$593+\$5,522+\$1,773+\$949+\$6,405+\$3,143+\$1,222+\$7,026+\$3,735+\$2,108+\$10,827+\$1,679+\$6,954+\$4,154+\$4,154+\$10,532+\$1,662+\$799+\$5,526+\$4,154+\$2,108+\$10,459+\$2,179-(\$936)+\$6,043+\$4,612+\$2,108+\$5,085+\$3,542+\$2,441+\$5,739+\$5,731+\$5,085	CZ0		+\$574	+\$4,785		+\$846	+\$5,778	+\$11,454
+\$3,143+\$1,222+\$5,026+\$3,735+\$2,108+\$10,827+\$1,679+\$654+\$4,154+\$4,154+\$10,532+\$1,662+\$799+\$5,526+\$4,154+\$2,108+\$10,459+\$2,179-(\$936)+\$6,043+\$4,612+\$2,108+\$5,085+\$3,542+\$2,441+\$5,396+\$5,399+\$5,399+\$5,398	CZ10			+\$5,522	+\$1,773	+\$949	+\$6,405	+\$12,129
+\$1,679       +\$654       +\$5,568       +\$3,735       +\$2,108       +\$11,520         +\$3,060       +\$611       +\$6,954       +\$4,154       +\$2,108       +\$10,532         +\$1,662       +\$799       +\$5,526       +\$4,154       +\$2,108       +\$10,459         +\$2,179       -(\$936)       +\$6,043       +\$4,612       +\$2,108       +\$5,085         +\$3,542       +\$2,441       +\$5,731       +\$5,085	CZ11			+\$7,026		+\$2,108	+\$10,827	+\$17,077
+\$3,060       +\$611       +\$6,954       +\$4,154       +\$2,108       +\$10,532         +\$1,662       +\$799       +\$5,526       +\$4,154       +\$2,108       +\$10,459         +\$2,179       -\$6,043       +\$4,612       +\$2,108       +\$5,085         +\$3,542       +\$2,441       +\$5,731       +\$5,085	CZ12		+\$654	+\$5,568		+\$2,108	+\$11,520	+\$17,586
+\$1,662       +\$799       +\$5,526       +\$4,154       +\$2,108       +\$10,459         +\$2,179       -(\$936)       +\$6,043       +\$4,612       +\$2,108       +\$5,085         +\$3,542       +\$2,441       +\$7,399       +\$5,731       +\$2,108       +\$16,582	CZ13		+\$611	+\$6,954		+\$2,108	+\$10,532	+\$16,806
+\$2,179       -(\$936)       +\$6,043       +\$4,612       +\$2,108       +\$5,085         +\$3,542       +\$2,441       +\$7,399       +\$5,731       +\$2,108       +\$16,582	CZ14		+\$199	+\$5,526		+\$2,108	+\$10,459	+\$16,394
+\$3,542 +\$2,441 +\$7,399 +\$5,731 +\$2,108 +\$16,582	CZ1S		(\$86\$)-	+\$6,043	+\$4,612	+\$2,108	+\$5,085	+\$11,382
	CZ16		+\$2,441	+\$7,399	+\$5,731	+\$2,108	+\$16,582	+\$22,838



Table 9: Single Family Package Cost-Effectiveness Results for the Mixed Fuel Case 1,2

				0	Efficiency			Efficiency Efficiency & PN	Effi	Efficiency & PV/Battery	PV/Batt	erv
		Non-Pr	reempted		Equipme	Equipment - Preempted	npted	Target				Target
		Efficiency	On-Bill	TDV	Efficiency	On-Bill	TDV	Efficiency	Total	On-Bill	TDV	Total
		EDR	B/C	B/C	EDR	B/C	B/C	EDR	EDR	B/C	B/C	EDR
ß	Utility	Margin	Ratio	Ratio	Margin	Ratio	Ratio	Margin	Margin	Ratio	Ratio	Margin
01	PG&E	5.3	3.4	2.8	6.9	4.9	4.1	5.0	10.6	6.0	1.6	10.5
05	PG&E	3.3	1.6	1.7	3.3	3.8	3.6	3.0	10.1	0.5	1.6	10.0
03	PG&E		1.3	1.3	4.1	1.9	2.0	2.5	10.0	0.4	1.4	10.0
40	PG&E	2.5	6.0	1.2	2.7	2.4	2.7	2.5	10.1	0.3	1.5	10.0
05		2.7	1.1	1.2	2.6	2.3	2.5	2.5	9.4	0.4	1.3	9.0
02	PG&E/SoCalGas	2.7	6.0	1.2	5.6	2.0	2.5	2.5	9.4	0.3	1.3	9.0
90	SCE/SoCalGas	2.0	0.7	1.2	2.0	1.6	2.0	1.5	8.6	0.8	1.3	9.5
07	SDG&E	0.0	ì	,	1.5	1.5	1.4	0.0	9.5	0.1	1.3	9.0
80	SCE/SoCalGas	1.3	9.0	1.4	1.6	1.3	1.8	1.0	8.4	6.0	1.3	8.0
60		2.6	0.7	2.0	2.9	1.8	3.7	2.5	∞ ∞	1.0	1.5	8.5
10	SCE/SoCalGas	3.2	9.0	1.3	3.2	2.0	3.8	3.0	9.6	1.0	1.5	9.5
10	SDG&E	3.2	0.8	1.3	3.2	5.6	3.8	3.0	9.6	9.0	1.5	9.5
11	PG&E	4.3	0.8	1.2	5.1	2.5	3.7	4.0	9.5	0.4	1.5	9.0
12	PG&E	3.5	1.2	1.8	3.4	3.3	4.6	3.0	9.6	0.4	1.7	9.5
13	PG&E	4.6	0.8	1.3	5.8	5.3	8.4	4.5	9.7	0.4	1.6	9.5
14	SCE/SoCalGas	5.0	1.6	2.5	5.8	4.0	6.1	4.5	0.6	1.3	1.7	9.0
14	SDG&E	2.0	1.9	2.5	5.8	4.9	6.1	4.5	0.6	1.2	1.7	9.0
15	SCE/SoCalGas	4.8	1.0	1.6	5.0	7	7	4.5	7.1	1.1	1.5	7.0
16	PG&E	5.4	1.6	1.5	6.2	2.2	2.2	5.0	10.5	0.9	1.4	10.5
111. 411 .												

<sup>1&</sup>quot;>1" indicates cases where there are both first cost savings and annual utility bill savings.



 $<sup>^2</sup>$ Information about the measures included for each climate zone are described in Appendix D - Single Family Measure Summary.

Table 10: Single Family Package Cost-Effectiveness Results for the All-Electric Case<sup>1,2</sup>

					Efficiency			Efficiency Efficiency & PV   Efficiency & PV   Efficiency	a Mesul	Efficiency & PV	V & PV	elecuric '	Case-, F	Set,2 Efficiency & DV/Battom	DV/B2	1
		Non-P	Non-Preempted	9	Equipme	quipment - Preempted	mpted	Target				Target		5	2	T. T.
		Efficiency On-Bill	On-Bill	<b>V</b>	Efficiency On-Bill	On-Bill	TDV	Efficiency	Total	On-Bill	TDV	Total	Total	On-Rill	\ <u>C</u>	Total
		EDR	B/C	B/C	EDR	B/C	B/C	EDR	EDR	B/C	B/C	EDR	EDR	B/C	B/C	FDR
2	Utility	Margin	Ratio	Ratio	Margin	Ratio	Ratio	Margin	Margin	Ratio	Ratio	Margin	Margin	Ratio	Ratio	Margin
01	PG&E	15.2	1.8	1.7	6.9	2.9	2.7	6.5	31.4	1.8	1.5	31.0	41.2	1.4	1 4	41.0
05	PG&E	4.9	1.2	1.1	5.1		2.1		19.4	1.8	1.4	19.0	30.1	1.4	1 4	30.0
03	PG&E	4.7	2.6	2.4	4.4	1.8	1.6	4.0	18.5	2.2	1.7	18.0	29.3	1.5	1.6	29.0
8	PG&E	3.4	1.9	1.8	3.9	1.5	1.5	3.0	17.2	2.1	1.6	17.0	28.6	7.	1 6	285
02	PG&E	4.4	2.6	2.3	4.4	1.9	1.7	4.0	18.2	2.3	1.8	18.0	28.7	1.6	1.6	28.5
	PG&E/SoCalGas	4.4	2.6	2.3	4.4	1.9	1.7	4.0	18.2	2.3	1.8	18.0	28.7	1.6	1.6	28.5
90	SCE/SoCalGas	2.0	1.3	1.4	2.9	2.2	2.3	2.0	14.3	1.2	1.5	14.0	26.1	1.2	1.4	26.0
02	SDG&E	0.0	•	•	2.2	1.6	1.7	0.0	11.3	1.9	1.5	11.0	24.2	1.3	1.5	24.0
80	SCE/SoCalGas	1.6	9.0	1.2	1.8	2.8	3.0	1.5	10.9	1.0	1.5	10.5	21.6	17	1.4	215
60	SCE/SoCalGas	2.8	0.8	2.0	3.3	2.1	3.2	2.5	11.5	1.1	1.6	11.5	21.3	111	1.5	210
10	SCE/SoCalGas	3.1	0.9	1.5	3.4	2.3	3.2	3.0	11.1	1.1	1.5	11.0	21.2	1.1	1.5	21.0
10	SDG&E	3.1	1.1	1.5	3.4	2.6	3.2	3.0	11.1	1.7	1.5	11.0	21.2	1.4	1.5	21.0
11	PG&E	4.6	1.2	1.5	5.9	3.0	3.3	4.5	14.2	1.8	1.6	14.0	23.2	1.5	1.6	23.0
12	PG&E	3.8	0.8	1.1	5.1	2.0	2.5	3.5	15.7	1.7	1.4	15.5	25.4	1.3	1.5	25.0
13	PG&E	5.1	1.1	1.4	0.9	2.9	3.3	5.0	13.4	1.7	1.5	13.0	22.5	1.4	1.5	22.0
14	SCE/SoCalGas	5.6	1.0	1.5	0.9	2.3	3.1	5.5	15.5	1.2	1.6	15.5	23.9	1.4	1.6	23.5
14	SDG&E	5.6	1.3	1.5	0.9	2.9	3.1	5.5	15.5	1.8	1.6	15.5	23.9	1.7	1.6	23.5
15	SCE/SoCalGas	2.6	1.1	1.6	7.3	3.3	4.5	12.57	6.2	1.1	1.6	0.9	13.5	1.2	1.5	13.0
16	PG&E	9.7	1.7	1.7	4.9	2.4	2.3	4.5	27.0	2.1	1.6	26.5	35.4	1.7	7.	35.0
1"\11	1" 1" indicates	I. Came Ale													1	200

<sup>1&</sup>quot;>1" indicates cases where there are both first cost savings and annual utility bill savings.



<sup>&</sup>lt;sup>2</sup>Information about the measures included for each climate zone are described in Appendix D – Single Family Measure Summary




Figure 3: Single family Total EDR comparison




Figure 4: Single family EDR Margin comparison (based on Efficiency EDR Margin for the Efficiency packages and the Total EDR Margin for the Efficiency & PV and Efficiency & PV/Battery packages)



### 3.2.1 **GHG Emission Reductions**

Figure 5 compares annual GHG emissions for both mixed fuel and all-electric single family 2019 code compliant cases with Efficiency, Efficiency & PV and Efficiency & PV/Battery packages. GHG emissions vary by climate but are consistently higher in mixed fuel cases than all-electric. Standard Design mixed fuel emissions range from 1.3 (CZ 7) to 3.3 (CZ 16) lbs CO2e/square foot of floor area, where all-electric Standard Design emissions range from 0.7 to 1.7 lbs CO2e/ft². Adding efficiency, PV and batteries to the mixed fuel code compliant prototype reduces GHG emissions by 20% on average to between 1.0 and 1.8 lbs CO2e/ft², with the exception of Climate Zones 1 and 16. Adding efficiency, PV and batteries to the all-electric code compliant prototype reduces annual GHG emissions by 65% on average to 0.8 lbs CO2e/ft² or less. None of the cases completely eliminate GHG emissions. Because of the time value of emissions calculation for electricity in CBECC-Res, there is always some amount of GHG impacts with using electricity from the grid.




Figure 5: Single family greenhouse gas emissions comparison

### 3.3 Multifamily Results

Table 11 through Table 13 contain cost effectiveness findings for the multifamily packages. Table 11 summarizes the package costs for all the mixed fuel and all-electric efficiency, PV and battery packages.

Table 12 and Table 13 present the B/C ratios for all the packages according to both the On-Bill and TDV methodologies for the mixed fuel and the all-electric cases, respectively. All the packages are cost-effective based on TDV except Climate Zone 3 for the all-electric cases where no cost-effective combination of non-preempted efficiency measures was found that met the minimum 0.5 EDR Margin threshold. Cases where the B/C ratio is indicated as ">1" refer to instances where there are incremental cost savings in addition to annual utility bill savings. In these cases, there is no cost associated with this upgrade and benefits are realized immediately.

It is generally more challenging to achieve equivalent savings targets cost-effectively for the multifamily cases than for the single family cases. With less exterior surface area per floor area the impact of envelope measures



is diminished in multifamily buildings. Ducts are already assumed to be within conditioned space and therefore only one of the duct measures found to be cost-effective in single family homes can be applied.

Figure 6 presents a comparison of Total EDRs for the multifamily cases and Figure 7 presents the EDR Margin results. Each graph compares the mixed fuel and all-electric cases as well as the various packages. Cost-effective efficiency packages were found for all mixed fuel cases. The Target EDR Margins for the mixed fuel Efficiency packages were found for all mixed fuel cases. The Target EDR Margins for the mixed fuel Efficiency packages were found in Climate Zones 3.5 for Climate Zones 1, 2, 4, 6, 8 through 12 and 16, and between 3.0 and 4.0 in Climate Zones 1.11, and 13 through 16. Por Climate Zones 2, 4 through 10 and 12, and between 3.0 and 4.0 in Climate Zones 1, 11, and 13 through 16.

For the **mixed fuel case, the Efficiency & PV/Battery Package** results in an EDR Margin of between 8.5 and 11.5 alone, but they all are cost-effective based on TDV energy savings. For the **all-electric case, the Efficiency & PV** salone, but they all are cost-effective based on TDV energy savings. For the **all-electric case, the Efficiency & PV** package resulted in EDR Margins of 10.5 to 17.5 for most climates; adding a battery system increased the EDR Margin by an additional 10 to 15 points. Climate zones 1 and 16, which have high heating loads, have much higher EDR Margins for the **Efficiency & PV package** (19.5-22.5). The Standard Design PV, which is what is applied in the **Efficiency Package**, is not sized to offset any of the heating load. When the PV system is sized to offset 90% of the total electricity use, the increase is substantial as a result. In Climate Zone 15 the Standard Design PV system is already sized to cover the cooling electricity load, which represents 30% of whole building electricity use. Therefore, increasing the PV size to offset 90% of the electric load in this climate only results in adding approximately 240 Watts of PV capacity per apartment and subsequently a much smaller impact on the sading approximately 240 Watts of PV capacity per apartment and subsequently a much smaller impact on the EDR than in other climate zones. Because of the limitations on oversizing PV systems to offset natural gas use it is not feasible to achieve comparable EDR Margins for the mixed fuel case as in the all-electric case.

Additional results details can be found in Appendix E – Multifamily Detailed Results with summaries of measures included in each of the packages in Appendix F – Multifamily Measure Summary. A summary of results by climate zone is presented in Appendix G – Results by Climate Zone.



Table 11: Multifamily Package Incremental Costs per Dwelling Unit

		Mixed Fuel			Mixed Fuel All-Electric	ctric	
Climate	Non-	Equipment -	Efficiency &	Non-	Eauipment -	Efficiency	Ffficiency &
Zone	Preempted	Preempted	PV/Battery	Preempted	Preempted	& PV	PV/Battery
CZ01	096\$+	+\$507	+\$3,094	+\$949	+\$795	+\$5,538	+\$8,919
CZ02	+\$309	+\$497	+\$2,413	+\$361	+\$795	+\$3,711	+\$6,833
CZ03	+\$175	+\$403	+\$2,279	n/a	+\$795	+\$3,272	+\$6,344
CZ04	+\$329	+\$351	+\$2,429	+\$361	+\$795	+\$3,158	+\$6,201
CZ05	+\$180	+\$358	+\$2,273	+\$247	+\$795	+\$3,293	+\$6,314
.90ZO	+\$190	+\$213	+\$2,294	+\$231	+\$361	+\$2,580	+\$5,590
CZ02	06\$+	+\$366	+\$2,188	+\$202	+\$361	+\$2,261	+\$5,203
CZ08	+\$250	+\$213	+\$2,353	+\$231	+\$361	+\$2,240	+\$5,249
CZ09	+\$136	+\$274	+\$2,234	+\$231	+\$361	+\$2,232	+\$5,236
CZ10	+\$278	+\$250	+\$2,376	+\$361	+\$361	+\$2,371	+\$5,395
CZ11	+\$850	+\$317	+\$2,950	+\$1,011	+\$795	+\$3,601	+\$6,759
CZ12	+\$291	+\$434	+\$2,394	+\$1,011	+\$795	+\$3,835	+\$6,943
CZ13	+\$831	+\$290	+\$2,936	+\$1,011	+\$795	+\$3,462	+\$6,650
CZ14	+\$874	+\$347	+\$2,957	+\$1,011	+\$795	+\$3,356	+\$6,380
CZ15	+\$510	-(\$157)	+\$2,604	+\$1,011	+\$1,954	+\$1,826	+\$5,020
CZ16	+\$937	+\$453	+\$3,028	+\$843	+\$795	+\$4,423	+\$7,533



Table 12: Multifamily Package Cost-Effectiveness Results for the Mixed Fuel Case<sup>1,2</sup>

					Efficiency				Effi	Efficiency & PV/Battery	PV/Batt	erv
		Non-Pr	reempted		Equipme	<b>Equipment - Preempted</b>	npted	Target			0.	Target
		Efficiency	On-Bill	<b>VQT</b>	Efficiency	On-Bill	TDV	Efficiency	Total	On-Bill	TDV	Total
		EDR	B/C	B/C	EDR	B/C	B/C	EDR	EDR	B/C	B/C	EDR
ß	Utility	Margin	Ratio	Ratio	Margin	Ratio	Ratio	Margin	Margin	Ratio	Ratio	Margin
01	PG&E	3.4	1.1	1.2	2.3	1.3	1.4	2.0	11.5	0.4	1.2	11.5
05	PG&E	1.8	1.0	1.7	2.3	1.1	1.5	1.5	10.9	0.2	1.6	10.5
03	PG&E	9.0	1.0	1.1	1.6	1.1	1.2	0.5	10.3	0.1	1.4	10.0
04	PG&E	1.3	0.8	1.2	1.9	1.1	1.7	1.0	11.2	0.2	1.6	11.0
05	PG&E	0.5	1.0	1.0	1.5	1.2	1.3	0.5	6.6	0.2	1.4	9.5
02	PG&E/SoCalGas	0.5	0.8	1.0	1.5	1.1	1.3	0.5	6.6	0.1	1.4	9.5
90	SCE/SoCalGas	1.3	9.0	1.5	1.3	1.4	1.7	1.0	10.7	9.0	1.4	10.5
07	SDG&E	6.0	0.7	2.2	2.0	1.1	1.4	0.5	11.0	0.0	1.4	11.0
8	SCE/SoCalGas	1.5	0.7	1.4	1.1	1.4	1.7	1.0	6.6	0.7	1.3	9.5
60	SCE/SoCalGas	1.8	1.5	3.3	2.8	1.7	2.9	1.5	9.7	6.0	1.5	9.5
10	SCE/SoCalGas	1.7	0.8	1.7	5.9	2.0	3.3	1.5	10.4	1.0	1.6	10.0
10	SDG&E	1.7	1.1	1.7	2.9	5.6	3.3	1.5	10.4	0.2	1.6	10.0
11	PG&E	2.9	0.7	1.2	3.2	1.8	3.3	2.5	10.5	0.4	1.6	10.5
12	PG&E	1.9	1.1	2.2	2.8	1.2	2.2	1.5	10.3	0.3	1.7	10.0
13	PG&E	3.1	9.0	1.3	3.4	2.0	3.8	3.0	10.7	0.4	1.6	10.5
14	SCE/SoCalGas	3.1	0.7	1.2	3.3	2.0	3.0	3.0	9.6	1.1	1.4	9.5
14	SDG&E	3.1	6.0	1.2	3.3	2.5	3.0	3.0	9.6	0.5	1.4	9.5
15	SCE/SoCalGas	4.2	1.4	2.3	4.4	×1	^1	4.0	∞ ∞	1.3	1.7	8.5
16	PG&E	2.4	1.1	1.2	2.9	1.8	2.1	2.0	6.6	0.5	1.3	9.5

<sup>1&</sup>quot;>1" indicates cases where there are both first cost savings and annual utility bill savings.



 $<sup>^2</sup>$ Information about the measures included for each climate zone are described in Appendix F - Multifamily Measure Summary.

Table 13: Multifamily Package Cost-effectiveness Results for the All-Electric Case<sup>1,2</sup>

		100			,	0						THE THOUSENESS	2000			
					Efficiency	ıcy			had.	Efficiency & PV	y & PV		Effic	Efficiency & PV/Battery	PV/Bat	ttery
		Non-F	Non-Preempted	ted	Equipm	uipment - Preempted	npted									
								Target				Target				Target
		Efficiency On-Bill	On-Bill	TDV	Efficiency			Efficiency	Total	On-Bill	TDV	Total	Total	On-Bill	TDV	Total
		EDR	B/C	B/C	EDR	On-Bill	B/C	EDR	EDR	B/C	B/C	EDR	EDR	B/C	B/C	EDR
2	Utility	Margin	Ratio	Ratio	Margin	B/C Ratio	Ratio	Margin	Margin	Ratio		Margin	Margin	Ratio	Ratio	Margin
01	PG&E	3.6	1.6	1.4	3.3	2.4	2.3	3.0	22.5	2.0	1.5	22.5	34.5	1.3	1.4	34.5
05	PG&E	1.9	1.7	2.1	3.2	1.6	1.6	1.5	17.5	2.4	1.8	17.5	30.9	1.4	1.7	30.5
03	PG&E	0.0	1	1	2.7	1.7	1.6	0.0	16.1	2.4	1.7	16.0	29.5	1.3	1.6	29.5
04	PG&E	1.4	1.4	1.5	2.2	1.2	1.1	1.0	15.0	2.4	1.8	15.0	28.9	1.3	1.8	28.5
05	PG&E	9.0	1.1	6.0	3.6	2.1	2.0	0.5	17.1	2.5	1.8	17.0	30.3	1.4	1.7	30.0
05	05 PG&E/SoCalGas	9.0	1.1	6.0	3.6	2.1	2.0	0.5	17.1	2.5	1.8	17.0	30.3	1.4	1.7	30.0
90	SCE/SoCalGas	1.0	0.7	1.3	2.2	1.6	1.9	1.0	13.8	1.2	1.7	13.5	27.5	1.2	1.6	27.5
07	SDG&E	9.0	9.0	1.0	1.9	1.6	1.7	0.5	12.8	2.1	1.8	12.5	27.1	1.2	1.6	27.0
88	SCE/SoCalGas	1.2	6.0	1.7	1.9	1.6	1.8	1.0	11.6	1.3	1.8	11.5	24.2	1.2	1.6	24.0
60	SCE/SoCalGas	1.6	1.3	2.7	1.5	1.6	1.6	1.5	11.3	1.3	1.9	11.0	23.3	1.3	1.7	23.0
10	SCE/SoCalGas	1.8	1.2	2.0	1.8	1.7	2.0	1.5	10.8	1.3	1.8	10.5	23.3	1.3	1.7	23.0
10	SDG&E	1.8	1.5	2.0	1.8	2.0	2.0	1.5	10.8	2.1	1.8	10.5	23.3	1.4	1.7	23.0
11	PG&E	3.5	1.4	1.6	3.9	2.0	2.3	3,5	13.4	2.2	1.8	13.0	25.3	1.4	1.8	25.0
12	PG&E	2.6	6.0	1.1	2.9	1.6	1.6	2.5	14.4	2.1	1.6	14.0	26.6	1.3	1.7	26.5
13	PG&E	3.3	1.3	1.6	3.0	2.0	2.3	3.0	12.2	2.1	1.7	12.0	23.9	1.4	1.7	23.5
14	SCE/SoCalGas	3.7	1.2	1.6	3.8	1.6	2.2	3.5	14.0	1.4	1.9	14.0	24.8	1.4	1.8	24.5
14	SDG&E	3.7	1.5	1.6	3.8	2.0	2.2	3.5	14.0	2.2	1.9	14.0	24.8	1.7	1.8	24.5
15	SCE/SoCalGas	4.4	1.5	2.3	6.4	1.2	1.7	4.0	7.1	1.4	2.1	7.0	16.9	1.3	1.8	16.5
16	PG&E	4.1	2.1	2.1	3.2	1.6	1.7	3.0	19.6	5.6	1.9	19.5	29.9	1.6	1.7	29.5

 $^{1}$  $^{2}$  $^{1}$ 

<sup>2</sup>Information about the measures included for each climate zone are described in Appendix F – Multifamily Measure Summary.






Figure 6: Multifamily Total EDR comparison




Figure 7: Multifamily EDR Margin comparison (based on Efficiency EDR Margin for the Efficiency packages and the Total EDR Margin for the Efficiency & PV and Efficiency & PV/Battery packages)



# 3.3.1 GHG Emission Reductions

Figure 8 compares annual GHG emissions for both mixed fuel and all-electric multifamily 2019 code compliant cases with Efficiency, Efficiency & PV and Efficiency & PV/Battery packages. GHG emissions vary by climate but are consistently higher in mixed fuel cases than all-electric. Standard design mixed fuel emissions range from 2.0 to 3.0 lbs CO2e/square foot of floor area, where all-electric standard design emissions range from 1.2 to 1.7 lbs CO2e/ft². Adding PV, batteries and efficiency to the mixed fuel code compliant prototype reduces annual GHG emissions by 17% on average to between 1.7 and 2.2 lbs CO2e/ft², except Climate Zone 16. Adding PV, batteries and efficiency to the all-electric code compliant prototype reduces annual GHG emissions by 64% on average to 0.6 lbs CO2e/ft² or less with the exception of Climate Zones 14, 15 and 16. As in the single family case, none of the cases completely eliminate GHG emissions because of the time value of emissions calculation for electricity in CBECC-Res.




Figure 8: Multifamily greenhouse gas emissions comparison

# 3.4 Electrification Results

Cost-effectiveness results comparing mixed fuel and all-electric cases are summarized below. The tables show average annual utility bill impacts and lifetime utility bill impacts, which account for fuel escalation for electricity and natural gas (see Section 2.5), lifetime equipment cost savings, and both On-Bill and TDV cost-effectiveness (B/C ratio). Positive utility bill values indicate lower utility costs for the all-electric home relative to the mixed fuel case while negative values in red and parenthesis indicate higher utility costs for the all-electric case. Lifetime equipment cost savings include savings due to eliminating natural gas infrastructure and replacement costs for appliances based on equipment life. Positive values for the lifetime equipment cost savings indicate lower installed costs for the all-electric and negative values indicate higher costs. B/C ratios 1.0 or greater indicate positive cost-effectiveness. Cases where the B/C ratio is indicated as ">1" refer to instances where there was incremental cost savings in addition to annual utility bill savings. In these cases, there is no cost associated with this upgrade and benefits are realized immediately.



32 2019-08-01

Three scenarios were evaluated:

- 1. <u>2019 Code Compliant</u>: Compares a 2019 code compliant all-electric home with a 2019 code compliant mixed fuel home.
- 2. Efficiency & PV Package: Compares an all-electric home with efficiency and PV sized to 90% of the annual electricity use to a 2019 code compliant mixed fuel home. The first cost savings in the code compliant all-electric house is invested in above code efficiency and PV reflective of the Efficiency & PV packages described above.
- 3. Neutral Cost Package: Compares an all-electric home with PV beyond code minimum with a 2019 code compliant mixed fuel home. The PV system for the all-electric case is sized to result in a zero lifetime incremental cost relative to a mixed fuel home.

# 3.4.1 Single Family

Table 14, Table 15, Figure 9, Figure 10, and Figure 11 present results of cost-effectiveness analysis for electrification of single family buildings, according to both the On-Bill and TDV methodologies. Based on typical cost assumptions arrived at for this analysis, the lifetime equipment costs for the single family code compliant all-electric option are approximately \$5,350 less than the mixed fuel code compliant option. Cost savings are entirely due to the elimination of gas infrastructure, which was assumed to be a savings of \$5,750. When evaluating cost-effectiveness based on TDV, the Utility Gas Main Extensions rules 50% refund and appliance allowance deduction are not applied and therefore the cost savings are twice as much.

Under the Efficiency & PV Package and the On-Bill analysis, the incremental cost of the efficiency and PV is typically more than the cost savings seen in the code compliant case, which results in a net cost increase in most climate zones for the all-electric case. In climates with small heating loads (7 and 15) there continues to be an incremental cost savings for the all-electric home. With the TDV analysis, there is still an incremental cost savings in all climates except 1 and 16 for single family.

Utility impacts differ by climate zone and utility, but utility costs for the code compliant all-electric option are typically higher than for the compliant mixed fuel design. There are utility cost savings across all climates zones and building types for the all-electric Efficiency & PV Package, resulting in a more cost-effective option.

The all-electric code compliant option is cost-effective based on the On-Bill approach for single family homes in Climate Zones 6 through 9, 10 (SCE/SoCalGas territory only), and 15. The code compliant option is cost-effective based on the TDV methodology in all climate zones except 1 and 16. If the same costs used for the On-Bill approach are also used for the TDV approach (incorporating the Utility Gas Main Extensions rules 50% refund and appliance allowance deduction), the all-electric code compliant option is cost-effective in Climate Zones 6 through 10. The Efficiency & PV all-electric option is cost-effective in all climate zones based on both the On-Bill and TDV methodologies. In many cases it is cost-effective immediately with lower equipment and utility costs.

The last set of results in Table 14 shows the neutral cost case where the cost savings for the all-electric code compliant home is invested in a larger PV system, resulting in a lifetime incremental cost of zero based on the On-Bill approach. This package results in utility cost savings in all cases except Climate Zones 1, 14 (SCE/SoCalGas territory only), and 16. For these three cases the Reach Code Team evaluated how much additional PV would be required to result in a cost-effective package. These results are presented in Table 15 and show that an additional 1.6kW in Climate Zone 1 results in a B/C ratio of 1.1. For Climate Zone 14 and 16 adding 0.25kW and 1.2kW, respectively, results in a B/C ratio of 1.2. Neutral cost cases are cost-effective based on the TDV methodology in all climate zones except 16.

# 3.4.2 Multifamily

Multifamily results are found in Table 16, Table 17, Figure 12, Figure 13, and Figure 14. Lifetime costs for the multifamily code compliant all-electric option are approximately \$2,300 less than the mixed fuel code compliant option, entirely due to the elimination of gas infrastructure. When evaluating cost-effectiveness based on TDV,



the Utility Gas Main Extensions rules 50% refund and appliance allowance deduction are not applied and therefore the cost savings are approximately 2.5 times higher.

With the Efficiency & PV Package and the On-Bill analysis, due to the added cost of the efficiency and PV there is a net cost increase for the all-electric case in all climate zones for except 7, 8, 9, and 15. With the TDV analysis, there is still an incremental cost savings in all climates. Like the single family results, utility costs are typically higher for the code compliant all-electric option but lower than the code compliant mixed fuel option with the Efficiency & PV Package.

The all-electric code compliant option is cost-effective based on the On-Bill approach for multifamily in Climate Zones 6 through 9, 10 and 14 (SCE/SoCalGas territory only), and 15. Based on the TDV methodology, the code compliant option for multifamily is cost-effective for all climate zones. If the same costs used for the On-Bill approach are also used for the TDV approach (incorporating the Utility Gas Main Extensions rules 50% refund and appliance allowance deduction), the all-electric code compliant option is cost-effective in Climate Zones 8 and 9. Like the single family cases, the Efficiency & PV all-electric option is cost-effective in all climate zones based on both the On-Bill and TDV methodologies.

The last set of results in Table 16 show the neutral cost case where the cost savings for the all-electric code compliant home is invested in a larger PV system, resulting in a lifetime incremental cost of zero based on the On-Bill approach. This package results in utility cost savings in all cases except Climate Zone 1. For this case the Reach Code Team evaluated how much additional PV would be required to result in a cost-effective package. These results are presented in Table 17 and show that an additional 0.3kW per apartment results in a B/C ratio of 1.1. Neutral cost cases are cost-effective based on the TDV methodology in all climate zones except 16.

**Table 14: Single Family Electrification Results** 

			0	n-Bill Cost	t-effectivene	ess <sup>1</sup>		TDV Cos	st-effectiver	ness
		Average A	Annual U	tility Bill	Lit	fetime NPV		Life	etime NPV	
			Savings							
				Net		Equipment	On-Bill		Equipment	TDV
			Natural	Utility	<b>Utility Bill</b>	Cost	B/C	TDV Cost	Cost	B/C
CZ	Utility	Electricity	Gas	Savings	Savings	Savings	Ratio <sup>2</sup>	Savings	Savings	Ratio
				2019 C	ode Complia	nt Home			1111	
01	PG&E	-(\$1,194)	+\$712	-(\$482)	-(\$14,464)	+\$5,349	0.4	-(\$13,081)	+\$11,872	0.9
02	PG&E	-(\$825)	+\$486	-(\$340)	-(\$10,194)	+\$5,349	0.5	-(\$7,456)	+\$11,872	1.6
03	PG&E	-(\$717)	+\$391	-(\$326)	-(\$9,779)	+\$5,349	0.5	-(\$7,766)	+\$11,872	1.5
04	PG&E	-(\$710)	+\$387	-(\$322)	-(\$9,671)	+\$5,349	0.6	-(\$7,447)	+\$11,872	1.6
05	PG&E	-(\$738)	+\$367	-(\$371)	-(\$11,128)	+\$5,349	0.5	-(\$8,969)	+\$11,872	1.3
05	PG&E/SoCalGas	-(\$738)	+\$370	-(\$368)	-(\$11,034)	+\$5,349	0.5	-(\$8,969)	+\$11,872	1.3
06	SCE/SoCalGas	-(\$439)	+\$289	-(\$149)	-(\$4,476)	+\$5,349	1.2	-(\$4,826)	+\$11,872	2.5
07	SDG&E	-(\$414)	+\$243	-(\$171)	-(\$5,134)	+\$5,349	1.0	-(\$4,678)	+\$11,872	2.5
08	SCE/SoCalGas	-(\$347)	+\$249	-(\$97)	-(\$2,921)	+\$5,349	1.8	-(\$3,971)	+\$11,872	3.0
09	SCE/SoCalGas	-(\$377)	+\$271	-(\$107)	-(\$3,199)	+\$5,349	1.7	-(\$4,089)	+\$11,872	2.9
10	SCE/SoCalGas	-(\$403)	+\$280	-(\$123)	-(\$3,684)	+\$5,349	1.5	-(\$4,458)	+\$11,872	2.7
10	SDG&E	-(\$496)	+\$297	-(\$198)	-(\$5,950)	+\$5,349	0.9	-(\$4,458)	+\$11,872	2.7
11	PG&E	-(\$810)	+\$447	-(\$364)	-(\$10,917)	+\$5,349	0.5	-(\$7,024)	+\$11,872	1.7
12	PG&E	-(\$740)	+\$456	-(\$284)	-(\$8,533)	+\$5,349	0.6	-(\$6,281)	+\$11,872	1.9
13	PG&E	-(\$742)	+\$413	-(\$329)	-(\$9,870)	+\$5,349	0.5	-(\$6,480)	+\$11,872	1.8
14	SCE/SoCalGas	-(\$661)	+\$413	-(\$248)	-(\$7,454)	+\$5,349	0.7	-(\$7,126)	+\$11,872	1.7
14	SDG&E	-(\$765)	+\$469	-(\$296)	-(\$8,868)	+\$5,349	0.6	-(\$7,126)	+\$11,872	1.7
15	SCE/SoCalGas	-(\$297)	+\$194	-(\$103)	-(\$3,090)	+\$5,349	1.7	-(\$5,364)	+\$11,872	2.2
16	PG&E	-(\$1,287)	+\$712	-(\$575)	-(\$17,250)	+\$5,349	0.3	-(\$17,391)	+\$11,872	0.7



			0	n-Bill Cost	t-effectivene	ess <sup>1</sup>		TDV Co	st-effectiven	ess
		Average A	Annual U	tility Bill	Li	fetime NPV			etime NPV	
			Savings		_					
				Net		Equipment	On-Bill		Equipment	TDV
			Natural	Utility	Utility Bill	Cost	B/C	TDV Cost	Cost	B/C
CZ	Utility	Electricity	Gas	Savings	Savings	Savings	Ratio <sup>2</sup>	Savings	Savings	Ratio
					ency & PV P		Hatio	Juvings	20411183	Natio
01	PG&E	-(\$99)	+\$712	+\$613	+\$18,398	-(\$12,844)	1.4	+\$13,364	-(\$6,321)	2.1
02	PG&E	-(\$89)	+\$486	+\$397	+\$11,910	-(\$6,758)	1.8	+\$9,307	-(\$234)	39.7
03	PG&E	-(\$87)	+\$391	+\$304	+\$9,119	-(\$3,169)	2.9	+\$6,516	+\$3,355	>1
04	PG&E	-(\$85)	+\$387	+\$302	+\$9,074	-(\$3,438)	2.6	+\$6,804	+\$3,086	>1
05	PG&E	-(\$98)	+\$367	+\$268	+\$8,054	-(\$2,959)	2.7	+\$5,625	+\$3,564	>1
05	PG&E/SoCalGas	-(\$98)	+\$370	+\$272	+\$8,148	-(\$2,959)	2.8	+\$5,625	+\$3,564	>1
06	SCE/SoCalGas	-(\$188)	+\$289	+\$102	+\$3,049	-(\$992)	3.1	+\$4,585	+\$5,531	>1
07	SDG&E	-(\$137)	+\$243	+\$106	+\$3,174	+\$912	>1	+\$2,176	+\$7,436	>1
08	SCE/SoCalGas	-(\$160)	+\$249	+\$89	+\$2,664	-(\$25)	107.9	+\$3,965	+\$6,499	>1
09	SCE/SoCalGas	-(\$169)	+\$271	+\$102	+\$3,067	-(\$429)	7.1	+\$5,368	+\$6,094	>1
10	SCE/SoCalGas	-(\$173)	+\$280	+\$107	+\$3,216	-(\$1,057)	3.0	+\$5,165	+\$5,466	>1
10	SDG&E	-(\$137)	+\$297	+\$160	+\$4,805	-(\$1,057)	4.5	+\$5,165	+\$5,466	>1
11	PG&E	-(\$147)	+\$447	+\$300	+\$8,988	-(\$5,478)	1.6	+\$9,776	+\$1,045	>1
12	PG&E	-(\$92)	+\$456	+\$364	+\$10,918	-(\$6,172)	1.8	+\$9,913	+\$352	>1
13	PG&E	-(\$144)	+\$413	+\$269	+\$8,077	-(\$5,184)	1.6	+\$8,960	+\$1,339	>1
14	SCE/SoCalGas	-(\$241)	+\$413	+\$172	+\$5,164	-(\$5,111)	1.0	+\$9,850	+\$1,412	>1
14	SDG&E	-(\$139)	+\$469	+\$330	+\$9,910	-(\$5,111)	1.9	+\$9,850	+\$1,412	>1
15	SCE/SoCalGas	-(\$107)	+\$194	+\$87	+\$2,603	+\$264	>1	+\$2,598	+\$6,787	>1
16	PG&E	-(\$130)	+\$712	+\$582	+\$17,457	-(\$11,234)	1.6	+\$9,536	-(\$4,710)	2.0
				Neu	tral Cost Pac				1	
01	PG&E	-(\$869)	+\$712	-(\$157)	-(\$4,704)	+\$0	0	-(\$6,033)	+\$6,549	1.1
02	PG&E	-(\$445)	+\$486	+\$40	+\$1,213	+\$0	>1	+\$868	+\$6,505	>1
03	PG&E	-(\$335)	+\$391	+\$56	+\$1,671	+\$0	>1	+\$483	+\$6,520	>1
04	PG&E	-(\$321)	+\$387	+\$66	+\$1,984	+\$0	>1	+\$1,062	+\$6,521	>1
05	PG&E	-(\$335)	+\$367	+\$31	+\$938	+\$0	>1	-(\$163)	+\$6,519	40.1
05	PG&E/SoCalGas	-(\$335)	+\$370	+\$34	+\$1,031	+\$0	>1	-(\$163)	+\$6,519	40.1
06	SCE/SoCalGas	-(\$227)	+\$289	+\$63	+\$1,886	+\$0	>1	+\$3,258	+\$6,499	>1
07	SDG&E	-(\$72)	+\$243	+\$171	+\$5,132	+\$0	>1	+\$3,741	+\$6,519	>1
08	SCE/SoCalGas	-(\$144)	+\$249	+\$105	+\$3,162	+\$0	>1	+\$4,252	+\$6,515	>1
09	SCE/SoCalGas	-(\$170)	+\$271	+\$100	+\$3,014	+\$0	>1	+\$4,271	+\$6,513	>1
10	SCE/SoCalGas	-(\$199)	+\$280	+\$81	+\$2,440	+\$0	>1	+\$3,629	+\$6,494	>1
10	SDG&E	-(\$155)	+\$297	+\$143	+\$4,287	+\$0	>1	+\$3,629	+\$6,494	>1
11	PG&E	-(\$426)	+\$447	+\$21	+\$630	+\$0	>1	+\$1,623	+\$6,504	>1
12	PG&E	-(\$362)	+\$456	+\$94	+\$2,828	+\$0	>1	+\$2,196	+\$6,525	>1
13	PG&E	-(\$370)	+\$413	+\$43	+\$1,280	+\$0	>1	+\$1,677	+\$6,509	>1
14	SCE/SoCalGas	-(\$416)	+\$413	-(\$4)	-(\$107)	+\$0	0	+\$2,198	+\$6,520	>1
14	SDG&E	-(\$391)	+\$469	+\$79	+\$2,356	+\$0	>1	+\$2,198	+\$6,520	>1
15	SCE/SoCalGas	-(\$98)	+\$194	+\$97	+\$2,900	+\$0	>1	+\$2,456	+\$6,483	>1
16	PG&E	-(\$878)	+\$712	-(\$166)	-(\$4,969)	+\$0	0	-(\$8,805)	+\$6,529	0.7

<sup>&</sup>lt;sup>1</sup>Red values in parentheses indicate an increase in utility bill costs or an incremental first cost for the all-electric home.

<sup>2&</sup>quot;>1" indicates cases where there are both first cost savings and annual utility bill savings.



Table 15: Comparison of Single Family On-Bill Cost Effectiveness Results with Additional PV

			Neutra	l Cost		M	in. Cost Effe	ctiveness	
cz	Utility	PV Capacity (kW)	Utility Bill Savings	Equipment Cost Savings	On-Bill B/C Ratio	PV Capacity (kW)	Utility Bill Savings	Equipment Cost Savings	On-Bill B/C Ratio
01	PG&E	4.7	-(\$4,704)	+\$0	0	6.3	+\$6,898	-(\$6,372)	1.1
14	SCE/SoCalGas	4.5	-(\$107)	+\$0	0	4.8	+\$1,238	-(\$1,000)	1.2
16	PG&E	4.1	-(\$4,969)	+\$0	0	5.3	+\$5,883	-(\$4,753)	1.2




Figure 9: B/C ratio results for a single family all-electric code compliant home versus a mixed fuel code compliant home






Figure 10: B/C ratio results for the single family Efficiency & PV all-electric home versus a mixed fuel code compliant home




Figure 11: B/C ratio results for the single family neutral cost package all-electric home versus a mixed fuel code compliant home



**Table 16: Multifamily Electrification Results (Per Dwelling Unit)** 

	Tal	ole 16: M				Results (Pe	r Dwel	ling Unit	)	
					-effectivene	ess <sup>1</sup>		TDV Co	st-effectiven	ess
		Average		tility Bill	<u>Li</u>	fetime NPV		<u>Lif</u>	etime NPV	
			<u>Savings</u>							
				Net		Equipment	On-Bill		Equipment	TDV
			Natural	Utility	<b>Utility Bill</b>	Cost	B/C	TDV Cost	Cost	B/C
CZ	Utility	Electricity	Gas	Savings	Savings	Savings	Ratio <sup>2</sup>	Savings	Savings	Ratio
				2019 C	ode Complia					
01	PG&E	-(\$396)	+\$193	-(\$203)	-(\$6,079)	+\$2,337	0.4	-(\$5,838)	+\$5,899	1.0
02	PG&E	-(\$310)	+\$162	-(\$148)	-(\$4,450)	+\$2,337	0.5	-(\$4,144)	+\$5,899	1.4
03	PG&E	-(\$277)	+\$142	-(\$135)	-(\$4,041)	+\$2,337	0.6	-(\$4,035)	+\$5,899	1.5
04	PG&E	-(\$264)	+\$144	-(\$120)	-(\$3,595)	+\$2,337	0.6	-(\$3,329)	+\$5,899	1.8
05	PG&E	-(\$297)	+\$140	-(\$157)	-(\$4,703)	+\$2,337	0.5	-(\$4,604)	+\$5,899	1.3
05	PG&E/SoCalGas	-(\$297)	+\$178	-(\$119)	-(\$3,573)	+\$2,337	0.7	-(\$4,604)	+\$5,899	1.3
06	SCE/SoCalGas	-(\$191)	+\$161	-(\$30)	-(\$902)	+\$2,337	2.6	-(\$2,477)	+\$5,899	2.4
07	SDG&E	-(\$206)	+\$136	-(\$70)	-(\$2,094)	+\$2,337	1.1	-(\$2,390)	+\$5,899	2.5
08	SCE/SoCalGas	-(\$169)	+\$157	-(\$12)	-(\$349)	+\$2,337	6.7	-(\$2,211)	+\$5,899	2.7
09	SCE/SoCalGas	-(\$177)	+\$159	-(\$18)	-(\$533)	+\$2,337	4.4	-(\$2,315)	+\$5,899	2.5
10	SCE/SoCalGas	-(\$183)	+\$159	-(\$23)	-(\$697)	+\$2,337	3.4	-(\$2,495)	+\$5,899	2.4
10	SDG&E	-(\$245)	+\$139	-(\$106)	-(\$3,192)	+\$2,337	0.7	-(\$2,495)	+\$5,899	2.4
11	PG&E	-(\$291)	+\$153	-(\$138)	-(\$4,149)	+\$2,337	0.6	-(\$4,420)	+\$5,899	1.3
12	PG&E	-(\$277)	+\$155	-(\$122)	-(\$3,665)	+\$2,337	0.6	-(\$3,557)	+\$5,899	1.7
13	PG&E	-(\$270)	+\$146	-(\$124)	-(\$3,707)	+\$2,337	0.6	-(\$3,821)	+\$5,899	1.5
14	SCE/SoCalGas	-(\$255)	+\$187	-(\$69)	-(\$2,062)	+\$2,337	1.1	-(\$3,976)	+\$5,899	1.5
14	SDG&E	-(\$328)	+\$175	-(\$154)	-(\$4,607)	+\$2,337	0.5	-(\$3,976)	+\$5,899	1.5
15	SCE/SoCalGas	-(\$154)	+\$142	-(\$12)	-(\$367)	+\$2,337	6.4	-(\$2,509)	+\$5,899	2.4
16	PG&E	-(\$404)	+\$224	-(\$180)	-(\$5,411)	+\$2,337	0.4	-(\$5,719)	+\$5,899	1.0
					ency & PV Pa	ackage				
01	PG&E	-(\$19)	+\$193	+\$174	+\$5,230	-(\$3,202)	1.6	+\$2,467	+\$361	>1
02	PG&E	-(\$10)	+\$162	+\$152	+\$4,549	-(\$1,375)	3.3	+\$2,605	+\$2,187	>1
03	PG&E	-(\$12)	+\$142	+\$130	+\$3,910	-(\$936)	4.2	+\$1,632	+\$2,626	>1
04	PG&E	-(\$8)	+\$144	+\$136	+\$4,080	-(\$822)	5.0	+\$2,381	+\$2,740	>1
05	PG&E	-(\$19)	+\$140	+\$121	+\$3,635	-(\$956)	3.8	+\$1,403	+\$2,606	>1
05	PG&E/SoCalGas	-(\$19)	+\$178	+\$159	+\$4,765	-(\$956)	5.0	+\$1,403	+\$2,606	>1
06	SCE/SoCalGas	-(\$84)	+\$161	+\$77	+\$2,309	-(\$243)	9.5	+\$1,940	+\$3,319	>1
07	SDG&E	-(\$49)	+\$136	+\$87	+\$2,611	+\$75	>1	+\$1,583	+\$3,638	>1
08	SCE/SoCalGas	-(\$74)	+\$157	+\$83	+\$2,480	+\$96	>1	+\$1,772	+\$3,658	>1
09	SCE/SoCalGas	-(\$76)	+\$159	+\$82	+\$2,469	+\$104	>1	+\$1,939	+\$3,667	>1
10	SCE/SoCalGas	-(\$79)	+\$159	+\$80	+\$2,411	-(\$34)	70.9	+\$1,737	+\$3,528	>1
10	SDG&E	-(\$77)	+\$139	+\$61	+\$1,842	-(\$34)	54.2	+\$1,737	+\$3,528	>1
11	PG&E	-(\$25)	+\$153	+\$128	+\$3,834	-(\$1,264)	3.0	+\$2,080	+\$2,298	>1
12	PG&E	-(\$11)	+\$155	+\$144	+\$4,316	-(\$1,498)	2.9	+\$2,759	+\$2,064	>1
13	PG&E	-(\$26)	+\$146	+\$121	+\$3,625	-(\$1,125)	3.2	+\$2,083	+\$2,437	>1
14	SCE/SoCalGas	-(\$99)	+\$187	+\$87	+\$2,616	-(\$1,019)	2.6	+\$2,422	+\$2,543	>1
14	SDG&E	-(\$86)	+\$175	+\$88	+\$2,647	-(\$1,019)	2.6	+\$2,422	+\$2,543	>1
15	SCE/SoCalGas	-(\$67)	+\$142	+\$75	+\$2,247	+\$511	>1	+\$1,276	+\$4,073	>1
16	PG&E	-(\$24)	+\$224	+\$200	+\$5,992	-(\$2,087)	2.9	+\$2,629	+\$1,476	>1



			0	n-Bill Cost	-effectivene	ess <sup>1</sup>		TDV Co	st-effectiven	iess
		Average	Annual U Savings	tility Bill	<u>Li</u>	fetime NPV		<u>Lif</u>	etime NPV	
				Net		Equipment	On-Bill		Equipment	TDV
			Natural	Utility	<b>Utility Bill</b>	Cost	B/C	<b>TDV Cost</b>	Cost	B/C
CZ	Utility	Electricity	Gas	Savings	Savings	Savings	Ratio <sup>2</sup>	Savings	Savings	Ratio
				Neu	itral Cost Pa	ckage			THE REST	
01	PG&E	-(\$228)	+\$193	-(\$35)	-(\$1,057)	+\$0	0	-(\$2,267)	+\$3,564	1.6
02	PG&E	-(\$115)	+\$162	+\$47	+\$1,399	+\$0	>1	+\$59	+\$3,563	>1
03	PG&E	-(\$81)	+\$142	+\$61	+\$1,843	+\$0	>1	+\$138	+\$3,562	>1
04	PG&E	-(\$64)	+\$144	+\$80	+\$2,402	+\$0	>1	+\$983	+\$3,563	>1
05	PG&E	-(\$90)	+\$140	+\$50	+\$1,490	+\$0	>1	-(\$152)	+\$3,564	23.4
05	PG&E/SoCalGas	-(\$90)	+\$178	+\$87	+\$2,620	+\$0	>1	-(\$152)	+\$3,564	23.4
06	SCE/SoCalGas	-(\$90)	+\$161	+\$71	+\$2,144	+\$0	>1	+\$1,612	+\$3,562	>1
07	SDG&E	-(\$32)	+\$136	+\$105	+\$3,135	+\$0	>1	+\$1,886	+\$3,560	>1
08	SCE/SoCalGas	-(\$67)	+\$157	+\$90	+\$2,705	+\$0	>1	+\$1,955	+\$3,564	>1
09	SCE/SoCalGas	-(\$71)	+\$159	+\$87	+\$2,623	+\$0	>1	+\$1,924	+\$3,561	>1
10	SCE/SoCalGas	-(\$78)	+\$159	+\$81	+\$2,431	+\$0	>1	+\$1,588	+\$3,561	>1
10	SDG&E	-(\$71)	+\$139	+\$68	+\$2,033	+\$0	>1	+\$1,588	+\$3,561	>1
11	PG&E	-(\$93)	+\$153	+\$59	+\$1,783	+\$0	>1	-(\$48)	+\$3,562	74.0
12	PG&E	-(\$82)	+\$155	+\$73	+\$2,184	+\$0	>1	+\$739	+\$3,564	>1
13	PG&E	-(\$79)	+\$146	+\$68	+\$2,034	+\$0	>1	+\$310	+\$3,560	>1
14	SCE/SoCalGas	-(\$141)	+\$187	+\$45	+\$1,359	+\$0	>1	+\$747	+\$3,562	>1
14	SDG&E	-(\$137)	+\$175	+\$38	+\$1,131	+\$0	>1	+\$747	+\$3,562	>1
15	SCE/SoCalGas	-(\$50)	+\$142	+\$92	+\$2,771	+\$0	>1	+\$1,738	+\$3,560	>1
16	PG&E	-(\$194)	+\$224	+\$30	+\$900	+\$0	>1	-(\$1,382)	+\$3,564	2.6

<sup>&</sup>lt;sup>1</sup>Red values in parentheses indicate an increase in utility bill costs or an incremental first cost for the all-electric home.

Table 17: Comparison of Multifamily On-Bill Cost Effectiveness Results with Additional PV (Per Dwelling Unit)

			Neutra	l Cost			Min. Cost Ef	fectiveness	
		PV		Equipment		PV		Equipment	
		Capacity	<b>Utility Bill</b>	Cost	On-Bill	Capacity	<b>Utility Bill</b>	Cost	On-Bill
CZ	Utility	(kW)	Savings	Savings	B/C Ratio	(kW)	Savings	Savings	<b>B/C Ratio</b>
01	PG&E	2.7	-(\$1,057)	+\$0	0	3.0	+\$1,198	-(\$1,052)	1.1



 $<sup>^{2&</sup>quot;}>1"$  indicates cases where there are both first cost savings and annual utility bill savings.




Figure 12: B/C ratio results for a multifamily all-electric code compliant home versus a mixed fuel code compliant home




Figure 13: B/C ratio results for the multifamily Efficiency & PV all-electric home versus a mixed fuel code compliant home






Figure 14: B/C ratio results for the multifamily neutral cost package all-electric home versus a mixed fuel code compliant home

# 4 Conclusions & Summary

This report evaluated the feasibility and cost-effectiveness of "above code" performance specifications through the application of efficiency measures, PV, and electric battery storage in all 16 California climate zones. The analysis found cost-effective packages across the state for both single family and low-rise multifamily buildings. For the building types and climate zones where cost-effective packages were identified, the results of this analysis can be used by local jurisdictions to support the adoption of reach codes. Cost-effectiveness was evaluated according to two metrics: On-Bill customer lifecycle benefit-to-cost and TDV lifecycle benefit-to-cost. While all the above code targets presented are based on packages that are cost-effective under at least one of these metrics, they are not all cost-effective under both metrics. Generally, the test for being cost-effective under the TDV methodology is less challenging than under the On-Bill methodology. Therefore, all packages presented are cost-effective based on TDV, and may or may not be cost-effective based on the On-Bill method. It is up to each jurisdiction to determine what metric is most appropriate for their application. A summary of results by climate zone are presented in Appendix G – Results by Climate Zone.

Above code targets are presented as Target EDR Margin, which have been defined for each scenario where a cost-effective package was identified. Target EDR Margins represent the maximum "reach" values that meet the requirements. Jurisdictions may adopt less stringent requirements. For the Efficiency Package the Target EDR Margin was defined based on the lower EDR Margin of the Efficiency – Non-Preempted Package and the Efficiency – Equipment, Preempted Package. For example, if the cost-effective Non-Preempted package has an EDR Margin of 3 and the Preempted package an EDR Margin of 4, the Target EDR Margin is set at 3.

The average incremental cost for the single family Efficiency packages is ~\$1,750. The Efficiency & PV Package average incremental cost is \$9,180 and for the Efficiency & PV/Battery Package it is approximately \$5,600 for the



mixed fuel cases and \$15,100 for the all-electric cases. The incremental costs for each multifamily apartment are approximately 30-40% lower. See Table 8 and Table 11 for a summary of package costs by case.

Table 18 and Table 19 summarize the maximum Target EDR Margins determined to be cost effective for each package for single family and multifamily, respectively. Cases labeled as "n/a" in the tables indicate where no cost-effective package was identified under either On-Bill or TDV methodology.

This analysis also looked at the GHG emissions impacts of the various packages. An all-electric design reduces GHG emissions 40-50% in most cases relative to a comparable mixed fuel design.

There is significant interest throughout California on electrification of new buildings. The Reach Code Team assembled data on the cost differences between a code compliant mixed fuel building and a code compliant allelectric building. Based on lifetime equipment cost savings (the difference in first cost for equipment and infrastructure combined with incremental replacement costs) of \$5,349 for an all-electric single family home this analysis found that from a customer on-bill perspective, the all-electric code compliant option is cost-effective in Climates Zones 6 through 9, 10 (SCE/SoCalGas territory only), and 15, and cost-effective in all climate zones except 1 and 16 based on TDV. For multifamily buildings, based on a cost savings of \$2,337 per apartment, the code compliant option is cost-effective in Climates Zones 6 through 9, 10 & 14 (SCE/SoCalGas territory only), and code compliant option is cost-effective in Climates Zones 6 through 9, 10 & 14 (SCE/SoCalGas territory only), and code compliant option is cost-effective in Climates Zones 6 through 9, 10 & 14 (SCE/SoCalGas territory only), and code compliant option is cost-effective in Climates Zones 6 through 9, 10 & 14 (SCE/SoCalGas territory only), and code compliant option is cost-effective in Climates Zones 6 through 9, 10 & 14 (SCE/SoCalGas territory only), and code compliant option is cost-effective in Climates Zones 6 through 9, 10 & 14 (SCE/SoCalGas territory only).

Adding efficiency and PV to the code compliant all-electric buildings increases the cost-effectiveness in all climate zones. The Efficiency & PV Package is cost-effective when compared to a mixed fuel code compliant building in all climate zones for both single family and multifamily buildings based on both the On-Bill and TDV methodologies. The Efficiency & PV package adds PV to offset 90% of the electricity use of the home. While this results in higher installed costs, the reduced lifetime utility costs are larger (\$0 to \$6,000 lifetime incremental equipment costs in many climates for single family homes and an associated \$4,500 to \$13,500 lifetime utility equipment costs in many climates for single family homes and an associated \$4,500 to \$13,500 lifetime utility cost savings across the same cases), resulting in positive B/C ratios for all cases.

The Reach Code Team also evaluated a neutral cost electrification scenario where the cost savings for the all-electric code compliant home is invested in a larger PV system, resulting in a lifetime incremental cost of zero based on the On-Bill approach. This package results in utility cost savings and positive on-bill B/C ratio in all cases except Climate Zones 1 and 16 for single family, and Climate Zone 1 for low-rise multifamily. Increasing the PV sizes in those climates by approximately 30% resulted in positive on-bill B/C ratios, while still not resulting in oversizing of PV systems.

Other studies have shown that cost-effectiveness of electrification increases with high efficiency space conditioning and water heating equipment in the all-electric home. This was not directly evaluated in this analysis but based on the favorable cost-effectiveness results of the Equipment, Preempted package for the individual mixed fuel and all-electric upgrades it's expected that applying similar packages to the electrification analysis would result in increased cost-effectiveness.

The Reach Code Team found there can be substantial variability in first costs, particularly related to natural gas infrastructure. Costs are project-dependent and will be impacted by such factors as site characteristics, distance to the nearest gas main, joint trenching, whether work is conducted by the utility or a private contractor, and number of homes per development among other things. While the best cost data available to the Reach Code Team was applied in this analysis, individual projects may experience different costs, either higher or lower than Team was applied in this analysis, individual projects may experience different costs, either higher or lower than the estimates presented here.



**Table 18: Summary of Single Family Target EDR Margins** 

te	Mixe	ed Fuel		All-Electric	
Climate Zone		Efficiency &			Efficiency &
Cli	Efficiency	PV/Battery	Efficiency	Efficiency & PV	PV/Battery
01	5.0	10.5	6.5	31.0	41.0
02	3.0	10.0	4.5	19.0	30.0
03	2.5	10.0	4.0	18.0	29.0
04	2.5	10.0	3.0	17.0	28.5
05	2.5	9.0	4.0	18.0	28.5
06	1.5	9.5	2.0	14.0	26.0
07	n/a	9.0	n/a	11.0	24.0
08	1.0	8.0	1.5	10.5	21.5
09	2.5	8.5	2.5	11.5	21.0
10	3.0	9.5	3.0	11.0	21.0
11	4.0	9.0	4.5	14.0	23.0
12	3.0	9.5	3.5	15.5	25.0
13	4.5	9.5	5.0	13.0	22.0
14	4.5	9.0	5.5	15.5	23.5
15	4.5	7.0	5.5	6.0	13.0
16	5.0	10.5	4.5	26.5	35.0

Table 19: Summary of Multifamily Target EDR Margins

		d final	I	0	113
#	IVIIXE	d Fuel		All-Electric	
Climate Zone		Efficiency &			Efficiency &
Ci Ci	Efficiency	PV/Battery	Efficiency	Efficiency & PV	PV/Battery
01	2.0	11.5	3.0	22.5	34.5
02	1.5	10.5	1.5	17.5	30.5
03	0.5	10.0	n/a	16.0	29.5
04	1.0	11.0	1.0	15.0	28.5
05	0.5	9.5	0.5	17.0	30.0
06	1.0	10.5	1.0	13.5	27.5
07	0.5	11.0	0.5	12.5	27.0
08	1.0	9.5	1.0	11.5	24.0
09	1.5	9.5	1.5	11.0	23.0
10	1.5	10.0	1.5	10.5	23.0
11	2.5	10.5	3.5	13.0	25.0
12	1.5	10.0	2.5	14.0	26.5
13	3.0	10.5	3.0	12.0	23.5
14	3.0	9.5	3.5	14.0	24.5
15	4.0	8.5	4.0	7.0	16.5
16	2.0	9.5	3.0	19.5	29.5



# 5 References

California Energy Commission. 2017. Rooftop Solar PV System. Measure number: 2019-Res-PV-D Prepared by Energy and Environmental Economics, Inc. <a href="https://efiling.energy.ca.gov/getdocument.aspx?tn=221366">https://efiling.energy.ca.gov/getdocument.aspx?tn=221366</a>

California Energy Commission. 2018a. 2019 Alternative Calculation Method Approval Manual. CEC-400-2018-023-CMF. December 2018. California Energy Commission. <a href="https://www.energy.ca.gov/2018publications/CEC-400-2018-023/CEC-400-2018-023-CMF.pdf">https://www.energy.ca.gov/2018publications/CEC-400-2018-023-CMF.pdf</a>

California Energy Commission. 2018b. 2019 Building Energy Efficiency Standards for Residential and Nonresidential Buildings. CEC-400-2018-020-CMF. December 2018. California Energy Commission. <a href="https://www.energy.ca.gov/2018publications/CEC-400-2018-020/CEC-400-2018-020-CMF.pdf">https://www.energy.ca.gov/2018publications/CEC-400-2018-020/CEC-400-2018-020-CMF.pdf</a>

California Energy Commission. 2018c. 2019 Reference Appendices. CEC-400-2018-021-CMF. December 2018. California Energy Commission. <a href="https://www.energy.ca.gov/2018publications/CEC-400-2018-021/CEC-400-20

California Energy Commission. 2018d. 2019 Residential Compliance Manual. CEC-400-2018-017-CMF. December 2018. California Energy Commission. <a href="https://www.energy.ca.gov/2018publications/CEC-400-2018-017/CEC-400-2018-017-CMF.pdf">https://www.energy.ca.gov/2018publications/CEC-400-2018-017/CEC-400-2018-017/CEC-400-2018-017-CMF.pdf</a>

California Energy Commission. 2019. 2019 Residential Alternative Calculation Method Reference Manual. CEC-400-2019-005-CMF. May 2019. California Energy Commission.

https://www.energy.ca.gov/2019publications/CEC-400-2019-005/CEC-400-2019-005-CMF.pdf

California Public Utilities Commission. 2016. Rulemaking No. 15-03-010 An Order Instituting Rulemaking to Identify Disadvantaged Communities in the San Joaquin Valley and Analyze Economically Feasible Options to Increase Access to Affordable Energy in Those Disadvantages Communities. Proposed Decision of Commissioner Guzman Aceves. April 07, 2017. <a href="http://docs.cpuc.ca.gov/PublishedDocs/Efile/G000/M183/K389/183389022.PDF">http://docs.cpuc.ca.gov/PublishedDocs/Efile/G000/M183/K389/183389022.PDF</a>

Davis Energy Group. 2015. Evaluation of Ducts in Conditioned Space for New California Homes. Prepared for Pacific Gas and Electric Company. March 2015. <a href="https://www.etcc-ca.com/reports/evaluation-ducts-conditioned-space-new-california-homes">https://www.etcc-ca.com/reports/evaluation-ducts-conditioned-space-new-california-homes</a>

Energy & Environmental Economics. 2019. Residential Building Electrification in California. April 2019. <a href="https://www.ethree.com/wp-">https://www.ethree.com/wp-</a>

content/uploads/2019/04/E3 Residential Building Electrification in California April 2019.pdf

EPRI. 2016. SMUD All-Electric Homes Electrification Case Study: Summary for the Three-Prong Test Discussion. Electric Power Research Institute, Inc. September. 2016. Presentation to Sacramento Municipal Utility District.

Horii, B., E. Cutter, N. Kapur, J. Arent, and D. Conotyannis. 2014. "Time Dependent Valuation of Energy for Developing Building Energy Efficiency Standards."

http://www.energy.ca.gov/title24/2016standards/prerulemaking/documents/2014-07-09 workshop/2017 TDV Documents/

Itron. 2014. 2010-2012 WO017 Ex Ante Measure Cost Study: Final Report. Itron. May 2014. Presented to California Public Utilities Commission.

Barbose, Galen and Darghouth, Naim. 2018. Tracking the Sun. Installed Price Trends for Distributed Photovoltaic Systems in the United States – 2018 Edition. Lawrence Berkeley National Laboratory. September 2018. <a href="https://emp.lbl.gov/sites/default/files/tracking">https://emp.lbl.gov/sites/default/files/tracking</a> the sun 2018 edition final 0.pdf

Navigant. 2018. Analysis of the Role of Gas for a Low-Carbon California Future. July 24, 2018. Prepared for Southern California Gas Company.

https://www.socalgas.com/1443741887279/SoCalGas Renewable Gas Final-Report.pdf



Penn, Ivan. 2018. Cheaper Battery Is Unveiled as a Step to a Carbon-Free Grid. The New York Times. September 2018. <a href="https://www.nytimes.com/2018/09/26/business/energy-environment/zinc-battery-solar-power.html">https://www.nytimes.com/2018/09/26/business/energy-environment/zinc-battery-solar-power.html</a>. Accessed January 29, 2019.

Statewide CASE Team. 2017a. Codes and Standards Enhancement (CASE) Initiative Drain Water Heat Recovery — Final Report. July 2017. <a href="http://title24stakeholders.com/wp-content/uploads/2017/09/2019-T24-CASE-Report\_DWHR\_Final\_September-2017.pdf">http://title24stakeholders.com/wp-content/uploads/2017/09/2019-T24-CASE-Report\_DWHR\_Final\_September-2017.pdf</a>

Statewide CASE Team. 2017b. Codes and Standards Enhancement (CASE) Initiative High Performance Attics — Final Report. September 2017. <a href="http://title24stakeholders.com/wp-content/uploads/2017/09/2019-T24-CASE-Report HPA Final September-2017.pdf">http://title24stakeholders.com/wp-content/uploads/2017/09/2019-T24-CASE-Report HPA Final September-2017.pdf</a>

Statewide CASE Team. 2017c. Codes and Standards Enhancement (CASE) Initiative High Performance Walls – Final Report. September 2017. <a href="http://title24stakeholders.com/wp-content/uploads/2017/09/2019-T24-CASE-Report HPW Final September-2017.pdf">http://title24stakeholders.com/wp-content/uploads/2017/09/2019-T24-CASE-Report HPW Final September-2017.pdf</a>

Statewide CASE Team. 2017d. Codes and Standards Enhancement (CASE) Initiative Residential High Performance Windows & Doors – Final Report. August 2017. <a href="http://title24stakeholders.com/wp-content/uploads/2017/09/2019-T24-CASE-Report Res-Windows-and-Doors Final September-2017.pdf">http://title24stakeholders.com/wp-content/uploads/2017/09/2019-T24-CASE-Report Res-Windows-and-Doors Final September-2017.pdf</a>

Statewide CASE Team. 2018. Energy Savings Potential and Cost-Effectiveness Analysis of High Efficiency Windows in California. Prepared by Frontier Energy. May 2018. <a href="https://www.etcc-ca.com/reports/energy-savings-potential-and-cost-effectiveness-analysis-high-efficiency-windows-california">https://www.etcc-ca.com/reports/energy-savings-potential-and-cost-effectiveness-analysis-high-efficiency-windows-california</a>

Statewide Reach Codes Team. 2016. CALGreen Cost-Effectiveness Study. Prepared for Pacific Gas and Electric Company. Prepared by Davis Energy Group. November 2016.

http://localenergycodes.com/download/50/file\_path/fieldList/2016%20RNC%20Tiers%201-2%20Cost-Eff%20Report

Statewide Reach Codes Team. 2017a. CALGreen All-Electric Cost-Effectiveness Study. Prepared for Pacific Gas and Electric Company. Prepared by Davis Energy Group. October 2017.

http://localenergycodes.com/download/276/file path/fieldList/2016%20RNC%20All-Electric%20Cost-Eff%20Report

Statewide Reach Codes Team. 2017b. 2016 Title 24 Residential Reach Code Recommendations: Costeffectiveness Analysis for All California Climate Zones. Prepared for Southern California Edison. Prepared by TRC Energy Services. August 2017.

Statewide Reach Codes Team. 2018. PV + Battery Storage Study. Prepared for Pacific Gas and Electric Company. Prepared by EnergySoft. July, 2018.

http://localenergycodes.com/download/430/file\_path/fieldList/PV%20Plus%20Battery%20Storage%20Report

Hopkins, Asa, Takahashi, Kenji, Glick, Devi, Whited, Melissa. 2018. Decarbonization of Heating Energy Use in California Buildings. Synapse Energy Economics, Inc. October 2018. <a href="http://www.synapse-energy.com/sites/default/files/Decarbonization-Heating-CA-Buildings-17-092-1.pdf">http://www.synapse-energy.com/sites/default/files/Decarbonization-Heating-CA-Buildings-17-092-1.pdf</a>

TRC. 2018. City of Palo Alto 2019 Title 24 Energy Reach Code Cost-effectiveness Analysis Draft. September 2018. <a href="https://cityofpaloalto.org/civicax/filebank/documents/66742">https://cityofpaloalto.org/civicax/filebank/documents/66742</a>



# Appendix A - California Climate Zone Map




Figure 15: Map of California Climate Zones (courtesy of the California Energy Commission<sup>17</sup>)

<sup>17</sup> https://ww2.energy.ca.gov/maps/renewable/building climate zones.html



46

# Appendix B - Utility Tariff Details

93	scalation Assumptions
<b>γ</b> S	оск
£5	seD[sDo
	PCE
87	ocre

2019 Energy Efficiency Ordinance Cost-effectiveness Study





## PG&E

The following pages provide details on the PG&E electricity and natural gas tariffs applied in this study. Table 20 describes the baseline territories that were assumed for each climate zone.

Table 20: PG&E Baseline Territory by Climate Zone

	Baseline
	Territory
CZ01	V
CZ02	Χ
CZ03	Т
CZ04	Χ
CZ05	T
CZ11	R
CZ12	S
CZ13	R
CZ16	Υ

The PG&E monthly gas rate in \$/therm was applied on a monthly basis for the 12-month period ending January 2019 according to the rates shown below.

Pacific Gas and Electric Company

Residential Non-CARE and CARE Gas Tariff Rates

January 1, 2018, to Present

(\$/therm)^1/

Effective Date	Advice Letter Number	Minimum Transportation Charge <sup>2/</sup> (per day)	Procurement Charge		ortation rge <sup>2/</sup>	Non-	esidential CARE s Charge <sup>37</sup>
···	***************************************	***************************************			į	(Non-	CARE)
		***************************************		Baseline	Excess	Baseline	Ezcess
01/01/18	3918-G	\$0.09863	\$0.37310	50.91828	\$1.46925	\$1.29138	\$1.84235
02/01/18	3931-G	\$0.09863	\$0.40635	\$0.91828	\$1.46925	\$1.32463	\$1.87560
03/01/18	3941-G	\$0.09863	\$0.32103	\$0.91828	\$1.46925	\$1.23931	\$1.79028
04/01/18	3959-G	\$0.09863	\$0.34783	\$0.91828	\$1.46925	\$1.26611	\$1.81708
05/01/18	3969-G	\$0.09863	\$0.26995	\$0.91828	\$1.46925	\$1.18823	\$1.73920
06/01/18	3980-G	\$0.09863	\$0.21571	\$0.91828	\$1.46925	\$1.13399	\$1.68496
07/01/18	3984-G	\$0.09863	\$0.22488	\$0.93438	\$1.49502	\$1.15926	\$1.71990
08/01/18	3995-G	\$0.09863	\$0.28814	\$0.93438	\$1.49502	\$1.22252	\$1.78316
09/01/18	4008-G	\$0.09863	\$0.25597	\$0.93438	\$1.49502	\$1.19035	\$1.75099
10/01/18	4018-G	\$0.09863	\$0.27383	\$0.93438	\$1.49502	\$1.20821	\$1.76885
11/01/18	4034-G	\$0.09863	\$0.35368	\$0.93438	\$1.49502	\$1.28806	\$1.84870
12/01/18	4046-G	\$0.09863	\$0.42932	\$0.93438	\$1.49502	\$1.36370	\$1.92434
01/01/19	4052-G	\$0.09863	\$0.43394 <sup>7/</sup>	\$0.99414	\$1.59063	\$1,42808	\$2.02457

<sup>&</sup>quot;Unless otherwise noted

Seasons: Winter = Nov-Mar Summer = April-Oct



Effective July 1, 2005, the Transportation Charge will be no less than the Minimum Transportation Charge of \$0.09863 (per day). Applicable to Rate Schedule G-1 only

and does not apply to submetered tenants of master-metered customers served under gas Rate Schedule GS and GT.

<sup>2&#</sup>x27; Schedule G-PPPS (Public Purpose Program Surcharge) needs to be added to the TOTAL Non-CARE Charge and TOTAL CARE Charge for bill calculation. See Schedule G-PPPS for details and exempt customers.

<sup>&</sup>quot;CARE Schedules include California Solar Initiative (CSI) Exemption in accordance with Advice Letter 3257-G-A.

<sup>&</sup>lt;sup>er</sup> Per dwelling unit per day (Multifamily Service)

e Per installed space per day (Mobilehome Park Service)

<sup>77</sup> This procurement rate includes a charge of \$0.03686 per therm to reflect account balance amortizations in accordance with Advice Letter 3157-G.

Residential bill credit of (\$29.85) per household, annual bill credit occurring in the October 2018 bill cycle, thereafter in the April bill cycle.



Revised Cancelling Revised Cal. P.U.C. Sheet No. Cal. P.U.C. Sheet No.

43533-E 42728-F

ELECTRIC SCHEDULE E-TOU RESIDENTIAL TIME-OF-USE SERVICE Sheet 4

RATES: (Cont'd.)

### OPTION B TOTAL RATES

Total Energy Rates (\$ per kWh) PEAK OFF-PEAK
Summer (all usage) \$0.37188 (R) \$0.26882 (R)
Winter (all usage) \$0.23441 (R) \$0.21561 (R)

Delivery Minimum Bill Amount (\$ per meter per day)

\$0 32854

California Climate Credit (per household, per semi-annual payment occurring in the April and October bill cycles)

(\$39.42)

Total bundled service charges shown on customer's bills are unbundled according to the component rates shown below. Where the delivery minimum bill amount applies, the customer's bill will equal the sum of (1) the delivery minimum bill amount plus (2) for bundled service, the generation rate times the number of kWh used. For revenue accounting purposes, the revenues from the delivery minimum bill amount will be assigned to the Transmission; Transmission Rate Adjustments, Reliability Services, Public Purpose Programs, Nuclear Decommissioning, Competition Transition Charges, Energy Cost Recovery Amount, DWR Bond, and New System Generation Charges based on kWh usage times the corresponding unbundled rate component per kWh, with any residual revenue assigned to Distribution.\*\*\*

### UNBUNDLING OF OPTION B TOTAL RATES

Ge	eneration	PEAK		OFF-PEAR	К
	Summer (all usage)	\$0.21238		\$0.10932	
	Winter (all usage)	\$0.10554		\$0.08674	
Dis	stribution"				
	Summer (all usage)	\$0.10716	(R)	\$0,10716	(R)
	Winter (all usage)	\$0.07653	(R()	\$0.07653	(R)
Tra	ensmission" (all usage)	50	.0246	9 (R)	
Tira	ensmission Rate Adjustments* (all usage)	SE	.0021		
Re	liability Services" (all usage)	\$0	.0026	٥	
FILE	blic Purpose Programs (all usage)	SD	.0141	3	
	clear Decommissioning (all usage)	\$0	.0002	D	
	mpetition Transition Charges (all usage)	\$0	.0013	2	
	ergy Cost Recovery Amount (all usage)	(\$1	0.0000	15)	
	VR Bond (all usage)	50	.0050	3 (R)	
Ne	w System Generation Charge (all usage)**	\$0	.0022	В	

Transmission, Transmission Rate Adjustments and Reliability Service charges are combined for presentation on customer bills.

(Continued)

Advice	5444-E	issued by	Submitted	December 18, 2018
Decision	18-08-013	Robert S. Kenney	Effective	January 1, 2019
		Vice President, Regulatory Affairs	Resolution	1 200



Distribution and New System Generation Charges are combined for presentation on customer bills.
This same assignment of revenues applies to direct access and community choice aggregation customers.



Revised Cancelling Revised Cal. P.U.C. Sheet No. Cal. P.U.C. Sheet No.

34735-G 34691-G

### GAS SCHEDULE G-1 RESIDENTIAL SERVICE

Sheet 1

APPLICABILITY:

This rate schedule¹ applies to natural gas service to Core End-Use Customers on PG&E's Transmission and/or Distribution Systems. To qualify, service must be to individually-metered single family premises for residential use, including those in a multifamily complex, and to separately-metered common areas in a multifamily complex where Schedules GM, GS, or GT are not applicable. Common area accounts that are separately metered by PG&E have an option of switching to a core commercial rate schedule. Common area accounts are those accounts that provide gas service to common use areas as defined in Rule 1.

Per D.15-10-032 and D.18-03-017, transportation rates include GHG Compliance Cost for non-covered entities. Customers who are directly billed by the Air Resources Board (ARB), i.e., covered entities, are exempt from paying AB 32 GHG Compliance Costs through PG&E's rates. <sup>2</sup> A "Cap-and-Trade Cost Exemption" credit for these costs will be shown as a line item on exempt customers' bills. <sup>3,4</sup>

TERRITORY:

Schedule G-1 applies everywhere within PG&E's natural gas Service Territory.

RATES:

Customers on this schedule pay a Procurement Charge and a Transportation Charge, per meter, as shown below. The Transportation Charge will be no less than the Minimum Transportation Charge, as follows:

Minimum Transportation Charge; 5	Per Day			
	\$0.09863			
	Pe	er Therm		
	Baseline	Excess		
Procurement:	\$0.43394 (I)	\$0.43394 (1)		
Transportation Charge:	\$0.99414 (i)	\$1.59063 (I)	_	
Total:	\$1.42808 (I)	\$2.02457 (1)		
California Natural Gas Climate Credit	(\$25.45) (I)			

### Public Purpose Program Surcharge:

occurring in October 2018 bill cycle, and thereafter in the April bill cycle)

Customers served under this schedule are subject to a gas Public Purpose Program (PPP) Surcharge under Schedule G-PPPS.

See Preliminary Statement, Part B for the Default Tariff Rate Components.

The Procurement Charge on this schedule is equivalent to the rate shown on informational Schedule G-CP—Gas Procurement Service to Core End-Use Customers.

The Minimum Transportation charge does not apply to submetered tenants of master-metered customers served under gas rate Schedules GS and GT. (Continued)

Advice	4052-G	Issued by	Submitted	December 21, 2018
Decision	97-10-065 & 98- 07-025	Robert S. Kenney Vice President, Regulatory Affairs	Effective Resolution	January 1, 2019



PG&E's gas tariffs are available online at www.pge.com.

<sup>&</sup>lt;sup>2</sup> Covered entities are not exempt from paying costs associated with LUAF Gas and Gas used by Company Facilities.

The exemption credit will be equal to the effective non-exempt AB 32 GHG Compliance Cost Rate (\$ per therm) included in Preliminary Statement – Part B, multiplied by the customer's billed volumes (therms) for each billing period.

PG&E will update its billing system annually to reflect newly exempt or newly excluded customers to conform with first of Directly Billed Customers provided annually by the ARB.

# **SCE**

The following pages provide details on are the SCE electricity tariffs applied in this study. Table 21 describes the baseline territories that were assumed for each climate zone.

Table 21: SCE Baseline Territory by Climate Zone

	Baseline
	Territory
CZ06	6
CZ08	8
CZ09	9
CZ10	10
CZ14	14
CZ15	15

	Delivery	Generation	Total Rate
TOU-Default-Rate-1 (Ou-Peak 4:00 pm - 9:00 pm)			
Energy Charge - \$/kWh			
Summer Season - On-Peak	0.19880	0.20072	0.39952
Mid-Peak	0.19880	0.05948	0.25828
Off-Peak	0.15574	0.06023	0.21597
Winter Season - Mid-Peak	0.19880	0.08308	0.28188
Off-Peak	0.15574	0.11309	0.26883
Super-Off-Peak	0.15062	0.01344	0.16406
Basic Charge - \$/day			
Single-Family Residence	0.031	0.000	0.031
Multi-Family Residence	0.024	0.000	0.024
Minimum Charge - \$/day			
Single Family Residence	0.338	0.000	0.338
Multi-Family Residence	0.338	0.000	0.338
Baseline Credit - \$/kWh	(0.06512)	0.00000	(0.06512)



	•		
·	Delivery	Generation	Total Rate
TOU-D-Rate PRIME			
Energy Charge - \$/kWh			
Summer Season - On-Peak	0.15926	0.19811	0.35737
Mid-Peak	0.15926	0.10092	0.26018
Off-Peak	0.08308	0.04687	0.12995
Winter Season - Mid-Peak	0.16268	0.16761	0.33029
Off-Peak	0.08081	0.04331	0.12412
Super-Off-Peak	0.08081	0.04331	0.12412
Customer Charge - \$/day	0.395	0.000	0.39:

TOU Period	Weekdays		Weekends and Holidays		
10010100	Summer	Winter	Summer	Winter	
On-Peak	4 p.m 9 p.m.				
Mid-Peak		4 p.m 9 p.m.	4 p.m 9 p.m.	4 p.m 9 p.m.	
Off-Peak	All other hours	9 p.m 8 a.m.	All other hours	9 p.m 8 a.m.	
Super-Off-Peak		8 a.m 4 p.m.		8 a.m 4 p.m.	

PROPOSED (7 Year Average 2010-2016)

Summer kWh per Day			Winte	r kWh pe	r Day
Baseline Region	Basic	All Electric	Baseline Region	Basic	All Electric
05	7,2	17.9	05	18.7	29.1
06	11.4	8.8	06	11.3	13.0
08	12.6	9.8	08	10.6	12.7
09	16.5	12.4	09	12.3	14.3
10	18.9	15.8	10	12.5	17.0
13	22.0	24.6	13	12.6	24.3
14	18.7	18.3	14	12.0	21.3
15	46.4	24.1	15	9.9	18.2
16	14.4	13.5	16	12.6	23.1



# **SoCalGas**

Following are the SoCalGas natural gas tariffs applied in this study. Table 22 describes the baseline territories that were assumed for each climate zone.

Table 22: SoCalGas Baseline Territory by Climate Zone

	Baseline
	Territory
CZ05	2
CZ06	1
CZ08	1
CZ09	1
CZ10	1
CZ14	2
CZ15	1

SOUTHERN CALIFORNIA GAS COMPANY Revised CAL P.U.C. SHEET NO. 55854-G LOS ANGELES, CALIFORNIA CANCELING Revised CAL P.U.C. SHEET NO. 55828-G

Œ	Schedule No. GR RESIDENTIAL SERVICI ucludes GR, GR-C and GT-R		She	et 1
APPLICABILITY				
The GR rate is applicable to natura	l gas procurement service to i	ndividually mete	red residential custor	ners.
The GR-C, cross-over rate, is a cor transportation customers with annu-	e procurement option for indi al consumption over 50,000 t	vidually metered berms, as set fort	residential core h in Special Conditio	n 10.
The GT-R rate is applicable to Con- residential customers, as set forth in	e Aggregation Transportation n Special Condition 11.	(CAT) service to	individually metere	đ
The California Alternate Rates for the bill, is applicable to income-qui as set forth in Schedule No. G-CAF	slifted households that meet th	0%, reflected as se requirements f	a separate line item o br the CARE program	n n
<u>TERRITORY</u>				
Applicable throughout the service t	emitory.			
RATES Customer Charge, per meter per da	<u>GR</u> y:16.438¢	GR-C 16.438¢	<u>GT-R</u> 16.438¢	
For "Space Heating Only" custome	rs, a daily			
Customer Charge applies during the from November 1 through April 30		33.149¢	33.149¢	
Baseline Rate, per therm (baseline t	usage defined in Special Cond		****	
Procurement Charge: 2		42.676¢	N/A	
Total Baseline Charge:	105.155¢	<u>63.566¢</u> 106.242¢	<u>63.566e</u> 63.566e	
Non-Baseline Rate, per therm (usag	e in excess of baseline usage)			
Procurement Charge: 2'	41.589¢	42.676¢	N/A	- 1
Transmission Charge: Total Non-Baseline Charge:	9 <u>6.806¢</u>	<u>96.806¢</u> 139.482¢	96.806¢ 96.806¢	ı
For the summer period beginning accumulated to at least 20 Ccf (1	g May 1 through October 31, 00 cubic feet) before billing.	with some excep	tions, usage will be	
(Footnotes continue next page.)				
				- 1
STATE SHE IS INCOME TO MAKE I VALUE TOWARD	(Continued)			
(TO BE INSERTED BY UTILITY)	ISSUED BY		E INSIERTED BY CAL. PL	JC)
(TO BE INSERTED BY UTILITY) DVICE LETTER NO. 5410 EDISION NO.		SUBMITTED	Jan 7, 2019 Jan 10, 2019	JO)



# SDG&E

Following are the SDG&E electricity and natural gas tariffs applied in this study. Table 23 describes the baseline territories that were assumed for each climate zone.

Table 23: SDG&E Baseline Territory by Climate Zone

Juscili	ic refrito
	Baseline
	Territory
CZ07	Coastal
CZ10	Inland
CZ14	Mountain

Revised Cal. P.U.C. Sheet No. 31320-E San Diego Gas & Electric Company San Diego, California Canceling Revised Cal. P.U.C. Sheet No. 31103-E SCHEDULE TOU-DR1 Sheet 2 RESIDENTIAL TIME-OF-USE RATES Total Rates: DWR-BC Rate Description - TOU DR1 **UDC Total Rate** On-Peak 0.00503 R 0.35013 0.65078 Off-Peak 0.29562 0.29562 R 0.00503 R R 0.00503 R 0.11235 Super Off-Peak 0.05739 Ninter: On Peak 0.32037 R 0.00503 R 0.07618 0.40158 0.32037 R 0.00503 R R 0.00503 R 0.08782 0.30302 Super Off-Peak 0.32037 0.38352 mer Baseline Adkistment Credit up to (0.19921)1 (0.19921) Winter Baseline
Winter Baseline
Winter Baseline
130% of Baseline (0.16853) 1 (0.16853) Minimum Bill (\$/day) 0.320 0.329 Total Description - TOU DR1 Rate + Total Effective Rate Rate Care Rate Summer - CARE Rates: On-Peak 0.39494 0.00000 0.35013 0.64507 0.41628 Off-Peak 0.29494 0.00000 0.11235 0.40729 0.28077 Super Off-Peak 0.29494 0.22483 Winter - CARE Rates: On-Peak 0.31969 0.07618 0.30587 0.25330 0.00000 Off-Peak Super Off-Peak 0.0000.0 0.31969 0.31969 0.05812 0.37781 0.24149 Summer Baseline Adjustment Credit up to 130% of Baseline (0.10021) (0.19921)(0.13028)Winter Baseline Adjustment Credit up to 130% of Baseline (0.16853) (0.16953) 1 (0.11022) Minimum Bill (\$/slay) 0.164 0.164 0.164 (1) Total Rates consist of UDC, Schedule DWR-BC (Department of Water Resources Bond Charge), and Schedule EECC (Electric Energy Commodity Cost) rates, with the EECC rates reflecting a DWR Credit.

Total Rates presented are for oustomers that receive commodity supply and delivery service from Utility. (a) DWR-BC charges do not apply to CARE customers.
 (4) As identified in the rates tables, customer bills will also include line-item summer and winter credits for usage up to 130% of baseline to provide the rate capping benefits adopted by Assembly Bill 1X and Senate Bill 695. (Continued) 2011 Submitted Dec 28, 2018 Issued by Dan Skopec 3326-E Advice Ltr. No. Jam 1, 2019 Vice President Decision No. Regulatory Affairs Resolution No.



San Diego Gas & Electric Company San Diego, California

Revised Cal. P.U.C. Sheet No.

23614-G

Canceling Revised Cal. P.U.C. Sheet No.

23601-G

### SCHEDULE GR

Sheet 1

### RESIDENTIAL NATURAL GAS SERVICE (Includes Rates for GR, GR-C, GTC/GTCA)

### **APPLICABILITY**

The GR rate is applicable to natural gas procurement service for individually metered residential customers.

The GR-C, cross-over rate, is a core procurement option for individually metered residential core transportation customers with annual consumption over 50,000 therms, as set forth in Special Condition 10.

The GTC/GTCA rate is applicable to intrastate gas transportation-only services to individually metered residential customers, as set forth in Special Condition 11.

Customers taking service under this schedule may be eligible for a 20% California Alternate Rate for Energy (CARE) program discount, reflected as a separate line item on the bill, if they qualify to receive service under the terms and conditions of Schedule G-CARE.

### **TERRITORY**

Within the entire territory served natural gas by the utility.

### RATES

		GR	GR-C		GTC/GTCA11
	baseline usage defined in Specia	al Conditions 3 and	4):		
		\$0.41614	\$0.41614	R	N/A
		\$1.01230	\$1.01230		\$1.01230
Total Baseline Charge:		\$1.42844	\$1.42844	R	\$1.01230
Procurement Charge: 27 . Transmission Charge:	erm (usage in excess of baseline	usage): \$0.41614 \$1.19980 \$1.61594	\$0.41614 \$1.19980 \$1.61594		N/A \$1.19980 \$1.19980
Minimum Bill, per day: 3/ Non-CARE customers: CARE customers:	10 20 47 5 2 244 6 10 245 7 5 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	\$0.09863 \$0.07890	\$0.09863 \$0.07890		\$0.09863 \$0.07890

<sup>1/</sup> The rates for core transportation-only customers, with the exception of customers taking service under Schedule GT-NGV, include any FERC Settlement Proceeds Memorandum Account (FSPMA) credit adjustments.

(Continued)

sisued by Submitted Jan 7, 2019 Advice Ltr. No. 2735-G Dan Skopec **Effective** Jan 10, 2019 Vice President Decision No. Regulatory Affairs Resolution No.



This charge is applicable to Utility Procurement Customers and includes the GPC and GPC-A Procurement Charges shown in Schedule GPC which are subject to change monthly as set forth in Special Condition 7.

Effective starting May 1, 2017, the minimum bill is calculated as the minimum bill charge of \$0.09863 per day times the number of days in the billing cycle (approximately \$3 per month) with a 20% discount applied for CARE customer resulting in a minimum bill charge of \$0.07890 per day (approximately \$2.40 per month).

# **Escalation Assumptions**

The average annual escalation rates in the following table were used in this study and are from E3's 2019 study Residential Building Electrification in California (Energy & Environmental Economics, 2019). These rates are applied to the 2019 rate schedules over a thirty-year period beginning in 2020. SDG&E was not covered in the E3 study. The Reach Code Team reviewed SDG&E's GRC filing and applied the same approach that E3 applied for PG&E and SoCalGas to arrive at average escalation rates between 2020 and 2022.

**Table 24: Real Utility Rate Escalation Rate Assumptions** 

	Statewide Electric Residential Average Rate	Natu	ral Gas Residential Core (%/yr escalation, real)	Rate
	(%/year, real)	PG&E	<b>SoCalGas</b>	SDG&E
2020	2.0%	1.48%	6.37%	5.00%
2021	2.0%	5.69%	4.12%	3.14%
2022	2.0%	1.11%	4.12%	2.94%
2023	2.0%	4.0%	4.0%	4.0%
2024	2.0%	4.0%	4.0%	4.0%
2025	2.0%	4.0%	4.0%	4.0%
2026	1.0%	1.0%	1.0%	1.0%
2027	1.0%	1.0%	1.0%	1.0%
2028	1.0%	1.0%	1.0%	1.0%
2029	1.0%	1.0%	1.0%	1.0%
2030	1.0%	1.0%	1.0%	1.0%
2031	1.0%	1.0%	1.0%	1.0%
2032	1.0%	1.0%	1.0%	1.0%
2033	1.0%	1.0%	1.0%	1.0%
2034	1.0%	1.0%	1.0%	1.0%
2035	1.0%	1.0%	1.0%	1.0%
2036	1.0%	1.0%	1.0%	1.0%
2037	1.0%	1.0%	1.0%	1.0%
2038	1.0%	1.0%	1.0%	1.0%
2039	1.0%	1.0%	1.0%	1.0%
2040	1.0%	1.0%	1.0%	1.0%
2041	1.0%	1.0%	1.0%	1.0%
2042	1.0%	1.0%	1.0%	1.0%
2043	1.0%	1.0%	1.0%	1.0%
2044	1.0%	1.0%	1.0%	1.0%
2045	1.0%	1.0%	1.0%	1.0%
2046	1.0%	1.0%	1.0%	1.0%
2047	1.0%	1.0%	1.0%	1.0%
2048	1.0%	1.0%	1.0%	1.0%
2049	1.0%	1.0%	1.0%	1.0%



# Appendix C - Single Family Detailed Results

Table 25: Single Family Mixed Engl Effici

			_																			
		TDV B/C		3.6	2.0	2.7	2.5	2.5	2.0	1.4	1.8	3.7	80	30	3.7	4.6	8.4	6.1	6.1	×	22	
		On-Bill B/C Satio	1 0	3.00	1.9	2.4	2.3	2.0	1.6	1.5	1.3	1.8	2.0	5.6	2.5	<u>ب</u>	5.3	4.0	4	, <u>7</u>	22	-
	ted	on KW	3.2	2.8	2.7	2.7	2.5	2.5	2.7	2.6	2.9	2.9	3.0	3.0	3.4	3.0	3.6	3.0	3.0	5.0	2.6	i
	Preemp	bs CO2 per	1 11/	1.9	1.5	1.6	1.5	1.5	1.4	1.2	1.3	1.4	1.4	1.4	1.8	1.9	1.7	2.0	2.0	1.5	2.7	
S	Equipment - Preempted	% Comp Margin		16.4%	22.8%	14.9%	16.2%	16.2%	11.8%	12.4%	9.4%	13.4%	14.6%	14.6%	19.2%	14.4%	21.4%	21.7%	21.7%	15.4%	23.5%	
esult	Equi	Efficiency EDR Margin		3.3	4.1	2.7	2.6	5.6	5.0	1.5	1.6	2.9	3.2	3.2	5.1	3.4	5.8				6.2	ı
SS R		EQUICION TO THE TOTAL THE TOTAL TO THE TOTAL TOTAL TO THE	m	42.6	42.8	42.2	41.7	41.7	47.9	47.6	45.3	44.8		43.1	39.9	41.4	40.7					ı
vene																				-		ı
fecti		Ratio Total EDR	7	21.8	20.1	20.5	19.7	19.7	21.5	18.8	19.7	21.9	21.5	21.5	20.7	22.5	21.2	20.8	-	19.5	24.8	1
t-Ef		TDV B/C	2.8	1.7	1.3	1.2	1.2	1.2	1.2	1	1.4	2.0	1.3	1.3	1.2	1.8	1.3	2.5	2.5	1.6	1.5	I
e Cos		On-Bill B/C Ratio	3.4	1.6	1.3	6.0	1.1	0.9	0.7	,	9.0	0.7	9.0	0.8	0.8	1.2	0.8	1.6	1.9	1.0	1.6	١
kag		bΛ kW	3.2	2.8	2.7	2.7	2.5	2.5	2.7	5.6	2.9	2.9	3.0	3.0	3.4	2.9	3.6	3.0	3.0	5.0	2.7	
y Pac	mpted	lbs CO2 per sqft	2.5	1.9	1.6	1.7	1.6	1.6	1.5	1.3	1.3	1.5	1.5	1.5	1.9	1.9	1.8	2.1	2.1	1.6	5.6	
<b>Efficiency Package Cost-Effectiveness Results</b>	Non-Preempted	% Comp Margin	18.8%	16.3%	16.7%	13.9%	16.7%	16.7%	12.1%	%0.0	7.7%	11.7%	14.3%	14.3%	16.4%	14.9%	16.9%	18.5%	18.5%	14.8%	20.6%	
Fuel E	21	Efficiency EDR Margin	5.3	3.3	3.0	2.5	2.7	2.7	2.0	0.0	1.3	2.6	3.2	3.2	4.3	3.5	4.6	2.0	5.0	4.8	5.4	
red Fi		EDB Efficiency	49.0	42.7	43.9	42.4	41.7	41.7	47.8	49.1	45.6	45.1	43.1	43.1	40.6	41.3	41.9	41.3	41.3	44.3	43.5	
y Mixed		AG3 lstoT	27.9	22.0	21.3	20.8	19.7	19.7	21.5	20.3	20.1	22.3	21.7	21.7	21.3	22.5	22.2	21.5	21.5	19.7	25.0	
		bΛ KM	3.3	2.8	2.7	2.7	5.6	5.6	2.7	5.6	2.9	2.9	3.0	3.0	3.6	3.0	3.8	3.2	3.2	5.4	2.7	
gle F		lbs CO2 per sqft	3.0	2.2	1.9	1.9	1.8	1.8	1.6	1.3	1.4	1.5	1.6	1.6	2.1	2.1	2.0	2.3	2.3	1.7	3.3	
Table 25: Single Famil	BASECASE	CALGreen Tier 1 EDR Target	23	12	10	∞	10	10	10	2	10	13	10	10	11	12	11	15	15	11	22	
Table		Efficiency EDR	54.2	46.0	46.9	44.9	44.4	44.4	49.9	49.1	46.9	47.7	46.3	46.3	44.9	44.8	46.5	46.3	46.3	49.1	48.9	ľ
		AG3 letoT	32.5	25.0	23.9	23.1	22.2	22.2	23.3	20.3	21.3	24.5	24.2	24.2	24.6	25.5	25.7	25.3	25.3	22.4	30.4	
		Utility	PG&E	PG&E	PG&E	PG&E				_	SCE/SoCalGas	SCE/SoCalGas	SCE/SoCalGas	SDG&E	PG&E	PG&E	PG&E	SCE/SoCalGas	SDG&E	SCE/SoCalGas	PG&E	
		ß	-	7	m	4	2	2	9	7	∞	6	10	10	11	12	13	14	14	15	16	1
Sec.				_			_	_	_				_									

<sup>&</sup>quot;>1" = indicates cases where there is both first cost savings and annual utility bill savings.



Table 26: Single Family Mixed Fuel Efficiency & PV/Battery Package Cost-Effectiveness Results

			9-2-1				1	a constant of the contract of	DOL DILLOCAL	2111	o Income	
			BASECASE					Effici	Efficiency & PV/Battery	<b>3attery</b>		
							Total					
		Total	CAl Groon Tior 1	lbe CO3	20	Total	101g	2000	11.000	7	Of different	0,4114
2	Utility	EDR	EDR Target	per saft	2	EDR	Margin	% Comp Margin	per saft	2 ₹	On-Bill B/C Ratio	TDV B/C Ratio
Н	PG&E	32.5	23	3.0	3.3	21.9	10.6	31.8%	2.4	3.3	0.9	1.6
7	PG&E	25.0	12	2.2	2.8	14.9	10.1	27.3%	1.8	5.9	0.5	1.6
m	PG&E	23.9	10	1.9	2.7	13.9	10.0	27.7%	1.5	2.8	0.4	1.4
4	PG&E	23.1	8	1.9	2.7	13.0	10.1	24.9%	1.5	2.8	0.3	1.5
2	PG&E	22.2	10	1.8	2.6	12.8	9.4	29.7%	1.4	2.6	0.4	1.3
5	PG&E/SoCalGas	22.2	10	1.8	5.6	12.8	9.4	29.7%	1.4	5.6	0.3	1.3
9	SCE/SoCalGas	23.3	10	1.6	2.7	13.6	8.6	20.1%	1.2	2.8	0.8	1.3
7	SDG&E	20.3	2	1.3	5.6	11.1	9.2	80.6	1.0	2.7	0.1	1.3
∞	SCE/SoCalGas	21.3	10	1.4	2.9	12.9	8.4	23.7%	1.1	3.0	6.0	1.3
0	SCE/SoCalGas	24.5	13	1.5	2.9	15.7	8.8	24.7%	1.2	3.0	1.0	1.5
10	SCE/SoCalGas	24.2	10	1.6	3.0	14.6	9.6	27.3%	1.3	3.1	1.0	1.5
10	SDG&E	24.2	10	1.6	3.0	14.6	9.6	27.3%	1.3	3.1	9.0	1.5
11	PG&E	24.6	11	2.1	3.6	15.4	9.2	29.4%	1.8	3.5	0.4	1.5
12	PG&E	25.5	12	2.1	3.0	15.9	9.6	28.9%	1.8	3.0	0.4	1.7
13	PG&E	25.7	11	2.0	3.8	16.1	9.7	28.9%	1.7	3.7	0.4	1.6
14	SCE/SoCalGas	25.3	15	2.3	3.2	16.3	9.0	30.1%	1.8	3.1	1.3	1.7
14	SDG&E	25.3	15	2.3	3.2	16.3	9.0	30.1%	1.8	3.1	1.2	1.7
15	SCE/SoCalGas	22.4	11	1.7	5.4	15.3	7.1	25.1%	1.4	5.1	1.1	1.5
16	PG&E	30.4	22	3.3	2.7	19.9	10.5	32.6%	2.4	2.8	0.9	1.4

">1" = indicates cases where there is both first cost savings and annual utility bill savings.



Table 27: Single Family All-Electric Efficiency Package Cost-Effectiveness Results

			_	_		_	_					_					_				
		DV B/C Ratio	2.7	2.1	1.6	7	1	1.7	2.3	1.7	3	32	3.2	3.2	3.3	2.5	33	3 1	3 1	4.5	23
		On-Bill B/C Ratio	2.9	2.3	100	7	6	1.9	2.2	1.6	000	2.1	2.3	2.6	3.0	2.0	2.9	23	2.9	33	24
		λ κM	3.3	2.8	2.7	2.7	2.6	2.6	2.7	2.6	29	2.9	3.0	3.0	3.6	3.0	80	3.2	3.2	5.4	2.7
	npted	bs CO2 per sqft	1.3	0.9	0.9	0.9	0.9	0.9	0.8	0.7	0	0.8	0.8	0.8	6.0	0.9	6.0	1.2	1.2	1.0	1.6
ITS	Equipment - Preempted	% Comp Margin	18.3%	21.2%	19.6%	17.6%	20.3%	20.3%	16.0%	16.9%	8.1%	14.7%	15.5%	15.5%	20.8%	20.4%	20.9%	20.5%	20.5%	21.8%	12.7%
Kesn	Equipm	Efficiency EDR Margin		5.1	4.4	3.9	4.4	4.4	2.9	2.2	1.8	3.3	3.4	3.4	5.9	5.1	6.0	0.9	0.9	7.3	4.9
eness		Efficiency EDR	61.3	48.5	51.2	48.9	49.8	49.8	53.0	53.0	49.7	48.6	47.2	47.2	44.3	45.0	45.4	46.2	46.2	45.5	59.7
and the first it fillelelicy rachage cost-fileculveness Results		AG3 lstoT	39.9	27.7	28.7	27.4	28.0	28.0	26.8	24.8	24.4	25.5	25.3	25.3	24.1	25.8	24.7	25.3	25.3	18.9	41.6
-100		TDV B/C Ratio	1.7	1.1	2.4	1.8	2.3	2.3	1.4	,	1.2	2.0	1.5	1.5	1.5	1.1	1.4	1.5	1.5	1.6	1.7
age		On-Bill B/C Ratio	1.8	1.2	2.6	1.9	2.6	2.6	1.3	4	9.0	0.8	6.0	1.1	1.2	0.8	1.1	1.0	1.3	1.1	1.7
rach		bA KM	3.3	2.8	2.7	2.7	2.6	5.6	2.7	5.6	2.9	2.9	3.0	3.0	3.6	3.0	3.00	3.2	3.2	5.4	2.7
CIIC	mpted	tips Too Sociation	1.0	6.0	0.8	6.0	6.0	6.0	0.8	0.7	0.8	0.8	6.0	6.0	1.0	6.0	6.0	1.2	1.2	1.1	1.4
LINE	Non-Preempted	% Comp Margin	40.2%	20.5%	20.6%	15.5%	19.7%	19.7%	10.9%	%0.0	8.9%	12.5%	14.0%	14.0%	16.2%	15.3%	17.4%	18.9%	18.9%	16.8%	25.2%
ווווווווווווווווווווווווווווווווווווווו		Efficiency EDR Margin	15.2	4.9	4.7	3.4	4.4	4.4	2.0	0.0	1.6	2.8	3.1	3.1	4.6	3.8	5.1	9.9	5.6	5.6	9.7
		Efficiency EDR	53.0	48.7	50.9	49.4	49.9	49.9	53.8	55.3	49.9	49.1	47.6	47.6	45.6	46.3	46.4	46.6	46.6	47.2	54.9
		RO3 lstoT	31.8	27.9	28.5	27.9	28.1	28.1	27.7	27.1	24.5	26.0	25.7	25.7	25.4	27.1	25.7	25.7	25.7	50.6	36.8
		bΛ KM	3.3	2.8	2.7	2.7	2.6	5.6	2.7	5.6	2.9	2.9	3.0	3.0	3.6	3.0	3.8	3.2	3.2	5.4	2.7
٥	uit	lbs CO2 per sqft	1.5	1.1	1.0	1.0	1.0	1.0	6.0	0.7	0.8	6.0	6.0	6.0	1.1	1.0	1.1	1.4	1.4	1.3	1.7
Table 1 direct di	BASECASE	CALGreen Tier 1 EDR Target	36	16	14	12	16	16	12	7	10	13	11	11	12	13	13	16	16	00	39
	<b>©</b>	Efficiency EDR	68.2	53.7	55.6	52.8	54.2	54.2	55.8	55.3	51.5	51.9	20.7	50.7	50.2	50.1	51.5	52.2	52.2	52.8	64.6
		Fotal EDR	46.8	32.8	33.1	31.3	32.5	32.5	29.7	27.1	26.1	28.8	28.8	28.8	30.0	30.9	30.7	31.3	31.3	26.2	46.5
		Utility	PG&E	PG&E	PG&E	PG&E	PG&E	_	_	SDG&E	SCE/SoCalGas	SCE/SoCalGas				PG&E	PG&E		SDG&E	SCE/SoCalGas	PG&E .
		ß	Н	7	m	4	S	'n	9	7	∞	6	10	10	H	12	13	14	14	15	16
L																					



2019-08-01

Table 28: Single Family All-Electric Efficiency & PV-PV/Battery Package Cost-Effective

			_			_	_				_					_				
	TDV B/C Ratio	14	1 4	1.6	16	1.6	1.6	1.4	1.5	1.4	1.5	1.5	1.5	1.6	15	7 -	2 7	) i	, L	7 1
	On-Bill B/C Ratio	14	1.4	1.5	1.5	1.6	1.6	1.2	1.3	1.1	1.1	1.1	1.4	1.5	7	1.4	77	1 1	17	17
Battery	bΛ KM	6.76	5.51	5.10	5.15	4.84	4.84	4.68	4.21	4.54	4.66	4.78	4.78	6.11	5.62	6.14	5 30	7 30	6.25	6.17
& PV/	lbs CO2 per sqft	0.3	0.3	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.4	0.4	0.4	0.4	0.3	0.4	0 6	0.0	2 0	0.6
Efficiency & PV	% Comp Margin	51.9%	31.5%	31.6%	26.5%	32.7%	32.7%	18.9%	6.7%	24.9%	25.5%	27.0%	27.0%	29.2%	29.3%	29.4%	30 9%	30 9%	27 0%	34.3%
	Fotal EDR Margin	41.2	30.1	29.3	28.6	28.7	28.7	26.1	24.2	21.6	21.3	21.2	21.2	23.2	25.4	22.5	23.9	23.9	13.5	35.4
	AG3 letoT	5.6	2.7	3.7	2.8	3.8	3.0	3.6	2.9	4.5	7.6	9.7	9.7	8.9	5.6	8.2	7.4	7.4	12.7	11.1
0	TDV B/C Ratio	1.5	1.4	1.7	1.6	1.8	1.8	1.5	1.5	1.5	1.6	1.5	1.5	1.6	1.4	1.5	1.6	1.6	1.6	1.6
	On-Bill B/C Ratio	1.8	1.8	2.2	2.1	2.3	2.3	1.2	1.9	1.0	1.1	1.1	1.7	1.8	1.7	1.7	1.2	1.8	1.1	2.1
>	by kw	6.0	4.9	4.5	4.5	4.3	4.3	4.1	3.7	4.0	4.1	4.2	4.2	5.4	2.0	5.4	4.8	8.	5.5	5.5
Efficiency & PV	lbs CO2 per sqft	0.5	0.5	0.5	0.5	0.5	0.5	9.0	9.0	9.0	0.7	0.7	0.7	9.0	0.5	9.0	6.0	6.0	1.1	6.0
Efficie	migreM qmo2 %	40.2%	20.5%	20.6%	15.5%	19.7%	19.7%	10.9%	0.7%	8.9%	12.5%	14.0%	14.0%	16.2%	15.3%	17.4%	18.9%	18.9%	16.8%	25.2%
	Total EDR Margin	31.4	19.4	18.5	17.2	18.2	18.2	14.3	11.3	10.9	11.5	11.1	11.1	14.2	15.7	13.4	15.5	15.5	6.2	27.0
	AG3 lstoT	15.4	13.4	14.6	14.1	14.3	14.3	15.5	15.8	15.1	17.3	17.7	17.7	15.8	15.2	17.3	15.8	15.8	20.0	19.6
	bΛ KM	3.3	2.8	2.7	2.7	2.6	5.6	2.7	5.6	2.9	2.9	3.0	3.0	3.6	3.0	3,00	3.2	3.2	5.4	2.7
ISE	lbs CO2 per sqft	1.5	1.1	1.0	1.0	1.0	1.0	6.0	0.7	0.8	6.0	0.9	0.9	1.1	1.0	1.1	1.4	1.4	1.3	1.7
BASECASE	CALGreen Tier 1 EDR Target	36	16	14	12	16	16	12	7	10	13	11	11	12	13	13	16	16	∞	39
	AG3 lstoT	46.8	32.8	33.1	31.3	32.5	32.5	29.7	27.1	26.1	28.8	28.8	28.8	30.0	30.9	30.7	31.3	31.3	26.2	46.5
	Utility	PG&E	PG&E	PG&E	PG&E	PG&E	PG&E/SoCalGas	SCE/SoCalGas	SDG&E	SCE/SoCalGas	SCE/SoCalGas	SCE/SoCalGas	SDG&E	PG&E	PG&E	PG&E	SCE/SoCalGas	SDG&E	SCE/SoCalGas	PG&E 46.5 39 1.7 2.7
	2	Н	7	m	4	-	_	9	7	00	6	10	10	11	12	13	14	14	15	16

">1" = indicates cases where there is both first cost savings and annual utility bill savings."



# Appendix D - Single Family Measure Summary

Table 29: Single Family Mixed Fuel Efficiency – Non-Preemnted Package Measure Su



Table 30: Single Family Mixed Fuel Efficiency – Equipment. Preemnted Package Me

	I ADIC JU.	Jugie r	dilliy MI	yea rae	Ellicie	icy – Edu	npment	, Ргеетртед Раскад	radic 30. Single Family Mixed Fuel Efficiency – Equipment, Preempted Package Measure Summary	
21	Duct	Infiltratio Wall	Wall	Attic	Roof	Glazing	Slab	DHW		Va
1	VILDCS	Code Min	Code Min	Code Min	Code Min	Code Min	Code Min	Code Min Code Min Code Min Code Min Code Min Code Min 95 EF. basic compact dist. 96 AFLIF of 35W/cfm		1 0 DV cooling
2	LLAHU + 2% leakage	Code Min	Code Min	Code Min	Code Min	Code Min	Code Min	LLAHU + 2% leakage Code Min Code Min Code Min Code Min Code Min Code Min 95 EF. basic compact dist. 96 AFLIF in 35W/ofm		1 O DV cooling
ന	VLLDCS	Code Min	Code Min	Code Min	Code Min	Code Min	Code Min	Code Min Code Min Code Min Code Min Code Min Code Min 95 EF, basic compact dist. 96 AFIJE 0.35W/cfm		1 O DV ccaling
4	LLAHU + 2% leakage	Code Min	Code Min	Code Min	Code Min	Code Min	Code Min	LLAHU + 2% leakage Code Min Code Min Code Min Code Min Code Min Code Min 95 EF, basic compact dist. 96 AFUE. 0.35W/cfm		1.0 PV scaling
'n	LLAHU + 2% leakage	Code Min	Code Min	Code Min	Code Min	Code Min	Code Min	LLAHU + 2% leakage Code Min Code Min Code Min Code Min Code Min Code Min 95 EF, basic compact dist. 96 AFUE, 0.35W/cfm		1.0 PV scaling
9	Code Min	Code Min	Code Min	Code Min	Code Min	Code Min	Code Min	Code Min Code Min Code Min Code Min Code Min Code Min 95 EF, basic compact dist. 92 AFUE, 0.35W/cfm		1.0 PV scaling
7	Code Min	Code Min	Code Min	Code Min	Code Min	Code Min	Code Min	Code Min Code Min Code Min Code Min Code Min Code Min 95 EF, basic compact dist. 92 AFUE, 0.35W/cfm		1.0 PV scaling
00	Code Min	Code Min	Code Min	Code Min	Code Min	Code Min	Code Min	Code Min Code Min Code Min Code Min Code Min Code Min 95 EF, basic compact dist. 92 AFUE, 0,35W/cfm		1.0 PV scaling
6	Code Min	Code Min	Code Min	Code Min	Code Min	Code Min	Code Min	95 EF, basic compact dist.	5W/cfm	1.0 PV scaling
10	LLAHU + 2% leakage	Code Min	Code Min	Code Min	Code Min	Code Min	Code Min	95 EF, basic compact dist.	LLAHU + 2% leakage Code Min Code Min Code Min Code Min Code Min Code Min 95 EF, basic compact dist. 16 SEER. 92 AFIJE 0.35W/rfm	1 0 DV scaling
п	LLAHU + 2% leakage	Code Min	Code Min	Code Min	Code Min	Code Min	Code Min	95 EF, basic compact dist	LLAHU + 2% leakage Code Min Code Min Code Min Code Min Code Min See Masic compact dist 18 SEER 96 AFI is 0.35W/rfm 1.0 pV realing	1 O DV coding
12	LLAHU + 2% leakage	Code Min	Code Min	Code Min	Code Min	Code Min	Code Min	95 FF, basic compact dist	LLAHU + 2% leakage Code Min Code Min Code Min Code Min Code Min Code Min S FF, basic compact disk 16 SFF 92 AFI IS 0.3544/6fm 1.014 3.016	1 O DV COSTOR
13	VLLDCS	Code Min	Code Min	Code Min	Code Min	Code Min	Code Min	95 EF. basic compact dist.	Code Min Code Min Code Min Code Min Code Min Code Min 95 EF, basic compact dist. 16 SFER 92 AFIJE 0.35W/rfm 1.0 PV scaling	1.0 PV scaling
14	VLLDCS	Code Min	Code Min Code Min Code Min	Code Min	Code Min	Code Min	Code Min	95 EF, basic compact dist.	Code Min Code Min Code Min 95 EF, basic compact dist. 16 SEER 92 AFIJE 0.35W/rfm 1 0 DV craling	1 0 DV scaling
15	LLAHU + 2% leakage	Code Min	Code Min	Code Min	Code Min	Code Min	Code Min	95 EF, basic compact dist.	LLAHU + 2% leakage Code Min Code Min Code Min Code Min Code Min See F. basic compact dist. 16 SEER, 92 AFIJE 0.35W/ffm 1.0 DV scaling	1 A DV scaling
16	VLLDCS	Code Min	Code Min	Code Min	Code Min	Code Min	Code Min	95 EF, basic compact dist.	Code Min Code Min Code Min Code Min Code Min So EF, basic compact dist. 18 SEER. 96 AFUE. 0.35W/cfm 1.0 PV scaling	1.0 PV scaling
LLAHU - Lc VVLDCS - 1	LLAHU - Low Leakage Air Handling Unit WLDCS – Verified Low Leakage Ducts in Conditioned Space	Unit cts in Condit	ioned Space							0



		Tabl	le 31: Sir	<b>Table 31: Single Family</b>	Mixed Fuel Eff	iciency & PV/	Battery Packa	Mixed Fuel Efficiency & PV/Battery Package Measure Summary	mmary	ł
	Duct	Inflitration Wall	Wall	Attic	Roof	Glazing	Stah	Se recasure ou		
-	VIIDCS	Code Min	Code Min Code Min	Code him	Control of the Control	The same of the sa	7007		HVAC	2
		1	COOK MILL	COOK WILL	COCKE IMILI	Code Min	R-10 slab insulation	Basic CHW credit (0.7)	0.35 W/cfm	0.35 W/cfm   1.0 PV scaling + 5kWh batt
V	villocs	Code Min	Code Min	Code Min	Code Min	Code Min	R-10 slab insulation	Basic CHW credit (0.7)	0.35 W/cfm	0.35 W/cfm 1.0 DV scaling + 5kW/h hatt
ന	VLLDCS	Code Min	Code Min	Code Min	Code Min	Code Min		Basic CHW credit (0.7)	0.35 W/cfm	0.25 W/rfm 1.00% conline a cluste have
4	VLLDCS	Code Min	Code Min Code Min	Code Min	Code Min	Code Min	R-10 slab insulation		0.35 W/ofm	1 O DV couling a State Late
S	VLLDCS	Code Min	Code Min Code Min	Code Min	Code Min	Code Min	R-10 slah insulation	Basic CHM cradit (0.7)	O DE WATER	O DE WALLES TO PV SCAING + DKWN BATT
0	VLLDCS	Code Min	Code Min Code Min	Code Min	Code Min	Code Min		Basic Calle credit (0.7)	D.S. WYCITT	0.55 W/CITE 1.0 PV SCAIING + 5KWIN BATT
1	Code Min	Code Min	Code Min Code Min	Code Min	Code Min	Code Min	Code Min		Code Min	Code Miles 1.0 PV Scaling + 5KWn Batt
00	< 12 ft ducts in attic Code Min Code Min	Code Min	Code Min	Code Min	Code Min	Code Min	Code Min		Code Milli	Code with 1.0 PV scaling + 5kWn batt
9	VLLDCS	Code Min	Code Min Code Min	Code Min	Code Min	Corle Min	Code Min		O DE STATE OF	U.S. Ve/Citit 1.0 PV Scaling + DKWn batt
ç	VIIDCE	Code Min	Cools Min Code Min		400	-		Basic Criw Credit (0.7)	U.SO W/CTM	0.35 W/cfm 1.0 PV scaling + 5kWh batt
	4 1110 000	COOL MILE	Code Man	Code Miln	U.25 solar retrectance	Code Min	R-10 slab insulation	Basic CHW credit (0.7)	0.35 W/cfm	0.35 W/cfm 1.0 PV scaling + 5kWh batt
=	VLDCS	Code Min	Code Min Code Min	R-38 + R-30 attic	0.25 solar reflectance	Code Min	R-10 slab insulation	Basic CHW credit (0.7)	0.35 W/cfm	0.35 W/rfm 1 0 DV scaling 4 5kM/h hatt
12	VLLDCS	Code Min	Code Min Code Min	Code Min	0.25 solar reflectance Code Min	Code Min			0 25 W/ofm	0.25 Mileton 1.000 continue charle have
13	VLLDCS	Code Min	Code Min Code Min	R-38 + R-30 attic	0.25 solar reflectance	Code Min	R-10 slah inculation		O SE MI/ofm	1.0 PV Scaling + Skyvin batt
14	VLLDCS	3 ACH50	Code Min	Code Min	0.25 solar reflectance		R-10 clah inculation	T	O SE MANAGE	O SE MANAGEM 1.0 PV SCAIING + SKVVN DOTT
15	VLLDCS	Code Min	Code Min Code Min	R-38 + R-30 attic	0.25 solar reflectance		R-10 slab inculation		O SE WICHT	O SE 144/Afr. 1 O DIV SCHING + SKWM Batt
16	VILDCS	Code Min	Code Min Code Min	Code Min	Code Min			Rasic CHW credit (0.7)	0.35 W/cfm	0.25 W/vfm 1.00 V realing + 5kWh Datt
WLL	VVLDCS - Verified Low Leakage Ducts in Conditioned Space	eakage Duc	cts in Condit	ioned Space					OLD VETTER	TO FY SCHIER TOKAN DALL

Verified Low Leakage Ducts in Conditioned Space

Table 32: Single Family All-Flectric Efficiency - Non-Dro

		Table 3	2: Single	ramily All-Ele	Lable 32: Single Family All-Electric Efficiency – Non-Preempted Package Measure Summary	<ul> <li>Non-Preempte</li> </ul>	d Package Meası	ure Sumn	narv	
2	Duct	Infiltratio Wall	Wall	Attic	Roof	Glazing	Slab	DHW	HVAC	2
	VLLDCS	Code Min	Code Min Code Min R-38+R-30	R-38 + R-30 attic	attic Code Min	0.24/0.50 windows	R-10 slab insulation Code Min		0.45 W/cfm	0.45 W/cfm Std Design pv
2	VLLDCS	Code Min	Code Min Code Min Code Min	Code Min	Code Min	0.24/0.23 windows	R-10 slab insulation Code Min 0.45 W/cfm   Std Design PV		0.45 W/cfm	Std Design PV
ന	VLLDCS	Code Min	Code Min Code Min Code Min	Code Min	Code Min	Code Min	R-10 slab insulation Code Min 0.45 W/cfm   Std Design PV	Code Min	0.45 W/cfm	Std Design PV
4	VLLDCS	Code Min	Code Min Code Min Code Min	Code Min	Code Min	Code Min	R-10 slab insulation Code Min 0.45 W/cfm Std Design PV	Code Min	0.45 W/cfm	Std Design PV
25	VLLDCS	Code Min	Code Min Code Min	Code Min	Code Min	Code Min	R-10 slab insulation Code Min 0.45 W/cfm   Std Design PV	Code Min	0.45 W/cfm	Std Design PV
9	VLLDCS	Code Min	Code Min Code Min	Code Min	Code Min	Code Min	Code Min	Code Min	0.45 W/cfm	Code Min 0.45 W/cfm Std Design PV
7	Code Min	Code Min	Code Min Code Min Code Min	Code Min	Code Min	Code Min	Code Min	Code Min	Code Min	Code Min Code Min Std Design PV
00	VLLDCS	Code Min	Code Min Code Min Code Min		Code Min	Code Min	Code Min	Code Min	0.45 W/cfm	Code Min 0.45 W/cfm Std Design PV
6	VLLDCS	Code Min	Code Min Code Min	Code Min	0.25 solar reflectance   Code Min	Code Min	Code Min	Code Min	0.45 W/cfm	Code Min 0.45 W/cfm Std Design PV
10	VLLDCS	Code Min	Code Min Code Min	Code Min	0.25 solar reflectance Code Min	Code Min	R-10 slab insulation Code Min 0.45 W/cfm Std Design PV	Code Min	0.45 W/cfm	Std Design PV
11	VLLDCS	Code Min	Code Min	Code Min R-38 + R-30 attic	attic 0.25 solar reflectance Code Min	Code Min	R-10 slab insulation Code Min 0.45 W/cfm Std Design PV	Code Min	0.45 W/cfm	Std Design PV
12	VLLDCS	Code Min	Code Min Code Min R-38 + R-30	R-38 + R-30 attic	attic 0.25 solar reflectance Code Min	Code Min	R-10 slab insulation   Code Min   0.45 W/cfm   Std Design PV	Code Min	0.45 W/cfm	Std Design PV
13	VLLDCS	3 ACH50	Code Min	Code Min R-38 + R-30 attic	attic 0.25 solar reflectance Code Min	Code Min	R-10 slab insulation Code Min 0.45 W/cfm   Std Design PV	Code Min	0.45 W/cfm	Std Design PV
14	VLLDCS	3 ACH50	Code Min	Code Min R-38 + R-30 attic	attic 0.25 solar reflectance Code Min	Code Min	R-10 slab insulation Code Min	Code Min	0.45 W/cfm	0.45 W/cfm Std Desien PV
15	VLLDCS	Code Min	Code Min 0.043 wall R-38 + R-30	R-38 + R-30 attic	attic 0.25 solar reflectance Code Min	Code Min	R-10 slab insulation	Code Min	0.45 W/cfm	0.45 W/cfm Std Design PV
16	VLLDCS	3 ACH50	Code Min	Code Min R-38 + R-30 attic	attic Code Min	0.24/0.50 windows	Code Min	Code Min	0.45 W/cfm	Code Min 0.45 W/cfm Std Design PV
VVLDCS - V	'erified Low L	eakage Duct	VVLDCS - Verified Low Leakage Ducts in Conditioned Space	hed Space						

VVLDCS - Verified Low Leakage Ducts in Conditioned Space



Table 33: Single Family All-Electric Efficiency – Equipment, Preempted Package Measure Summary

	The state of the s	1119111	THE STREET	ייורריוור זי	יווורוכוור	dinha - A	ment, ri	eempted racka	rests so smelet raining an electric childrenty – Equipment, Preempted Package Measure Summary	
7	Duct	Infiltratio	Wall	Attic	Roof	Glazing	Slab	DHW	HVAC	<b>N</b> M
=	LLAHU + 2% leakage Code Min Code Min	Code Min	Code Min	Code Min	Code Min	E		NEEA TIER 3 HPWH	18 SEER 10 HSDE 0 ASWILLER	Ctd Design Day
.2	LLAHU + 2% leakage Code Min Code Min	Code Min	Code Min	Code Min	Code Min	Code Min Code Min Code Min		NEEA TIER 3 HPWH	18 SEER 10 HSDE 0 ASW/rfm	Sto Costan
m	LLAHU + 2% leakage Code Min Code Min	Code Min	Code Min	Code Min	Code Min	Code Min Code Min Code Min		NFFA Tier 3 HDWH	18 SEED 10 LICOS O ASSAULTED	
4	LLAHU + 2% leakage Code Min Code Min	Code Min	Code Min	Code Min	Code Min	Code Min Code Min Code Min	Code Min	NEEA TIER 3 HPWH	18 SEER, 10 HSDE O ASW/cfm	Std Design DV
N.	LLAHU + 2% leakage Code Min Code Min	Code Min	Code Min	Code Min	Code Min Code Min	Code Min	Code Min	NEEA Tier 3 HPWH	$\neg$	Std Decien Dv
9	Code Min	Code Min	Code Min Code Min	Code Min	Code Min Code Min	Code Min	Code Min		$\overline{}$	Std Decign DV
7	Code Min	Code Min Code Min	Code Min	Code Min	Code Min	Code Min	Code Min		Т	Std Design DV
90	Code Min	Code Min	Code Min	Code Min	Code Min	Code Min	Code Min	NEEA TIER 3 HPWH	0.45 W/cfm	Std Design PV
9	Code Min	Code Min	Code Min	Code Min	Code Min	Code Min	Code Min	Code Min NEEA Tier 3 HPWH	SPF. 0.45W/cfm	Std Design DW
10	LLAHU + 2% leakage Code Min	Code Min	Code Min	Code Min	Code Min	Code Min	Code Min	NEEA Tier 3 HPWH	1	Std Design DV
11	LLAHU + 2% leakage Code Min	Code Min	Code Min	Code Min	Code Min	Code Min	Code Min	Code Min Code Min Code Min NEEA Tier 3 HPWH		Std Design DV
12	LLAHU + 2% leakage Code Min Code Min	Code Min	-	Code Min	Code Min	Code Min	Code Min			Std Design DV
13	LLAHU + 2% leakage Code Min	Code Min	Code Min	Code Min	Code Min	Code Min	Code Min			Std Design DW
14	LLAHU + 2% leakage Code Min Code Min	Code Min		Code Min	Code Min	Code Min Code Min Code Min	Code Min	T	18 SEER, 10 HSPF, 0.45W/cfm	Std Decian DV
15	LLAHU + 2% leakage Code Min Code Min	Code Min		Code Min	Code Min	Code Min Code Min Code Min Code Min				Std Design DV
16	LLAHU + 2% leakage Code Min Code Min Code Min Code Min Code Min Code Min	Code Min	Code Min	Code Min	Code Min	Code Min	Code Min	NEEA Tier 3 HPWH		Std Decign DV
LLAHU - Lov	LLAHU - Low Leakage Air Handling Unit	nit						1	30000 Page 100 000 000 000 000 000 000 000 000 00	

LLAHU - Low Leakage Air Handling Unit
WLDCS – Verified Low Leakage Ducts in Conditioned Space



Table 34: Single Family All-Electric Efficiency & PV Package Measure Summary

			AGDIC	or. Single Lan	radic 34: Single Laming Anthropologically & FV Fachage Measure Summary	mercially of rv re	ichage Measule	Jammar	^		
B	Duct	Infiltratio Wall	Wall	Attic	Roof	Glazing	Slab	DHW	HVAC	M	
H	VLLDCS	Code Min	Code Min	Code Min Code Min R-38 + R-30 attic Code Min		0.24/0.50 windows	0.24/0.50 windows R-10 slab insulation Code Min 0.45 W/cfm 0.9 PV scaling	Code Min	0.45 W/cfm	0.9 PV scaling	
7	VLLDCS	Code Min	Code Min Code Min Code Min	Code Min	Code Min	0.24/0.23 windows	0.24/0.23 windows R-10 slab insulation Code Min 0.45 W/cfm 0.9 PV scaling	Code Min	0.45 W/cfm	0.9 PV scaling	
ന	VLLDCS	Code Min	Code Min Code Min Code Min		Code Min	Code Min	R-10 slab insulation	Code Min	0.45 W/cfm	Code Min 0.45 W/cfm 0.9 PV scaling	
4	VLLDCS	Code Min	Code Min Code Min Code Min	Code Min	Code Min	Code Min	R-10 slab insulation	Code Min	0.45 W/cfm	Code Min 0.45 W/cfm 0.9 PV scaling	
in	VLLDCS	Code Mim	Code Min Code Min Code Min	Code Min	Code Min	Code Min	R-10 slab insulation	Code Min	0.45 W/cfm	Code Min 0.45 W/cfm 0.9 PV scaling	
9	VLLDCS	Code Min	Code Min Code Min Code Min		Code Min	Code Min	Code Min	Code Min	0.45 W/cfm	Code Min 0.45 W/cfm 0.9 PV scaling	
7	Code Min	Code Min	Code Min Code Min	Code Min	Code Min	Code Min	Code Min	Code Min	0.45 W/cfm	Code Min 0.45 W/cfm 0.9 PV scaling	
00	VLLDCS	Code Min	Code Min	Code Min Code Min	Code Min	Code Min	Code Min	Code Min	0.45 W/cfm	Code Min 0.45 W/cfm 0.9 PV scaling	
6	VLLDCS	Code Min	Code Min Code Min		0.25 solar reflectance	Code Min	Code Min	Code Min	0.45 W/cfm	Code Min 0.45 W/cfm 0.9 PV scaling	
91	VLLDCS	Code Min	Code Min Code Min		0.25 solar reflectance	Code Min	R-10 slab insulation Code Min 0.45 W/cfm 0.9 PV scaling	Code Min	0.45 W/cfm	0.9 PV scaling	
Ħ	VLLDCS	Code Min	Code Min Code Min R-38 + R-30	4000	attic 0.25 solar reflectance	Code Min	R-10 slab insulation Code Min 0.45 W/cfm 0.9 PV scaling	Code Min	0.45 W/cfm	0.9 PV scaling	
2	VILDCS	Code Min	Code Min	Code Min Code Min R-38 + R-30 attic	attic 0.25 solar reflectance	Code Min	R-10 slab insulation Code Min 0.45 W/cfm 0.9 PV scaling	Code Min	0.45 W/cfm	0.9 PV scaling	
13	VILDCS	3 ACH50	Code Min	Code Min R-38+R-30 attic	attic 0.25 solar reflectance   Code Min		R-10 slab insulation Code Min 0.45 W/cfm 0.9 PV scaling	Code Min	0.45 W/cfm	0.9 PV scaling	
14	VLLDCS	3 ACH50	Code Min	Code Min R-38 + R-30 attic	attic 0.25 solar reflectance   Code Min		R-10 slab insulation Code Min 0.45 W/cfm 0.9 PV scaling	Code Min	0.45 W/cfm	0.9 PV scaling	
51	VLLDCS	Code Min	0.043 wall	Code Min 0.043 wall R-38 + R-30 attic	attic 0.25 solar reflectance   Code Min		R-10 slab insulation Code Min 0.45 W/cfm 0.9 PV scaling	Code Min	0.45 W/cfm	0.9 PV scaling	
16	VLLDCS	3 ACH50	Code Min	3 ACH50 Code Min R-38 + R-30 attic	Oattic Code Min	0.24/0.50 windows Code Min	Code Min	Code Min	0.45 W/cfm	Code Min 0.45 W/cfm 0.9 PV scaling	
WLD	VVLDCS - Verified Low Leakage Ducts in Conditioned Space	ow Leakage	Ducts in Con	ditioned Space							



Table 35: Single Family All-Electric Efficiency & PV/Battery Package Measure Summary

			The second of the property of the participant of th	THE PART OF THE PARTY	TIC DINICIONS	or I v / Dailely	I achage Meas		IIIal'v		
미	Duct	Infiltration Wall	Wall	Attic	Roof	Glazing	Slab	DHW	HVAC	\d	
H	VLLDCS	Code Min	Code Min	R-38 + R-30 attic	Code Min	0 windows	slab insulation	Code Min	0.45 W/rfm	0.45 W/rfm 1.00V scaling ± 5kM/h hatt	
7	VILDCS	Code Min	Code Min	Code Min	Code Min	0.24/0.23 windows	T	Code Min	0.45 W/ofm	1 O DV conting a Shark hard	
ന	VLLDCS	Code Min	Code Min	Code Min	Code Min		Т	Code Min	0.45 W/ofm	A O Diversion of Park Land	
4	VLLDCS	Code Min	Code Min	Min	Code Min	Code Min	Т	Τ	O AS MAJORITA	TO PV Scaling + Okwin batt	
ric.	VIDCS	Code Milin	Code Min	Adia	Cools Min	On do not	A 10 -10 III SUIGION	T	U.40 VV/CITT	1.0 PV Scaling + SKWn batt	
		- Marie 1990	COC WILL	MIN	Code with	Code Min	K-10 slab insulation	Code Min	0.45 W/cfm	1.0 PV scaling + 5kWh batt	
0	VLDCS	Code Min	Code Min	Code Min	Code Min	Code Min	Code Min	Code Min	0.45 W/cfm	1.0 PV scaling + 5kWh batt	
1	Code Min	Code Min	Code Min	Code Min	Code Min	Code Min	Code Min	Code Min		1 0 DV scaling + 5kWh hatt	
00	VLLDCS	Code Min	Code Min	Code Min	Code Min	Code Min		Γ		1 0 DV coaling + SkWh bott	
6h	VLLDCS	Code Miln Code Min	Code Min	Code Min	0.25 solar reflectance	Code Min		Τ		1 O DV cooling a Floath hote	
10	VILDCS	Code Min Code Min	Code Min	Code Min	0 25 color reflectance	Codo Brim	Т			TO LA SCAIIII & SUAVII DOLL	
1	300101				Sign Sold Ichicolance	COOK MARKE	T	Code Min	U.45 W/CIM	1.0 PV scaling + 5kWh batt	
=	VIIICS	Code Min Code Min	Code Min	R-38 + R-30 attic	0.25 soiar reflectance	Code Min	R-10 slab insulation	Code Min	0.45 W/cfm	1.0 PV scaling + 5kWh batt	
12	VLLDCS	Code Min Code Min	Code Min	R-38 + R-30 attic	0.25 solar reflectance	Code Min	R-10 slab insulation	Code Min	0.45 W/cfm	0.45 W/cfm 1.0 PV scaling + 5kWh batt	
13	VLLDCS	3 ACH50	Code Min	R-38 + R-30 attic	0.25 solar reflectance	Code Min		Г	0.45 W/cfm	0.45 W/cfm 1.0 PV scaling + 5kWh hatt	
14	VILDES	3 ACH50	Code Min	R-38 + R-30 attic	0.25 solar reflectance	Code Min		Γ	0.45 W/cfm	0.45 W/rfm 1.0 DV scaling + 5bWh hatt	
13	VLLDCS	Code Min	0.043 wall (SF); 0.048 wall (MF)	R-38 + R-30 attic	0.25 soiar reflectance	Code Min		Τ	0.45 W/cfm	0.45 W/cfm 1.0 DV scaling + 5kWh hatt	
16	VLLDCS	3 ACH50	Code Min	R-38 + R-30 attic	Code Min	0.24/0.50 windows Code Min			0.45 W/cfm	0.45 W/cfm 1.0 PV scaling + 5kWh hatt	
WLL	DCS - Verifit	ed Low Leak	VVLDCS - Verified Low Leakage Ducts in Conditioned Space	au							



## Appendix E - Multifamily Detailed Results

			Lab	Table 36: Multifamily Mixed Fuel Efficiency Package Cost-Effectiveness Results	Multi	famil	y Mixe	d Fuel	Efficie	ency Pa	ıckaş	ge Cos	it-Eff	ectiv	eness	Resu	lts					
			8	BASECASE					Nor	Non-Preempted	patc						Equipm	Equipment - Preempted	eemp	ted		
Simate Zone	Utility	AG3 ls3oT	Efficiency EDR	CALGreen Tier 1 EDR Target	lbs CO2 per sqft	Building	Ada lestoT	Efficiency EDR	Efficiency EDR Margin	migasM qmoO %	lbs CO2 per sqft	PV kW per Building	On-Bill B/C Ratio	TDV B/C Ratio	AG3 lstoT	Efficiency EDR	Efficiency EDR Margin	% Comp Margin	lbs CO2 per sqft	Building	On-Bill B/C Ratio	TDV B/C Ratio
01	PG&E	28.6	60.7	23	2.7	15.9	25.1	57.3	3.4	19.3%	2.3	16.0	1.1	1.2	26.4	58.4	23	17 2%	7.5		1	- 5
05	PG&E	25.7	56.5	12	2.4	13.9	24.2	54.7	1.8	9.9%	2.3	13.8	1.0	1.7	23.6	54.2	23	12 5%	22	13.0	1 -	i -
03	PG&E	24.7	57.8	10	2.1	13.5	24.0	57.2	9.0	4.7%	2.1	13.5	1.0	1.1	23.1	56.2	1.6	11 2%	1 9	13.4	1 -	
8	PG&E	25.5	56.8	00	2.2	13.6	24.3	55.5	1.3	7.7%	2.1	13.5	0.8	1.2	23.8	54.9	1.9	10.9%	2.0	13.5	1 -	17
02	PG&E	24.2	57.4	10	2.1	12.6	23.7	56.9	0.5	4.4%	2.0	12.6	1.0	1.0	22.7	55.9	1.5	10.9%	1.9	12.6	1.2	13
02	PG&E/SoCalGas	24.2	57.4	10	2.1	12.6	23.7	56.9	0.5	4.4%	2.0	12.6	8.0	1.0	22.7	55.9	1.5	10.9%	1.9	12.6	1.1	1.3
90	SCE/SoCalGas	26.8	63.2	10	2.2	13.9	25.8	61.9	1.3	7.0%	2.1	13.8	9.0	1.5	25.5	61.9	1.3	7.4%	2.0	13.9	1.4	1.7
02	SDG&E	26.8	64.5	Ŋ	2.1	13.2	26.1	63.6	6.0	5.3%	2.1	13.1	0.7	2.2	25.0	62.5	2.0	12.2%	2.0	13.2	1.1	1.4
8	SCE/SoCalGas	25.7	61.8	10	2.2	14.6	24.6	60.3	1.5	7.4%	2.1	14.5	0.7	1.4	24.6	60.7	1.1	5.7%	2.0	14.6	1.4	17
60	SCE/SoCalGas	26.4	59.7	13	2.2	14.7	25.0	57.9	1.8	8.2%	2.2	14.4	1.5	3.3	24.1	56.9	2.8	12.9%	2.1	14.4	1.7	2.9
10	SCE/SoCalGas	27.0	58.7	10	2.3	15.1	25.7	57.0	1.7	7.7%	2.2	14.9	0.8	1.7	24.7	55.8	2.9	13.0%	2.1	14.8	2.0	3.3
10	SDG&E	27.0	58.7	10	2.3	15.1	25.7	57.0	1.7	7.7%	2.2	14.9	1.1	1.7	24.7	55.8	2.9	13.0%	2.1	14.8	2.6	3.3
11	PG&E	24.5	54.5	11	2.4	16.6	22.3	51.6	5.9	11.9%	2.2	16.3	0.7	1.2	22.2	51.3	3.2	13.2%	2.2	16.1	1.8	3.3
12	PG&E	25.9	55.3	12	2.3	14.9	24.3	53.4	1.9	8.8%	2.2	14.8	1.1	2.2	23.5	52.5	2.8	12.8%	2.1	14.7	1.2	2.2
13	PG&E	26.1	55.9	11	2.3	17.5	23.7	52.8	3.1	12.1%	2.1	17.1	9.0	1.3	23.7	52.5	3.4	13.2%	2.1	16.9	2.0	00
14	SCE/SoCalGas	25.6	55.9	15	2.8	14.6	23.1	52.8	3.1	12.8%	2.5	14.3	0.7	1.2	23.2	52.6	3.3	13.3%	2.5	14.2	2.0	3.0
14	SDG&E	25.6	55.9	15	2.8	14.6	23.1	52.8	3.1	12.8%	2.5	14.3	6.0	1.2	23.2	52.6	3.3	13.3%	2.5	14.2	2.5	3.0
15	SCE/SoCalGas	25.0	59.2	11	2.5	21.6	22.7	55.0	4.2	12.9%	2.4	20.4	1.4	2.3	22.6	54.8	4.4	13.5%	2.3	20.4	7	× ×
16	PG&E	29.4	57.3	22	3.5	13.4	56.6	54.9	2.4	11.3%	3.0	13.7	1.1	1.2	26.9	54.4	2.9	13.1%	7	13.7	×	2 1
	">1" = indicates cases where there is both first cost savings and annual utility hill savings	s where	there is	both firs	t cost	Savings	and ann	inal intilit	v hill cav	ingo								2	5	7.67	1.0	7.7

">1" = indicates cases where there is both first cost savings and annual utility bill savings.



Table 37: Multifamily Mixed Fuel Efficiency & PV/Battery Package Cost-Effectiveness Re

			BASECASE Ffficiency & DV/Rattery	CASE			The state of the s	Ffficial	Efficiency & PV/Battery	atten	ults	
										directly		
			CALGreen		PV kW		Total			PV kW		
		Total	Tier 1 EDR	lbs CO2	per	Total	EDR	% Comp	lbs CO2	Der	On-Bill	TDV B/C
2	Utility	EDR	Target	per sqft	Building	EDR	Margin	Margin	per sqft	Building	B/C Ratio	Ratio
01	PG&E	28.6	23	2.7	15.9	17.1	11.5	29.3%	2.1	16.5	0.4	1.2
05	PG&E	25.7	12	2.4	13.9	14.8	10.9	16.9%	2.1	14.2	0.5	1 9
03	PG&E	24.7	10	2.1	13.5	14.4	10.3	10.7%	1.9	13.9	0.1	1.4
8	PG&E	25.5	00	2.2	13.6	14.3	11.2	15.7%	1.9	13.9	0.2	9
02	PG&E	24.2	10	2.1	12.6	14.3	6.6	9.4%	1.8	13.1	0.2	1.4
02	PG&E/SoCalGas	24.2	10	2.1	12.6	14.3	6.6	9.4%	1.8	13.1	0.1	1.4
90	SCE/SoCalGas	26.8	10	2.2	13.9	16.1	10.7	10.0%	1.8	14.2	9.0	1.4
02	SDG&E	26.8	2	2.1	13.2	15.8	11.0	7.3%	1.7	13.6	0.0	1.4
8	SCE/SoCalGas	25.7	10	2.2	14.6	15.8	6.6	13.4%	1.8	14.9	0.7	13
60	SCE/SoCalGas	26.4	13	2.2	14.7	16.7	9.7	15.2%	1.8	14.9	6.0	1.5
10	SCE/SoCalGas	27.0	10	2.3	15.1	16.6	10.4	13.7%	1.9	15.3	1.0	1.6
10	SDG&E	27.0	10	2.3	15.1	16.6	10.4	13.7%	1.9	15.3	0.2	1.6
11	PG&E	24.5	11	2.4	16.6	14.0	10.5	19.9%	2.0	16.7	0.4	1.6
12	PG&E	25.9	12	2.3	14.9	15.6	10.3	17.8%	2.0	15.2	0.3	17
13	PG&E	26.1	11	2.3	17.5	15.4	10.7	20.1%	2.0	17.5	0.4	16
14	SCE/SoCalGas	25.6	15	2.8	14.6	16.0	9.6	20.8%	2.2	14.7	-	- T
14	SDG&E	25.6	15	2.8	14.6	16.0	9.6	20.8%	2.2	14.7	0.5	1 4
15	SCE/SoCalGas	25.0	11	2.5	21.6	16.2	00	18.9%	2.1	20.9	13	17
16	PG&E	29.4	22	3.5	13.4	19.5	6.6	19.3%	2.7	14.1	0.5	13
	"in" - indirator casa indirate - "qui"	At oroday	to hath fines		-							)

"inf" = indicates cases where there is both first cost savings and annual utility bill savings.



2019-08-01

Table 38: Multifamily All-Electric Efficiency Packa

			T ~	10							~~	1 10	_	_				-			
		Ratio TDV B/C Ratio	2.3						1.9					2.0					2.2	1.7	
		On-Bill B/C	2.4	1.6	1.7	1.2	2.1	2.1	1.6	1.6	1.6	1.6	1.7	2.0	2.0	1.6	2.0	1,6	2.0	1.2	1 0
	ed	PV kW per Building	15.9	13.9	13.5	13.6	12.6	12.6	13.9	13.2	14.6	14.7	15.1	15.1	16.6	14.9	17.5	14.6	14.6	21.6	10.4
	empt	fips	1.4	n	-	1.2		7	7	Н	1.2	1.2		ς,	1.3	1.2					
	- Pre	Margin Ibs CO2 per			%		%	%	%	%				6 1							
S	ment	% comp	18.4%	15.1%	19.5%	12.2%	23.5%	23.5%	13.0%	13.6%	10.3%	7.4%	8.6%	8.6%	14.4%	13.0%	14.3%	14.3%	14.3%	20.6%	11 10/
Anti-Electric Eniciency Package Cost-Effectiveness Results	Equipment - Preempted	Efficiency EDR Margin	3.3	3.2	2.7	2.2	3.6	3.6	2.2	1.9	1.9	1.5	1.8	1.8	3.9	2.9	3.00	30	 00	6.4	2.2
ness		Efficiency EDR	67.3	60.2	61.5	59.2	61.8	61.8	63.7	64.7	61.7	60.4	59.5	59.5	26.7	57.0	56.7	57.8	57.8	54.6	62.4
ctive		Ada letoT	37.1	31.1	30.4	29.7	30.6	30.6	29.8	29.7	27.9	28.8	29.3	29.3	28.1	29.0	28.3	28.7	28.7	21.9	37 1
Erre		TDV B/C Ratio	1.4	2.1	1	1.5	0.9	6.0	1.3	1.0	1.7	2.7	2.0	2.0	1.6	1.1	1.6	1.6	1.6	2.3	21
-1SO		On-Bill B/C	1.6	1.7	1	1.4	1.1	1.1	0.7	9.0	6.0	1.3	1.2	1.5	1.4	6.0	1.3	1.2	1.5	1.5	2.1
age C		PV kW per Building	15.9	13.9	13.5	13.6	12.6	12.6	13.9	13.2	14.6	14.7	15.1	15.1	16.6	14.9	17.5	14.6	14.6	21.6	13.4
rack	mpted	lbs CO2 per sqft	1.5	1.3	1.3	1.2	1.3	1.3	1.3	1.2	1.2	1.3	1.3	1.3	1.3	1.2	1.2	1.6	1.6	1.6	1.7
епсу	Non-Preempted	% Comp Margin	14.6%	9.1%	%0.0	8.0%	3.4%	3.4%	2.9%	4.6%	6.5%	8.1%	8.7%	8.7%	13.1%	11.4%	12.6%	13.8%	13.8%	14.2%	15.0%
E111C	No	Margin	3.6	1.9	0.0	1.4	9.0	9.0	1.0	9.0	1.2	1.6	1.8	1.8	3.5	2.6	3.3	3.7	3.7	4.4	4.1
201.10		Efficiency EDR	67.0	61.5	64.2	0.09	64.8	64.8	64.9	0.99	62.4	60.3	59.5	59.5	57.1	57.3	57.2	57.9	57.9	9.99	62.5
III-EI		AG3 letoT	37.5	32.4	33.5	30.5	34.1	34.1	30.9	31.1	28.6	28.7	29.3	29.3	28.5	29.4	28.8	28.9	28.9	23.9	36.2
, c		PV kW per Building	15.9	13.9	13.5	13.6	12.6	12.6	13.9	13.2	14.6	14.7	15.1	15.1	16.6	14.9	17.5	14.6	14.6	21.6	13.4
ILIIGI		lbs CO2 per sqft	1.6	1.4	1.3	1.3	1.3	1.3	1.3	1.2	1.3	1.3	1.4	1.4	1.4	1.3	1.4	1.7	1.7	1.8	1.9
D. IVI	BASECASE	CALGreen Tier 1 EDR Target	36	16	14	12	16	16	12	7	10	13	11	11	12	13	13	16	16	00	39
able 50: Multilamily	BAS	Efficiency EDR	9.07	63.4	64.2	61.4	65.4	65.4	62.9	9.99	9.69	61.9	61.3	61.3	9.09	59.9	60.5	61.6	9.19	61.0	9.99
7 7		AG3 lstoT	41.1	34.3	33.5	32.0	34.7	34.7	31.9	31.7	29.8	30.4	31.2	31.2	31.9	32.0	32.1	32.5	32.5	28.2	40.2
		Utility	PG&E	PG&E	PG&E	PG&E	PG&E	PG&E/SoCalGas	SCE/SoCalGas	SDG&E	SCE/SoCalGas	SCE/SoCalGas		_		PG&E	PG&E	SCE/SoCalGas	SDG&E	SCE/SoCalGas	PG&E
-		2	01	05	03	40	02	02	90	07	8	60	10	10	11	12	13	14	14	15	16
L									_												

">1" = indicates cases where there is both first cost savings and annual utility bill savings.



2019-08-01

1.77 1.6 1.6 1.6 1.6 1.8 1.8 1.8 TDV B/C Ratio 1.7 Ratio 1.30 1.3 1.4 1.2 1.3 1.3 1.4 1.4 1.3 1.4 1.4 1.3 1.6 Ou-Bill B/C Efficiency & PV/Battery Buibling 23.6 22.9 22.5 22.0 22.0 22.1 20.5 22.5 22.5 25.8 24.5 26.4 22.8 26.6 24.8 22.8 Table 39: Multifamily All-Electric Efficiency & PV-PV/Battery Package Cost-Effectiveness Results PV kW per Hps 0.3 0.3 9.0 9.0 0.3 0.5 0.5 0.5 0.4 0.4 lbs CO2 per 16.1% 15.1% 14.7% 21.1% 16.0% 12.5% 14.7% 20.4% 20.6% 21.8% Margin 8.6% 8.4% 8.9% %9.9 21.8% 20.2% 23.0% % Comp Margin 30.9 29.5 27.5 28.9 30.3 30.3 23.3 23.3 27.1 23.3 25.3 26.6 23.9 24.8 24.2 24.8 16.9 29.9 **Total EDR** 11.3 10.3 3.4 4.0 4.4 4.6 5.6 7.1 7.9 7.9 9.9 **Total EDR** 4.4 3.1 1.7 1.8 1.8 1.8 1.8 1.8 1.7 1.9 1.8 1.9 TDV B/C Ratio 1.6 1.7 1.9 Ratio 2.4 2.4 1.4 1.3 2.1 2.1 On-Bill B/C Buibling 21.9 20.8 19.9 19.9 19.5 20.2 19.9 19.9 22.8 18.1 19.4 19.4 23.3 20.2 20.2 23.6 22.0 21.7 Efficiency & PV PV kW per Hps 0.7 0.7 0.7 1.0 6.0 1.0 0.8 1.3 0.7 1.0 1.1 0.8 0.7 lbs CO2 per Margin 14.6% 13.1% 13.8% 13.8% 11.4% 12.6% 14.2% 9.1% 2.6% 8.0% 3.4% 3.4% 5.9% 4.6% 6.5% 8.1% 8.7% 8.7% 15.0% dwoy % Margin 22.5 17.5 15.0 12.8 11.6 16.1 17.1 17.1 13.8 11.3 10.8 10.8 13.4 14.0 14.4 12.2 19.6 14.0 **Total EDR** 18.6 16.8 17.4 17.6 17.6 18.9 20.4 17.0 18.1 18.2 20.4 18.5 17.6 19.9 18.5 18.5 20.6 19.1 21.1 **AG3 letoT** Buibling 13.9 13.5 13.6 12.6 12.6 13.9 14.6 13.2 14.6 15.1 15.1 16.6 14.9 17.5 14.6 21.6 13.4 14.7 PV kW per Hps 1.3 1.3 1.2 1.4 BASECASE lbs CO2 per 1 EDR Target 14 12 16 16 12 10 13 11 12 13 16 00 CALGreen Tier 33.5 32.0 31.9 34.3 34.7 31.7 29.8 30.4 31.2 31.2 31.9 32.0 41.1 PG&E/SoCalGas 34.7 32.1 SCE/SoCalGas 32.5 SCE/SoCalGas 28.2 PG&E 40.2 **Total EDR** PG&E PG&E PG&E PG&E PG&E PG&E PG&E PG&E SCE/SoCalGas SCE/SoCalGas SCE/SoCalGas SDG&E SDG&E SCE/SoCalGas SDG&E Utility Climate Zone 05 60 10 07 08 10 13 14 15 02 03 9 05 11 12

">1" = indicates cases where there is both first cost savings and annual utility bill savings.



# Appendix F - Multifamily Measure Summary

Table 40: Multifamily Mixed Fuel Efficiency – Non-Preempted Package Measure Summary  Duct Infiltration Wall Artic Roof Glazing Slab DHW HVAC		20	
Table 40: Multifar	mmarv	HVAC	
Table 40: Multifar	ackage Measure Su		
Table 40: Multifar	reempted F	Slab	
Table 40: Multifar	ency - Non-P	Glazing	
Table 40: Multifar	ixed Fuel Effici	Roof	
8	family M	Attic	
8	0: Multil		
8	Table 4	Infiltration	On As a Ass.
		Duct	5

						2	THE PARTY OF THE PARTY	A reministration of the second	TITICAL V	
	Duct	Infiltration Wall	Wall	Attic	Roof	Glazing	Slab	DHE	HVAC	<b>M</b>
1	VLLDCS	Code Min	Code Min	Code Min	Code Min	0.24/0.50 windows	R-10 slab insulation	0.24/0.50 windows R-10 slab insulation Basic CHW credit (0.7) 0.35 W/-fm 1.0 DV scaling	0.35 W/cfm	1 0 DV coaling
2	VILDCS	Code Min	Code Min	Code Min	0.25 solar reflectance		R-10 slab insulation	R-10 slab insulation Basic CHW credit (0.7)   0.35 w/cfm	0.35 W/cfm	1 0 DV scaling
m	Code Min	Code Min	Code Min	Code Min	Code Min	Code Min	R-10 slab insulation	R-10 slab insulation Basic CHW credit (0.7) 0.35 w/cfm		1 O DV scaling
4	VILDCS	Code Min	Code Min	Code Min	0.25 solar reflectance	Code Min	R-10 slab insulation	R-10 slab insulation Basic CHW credit (0.7)		1.0 PV scaling
ı,	Code Min	Code Min	Code Min	Code Min	Code Min	Code Min	R-10 slab insulation	Basic CHW credit (0.7)		1 0 DV craling
9	VLLDCS	Code Min	Code Min	Code Min	0.25 solar reflectance	Code Min	Code Min	1	-	1 0 DV scaling
7	Code Min	Code Min	Code Min	Code Min	0.25 solar reflectance	Code Min		1		1 0 PV scaling
00	VILDCS	Code Min	Code Min	Code Min	0.25 solar reflectance	Code Min		Enh CHW credit (0.6)		0.35 W/cfm 1.0 PV scaling
6	VILDCS	Code Min	Code Min	Code Min	0.25 solar reflectance	Code Min	Code Min		0.35 W/cfm	1 0 PV scaling
10	VILDCS	Code Min	Code Min	Code Min	0.25 solar reflectance	Code Min	8-10 slab insulation	R-10 slab insulation Basic CHW credit (0.7) 0.35 W/cfm 1.0 DV scaling	0.35 W/cfm	1 0 DV scaling
11	VLLDCS	Code Min	Code Min	Code Min	0.25 solar reflectance	0.24/0.23 windows	-10 slab insulation	0.25 solar reflectance 0.24/0.23 windows R-10 slab insulation Basic CHW credit (0.7) 0.35 W/cfm	0.35 W/cfm	1 O DV ecoling
12	VLLDCS	Code Min	Code Min	Code Min	0.25 solar reflectance Code Min	Code Min	3-10 slab insulation	R-10 slab insulation Basic CHW credit (0.7)	0 35 W/cfm	1 O DV ccoling
13	VILDCS	Code Min	Code Min	Code Min	0.25 solar reflectance 0.24/0.23 windows R-10 slab insulation Basic CHW credit (0.7)	0.24/0.23 windows	-10 slab insulation			1.0 PV scaling
14	VILDCS	Code Min	Code Min	Code Min	0.25 solar reflectance 0.24/0.23 windows R-10 slab insulation Basic CHW credit (0.7)	0.24/0.23 windows	8-10 slab insulation	_		1 0 DV scaling
15	VILDCS	Code Min	Code Min	Code Min	0.25 solar reflectance	0.24/0.23 windows	-10 slab insulation			1 O DV coaling
16	VLLDCS	Code Min	Code Min	Code Min	Code Min	0.24/0.50 windows I	-10 slab insulation		0.35 W/cfm	1.0 PV scaling
VIIDC	- Varified Lo	VII DCC - Varified I out took a south of the	Victor in Cond	lisional Care						0

VLLDCS - Verified Low-Leakage Ducts in Conditioned Space



<b>b</b>	
- 5	
- 5	
=	
Ξ	
- ,5	
۰	
_	
- 5	
č	
a a	
5	
7	
Č	
<u>.</u>	
Д	
T	
ē	
7	
Ξ	
E C	
ىھ	
_ <u>}</u>	
_	
تب	
بو	
Ξ	
5	
·Ξ	
=	
Ö	
-	
- 1	
ت	
=	
<u>e</u> .	
U	
95	
7	
ভ	
Ĭ	
Ē	
777	
ā	
×	
2	
f	
Έ	
I	
Ξ	
7	
able 41: Mu	
Table 4	
Q	
G	
Ë	

Duct		Infiltratio	Illtratio   Wall   Attic	Attic	Brint		clok	lant, ricempted rac	Equipment, 11 cempted rackage measure summary	Á
1		31	1044	AUIC	ROOM	Glazing	Slab	DHW	HVAC	P2
Code Min Code Min	Code Mii	0	Code Min Code Min	Code Min	Code Min	Code Min Code Min	Code Min	95 EF, basic compact dist.	95 EF, basic compact dist. 16 SEER, 92 AFUE, 0.35W/cfm 1.0 PV scaling	1.0 PV scaling
Code Min Code Mi	Code M	2	Code Min Code Min	Code Min	Code Min	Code Min Code Min Code Min	Code Min	95 EF, basic compact dist.	16 SEER, 92 AFUE, 0.35W/cfm	1.0 PV scaling
Code Min Code Min	Code M	=	Code Min	Code Min	Code Min	Code Min Code Min Code Min	Code Min	95 EF, basic compact dist.	92 AFUE, 0.35W/cfm	1.0 PV scaling
Code Min Code N	Code N	A PER	Code Min Code Min	Code Min	Code Min	Code Min Code Min Code Min	Code Min	95 EF, basic compact dist.	16 SEER, 0.35 W/cfm	1.0 PV scaling
Code Min Code I	Code	Min	Code Min Code Min	Code Min	Code Min	Code Min Code Min Code Min	Code Min	95 EF, basic compact dist.	92 AFUE, 0.45W/cfm	1.0 PV scaling
Code Min Code		Min	Code Min Code Min Code Min Code Min	Code Min	Code Min		Code Min	95 EF, basic compact dist.		1.0 PV scaling
Code Min Code	Code	Z Z	Code Min Code Min	Code Min	Code Min	Code Min Code Min	Code Min	95 EF, basic compact dist.	16 SEER, 0.35 W/cfm	1.0 PV scaling
Code Min Code Min Code Min	Code	Min	Code Min	Code Min	Code Min	Min Code Min Code Min	Code Min	95 EF, basic compact dist.		1.0 PV scaling
Code Min Code	Code	Min	Code Min Code Min	Code Min	Min Code Min Code Min	Code Min	Code Min	95 EF, basic compact dist.	16 SEER, 0.35 W/cfm	1.0 PV scaling
Code Min Code	Code	Min	Code Min Code Min	Code Min	Min Code Min Code Min	Code Min	Code Min	95 EF, basic compact dist.		1.0 DV scaling
Code Min Code	Code	Min	Code Min Code Min	Code Min	Code Min Code Min	Code Min	Code Min		5W/cfm	1.0 PV scaling
Code Min Cod	Cod	e Min	Code Min Code Min	Code Min	Code Min	Code Min	Code Min		16 SEER, 92 AFUE, 0.35W/cfm 1.0 PV scaling	1.0 PV scaling
Code Min Code Min Code Min	Cod	e Min	Code Min	Code Min	Code Min Code Min	Code Min	Code Min	95 EF, basic compact dist.		1.0 DV scaling
Code Min Cod	Cod	e Min	Code Min Code Min	Code Min	Code Min Code Min	Code Min	Code Min	95 EF, basic compact dist.	95 EF, basic compact dist. 16 SEER. 92 AFUE, 0.35W/cfm 1.0 PV scaling	1 0 DV scaling
Code Min Code Min Code Min	Code	Min	Code Min	Code Min	Code Min Code Min	Code Min	Code Min	95 EF, basic compact dist. 16 SEER, 0.35 W/cfm	16 SEER, 0.35 W/cfm	1.0 PV scaling
Code Min Code Min Code Min	Code	Min		Code Min	Code Min	Min Code Min Code Min	Code Min	95 EF, basic compact dist.	5W/cfm	1.0 DV scaling
VLLDCS - Verified Low-Leakage Ducts in Conditioned	v-Leak	age D	ucts in Condi	tioned Space						9



Table 42: Multifamily Mixed Fuel Efficiency & PV/Battery Package Measure Summary

table 12: Halliaming Misca I act Hillicity & I V/Dattely Fackage Measure Summary	DHW HVAC PV	/cfm		1			1	1	1	Basic CHW credit (0.7) 0.35 W/cfm 1.0 PV scaling + 22kWh batt	Basic CHW credit (0.7) 0.35 W/cfm 1.0 PV scaling + 22kWh batt	Basic CHW credit (0.7) 0.35 W/cfm 1.0 PV scaling + 22kWh batt	Basic CHW credit (0.7) 0.35 W/cfm 1.0 PV scaling + 22kWh batt	Basic CHW credit (0.7) 0.35 W/cfm 1.0 PV scaling + 22kWh batt	Basic CHW credit (0.7) 0.35 W/cfm 1.0 PV scaling + 22kWh batt	Basic CHW credit (0.7) 0.35 W/cfm 1.0 PV scaling + 22kWh batt	
r v / Dallely rat	Stab		Т	R-10 slab insulation	R-10 slab insulation	R-10 slab insulation	Code Min	Code Min	Code Min	Code Min	R-10 slab insulation						
I EIIICICIICA OCT	Glazing	0.24/0.50 windows R-10 slab insulation	Code Min	Code Min	Code Min	Code Min	Code Min	Code Min	Code Min	Code Min	Code Min	0.24/0.23 windows	Code Min	0.24/0.23 windows	0.24/0.23 windows	0.24/0.23 windows	
miny mixed rue	Roof	Code Min	Code Min Code Min Code Min 0.25 solar reflectance	Code Min	0.25 solar reflectance	Code Min	0.25 solar reflectance	lar reflectance	lar reflectance	lar reflectance	ar reflectance	lar reflectance	lar reflectance	lar reflectance	lar reflectance	ar reflectance	
I'I WILLIAM	Attic	Code Min	Code Min	Code Min	Code Min	Code Min	Code Min	Code Min	Code Min	Code Min	Code Min	Code Min	Code Min	Code Min	Code Min	Code Min	
		Code Min	Code Min	Code Min	Code Min Code Min 0.25 so	Code Min Code Min Code Min	Code Min Code Min 0.25 so	Code Min Code Min 0.25 so	Code Min Code Min 0.25 so	Code Min	Code Min Code Min 0.25 so	Code Min	Code Min Code Min 0.25 so				
7	Infiltration Wall	Code Min Code Min Code Min Code	Code Min	Code Min Code Min Code Min Code	Code Min	Code Min	Code Min	Code Min	Code Min	Code Min Code Min Code Min 0.25 so	Code Min	Code Min Code Min Code Min 0.25 so	Code Min	Code Min	Code Min	Code Min	
	Duct	VLLDCS	VLLDCS	Code Min	VLLDCS	Code Min	VLLDCS	Code Min	VLLDCS	VILDCS	VILDCS	VLLDCS	VLLDCS	VLLDCS	VLLDCS	VLLDCS	
	BI	1	7	m	4	S	9	7	80	6	10	11	12	13	7	15	

VLLDCS - Verified Low-Leakage Ducts in Conditioned Space



Table 43: Multifamily All-Electric Efficiency - Non-Preemnted Package Mea

Z	Duct	Infiltration Wall	Wall	Attic	Inflitration Wall Attic Roof Glazing Slab	Glazine	Sales Sales	LILIAN.	INTAC	E46./
-	MINGE	Conto Basa	Canal Basin	Conde Con				- C.	TANK	2
4	VLLDUS	Code Mill	Code Min	Code Min	Code Min	0.24/0.50 windows	0.24/0.50 windows R-10 slab insulation Code Min	Code Min	0.45 W/cfm	Std Design PV
7	VLLDCS	Code Min	Code Min	Code Min	0.25 solar reflectance	Code Min	R-10 slab insulation	Code Min	0.45 W/cfm	Std Design PV
מח	Code Min	Code Min Code Min	Code Min	Code Min	Code Min	Code Min	Code Min	Code Min	Code Min	Std Design PV
4	VLLDCS	Code Min	Code Min	Code Min	0.25 solar reflectance	Code Min	R-10 slab insulation Code Min	Code Min	0.45 W/cfm	Std Decign DV
ın	VLLDCS	Code Min	Code Min	Code Min	Code Min	Code Min	R-10 slab insulation Code Min	Code Min	Code Min	Std Design PV
9	VLLDCS	Code Min	Code Min	Code Min	0.25 solar reflectance Code Min	Code Min	Code Min	Code Min	Code Min 0.45 W/cfm	Std Design PV
7	Code Min	Code Min	Code Min	Code Min	0.25 solar reflectance   Code Min	Code Min	Code Min	Code Min	Code Min 0.45 W/cfm	Std Design PV
00	VLLDCS	Code Min	Code Min	Code Min	0.25 solar reflectance	Code Min	Code Min	Code Min	Code Min 0.45 W/cfm	Std Design PV
6	VLLDCS	Code Min	Code Min	Code Min	0.25 solar reflectance	Code Min	Code Min	Code Min	Code Min 0.45 W/cfm	Std Design DV
10	VLLDCS	Code Min	Code Min	Code Min	0.25 solar reflectance Code Min		R-10 slab insulation Code Min 0.45 W/cfm	Code Min	0.45 W/cfm	Std Design DV
11	VLLDCS	Code Min	Code Min	Code Min	0.25 solar reflectance 0.24/0.23 windows R-10 slab insulation Code Min 0.45 W/rfm	0.24/0.23 windows	R-10 slab insulation	Code Min	0.45 W/cfm	Std Design DV
12	VLLDCS	Code Min	Code Min	Code Min	0.25 solar reflectance 0.24/0.23 windows R-10 slab insulation Code Min 0.45 W/cfm	0.24/0.23 windows	R-10 slab insulation	Code Min	0.45 W/cfm	Std Design PV
13	VLLDCS	Code Min	Code Min	Code Min	0.25 solar reflectance 0.24/0.23 windows R-10 slab insulation Code Min 0.45 W/cfm	0.24/0.23 windows	R-10 slab insulation	Code Min	0.45 W/cfm	Std Design PV
14	VLLDCS	Code Min	Code Min	Code Min	0.25 solar reflectance 0.24/0.23 windows R-10 slab insulation Code Min 0.45 W/cfm	0.24/0.23 windows	R-10 slab insulation	Code Min	0.45 W/cfm	Std Design PV
15	VLLDCS	Code Min	Code Min	Code Min	0.25 solar reflectance 0.24/0.23 windows R-10 slab insulation Code Min 0.45 W/cfm	0.24/0.23 windows	R-10 slab insulation	Code Min	0.45 W/cfm	Std Design PV
16	VLLDCS	Code Min	Code Min	Code Min	Code Min	0.24/0.50 windows	0.24/0.50 windows R-10 slab insulation Code Min 0.45 W/cfm	Code Min	0.45 W/cfm	Std Design DV



Table 44: Multifamily All-Electric Efficiency – Equipment, Preempted Package Measure Summary

CZ Duct Infiltratio Wall  1 Code Min Code Min Code Min  2 Code Min Code Min Code Min  3 Code Min Code Min Code Min  4 Code Min Code Min Code Min	Code Min	Wall	Attic	Done		-		Smithensity 18441 Asst.	- 6
	Code Min		אונור		Glazing	Clean	DHW	HVAC	20
			Code Min Code Min Code Min	Code Min	Code Min	Code Min	NEEA Tier 3 HPWH	16 SFER. 9 HSPE. 0.45W/rfm	Std Docing DV
	Code Min Code Min Code Min		Code Min Code Min Code Min	Code Min	Code Min	Code Min	NEEA Tier 3 HPWH	16 SEER. 9 HSDE: 0.45W/rfm	Std Docign DV
	Code Min Code Min Code Min		Code Min Code Min Code Min	Code Min	Code Min	Code Min	NEEA Tier 3 HPWH	16 SEER 9 HSDE 0.45W/cfm	Std Dorign DV
	Code Min Code Min Code Min		Code Min Code Min Code Min	Code Min		Code Min	NEEA Tier 3 HPWH	16 SEER 9 HSDE 0 ASW/cfm	Std Design PV
5 Code Min	Code Min Code Min Code Min		Code Min Code Min Code Min	Code Min		Code Min	NEEA Tier 3 HPWH	16 SFFR, 9 HSPF, 0.45W/cfm	Std Design PV
6 Code Min	Code Min Code Min Code Min		Code Min Code Min Code Min	Code Min			NEEA TIER 3 HPWH	0.45 W/cfm	Std Design DV
7 Code Min	Code Min Code Min Code Min		Code Min	Code Min	Code Min Code Min Code Min	Code Min	NEEA TIER 3 HPWH	0.45 W/cfm	Std Design DV
8 Code Min	Code Min Code Min		Code Min	Code Min	Code Min Code Min Code Min	Code Min	NEEA TIER 3 HPWH	0.45 W/cfm	Std Design DV
9 Code Min	Code Min Code Min		Code Min	Code Min	Code Min Code Min Code Min	Code Min	NEEA Tier 3 HPWH	0.45 W/cfm	Std Design DV
10 Code Min	Code Min Code Min		Code Min	Code Min	Code Min Code Min Code Min	Code Min	NEEA Tier 3 HPWH	0.45 W/cfm	Std Dorign DV
11 Code Min		Code Min Code Min	Code Min Code Min Code Min	Code Min	Code Min	Code Min	NFFA Tier 3 HDWH	16 SEEP 9 HSDE 0.45W/rfm	otd Decign DV
12 Code Min		Code Min Code Min Code Min Code Min Code Min	Code Min	Code Min	Code Min	Code Min		16 SEER 9 HSDE 0.45M/rfm	Std Docign DV
13 Code Min	Code Min	Code Min Code Min Code Min Code Min	Code Min	Code Min	Code Min	Code Min		16 SEER, 9 HSDE, 0.45W/rfm	Std Design DV
14 Code Min	Code Min	Code Min Code Min Code Min Code Min	Code Min	Code Min	Code Min	Code Min	NEEA Tier 3 HPWH	NEEA Tier 3 HDWH 16 GEER 9 HGDE 0 ASW//cfm	otd Docign Div
15 Code Min	Code Min Code Min Code Min	Code Min	Code Min Code Min	Code Min		Code Min	NEEA Tier 3 HPWH	NEEA TIER 3 HPWH 18 SEER, 10 HSPF, 0.45W/cfm	
16 Code Mim	Code Min	Code Min Code Min Code Min Code Min Code Min Code Min	Code Min	Code Min	Code Min		NEEA Tier 3 HPWH	NEEA Tier 3 HPWH 16 SEER, 9 HSPF, 0.45W/cfm	Std Design DV

Table 45: Multifamily All-Electric Efficiency & PV Package Measure Summary

		-								
וצ	Duct	Intiltration Wall	Wall	Attic	Roof	Glazing	Slab	DHW	HVAC	M
-	VLLDCS	Code Min Code Min	Code Min	Code Min Code Min	Code Min	0.24/0.50 windows	0.24/0.50 windows R-10 slab insulation	Code Min	0.45 W/cfm	Code Min 0.45 W/cfm 0.9 PV scaling
2	VLLDCS	Code Min Code Min	Code Min	Code Min	Code Min 0.25 solar reflectance	Code Min	R-10 slab insulation Code Min 0.45 W/cfm 0.9 PV scaling	Code Min	0.45 W/cfm	0.9 PV scaling
m	Code Min	Code Min Code Min Code Min Code Min Code Min	Code Min	Code Min	Code Min	Code Min	R-10 slab insulation Code Min 0.45 W/cfm	Code Min	0.45 W/cfm	0.9 PV scaling
4	VLLDCS	Code Min	Code Min	Code Min	Code Min Code Min Code Min 0.25 solar reflectance	Code Min	R-10 slab insulation Code Min 0.45 W/cfm	Code Min	0.45 W/cfm	
5	VLLDCS	Code Min Code Min Code Min Code Min	Code Min	Code Min	Code Min		R-10 slab insulation Code Min Code Min	Code Min	Code Min	0.9 PV scaling
9	VLLDCS	Code Min	Code Min	Code Min	Code Min Code Min Code Min 0.25 solar reflectance	Code Min	Code Min	Code Min	0.45 W/cfm	0.9 PV scaling
_	Code Min	Code Min	Code Min	Code Min	Code Min Code Min Code Min 0.25 solar reflectance	Code Min	Code Min	Code Min	0.45 W/cfm	0.9 PV scaling
00	VLLDCS	Code Min	Code Min	Code Min	Code Min Code Min Code Min 0.25 solar reflectance	Code Min	Code Min	Code Min	0.45 W/cfm	0.9 PV scaling
6		Code Min	Code Min	Code Min	Code Min Code Min Code Min 0.25 solar reflectance	Code Min	Code Min	Code Min	0.45 W/cfm	0.9 PV scaling
2	VLLDCS	Code Min	Code Min	Code	Min 0.25 solar reflectance	Code Min	R-10 slab insulation Code Min	Code Min	0.45 W/cfm	0.9 PV scaling
H	VLLDCS	Code Min	Code Min	Code Min	Min 0.25 solar reflectance 0.24/0.23 windows R-10 slab insulation Code Min	0.24/0.23 windows	R-10 slab insulation	Code Min	0.45 W/cfm	0.9 DV scaling
12	VLLDCS	Code Min	Code Min	Code Min	Code Min 0.25 solar reflectance 0.24/0.23 windows R-10 slab insulation Code Min 0.45 W/cfm	0.24/0.23 windows	R-10 slab insulation	Code Min		0.9 PV scaling
13	VLLDCS	Code Min	Code Min	Code Min	Code Min 0.25 solar reflectance 0.24/0.23 windows R-10 slab insulation Code Min 0.45 W/cfm	0.24/0.23 windows	R-10 slab insulation	Code Min		0.9 PV scaling
14	VLLDCS	Code Min	Code Min	Code Min	Code Min 0.25 solar reflectance 0.24/0.23 windows R-10 slab insulation Code Min 0.45 W/cfm	0.24/0.23 windows	R-10 slab insulation	Code Min		0.9 PV scaling
15	VLLDCS	Code Min Code Min		Code Min	Min 0.25 solar reflectance	0.24/0.23 windows	0.24/0.23 windows R-10 slab insulation Code Min 0.45 W/cfm	Code Min		0.9 PV scaling
16	VLLDCS	16 VLLDCS Code Min Code Min Code	Code Min	Code Min	Min Code Min	0.24/0.50 windows	0.24/0.50 windows R-10 slab insulation Code Min 0.45 W/cfm 0.9 pV scaling	Code Min		0.9 PV scaling



Table 46: Multifamily All-Electric Efficiency & PV/Battery Package Measure Summary

			3							
الا	Duct	Infiltration Wall	Wall	Attic	Roof	Glazing	Slab	DHAW	HVAC	DA.
	VLLDCS	Code Min	Code Min Code Min	Code Min	Code Min	0 windows	R-10 slab insulation	Code Min	0.45 W/cfm	0 45 W/ofm 1 0 DV conline a colour hatt
	VLLDCS	Code Min	Code Min	Code Min Code Min	0.25 solar reflectance		R-10 clah inculation	Code Min	0.4E 141/ofm	1 O DIVERSITIES T ZZRVVII DO
	Code Min	Code Min	Code Min Code Min	Code Min	Code Min		P 10 clab inculation	Cade Mili	O de service	O'45 W/CITE TO PV Scaling + ZZKVVII Datt
	MINCE	Code 8.02m	Carlo Barre				N-TO SIGN HISMIGHOUS	COGE IVILL	0.45 W/CTM	0.45 W/CTM 1.0 PV scaling + 22kWh batt
T	VLLDCS	CODE IVIII	Code Min Code Min	Code Min	0.25 solar reflectance	Code Min	R-10 slab insulation	Code Min	0.45 W/cfm	0.45 W/cfm   1.0 PV scaling + 22kWh batt
T	VLLDCS	Code Min	Code Min Code Min	Code Min	Code Min	Code Min	R-10 slab insulation	Code Min	Code Min	1.0 PV scaling + 22kWh hatt
1	VLLDCS	Code Min	Code Min	Code Min Code Min	0.25 solar reflectance	Code Min	Code Min	Code Min	0.45 W/cfm	0.45 W/cfm 1.0 PV scaling + 22kWh hatt
	Code Min	Code Min	Code Min Code Min	Code Min	0.25 solar reflectance	Code Min	Code Min	Code Min	0.45 W/cfm	0.45 W/cfm 1.0 PV scaling + 22kWh hatt
	VLLDCS	Code Min	Code Min Code Min	Code Min	0.25 solar reflectance	Code Min	Code Min	Code Min	0.45 W/rfm	0.45 W/ofm 1.0 DV scaling + 22kW/k hatt
	VILDCS	Code Min	Code Min Code Min	Code Min	0.25 solar reflectance	Code Min	Code Min	Code Min	0.45 W/cfm	0.45 W/rfm 1.0 DV scaling + 22kWit Date
10	VLLDCS	Code Min	Code Min Code Min	Code Min	0.25 solar reflectance	Code Min	neulation	Code Min	0.45 W/ofm	1 O DV cooling 1 22hVII D
_	VLLDCS	Code Min	Code Min Code Min	Code Min		vindows		Code Min	O 45 M/cfm	A A MALLEL TO PV Scaling + ZZKWI Datt
12	VLLDCS	Code Min	Code Min Code Min	Code Min		0.24/0.23 windows		Code Min	0.45 W/cfm	O AS W/Cim 1.0 PV Scaling + 22kWh batt
13	VLLDCS	Code Min	Code Min Code Min	Code Min		0.24/0.23 windows	R-10 slab insulation	Code Min	0.45 W/cfm	0.45 W/cfm 1.0 PV scaling + ZZKWN batt
14	VLLDCS	Code Min	Code Min Code Min	Code Min		0.24/0.23 windows	R-10 slab insulation	Code Min	0.45 W/cfm	0.45 W/rfm 1.0 DV scaling + 22kWith Date
	15 VLLDCS	Code Min	Code Min Code Min	Code Min	0.25 solar reflectance	0.24/0.23 windows		Code Min	0.45 W/cfm	0.45 W/cfm 1.0 PV scaling + 22kWh batt
	16 VLLDCS	16 VILDCS Code Min Code Min Code Min	Code Min	Code Min	Code Min		R-10 slab insulation Code Min	Code Min	0.45 W/cfm	0.45 W/cfm 1.0 PV scaling + 22kWh batt



#### Appendix G – Results by Climate Zone

Climate Zone 1	80
Climate Zone 2	81
Climate Zone 3	0/
Climate Zone 4	04
Climate Zone 5 PG&E	
Climate Zone 5 PG&E/SoCalGas	
Climate Zone 6	90
Climate Zone 7	92
Climate Zone 8	94
Climate Zone 9	90
Climate Zone 10 SCE/SoCalGas	90
Climate Zone 10 SDGE	100
Climate Zone 11	102
Climate Zone 12	104
Climate Zone 13	106
Climate Zone 14 SCE/SoCalGas	108
Climate Zone 14 SDGE	110
Climate Zone 15	112
Climate Zone 15	114
Climate Zone 16	116



Table 47: Single Family Climate Zone 1 Results Summary

		I anic	T/. Julgic	rallilly CI	Table 41. Single Family Chimate 20the 1 Results Summary	T WESTILS S	ummary			
Climat PG&E	Climate Zone 1	Annual			PV Size	CO2-Ec	CO2-Equivalent Emissions (Ibs/sf)	NPV of Lifetime	Benefit to Cost Ratio (B/C)	o Cost B/C)
Sing	Single Family	Net KWh	Annual therms	EDR Margin <sup>4</sup>	Change (kW) <sup>5</sup>	Total	Reduction	Incremental Cost (\$)	On-Bill	TDV
, le	Code Compliant	(0)	581	n/a	n/a	3.00	n/a	n/a	n/a	n/a
ι Εn	Efficiency-Non-Preempted	(0)	480	5.0	(0.08)	2.51	0.49	\$1,355	3.38	2.82
pəxi	Efficiency-Equipment	0	440	6.5	(0.07)	2.32	0.68	\$1,280	4.92	4.10
W	Efficiency & PV/Battery	(28)	480	10.5	0.04	2.40	09:0	\$5,311	0.87	1.61
	- (	1	(							
5	Code Compliant	6/0'/	0	n/a	n/a	1.51	n/a	n/a	n/a	n/a
oint	Efficiency-Non-Preempted	4,461	0	15.0	0.00	1.01	0.50	\$7,642	1.79	1.66
oəl∃	Efficiency-Equipment	5,933	0	6.5	00.00	1.29	0.22	\$2,108	2.94	2.74
I-IIA	Efficiency & PV	889	0	31.0	2.67	0.52	1.00	\$18,192	1.81	1.45
	Efficiency & PV/Battery	(14)	0	41.0	3.45	0.28	1.23	\$24,770	1.45	1.40
	Code Compliant	7.079	0	0.0	0.00	151	1 49	(\$5,349)	0.37	0 04
leu <sup>=</sup> ctric	Efficiency & PV	889	0	31.0	2.67	0.52	2.48	\$12,844	1.43	2.11
	Neutral Cost	5,270	0	8.0	1.35	1.26	1.74	\$0	0.00	1.09
	Min Cost Effectiveness	3,106	0	18.0	2.97	0.95	2.04	(\$6,372)	1.08	<u>Y</u>

<sup>1</sup>All reductions and incremental costs relative to the **mixed fuel** code compliant home. <sup>2</sup>All reductions and incremental costs relative to the **all-electric** code compliant home.

<sup>5</sup>Positive values indicate an increase in PV capacity relative to the Standard Design.



<sup>&</sup>lt;sup>3</sup>All reductions and incremental costs relative to the mixed fuel code compliant home except the EDR Margins are relative to the Standard Design for each case which is the all-electric code compliant home. Incremental costs for these packages reflect the cots used in the On-Bill cost effectiveness methodology. Costs differ for the TDV methodology due to differences in the site gas infrastructure costs (see Section 2.6).

<sup>&</sup>lt;sup>4</sup>This represents the Efficiency EDR Margin for the Efficiency-Non-Preempted and Efficiency-Equipment packages and Total EDR Margin for the Efficiency & PV, Efficiency & PV/Battery, Neutral Cost, and Min Cost Effectiveness packages.

H
5
la
9
Ξ
2
$\overline{}$
P
>
J.
në
Ξ
Ξ
5
S
ts
S
P
~
$\overline{}$
O
0
Z
te
7
ğ
lim
Clima
y Clima
ily Clima
mily Clima
amily Clima
ifamily Clima
<b>Itifamily Clima</b>
ultifamily
ultifamily
ultifamily
18: Multifamily Clima
ultifamily
ultifamily
ultifamily
ultifamily

	TODI	L TO: INTRI	CHAIRING C	IIIIate Zoll	C CHINCOULT 3	unimaly (r	racic for infinitionally chimate gotte i nesques summary (f et DWelling Ullie	OIIII)		
Cim	te Zone 1					CO2-Ec	CO2-Equivalent	NPV of	Benefit	Benefit to Cost
PG&旧	Щ	Annual			PV Size	EMISSIO	Emissions (ibs/st)	Lifetime	Ratio (B/C)	(B/C)
Mult	Multifamily	Net KWh	Annual therms	EDR Margin⁴	Change (kW) <sup>5</sup>	Total	Reduction	Incremental Cost (\$)	On-Bill	VQT
¹ le	Code Compliant	(0)	180	n/a	n/a	2.75	n/a	n/a	n/a	n/a
n 🛮	Efficiency-Non-Preempted	(0)	147	3.0	0.00	2.31	0.44	096\$	1.10	1.18
pəxi	Efficiency-Equipment	(0)	159	2.0	(0.01)	2.48	0.27	\$507	1.29	1.41
M	Efficiency & PV/Battery	(14)	147	11.5	0.07	2.13	0.61	\$3,094	0.35	1.21
z	Code Compliant	2,624	0	n/a	n/a	1.62	n/a	n/a	n/a	n/a
oirt:	Efficiency-Non-Preempted	2,328	0	3.5	0.00	1.46	0.15	\$949	1.55	1.40
oəl∃	Efficiency-Equipment	2,278	0	3.0	0.00	1.41	0.20	\$795	2.39	2.26
I-IIA	Efficiency & PV	499	0	22.5	1.37	0.75	0.86	\$5,538	2.04	1.50
,	Efficiency & PV/Battery	(7)	0	34.5	1.80	0.38	1.24	\$8,919	1.33	1.43
	المين مهري	7000	c		000	00.7	37.7	1000		
	code compliant	7,024	5	0.0	0.00	1.62	1.13	(\$2,337)	0.38	1.01
	Efficiency & PV	62	0	22.5	1.37	0.75	2.00	\$3,202	1.63	<u>×</u>
l=l yex	Neutral Cost	1,693	0	9.5	0.70	1.25	1.50	\$0	0.00	1.57
	Min Cost Effectiveness	1,273	0	14.0	1.01	1.09	1.66	(\$1,052)	1.14	3.76
1All rod	In the state of the second sec	- 11 - 4 11		-						

<sup>2</sup>All reductions and incremental costs relative to the all-electric code compliant home.

<sup>&</sup>lt;sup>5</sup>Positive values indicate an increase in PV capacity relative to the Standard Design.



<sup>&</sup>lt;sup>3</sup>All reductions and incremental costs relative to the mixed fuel code compliant home except the EDR Margins are relative to the Standard Design for each case which is the all-electric code compliant home. Incremental costs for these packages reflect the cots used in the On-Bill cost effectiveness methodology. Costs differ for the TDV methodology due to differences in the site gas infrastructure costs (see Section 2.6).

<sup>&</sup>lt;sup>4</sup>This represents the Efficiency EDR Margin for the Efficiency-Non-Preempted and Efficiency-Equipment packages and Total EDR Margin for the Efficiency & PV, Efficiency & PV/Battery, Neutral Cost, and Min Cost Effectiveness packages.

Table 49: Single Family Climate Zone 2 Recults Su

		I able 17.		aminy cum	Single Family Chimate Zone 2 Nesults Summary	nesults on	IIIIIIary			
Climat PG&E	Climate Zone 2 PG&E	Annual		C C L	PV Size	CO2-E Emissic	CO2-Equivalent Emissions (lbs/sf)	NPV of Lifetime	Benefit to Cost Ratio (B/C)	to Cost (B/C)
Sing	Single Family	kWh	therms	EDR Margin⁴	Change (kW) <sup>5</sup>	Total	Reduction	Incremental Cost (\$)	On-Bill	TDV
۱)	Code Compliant	(0)	421	n/a	n/a	2.23	n/a	n/a	n/a	n/a
ոച բ	Efficiency-Non-Preempted	0	360	3.0	(0.04)	1.94	0:30	\$1,504	1.63	1.66
oəxi	Efficiency-Equipment	(0)	352	3.0	(0.03)	1.90	0.33	\$724	3.77	3.63
M	Efficiency & PV/Battery	(22)	360	10.0	90.0	1.82	0.41	\$5,393	0.47	1.56
7	Code Compliant	5,014	0	n/a	n/a	1.11	n/a	n/a	n/a	n/a
aint	Efficiency-Non-Preempted	4,079	0	4.5	00.00	0.94	0.18	\$3,943	1.21	1.07
oəl3	Efficiency-Equipment	4,122	0	5.0	00.0	0.94	0.17	\$2,108	2.25	2.10
-IIA	Efficiency & PV	847	0	19.0	2.07	0.49	0.63	\$12,106	1.83	1.38
	Efficiency & PV/Battery	(15)	0	30.0	2.71	0.26	0.86	\$18,132	1.37	1.43
		Ī								
	Code Compliant	5,014	0	0.0	00.0	1.11	1.12	(\$5,349)	0.52	1.59
J국 be Elec	Efficiency & PV	847	0	19.0	2.07	0.49	1.75	\$6,758	1.76	39.70
	Neutral Cost	2,891	0	9.5	1.36	0.82	1.41	\$0	7	×

<sup>1</sup>All reductions and incremental costs relative to the **mixed fuel** code compliant home. <sup>2</sup>All reductions and incremental costs relative to the **all-electric** code compliant home.

case which is the all-electric code compliant home. Incremental costs for these packages reflect the cots used in the On-Bill cost effectiveness methodology. <sup>3</sup>All reductions and incremental costs relative to the mixed fuel code compliant home except the EDR Margins are relative to the Standard Design for each Costs differ for the TDV methodology due to differences in the site gas infrastructure costs (see Section 2.6).

<sup>&</sup>lt;sup>4</sup>This represents the Efficiency EDR Margin for the Efficiency-Non-Preempted and Efficiency-Equipment packages and Total EDR Margin for the Efficiency & PV/Battery, and Neutral Cost packages.
<sup>5</sup>Positive values indicate an increase in PV capacity relative to the Standard Design.

Table 50: Multifamily Climate Zone 2 Results Summary (Per Dwelling Unit)

	MODI	TOO IT THEFT	teric solitiminating chinic cone a mesulus summai y (rei Dwelling Unit	THE PARTY P	ALLONATED DIE.	HILLIAM Y LA	CI DWCIIIIR	July		
Clin	te Zone 2					C02-E	CO2-Equivalent	NPV of	Benefit	Benefit to Cost
FG&E	Ų,	Annual	Annual	FDR	PV Size	Emissic	Emissions (lbs/sf)	Lifetime	Ratio (B/C)	(B/C)
Mult	Multifamily	kWh	therms	Margin <sup>4</sup>	(kW) <sup>5</sup>	Total	Reduction	Cost (\$)	On-Bill	TDV
t lə	Code Compliant	(0)	150	n/a	n/a	2.37	n/a	n/a	n/a	n/a
n4 i	Efficiency-Non-Preempted	0	142	1.5	(0.02)	2.25	0.12	\$309	0.97	1.75
oəxi	Efficiency-Equipment	(0)	134	2.0	(0.01)	2.15	0.22	\$497	1.08	1.49
M	Efficiency & PV/Battery	(11)	142	10.5	0.04	2.07	0:30	\$2,413	0.17	1.60
2	Code Compliant	2,151	0	n/a	n/a	1.38	n/a	n/a	n/a	n/a
oint:	Efficiency-Non-Preempted	2,038	0	1.5	0.00	1.32	90.0	\$361	1.73	2.05
oəl∃	Efficiency-Equipment	1,928	0	3.0	00.0	1.25	0.13	\$795	1.56	1.56
I-IIA	Efficiency & PV	476	0	17.5	1.00	0.72	0.67	\$3,711	2.42	1.82
	Efficiency & PV/Battery	(7)	0	30.5	1.36	0.35	1.04	\$6,833	1.38	1.74
	Code Compliant	2,151	0	0.0	00.0	1 38	000 0	(\$2 337)	0 53	4 45
au∃ b itsetri	Efficiency & PV	. 09	0	17.5	1.00	0.72	1.65	\$1,375	3.31	2 <del>4.</del>   <
	Neutral Cost	1,063	0	10.5	0.70	96.0	1.41	\$0	×	Y
1All radi	In the state of th	At 14 At 11	11							

<sup>1</sup>All reductions and incremental costs relative to the **mixed fuel** code compliant home.

<sup>2</sup>All reductions and incremental costs relative to the **all-electric** code compliant home.

<sup>&</sup>lt;sup>3</sup>All reductions and incremental costs relative to the mixed fuel code compliant home except the EDR Margins are relative to the Standard Design for each case which is the all-electric code compliant home. Incremental costs for these packages reflect the cots used in the On-Bill cost effectiveness methodology. Costs differ for the TDV methodology due to differences in the site gas infrastructure costs (see Section 2.6).

<sup>&</sup>lt;sup>4</sup>This represents the Efficiency EDR Margin for the Efficiency-Non-Preempted and Efficiency-Equipment packages and Total EDR Margin for the Efficiency & PV/Battery, and Neutral Cost packages.

<sup>&</sup>lt;sup>5</sup>Positive values indicate an increase in PV capacity relative to the Standard Design.

Table 51: Single Family Climate Zone 3 Results Su

		Iable	or. origin	raminy Cill	Table 51. Single Failing Cilliate 20ne 3 Results Summary	Kesuits on	mmary			
Cin	Climate Zone 3					C02-E	CO2-Equivalent	NPV of	Donofit	1
PG&E	щ.	Annual	Annual	FDR	PV Size	Emissic	Emissions (lbs/sf)	Lifetime	Ratio (B/C)	(B/C)
Sing	Single Family	kWh	therms	Margin⁴	(kW) <sup>5</sup>	Total	Reduction	Incremental Cost (\$)	On-Bill	VQT
el ۱	Code Compliant	(0)	348	n/a	n/a	1.88	n/a	n/a	n/a	n/a
n4 l	Efficiency-Non-Preempted	(0)	296	2.5	(0.03)	1.63	0.26	\$1,552	1.28	1.31
ээхі	Efficiency-Equipment	(0)	273	4.0	(0.03)	1.52	0.37	\$1,448	1.91	1.97
M	Efficiency & PV/Battery	(20)	296	10.0	0.07	1.50	0.38	\$5,438	0.38	1.38
	- (									
2	Code Compliant	4,355	0	n/a	n/a	1.00	n/a	n/a	n/a	n/a
oint:	Efficiency-Non-Preempted	3,584	0	4.5	0.00	0.85	0.15	\$1,519	2.60	2.36
) el∃	Efficiency-Equipment	3,670	0	4.0	0.00	0.86	0.14	\$2,108	1.76	1.62
-IIA	Efficiency & PV	790	0	18.0	1.77	0.46	0.54	\$8,517	2.22	1.68
	Efficiency & PV/Battery	(12)	0	29.0	2.37	0.23	92.0	\$14,380	1.50	1.58
(										
	Code Compliant	4,355	0	0.0	00.00	1.00	0.89	(\$5,349)	0.55	1.53
JA be Slec	Efficiency & PV	790	0	18.0	1.77	0.46	1.43	\$3,169	2.88	<u>&gt;</u>
	Neutral Cost	2,217	0	10.5	1.35	0.70	1.18	\$0	7	7
AAH J.										

'All reductions and incremental costs relative to the mixed fuel code compliant home.

<sup>2</sup>All reductions and incremental costs relative to the all-electric code compliant home.

case which is the all-electric code compliant home. Incremental costs for these packages reflect the cots used in the On-Bill cost effectiveness methodology. <sup>3</sup>All reductions and incremental costs relative to the mixed fuel code compliant home except the EDR Margins are relative to the Standard Design for each Costs differ for the TDV methodology due to differences in the site gas infrastructure costs (see Section 2.6).

<sup>4</sup>This represents the Efficiency EDR Margin for the Efficiency-Non-Preempted and Efficiency-Equipment packages and Total EDR Margin for the Efficiency & PV, Efficiency & PV/Battery, and Neutral Cost packages.
<sup>5</sup>Positive values indicate an increase in PV capacity relative to the Standard Design.



Table 52: Multifamily Climate Zone 3 Results Summary (Per Dwelling Unit)

				THE BOILS	aveguite ou	minaly (r	of the particular of the parti	Unite		
	Climate Zone 3	Annual			DV G	C02-E	CO2-Equivalent	NPV of	Benefit to Cost	to Cost
1 G&I		Net	Annual	FDR	Change	Emissic	Emissions (ibs/st)	Lifetime	Ratio (B/C)	(B/C)
Mult	Multifamily	kWh	therms	Margin <sup>4</sup>	(kW) <sup>5</sup>	Total	Reduction	Cost (\$)	On-Bill	TDV
۱)	Code Compliant	(0)	133	n/a	n/a	2.13	n/a	n/a	n/a	n/a
ս4 ե	Efficiency-Non-Preempted	(0)	127	0.5	(00.00)	2.06	0.07	\$175	1.00	1.11
oəxi	Efficiency-Equipment	(0)	119	1.5	(00:00)	1.94	0.19	\$403	1.11	1.23
M	Efficiency & PV/Battery	(10)	127	10.0	0.05	1.86	0.27	\$2,279	0.11	1.41
2	Code Compliant	1,944	0	n/a	n/a	1.27	n/a	n/a	n/a	n/a
oint:	Efficiency-Non-Preempted	1,944	0	0.0	00.0	1.27	0.00	\$0	1	
oəl∃	Efficiency-Equipment	1,698	0	2.5	00.00	1.13	0.14	\$795	1.73	1.58
I-IIA	Efficiency & PV	457	0	16.0	0.92	0.69	0.58	\$3,272	2.43	1.73
	Efficiency & PV/Battery	(2)	0	29.5	1.26	0.33	0.94	\$6,344	1.32	1.64
	Code Compliant	1,944	0	0.0	0.00	1.27	0.86	(\$2,337)	0.58	1 46
ou∃ be itoel∃	Efficiency & PV	22	0	16.0	0.92	69.0	1.43	\$936	4.18	<u> </u>
	Neutral Cost	845	0	11.5	0.70	0.85	1.28	\$0	⊼	× ×
1All rodi	المالية المالية المالية المالية المالية المالية المالية المالية	1								

<sup>2</sup>All reductions and incremental costs relative to the all-electric code compliant home.

<sup>3</sup>All reductions and incremental costs relative to the mixed fuel code compliant home except the EDR Margins are relative to the Standard Design for each case which is the all-electric code compliant home. Incremental costs for these packages reflect the cots used in the On-Bill cost effectiveness methodology. Costs differ for the TDV methodology due to differences in the site gas infrastructure costs (see Section 2.6).

<sup>4</sup>This represents the Efficiency EDR Margin for the Efficiency-Non-Preempted and Efficiency-Equipment packages and Total EDR Margin for the Efficiency & PV/Battery, and Neutral Cost packages.

<sup>5</sup>Positive values indicate an increase in PV capacity relative to the Standard Design.

Table 53: Single Family Climate Zone 4 Results Sum

		Table 33.	JJ. JIIIBIC	raminy cim	Single Family Climate 20ne 4 Results Summary	<b>Kesuits Su</b>	mmary			
Climat PG&E	Climate Zone 4 PG&E	Annual		i L	PV Size	CO2-E Emissic	CO2-Equivalent Emissions (lbs/sf)	NPV of Lifetime	Benefit to Cc Ratio (B/C)	Benefit to Cost Ratio (B/C)
Sing	Single Family	kWh	therms	EDK Margin⁴	Change (kW) <sup>5</sup>	Total	Reduction	Incremental Cost (\$)	On-Bill	VQT
el ۱	Code Compliant	0	347	n/a	n/a	1.88	n/a	n/a	n/a	n/a
n-J I	Efficiency-Non-Preempted	0	306	2.5	(0.03)	1.68	0.20	\$1,556	0.93	1.15
oəxi	Efficiency-Equipment	(0)	294	2.5	(0.02)	1.62	0.26	\$758	2.39	2.67
M	Efficiency & PV/Battery	(18)	306	10.0	0.07	1.55	0.33	\$5,434	0:30	1.48
7	Code Compliant	4,342	0	n/a	n/a	1.00	n/a	n/a	n/a	n/a
oint:	Efficiency-Non-Preempted	3,775	0	3.0	0.00	0.89	0.11	\$1,519	1.92	1.84
DƏI∃	Efficiency-Equipment	3,747	0	3.5	00:0	0.88	0.12	\$2,108	1.52	1.52
-IIA	Efficiency & PV	8.14	0	17.0	1.84	0.48	0.52	\$8,786	2.13	1.62
	Efficiency & PV/Battery	(11)	Ó	28.5	2.44	0.25	0.75	\$14,664	1.46	1.61
ot E o	Code Compliant	4 342	c	c	000	7		i i		
ləu int		7,012	0	0.0	0.00	00.1	0.88	(\$5,349)	0.55	1.59
ed Fi	Efficiency & PV	814	0	17.0	1.84	0.48	1.40	\$3,438	2.64	×
exiM -IIA	Neutral Cost	2,166	0	10.0	1.35	0.70	1.18	\$0	Σ	<u>&gt;</u>
1All radi	1All radictions and ingramanant later states									

'All reductions and incremental costs relative to the mixed fuel code compliant home.

<sup>2</sup>All reductions and incremental costs relative to the all-electric code compliant home.

case which is the all-electric code compliant home. Incremental costs for these packages reflect the cots used in the On-Bill cost effectiveness methodology. <sup>3</sup>All reductions and incremental costs relative to the mixed fuel code compliant home except the EDR Margins are relative to the Standard Design for each Costs differ for the TDV methodology due to differences in the site gas infrastructure costs (see Section 2.6).

<sup>4</sup>This represents the Efficiency EDR Margin for the Efficiency-Non-Preempted and Efficiency-Equipment packages and Total EDR Margin for the Efficiency & PV, Efficiency & PV/Battery, and Neutral Cost packages.
<sup>5</sup>Positive values indicate an increase in PV capacity relative to the Standard Design.



Table 54: Multifamily Climate Zon

		Juni.	Halliny Cill	Tare volle 4	F Kesuits Su	mmary (P	rable 34: Multifalling Chillate 2011e 4 Results Summary (Per Dwelling Unit)	Jnit)		
Climat PG&E	Climate Zone 4 PG&E	Annual		ć L	PV Size	CO2-E Emissio	CO2-Equivalent Emissions (lbs/sf)	NPV of Lifetime	Benefit to Cost Ratio (B/C)	o Cost B/C)
Mult	Multifamily	kWh	therms	Margin <sup>4</sup>	Change (kW) <sup>5</sup>	Total	Reduction	Incremental Cost (\$)	On-Bill	TDV
۴ lə	Code Compliant	(0)	134	n/a	n/a	2.16	n/a	n/a	n/a	n/a
n4 l	Efficiency-Non-Preempted	(0)	127	1.0	(0.01)	2.06	0.10	\$329	0.75	1.24
oəxi	Efficiency-Equipment	(0)	123	1.5	(0.01)	2.01	0.15	\$351	1.06	1.74
M	Efficiency & PV/Battery	(6)	127	11.0	0.04	1.87	0.29	\$2,429	0.17	1.60
	Code Compliant	1,887	0	n/a	n/a	1.25	n/a	6/0	6/4	0/4
s oin:	Efficiency-Non-Preempted	1,794	0	1.0	0.00	1.21	0.05	\$361	238	1 24
joel;	Efficiency-Equipment	1,712	0	2.0	0.00	1.15	0.10	\$795	1 23	60 6
3-II <i>/</i>	Efficiency & PV	453	0	15.0	0.83	0.69	0.57	\$3.158	2.43	5 2
,	Efficiency & PV/Battery	(2)	0	28.5	1.17	0.32	0.93	\$6,201	1.30	1.77
	Code Compliant	1,887	0	0.0	0.00	1.25	06.0	(\$2,337)	0.65	1.77
u4 be Elect	Efficiency & PV	22	0	15.0	0.83	0.69	1.47	\$822	4.96	×
	Neutral Cost	792	0	11.0	0.70	0.82	1.33	\$0	Σ	<u>×</u>
1All rod	1011 rodinations and incompanies and in the									

<sup>2</sup>All reductions and incremental costs relative to the all-electric code compliant home.

<sup>3</sup>All reductions and incremental costs relative to the mixed fuel code compliant home except the EDR Margins are relative to the Standard Design for each case which is the all-electric code compliant home. Incremental costs for these packages reflect the cots used in the On-Bill cost effectiveness methodology. Costs differ for the TDV methodology due to differences in the site gas infrastructure costs (see Section 2.6).

<sup>4</sup>This represents the Efficiency EDR Margin for the Efficiency-Non-Preempted and Efficiency-Equipment packages and Total EDR Margin for the Efficiency & PV, Efficiency & PV/Battery, and Neutral Cost packages.

<sup>5</sup>Positive values indicate an increase in PV capacity relative to the Standard Design...

## Climate Zone 5 PG&E

Table 55. Single Family Climate 7o

		I able 55: 5III	. Jugie raii	III) Cilman	gie raininy chimate 20ne o Pusce Results Summary	XE Kesuit	summary			
Climat PG&E	Climate Zone 5 PG&E	Annual	<b>V</b>	9	PV Size	CO2-E Emissic	CO2-Equivalent Emissions (lbs/sf)	NPV of Lifetime	Benefit to Co Ratio (B/C)	Benefit to Cost Ratio (B/C)
Sing	Single Family	kWh	therms	EDR Margin⁴	(kW) <sup>5</sup>	Total	Reduction	Incremental Cost (\$)	On-Bill	TDV
el ا	Code Compliant	0	331	n/a	n/a	1.79	n/a	n/a	n/a	n/a
n4 k	Efficiency-Non-Preempted	(0)	281	2.5	(0.03)	1.55	0.24	\$1,571	1.10	1.22
oəxi	Efficiency-Equipment	(0)	279	2.5	(0.02)	1.54	0.25	\$772	2.29	2.48
M	Efficiency & PV/Battery	(14)	281	9.0	0.07	1.43	0.36	\$5,433	0.37	1.32
z	Code Compliant	4,452	0	n/a	n/a	1.01	n/a	n/a	n/a	n/a
oint	Efficiency-Non-Preempted	3,687	0	4.0	00.00	0.86	0.15	\$1,519	2.58	2.31
Elec	Efficiency-Equipment	3,737	0	4.0	00.00	0.87	0.14	\$2,108	1.85	1.70
-IIA	Efficiency & PV	798	0	18.0	1.72	0.46	0.55	\$8,307	2.31	1.76
	Efficiency & PV/Battery	(8)	0	28.5	2.29	0.24	0.78	\$14,047	1.59	1.63
0										
	Code Compliant	4,452	0	0.0	0.00	1.01	0.78	(\$5,349)	0.48	1.32
J4 be Elec	Efficiency & PV	798	0	18.0	1.72	0.46	1.33	\$2,959	2.72	×
	Neutral Cost	2,172	0	11.0	1.35	0.70	1.10	\$0	7	40.07
1 All and directions	the state of the s	., ,								

'All reductions and incremental costs relative to the mixed fuel code compliant home.

<sup>2</sup>All reductions and incremental costs relative to the all-electric code compliant home.



case which is the all-electric code compliant home. Incremental costs for these packages reflect the cots used in the On-Bill cost effectiveness methodology. <sup>3</sup>All reductions and incremental costs relative to the mixed fuel code compliant home except the EDR Margins are relative to the Standard Design for each Costs differ for the TDV methodology due to differences in the site gas infrastructure costs (see Section 2.6).

<sup>&</sup>lt;sup>4</sup>This represents the Efficiency EDR Margin for the Efficiency-Non-Preempted and Efficiency-Equipment packages and Total EDR Margin for the Efficiency & PV/Battery, and Neutral Cost packages.
<sup>5</sup>Positive values indicate an increase in PV capacity relative to the Standard Design.

Table 56: Multifamily Climate Zone 5 PG&E Results Summary (Per Dwelling Unit)

		rapic 50: Marchannis	mil cillian	TE SHOW	chimage folie of doct nesults summary (Fer Dwelling Unit)	Janinal	(rei Dweilli	Ig onit)		
	Climate Zone 5	Anna			01.07.0	C02-E	CO2-Equivalent	NPV of	Benefit	Benefit to Cost
1 S S I		Net	Annual	EDR	Change	EMISSI	Emissions (ibs/st)	Litetime	Ratio	Ratio (B/C)
Z T T	Multifamily	kWh	therms	Margin <sup>4</sup>	(kW) <sup>5</sup>	Total	Reduction	Cost (\$)	On-Bill	TDV
, lə	Code Compliant	0	131	n/a	n/a	2.10	n/a	n/a	n/a	n/a
ով բ	Efficiency-Non-Preempted	(0)	126	0.5	(0.00)	2.03	0.07	\$180	0.99	1.03
əxil	Efficiency-Equipment	(0)	117	1.5	(00.00)	1.92	0.19	\$358	1.24	1.34
M	Efficiency & PV/Battery	(2)	126	9.5	0.05	1.84	0.26	\$2,273	0.15	1.38
7	Code Compliant	2,044	0	n/a	n/a	1.32	n/a	n/a	n/a	n/a
pint	Efficiency-Non-Preempted	1,990	0	0.5	0.00	1.30	0.03	\$247	1.09	0.86
D9 3	Efficiency-Equipment	1,738	0	3.5	00:0	1.15	0.17	\$795	2.15	2.03
-IIA	Efficiency & PV	465	0	17.0	0.91	0.70	0.62	\$3,293	2.53	1.82
	Efficiency & PV/Battery	(9)	0	30.0	1.24	0.34	0.98	\$6,314	1.44	1.69
	Code Compliant	2 044	C	C						
	code compilant	2,044	5	0.0	0.00	1.32	0.78	(\$2,337)	0.50	1.28
i4 be pel3-	Efficiency & PV	58	0	17.0	0.91	0.70	1.40	\$956	3.80	×
	Neutral Cost	874	0	12.5	0.70	0.87	1.23	\$0	Σ	23.44
1 All "Od.	1 All modifications and in a section in the section of the section									

<sup>2</sup>All reductions and incremental costs relative to the all-electric code compliant home.

<sup>4</sup>This represents the Efficiency EDR Margin for the Efficiency-Non-Preempted and Efficiency-Equipment packages and Total EDR Margin for the Efficiency & PV/Battery, and Neutral Cost packages.

<sup>5</sup>Positive values indicate an increase in PV capacity relative to the Standard Design.



<sup>&</sup>lt;sup>3</sup>All reductions and incremental costs relative to the mixed fuel code compliant home except the EDR Margins are relative to the Standard Design for each case which is the all-electric code compliant home. Incremental costs for these packages reflect the cots used in the On-Bill cost effectiveness methodology. Costs differ for the TDV methodology due to differences in the site gas infrastructure costs (see Section 2.6).

## Climate Zone 5 PG&E/SoCalGas

Table 57: Single Family Climate Zone 5 DC 8.F /Socology

	Ian	מוווס ייר סו	TE Family C	IIIIale 2011	e o ruce / o	Jeangas K	rable 37. Single Family Cilliate 2011e 3 FG&E/30CalGas Results Summary	ary		
Clin	Climate Zone 5	Annual			PV Size	CO2-E Emissic	CO2-Equivalent Emissions (lbs/sf)	NPV of Lifetime	Benefit Ratio	Benefit to Cost Ratio (B/C)
Sing	Single Family	Net KWh	Annual therms	EDR Margin⁴	Change (kW) <sup>5</sup>	Total	Reduction	Incremental Cost (\$)	On- Bill	TDV
۱ la	Code Compliant	0	331	n/a	n/a	1.79	n/a	n/a	n/a	n/a
n 4	Efficiency-Non-Preempted	(0)	281	2.5	(0.03)	1.55	0.24	\$1,571	0.92	1.22
oəxi	Efficiency-Equipment	(0)	279	2.5	(0.02)	1.54	0.25	\$772	1.98	2.48
M	Efficiency & PV/Battery	(14)	281	9.0	0.07	1.43	0.36	\$5,433	0.31	1.32
z	Code Compliant	4,452	0	n/a	n/a	1.01	n/a	n/a	n/a	n/a
oint:	Efficiency-Non-Preempted	3,687	0	4.0	0.00	0.86	0.15	\$1,519	2.58	2.31
oəl∃	Efficiency-Equipment	3,737	0	4.0	0.00	0.87	0.14	\$2,108	1.85	1.70
-   <b>\</b>	Efficiency & PV	798	0	18.0	1.72	0.46	0.55	\$8,307	2.31	1.76
	Efficiency & PV/Battery	(8)	0	28.5	2.29	0.24	0.78	\$14,047	1.59	1.63
(										
	Code Compliant	4,452	0	0.0	0.00	1.01	0.78	(\$5,349)	0.48	1.32
JA be	Efficiency & PV	798	0	18.0	1.72	0.46	1.33	\$2,959	2.75	<u>\lambda</u>
	Neutral Cost	2,172	0	11.0	1.35	0.70	1.10	\$0	Σ	40.07

'All reductions and incremental costs relative to the mixed fuel code compliant home.

<sup>2</sup>All reductions and incremental costs relative to the all-electric code compliant home.

case which is the all-electric code compliant home. Incremental costs for these packages reflect the cots used in the On-Bill cost effectiveness methodology. <sup>3</sup>All reductions and incremental costs relative to the mixed fuel code compliant home except the EDR Margins are relative to the Standard Design for each Costs differ for the TDV methodology due to differences in the site gas infrastructure costs (see Section 2.6).

<sup>4</sup>This represents the Efficiency EDR Margin for the Efficiency-Non-Preempted and Efficiency-Equipment packages and Total EDR Margin for the Efficiency & PV/Battery, and Neutral Cost packages.

<sup>5</sup>Positive values indicate an increase in PV capacity relative to the Standard Design.



- 7
Ţ
je
Ě
=
4
3
1
0
č
Ë
=
5
V
÷
4
$\alpha$
8
3
=
ت
Ç,
/SoC:
E/SoC
9
5
PG&
5
PG&
limate Zone 5 PG&
limate Zone 5 PG&
PG&
limate Zone 5 PG&
limate Zone 5 PG&
limate Zone 5 PG&
limate Zone 5 PG&
limate Zone 5 PG&
fultifamily Climate Zone 5 PG&
fultifamily Climate Zone 5 PG&
fultifamily Climate Zone 5 PG&
58: Multifamily Climate Zone 5 PG&
58: Multifamily Climate Zone 5 PG&
58: Multifamily Climate Zone 5 PG&
fultifamily Climate Zone 5 PG&

	Lable 50: Multilaminy Climate 20ne 5 PG&E/SocalGas Results Summary (Per Dwelling Unit)	Luganing	millate 2011	e o ruce/	Socaldas Ke	Salts Sam	mary (Per D	welling Unit)		
Clin PG8	Climate Zone 5 PG&E/SoCalGas	Annual	•		PV Size	CO2-E Emissic	CO2-Equivalent Emissions (lbs/sf)	NPV of Lifetime	Benefit	Benefit to Cost
Mult	Multifamily	net kWh	Annual	EDR Margin <sup>4</sup>	Change (kW) <sup>5</sup>	Total	Reduction	Incremental Cost (\$)	On-Bill	TDV
۱)	Code Compliant	0	131	n/a	n/a	2.10	n/a	n/a	n/a	n/a
n∃ k	Efficiency-Non-Preempted	(0)	126	0.5	(00.00)	2.03	. 0.07	\$180	0.85	1.03
əxi	Efficiency-Equipment	(0)	117	1.5	(0.00)	1.92	0.19	\$358	1.09	1.34
M	Efficiency & PV/Battery	(7)	126	9.5	0.05	1.84	0.26	\$2,273	0.14	1.38
	Code Compliant	2 044	0	6/4	c/u	4 22	9/3	-1		
z		î		3	מ	1.32	ווש	n/a	n/a	n/a
oint	Efficiency-Non-Preempted	1,990	0	0.5	0.00	1.30	0.03	\$247	1.09	0.86
)əl∃	Efficiency-Equipment	1,738	0	3.5	00.0	1.15	0.17	\$795	2.15	2.03
-IIA	Efficiency & PV	465	0	17.0	0.91	0.70	0.62	\$3,293	2.53	1.82
	Efficiency & PV/Battery	(9)	0	30.0	1.24	0.34	0.98	\$6,314	1.44	1.69
0										
	Code Compliant	2,044	0	0.0	00.0	1.32	0.78	(\$2,337)	0.65	1.28
J∃ b∉ Sel∃	Efficiency & PV	58	0	17.0	0.91	0.70	1.40	\$956	4.98	7
	Neutral Cost	874	0	12.5	0.70	0.87	1.23	\$0	<u>&gt;</u>	23.44

<sup>2</sup>All reductions and incremental costs relative to the all-electric code compliant home.

<sup>&</sup>lt;sup>5</sup>Positive values indicate an increase in PV capacity relative to the Standard Design.



<sup>&</sup>lt;sup>3</sup>All reductions and incremental costs relative to the mixed fuel code compliant home except the EDR Margins are relative to the Standard Design for each case which is the all-electric code compliant home. Incremental costs for these packages reflect the cots used in the On-Bill cost effectiveness methodology. Costs differ for the TDV methodology due to differences in the site gas infrastructure costs (see Section 2.6).

<sup>&</sup>lt;sup>4</sup>This represents the Efficiency EDR Margin for the Efficiency-Non-Preempted and Efficiency-Equipment packages and Total EDR Margin for the Efficiency & PV, Efficiency & PV/Battery, and Neutral Cost packages.

Table 50. Single Family Clim

		I able 39:		railiny Cilli	Single railing climate zone o Results Summary	Kesuits Su	mmary			
SCE	Climate Zone 6 SCE/SoCalGas	Annual		i L	PV Size	CO2-E Emissic	CO2-Equivalent Emissions (lbs/sf)	NPV of Lifetime	Benefit to Co Ratio (B/C)	Benefit to Cost Ratio (B/C)
Sing	Single Family	kWh	therms	Margin <sup>4</sup>	Change (kW) <sup>5</sup>	Total	Reduction	Incremental Cost (\$)	On-Bill	VQT
ا ا	Code Compliant	(0)	249	n/a	n/a	1.57	n/a	n/a	n/a	n/a
ո4 ե	Efficiency-Non-Preempted	0	229	2.0	(0.03)	1.47	0.10	\$1,003	99.0	1.15
oəxi	Efficiency-Equipment	(0)	218	1.5	(0.01)	1.41	0.15	\$581	1.58	2.04
M	Efficiency & PV/Battery	(13)	229	9.5	0.08	1.22	0.34	\$4,889	0.84	1.27
Z	Code Compliant	3,099	0	n/a	n/a	0.87	n/a	n/a	n/a	n/a
oint	Efficiency-Non-Preempted	2,885	0	2.0	00.00	0.83	0.05	\$926	1.31	1.41
oəl∃	Efficiency-Equipment	2,746	0	2.5	0.00	08.0	0.08	\$846	2.20	2.29
I-IIA	Efficiency & PV	722	0	14.0	1.37	0.63	0.24	\$6,341	1.19	1.48
	Efficiency & PV/Battery	(9)	0	26.0	1.93	0.33	0.55	\$12,036	1.15	1.43
	Code Compliant	3,099	0	0.0	00.00	0.87	69.0	(\$5,349)	1.19	2.46
JA be Elec	Efficiency & PV	722	0	14.0	1.37	0.63	0.93	\$992	3.07	7
	Neutral Cost	959	0	12.0	1.36	0.67	0.89	\$0	×	<u>×</u>
1 A II	and the section of the second section of the second									

<sup>1</sup>All reductions and incremental costs relative to the **mixed fuel** code compliant home. <sup>2</sup>All reductions and incremental costs relative to the **all-electric** code compliant home.



case which is the all-electric code compliant home. Incremental costs for these packages reflect the cots used in the On-Bill cost effectiveness methodology. <sup>3</sup>All reductions and incremental costs relative to the mixed fuel code compliant home except the EDR Margins are relative to the Standard Design for each Costs differ for the TDV methodology due to differences in the site gas infrastructure costs (see Section 2.6).

<sup>4</sup>This represents the Efficiency EDR Margin for the Efficiency-Non-Preempted and Efficiency-Equipment packages and Total EDR Margin for the Efficiency & PV, Efficiency & PV/Battery, and Neutral Cost packages. 5Positive values indicate an increase in PV capacity relative to the Standard Design.

er Dwelling Unit)
1
1
ts Summary
Ξ
S
æ
9
nate Zone 6 Resi
ij
C
: Multifamily
0
9
Table

		OO: MIGHT	TION CITE	וומוב לחווב ו	ne clineau	IIIIIaiy (r	The same of the sa	Juit		
CIE	Climate Zone 6					C02-F	CO2-Equivalent	NDV of		
SCE	SCE/SoCalGas	Annual	Iciida	ם כ	PV Size	Emissic	Emissions (lbs/sf)	Lifetime	Benefit to Co Ratio (B/C)	Benefit to Cost Ratio (B/C)
Mult	Multifamily	kWh	therms	Margin <sup>4</sup>	(kW) <sup>5</sup>	Total	Reduction	Incremental Cost (\$)	On-Bill	TDV
t lə	Code Compliant	(0)	114	n/a	n/a	2.17	n/a	n/a	n/a	n/a
n4 i	Efficiency-Non-Preempted	(0)	112	1.0	(0.01)	2.14	0.03	\$190	0.65	1.49
oəxi	Efficiency-Equipment	(0)	103	1.0	(0.00)	2.03	0.15	\$213	1.43	1.74
W	Efficiency & PV/Battery	(9)	112	10.5	0.04	1.76	0.41	\$2,294	0.56	1.35
7	Code Compliant	1,558	0	n/a	n/a	1.28	n/a	n/a	n/a	n/a
tric	Efficiency-Non-Preempted	1,531	0	1.0	00.00	1.26	0.02	\$231	0.65	1.34
<b>⊃</b> elΞ	Efficiency-Equipment	1,430	0	2.0	00.0	1.20	0.08	\$361	1.62	1.91
I-IIA	Efficiency & PV	427	0	13.5	0.70	0.97	0.31	\$2,580	1.24	1.71
	Efficiency & PV/Battery	(2)	0	27.5	1.02	0.49	0.79	\$5,590	1.22	1.58
	Code Compliant	1.558	0	0.0	000	1 28	U BU	(40 227)	C	000
eua b Hectr	Efficiency & PV	53	0	13.5	0.70	0.97	1.20	\$243	9.50	2.30
	Neutral Cost	459	0	12.5	0.70	0.99	1.18	0\$	<u> </u>	<u> </u>
1All rod	1) I won't be a later a later a second base one it of the later and the									

<sup>2</sup>All reductions and incremental costs relative to the all-electric code compliant home.

<sup>3</sup>All reductions and incremental costs relative to the mixed fuel code compliant home except the EDR Margins are relative to the Standard Design for each case which is the all-electric code compliant home. Incremental costs for these packages reflect the cots used in the On-Bill cost effectiveness methodology. Costs differ for the TDV methodology due to differences in the site gas infrastructure costs (see Section 2.6).

<sup>4</sup>This represents the Efficiency EDR Margin for the Efficiency-Non-Preempted and Efficiency-Equipment packages and Total EDR Margin for the Efficiency & PV/Battery, and Neutral Cost packages. <sup>5</sup>Positive values indicate an increase in PV capacity relative to the Standard Design.



Table 61: Single Family Climate Zone 7 Results Summary

		I MDIC OT:	OT: DIRECT	anni cum	Single Family Chimate Zone / Nesunts Summary	NCS MILES OF	IIIIIIIII y			
Climate SDG&E	Climate Zone 7 SDG&E	Annual		( ( L	PV Size	CO2-E Emissic	CO2-Equivalent Emissions (lbs/sf)	NPV of Lifetime	Benefit to Co Ratio (B/C)	Benefit to Cost Ratio (B/C)
Sing	Single Family	kWh	therms	EDR Margin <sup>4</sup>	Change (kW) <sup>5</sup>	Total	Reduction	Incremental Cost (\$)	On-Bill	TDV
۱ le	Code Compliant	(0)	196	n/a	n/a	1.30	n/a	n/a	n/a	n/a
n 🛮	Efficiency-Non-Preempted	(0)	196	0.0	0.00	1.30	0.00	\$0	1	1
pəxi	Efficiency-Equipment	0	171	1.5	(0.00)	1.18	0.12	\$606	1.50	1.40
M	Efficiency & PV/Battery	(12)	189	0.6	0.10	1.04	0.26	\$4,028	90.0	1.32
7	Code Compliant	2,479	0	n/a	n/a	0.75	n/a	n/a	n/a	n/a
cint	Efficiency-Non-Preempted	2,479	0	0.0	00.0	0.75	0.00	\$0		1
<b>⊃</b> 9  <u>∃</u>	Efficiency-Equipment	2,222	0	2.0	00:00	69.0	90.0	\$846	1.60	1.65
I-IIA	Efficiency & PV	674	0	11.0	1.10	0.58	0.17	\$4,436	1.87	1.55
	Efficiency & PV/Battery	(9)	0	24.0	1.61	0.29	0.46	\$9,936	1.25	1.47
C										
	Code Compliant	2,479	0	0.0	0.00	0.75	0.55	(\$5,349)	1.04	2.54
JA be Elect	Efficiency & PV	674	0	11.0	1.10	0.58	0.72	(\$912)	Σ	7
	Neutral Cost	267	0	13.5	1.35	0.55	0.75	\$0	7	×
1AII sod.	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1									

All reductions and incremental costs relative to the mixed fuel code compliant home.

All reductions and incremental costs relative to the all-electric code compliant home.



case which is the all-electric code compliant home. Incremental costs for these packages reflect the cots used in the On-Bill cost effectiveness methodology. <sup>3</sup>All reductions and incremental costs relative to the mixed fuel code compliant home except the EDR Margins are relative to the Standard Design for each Costs differ for the TDV methodology due to differences in the site gas infrastructure costs (see Section 2.6).

<sup>4</sup>This represents the Efficiency EDR Margin for the Efficiency-Non-Preempted and Efficiency-Equipment packages and Total EDR Margin for the Efficiency & PV, Efficiency & PV/Battery, and Neutral Cost packages. <sup>5</sup>Positive values indicate an increase in PV capacity relative to the Standard Design.

Table 62: Multifamily Climate Zon

		rapic 02: Marchanin	manning cum	ומוב לחווב /	nesalles sa	mmary (F	y crimate gone / nesurts summary (Per Dweiling Unit)	Jnitj		
Climate	Climate Zone 7	Annual			PV Size	CO2-E	CO2-Equivalent Emissions (lbs/sf)	NPV of	Benefit	Benefit to Cost
	-	Net	Annual	EDR	Change		(10,000)	Incromontal	Ratio (B/C)	(B/C)
Z Z	Multifamily	kWh	therms	Margin <sup>4</sup>	(kW) <sup>5</sup>	Total	Reduction	Cost (\$)	On-Bill	TDV
۴ lə	Code Compliant	(0)	110	n/a	n/a	2.11	n/a	n/a	n/a	n/a
ո⊣ Լ	Efficiency-Non-Preempted	(0)	108	0.5	(0.01)	2.08	0.03	\$90	0.73	2.24
oəxi	Efficiency-Equipment	(0)	66	2.0	(00.0)	1.96	0.15	\$366	1.07	1.41
M	Efficiency & PV/Battery	(9)	108	11.0	0.05	1.71	0.40	\$2,188	0.03	1.40
	Code Compliant	1,434	0	n/a	n/a	1.21	n/a	n/a	6/0	a/u
ric <sup>2</sup>	Efficiency-Non-Preempted	1,416	0	0.5	0.00	1.20	0.01	\$202	09:0	1.02
:] ec	Efficiency-Equipment	1,319	0	1.5	00.00	1.14	0.07	\$361	1.59	1.71
3-11A	Efficiency & PV	412	0	12.5	0.61	0.94	0.27	\$2,261	2.08	1.76
	Efficiency & PV/Battery	(2)	0	27.0	0.92	0.47	0.74	\$5,203	1.19	1.62
0										
	Code Compliant	1,434	0	0.0	00.0	1.21	06.0	(\$2,337)	1.12	2.47
JA be Slec	Efficiency & PV	51	0	12.5	0.61	0.94	1.17	(\$75)	7	7
	Neutral Cost	294	0	13.5	0.70	0.91	1.20	\$0	×	7
1A11 rod.	10 moderations and increase and a second									

<sup>1</sup>All reductions and incremental costs relative to the **mixed fuel** code compliant home.

<sup>2</sup>All reductions and incremental costs relative to the **all-electric** code compliant home.

<sup>3</sup>All reductions and incremental costs relative to the mixed fuel code compliant home except the EDR Margins are relative to the Standard Design for each case which is the all-electric code compliant home. Incremental costs for these packages reflect the cots used in the On-Bill cost effectiveness methodology. Costs differ for the TDV methodology due to differences in the site gas infrastructure costs (see Section 2.6).

<sup>4</sup>This represents the Efficiency EDR Margin for the Efficiency-Non-Preempted and Efficiency-Equipment packages and Total EDR Margin for the Efficiency & PV/Battery, and Neutral Cost packages.

<sup>5</sup>Positive values indicate an increase in PV capacity relative to the Standard Design.

Table 63: Single Family Clim

	•	Table 05:		raining citi	Single Family Chinate Louie o Results Summary	nesults of	ımmary			
So	Climate Zone 8 SCE/SoCalGas	Annual		0	PV Size	CO2-E Emissic	CO2-Equivalent Emissions (lbs/sf)	NPV of Lifetime	Benefit to Co Ratio (B/C)	Benefit to Cost Ratio (B/C)
0	Single Family	kWh	therms	Margin <sup>4</sup>	Change (kW) <sup>5</sup>	Total	Reduction	Incremental Cost (\$)	On-Bill	TDV
ပိ	Code Compliant	(0)	206	n/a	n/a	1.38	n/a	n/a	n/a	n/a
間	Efficiency-Non-Preempted	(0)	198	1.0	(0.02)	1.34	0.05	\$581	0.57	1.41
Ш	Efficiency-Equipment	0	181	1.5	(0.01)	1.27	0.12	\$586	1.30	1.82
Ш	Efficiency & PV/Battery	(13)	198	8.0	0.08	1.11	0.27	\$4,466	06.0	1.31
Ö	Code Compliant	2,576	0	n/a	n/a	08.0	n/a	n/a	n/a	n/a
Ш	Efficiency-Non-Preempted	2,483	0	1.5	00.00	0.78	0.02	\$926	0.57	1.22
EF.	Efficiency-Equipment	2,352	0	1.5	00.00	0.75	0.05	\$412	2.82	3.03
ᇤ	Efficiency & PV	703	0	10.5	1.13	0.62	0.18	\$5,373	1.00	1.48
山	Efficiency & PV/Battery	(7)	0	21.5	1.67	0.32	0.48	\$11,016	1.09	1.42
Ö	Code Compliant	2,576	0	0.0	00.0	0.80	0.58	(\$5,349)	1.83	2.99
山	Efficiency & PV	703	0	10.5	1.13	0.62	0.77	\$25	107.93	×
ž	Neutral Cost	439	0	11.0	1.36	09:0	0.78	\$0	×	×
	The second for the second second									

<sup>1</sup>All reductions and incremental costs relative to the **mixed fuel** code compliant home. <sup>2</sup>All reductions and incremental costs relative to the **all-electric** code compliant home.

case which is the all-electric code compliant home. Incremental costs for these packages reflect the cots used in the On-Bill cost effectiveness methodology. <sup>3</sup>All reductions and incremental costs relative to the mixed fuel code compliant home except the EDR Margins are relative to the Standard Design for each Costs differ for the TDV methodology due to differences in the site gas infrastructure costs (see Section 2.6).

<sup>4</sup>This represents the Efficiency EDR Margin for the Efficiency-Non-Preempted and Efficiency-Equipment packages and Total EDR Margin for the Efficiency & PV, Efficiency & PV/Battery, and Neutral Cost packages.
<sup>5</sup>Positive values indicate an increase in PV capacity relative to the Standard Design.



Table 64: Multifamily Climate Zone 8 Results Summary (Per Dwelling Unit)

							y cr E weaming outer	June		
SCE	Climate Zone 8 SCE/SoCalGas	Annual			PV Size	CO2-E Emissic	CO2-Equivalent Emissions (lbs/sf)	NPV of Lifetime	Benefit	Benefit to Cost
¥ III	Multifamily	Net	Annual	EDR	Change	T. f. f.		Incremental	Ratio (B/C)	(B/C)
		KWh	therms	Margin <sup>4</sup>	(kW) <sup>5</sup>	lotal	Keduction	Cost (\$)	On-Bill	TDV
6ا يا	Code Compliant	(0)	109	n/a	n/a	2.18	n/a	n/a	n/a	n/a
n4 l	Efficiency-Non-Preempted	(0)	106	1.5	(0.02)	2.13	0.05	\$250	0.70	1.36
ээхі	Efficiency-Equipment	(0)	66	1.0	(00.00)	2.04	0.14	\$213	1.37	1.67
M	Efficiency & PV/Battery	(9)	106	9.5	0.03	1.77	0.41	\$2,353	0.74	1.32
2	Code Compliant	1,409	0	n/a	n/a	1.26	n/a	n/a	n/a	n/a
tric:	Efficiency-Non-Preempted	1,373	0	1.0	00.00	1.24	0.02	\$231	0.87	1.72
oəl∃	Efficiency-Equipment	1,276	0	1.5	00.00	1.18	0.08	\$361	1.63	1.75
I-IIA	Efficiency & PV	426	0	11.5	09.0	0.99	0.27	\$2,240	1.26	1.78
	Efficiency & PV/Battery	(5)	0	24.0	0.92	0.53	0.73	\$5,249	1.24	1.59
	Code Compliant	1,409	0	0.0	0.00	1.26	0.91	(\$2,337)	69.9	2.67
ı∃ be Elec	Efficiency & PV	53	0	11.5	09:0	0.99	1.18	(96\$)	×	7
	Neutral Cost	309	0	12.0	0.70	0.98	1.20	\$0	Σ	<u>&gt;</u>
1All rod	[All modifications and increase and leading the state of	17 7 17								

<sup>2</sup>All reductions and incremental costs relative to the all-electric code compliant home.

<sup>3</sup>All reductions and incremental costs relative to the mixed fuel code compliant home except the EDR Margins are relative to the Standard Design for each case which is the all-electric code compliant home. Incremental costs for these packages reflect the cots used in the On-Bill cost effectiveness methodology. Costs differ for the TDV methodology due to differences in the site gas infrastructure costs (see Section 2.6).

<sup>4</sup>This represents the Efficiency EDR Margin for the Efficiency-Non-Preempted and Efficiency-Equipment packages and Total EDR Margin for the Efficiency & PV/Battery, and Neutral Cost packages.

<sup>5</sup>Positive values indicate an increase in PV capacity relative to the Standard Design.



Table 65: Single Family Climate Zone 9 Results Sum

		Idnic	oo. omgic	raminy cim	radic 03: Single Family Chinate 20ne 9 Results Summary	Kesuits Su	mmary			
SCE	Climate Zone 9 SCE/SoCalGas	Annual			PV Size	CO2-E Emissic	CO2-Equivalent Emissions (lbs/sf)	NPV of Lifetime	Benefit	Benefit to Cost
Sino	Single Family	Net	Annual	EDR Marrie	Change	Total	Doduction	Incremental	Ratio (B/C)	(5/S)
ŀ	Code Compliant	C	CCC	Margin	(KW)		TO T	Cost (\$)		١٥٨
ləı	Code Compliant		677	n/a	n/a	1.53	n/a	n/a	n/a	n/a
JA k	Efficiency-Non-Preempted	(0)	216	2.5	(0.04)	1.46	0.07	\$912	0.69	1.97
ээхі	Efficiency-Equipment	0	201	2.5	(0.04)	1.38	0.15	\$574	1.80	3.66
M	Efficiency & PV/Battery	(14)	216	8.5	0.05	1.23	0:30	\$4,785	0.99	1.48
	= (									
7	Code Compliant	2,801	0	n/a	n/a	0.87	n/a	n/a	n/a	n/a
oint:	Efficiency-Non-Preempted	2,645	0	2.5	0.00	0.84	0.04	\$1,180	0.78	1.96
oəl∃	Efficiency-Equipment	2,460	0	3.0	0.00	08.0	0.07	\$846	2.11	3.22
-IIA	Efficiency & PV	745	0	11.5	1.16	99.0	0.21	\$5,778	1.08	1.64
	Efficiency & PV/Battery	(6)	0.	21.0	1.72	0.37	0.50	\$11,454	1.11	1.53
	Code Compliant	2,801	0	0.0	00.0	0.87	99.0	(\$5,349)	1.67	2.90
ı∃ be ɔəl∃⋅	Efficiency & PV	745	0	11.5	1.16	0.66	0.87	\$429	7.15	Σ
	Neutral Cost	594	0	10.0	1.36	0.67	0.86	\$0	7	۲
All mode										

<sup>1</sup>All reductions and incremental costs relative to the **mixed fuel** code compliant home. <sup>2</sup>All reductions and incremental costs relative to the **all-electric** code compliant home.

case which is the all-electric code compliant home. Incremental costs for these packages reflect the cots used in the On-Bill cost effectiveness methodology. <sup>3</sup>All reductions and incremental costs relative to the mixed fuel code compliant home except the EDR Margins are relative to the Standard Design for each Costs differ for the TDV methodology due to differences in the site gas infrastructure costs (see Section 2.6).

<sup>4</sup>This represents the Efficiency EDR Margin for the Efficiency-Non-Preempted and Efficiency-Equipment packages and Total EDR Margin for the Efficiency & PV/Battery, and Neutral Cost packages.

<sup>5</sup>Positive values indicate an increase in PV capacity relative to the Standard Design.



Table 66: Multifamily Climate Zone 9 Results Summary (Per Dwelling Unit)

			Transmitted Committee	ומרר קסוור	inconies on	umaiy (r	The second state of the second	JIIIIC)		
SCE	Climate Zone 9 SCE/SoCalGas	Annual			PV Size	CO2-E Emissic	CO2-Equivalent Emissions (lbs/sf)	NPV of Lifetime	Benefit to Cost	to Cost
Mult	Multifamily	kWh	Annual	Margin <sup>4</sup>	Change (kW) <sup>5</sup>	Total	Reduction	Incremental Cost (\$)	On-Bill	TDV
۱ le	Code Compliant	0	111	n/a	n/a	2.24	n/a	n/a	n/a	n/a
n 🛮 l	Efficiency-Non-Preempted	(0)	109	1.5	(0.03)	2.19	0.05	\$136	1.46	3.35
pəxi	Efficiency-Equipment	(0)	101	2.5	(0.03)	2.08	0.16	\$274	1.66	2.87
M	Efficiency & PV/Battery	(2)	109	9.5	0.03	1.84	0.40	\$2,234	06:0	1.49
2	Code Compliant	1,468	0	n/a	n/a	1.33	n/a	n/a	n/a	n/a
oirt	Efficiency-Non-Preempted	1,414	0	1.5	00.0	1.30	0.03	\$231	1.29	2.70
oəl∃	Efficiency-Equipment	1,334	0	1.5	00.0	1.25	0.08	\$361	1.63	1.58
I-IIA	Efficiency & PV	441	0	11.0	09:0	1.04	0.29	\$2,232	1.34	1.91
	Efficiency & PV/Battery	(7)	0	23.0	0.92	0.58	0.75	\$5,236	1.28	1.67
10 3										
	Code Compliant	1,468	0	0.0	0.00	1.33	0.91	(\$2,337)	4.38	2.55
id be Deld	Efficiency & PV	55	0	11.0	09.0	1.04	1.20	(\$104)	7	×
	Neutral Cost	331	0	11.0	0.70	1.03	1.21	\$0	×	7
1All rod	11 All modern of the second fraction of the second for the second	۱								

<sup>2</sup>All reductions and incremental costs relative to the all-electric code compliant home.

<sup>&</sup>lt;sup>3</sup>All reductions and incremental costs relative to the mixed fuel code compliant home except the EDR Margins are relative to the Standard Design for each case which is the all-electric code compliant home. Incremental costs for these packages reflect the cots used in the On-Bill cost effectiveness methodology. Costs differ for the TDV methodology due to differences in the site gas infrastructure costs (see Section 2.6).

<sup>&</sup>lt;sup>4</sup>This represents the Efficiency EDR Margin for the Efficiency-Non-Preempted and Efficiency-Equipment packages and Total EDR Margin for the Efficiency & PV, Efficiency & PV/Battery, and Neutral Cost packages.

<sup>&</sup>lt;sup>5</sup>Positive values indicate an increase in PV capacity relative to the Standard Design.

# Climate Zone 10 SCE/SoCalGas

	Benefit to Cost Ratio (B/C)	On-Bill TDV	n/a n/a	0.63 1.33	2.05 3.84	1.00 1.48		n/a n/a	0.92 1.52	27 3.19	1.08 1.50	11 1.51		15 2.66	¥ 7	7
	Be	ö	È	0.	2.(			2	0.9	2.27	7.	1.11		1.45	3.04	Σ
ary	NPV of Lifetime	Incremental Cost (\$)	n/a	\$1,648	\$593	\$5,522		n/a	\$1,773	\$949	\$6,405	\$12,129		(\$5,349)	\$1,057	\$0
Table 67: Single Family Climate Zone 10 SCE/Socalgas Results Summary	CO2-Equivalent Emissions (lbs/sf)	Reduction	n/a	0.13	0.16	0.36		n/a	0.07	0.10	0.24	0.53		0.67	0.91	0.87
CalGas R	CO2-F Emissi	Total	1.61	1.48	1.45	1.25		0.94	0.88	0.85	0.70	0.41		0.94	0.70	0.74
e 10 SCE/So	PV Size	(kW) <sup>5</sup>	n/a	(0.07)	(0.06)	0.03		n/a	0.00	00:00	1.17	1.74		00.0	1.17	1.36
Ilmate Zon	0	Margin⁴	n/a	3.0	3.0	9.5		n/a	3.0	3.0	11.0	21.0		0.0	11.0	9.0
gie ramily (		therms	239	217	209	217		0	0	0	0	0		0	0	0
IIIC :/o all	Annual	kWh	(0)	(0)	(0)	(12)		2,981	2,673	2,563	762	(9)		2,981	762	770
	Climate Zone 10 SCE/SoCalGas	Single Family	Code Compliant	Efficiency-Non-Preempted	Efficiency-Equipment	Efficiency & PV/Battery	:	Code Compliant	Efficiency-Non-Preempted	Efficiency-Equipment	Efficiency & PV	Efficiency & PV/Battery		Code Compliant	Efficiency & PV	Neutral Cost
:	SCE	Sing	el ۱	n4 k	oəxi	M		2	sint:	oəl3	-IIA		•		Jight Properties	

<sup>1</sup>All reductions and incremental costs relative to the **mixed fuel** code compliant home. <sup>2</sup>All reductions and incremental costs relative to the **all-electric** code compliant home.



case which is the all-electric code compliant home. Incremental costs for these packages reflect the cots used in the On-Bill cost effectiveness methodology. <sup>3</sup>All reductions and incremental costs relative to the mixed fuel code compliant home except the EDR Margins are relative to the Standard Design for each Costs differ for the TDV methodology due to differences in the site gas infrastructure costs (see Section 2.6).

<sup>&</sup>lt;sup>4</sup>This represents the Efficiency EDR Margin for the Efficiency-Non-Preempted and Efficiency-Equipment packages and Total EDR Margin for the Efficiency & PV/Battery, and Neutral Cost packages. <sup>§</sup>Positive values indicate an increase in PV capacity relative to the Standard Design.

Table 68: Multifamily Climate Zone 10 SCE/SoCalG

:	Table 00. Multinating Cilliage 20ne 10 SCE/Socaldas Results Summary (Per Dwelling Unit)	Triaming	rilliate 201	ie to scr/s	ocalgas Ke	sults sum	mary (Per Dv	velling Unit)		
SCE	Climate Zone 10 SCE/SoCalGas	Annual	\$ <b>*</b>	<u>.</u>	PV Size	CO2-E Emissic	CO2-Equivalent Emissions (lbs/sf)	NPV of Lifetime	Benefit Ratio	Benefit to Cost Ratio (B/C)
Mult	Multifamily	kWh	therms	Margin <sup>4</sup>	Change (kW) <sup>5</sup>	Total	Reduction	Incremental Cost (\$)	On-Bill	VQT
۱ lə	Code Compliant	(0)	112	n/a	n/a	2.29	n/a	n/a	n/a	n/a
ս4 ե	Efficiency-Non-Preempted	(0)	108	1.5	(0.02)	2.23	90.0	\$278	0.81	1.69
əxi	Efficiency-Equipment	(0)	102	2.5	(0.04)	2.13	0.16	\$250	1.96	3.27
M	Efficiency & PV/Battery	(9)	108	10.0	0.03	1.88	0.41	\$2,376	0.98	1.57
	Code Compliant	1,507	0	n/a	n/a	1.39	n/a	6/0	0/0	0,0
s oirt	Efficiency-Non-Preempted	1,425	0	1.5	0.00	1.34	0.05	\$361	1.16	2.00
<b>⊃</b> el <u>=</u>	Efficiency-Equipment	1,369	0	1.5	0.00	1.31	0.08	\$361	1.71	1.98
I-IIA	Efficiency & PV	450	0	10.5	09.0	1.09	0:30	\$2,371	1.31	1.79
	Efficiency & PV/Battery	(4)	0	23.0	0.93	0.63	0.76	\$5,395	1.27	1.69
C										
	Code Compliant	1,507	0	0.0	00.00	1.39	06:0	(\$2,337)	3.35	2.36
J∃ be Sleci	Efficiency & PV	56	0	10.5	09:0	1.09	1.20	\$34	70.89	×
	Neutral Cost	372	0	10.5	0.70	1.10	1.19	\$0	<u>×</u>	7
1All rod.	10   10   10   10   10   10   10   10									

<sup>1</sup>All reductions and incremental costs relative to the **mixed fuel** code compliant home. <sup>2</sup>All reductions and incremental costs relative to the **all-electric** code compliant home.

3All reductions and incremental costs relative to the mixed fuel code compliant home except the EDR Margins are relative to the Standard Design for each case which is the all-electric code compliant home. Incremental costs for these packages reflect the cots used in the On-Bill cost effectiveness methodology. Costs differ for the TDV methodology due to differences in the site gas infrastructure costs (see Section 2.6).

<sup>4</sup>This represents the Efficiency EDR Margin for the Efficiency-Non-Preempted and Efficiency-Equipment packages and Total EDR Margin for the Efficiency & PV/Battery, and Neutral Cost packages.

<sup>5</sup>Positive values indicate an increase in PV capacity relative to the Standard Design.

### Climate Zone 10 SDGE

Climate Zone 10 SDG&E									
-	Annual		9	PV Size	CO2-E Emissic	CO2-Equivalent Emissions (lbs/sf)	NPV of Lifetime	Benefit to Cost Ratio (B/C)	to Cost (B/C)
Single Family	kWh	therms	Margin⁴	Change (kW) <sup>5</sup>	Total	Reduction	Incremental Cost (\$)	On-Bill	VQT
Code Compliant	(0)	239	n/a	n/a	1.61	n/a	n/a	n/a	n/a
Efficiency-Non-Preempted	(0)	217	3.0	(0.07)	1.48	0.13	\$1,648	0.80	1.33
Efficiency-Equipment	(0)	209	3.0	(0.06)	1.45	0.16	\$593	2.64	3.84
cy & PV/Battery	(12)	217	9.5	0.03	1.25	0.36	\$5,522	0.58	1.48
to diam's	7000	(							
ompliant	2,981	0	n/a	n/a	0.94	n/a	n/a	n/a	n/a
cy-Non-Preempted	2,673	0	3.0	0.00	0.88	0.07	\$1,773	1.08	1.52
cy-Equipment	2,563	0	3.0	0.00	0.85	0.10	\$949	2.62	3.19
cy & PV	762	0	11.0	1.17	0.70	0.24	\$6,405	1.68	1.50
cy & PV/Battery	(9)	0	21.0	1.74	0.41	0.53	\$12,129	1.42	1.51
ompliant	2,981	0	0.0	00.0	0.94	0.67	(\$5,349)	06.0	2.66
cy & PV	762	0	11.0	1.17	0.70	0.91	\$1,057	4.55	<u>×</u>
Cost	770	0	9.0	1.36	0.74	0.87	\$0	7	7
	Efficiency & PV/Battery Code Compliant Efficiency-Non-Preempted Efficiency & PV/Battery Code Compliant Efficiency & PV/Battery Code Compliant Meutral Cost	De	(12) (12) 2,981 ted 2,673 2,563 762 (6) (6) 770	(5) 2.03 (12) 2.17 (2,981 0 (2,563 0 762 0 (6) 0 (762 0 770 0	ted 2,981 0 n/a so	ted 2,981 0 n/a n/a fed 2,673 0 0.00	(97)         203         3.0         (0.00)         1.45           (12)         217         9.5         0.03         1.25           2,981         0         n/a         n/a         0.94           ted         2,673         0         3.0         0.00         0.88           2,563         0         3.0         0.00         0.85         0           762         0         11.0         1.17         0.70         0           (6)         0         21.0         1.74         0.41         0           2,981         0         0.0         0.00         0.94         0           762         0         11.0         1.17         0.70         0           762         0         11.0         0.00         0.94         0           762         0         11.0         1.17         0.70         0           770         0         9.0         1.36         0.74         0	(9)         203         3.0         (0.00)         1.45         0.10           2,981         0         n/a         n/a         0.94         n/a           ted         2,673         0         3.0         0.00         0.88         0.07           2,563         0         3.0         0.00         0.85         0.10         0           762         0         11.0         1.17         0.70         0.24         0           (6)         0         21.0         1.74         0.41         0.53         0           2,981         0         0.0         0.00         0.94         0.67         0           762         0         11.0         1.17         0.70         0.91         0           762         0         11.0         1.17         0.70         0.91         0           770         0         0         0.00         0.00         0.94         0.67         0           770         0         0         0         0         0         0         0         0           770         0         0         0         0         0         0         0         0	(12)         2.03         0.03         1.45         0.10         \$593           2,981         0         n/a         n/a         0.03         1.25         0.36         \$5,522           ted         2,981         0         n/a         n/a         n/a         n/a         n/a           ted         2,981         0         3.0         0.00         0.88         0.07         \$1,773           762         0         11.0         1.17         0.70         0.24         \$6,405           (6)         0         21.0         1.74         0.41         0.53         \$12,129           2,981         0         0.0         0.00         0.94         0.67         \$5,349)           762         0         11.0         1.17         0.70         0.53         \$1,057           762         0         0         0.00         0.094         \$5,349)         \$1,057           762         0         11.0         1.17         0.70         0.91         \$1,057           770         0         9.0         1.36         0.74         0.87         \$6,405

'All reductions and incremental costs relative to the mixed fuel code compliant home.

<sup>2</sup>All reductions and incremental costs relative to the all-electric code compliant home.



case which is the all-electric code compliant home. Incremental costs for these packages reflect the cots used in the On-Bill cost effectiveness methodology. <sup>3</sup>All reductions and incremental costs relative to the mixed fuel code compliant home except the EDR Margins are relative to the Standard Design for each Costs differ for the TDV methodology due to differences in the site gas infrastructure costs (see Section 2.6).

<sup>&</sup>lt;sup>4</sup>This represents the Efficiency EDR Margin for the Efficiency-Non-Preempted and Efficiency-Equipment packages and Total EDR Margin for the Efficiency & PV/Battery, and Neutral Cost packages.
<sup>5</sup>Positive values indicate an increase in PV capacity relative to the Standard Design.

Table 70: Multifamily Climate Zone 10 SDGE Results Summary (Per Dwelling Unit)

Annual therms         EDR Lifetime (kM) <sup>3</sup> (hy) <sup>3</sup> (hy	Climate Zone 10								ng ounc)		
Margin4         (kW)5         Total         Reduction         Cost (\$)         On-Bill           n/a         n/a         1.29         n/a         n/a         n/a           1.5         (0.02)         2.23         0.06         \$278         1.09           2.5         (0.04)         2.13         0.06         \$278         1.09           10.0         0.03         1.88         0.41         \$2,376         2.60           10.0         1.34         0.05         \$361         1.53           10.5         0.00         1.34         0.08         \$361         2.05           10.5         0.60         1.09         0.30         \$2,371         2.12           23.0         0.93         0.63         0.76         \$5,395         1.44           10.5         0.00         1.39         0.90         (\$2,337)         0.73           10.5         0.60         1.09         1.20         \$34         54.15           10.5         0.70         1.10         1.19         \$0.70         >1	4	Ann	ual	- Circu	ם	PV Size	CO2-E Emissic	quivalent ons (lbs/sf)	NPV of Lifetime	Benefit Ratio	to Cost (B/C)
12         n/a         1/a         2.29         n/a         n/a         n/a           08         1.5         (0.02)         2.23         0.06         \$278         1.09           02         2.5         (0.04)         2.13         0.16         \$250         2.60           08         10.0         0.03         1.88         0.41         \$2,376         2.60           0         n/a         1.39         n/a         n/a         n/a           0         1.5         0.00         1.34         0.05         \$361         2.05           0         1.5         0.00         1.34         0.08         \$361         2.05           0         1.5         0.00         1.34         0.08         \$361         2.05           0         1.5         0.00         1.39         0.30         \$2,371         2.05           0         23.0         0.63         0.63         0.76         \$5,395         1.44           0         0.0         0.00         1.39         0.90         \$5,395         1.44           0         0.0         0.00         1.09         0.00         0.00         0.00         0.00         0.0	Multifamily kwh	K		therms	Margin <sup>4</sup>	(kW) <sup>5</sup>	Total	Reduction	Incremental Cost (\$)	On-Bill	TDV
08         1.5         (0.02)         2.23         0.06         \$278         1.09           02         2.5         (0.04)         2.13         0.16         \$250         2.60           08         10.0         0.03         1.88         0.41         \$2,376         0.23           0         n/a         1.39         n/a         n/a         n/a           0         1.5         0.00         1.34         0.05         \$361         1.53           0         1.5         0.00         1.31         0.08         \$361         2.05           0         1.05         0.60         1.09         0.30         \$2,371         2.12           0         23.0         0.93         0.63         0.76         \$5,395         1.44           0         0.0         0.00         1.39         0.90         \$5,337         0.73           0         10.5         0.60         1.09         1.20         \$34         54.15           0         10.5         0.70         1.10         1.19         \$0.70         >1	Code Compliant (0)	0			n/a	n/a	2.29	n/a	n/a	n/a	n/a
02         2.5         (0.04)         2.13         0.16         \$250         2.60           08         10.0         0.03         1.88         0.41         \$2,376         0.23           0         n/a         n/a         n/a         n/a         n/a           0         1.5         0.00         1.34         0.05         \$361         1.53           0         1.5         0.00         1.31         0.08         \$361         2.05           0         1.5         0.00         1.09         0.30         \$2,371         2.12           0         23.0         0.93         0.63         0.76         \$5,395         1.44           0         0.0         0.00         1.39         0.90         \$2,371         0.73           0         0.0         0.00         1.09         1.20         \$5,395         1.44           0         0.0         0.00         1.09         1.20         \$5,337         0.73           0         10.5         0.00         1.09         1.20         \$34         54.15           0         10.5         1.10         1.19         1.19         \$0.71	Efficiency-Non-Preempted (0)	0)		108	1.5	(0.02)	2.23	90:0	\$278	1.09	1.69
08         10.0         0.03         1.88         0.41         \$2,376         0.23           0         n/a         n/a         1.39         n/a         n/a         n/a           0         1.5         0.00         1.34         0.05         \$361         1.53           0         1.5         0.00         1.31         0.08         \$361         2.05           0         1.5         0.60         1.09         0.30         \$2,371         2.12           0         23.0         0.93         0.63         0.76         \$5,395         1.44           0         0.0         0.00         1.39         0.90         \$2,337         0.73           0         10.5         0.60         1.09         1.20         \$34         54.15           0         10.5         0.70         1.10         1.19         \$0         >1	Efficiency-Equipment (0)	(0)		102	2.5	(0.04)	2.13	0.16	\$250	2.60	3.27
n/a         n/a         1.39         n/a         n/a         n/a           1.5         0.00         1.34         0.05         \$361         1.53           1.5         0.00         1.31         0.08         \$361         2.05           10.5         0.60         1.09         0.30         \$2,371         2.12           23.0         0.93         0.76         \$5,395         1.44           0.0         0.09         1.39         0.90         \$5,337         0.73           10.5         0.60         1.09         1.20         \$34         54.15           10.5         0.70         1.10         1.19         \$0         >1	Efficiency & PV/Battery (6)	(9)		108	10.0	0.03	1.88	0.41	\$2,376	0.23	1.57
1.5       0.00       1.34       0.05       \$361       1.53         1.5       0.00       1.31       0.08       \$361       2.05         10.5       0.60       1.09       0.30       \$2,371       2.12         23.0       0.93       0.76       \$5,395       1.44         0.0       0.00       1.39       0.90       \$5,337       0.73         10.5       0.60       1.09       1.20       \$34       54.15         10.5       0.70       1.10       1.19       \$0       >1	Code Compliant 1,507	1,507		0	n/a	n/a	1.39	n/a	n/a	n/a	n/a
1.5       0.00       1.31       0.08       \$361       2.05         10.5       0.60       1.09       0.30       \$2,371       2.12         23.0       0.93       0.63       0.76       \$5,395       1.44         0.0       0.00       1.39       0.90       (\$2,337)       0.73         10.5       0.60       1.09       1.20       \$34       54.15         10.5       0.70       1.10       1.19       \$0       >1	Efficiency-Non-Preempted 1,425	1,425		0	1.5	0.00	1.34	0.05	\$361	1.53	2.00
10.5       0.60       1.09       0.30       \$2,371       2.12         23.0       0.93       0.76       \$5,395       1.44         0.0       0.00       1.39       0.90       (\$2,337)       0.73         10.5       0.60       1.09       1.20       \$34       54.15         10.5       0.70       1.10       1.19       \$0       >1	Efficiency-Equipment 1,369	1,369		0	1.5	00.0	1.31	0.08	\$361	2.05	1.98
23.0         0.93         0.63         0.76         \$5,395         1.44           0.0         0.00         1.39         0.90         (\$2,337)         0.73           10.5         0.60         1.09         1.20         \$34         54.15           10.5         0.70         1.10         1.19         \$0         >1	Efficiency & PV 450	450		0	10.5	09:0	1.09	0:30	\$2,371	2.12	1.79
0.0     0.00     1.39     0.90     (\$2,337)     0.73       10.5     0.60     1.09     1.20     \$34     54.15       10.5     0.70     1.10     1.19     \$0     >1	Efficiency & PV/Battery (4)	(4)		0	23.0	0.93	0.63	0.76	\$5,395	1.44	1.69
10.5     0.60     1.09     1.20     \$34     54.15       10.5     0.70     1.10     1.19     \$0     >1	Code Compliant 1,507	1,507		0	0.0	0.00	1.39	06.0	(\$2,337)	0.73	2.36
10.5 0.70 1.10 1.19 \$0 >1	Efficiency & PV 56	56		0	10.5	09:0	1.09	1.20	\$34	54.15	7
	Neutral Cost 372	372		0	10.5	0.70	1.10	1.19	\$0	7	7

<sup>1</sup>All reductions and incremental costs relative to the **mixed fuel** code compliant home.

<sup>2</sup>All reductions and incremental costs relative to the **all-electric** code compliant home.

<sup>&</sup>lt;sup>3</sup>All reductions and incremental costs relative to the mixed fuel code compliant home except the EDR Margins are relative to the Standard Design for each case which is the all-electric code compliant home. Incremental costs for these packages reflect the cots used in the On-Bill cost effectiveness methodology. Costs differ for the TDV methodology due to differences in the site gas infrastructure costs (see Section 2.6).

<sup>&</sup>lt;sup>4</sup>This represents the Efficiency EDR Margin for the Efficiency-Non-Preempted and Efficiency-Equipment packages and Total EDR Margin for the Efficiency & PV/Battery, and Neutral Cost packages.

<sup>5</sup>Positive values indicate an increase in PV capacity relative to the Standard Design.

Table 71: Single Family Climate Zone 11 Results Summary

		Table	Taigur ,	dining cinin	rance a similar raining connected to results summary	C CHINCON	uninaly			
Climat PG&E	Climate Zone 11 PG&E	Annual		0	PV Size	CO2-E Emissic	CO2-Equivalent Emissions (lbs/sf)	NPV of Lifetime	Benefit to Cost Ratio (B/C)	to Cost (B/C)
Sing	Single Family	kWh	therms	EDR Margin⁴	Change (kW) <sup>5</sup>	Total	Reduction	Incremental Cost (\$)	On-Bill	TDV
¹ la	Code Compliant	(0)	378	n/a	n/a	2.14	n/a	n/a	n/a	n/a
n∃	Efficiency-Non-Preempted	(0)	333	4.0	(0.19)	1.90	0.24	\$3,143	0.78	1.20
рәхі	Efficiency-Equipment	0	320	5.0	(0.21)	1.83	0.31	\$1,222	2.50	3.68
M	Efficiency & PV/Battery	(18)	333	0.6	(0.09)	1.78	0.36	\$7,026	0.36	1.51
2	Code Compliant	4,585	0	n/a	n/a	1.15	n/a	n/a	n/a	n/a
tric	Efficiency-Non-Preempted	3,815	0	4.5	00:0	0.99	0.16	\$3,735	1.24	1.47
<b>59</b>   <u>=</u>	Efficiency-Equipment	3,533	0	5.5	00.00	0.93	0.22	\$2,108	2.97	3.33
]-IIA	Efficiency & PV	957	0	14.0	1.79	09.0	0.55	\$10,827	1.84	1.55
	Efficiency & PV/Battery	(13)	0	23.0	2.49	0.36	0.79	\$17,077	1.49	1.61
C										
	Code Compliant	4,585	0	0.0	0.00	1.15	0.99	(\$5,349)	0.49	1.69
u3 be Elect	Efficiency & PV	957	0	14.0	1.79	09:0	1.54	\$5,478	1.64	7
	Neutral Cost	2,429	0	7.0	1.36	0.85	1.29	\$0	⋋	7
1 4 11										

'All reductions and incremental costs relative to the mixed fuel code compliant home.

<sup>2</sup>All reductions and incremental costs relative to the all-electric code compliant home.



case which is the all-electric code compliant home. Incremental costs for these packages reflect the cots used in the On-Bill cost effectiveness methodology. <sup>3</sup>All reductions and incremental costs relative to the mixed fuel code compliant home except the EDR Margins are relative to the Standard Design for each Costs differ for the TDV methodology due to differences in the site gas infrastructure costs (see Section 2.6).

<sup>&</sup>lt;sup>4</sup>This represents the Efficiency EDR Margin for the Efficiency-Non-Preempted and Efficiency-Equipment packages and Total EDR Margin for the Efficiency & PV/Battery, and Neutral Cost packages.

<sup>5</sup>Positive values indicate an increase in PV capacity relative to the Standard Design.

Table 72: Multifamily Climate Zone 11 Results Summary (Per Dwelling Unit)

		, Z. Flair	Marian Ciril	ומרר מסוור ד	ac chincan T	Illiany (I	carro de la mantanta di manta de montre de mon	OILL		
Clima PG&E	Climate Zone 11 PG&E	Annual		C C	PV Size	CO2-E Emissic	CO2-Equivalent Emissions (lbs/sf)	NPV of Lifetime	Benefit to Cc Ratio (B/C)	Benefit to Cost Ratio (B/C)
Mult	Multifamily	kWh	therms	Margin <sup>4</sup>	(kW) <sup>5</sup>	Total	Reduction	Incremental Cost (\$)	On-Bill	TDV
† le	Code Compliant	(0)	141	n/a	n/a	2.38	n/a	n/a	n/a	n/a
l Fu	Efficiency-Non-Preempted	0	127	2.5	(0.05)	2.18	0.20	\$850	0.65	1.17
pəxi	Efficiency-Equipment	(0)	126	3.0	(90.0)	2.16	0.22	\$317	1.84	3.29
M	Efficiency & PV/Battery	(6)	127	10.5	0.01	2.00	0.38	\$2,950	0.39	1.60
7	Code Compliant	1,974	0	n/a	n/a	1.42	n/a	n/a	n/a	n/a
oint	Efficiency-Non-Preempted	1,732	0	3.5	0.00	1.29	0.13	\$1,011	1.40	1.64
<b>⊃</b> 9 ∃	Efficiency-Equipment	1,707	0	3.5	00:0	1.26	0.16	\$795	2.02	2.33
I-IIA	Efficiency & PV	504	0	13.0	0.77	0.81	0.61	\$3,601	2.22	1.81
,	Efficiency & PV/Battery	(9)	0	25.0	1.14	0.45	0.98	\$6,759	1.42	1.81
3										
	Code Compliant	1,974	0	0.0	0.00	1.42	96.0	(\$2,337)	0.56	1.33
ed Fu	Efficiency & PV	63	0	13.0	0.77	0.81	1.56	\$1,264	3.03	Ž
	Neutral Cost	866	0	9.0	0.70	0.99	1.38	\$0	×	73.96
1All sod.	AMI and the state of the state	10 0 01								

All reductions and incremental costs relative to the mixed fuel code compliant home.

All reductions and incremental costs relative to the all-electric code compliant home.



<sup>&</sup>lt;sup>3</sup>All reductions and incremental costs relative to the mixed fuel code compliant home except the EDR Margins are relative to the Standard Design for each case which is the all-electric code compliant home. Incremental costs for these packages reflect the cots used in the On-Bill cost effectiveness methodology. Costs differ for the TDV methodology due to differences in the site gas infrastructure costs (see Section 2.6).

<sup>&</sup>lt;sup>4</sup>This represents the Efficiency EDR Margin for the Efficiency-Non-Preempted and Efficiency-Equipment packages and Total EDR Margin for the Efficiency & PV, Efficiency & PV/Battery, and Neutral Cost packages.
<sup>5</sup>Positive values indicate an increase in PV capacity relative to the Standard Design.

Table 73. Single Family Climate Zone 12 De

		Iable	/ 5: Single r	amily Cilm	Table 73: Single Family Climate Zone 12 Results Summary	<b>Kesuits Si</b>	ummary			
Climat PG&E	Climate Zone 12 PG&E	Annual		í í	PV Size	CO2-E Emissic	CO2-Equivalent Emissions (lbs/sf)	NPV of Lifetime	Benefit to Cost Ratio (B/C)	to Cost (B/C)
Sing	Single Family	kWh	therms	Margin <sup>4</sup>	Change (kW) <sup>5</sup>	Total	Reduction	Incremental Cost (\$)	On-Bill	TDV
۱ lə	Code Compliant	(0)	390	n/a	n/a	2.11	n/a	n/a	n/a	n/a
n I I	Efficiency-Non-Preempted	(0)	344	3.5	(0.06)	1.88	0.23	\$1,679	1.18	1.83
oəxi	Efficiency-Equipment	0	338	3.0	(0.05)	1.85	0.26	\$654	3.31	4.65
M	Efficiency & PV/Battery	(23)	344	9.5	0.04	1.76	0.35	\$5,568	0.43	1.72
7	Code Compliant	4,492	0	n/a	n/a	1.05	n/a	n/a	n/a	n/a
aint	Efficiency-Non-Preempted	3,958	0	3.5	00:0	0.94	0.10	\$3,735	0.78	1.06
oəl∃	Efficiency-Equipment	3,721	0	5.0	00.00	06.0	0.15	\$2,108	2.00	2.51
I-IIA	Efficiency & PV	867	0	15.5	1.97	0.51	0.53	\$11,520	1.69	1.41
	Efficiency & PV/Battery	(15)	0	25.0	2.62	0.29	0.76	\$17,586	1.29	1.48
	Code Compliant	4,492	0	0.0	0.00	1.05	1.07	(\$5,349)	0.63	1.89
u4 be beck	Efficiency & PV	867	0	15.5	1.97	0.51	1.60	\$6,172	1.77	<u>&gt;</u>
	Neutral Cost	2,374	0	8.0	1.35	0.76	1.36	\$0	7	×
1 All mand.										

<sup>1</sup>All reductions and incremental costs relative to the **mixed fuel** code compliant home. <sup>2</sup>All reductions and incremental costs relative to the **all-electric** code compliant home.



case which is the all-electric code compliant home. Incremental costs for these packages reflect the cots used in the On-Bill cost effectiveness methodology. <sup>3</sup>All reductions and incremental costs relative to the mixed fuel code compliant home except the EDR Margins are relative to the Standard Design for each Costs differ for the TDV methodology due to differences in the site gas infrastructure costs (see Section 2.6).

<sup>&</sup>lt;sup>4</sup>This represents the Efficiency EDR Margin for the Efficiency-Non-Preempted and Efficiency-Equipment packages and Total EDR Margin for the Efficiency & PV/Battery, and Neutral Cost packages.

<sup>5</sup>Positive values indicate an increase in PV capacity relative to the Standard Design.

Table 74: Multifamily Climate Zone 12 Results Summary (Per Dwelling Unit)

			,	מנה מסווה ד	e income	Illinal y (I	y contract from 12 results summary (ref Dwelling Unit)	OHILL		
CIE	Climate Zone 12					C02-E	CO2-Equivalent	NPV of	Bonofit	Donofit to Cont
PG&E	mî M	Annual	Annual	900	PV Size	Emissic	Emissions (lbs/sf)	Lifetime	Ratio (B/C)	(B/C)
Mult	Multifamily	kWh	therms	Margin <sup>4</sup>	(kW) <sup>5</sup>	Total	Reduction	Incremental Cost (\$)	On-Bill	TDV
el ا	Code Compliant	(0)	143	n/a	n/a	2.33	n/a	n/a	n/a	n/a
n4 k	Efficiency-Non-Preempted	(0)	135	1.5	(0.02)	2.21	0.12	\$291	1.10	2.22
oəxi	Efficiency-Equipment	0	128	2.5	(0.03)	2.12	0.21	\$434	1.25	2.22
M	Efficiency & PV/Battery	(11)	135	10.0	0.03	2.03	0:30	\$2,394	0:30	1.75
2	Code Compliant	1,963	0	n/a	n/a	1.34	n/a	n/a	n/a	n/a
oint:	Efficiency-Non-Preempted	1,792	0	2.5	0.00	1.24	0.09	\$1,011	0.91	1.12
oəl∃	Efficiency-Equipment	1,744	0	2.5	00.0	1.21	0.13	\$795	1.56	1.63
I-IIA	Efficiency & PV	472	0	14.0	0.84	0.73	09:0	\$3,835	2.08	1.65
·±	Efficiency & PV/Battery	(8)	0	26.5	1.20	0.38	96.0	\$6,943	1.26	1.68
C										
	Code Compliant	1,963	0	0.0	0.00	1.34	1.00	(\$2,337)	0.64	1.66
ed Fu	Efficiency & PV	59	0	14.0	0.84	0.73	1.60	\$1,498	2.88	<u>\</u>
	Neutral Cost	872	0	9.5	0.70	0.92	1.42	\$0	×	×
1All road.	1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	ı								

All reductions and incremental costs relative to the mixed fuel code compliant home.

<sup>2</sup>All reductions and incremental costs relative to the all-electric code compliant home.

<sup>3</sup>All reductions and incremental costs relative to the mixed fuel code compliant home except the EDR Margins are relative to the Standard Design for each case which is the all-electric code compliant home. Incremental costs for these packages reflect the cots used in the On-Bill cost effectiveness methodology. Costs differ for the TDV methodology due to differences in the site gas infrastructure costs (see Section 2.6).

<sup>4</sup>This represents the Efficiency EDR Margin for the Efficiency-Non-Preempted and Efficiency-Equipment packages and Total EDR Margin for the Efficiency & PV/Battery, and Neutral Cost packages.

<sup>5</sup>Positive values indicate an increase in PV capacity relative to the Standard Design.



ď È Tahle 75. Single Family Clin

			0	,	Section of the sectio	Trong Control	diffical y			
Climat PG&E	Climate Zone 13 PG&E	Annual		i i	PV Size	CO2-E Emissic	CO2-Equivalent Emissions (Ibs/sf)	NPV of Lifetime	Benefit to Co Ratio (B/C)	Benefit to Cost Ratio (B/C)
Sing	Single Family	kWh	therms	Margin <sup>4</sup>	Change (kW) <sup>5</sup>	Total	Reduction	Incremental Cost (\$)	On-Bill	TDV
۴ lə	Code Compliant	(0)	352	n/a	n/a	2.02	n/a	n/a	n/a	n/a
n4 l	Efficiency-Non-Preempted	(0)	311	4.5	(0.21)	1.80	0.22	\$3,060	0.76	1.28
ээхі	Efficiency-Equipment	(0)	292	5.5	(0.24)	1.70	0.32	\$611	5.26	8.40
M	Efficiency & PV/Battery	(19)	311	9.5	(0.11)	1.69	0.33	\$6,954	0.36	1.56
7	Code Compliant	4,180	0	n/a	n/a	1.08	n/a	n/a	n/a	n/a
oint	Efficiency-Non-Preempted	3,428	0	5.0	0.00	0.92	0.15	\$4,154	1.12	1.40
⊃əl∃	Efficiency-Equipment	3,177	0	6.0	00.0	0.87	0.21	\$2,108	2.88	3.30
I-IIA	Efficiency & PV	934	0	13.0	1.61	0.57	0.50	\$10,532	1.70	1.47
	Efficiency & PV/Battery	(11)	0	22.0	2.32	0.35	0.73	\$16,806	1.40	1.54
	Code Compliant	4,180	0	0.0	00.00	1.08	0.94	(\$5,349)	0.54	1.83
od Fr	Efficiency & PV	934	0	13.0	1.61	0.57	1.44	\$5,184	1.56	7
	Neutral Cost	2,092	0	7.0	1.36	0.79	1.23	\$0	7	7

<sup>1</sup>All reductions and incremental costs relative to the **mixed fuel** code compliant home. <sup>2</sup>All reductions and incremental costs relative to the **all-electric** code compliant home.



case which is the all-electric code compliant home. Incremental costs for these packages reflect the cots used in the On-Bill cost effectiveness methodology. <sup>3</sup>All reductions and incremental costs relative to the mixed fuel code compliant home except the EDR Margins are relative to the Standard Design for each Costs differ for the TDV methodology due to differences in the site gas infrastructure costs (see Section 2.6).

<sup>&</sup>lt;sup>4</sup>This represents the Efficiency EDR Margin for the Efficiency-Non-Preempted and Efficiency-Equipment packages and Total EDR Margin for the Efficiency & PV/Battery, and Neutral Cost packages.

<sup>5</sup>Positive values indicate an increase in PV capacity relative to the Standard Design.

Table 76: Multifamily Climate Zone 13 Results Summary (Per Dwelling Unit)

		TO INTERIOR	ranns cum	מוכ לחווב ז	o Vesaules or	IIIIIIIIII) (I	rests of framework of the La Mesuits Summary (Fer Dwelling Unit)	Unit)		
Cin	Climate Zone 13					C02-E	CO2-Equivalent	NPV of	i	
PG&E	Ш	Annual	Annual	a C	PV Size	Emissic	Emissions (lbs/sf)	Lifetime	Benefit to Co Ratio (B/C)	Benefit to Cost Ratio (B/C)
Z Z	Multifamily	kWh	therms	Margin <sup>4</sup>	(kW) <sup>5</sup>	Total	Reduction	Incremental Cost (\$)	On-Bill	TDV
t lə	Code Compliant	(0)	135	n/a	n/a	2.30	n/a	n/a	n/a	n/a
n J I	Efficiency-Non-Preempted	(0)	123	3.0	(0.05)	2.12	0.18	\$831	0.63	1.27
oəxi	Efficiency-Equipment	(0)	121	3.0	(0.07)	2.10	0.21	\$290	1.95	3.75
M	Efficiency & PV/Battery	(6)	123	10.5	0.00	1.95	0.35	\$2,936	0.38	1.64
7	Code Compliant	1,849	0	n/a	n/a	1.36	n/a	n/a	n/a	n/a
oin):	Efficiency-Non-Preempted	1,629	0	3.0	00.0	1.24	0.12	\$1,011	1.31	1.56
D9l∃	Efficiency-Equipment	1,590	0	3.5	00.0	1.21	0.16	\$795	1.98	2.28
I-IIA	Efficiency & PV	501	0	12.0	0.73	08.0	0.56	\$3,462	2.12	1.71
	Efficiency & PV/Battery	(2)	0	23.5	1,11	0.44	0.92	\$6,650	1.35	1.74
0										
	Code Compliant	1,849	0	0.0	0.00	1.36	0.94	(\$2,337)	0.63	1.54
J∃ be ⊃el∃	Efficiency & PV	63	0	12.0	0.73	08.0	1.50	\$1,125	3.22	×
	Neutral Cost	773	0	8.5	0.70	0.94	1.36	\$0	Σ	Σ
1All red	All reductions and incremental costs relative to the missel	a odt of ovite		first and a same it is						

<sup>1</sup>All reductions and incremental costs relative to the **mixed fuel** code compliant home.

<sup>2</sup>All reductions and incremental costs relative to the **all-electric** code compliant home.

<sup>3</sup>All reductions and incremental costs relative to the mixed fuel code compliant home except the EDR Margins are relative to the Standard Design for each case which is the all-electric code compliant home. Incremental costs for these packages reflect the cots used in the On-Bill cost effectiveness methodology. Costs differ for the TDV methodology due to differences in the site gas infrastructure costs (see Section 2.6).

<sup>4</sup>This represents the Efficiency EDR Margin for the Efficiency-Non-Preempted and Efficiency-Equipment packages and Total EDR Margin for the Efficiency & PV/Battery, and Neutral Cost packages.

<sup>5</sup>Positive values indicate an increase in PV capacity relative to the Standard Design.

# Climate Zone 14 SCE/SoCalGas

Table 77: Single Family Climate Zone 14 SCE/SoCalGas Results Summary		Change Total Reduction Cost (\$)	n/a 2.35 n/a	.5 (0.17) 2.06 0.29 \$1,662 1.57 2.46	5 (0.19) 1.98 0.36 \$799 3.95 6.14	0.0 (0.08) 1.83 0.52 \$5,526 1.31 1.74		/a n/a n/a n/a n/a n/a	5 0.00 1.19 0.19 \$4,154 0.95 1.46	0.00 0.00 1.16 0.22 \$2,108 2.29 3.13	5.5 1.60 0.93 0.45 \$10,459 1.21 1.62	3.5 2.21 0.63 0.75 \$16,394 1.35 1.59		0.00 0.00 1.38 0.97 (\$5,349) 0.72 1.67	5 1.60 0.93 1.42 \$5,111 1.01 >1	5 1.35 1.15 1.19 \$0 0.00 >1	
alGas Results Sun	CO2-Equivalent Emissions (lbs/sf)																
one 14 SCE/SoC							-				ş•		-	-			
Climate Zo		EDR Margin <sup>4</sup>	n/a	4.5	5.5	9.0	9	n/a	5.5	0.9	15.5	23.5		0.0	15.5	8.5	
gle Family		Annual therms	371	319	305	319	c	5	0	0	0	0	,	0	0	0	
le 77: Sing	Annual	Net KWh	(0)	(0)	(0)	(5)	A 72E	4,140	3,819	3,676	953	(2)	L C P	4,725	953	2,299	010
	Climate Zone 14 SCE/SoCalGas	Single Family	Code Compliant	Efficiency-Non-Preempted	Efficiency-Equipment	Efficiency & PV/Battery	Code Compliant	ממם כסווילוומויר	Efficiency-Non-Preempted	Efficiency-Equipment	Efficiency & PV	Efficiency & PV/Battery		Code Compliant	Efficiency & PV	Neutral Cost	Min Cont Pff Line
	SCE/	Sing	¹ le	n∃ I	oəxi	W		2 5	ciric	Dəl3	I-IIA					l-El	

'All reductions and incremental costs relative to the mixed fuel code compliant home.

<sup>2</sup>All reductions and incremental costs relative to the all-electric code compliant home.



<sup>&</sup>lt;sup>3</sup>All reductions and incremental costs relative to the mixed fuel code compliant home except the EDR Margins are relative to the Standard Design for each case which is the all-electric code compliant home. Incremental costs for these packages reflect the cots used in the On-Bill cost effectiveness methodology. Costs differ for the TDV methodology due to differences in the site gas infrastructure costs (see Section 2.6).

<sup>&</sup>lt;sup>4</sup>This represents the Efficiency EDR Margin for the Efficiency-Non-Preempted and Efficiency-Equipment packages and Total EDR Margin for the Efficiency & PV, Efficiency & PV/Battery, Neutral Cost, and Min Cost Effectiveness packages.

<sup>5</sup>Positive values indicate an increase in PV capacity relative to the Standard Design.

_
Q V
-
Ъ
) (
123
Ē
Ā
5
#
S
Re
S
G
a
0
CE/S
H
S
4
(P)
n
Z
te
na
Ë
C
1
E
fa
Ξ
Ţ
e 78: Multifa
Table 78:
9
ğ
Tabl

	radic / 0. Muthaminy Chinate Zone 14 SCE/SoCalGas Results Summary (Per Dwelling Unit)	ILITATION	Cililiate 201	ie 14 SCE/3	ocaluas Ke	sults sum	mary (Per Dv	welling Unit)		
SCE	Climate Zone 14 SCE/SoCalGas	Annual		i.	PV Size	CO2-E Emissic	CO2-Equivalent Emissions (lbs/sf)	NPV of Lifetime	Benefit	Benefit to Cost Ratio (B/C)
Mult	Multifamily	kWh	therms	Margin <sup>4</sup>	Change (kW) <sup>5</sup>	Total	Reduction	Incremental Cost (\$)	On-Bill	VQT
۱)	Code Compliant	(0)	141	n/a	n/a	2.76	n/a	n/a	n/a	n/a
ս  ե	Efficiency-Non-Preempted	(0)	126	3.0	(0.04)	2.53	0.23	\$874	0.73	1.21
oəxi	Efficiency-Equipment	(0)	126	3.0	(0.05)	2.52	0.23	\$347	1.96	2.99
M	Efficiency & PV/Battery	(3)	126	9.5	0.01	2.18	0.58	\$2,957	1.09	1.39
	Code Compliant	2,022	0	n/a	n/a	1.73	n/a	n/a	n/a	n/a
tric;	Efficiency-Non-Preempted	1,759	0	3.5	0.00	1.58	0.15	\$1,011	1.24	1.65
oəl∃	Efficiency-Equipment	1,748	0	3.5	00.00	1.56	0.16	\$795	1.59	2.20
I-IIA	Efficiency & PV	504	0	14.0	0.70	1.26	0.47	\$3,356	1.39	1.91
	Efficiency & PV/Battery	(2)	0	24.5	1.03	0.79	0.94	\$6,380	1.36	1.77
0										
	Code Compliant	2,022	0	0.0	00.00	1.73	1.03	(\$2,337)	1.13	1.48
JA be	Efficiency & PV	63	0	14.0	0.70	1.26	1.50	\$1,019	2.57	×
	Neutral Cost	772	0	10.0	0.70	1.41	1.35	\$0	<u>&gt;</u>	×
A A II					g.					

'All reductions and incremental costs relative to the mixed fuel code compliant home.

<sup>2</sup>All reductions and incremental costs relative to the all-electric code compliant home.

<sup>3</sup>All reductions and incremental costs relative to the mixed fuel code compliant home except the EDR Margins are relative to the Standard Design for each case which is the all-electric code compliant home. Incremental costs for these packages reflect the cots used in the On-Bill cost effectiveness methodology. Costs differ for the TDV methodology due to differences in the site gas infrastructure costs (see Section 2.6).

<sup>4</sup>This represents the Efficiency EDR Margin for the Efficiency-Non-Preempted and Efficiency-Equipment packages and Total EDR Margin for the Efficiency & PV/Battery, and Neutral Cost packages.
<sup>5</sup>Positive values indicate an increase in PV capacity relative to the Standard Design.



### Climate Zone 14 SDGE

	- T	Table 79:	Single Fam	ily Climate	Table 79: Single Family Climate Zone 14 SDGE Results Summary	GE Result	s Summary			
SDG&E	SDG&E	Annual		0	PV Size	CO2-E Emissic	CO2-Equivalent Emissions (lbs/sf)	NPV of Lifetime	Benefit to Cost Ratio (B/C)	to Cost (B/C)
Sing	Single Family	kWh	therms	Margin⁴	(kW) <sup>5</sup>	Total	Reduction	Incremental Cost (\$)	On-Bill	VQT
۲ lə	Code Compliant	(0)	371	n/a	n/a	2.35	n/a	n/a	n/a	n/a
n4 k	Efficiency-Non-Preempted	(0)	319	4.5	(0.17)	2.06	0.29	\$1,662	1.92	2.46
əxi	Efficiency-Equipment	(0)	305	5.5	(0.19)	1.98	0.36	\$799	4.88	6.14
M	Efficiency & PV/Battery	(2)	319	9.0	(0.08)	1.83	0.52	\$5,526	1.23	1.74
2	Code Compliant	4,725	0	n/a	n/a	1.38	n/a	n/a	n/a	n/a
oint:	Efficiency-Non-Preempted	3,819	0	5.5	0.00	1.19	0.19	\$4,154	1.30	1.46
oəl∃	Efficiency-Equipment	3,676	0	0.9	0.00	1.16	0.22	\$2,108	2.92	3.13
I-IIA	Efficiency & PV	953	0	15.5	1.60	0.93	0.45	\$10,459	1.80	1,62
	Efficiency & PV/Battery	(2)	0	23.5	2.21	0.63	0.75	\$16,394	1.67	1.59
•										
	Code Compliant	4,725	0	0.0	00.00	1.38	0.97	(\$5,349)	09.0	1.67
JA be Elec	Efficiency & PV	953	0	15.5	1.60	0.93	1.42	\$5,111	1.94	7
	Neutral Cost	2,299	0	8.5	1.35	1.15	1.19	\$0	7	<u>&gt;</u>
AAH J.										-

<sup>1</sup>All reductions and incremental costs relative to the **mixed fuel** code compliant home.

<sup>2</sup>All reductions and incremental costs relative to the **all-electric** code compliant home.

<sup>4</sup>This represents the Efficiency EDR Margin for the Efficiency-Non-Preempted and Efficiency-Equipment packages and Total EDR Margin for the Efficiency & PV/Battery, and Neutral Cost packages. <sup>5</sup>Positive values indicate an increase in PV capacity relative to the Standard Design.



case which is the all-electric code compliant home. Incremental costs for these packages reflect the cots used in the On-Bill cost effectiveness methodology. <sup>3</sup>All reductions and incremental costs relative to the mixed fuel code compliant home except the EDR Margins are relative to the Standard Design for each Costs differ for the TDV methodology due to differences in the site gas infrastructure costs (see Section 2.6).

Table 80: Multifamily Climate Zone 14 SDGE Results Sum

	п	. I MICHAEL	III) CIIIIIare	CAT DIIO7	reserve our remaining command 2000 14 Spor Results Summary (Per Dwelling Unit)	Sounnar	v (rer Dwell)	ng Unit)		
Climate   SDG&E	Climate Zone 14 SDG&E	Annual		<u>.</u>	PV Size	CO2-E Emissio	CO2-Equivalent Emissions (lbs/sf)	NPV of Lifetime	Benefit Ratio	Benefit to Cost Ratio (B/C)
ME	Multifamily	KWh	therms	Margin⁴	Change (kW) <sup>5</sup>	Total	Reduction	Incremental Cost (\$)	On-Bill	TDV
el با	Code Compliant	(0)	141	n/a	n/a	2.76	n/a	n/a	n/a	n/a
n∃ k	Efficiency-Non-Preempted	(0)	126	3.0	(0.04)	2.53	0.23	\$874	0.93	1.21
oəxi	Efficiency-Equipment	(0)	126	3.0	(0.05)	2.52	0.23	\$347	2.48	2.99
W	Efficiency & PV/Battery	(3)	126	9.5	0.01	2.18	0.58	\$2,957	0.51	1.39
7	Code Compliant	2,022	0	n/a	n/a	1.73	n/a	n/a	n/a	n/a
oint	Efficiency-Non-Preempted	1,759	0	3.5	00.00	1.58	0.15	\$1,011	1.47	1.65
oəl∃	Efficiency-Equipment	1,748	0	3.5	0.00	1.56	0.16	\$795	2.00	2.20
I-IIA	Efficiency & PV	504	0	14.0	0.70	1.26	0.47	\$3,356	2.16	1.91
	Efficiency & PV/Battery	(2)	0	24.5	1.03	0.79	0.94	\$6,380	1.69	1.77
0										
	Code Compliant	2,022	0	0.0	00:00	1.73	1.03	(\$2,337)	0.51	1.48
ı∃ be əəl∃	Efficiency & PV	63	0	14.0	0.70	1.26	1.50	\$1,019	2.60	<u>\</u>
xiM IIA	Neutral Cost	772	0	10.0	0.70	1.41	1.35	\$0	7	7
1 A II 20 d.	1 All									

<sup>1</sup>All reductions and incremental costs relative to the **mixed fuel** code compliant home. <sup>2</sup>All reductions and incremental costs relative to the **all-electric** code compliant home.

<sup>3</sup>All reductions and incremental costs relative to the mixed fuel code compliant home except the EDR Margins are relative to the Standard Design for each case which is the all-electric code compliant home. Incremental costs for these packages reflect the cots used in the On-Bill cost effectiveness methodology. Costs differ for the TDV methodology due to differences in the site gas infrastructure costs (see Section 2.6).

4This represents the Efficiency EDR Margin for the Efficiency-Non-Preempted and Efficiency-Equipment packages and Total EDR Margin for the Efficiency & PV, Efficiency & PV/Battery, and Neutral Cost packages.

<sup>5</sup>Positive values indicate an increase in PV capacity relative to the Standard Design.



Table 81: Single Family Climate Zone 15 Results S

		I and	or. Jugie r	aminy cinin	Table of soligie raining chiliate 20the 15 Results Summary	Kesuits 3	ummary			
Clin	Climate Zone 15 SCE/SoCalGas	Annual			PV Size	CO2-E Emissic	CO2-Equivalent Emissions (lbs/sf)	NPV of Lifetime	Benefit to Co	Benefit to Cost
Sing	Single Family	net kWh	Annual	EDK Margin <sup>4</sup>	Change (kW) <sup>5</sup>	Total	Reduction	Incremental Cost (\$)	On-Bill	YDT
۱) lə	Code Compliant	0	149	n/a	n/a	1.69	n/a	n/a	n/a	n/a
n∃ k	Efficiency-Non-Preempted	0	141	4.5	(0.43)	1.56	0.13	\$2,179	1.00	1.58
ixec	Efficiency-Equipment	(0)	132	4.5	(0.45)	1.51	0.18	(\$936)	×	7
M	Efficiency & PV/Battery	(3)	141	7.0	(0.34)	1.38	0.32	\$6,043	1.15	1.51
	Code Compliant	2,149	0	n/a	n/a	1.32	n/a	n/a	e/u	6/0
tric	Efficiency-Non-Preempted	1,230	0	5.5	0.00	1.12	0.20	\$4,612	1.12	1.58
oəl∃	Efficiency-Equipment	866	0	7.0	00.00	1.04	0.28	\$2,108	3.30	4.47
I-IIA	Efficiency & PV	1,030	0	0.9	0.12	1.10	0.22	\$5,085	1.12	1.57
	Efficiency & PV/Battery	(2)	0	13.0	0.83	0.84	0.48	\$11,382	1.16	1.54
	Code Compliant	2,149	0	0.0	00.00	1.32	0.37	(\$5,349)	1.73	2.21
od Fr	Efficiency & PV	1,030	0	6.0	0.12	1.10	0.59	(\$264)	7	7
	Neutral Cost	23	0	6.0	1.36	1.13	0.57	\$0	7	7

<sup>1</sup>All reductions and incremental costs relative to the **mixed fuel** code compliant home. <sup>2</sup>All reductions and incremental costs relative to the **all-electric** code compliant home.



case which is the all-electric code compliant home. Incremental costs for these packages reflect the cots used in the On-Bill cost effectiveness methodology. <sup>3</sup>All reductions and incremental costs relative to the mixed fuel code compliant home except the EDR Margins are relative to the Standard Design for each Costs differ for the TDV methodology due to differences in the site gas infrastructure costs (see Section 2.6).

<sup>&</sup>lt;sup>4</sup>This represents the Efficiency EDR Margin for the Efficiency-Non-Preempted and Efficiency-Equipment packages and Total EDR Margin for the Efficiency & PV/Battery, and Neutral Cost packages.
<sup>5</sup>Positive values indicate an increase in PV capacity relative to the Standard Design.

Table 82: Multifamily Climate Zone 15 Results Summary (Per Dwelling Unit)

	זמחוב	oz. Multi	Iaminy Cini	מוב לחווב ד	D VESTILS on	millary (r	rapic oz. Mundiamny chimate 20the 13 nesunts summary (Fer Dwening Unit)	unit		
Clim	Climate Zone 15 SCE/SoCalGas	Annual		C C L	PV Size	CO2-E Emissic	CO2-Equivalent Emissions (Ibs/sf)	NPV of Lifetime	Benefit to Cc Ratio (B/C)	Benefit to Cost Ratio (B/C)
Mult	Multifamily	kWh	therms	EDK Margin⁴	Change (kW) <sup>5</sup>	Total	Reduction	Incremental Cost (\$)	On-Bill	TDV
۱ le	Code Compliant	0	93	n/a	n/a	2.53	n/a	n/a	n/a	n/a
n 🗕 l	Efficiency-Non-Preempted	0	92	4.0	(0.15)	2.42	0.11	\$510	1.35	2.28
oəxi	Efficiency-Equipment	0	86	4.0	(0.16)	2.33	0.20	(\$157)	7	7
M	Efficiency & PV/Battery	(3)	92	8.5	(0.10)	2.13	0.40	\$2,604	1.29	1.70
2	Code Compliant	1,243	0	n/a	n/a	1.78	n/a	n/a	n/a	n/a
oint	Efficiency-Non-Preempted	954	0	4.0	00:00	1.61	0.17	\$1,011	1.50	2.28
oəl∃	Efficiency-Equipment	764	0	0.9	00:0	1.50	0.29	\$1,954	1.24	1.72
I-IIA	Efficiency & PV	548	0	7.0	0.24	1.50	0.28	\$1,826	1.43	2.07
	Efficiency & PV/Battery	(3)	0	16.5	0.62	1.08	0.70	\$5,020	1.34	1.80
0										
	Code Compliant	1,243	0	0.0	00.00	1.78	0.75	(\$2,337)	6.36	2.35
JA be Elec	Efficiency & PV	89	0	7.0	0.24	1.50	1.03	(\$511)	7	7
	Neutral Cost	78	0	7.5	0.70	1.48	1.05	\$0	7	7
1 All sold.	The state of the state of the state of the state of									

'All reductions and incremental costs relative to the mixed fuel code compliant home.

<sup>2</sup>All reductions and incremental costs relative to the all-electric code compliant home.

<sup>&</sup>lt;sup>3</sup>All reductions and incremental costs relative to the mixed fuel code compliant home except the EDR Margins are relative to the Standard Design for each case which is the all-electric code compliant home. Incremental costs for these packages reflect the cots used in the On-Bill cost effectiveness methodology. Costs differ for the TDV methodology due to differences in the site gas infrastructure costs (see Section 2.6).

<sup>&</sup>lt;sup>4</sup>This represents the Efficiency EDR Margin for the Efficiency-Non-Preempted and Efficiency-Equipment packages and Total EDR Margin for the Efficiency & PV/Battery, and Neutral Cost packages.

<sup>5</sup>Positive values indicate an increase in PV capacity relative to the Standard Design.

Table 83. Single Family Climate Zon

		rable	85: Single	ramily Cil	I able 63: Single Family Climate 20ne 16 Results Summary	16 Kesuits	ummary			
Climat	Climate Zone 16 PG&E	Annual			PV Size	CO2-Ec Emissio	CO2-Equivalent Emissions (lbs/sf)	NPV of Lifetime	Benefit to Cost Ratio (B/C)	to Cost B/C)
Sing	Single Family	Net KWh	Annual therms	EDR Margin <sup>4</sup>	Change (kW)⁵	Total	Reduction	Incremental Cost (\$)	On-Bill	TDV
۱) lə	Code Compliant	(0)	605	n/a	n/a	3.31	n/a	n/a	n/a	n/a
n H	Efficiency-Non-Preempted	0	454	5.0	0.01	2.59	0.72	\$3,542	1.62	1.46
oəxi	Efficiency-Equipment	0	474	6.0	(0.08)	2.66	0.65	\$2,441	2.19	2.20
M	Efficiency & PV/Battery	(18)	454	10.5	0.10	2.36	0.95	\$7,399	0.87	1.37
	Code Compliant	7 694	c	6/2	6/4	1 73	c/a	0/2	9	
7			,	5	5	2:-	2	וומ	וומ	וומ
oint	Efficiency-Non-Preempted	5,696	0	9.5	0.00	1.38	0.35	\$5,731	1.72	1.69
oə  <u>∃</u>	Efficiency-Equipment	6,760	0	4.5	00.0	1.55	0.18	\$2,108	2.36	2.32
I-IIA	Efficiency & PV	1,032	0	26.5	2.75	0.94	0.79	\$16,582	2.09	1.62
	Efficiency & PV/Battery	(11)	0	35.0	3.45	0.64	1.09	\$22,838	1.71	1.55
to 3	Code Compliant	7.694	0	0.0	0.00	1.73	1.58	(\$5 349)	0.34	890
leu <sup>=</sup> oirto	Efficiency & PV	1,032	0	26.5	2.75	0.94	2.37	\$11,234	1.55	2.02
	Neutral Cost	5,398	0	8.5	1.35	1.51	1.80	\$0	0.00	0.74
	Min Cost Effectiveness	3,358	0	16.0	2.56	1.32	1.99	(\$4,753)	1.24	1.40

'All reductions and incremental costs relative to the mixed fuel code compliant home.



<sup>&</sup>lt;sup>2</sup>All reductions and incremental costs relative to the all-electric code compliant home.

<sup>&</sup>lt;sup>3</sup>All reductions and incremental costs relative to the mixed fuel code compliant home except the EDR Margins are relative to the Standard Design for each case which is the all-electric code compliant home. Incremental costs for these packages reflect the cots used in the On-Bill cost effectiveness methodology. Costs differ for the TDV methodology due to differences in the site gas infrastructure costs (see Section 2.6).

<sup>&</sup>lt;sup>4</sup>This represents the Efficiency EDR Margin for the Efficiency-Non-Preempted and Efficiency-Equipment packages and Total EDR Margin for the Efficiency & PV, Efficiency & PV/Battery, Neutral Cost, and Min Cost Effectiveness packages. <sup>5</sup>Positive values indicate an increase in PV capacity relative to the Standard Design.

Table 84: Multifamily Climate Zone 16 Results Summary (Per Dwelling Unit)

		O TI TATATA	Territy Cum	מור קחווב ד	o incomics on	Initially (F	carre of transmining contact to results summary (ref Dwelling Unit)	Unity		
Climat	Climate Zone 16 PG&F	Annual			PV Size	CO2-E Emissic	CO2-Equivalent Emissions (lbs/sf)	NPV of Lifetime	Benefit to Cost	to Cost
		Net	Annual	EDR	Change			Incremental	Ratio (5/C)	(a/c)
2	Multifamily	kWh	therms	Margin <sup>4</sup>	(kW) <sup>5</sup>	Total	Reduction	Cost (\$)	On-Bill	TDV
t lə	Code Compliant	0	206	n/a	n/a	3.45	n/a	n/a	n/a	n/a
n4 k	Efficiency-Non-Preempted	(0)	172	2.0	0.03	3.02	0.44	\$937	1.11	1.19
oəxi	Efficiency-Equipment	(0)	183	2.5	(0.02)	3.12	0.33	\$453	1.76	2.15
M	Efficiency & PV/Battery	(6)	172	9.5	0.08	2.65	08.0	\$3,028	0.47	1.28
2	Code Compliant	2,699	0	n/a	n/a	1.86	n/a	n/a	n/a	n/a
oirt	Efficiency-Non-Preempted	2,329	0	4.0	00:0	1.70	0.16	\$843	2.08	2.05
oəl∃	Efficiency-Equipment	2,470	0	3.0	00:0	1.74	0.13	\$795	1.59	1.70
I-IIA	Efficiency & PV	518	0	19.5	1.07	1.23	0.63	\$4,423	2.58	1.89
	Efficiency & PV/Battery	(9)	0	29.5	1.42	0.75	1.11	\$7,533	1.65	1.69
0										
	Code Compliant	2,699	0	0.0	0.00	1.86	1.59	(\$2,337)	0.43	1.03
ed Fu	Efficiency & PV	65	0	19.5	1.07	1.23	2.22	\$2,087	2.87	<u>&gt;</u>
	Neutral Cost	1,518	0	10.0	0.70	1.56	1.90	\$0	Y	2.58
1 All and J.	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1									

<sup>1</sup>All reductions and incremental costs relative to the **mixed fuel** code compliant home. <sup>2</sup>All reductions and incremental costs relative to the **all-electric** code compliant home.

<sup>&</sup>lt;sup>5</sup>Positive values indicate an increase in PV capacity relative to the Standard Design.



<sup>&</sup>lt;sup>3</sup>All reductions and incremental costs relative to the mixed fuel code compliant home except the EDR Margins are relative to the Standard Design for each case which is the all-electric code compliant home. Incremental costs for these packages reflect the cots used in the On-Bill cost effectiveness methodology. Costs differ for the TDV methodology due to differences in the site gas infrastructure costs (see Section 2.6).

<sup>&</sup>lt;sup>4</sup>This represents the Efficiency EDR Margin for the Efficiency-Non-Preempted and Efficiency-Equipment packages and Total EDR Margin for the Efficiency & PV/Battery, and Neutral Cost packages.