

DOCKETED

Docket Number:	09-AFC-08C
Project Title:	Genesis Solar Energy Project
TN #:	236700-4
Document Title:	Genesis Solar 2019 Second Semester Groundwater Detection Monitoring Report
Description:	N/A
Filer:	Glen T King
Organization:	NextEra Energy
Submitter Role:	Applicant
Submission Date:	2/8/2021 2:49:34 PM
Docketed Date:	2/8/2021



2019 SECOND SEMIANNUAL and ANNUAL
GROUNDWATER DETECTION MONITORING REPORT
Genesis Solar Energy Project

Riverside County, California

COC S&W-6

December 23, 2019

Prepared By:

Northstar Environmental Remediation

26225 Enterprise Court

Lake Forest, California 92630



SIGNATURE PAGE

2019 SECOND SEMIANNUAL AND ANNUAL GROUNDWATER DETECTION MONITORING REPORT

RIVERSIDE COUNTY, CALIFORNIA

PROFESSIONAL STATEMENT

I declare under the penalty of law that I have personally examined and am familiar with the information submitted in this document, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of a fine and imprisonment for knowing violations.



Arlin W. Brewster

Professional Geologist 9207

December 23, 2019

Table of Contents

1.0 INTRODUCTION	1
1.1 Background	1
1.2 Geographic Setting	2
1.3 Hydrogeologic Setting	2
1.4 Monitoring Program Objectives	3
2.0 EVAPORATION PONDS	4
2.1 Evaporation Pond Overview	4
2.2 Monitoring Methods	4
2.3 Evaporation Pond Sample Results	5
3.0 LEAKAGE DETECTION SYSTEM	5
3.1 Leakage Detection System Overview	5
3.2 Monitoring Methods	5
3.3 Monitoring Results	5
4.0 DETECTION MONITORING WELLS	6
4.1 Detection Monitoring Well Overview	6
4.2 Monitoring Methods	6
4.3 Results of Water Level Measurements	8
4.4 Groundwater Flow Velocity	8
4.5 General Chemical Analysis	9
4.6 Non-Statistical Analysis	10
4.7 Quality Assurance/Quality Control	10
5.0 LAND TREATMENT UNIT SUMMARY	11
6.0 ANNUAL SUMMARY	13
7.0 CONCLUSIONS	14
8.0 REFERENCES	15

LIST OF FIGURES

Figure 1	Project Location
Figure 2	Hydrogeologic Setting
Figure 3	Evaporation Pond and Detection Monitoring Well Locations
Figure 4	Groundwater Elevation Contour Map
Figure 5	Leak Detection System Detail

LIST OF TABLES

Table 1	Detection Monitoring Well Details
Table 2	Groundwater Level Measurements
Table 3	Field Data Collected During the Most Recent Groundwater Monitoring Event
Table 4	Summary of Laboratory Analytical Results
Table 5	Summary of Leakage Detection System Data

LIST OF APPENDICES

Appendix A	Field Data Sheets
Appendix B	Laboratory Analytical Reports – Evaporation Ponds
Appendix C	Laboratory Analytical Reports – Detection Monitoring Wells

1.0 INTRODUCTION

Northstar Environmental Remediation (Northstar) has prepared this 2019 Second Semiannual and Annual Groundwater Detection Monitoring Report on behalf of Genesis Solar, LLC (Genesis). This report details groundwater detection monitoring performed in the second half of 2019 at the Genesis Solar Energy Project (GSEP) and provides an annual summary.

The GSEP lies roughly 25 miles west of the city of Blythe, California in eastern Riverside County on lands managed by the Bureau of Land Management (BLM) (**Figure 1**). The GSEP consists of two independent concentrated solar electric generating facilities with a nominal net electrical output of 125 megawatts (MW) each (a total net electrical output of 250 MW).

Northstar conducts groundwater detection monitoring in accordance with Condition of Certification Soil & Water 6 (COC S&W-6) as presented in the California Energy Commission (CEC) Final Decision document dated October 12, 2010 (CEC, 2010). The COC S&W-6 requires compliance with Waste Discharge Requirements (WDR) and Monitoring and Reporting Program (MRP) Board Order No. R7-2013-0005, issued by the California Regional Water Quality Control Board, Colorado River Basin Region (CRWQCB).

1.1 Background

Genesis submitted an updated Plan of Development (POD) for the GSEP in September 2010 (Genesis Solar, LLC 2010). In addition, Genesis filed an Application for Certification (AFC) for the GSEP to the CEC in August 2009 (Genesis Solar, LLC 2009). The CEC issued its Final Decision on the GSEP on October 12, 2010 (CEC, 2010). The BLM issued the Final Environmental Impact Statement (FEIS) for the GSEP for public comment on August 27, 2010.

The GSEP uses dry cooling technology and relies on groundwater as a water source during operation. Three groundwater production wells installed at the GSEP between July and October 2011 are permitted to pump groundwater at an average rate of 202 acre-feet per year (afy) (up to 1,348 afy during construction).

The Final Decision and FEIS discuss the potential impacts associated with the proposed groundwater use by the GSEP. Groundwater drawdown impacts are anticipated to be less than significant, but because the prediction of groundwater level effects by computer modeling entails inherent uncertainty, both the Final Decision and the FEIS adopted COC S&W-2 for the GSEP to monitor groundwater level at the vicinity of the GSEP.

Two evaporation ponds (licensed as Class II Surface Impoundments) located between Solar Fields 1 and 2 accept wastewater generated during GSEP operation (**Figure 3**). Three detection monitoring wells (DM-1, DM-2, and DM-3) were installed, per the Final Decision, along the west, east, and south perimeter of the

evaporation ponds in February 2012 (**Figure 4**). Groundwater samples were collected for four quarterly events prior to GSEP operation to establish baseline conditions. Semiannual sampling will be conducted to comply with the requirements of COC S&W-6 and the WDR and MRP documents.

1.2 Geographic Setting

The GSEP lies between the communities of Blythe and Desert Center, California. Land use is predominantly open space and conservation and wilderness areas occupied by a community of low creosote and bursage vegetation. Chuckwalla and Ironwood State Prisons are located approximately 6 miles southeast of the GSEP.

The GSEP lies on broad, relatively flat topography sloping north to south at elevations between 400 and 370 feet above mean sea level (amsl). The surface is underlain by alluvial deposits derived from the Palen Mountains to the north-northwest, and the McCoy Mountains to the northeast (**Figure 1**).

The deposits immediately adjacent to the mountains have formed alluvial fans from multiple identifiable sources, and multiple fan surfaces have coalesced into a single bajada surface that wraps around each of these mountain fronts. Between the bajada surfaces from each mountain chain lies a broad valley-axial drainage that extends southward between the mountains and drains to the Ford Dry Lake playa, located about 1 mile south of the GSEP facility.

Climatic data collected from Weather Station Blythe Riverside Airport (33.61°N, -114.71°W, at an elevation of about 387 feet amsl) indicate the average maximum temperature in the airport vicinity is approximately 87.8°F (31.0°C). Average rainfall is reported to be approximately 3.83 inches (97.3 mm). Northstar obtained this data from the National Oceanic and Atmospheric Administration (NOAA) National Centers for Environmental Information 1981-2010 Normals.

1.3 Hydrogeologic Setting

The GSEP lies within the Chuckwalla Valley Groundwater Basin (Chuckwalla Basin) which has a surface area of 940 mi² (2,435 km²) underlying Chuckwalla Valley. It is bounded upgradient by three groundwater basins including the eastern part of the Orocopia Valley and Pinto Valley Groundwater Basins and the southern part of the Cadiz Valley Groundwater Basin, and downgradient by the Palo Verde Mesa Groundwater Basin (Palo Verde Basin) (**Figure 2**). Groundwater occurs at depths of about 80 to 140 feet below ground surface (bgs) and groundwater flow is generally southeast to eastward, from the Chuckwalla Basin to the Palo Verde Basin (**Figure 2**).

Sources of groundwater recharge to the Chuckwalla Basin includes precipitation, inflow from the Orocopia Valley and Pinto Valley Groundwater Basins, and return flows from agricultural sources and treated wastewater effluent. Groundwater is the only available water resource in Chuckwalla Valley, with extraction to meet local demand the primary source of groundwater outflow. Other minor sources of

outflow include underflow to the Palo Verde Basin and evapotranspiration in portions of Palen Dry Lake (where shallow groundwater is present).

Calculations of the Chuckwalla Basin groundwater budget prior to GSEP operations indicate a stable surplus of 2,600 afy (CEC, 2010). Current operational demand, based on calendar year 2018 extraction data, is approximately 114 afy.

The region of the Chuckwalla Basin occupied by the GSEP and associated groundwater monitoring wells is underlain by four geological units. The shallowest unit is the unconsolidated Holocene-aged Alluvium, consisting of geologically recent lake, river, and wind deposits (DWR, 1963). Beneath the Alluvium is the unconsolidated Pleistocene-aged Pinto Formation, consisting of coarse alluvial fan deposits (known as fanglomerate), interspersed with clays and basalt (DWR, 1963). Beneath the Pinto Formation is the unconsolidated to partially consolidated Pliocene-aged Bouse Formation, consisting of coarse alluvium and fanglomerate deposits (Wilson and Owen-Joyce, 1994). Below the Bouse Formation is bedrock consisting of metamorphic rocks and intrusive igneous basalts (DWR, 1963).

Groundwater in the GSEP monitoring region occurs in two aquifers: the shallower Alluvium aquifer (extending to a maximum approximate depth of 250 feet below ground surface); and, the deeper Bouse Formation aquifer (extending between approximately 250 to 6,500 feet below ground surface) (Wilson and Owen-Joyce, 1994). The Pinto Formation exists only on the eastern fringe of the Chuckwalla Basin and is generally not encountered by the GSEP monitoring wells. Monitoring data indicate a downward vertical hydraulic gradient of groundwater flow from the Alluvium to the Bouse Formation aquifer.

Based on recent monitoring data, the depth to groundwater in the Bouse Formation ranges from approximately 86.70 feet bgs (300.70 feet amsl) in TW-1, located upgradient of the site, to 136.75 feet bgs (255.35 feet amsl) in Well 23a, located downgradient of the site. Perched water exists at the Chuckwalla State Prison but is unlikely to occur within the GSEP boundaries as there is no irrigation.

1.4 Monitoring Program Objectives

Northstar performs groundwater detection monitoring in accordance with COC S&W-6 as described in the CEC's Final Decision. The primary objectives for the evaporation pond detection as outlined in the MRP are to:

- Establish baseline conditions by conducting four quarters of monitoring prior to discharge of wastewater to the ponds;
- Collect water level elevation data to characterize groundwater flow conditions in the uppermost water-bearing zone beneath the evaporation pond area;
- Collect and evaluate water quality data using approved statistical and other methods to identify potential changes in the existing water quality of the aquifer immediately underlying the evaporation ponds; and,

- Demonstrate compliance with the discharge requirements contained in COC S&W-6 and the WDR for the GSEP.

2.0 EVAPORATION PONDS

2.1 Evaporation Pond Overview

The North and South Evaporation Ponds (sometimes referred to as the West and East ponds, respectively) were designed by Fluor Corp. and are identified on **Figure 3**. Each pond is constructed with multiple layers of containment that drain to a centralized collection trench. The trench slopes away from the centerline of the ponds to the north and south and is equipped with a set of three leakage detection probes in each side. Each pond is also equipped with a pump to return all leaked water back to the pond surface.

2.2 Monitoring Methods

On a semiannual basis, a sample is collected from each of the evaporation ponds and identified as the North Pond and South Pond. Representative water is collected in a clean, dedicated 5-gallon bucket and processed into sample containers inside the containment area. Laboratory samples are submitted to SunStar Laboratories, Inc. (SunStar) of Lake Forest, California. SunStar subcontracts the heat transfer fluid analysis to TestAmerica Laboratories, Inc. (TestAmerica) of Irvine, California. They also subcontract the oxygen-18 and deuterium analysis to Isotech Laboratories, Inc. of Champaign, Illinois. All laboratories are state and federally certified and analyze the samples by the following methods, as detailed in the Final Decision, WDR, and MRP documents:

- Chloride, Sulfate, and Nitrate by EPA Method 300.0;
- Mercury by Standard Method 7470A;
- Total Dissolved Solids by Standard Method 2540C;
- pH by Standard Method 4500H;
- Specific Conductance by Standard Method 2510B;
- Heat Transfer Fluid (HTF) by EPA Method 8015B;
- Heavy Metals by EPA Method 200.7 and 200.8;
- Oil & Grease by EPA Method 1664A; and,
- Oxygen-18 and Deuterium by Isotope Geochemistry.

2.3 Evaporation Pond Sample Results

Analytical data for the evaporation ponds is included in **Table 4** and certified laboratory reports are included in **Appendix B**. In summary:

- The laboratory did not detect iron, antimony, cadmium, chromium, cobalt, lead, selenium, nickel, mercury, oil & grease, or heat transfer fluid in either pond; and,
- Compound concentrations were higher in the North Pond.

3.0 LEAKAGE DETECTION SYSTEM

3.1 Leakage Detection System Overview

A cross-sectional schematic of the leakage detection system is included in **Figure 5**. As shown in the figure, each pond is equipped with a total of six probes (Watermark Model 200SS electrical resistance probes) installed at a distance of 15, 70, and 110 feet from the pond centerline.

The leaked water return pumps are installed on the north side of the North Pond and the south side of the South Pond. Readings from the totalizers on each pump are recorded on a quarterly basis.

3.2 Monitoring Methods

Terminals attached to the probe wire leads are stored in a weatherproof vault at the north and south end of each pond, where resistivity readings can be collected using a Watermark 30-KTCD-NL meter. Values can range from 0-10 centibars (saturated) to 199 centibars (dry). Readings are collected from the probes and the nearby water return pumps on a quarterly basis and summarized in **Table 5**. If the pump totalizers show any signs of increase, or if the probes display values within the saturated range (usually started with probe #1 in the lowest end of the trench), Northstar notifies NextEra operations who then conduct further investigation.

3.3 Monitoring Results

The water return pump totalizers have not increased during the reporting period, and currently read 1,683.78 gallons for the North Pond and 24.21 gallons for the South Pond.

None of the leak detection probes showed signs of water saturation, and only one showed signs of humidity in the collection trench: North Pond #1W. This probe has shown signs of sensor drift and sensitivity in previous events.

4.0 DETECTION MONITORING WELLS

4.1 Detection Monitoring Well Overview

A total of three detection monitoring wells were installed around the perimeter of the evaporation ponds (**Figure 4**). Detection monitoring wells DM-1, DM-2, and DM-3 were installed to a total depth of 120 feet bgs into the shallow Alluvium aquifer with screened intervals between 100 to 120 feet bgs. **Table 1** provides construction details for the wells. Well DM-1 is located upgradient, west of the ponds. Well DM-2 and DM-3 are located downgradient, east and south of the ponds, respectively.

4.2 Monitoring Methods

Northstar measured the depth to groundwater in each well using a Solinst interface probe. Field staff documented depth to water to the nearest hundredth (0.01) foot below a surveyed measuring mark located on the north side of the top of casing (toc) on a groundwater level measurement form (**Appendix A**). **Table 2** includes the groundwater level measurements and calculated water level elevations. **Figure 4** illustrates the groundwater elevation contours and flow direction.

Each detection monitoring well has a dedicated 1.66-inch diameter Geotech® stainless steel submersible bladder pump and dedicated Teflon-lined tubing with water intakes set at the middle of wetted screen at approximately 115 feet btoc. Field staff collected samples using the low-flow purging method in accordance with the guidelines established in the EPA document *Low-Flow (Minimal Drawdown) Groundwater Sampling Procedures* (Puls and Barcelona, 1996).

Field staff decontaminated reusable/non-dedicated equipment (water level probe and flow-through cell) prior to use at each well. Decontamination of reusable equipment consisted of washing with a laboratory-grade non-phosphate detergent (Liquinox or equivalent) and potable water solution followed by a double rinse with demineralized water.

Field staff measured groundwater parameters with a Horiba U-52 field instrument (Horiba). Staff calibrated the Horiba at the beginning of each day and decontaminated the instrument prior to use and between wells. Measurements of field parameters (pH, electrical conductivity (EC), temperature, turbidity, and oxidation-reduction potential (ORP)) were taken periodically and at the time of sampling as part of the low flow purge method of sampling.

Wells were purged until water quality parameters stabilized over three successive readings (+/- 0.2 for pH, +/- 10% for EC, ORP and turbidity). Northstar staff recorded the sampling methods, volume of water purged, pumping rate, field parameter measurements, and observations of water turbidity and odor on the groundwater sampling field form (**Appendix A**).

After purging and parameter stabilization, the flow-through cell was disconnected so samples could be collected from the pump discharge. Field staff wore new nitrile gloves to collect groundwater samples in clean bottles (preserved as appropriate) provided by the laboratory. Where required, samples were field filtered with a new 0.45-micron filter attached to the end of the discharge tubing. Staff labeled sample containers with the well identification, date, time, sampler, analytical method, and placed them in a chilled ice chest. Northstar delivered the samples under proper chain-of-custody protocol to the laboratory.

Groundwater purged from DM-1, DM-2, and DM-3 was temporarily contained in a sealed 5-gallon bucket and then disposed in the evaporation ponds as directed in the MRP. **Table 3** includes the measured field parameters documented at the end of purging activities.

Laboratory samples are submitted to SunStar Laboratories, Inc. (SunStar) of Lake Forest, California. SunStar subcontracts the heat transfer fluid analysis to TestAmerica Laboratories, Inc. (TestAmerica) of Irvine, California. They also subcontract the oxygen-18 and deuterium analysis to Isotech Laboratories, Inc. of Champaign, Illinois. All laboratories are state and federally certified and analyze the samples by the following methods, as detailed in the Final Decision, WDR, and MRP documents:

- Chloride, Sulfate, and Nitrate by EPA Method 300.0;
- Mercury by Standard Method 7470A;
- Total Dissolved Solids by Standard Method 2540C;
- pH by Standard Method 4500H;
- Specific Conductance by Standard Method 2510B;
- Heat Transfer Fluid (HTF) by EPA Method 8015B;
- Heavy Metals by EPA Method 200.7 and 200.8;
- Oil & Grease by EPA Method 1664A; and,
- Oxygen-18 and Deuterium by Isotope Geochemistry.

The laboratory conducted standard Quality Assurance/Quality Control (QA/QC) to assure analytical accuracy and precision. This included preparation and analysis of method blanks, surrogate spikes, matrix spike/matrix spike duplicate (MS/MSD) pairs and laboratory control samples (LCS), as required, with each analytical batch.

Northstar collects a duplicate sample once per sampling event that is submitted to the laboratory without identifiers that associate the sample with a well, date, or time. During this event, a duplicate sample from well PW-2 was collected for analysis. **Table 4** of the *Groundwater Quality Monitoring Report* (Northstar, 2019) provides a summary of analytical results for the duplicate sample.

In addition to these methods, a set of quality control blank samples is collected and put on hold at the laboratory pending analysis of the groundwater samples. These samples include a field blank and trip blank. The field blank bottle set is filled with demineralized water and set adjacent to the work area with the lids off during the work day and is intended to screen out constituents in ambient air. The trip blank

bottle set is prepared at the laboratory and is sealed throughout the groundwater sampling event. It is stored inside the sample coolers and is intended to screen out constituents in the coolers. The quality control blank samples are only analyzed if there is anomalous data present for the groundwater sampling results.

4.3 Results of Water Level Measurements

Table 2 provides the wellhead reference elevation (toc elevation), depth-to-groundwater, and water level elevations for each detection monitoring well. Depth to groundwater ranged from 104.66 (well DM-3) to 107.72 (well DM-2) feet bgs, and the calculated groundwater elevations range from 283.60 (well DM-2) to 284.07 (well DM-1) feet amsl.

Northstar used groundwater elevation data to generate a potentiometric surface contour map of the uppermost water-bearing zone beneath the evaporation pond (**Figure 4**). The groundwater flow direction and gradient beneath the site were determined based on linear interpolation between contours of equal elevation. Groundwater flow beneath the evaporation ponds was determined to be predominantly in an east to southeast direction at a gradient of approximately 0.0005 feet/foot. The groundwater flow direction and gradient are consistent with historical monitoring events. Groundwater flow direction has historically ranged between east-northeast and southeast and the gradient has ranged between 0.0004 and 0.0007 feet/foot.

4.4 Groundwater Flow Velocity

The average horizontal groundwater flow velocity beneath the evaporation ponds was estimated using the following equation:

$$V = (KhI)/ne$$

Where:

V = average linear groundwater velocity

Kh = aquifer horizontal hydraulic conductivity

I = average hydraulic gradient (vertical change in groundwater elevation/corresponding horizontal distance), and

ne = effective aquifer porosity.

Each monitoring well is screened from 100-120 feet bgs in fine-grained sand, as detailed in the Detection Monitoring Well Installation Report (WorleyParsons, 2012). The reported hydraulic conductivity for fine-grained sand is approximately 0.03 to 60 feet/day, as stated in scientific references (Domenico and Schwartz, 1990). Based on the characteristics of the shallow Alluvium aquifer in which the detection monitoring wells are screened, this calculation assumes an average hydraulic conductivity value of 15 to 30 feet/day, an effective porosity of 25 percent, and an average gradient of 0.0005 feet/foot, as estimated from **Figure 4**.

Based on these calculations, the average groundwater velocity estimated in the uppermost water-bearing zone beneath the evaporation ponds is approximately 0.030 to 0.060 feet laterally per day, or 10.95 to 21.90 lateral feet per year. Historically, estimates of groundwater flow velocity have ranged from 8.76 to 30.66 lateral feet per year.

4.5 General Chemical Analysis

Table 4 provides a summary of the detection monitoring well groundwater sample analytical results. **Appendix C** contains copies of the laboratory analytical reports for the groundwater samples. Groundwater samples from detection monitoring wells DM-1, DM-2, and DM-3 were analyzed for the parameters listed in Section 4.2. The concentration of detected analytes is generally similar between the detection monitoring wells. Similarity in the concentrations of analytes is expected as the three wells are located within 1,000 feet of each other and are screened at the same depth interval (100-120 feet bgs).

The following is a summary of the groundwater monitoring results for the detection monitoring wells since the beginning of the monitoring program:

- **Chloride** detections have been consistent for all wells and have ranged from 4,400 to 9,760 milligrams per liter (mg/L), averaging 5,395 mg/L.
- **Sulfate** detections have been consistent for all wells and have ranged from 1,600 to 4,350 mg/L, averaging 2,136 mg/L.
- **Nitrate** detections have been consistent for all wells and have ranged from non-detect to 21.2 mg/L, averaging 8.83 mg/L.
- **Total dissolved solid** levels have been consistent for all wells and have ranged from 7,100 to 13,000 mg/L, averaging 10,816 mg/L.
- **pH** levels have been consistent for all wells and have ranged from 7.20 to 7.95 standard units, averaging 7.78 standard units.
- **Specific conductivity** levels have been consistent for all wells and have ranged from 13,000 to 22,000 microsiemens per centimeter ($\mu\text{s}/\text{cm}$), averaging 17,563 $\mu\text{s}/\text{cm}$.
- **Antimony** has not been detected above the reporting limit for all wells.
- **Arsenic** detections have been consistent for all wells and have ranged from non-detect to 20 $\mu\text{g}/\text{L}$, averaging 10.1 $\mu\text{g}/\text{L}$.
- **Barium** detections have been inconsistent between all wells, averaging 36.4 $\mu\text{g}/\text{L}$ in upgradient well DM-1, 75.4 $\mu\text{g}/\text{L}$ in downgradient well DM-2, and 18.9 $\mu\text{g}/\text{L}$ in downgradient well DM-3.
- **Cadmium** has not been detected above the reporting limit for all wells.
- **Calcium** detections have been consistent for all wells and have ranged from 210 to 470 mg/L, averaging 260 mg/L.
- **Chromium (Total)** detections have been inconsistent because the concentrations are frequently between the MDL and RL. Reportable concentrations have ranged from 3.1 to 3.7 $\mu\text{g}/\text{L}$, averaging 3.4 $\mu\text{g}/\text{L}$.
- **Cobalt** has not been detected above the reporting limit for all wells.

- **Copper** detections have been inconsistent because the concentrations are frequently between the MDL and RL. Reportable concentrations have ranged from 0.006 to 0.027 mg/L, averaging 0.013 mg/L.
- **Lead** has not been detected above the reporting limit for all wells.
- **Mercury** has only been detected once above the reporting limit in upgradient well DM-1 at a concentration of 0.26 µg/L. Mercury has not been detected at or above the reporting limit in wells DM-2 and DM-3.
- **Nickel** has only been detected once above the reporting limit in downgradient well DM-3 at a concentration of 10 µg/L. Nickel has not been detected at or above the reporting limit in wells DM-1 or DM-2.
- **Selenium** detections have been inconsistent because the concentrations are frequently between the MDL and RL. Reportable concentrations have ranged from 3.3 to 6.3 µg/L, averaging 5.0 µg/L.
- **Zinc** detections have been inconsistent because the concentrations are frequently between the MDL and RL. Reportable concentrations have ranged from 4.5 to 76 µg/L, averaging 28.5 µg/L.

4.6 Non-Statistical Analysis

In accordance with the MRP Part II.A.5 and Part III.A.2, a non-statistical analysis has been applied to the groundwater analytical results for this sampling event.

The non-statistical analysis requires all detections of the constituents of concern (ie, those defined in Part II.A.4 of the same document) reported above the method detection limit (MDL) in the downgradient wells (DM-2 and DM-3) that do not appear in the upgradient well (DM-1) be identified, and where there are either a) two or more constituents identified in this list from a single downgradient monitoring point, or b) one of the identified constituents in this list exceeds the Practical Quantification Limit (PQL), a release is tentatively indicated.

For the purposes of this report, the PQL is equal to the reporting limit (RL) as identified for each constituent in the laboratory report, which is generally 5 times the MDL. The results of the non-statistical method for this sampling event is as follows:

- Well DM-2: There are no constituents of concern that meet the release detection criteria.
- Well DM-3: There are no constituents of concern that meet the release detection criteria.

4.7 Quality Assurance/Quality Control

As documented in the attached laboratory reports (see **Appendix C**), groundwater samples collected from the evaporation pond detection monitoring wells during this sampling event were received by the laboratory in good condition, within the temperature limits required, and analyzed within the required holding times using the specified methods (with the exception of pH, which has a 15-minute hold time).

None of the analytes were detected in the laboratory method blank samples except for antimony and lead in batch 9120919 (which included all samples). These analytes were not detected in the affected samples.

Matrix spike/matrix spike duplicate (MS/MSD) and laboratory control sample (LCS) recoveries for each method and analytical batch were within the laboratory's established control limits for the final report, with the following exceptions:

- The MS and/or MSD did not pass for almost all metals except copper and magnesium in batch 9120919 due to matrix interference, but the LCS was within acceptable criteria.
- The MS and/or MSD did not pass for arsenic, barium, cadmium, chromium, and lead in batch 9120930 due to matrix interference, but the LCS was within acceptable criteria.
- The MS and/or MSD did not pass for sodium in batch 9121936 due to matrix interference, but the LCS was within acceptable criteria.
- The % recovery did not pass for chloride and sulfate for batch 9120634 due to matrix interference, but the LCS was within acceptable criteria.

5.0 LAND TREATMENT UNIT SUMMARY

The Land Treatment Unit (LTU) is an onsite bioremediation landfarm utilized for the treatment of soil contaminated with the heat transfer fluid (HTF) Therminol. Soil from all HTF spills is excavated within 48 hours and placed in one of four treatment bays, numbered LTU #1 to 4. The soil is then tested to determine whether it can be effectively treated onsite (under 10,000 mg/kg of HTF) or if it is hazardous and must be treated offsite (above 10,000 mg/kg of HTF). Soil in the LTUs is overturned on a weekly basis by onsite staff to aid in the bioremediation of the soil. A representative composite soil sample is collected from each bay on a quarterly basis and analyzed by EPA Method 8260B for benzene to monitor the progress of remediation. Once the concentration is less than 100 mg/kg of HTF, the soil may be removed from the LTU and staged onsite for later use. Treatment is enhanced by the addition of moisture and fertilizers.

Contaminated soil in all LTUs was overturned on a weekly basis during the reporting period. Soil was tested from LTU #1 (June and December), LTU #2 (March, June, and December), and LTU #3 (March, June, and December) and found to be below the 100 mg/kg threshold on all occasions.

6.0 ANNUAL SUMMARY

In accordance with WDR R7-2013-0005, this section presents a summary of the monitoring activities conducted during the 2019 monitoring period. Monitoring activities during this period included the following:

- Semiannual groundwater sampling and analysis of the detection monitoring network; and,
- Semiannual groundwater level measurements of the detection monitoring network.

The groundwater level and analytical data are included in **Tables 2** and **4**, respectively.

The data collected during the semiannual detection well monitoring events during the 2019 calendar year represents the sixth year of post-construction normal facility operation. The laboratory analytical data from the 2019 calendar year is consistent with the historical background data collected prior to settlement pond construction and operation.

The non-statistical analysis of the constituents of concern did not identify any potential releases during the 2019 calendar year.

During the 2019 calendar year, the groundwater gradient ranged from 0.0005 to 0.0007 feet per linear foot to the east-southeast; groundwater elevations ranged from 283.52 feet amsl in well DM-2 to 284.39 feet amsl in well DM-1; and groundwater flow velocity ranged between 0.030 to 0.084 feet laterally per day, or 8.76 to 30.66 lateral feet per year.

Each of the settlement ponds is equipped with a leakage detection system consisting of six moisture probes installed in a drain pipe below the pond liners. Northstar monitors the probes quarterly at a minimum. If leaks are detected, the pond is drained and the lining inspected and repaired as necessary. The pond lining was most recently repaired in 2016, and the moisture probes under the north pond were replaced in December of that year after becoming saturated. During the 2019 calendar year, the moisture probes have indicated some residual humidity in the pipe, but no significant leaks. Should a leak occur, each pond is equipped with two recirculation pumps to drain the lining and redeposit the water in the pond until an inspection can be performed.

7.0 CONCLUSIONS

Based on the available data obtained during this sample event:


- Sample results do not indicate a release at the GSEP to date.
- Available groundwater quality data is generally stable with minor trend fluctuations.
- The non-statistical analysis of the constituents of concern has not identified any potential releases.
- Groundwater flow direction, gradient, and velocity is consistent with historical events.




All data currently indicates compliance with the discharge requirements contained in COC S&W-6 and the WDR for the GSEP.



8.0 REFERENCES

- Bureau of Land Management, 2010. *Final Environmental Impact Statement, Genesis Solar Energy Project*. August 27, 2010.
- California Department of Water Resources (DWR), 1963. *Data on Water Wells and Springs in the Chuckwalla Valley Area, Riverside County, California*. Bulletin No. 91-7.
- California Energy Commission (CEC), 2010. *Genesis Solar Energy Project Commission Decision*. October 12, 2010.
- California Regional Water Quality Control Board – Colorado River Basin Region, 2013a. *Monitoring and Reporting Program R7-2013-0005 for Genesis Solar, LLC*. March 21, 2013.
- California Regional Water Quality Control Board – Colorado River Basin Region, 2013b. *Board Order R7-2013-0005 Waste Discharge Requirements for Genesis Solar, LLC*. March 21, 2013.
- Domenico, P. and Schwartz, F., 1990. *Physical and Chemical Hydrogeology*. J. Wiley & Sons.
- Genesis Solar, LLC, 2009. *Application for Certification, Genesis Solar Energy Project, Riverside County, California*. August 31, 2009.
- Genesis Solar, LLC, 2010. *Plan of Development CA48880, Genesis Solar Energy Project, Riverside County, California*. October 2010.
- Northstar Environmental Remediation, 2019. *2019 Second Semiannual and Annual Groundwater Quality Monitoring Report, Genesis Solar Energy Project, Riverside County, California*. December 20, 2019.
- Puls, Robert W. and Michael J. Barcelona, 1996. *Low-Flow (Minimal Drawdown) Ground-Water Sampling Procedures. Ground Water Issue, EPA Superfund Technology Support Center for Ground Water*. EPA/540/S-95/504. April 1996.
- U.S. Bureau of Reclamation, 1972. *Inland Basins Project, California-Nevada, Summary Report: Reconnaissance Investigations*. 1972.
- Wilson, R.P., and Owen-Joyce, S.J., 1994. *Method to identify wells that yield water that will be replaced by Colorado River water in Arizona, California, Nevada, and Utah*. U.S. Geological Survey, Water Resources Investigation Report 94-4005.
- WorleyParsons, 2012. *Detection Monitoring Well Installation Report*. Genesis Solar Energy Project, March 30, 2012.

FIGURES



-  GSEP Footprint
-  Prisons
-  Wilderness Area



★ Site Location









Northstar Environmental
Remediation
26225 Enterprise Court
Lake Forest, California 92630
(949) 580-2800



Project Number:
196-004-06

Genesis Solar Energy Project
11995 Wiley's Well Road
Blythe, California 92225

Figure 1
Site Vicinity Map



-  GSEP Footprint
-  Watershed Boundary
-  Lake
-  Wilderness Area
-  Water Flow Direction



★ Site Location




Northstar Environmental
Remediation
26225 Enterprise Court
Lake Forest, California 92630
(949) 580-2800


Project Number:
196-004-06

Genesis Solar Energy Project
11995 Wiley's Well Road
Blythe, California 92225

Figure 2
Hydrogeologic Setting



 Detection Monitoring Well




Northstar Environmental Remediation
 26225 Enterprise Court
 Lake Forest, California 92630
 (949) 580-2800

Project Number: 196-004-06

Genesis Solar Energy Project
 11995 Wiley's Well Road
 Blythe, California 92225

Figure 3
 Evaporation Pond and Detection
 Monitoring Well Locations



 Detection Monitoring Well

 Groundwater Elevation Contour Line

(284.10) Groundwater Elevation in Feet Above Mean Sea Level

Approximate Scale:
1 inch = 180 feet




Northstar Environmental Remediation
26225 Enterprise Court
Lake Forest, California 92630
(949) 580-2800

Project Number: 196-004-06

Genesis Solar Energy Project
11995 Wiley's Well Road
Blythe, California 92225

Figure 4
Groundwater Elevation
Contour Map



NOTE: ALL DIMENSIONS ARE APPROXIMATE AND ARE BASED UPON FIELD OBSERVATIONS.

- Notes:
1. Probes installed at #1W through #1E are Irrrometer/Watermark Model 200SS Moisture Probes.
 2. Access port is 4-inch diameter HDPE pipe.
 3. Moisture probes are tied to 1/4-inch diameter braided steel pull-through cable (total length of approximately 340 feet).
 4. Probes installed in 4-inch diameter perforated pipe with approximate 1 degree slope away from C/L.
 5. Moisture probes furnished with two leads for direct read by Watermark Model 30 KTC-D-NL meter.



PROJECT NAME GENESIS SOLAR ENERGY PROJECT	PROJECT NUMBER 196-004-05
PROJECT ADDRESS 11995 WILEY'S WELL RD, BLYTHE, CA	DRAWN/CHECKED BY AWB
CONSULTING FIRM NORTHSTAR ENVIRONMENTAL REMEDIATION	DATE DRAWN 12/05/2016
FIGURE DESCRIPTION LEAK DETECTION SYSTEM DETAIL	FIGURE NUMBER FIGURE 5

TABLES

TABLE 1
DETECTION MONITORING WELL DETAILS
 Genesis Solar Energy Project, Riverside County, California

Well ID	Other Name	Owner	Installation Date	Use/Status	Well Casing Diameter (inches)	Approximate Ground Surface Elevation (feet amsl)	Top Of Casing Elevation (feet amsl)	Well Depth (feet bgs)	Screened Interval (feet bgs)	Geologic Unit
WELLS INCLUDED IN THE GROUNDWATER MONITORING PROGRAM										
DM-1	Detection Monitoring Well 1	Genesis Solar, LLC	2/22/2012	Monitoring / Active	4	--	391.49	120	100 to 120	Alluvium
DM-2	Detection Monitoring Well 2	Genesis Solar, LLC	2/21/2012	Monitoring / Active	4	--	391.32	120	100 to 120	Alluvium
DM-3	Detection Monitoring Well 3	Genesis Solar, LLC	2/20/2012	Monitoring / Active	4	--	388.34	120	100 to 120	Alluvium

Notes:

-- = information is not available or unknown

amsl = above mean sea level

bgs = below ground surface

TABLE 2
GROUNDWATER LEVEL MEASUREMENTS
 Genesis Solar Energy Project, Riverside County, California

Well ID	Date	Source	Top of Casing Elevation (feet amsl)	Depth to Water (feet below TOC)	Groundwater Elevation (feet amsl)	Difference from Baseline (feet)	Comments / Use
WELLS INCLUDED IN THE GROUNDWATER DETECTION MONITORING PROGRAM							
DM-1	2/27/2012	WorleyParsons	391.49	106.63	284.86	N/A	Monitoring
DM-1	5/24/2012	WorleyParsons	391.49	107.11	284.38	0.00	Baseline
DM-1	7/26/2012	WorleyParsons	391.49	107.10	284.39	0.01	Monitoring
DM-1	11/14/2012	WorleyParsons	391.49	108.15	283.34	-1.04	Monitoring
DM-1	3/29/2013	WorleyParsons	391.49	107.34	284.15	-0.23	Monitoring
DM-1	6/19/2013	WorleyParsons	391.49	107.19	284.30	-0.08	Monitoring
DM-1	8/13/2013	WorleyParsons	391.49	107.07	284.42	0.04	Monitoring
DM-1	11/12/2013	WorleyParsons	391.49	107.22	284.27	-0.11	Monitoring
DM-1	2/26/2014	WorleyParsons	391.49	107.13	284.36	-0.02	Monitoring
DM-1	5/22/2014	Northstar	391.49	107.05	284.44	0.06	Monitoring
DM-1	8/8/2014	Northstar	391.49	107.11	284.38	0.00	Monitoring
DM-1	12/4/2014	Northstar	391.49	107.03	284.46	0.08	Monitoring
DM-1	3/26/2015	Northstar	391.49	107.22	284.27	-0.11	Monitoring
DM-1	6/11/2015	Northstar	391.49	107.01	284.48	0.10	Monitoring
DM-1	12/10/2015	Northstar	391.49	106.98	284.51	0.13	Monitoring
DM-1	6/2/2016	Northstar	391.49	107.18	284.31	-0.07	Monitoring
DM-1	11/30/2016	Northstar	391.49	107.27	284.22	-0.16	Monitoring
DM-1	6/1/2017	Northstar	391.49	107.12	284.37	-0.01	Monitoring
DM-1	12/5/2017	Northstar	391.49	107.38	284.11	-0.27	Monitoring
DM-1	5/30/2018	Northstar	391.49	107.10	284.39	0.01	Monitoring
DM-1	12/4/2018	Northstar	391.49	107.45	284.04	-0.34	Monitoring
DM-1	6/14/2019	Northstar	391.49	107.18	284.31	-0.07	Monitoring
DM-1	12/5/2019	Northstar	391.49	107.42	284.07	-0.31	Monitoring
DM-2	2/27/2012	WorleyParsons	391.32	106.92	284.40	N/A	Monitoring
DM-2	5/24/2012	WorleyParsons	391.32	107.37	283.95	0.00	Baseline
DM-2	7/26/2012	WorleyParsons	391.32	107.33	283.99	0.04	Monitoring
DM-2	11/14/2012	WorleyParsons	391.32	108.33	282.99	-0.96	Monitoring
DM-2	3/29/2013	WorleyParsons	391.32	107.59	283.73	-0.22	Monitoring
DM-2	6/19/2013	WorleyParsons	391.32	107.41	283.91	-0.04	Monitoring
DM-2	8/13/2013	WorleyParsons	391.32	107.31	284.01	0.06	Monitoring
DM-2	11/12/2013	WorleyParsons	391.32	107.63	283.69	-0.26	Monitoring
DM-2	2/26/2014	WorleyParsons	391.32	107.40	283.92	-0.03	Monitoring
DM-2	5/22/2014	Northstar	391.32	107.28	284.04	0.09	Monitoring
DM-2	8/8/2014	Northstar	391.32	107.28	284.04	0.09	Monitoring
DM-2	12/4/2014	Northstar	391.32	107.43	283.89	-0.06	Monitoring
DM-2	3/26/2015	Northstar	391.32	107.61	283.71	-0.24	Monitoring
DM-2	6/11/2015	Northstar	391.32	107.40	283.92	-0.03	Monitoring
DM-2	12/10/2015	Northstar	391.32	107.30	284.02	0.07	Monitoring
DM-2	6/2/2016	Northstar	391.32	107.38	283.94	-0.01	Monitoring
DM-2	11/30/2016	Northstar	391.32	107.52	283.80	-0.15	Monitoring
DM-2	6/1/2017	Northstar	391.32	107.47	283.85	-0.10	Monitoring
DM-2	12/5/2017	Northstar	391.32	107.78	283.54	-0.41	Monitoring
DM-2	5/30/2018	Northstar	391.32	107.45	283.87	-0.08	Monitoring
DM-2	12/4/2018	Northstar	391.32	107.80	283.52	-0.43	Monitoring
DM-2	6/14/2019	Northstar	391.32	107.55	283.77	-0.18	Monitoring
DM-2	12/5/2019	Northstar	391.32	107.72	283.60	-0.35	Monitoring
DM-3	2/27/2012	WorleyParsons	388.34	103.85	284.49	N/A	Monitoring
DM-3	5/24/2012	WorleyParsons	388.34	104.35	283.99	0.00	Baseline
DM-3	7/26/2012	WorleyParsons	388.34	104.28	284.06	0.07	Monitoring
DM-3	11/14/2012	WorleyParsons	388.34	105.25	283.09	-0.90	Monitoring
DM-3	3/29/2013	WorleyParsons	388.34	104.35	283.99	0.00	Monitoring
DM-3	6/19/2013	WorleyParsons	388.34	104.20	284.14	0.15	Monitoring
DM-3	8/13/2013	WorleyParsons	388.34	104.31	284.03	0.04	Monitoring
DM-3	11/12/2013	WorleyParsons	388.34	104.43	283.91	-0.08	Monitoring
DM-3	2/26/2014	WorleyParsons	388.34	104.31	284.03	0.04	Monitoring
DM-3	5/22/2014	Northstar	388.34	104.20	284.14	0.15	Monitoring
DM-3	8/8/2014	Northstar	388.34	104.21	284.13	0.14	Monitoring
DM-3	12/4/2014	Northstar	388.34	104.39	283.95	-0.04	Monitoring
DM-3	3/26/2015	Northstar	388.34	104.59	283.75	-0.24	Monitoring
DM-3	6/12/2015	Northstar	388.34	104.18	284.16	0.17	Monitoring
DM-3	12/11/2015	Northstar	388.34	103.96	284.38	0.39	Monitoring
DM-3	6/3/2016	Northstar	388.34	104.38	283.96	-0.03	Monitoring
DM-3	12/2/2016	Northstar	388.34	104.28	284.06	0.07	Monitoring
DM-3	6/1/2017	Northstar	388.34	104.25	284.09	0.10	Monitoring
DM-3	12/5/2017	Northstar	388.34	104.62	283.72	-0.27	Monitoring
DM-3	5/30/2018	Northstar	388.34	104.27	284.07	0.08	Monitoring
DM-3	12/4/2018	Northstar	388.34	104.68	283.66	-0.33	Monitoring
DM-3	6/14/2019	Northstar	388.34	104.38	283.96	-0.03	Monitoring
DM-3	12/6/2019	Northstar	388.34	104.66	283.68	-0.31	Monitoring

Notes:

amsl = above mean sea level
 TOC = top of casing

TABLE 3
FIELD DATA COLLECTED DURING THE MOST RECENT GROUNDWATER MONITORING EVENT
 Genesis Solar Energy Project, Riverside County, California

Well ID	Date	Groundwater Purging			Field Parameters					
		Rate of Groundwater Discharge (mL/min)	Purging Method	Total Volume Purged (mL)	pH	Conductivity (mS/cm)	Turbidity (NTU)	D.O. (mg/L)	Temperature (C ^o)	ORP (mV)
DM-1	12/5/2019	188	Bladder Pump	2,820	7.84	16.3	-	3.31	26.71	-59
DM-2	12/5/2019	120	Bladder Pump	2,400	7.82	16.6	-	0.85	26.31	-62
DM-3	12/6/2019	121	Bladder Pump	1,815	7.90	15.8	-	1.56	22.73	-79

NOTES:

mL = milliliters

mL/min = milliliters per minute

mS/cm = millisiemens per centimeter

NTU = Nephelometric Turbidity Units

DO = Dissolved Oxygen

mg/L = milligrams per liter

^oC = degree Celsius

mV = millivolts

TABLE 5
SUMMARY OF LEAKAGE DETECTION SYSTEM DATA
Genesis Solar Energy Project, Riverside County, California

Date of Reading	Sensor Readings ¹														Comments
	North Pond							South Pond							
	#1W	#2W	#3W	#1E	#2E	#3E	Totalizer	#1W	#2W	#3W	#1E	#2E	#3E	Totalizer	
1st Qtr 2014	199	199	199	199	199	199	-	199	199	199	199	199	199	-	All probes are dry
2nd Qtr 2014	199	199	199	199	199	199	-	199	199	199	199	199	199	-	
3rd Qtr 2014	199	199	199	199	199	199	-	199	199	199	199	199	199	-	
12/05/2014	199	199	199	199	199	199	-	199	199	199	199	199	199	-	
03/26/2015	199	199	199	199	199	199	-	199	199	199	199	199	199	-	
06/12/2015	133	199	199	199	199	199	-	199	199	199	199	199	199	-	
09/03/2015	78	199	199	199	199	199	-	199	199	199	199	199	199	-	
09/15/2015	67	199	199	199	199	199	-	199	199	199	199	199	199	-	
12/10/2015	0	75	199	199	199	199	-	199	199	199	199	199	199	-	Sump pumps turned on - no water
03/01/2016	6	101	199	199	199	199	-	199	199	199	199	199	199	-	
06/02/2016	4	80	199	199	199	199	-	199	199	199	199	199	199	-	
09/01/2016	0	42	146	199	175	105	-	199	199	199	199	199	199	-	
12/01/2016	0	59	199	199	199	188	1,144.79	199	199	199	183	199	199	24.21	Readings on arrival
12/01/2016	199	199	199	199	199	199	1,144.79	199	199	199	183	199	199	24.21	Readings on departure, new probes in North Pond
03/02/2017	199	199	199	199	199	199	1,144.79	199	199	199	199	199	199	24.21	
06/01/2017	199	199	199	199	199	199	1,144.79	199	199	199	199	199	199	24.21	
09/04/2017	199	199	199	199	199	199	1,695.44	199	199	199	192	178	199	24.21	
12/05/2017	114	165	199	199	179	180	1,695.66	199	199	199	166	199	199	24.21	To date, all totalizer increases are from pump testing
03/06/2018	186	199	199	199	199	199	1,695.66	199	199	199	199	199	199	24.21	
06/01/2018	159	199	199	199	199	199	1,695.66	199	199	199	177	186	199	24.21	
09/12/2018	78	192	199	199	199	192	1,694.83	199	199	199	197	187	199	24.21	
12/03/2018	119	181	199	199	199	199	1,688.26	199	199	199	199	168	199	24.21	
03/08/2019	150	199	199	199	199	199	1,690.80	199	199	199	115	168	199	24.21	
06/13/2019	199	199	199	199	199	199	1,687.19	199	199	199	188	199	199	24.21	
09/08/2019	199	199	199	199	199	199	1,686.68	199	199	199	188	199	199	24.21	
12/05/2019	145	199	199	199	199	199	1,683.78	199	199	199	199	199	199	24.21	

1 - Readings in centibars, collected with a Watermark 30 KTCD-NL Soil Moisture Meter

APPENDIX A

FIELD DATA SHEETS



GROUNDWATER SAMPLING FIELD FORM

Date: Dec 5-6, 2019	Site: Genesis Solar Energy Project	Project No: 196-004-06
Project: Groundwater Quality Monitoring Program		Project Manager: AWB
Technicians: RCD/AWB		Weather: Overcast
Sampling Method: Low-Flow Sampling with Submersible Pump (EPA 2017 Protocols)		

Well No.	DM-1	Time (5 Min Int)	Water Level (ft btoc)	Temp °C (3%)	pH (+/- 0.1)	Cond (mS/cm) (3%)	Turbidity (NTUs) (10%)	ORP (mV) (+/- 10)	DO (mg/L) (10%)
Casing Diameter (in.)	4.0	13:20	107.45	25.28	7.94	16.34	-	-58	3.66
Total Depth (ft btoc)	120	13:25	107.45	26.65	7.83	16.29	-	-59	3.25
Screen Interval (ft btoc)	100 - 120	13:30	107.45	26.69	7.85	16.33	-	-59	3.29
Depth to Water (ft btoc)	107.42	13:35	107.45	26.71	7.85	16.34	-	-59	3.31
Depth of Inlet (ft btoc)	115.00								
Discharge Time (sec)	25								
Fill Time (sec)	15								
Cycles per Minute	1.5								
Volume per Cycle (mL)	125								
Pump Rate (mL/min)	188								
Volume Purged (mL)	2,820								
Sample Time	13:36								

Purge Volume Calculation: Total must exceed tubing volume (1,204 mL) plus drawdown volume (2,460 mL/foot) = **1,278 mL**

COMMENTS: Sampled 12/5/19

Well No.	DM-2	Time (5 Min Int)	Water Level (ft btoc)	Temp °C (3%)	pH (+/- 0.1)	Cond (mS/cm) (3%)	Turbidity (NTUs) (10%)	ORP (mV) (+/- 10)	DO (mg/L) (10%)
Casing Diameter (in.)	4.0	14:40	108.00	25.78	7.91	16.16	-	-65	2.67
Total Depth (ft btoc)	120	14:45	108.17	26.30	7.84	16.60	-	-62	0.90
Screen Interval (ft btoc)	100 - 120	14:50	108.19	26.31	7.83	16.62	-	-62	0.89
Depth to Water (ft btoc)	107.72	14:55	108.20	26.30	7.82	16.60	-	-62	0.86
Depth of Inlet (ft btoc)	115.00	15:00	108.20	26.31	7.82	16.60	-	-62	0.85
Discharge Time (sec)	27								
Fill Time (sec)	40								
Cycles per Minute	0.9								
Volume per Cycle (mL)	125								
Pump Rate (mL/min)	120								
Volume Purged (mL)	2,400								
Sample Time	15:00								

Purge Volume Calculation: Total must exceed tubing volume (1,204 mL) plus drawdown volume (2,460 mL/foot) = **2,385 mL**

COMMENTS: Sampled 12/5/19

Well No.	DM-3	Time (5 Min Int)	Water Level (ft btoc)	Temp °C (3%)	pH (+/- 0.1)	Cond (mS/cm) (3%)	Turbidity (NTUs) (10%)	ORP (mV) (+/- 10)	DO (mg/L) (10%)
Casing Diameter (in.)	4.0	6:40	104.68	18.91	7.87	15.95	-	-69	3.37
Total Depth (ft btoc)	120	6:45	104.68	22.70	7.88	15.80	-	-79	1.55
Screen Interval (ft btoc)	100 - 120	6:50	104.68	22.72	7.89	15.82	-	-79	1.54
Depth to Water (ft btoc)	104.66	6:55	104.68	22.73	7.90	15.83	-	-79	1.56
Depth of Inlet (ft btoc)	115.00								
Discharge Time (sec)	27								
Fill Time (sec)	35								
Cycles per Minute	0.97								
Volume per Cycle (mL)	125								
Pump Rate (mL/min)	121								
Volume Purged (mL)	1,815								
Sample Time	6:55								

Purge Volume Calculation: Total must exceed tubing volume (1,204 mL) plus drawdown volume (2,460 mL/foot) = **1,254**

COMMENTS: Sampled 12/6/19

APPENDIX B

LABORATORY ANALYTICAL RESULTS

EVAPORATION PONDS



25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

23 December 2019

Arlin Brewster
Northstar Environmental Remediation
26225 Enterprise Court
Lake Forest, CA 92630
RE: Genesis Solar LTUs & Ponds

Enclosed are the results of analyses for samples received by the laboratory on 12/06/19 11:15. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Jeff Lee
Project Manager

Northstar Environmental Remediation
26225 Enterprise Court
Lake Forest CA, 92630

Project: Genesis Solar LTUs & Ponds
Project Number: 196-004-05
Project Manager: Arlin Brewster

Reported:
12/23/19 10:51

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
NORTH POND	T194201-01	Water	12/05/19 12:20	12/06/19 11:15
SOUTH POND	T194201-02	Water	12/05/19 12:10	12/06/19 11:15

Metals analysis for EPA 200.8 and 200.7 were filtered in the laboratory prior to analysis. The results are reported as dissolved metals. JL 12/17/19

Nitrate analysis for sample number one cannot be analyzed using 1 dilution due to high Chloride concentration. The Chloride curve overtook the Nitrate rendering the data unusable. Nitrate is reported from diluted run with elevated MRL. The J-value is report but it could be elevated due to high Chloride concentration. J-value should be considered as estimates. JL 12/17/19.



Northstar Environmental Remediation
26225 Enterprise Court
Lake Forest CA, 92630

Project: Genesis Solar LTUs & Ponds
Project Number: 196-004-05
Project Manager: Arlin Brewster

Reported:
12/23/19 10:51

DETECTIONS SUMMARY

Sample ID: NORTH POND

Laboratory ID: T194201-01

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
Antimony	1.0	5.0		ug/l	200.8	J, FILT, R-07
Arsenic	800	50		ug/l	200.8	FILT, R-07
Barium	200	5.0		ug/l	200.8	FILT, R-07
Cadmium	0.30	5.0		ug/l	200.8	J, FILT, R-07
Chromium	4.0	50		ug/l	200.8	J, FILT, R-07
Lead	0.50	5.0		ug/l	200.8	J, FILT, R-07
Copper	90	5		ug/l	EPA 200.7	FILT
Zinc	4300	50		ug/l	200.8	FILT, R-07
Calcium	380000	50000		ug/l	EPA 200.7	FILT, RE-01
Magnesium	3000	100		ug/l	EPA 200.7	FILT
Potassium	340000	500		ug/l	EPA 200.7	FILT, RE-01
Total Dissolved Solids	120000	55		mg/l	TDS by SM2540C	
pH	8.8	0.10		pH Units	SM4500	O-09
Specific Conductance (EC)	120000	10.0		umhos/cm	SM2510b mod.	
Nitrate as NO3	194	500		mg/l	EPA 300.0	
Chloride	83000	5000		mg/l	EPA 300.0	
Sulfate as SO4	27000	5000		mg/l	EPA 300.0	

Sample ID: NORTH POND

Laboratory ID: T194201-01RE1

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
Sodium	43000000	200000		ug/l	EPA 200.7	FILT, RE-01

Sample ID: SOUTH POND

Laboratory ID: T194201-02

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
Antimony	0.90	5.0		ug/l	200.8	J, FILT, R-07
Arsenic	200	5.0		ug/l	200.8	FILT, R-07
Barium	170	5.0		ug/l	200.8	FILT, R-07



Northstar Environmental Remediation
26225 Enterprise Court
Lake Forest CA, 92630

Project: Genesis Solar LTUs & Ponds
Project Number: 196-004-05
Project Manager: Arlin Brewster

Reported:
12/23/19 10:51

Sample ID: SOUTH POND

Laboratory ID: T194201-02

Analyte	Reporting		Units	Method	Notes
	Result	Limit			
Cadmium	0.60	5.0	ug/l	200.8	J, FILT, R-07
Chromium	1.9	5.0	ug/l	200.8	J, FILT, R-07
Copper	41	5	ug/l	EPA 200.7	FILT
Nickel	3.1	5.0	ug/l	200.8	J, FILT, R-07
Selenium	1.9	5.0	ug/l	200.8	J, FILT, R-07
Zinc	190	5.0	ug/l	200.8	FILT, R-07
Calcium	200000	20000	ug/l	EPA 200.7	FILT, RE-01
Iron	29	200	ug/l	EPA 200.7	J, FILT
Potassium	160000	200	ug/l	EPA 200.7	FILT, RE-01
Magnesium	13000	100	ug/l	EPA 200.7	FILT
pH	9.0	0.10	pH Units	SM4500	O-09
Total Dissolved Solids	35000	55	mg/l	TDS by SM2540C	
Specific Conductance (EC)	49700	10.0	umhos/cm	SM2510b mod.	
Nitrate as NO3	2.17	0.500	mg/l	EPA 300.0	
Chloride	30000	5000	mg/l	EPA 300.0	
Sulfate as SO4	6770	5000	mg/l	EPA 300.0	

Sample ID: SOUTH POND

Laboratory ID: T194201-02RE1

Analyte	Reporting		Units	Method	Notes
	Result	Limit			
Sodium	14000000	2800	ug/l	EPA 200.7	FILT, RE-01



Northstar Environmental Remediation
26225 Enterprise Court
Lake Forest CA, 92630

Project: Genesis Solar LTUs & Ponds
Project Number: 196-004-05
Project Manager: Arlin Brewster

Reported:
12/23/19 10:51

NORTH POND
T194201-01(Water)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 200 Series Methods

Copper	90	0.3	5	ug/l	1	9120919	12/09/19	12/16/19	EPA 200.7	FILT
Calcium	380000	50000	50000	"	500	"	"	12/12/19	"	FILT, RE-01
Iron	ND	7	200	"	1	"	"	12/16/19	"	FILT
Magnesium	3000	73	100	"	"	"	"	"	"	FILT
Potassium	340000	2	500	"	5	"	"	"	"	FILT, RE-01
Antimony	1.0	0.45	5.0	"	10	9120930	12/09/19	12/12/19	200.8	J, FILT, R-07
Arsenic	800	0.010	50	"	100	"	"	12/12/19	"	FILT, R-07
Barium	200	0.24	5.0	"	10	"	"	12/12/19	"	FILT, R-07
Cadmium	0.30	0.014	5.0	"	"	"	"	"	"	J, FILT, R-07
Chromium	4.0	0.010	50	"	100	"	"	12/12/19	"	J, FILT, R-07
Cobalt	ND	0.010	50	"	"	"	"	"	"	FILT, R-07
Lead	0.50	0.48	5.0	"	10	"	"	12/12/19	"	J, FILT, R-07
Nickel	ND	0.030	50	"	100	"	"	12/12/19	"	FILT, R-07
Selenium	ND	0.090	50	"	"	"	"	"	"	FILT, R-07
Zinc	4300	0.070	50	"	"	"	"	"	"	FILT, R-07

Cold Vapor Extraction EPA 7470/7471

Mercury	ND		0.50	ug/l	1	9120929	12/09/19	12/11/19	EPA 7470A Water	
---------	----	--	------	------	---	---------	----------	----------	--------------------	--

Conventional Chemistry Parameters by APHA/EPA/ASTM Methods

Oil & Grease	ND		5.00	mg/l	1	9120617	12/06/19	12/11/19	EPA 1664B	
Specific Conductance (EC)	120000		10.0	umhos/cm	"	9120636	12/06/19	12/06/19	SM2510b mod.	
pH	8.8		0.10	pH Units	"	9120635	12/06/19	12/06/19	SM4500	O-09
Total Dissolved Solids	120000		55	mg/l	"	9120914	12/09/19	12/09/19	TDS by SM2540C	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Northstar Environmental Remediation
26225 Enterprise Court
Lake Forest CA, 92630

Project: Genesis Solar LTUs & Ponds
Project Number: 196-004-05
Project Manager: Arlin Brewster

Reported:
12/23/19 10:51

NORTH POND
T194201-01(Water)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	--------------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Anions by EPA Method 300.0

Nitrate as NO3	194	20.0	500	mg/l	1000	9120634	12/06/19	12/10/19	EPA 300.0	
Chloride	83000	29.0	5000	"	"	"	"	"	"	
Sulfate as SO4	27000	24.0	5000	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Northstar Environmental Remediation
26225 Enterprise Court
Lake Forest CA, 92630

Project: Genesis Solar LTUs & Ponds
Project Number: 196-004-05
Project Manager: Arlin Brewster

Reported:
12/23/19 10:51

NORTH POND
T194201-01RE1(Water)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	--------------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 200 Series Methods

Sodium	43000000	1000	200000	ug/l	2000	9121936	12/19/19	12/19/19	EPA 200.7	FILT, RE-01
---------------	-----------------	------	--------	------	------	---------	----------	----------	-----------	-------------

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Northstar Environmental Remediation
 26225 Enterprise Court
 Lake Forest CA, 92630

Project: Genesis Solar LTUs & Ponds
 Project Number: 196-004-05
 Project Manager: Arlin Brewster

Reported:
 12/23/19 10:51

SOUTH POND
T194201-02(Water)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 200 Series Methods

Copper	41	0.3	5	ug/l	1	9120919	12/09/19	12/16/19	EPA 200.7	FILT
Calcium	200000	20000	20000	"	205	"	"	12/12/19	"	FILT, RE-01
Iron	29	7	200	"	1	"	"	12/16/19	"	J, FILT
Magnesium	13000	73	100	"	"	"	"	12/16/19	"	FILT
Potassium	160000	1	200	"	2	"	"	"	"	FILT, RE-01
Antimony	0.90	0.45	5.0	"	10	9120930	12/09/19	12/12/19	200.8	J, FILT, R-07
Arsenic	200	0.0010	5.0	"	"	"	"	"	"	FILT, R-07
Barium	170	0.24	5.0	"	"	"	"	"	"	FILT, R-07
Cadmium	0.60	0.014	5.0	"	"	"	"	"	"	J, FILT, R-07
Chromium	1.9	0.0010	5.0	"	"	"	"	"	"	J, FILT, R-07
Cobalt	ND	0.0010	5.0	"	"	"	"	"	"	FILT, R-07
Lead	ND	0.48	5.0	"	"	"	"	"	"	FILT, R-07
Nickel	3.1	0.0030	5.0	"	"	"	"	"	"	J, FILT, R-07
Selenium	1.9	0.0090	5.0	"	"	"	"	"	"	J, FILT, R-07
Zinc	190	0.0070	5.0	"	"	"	"	"	"	FILT, R-07

Cold Vapor Extraction EPA 7470/7471

Mercury	ND		0.50	ug/l	1	9120929	12/09/19	12/11/19	EPA 7470A Water	
---------	----	--	------	------	---	---------	----------	----------	--------------------	--

Conventional Chemistry Parameters by APHA/EPA/ASTM Methods

Oil & Grease	ND		5.00	mg/l	1	9120617	12/06/19	12/11/19	EPA 1664B	
Specific Conductance (EC)	49700		10.0	umhos/cm	"	9120636	12/06/19	12/06/19	SM2510b mod.	
pH	9.0		0.10	pH Units	"	9120635	12/06/19	12/06/19	SM4500	O-09
Total Dissolved Solids	35000		55	mg/l	"	9120914	12/09/19	12/09/19	TDS by SM2540C	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Northstar Environmental Remediation
26225 Enterprise Court
Lake Forest CA, 92630

Project: Genesis Solar LTUs & Ponds
Project Number: 196-004-05
Project Manager: Arlin Brewster

Reported:
12/23/19 10:51

SOUTH POND
T194201-02(Water)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	--------------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Anions by EPA Method 300.0

Nitrate as NO3	2.17	0.0200	0.500	mg/l	1	9120634	12/06/19	12/07/19	EPA 300.0	
Chloride	30000	29.0	5000	"	1000	"	"	12/10/19	"	
Sulfate as SO4	6770	24.0	5000	"	"	"	"	"	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Northstar Environmental Remediation 26225 Enterprise Court Lake Forest CA, 92630	Project: Genesis Solar LTUs & Ponds Project Number: 196-004-05 Project Manager: Arlin Brewster	Reported: 12/23/19 10:51
--	--	------------------------------------

SOUTH POND
T194201-02RE1(Water)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----	--------------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 200 Series Methods

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
Sodium	14000000	14	2800	ug/l	28.139	9121936	12/19/19	12/19/19	EPA 200.7	FILT, RE-01

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Northstar Environmental Remediation
26225 Enterprise Court
Lake Forest CA, 92630

Project: Genesis Solar LTUs & Ponds
Project Number: 196-004-05
Project Manager: Arlin Brewster

Reported:
12/23/19 10:51

Metals by EPA 200 Series Methods - Quality Control

SunStar Laboratories, Inc.

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9120919 - EPA 3010A

Blank (9120919-BLK1)

Prepared: 12/09/19 Analyzed: 12/16/19

Antimony	9	1	5	ug/l							B-ND
Arsenic	ND	2	5	"							
Barium	ND	0.4	5	"							
Beryllium	ND	0.2	5	"							
Cadmium	0.9	0.2	5	"							J
Chromium	0.6	0.4	5	"							J
Cobalt	ND	0.3	5	"							
Copper	ND	0.3	5	"							
Lead	5	2	5	"							B-ND
Molybdenum	ND	0.6	5	"							
Nickel	3	0.5	5	"							J
Silver	ND	18	30	"							
Selenium	5	5	30	"							J
Thallium	ND	1	30	"							
Vanadium	1	0.4	30	"							J
Zinc	6	3	30	"							J
Aluminum	35	7	100	"							J
Calcium	ND	100	100	"							
Iron	ND	7	200	"							
Magnesium	ND	73	100	"							
Potassium	ND	0.5	100	"							

LCS (9120919-BS1)

Prepared: 12/09/19 Analyzed: 12/17/19

Arsenic	528	2	5	ug/l	500	106	85-115
Barium	538	0.4	5	"	500	108	85-115
Cadmium	541	0.2	5	"	500	108	85-115
Chromium	536	0.4	5	"	500	107	85-115
Cobalt	536	0.3	5	"	500	107	85-115

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Northstar Environmental Remediation
26225 Enterprise Court
Lake Forest CA, 92630

Project: Genesis Solar LTUs & Ponds
Project Number: 196-004-05
Project Manager: Arlin Brewster

Reported:
12/23/19 10:51

Metals by EPA 200 Series Methods - Quality Control

SunStar Laboratories, Inc.

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9120919 - EPA 3010A

LCS (9120919-BS1)

Prepared: 12/09/19 Analyzed: 12/17/19

Copper	538	0.3	5	ug/l	500		108	85-115			
Lead	539	2	5	"	500		108	85-115			
Molybdenum	523	0.6	5	"	500		105	85-115			
Nickel	537	0.5	5	"	500		107	85-115			
Selenium	527	5	30	"	500		105	85-115			
Thallium	543	1	30	"	500		109	85-115			
Vanadium	532	0.4	30	"	500		106	85-115			
Zinc	541	3	30	"	500		108	85-115			
Magnesium	532	73	100	"	500		106	85-115			
Potassium	503	0.5	100	"	500		101	85-115			

Matrix Spike (9120919-MS1)

Source: T194199-01

Prepared: 12/09/19 Analyzed: 12/16/19

Arsenic	593	2	5	ug/l	500		119	70-130			QM-05
Barium	569	0.4	5	"	500		114	70-130			QM-05
Cadmium	575	0.2	5	"	500		115	70-130			QM-05
Chromium	547	0.4	5	"	500		109	70-130			QM-05
Cobalt	555	0.3	5	"	500		111	70-130			QM-05
Copper	588	0.3	5	"	500	3	117	70-130			
Lead	542	2	5	"	500		108	70-130			QM-05
Molybdenum	626	0.6	5	"	500		125	70-130			QM-05
Nickel	558	0.5	5	"	500		112	70-130			QM-05
Selenium	600	5	30	"	500		120	70-130			QM-05
Thallium	507	1	30	"	500		101	70-130			QM-05
Vanadium	583	0.4	30	"	500		117	70-130			QM-05
Zinc	1090	3	30	"	500		219	70-130			QM-05
Magnesium	942	73	100	"	500	500	88.5	70-130			
Potassium	12200	0.5	100	"	500	409	NR	70-130			QM-05

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Northstar Environmental Remediation
26225 Enterprise Court
Lake Forest CA, 92630

Project: Genesis Solar LTUs & Ponds
Project Number: 196-004-05
Project Manager: Arlin Brewster

Reported:
12/23/19 10:51

Metals by EPA 200 Series Methods - Quality Control

SunStar Laboratories, Inc.

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9120919 - EPA 3010A

Matrix Spike Dup (9120919-MSD1)

Source: T194199-01

Prepared: 12/09/19 Analyzed: 12/16/19

Arsenic	568	2	5	ug/l	500		114	70-130	4.30	30	QM-05
Barium	559	0.4	5	"	500		112	70-130	1.76	30	QM-05
Cadmium	565	0.2	5	"	500		113	70-130	1.85	30	QM-05
Chromium	533	0.4	5	"	500		107	70-130	2.46	30	QM-05
Cobalt	540	0.3	5	"	500		108	70-130	2.71	30	QM-05
Copper	582	0.3	5	"	500	3	116	70-130	1.06	30	
Lead	527	2	5	"	500		105	70-130	2.77	30	QM-05
Molybdenum	612	0.6	5	"	500		122	70-130	2.20	30	QM-05
Nickel	549	0.5	5	"	500		110	70-130	1.70	30	QM-05
Selenium	578	5	30	"	500		116	70-130	3.67	30	QM-05
Thallium	486	1	30	"	500		97.2	70-130	4.22	30	QM-05
Vanadium	569	0.4	30	"	500		114	70-130	2.48	30	QM-05
Zinc	2070	3	30	"	500		414	70-130	61.6	30	QM-05
Magnesium	934	73	100	"	500	500	86.9	70-130	0.853		QM-05
Potassium	12500	0.5	100	"	500	409	NR	70-130	2.26		QM-05

Batch 9120930 - EPA 3010A

Blank (9120930-BLK1)

Prepared: 12/09/19 Analyzed: 12/12/19

Antimony	ND	0.045	0.50	ug/l							
Arsenic	ND	0.00010	0.50	"							
Barium	ND	0.024	0.50	"							
Cadmium	ND	0.0014	0.50	"							
Chromium	0.0100	0.00010	0.50	"							J
Cobalt	ND	0.00010	0.50	"							
Lead	ND	0.048	0.50	"							
Nickel	ND	0.00030	0.50	"							
Selenium	ND	0.00090	0.50	"							
Zinc	0.110	0.00070	0.50	"							J

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Northstar Environmental Remediation
26225 Enterprise Court
Lake Forest CA, 92630

Project: Genesis Solar LTUs & Ponds
Project Number: 196-004-05
Project Manager: Arlin Brewster

Reported:
12/23/19 10:51

Metals by EPA 200 Series Methods - Quality Control
SunStar Laboratories, Inc.

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9120930 - EPA 3010A

LCS (9120930-BS1)

Prepared: 12/09/19 Analyzed: 12/12/19

Arsenic	55.8	0.00010	0.50	ug/l	50.0		112	80-120			
Barium	58.8	0.024	0.50	"	50.0		118	80-120			
Cadmium	53.4	0.0014	0.50	"	50.0		107	80-120			
Chromium	46.6	0.00010	0.50	"	50.0		93.2	80-120			
Lead	53.8	0.048	0.50	"	50.0		108	80-120			

Matrix Spike (9120930-MS1)

Source: T194199-01

Prepared: 12/09/19 Analyzed: 12/12/19

Arsenic	45.0	0.0010	5.0	ug/l	50.0	ND	90.0	75-125			R-07
Barium	66.9	0.24	5.0	"	50.0	19.9	94.0	75-125			QM-05, R-07
Cadmium	48.3	0.014	5.0	"	50.0	ND	96.6	75-125			R-07
Chromium	50.0	0.0010	5.0	"	50.0	0.300	99.4	75-125			R-07
Lead	49.6	0.48	5.0	"	50.0	ND	99.2	75-125			R-07

Matrix Spike Dup (9120930-MSD1)

Source: T194199-01

Prepared: 12/09/19 Analyzed: 12/12/19

Arsenic	52.6	0.0010	5.0	ug/l	50.0	ND	105	75-125	15.6	20	QM-05, R-07
Barium	76.8	0.24	5.0	"	50.0	19.9	114	75-125	13.8	20	QM-05, R-07
Cadmium	54.2	0.014	5.0	"	50.0	ND	108	75-125	11.5	20	QM-05, R-07
Chromium	55.8	0.0010	5.0	"	50.0	0.300	111	75-125	11.0	20	QM-05, R-07
Lead	54.1	0.48	5.0	"	50.0	ND	108	75-125	8.68	20	QM-05, R-07

Batch 9121936 - EPA 3010A

Blank (9121936-BLK1)

Prepared & Analyzed: 12/19/19

Sodium	64	0.5	100	ug/l							J
--------	----	-----	-----	------	--	--	--	--	--	--	---

LCS (9121936-BS1)

Prepared & Analyzed: 12/19/19

Sodium	3200	0.5	100	ug/l	2500		128	70-130			
--------	------	-----	-----	------	------	--	-----	--------	--	--	--

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Northstar Environmental Remediation
26225 Enterprise Court
Lake Forest CA, 92630

Project: Genesis Solar LTUs & Ponds
Project Number: 196-004-05
Project Manager: Arlin Brewster

Reported:
12/23/19 10:51

Metals by EPA 200 Series Methods - Quality Control

SunStar Laboratories, Inc.

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9121936 - EPA 3010A

Matrix Spike (9121936-MS1)

Source: T194199-01RE1 Prepared & Analyzed: 12/19/19

Sodium	573000	12	2500	ug/l	2500	574000	NR	70-130			QM-05, RE-01
--------	--------	----	------	------	------	--------	----	--------	--	--	-----------------

Matrix Spike Dup (9121936-MSD1)

Source: T194199-01RE1 Prepared & Analyzed: 12/19/19

Sodium	587000	12	2500	ug/l	2500	574000	518	70-130	2.42		QM-05, RE-01
--------	--------	----	------	------	------	--------	-----	--------	------	--	-----------------



Northstar Environmental Remediation
26225 Enterprise Court
Lake Forest CA, 92630

Project: Genesis Solar LTUs & Ponds
Project Number: 196-004-05
Project Manager: Arlin Brewster

Reported:
12/23/19 10:51

Cold Vapor Extraction EPA 7470/7471 - Quality Control

SunStar Laboratories, Inc.

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 9120929 - EPA 7470A Water											
Blank (9120929-BLK1)											
						Prepared: 12/09/19 Analyzed: 12/11/19					
Mercury	ND		0.50	ug/l							
LCS (9120929-BS1)											
						Prepared: 12/09/19 Analyzed: 12/11/19					
Mercury	5.05		0.50	ug/l	5.00		101	80-120			
Matrix Spike (9120929-MS1)											
						Source: T194199-01 Prepared: 12/09/19 Analyzed: 12/11/19					
Mercury	4.52		0.50	ug/l	5.00	0.0601	89.2	75-125			
Matrix Spike Dup (9120929-MSD1)											
						Source: T194199-01 Prepared: 12/09/19 Analyzed: 12/11/19					
Mercury	4.45		0.50	ug/l	5.00	0.0601	87.8	75-125	1.48	20	



Northstar Environmental Remediation
26225 Enterprise Court
Lake Forest CA, 92630

Project: Genesis Solar LTUs & Ponds
Project Number: 196-004-05
Project Manager: Arlin Brewster

Reported:
12/23/19 10:51

Conventional Chemistry Parameters by APHA/EPA/ASTM Methods - Quality Control

SunStar Laboratories, Inc.

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9120617 - General Preparation

Blank (9120617-BLK1)

Prepared: 12/06/19 Analyzed: 12/11/19

Oil & Grease ND 5.00 mg/l

LCS (9120617-BS1)

Prepared: 12/06/19 Analyzed: 12/11/19

Oil & Grease 39.3 5.00 mg/l 40.0 98.2 83-101

LCS Dup (9120617-BSD1)

Prepared: 12/06/19 Analyzed: 12/11/19

Oil & Grease 40.4 5.00 mg/l 40.0 101 83-101 2.76 11

Batch 9120635 - General Preparation

Duplicate (9120635-DUP1)

Source: T194199-01

Prepared & Analyzed: 12/06/19

pH 8.35 0.10 pH Units 8.32 0.360 20 O-09

Batch 9120636 - General Preparation

Duplicate (9120636-DUP1)

Source: T194199-01

Prepared & Analyzed: 12/06/19

Specific Conductance (EC) 2580 10.0 umhos/cm 2570 0.388 15

Batch 9120914 - General Preparation

Blank (9120914-BLK1)

Prepared & Analyzed: 12/09/19

Total Dissolved Solids ND 55 mg/l

LCS (9120914-BS1)

Prepared & Analyzed: 12/09/19

Total Dissolved Solids 484 55 mg/l 500 96.8 80-120



Northstar Environmental Remediation
26225 Enterprise Court
Lake Forest CA, 92630

Project: Genesis Solar LTUs & Ponds
Project Number: 196-004-05
Project Manager: Arlin Brewster

Reported:
12/23/19 10:51

Conventional Chemistry Parameters by APHA/EPA/ASTM Methods - Quality Control

SunStar Laboratories, Inc.

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch 9120914 - General Preparation

Duplicate (9120914-DUP1)

Source: T194199-01

Prepared & Analyzed: 12/09/19

Total Dissolved Solids	1320		55	mg/l		1380			3.85	20	
------------------------	------	--	----	------	--	------	--	--	------	----	--

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Northstar Environmental Remediation
26225 Enterprise Court
Lake Forest CA, 92630

Project: Genesis Solar LTUs & Ponds
Project Number: 196-004-05
Project Manager: Arlin Brewster

Reported:
12/23/19 10:51

Anions by EPA Method 300.0 - Quality Control

SunStar Laboratories, Inc.

Analyte	Result	MDL	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9120634 - General Preparation

Blank (9120634-BLK1)

Prepared & Analyzed: 12/06/19

Chloride	ND	0.0290	5.00	mg/l							
Sulfate as SO4	0.895	0.0240	5.00	"							J

LCS (9120634-BS1)

Prepared & Analyzed: 12/06/19

Chloride	29.6	0.0290	5.00	mg/l	25.0		118	75-125			
Sulfate as SO4	24.3	0.0240	5.00	"	25.0		97.3	75-125			

Matrix Spike (9120634-MS1)

Source: T194199-01

Prepared: 12/06/19 Analyzed: 12/10/19

Chloride	665	2.90	500	mg/l	25.0	667	NR	75-125			QM-01
Sulfate as SO4	503	2.40	500	"	25.0	492	45.2	75-125			QM-01

Matrix Spike Dup (9120634-MSD1)

Source: T194199-01

Prepared: 12/06/19 Analyzed: 12/10/19

Chloride	664	2.90	500	mg/l	25.0	667	NR	75-125	0.0150	20	QM-01
Sulfate as SO4	500	2.40	500	"	25.0	492	34.4	75-125	0.538	20	QM-01



Northstar Environmental Remediation
26225 Enterprise Court
Lake Forest CA, 92630

Project: Genesis Solar LTUs & Ponds
Project Number: 196-004-05
Project Manager: Arlin Brewster

Reported:
12/23/19 10:51

Notes and Definitions

- RE-01 Sample contained analytes with concentrations above calibration limits and was rerun at a dilution.
- R-07 Reporting limit for this compound(s) has been raised to account for dilution necessary due to high levels of interfering compound(s) and/or matrix affect.
- QM-05 The spike recovery was outside acceptance limits for the MS and/or MSD due to possible matrix interference. The LCS was within acceptance criteria. The data is acceptable as no negative impact on data is expected.
- QM-01 The % recovery is outside of established control limits due to matrix interference and/or sample dilution due to matrix effect. The batch was accepted based on acceptable LCS recovery.
- O-09 The sample was analyzed outside the EPA recommended holding time of 24 hours.
- J Detected but below the Standard Reporting Limit; therefore, result is an estimated concentration (CLP J-Flag).
- FILT The sample was filtered prior to analysis.
- B-ND The analyte is found in the method blank at a level greater than the reporting limit but the associated samples are ND. There is no impact on data.
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the Method Detection Limit (MDL)
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference



Chain of Custody Record

SunStar Laboratories, Inc.
 25712 Commercentre Dr
 Lake Forest, CA 92630
 949-297-5020

Client: Northstar Environmental Remediation
 Address: 26225 Enterprise Court, Lake Forest, CA 92630
 Phone: 949-274-1719 Fax:
 Project Manager: Arlin Brewster

Date: 12/05/19 Page: 1 of 1
 Project Name: Genesis Solar LTUs & Ponds
 Collector: Arlin Brewster Client Project #: 196-004-05
 Batch #: T194201 EDF #: Not Required

Field Filtered
Not

Sample ID	Date Sampled	Time	Sample Type	Container Type	200.7 - Metals: Ca, Cu, Na, K, Fe, Mg (FIELD FILTERED)	200.8 - Metals: Sb, As, Ba, Cd, Cr, Co, Pb, Ni, Se, Zn (FF)	300.0 - Chloride, Nitrate, Sulfate	1664 - Oil and Grease	7470A - Mercury	9040 - pH	SM2510B - Conductivity, Specific	SM2540C - Total Dis. Solids	8015M - Thermanol (Subcontract)	Total # of containers	Chain of Custody seals Y/N/A	Seals intact? Y/N/A	Received good condition/cold	Notes	Total # of containers
North Pond	12/05/19	1220	W	Various	X	X	X	X	X	X	X	X	X	6	Y	Y	Received good condition/cold	EDF report not required.	6
South Pond	12/05/19	1210	W	Various	X	X	X	X	X	X	X	X	X	6	Y	Y	Received good condition/cold	EDF report not required.	6
Field Blank	N/A	N/A	W	Various										1				Reporting limits must match previous reports	1
Trip Blank	N/A	N/A	W	Various										1				Reporting limits must match previous reports	1

Relinquished by: (signature) [Signature] Date / Time 12/06/19 1115
 Relinquished by: (signature) [Signature] Date / Time 12.6.19 11:15
 Relinquished by: (signature) _____ Date / Time _____
 Relinquished by: (signature) _____ Date / Time _____

Sample disposal Instructions: Disposal @ \$2.00 each _____ Return to client _____ Pickup _____

Turn around time: **Standard**

SAMPLE RECEIVING REVIEW SHEET

Batch/Work Order #: T194201

Client Name: Northstar Environmental Remediation Project: Genesis Solar LTUs & Ponds

Delivered by: Client SunStar Courier GSO FedEx Other

If Courier, Received by: _____ Date/Time Courier Received: _____

Lab Received by: Sunny Date/Time Lab Received: 12-6-19 11:15

Total number of coolers received: 1 Thermometer ID: SC-1 Calibration due : 6/27/20

Temperature: Cooler #1	1.1	°C +/- the CF (+ 1.2°C) =	2.3	°C corrected temperature
Temperature: Cooler #2		°C +/- the CF (+ 1.2°C) =		°C corrected temperature
Temperature: Cooler #3		°C +/- the CF (+ 1.2°C) =		°C corrected temperature
Temperature criteria = ≤ 6°C (no frozen containers)		Within criteria?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
If NO:				
Samples received on ice?		<input type="checkbox"/> Yes		<input type="checkbox"/> No → Complete Non-Conformance Sheet
If on ice, samples received same day collected?		<input type="checkbox"/> Yes → Acceptable		<input type="checkbox"/> No → Complete Non-Conformance Sheet

- Custody seals intact on cooler/sample Yes No* N/A
- Sample containers intact Yes No*
- Sample labels match Chain of Custody IDs Yes No*
- Total number of containers received match COC Yes No*
- Proper containers received for analyses requested on COC Yes No*
- Proper preservative indicated on COC/containers for analyses requested Yes No* N/A
- Complete shipment received in good condition with correct temperatures, containers, labels, volumes preservatives and within method specified holding times Yes No*

* Complete Non-Conformance Receiving Sheet if checked Cooler/Sample Review - Initials and date: DM 12-6-19

Comments:


ANALYTICAL REPORT

Eurofins TestAmerica, Irvine
17461 Derian Ave
Suite 100
Irvine, CA 92614-5817
Tel: (949)261-1022

Laboratory Job ID: 440-257050-1
Client Project/Site: T194201

For:
SunStar Laboratories Inc
25712 Commercentre Drive
Lake Forest, California 92630

Attn: Jeff Lee



Authorized for release by:
12/20/2019 11:27:20 AM

Danielle Roberts, Senior Project Manager
(949)260-3249
danielle.roberts@testamericainc.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:
www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Sample Summary	3
Case Narrative	4
Detection Summary	5
Client Sample Results	6
Surrogate Summary	7
Method Summary	8
Lab Chronicle	9
QC Sample Results	10
QC Association Summary	11
Definitions/Glossary	12
Certification Summary	13
Chain of Custody	14
Receipt Checklists	15



Sample Summary

Client: SunStar Laboratories Inc
Project/Site: T194201

Job ID: 440-257050-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
440-257050-1	T194201-01	Water	12/05/19 12:20	12/11/19 12:57	
440-257050-2	T194201-02	Water	12/05/19 12:10	12/11/19 12:57	

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

Case Narrative

Client: SunStar Laboratories Inc
Project/Site: T194201

Job ID: 440-257050-1

Job ID: 440-257050-1

Laboratory: Eurofins TestAmerica, Irvine

Narrative

**Job Narrative
440-257050-1**

Comments

No additional comments.

Receipt

The samples were received on 12/11/2019 12:57 PM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 4.1° C.

Receipt Exceptions

The Field Sampler was not listed on the Chain of Custody.

GC Semi VOA

Method 8015B: The RPD of the 8015-DRO laboratory control sample (LCS) and laboratory control sample duplicate (LCSD) for batch preparation batch 440-585419 and analytical batch 440-585505 recovered outside control limits for the following analytes: 1,1 Biphenyl. Laboratory control sample / laboratory control sample duplicate (LCS/LCSD) percent recovery is in control for affected analytes.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Organic Prep

Method 3510C: Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate (MS/MSD) associated with preparation batch 440-585419. Method 8015.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.



Detection Summary

Client: SunStar Laboratories Inc
Project/Site: T194201

Job ID: 440-257050-1

Client Sample ID: T194201-01

Lab Sample ID: 440-257050-1

No Detections.

Client Sample ID: T194201-02

Lab Sample ID: 440-257050-2

No Detections.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Irvine

Client Sample Results

Client: SunStar Laboratories Inc
Project/Site: T194201

Job ID: 440-257050-1

Client Sample ID: T194201-01

Lab Sample ID: 440-257050-1

Date Collected: 12/05/19 12:20

Matrix: Water

Date Received: 12/11/19 12:57

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene, 1,1'-oxybis-	ND		0.095	0.019	mg/L		12/12/19 05:54	12/12/19 21:32	1
1,1'-Biphenyl	ND	*	0.095	0.019	mg/L		12/12/19 05:54	12/12/19 21:32	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>n</i> -Octacosane	86		45 - 120				12/12/19 05:54	12/12/19 21:32	1

Client Sample ID: T194201-02

Lab Sample ID: 440-257050-2

Date Collected: 12/05/19 12:10

Matrix: Water

Date Received: 12/11/19 12:57

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene, 1,1'-oxybis-	ND		0.099	0.020	mg/L		12/12/19 05:54	12/12/19 20:45	1
1,1'-Biphenyl	ND	*	0.099	0.020	mg/L		12/12/19 05:54	12/12/19 20:45	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>n</i> -Octacosane	77		45 - 120				12/12/19 05:54	12/12/19 20:45	1

Surrogate Summary

Client: SunStar Laboratories Inc
Project/Site: T194201

Job ID: 440-257050-1

Method: 8015B - Diesel Range Organics (DRO) (GC)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	OTCN1 (45-120)
440-257050-1	T194201-01	86
440-257050-2	T194201-02	77
LCS 440-585419/4-A	Lab Control Sample	65
LCSD 440-585419/5-A	Lab Control Sample Dup	83
MB 440-585419/1-A	Method Blank	84

Surrogate Legend

OTCN = n-Octacosane

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Method Summary

Client: SunStar Laboratories Inc
Project/Site: T194201

Job ID: 440-257050-1

Method	Method Description	Protocol	Laboratory
8015B	Diesel Range Organics (DRO) (GC)	SW846	TAL IRV
3510C	Liquid-Liquid Extraction (Separatory Funnel)	SW846	TAL IRV

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL IRV = Eurofins TestAmerica, Irvine, 17461 Derian Ave, Suite 100, Irvine, CA 92614-5817, TEL (949)261-1022

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

Lab Chronicle

Client: SunStar Laboratories Inc
Project/Site: T194201

Job ID: 440-257050-1

Client Sample ID: T194201-01

Lab Sample ID: 440-257050-1

Date Collected: 12/05/19 12:20

Matrix: Water

Date Received: 12/11/19 12:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			1055 mL	1 mL	585419	12/12/19 05:54	L1H	TAL IRV
Total/NA	Analysis	8015B		1			585505	12/12/19 21:32	MPD	TAL IRV

Client Sample ID: T194201-02

Lab Sample ID: 440-257050-2

Date Collected: 12/05/19 12:10

Matrix: Water

Date Received: 12/11/19 12:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			1010 mL	1 mL	585419	12/12/19 05:54	L1H	TAL IRV
Total/NA	Analysis	8015B		1			585505	12/12/19 20:45	MPD	TAL IRV

Laboratory References:

TAL IRV = Eurofins TestAmerica, Irvine, 17461 Derian Ave, Suite 100, Irvine, CA 92614-5817, TEL (949)261-1022

QC Sample Results

Client: SunStar Laboratories Inc
Project/Site: T194201

Job ID: 440-257050-1

Method: 8015B - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 440-585419/1-A
Matrix: Water
Analysis Batch: 585505

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 585419

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene, 1,1'-oxybis-	ND		0.10	0.020	mg/L		12/12/19 05:54	12/12/19 15:18	1
1,1'-Biphenyl	ND		0.10	0.020	mg/L		12/12/19 05:54	12/12/19 15:18	1
MB MB									
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
<i>n</i> -Octacosane	84		45 - 120			12/12/19 05:54	12/12/19 15:18	1	

Lab Sample ID: LCS 440-585419/4-A
Matrix: Water
Analysis Batch: 586489

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 585419

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits		
Benzene, 1,1'-oxybis-	0.100	0.0784	J	mg/L		78	50 - 115		
1,1'-Biphenyl	0.100	0.0565	J	mg/L		57	50 - 115		
LCS LCS									
Surrogate	%Recovery	Qualifier	Limits						
<i>n</i> -Octacosane	65		45 - 120						

Lab Sample ID: LCSD 440-585419/5-A
Matrix: Water
Analysis Batch: 585505

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 585419

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Benzene, 1,1'-oxybis-	0.100	0.0861	J	mg/L		86	50 - 115	9	30
1,1'-Biphenyl	0.100	0.0802	J*	mg/L		80	50 - 115	35	30
LCSD LCSD									
Surrogate	%Recovery	Qualifier	Limits						
<i>n</i> -Octacosane	83		45 - 120						

QC Association Summary

Client: SunStar Laboratories Inc
Project/Site: T194201

Job ID: 440-257050-1

GC Semi VOA

Prep Batch: 585419

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
440-257050-1	T194201-01	Total/NA	Water	3510C	
440-257050-2	T194201-02	Total/NA	Water	3510C	
MB 440-585419/1-A	Method Blank	Total/NA	Water	3510C	
LCS 440-585419/4-A	Lab Control Sample	Total/NA	Water	3510C	
LCSD 440-585419/5-A	Lab Control Sample Dup	Total/NA	Water	3510C	

Analysis Batch: 585505

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
440-257050-1	T194201-01	Total/NA	Water	8015B	585419
440-257050-2	T194201-02	Total/NA	Water	8015B	585419
MB 440-585419/1-A	Method Blank	Total/NA	Water	8015B	585419
LCSD 440-585419/5-A	Lab Control Sample Dup	Total/NA	Water	8015B	585419

Analysis Batch: 586489

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCS 440-585419/4-A	Lab Control Sample	Total/NA	Water	8015B	585419

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Definitions/Glossary

Client: SunStar Laboratories Inc
Project/Site: T194201

Job ID: 440-257050-1

Qualifiers

GC Semi VOA

Qualifier	Qualifier Description
*	RPD of the LCS and LCSD exceeds the control limits
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Accreditation/Certification Summary

Client: SunStar Laboratories Inc
Project/Site: T194201

Job ID: 440-257050-1

Laboratory: Eurofins TestAmerica, Irvine

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
California	State Program	CA ELAP 2706	06-30-20

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
-----------------	-------------	--------	---------

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

SUBCONTRACT ORDER

SunStar Laboratories, Inc.

T194201

SENDING LABORATORY:

SunStar Laboratories, Inc.
 25712 Commercentre Drive
 Lake Forest, CA 92630
 Phone: (949) 297-5020
 Fax: (949) 297-5027
 Project Manager: Jeff Lee

RECEIVING LABORATORY:

TestAmerica (Irvine) Laboratories
 17461 Derian Ave, #100
 Irvine, CA 92614
 Phone : (949) 261-1022
 Fax: N/A

Analysis	Due	Expires	Laboratory ID	Comments
Sample ID: T194201-01	Water	Sampled: 12/05/19 12:20		
Misc Water Testing #1	12/18/19 15:00	06/02/20 12:20		8015M- Therminol
<i>Containers Supplied:</i>				
Sample ID: T194201-02	Water	Sampled: 12/05/19 12:10		
Misc Water Testing #1	12/18/19 15:00	06/02/20 12:10		8015M- Therminol
<i>Containers Supplied:</i>				

Jul 12/11/19



440-257050 Chain of Custody

Released By: David Berner Date: 12/11/2019 12:57
 Received By: [Signature] Date: 12/11/19 12:57

Released By: _____ Date: _____
 Received By: _____ Date: 12/11/19 12:57

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Login Sample Receipt Checklist

Client: SunStar Laboratories Inc

Job Number: 440-257050-1

Login Number: 257050

List Source: Eurofins TestAmerica, Irvine

List Number: 1

Creator: Lagunas, Jorge L

Question	Answer	Comment
Radioactivity wasn't checked or is <=/ background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	N/A	Not present
Sample custody seals, if present, are intact.	N/A	Not Present
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	False	Refer to Job Narrative for details.
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



WORK ORDER

T194201

Client: Northstar Environmental Remediation
Project: Genesis Solar LTUs & Ponds

Project Manager: Jeff Lee
Project Number: 196-004-05

Report To:

Northstar Environmental Remediation
 Arlin Brewster
 26225 Enterprise Court
 Lake Forest, CA 92630

Date Due: 12/13/19 17:00 (5 day TAT)

Received By: Dan Marteski

Date Received: 12/06/19 11:15

Logged In By: Dan Marteski

Date Logged In: 12/06/19 15:43

Samples Received at: **2.3°C**

Custody Seals No Received On Ice Yes
 Containers Intact Yes
 COC/Labels Agree Yes
 Preservation Confir Yes

Analysis	Due	TAT	Expires	Comments
T194201-01 NORTH POND [Water] Sampled 12/05/19 12:20 (GMT-08:00) Pacific Time (US &)				
1664	12/13/19 15:00	5	01/02/20 12:20	Oil & Grease
200.7	12/13/19 15:00	5	06/02/20 12:20	Dissolved - Ca,Cu,Na,K,Fe,Mg (Not Field Filtered)
200.8	12/13/19 15:00	5	06/02/20 12:20	Dissolved - Sb,As,Ba,Cd,Cr,Co,Pb,Ni,Se,Zn (Not Field Filtered)
300.0 - F, Cl, Br, SO4	12/13/19 15:00	5	01/02/20 12:20	Chloride, Sulfate only
7470/71 Hg	12/13/19 15:00	5	03/04/20 12:20	
Conductivity	12/13/19 15:00	5	01/02/20 12:20	
pH water 9040	12/11/19 15:00	3	12/06/19 12:20	
TDS-160.1	12/13/19 15:00	5	12/12/19 12:20	

T194201-02 SOUTH POND [Water] Sampled 12/05/19 12:10 (GMT-08:00) Pacific Time (US &)				
1664	12/13/19 15:00	5	01/02/20 12:10	Oil & Grease
200.7	12/13/19 15:00	5	06/02/20 12:10	Dissolved - Ca,Cu,Na,K,Fe,Mg (Not Field Filtered)
200.8	12/13/19 15:00	5	06/02/20 12:10	Dissolved - Sb,As,Ba,Cd,Cr,Co,Pb,Ni,Se,Zn (Not Field Filtered)
300.0 - F, Cl, Br, SO4	12/13/19 15:00	5	01/02/20 12:10	Chloride, Sulfate only
7470/71 Hg	12/13/19 15:00	5	03/04/20 12:10	
Conductivity	12/13/19 15:00	5	01/02/20 12:10	
pH water 9040	12/11/19 15:00	3	12/06/19 12:10	
TDS-160.1	12/13/19 15:00	5	12/12/19 12:10	

TestAmerica (Irvine) Laboratories

WORK ORDER

T194201

Client: Northstar Environmental Remediation	Project Manager: Jeff Lee
Project: Genesis Solar LTUs & Ponds	Project Number: 196-004-05

Analysis	Due	TAT	Expires	Comments
TestAmerica (Irvine) Laboratories				
T194201-01 NORTH POND [Water] Sampled 12/05/19 12:20 (GMT-08:00)				
Pacific Time (US &				
Misc Water Testing #1	12/13/19 15:00	5	06/02/20 12:20	8015M- Therminol
T194201-02 SOUTH POND [Water] Sampled 12/05/19 12:10 (GMT-08:00)				
Pacific Time (US &				
Misc Water Testing #1	12/13/19 15:00	5	06/02/20 12:10	8015M- Therminol



APPENDIX C

LABORATORY ANALYTICAL RESULTS

DETECTION MONITORING WELLS



25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

26 December 2019

Arlin Brewster
Northstar Environmental Remediation
26225 Enterprise Court
Lake Forest, CA 92630
RE: Genesis Solar Groundwater

Enclosed are the results of analyses for samples received by the laboratory on 12/06/19 11:15. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Jeff Lee
Project Manager

Northstar Environmental Remediation
26225 Enterprise Court
Lake Forest CA, 92630

Project: Genesis Solar Groundwater
Project Number: 196-004-06
Project Manager: Arlin Brewster

Reported:
12/26/19 08:20

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
23a	T194199-01	Water	12/05/19 10:00	12/06/19 11:15
OBS-1	T194199-02	Water	12/05/19 08:45	12/06/19 11:15
TW-1	T194199-03	Water	12/05/19 09:00	12/06/19 11:15
TW-2	T194199-04	Water	12/05/19 10:20	12/06/19 11:15
PW-0	T194199-05	Water	12/05/19 11:40	12/06/19 11:15
PW-2	T194199-06	Water	12/05/19 12:45	12/06/19 11:15
DM-1	T194199-07	Water	12/05/19 13:36	12/06/19 11:15
DM-2	T194199-08	Water	12/05/19 15:00	12/06/19 11:15
DM-3	T194199-09	Water	12/05/19 06:55	12/06/19 11:15
DUP	T194199-10	Water	12/06/19 00:00	12/06/19 11:15

Metals analysis for EPA 200.8 and 200.7 were filtered in the laboratory prior to analysis. The results are reported as dissolved metals. JL 12/17/19

SunStar Laboratories, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager

Northstar Environmental Remediation
26225 Enterprise Court
Lake Forest CA, 92630

Project: Genesis Solar Groundwater
Project Number: 196-004-06
Project Manager: Arlin Brewster

Reported:
12/26/19 08:20

DETECTIONS SUMMARY

Sample ID: 23a **Laboratory ID:** T194199-01

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
Barium	20	5.0		ug/l	200.8	FILT, R-07
Chromium	0.30	5.0		ug/l	200.8	FILT, R-07, J
Copper	3	5		ug/l	EPA 200.7	FILT, J
Selenium	1.4	5.0		ug/l	200.8	FILT, R-07, J
Zinc	480	5.0		ug/l	200.8	FILT, R-07
Calcium	22000	2500		ug/l	EPA 200.7	FILT
Potassium	410	100		ug/l	EPA 200.7	FILT
Magnesium	500	100		ug/l	EPA 200.7	FILT
Sodium	570000	2500		ug/l	EPA 200.7	FILT, RE-01
pH	8.3	0.10		pH Units	SM4500	O-09
Total Dissolved Solids	1400	55		mg/l	TDS by SM2540C	
Specific Conductance (EC)	2570	10.0		umhos/cm	SM2510b mod.	
Chloride	667	500		mg/l	EPA 300.0	
Sulfate as SO4	492	500		mg/l	EPA 300.0	R-01, J

Sample ID: OBS-1 **Laboratory ID:** T194199-02

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
Barium	15	5.0		ug/l	200.8	FILT, R-07
Chromium	0.10	5.0		ug/l	200.8	FILT, R-07, J
Copper	6	5		ug/l	EPA 200.7	FILT
Selenium	60	5.0		ug/l	200.8	FILT, R-07
Zinc	48	5.0		ug/l	200.8	FILT, R-07
Calcium	330000	40000		ug/l	EPA 200.7	FILT, RE-01
Potassium	34000	100		ug/l	EPA 200.7	FILT
Magnesium	93000	100		ug/l	EPA 200.7	FILT
Total Dissolved Solids	15000	55		mg/l	TDS by SM2540C	
pH	7.7	0.10		pH Units	SM4500	O-09
Specific Conductance (EC)	23900	10.0		umhos/cm	SM2510b mod.	
Chloride	9710	5000		mg/l	EPA 300.0	
Sulfate as SO4	8020	5000		mg/l	EPA 300.0	
Nitrate as NO3	9.79	0.500		mg/l	EPA 300.0	

SunStar Laboratories, Inc.



Jeff Lee, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Northstar Environmental Remediation
 26225 Enterprise Court
 Lake Forest CA, 92630

Project: Genesis Solar Groundwater
 Project Number: 196-004-06
 Project Manager: Arlin Brewster

Reported:
 12/26/19 08:20

Sample ID: OBS-1

Laboratory ID: T194199-02RE1

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
Sodium	6700000	30000		ug/l	EPA 200.7	FILT, RE-01

Sample ID: TW-1

Laboratory ID: T194199-03

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
Barium	12	5.0		ug/l	200.8	FILT, R-07
Chromium	0.30	5.0		ug/l	200.8	FILT, R-07, J
Copper	7	5		ug/l	EPA 200.7	FILT
Zinc	47	5.0		ug/l	200.8	FILT, R-07
Calcium	77000	7500		ug/l	EPA 200.7	FILT, RE-01
Iron	25	200		ug/l	EPA 200.7	J, FILT
Potassium	24000	100		ug/l	EPA 200.7	FILT
Magnesium	6000	100		ug/l	EPA 200.7	FILT
Total Dissolved Solids	7900	55		mg/l	TDS by SM2540C	
pH	9.7	0.10		pH Units	SM4500	O-09
Specific Conductance (EC)	14100	10.0		umhos/cm	SM2510b mod.	
Chloride	7300	500		mg/l	EPA 300.0	
Sulfate as SO4	2490	500		mg/l	EPA 300.0	

Sample ID: TW-1

Laboratory ID: T194199-03RE1

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
Sodium	5100000	30000		ug/l	EPA 200.7	FILT, RE-01

Sample ID: TW-2

Laboratory ID: T194199-04

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
Barium	46	5.0		ug/l	200.8	FILT, R-07
Chromium	0.20	5.0		ug/l	200.8	J, FILT, R-07
Copper	4	5		ug/l	EPA 200.7	J, FILT
Zinc	46	5.0		ug/l	200.8	FILT, R-07
Calcium	91000	10000		ug/l	EPA 200.7	FILT, RE-01
Iron	95	200		ug/l	EPA 200.7	J, FILT
Potassium	24000	100		ug/l	EPA 200.7	FILT

SunStar Laboratories, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager

Northstar Environmental Remediation
26225 Enterprise Court
Lake Forest CA, 92630

Project: Genesis Solar Groundwater
Project Number: 196-004-06
Project Manager: Arlin Brewster

Reported:
12/26/19 08:20

Sample ID: TW-2

Laboratory ID: T194199-04

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
Magnesium	650	100		ug/l	EPA 200.7	FILT
Total Dissolved Solids	3100	55		mg/l	TDS by SM2540C	
pH	9.4	0.10		pH Units	SM4500	O-09
Specific Conductance (EC)	5580	10.0		umhos/cm	SM2510b mod.	
Chloride	2750	500		mg/l	EPA 300.0	
Sulfate as SO4	686	500		mg/l	EPA 300.0	

Sample ID: TW-2

Laboratory ID: T194199-04RE1

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
Sodium	1200000	8000		ug/l	EPA 200.7	FILT, RE-01

Sample ID: PW-0

Laboratory ID: T194199-05

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
Arsenic	42	5.0		ug/l	200.8	FILT, R-07
Barium	60	5.0		ug/l	200.8	FILT, R-07
Chromium	0.20	5.0		ug/l	200.8	J, FILT, R-07
Copper	4	5		ug/l	EPA 200.7	J, FILT
Zinc	51	5.0		ug/l	200.8	FILT, R-07
Calcium	120000	12000		ug/l	EPA 200.7	FILT, RE-01
Iron	120	200		ug/l	EPA 200.7	J, FILT
Magnesium	1800	100		ug/l	EPA 200.7	FILT
Potassium	26000	100		ug/l	EPA 200.7	FILT
pH	8.2	0.10		pH Units	SM4500	O-09
Total Dissolved Solids	3400	55		mg/l	TDS by SM2540C	
Specific Conductance (EC)	6290	10.0		umhos/cm	SM2510b mod.	
Fluoride	12.5	0.500		mg/l	EPA 300.0	
Chloride	3220	500		mg/l	EPA 300.0	
Sulfate as SO4	944	500		mg/l	EPA 300.0	

Sample ID: PW-0

Laboratory ID: T194199-05RE1

Analyte	Result	Reporting		Units	Method	Notes
		Limit				

SunStar Laboratories, Inc.



Jeff Lee, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Northstar Environmental Remediation
26225 Enterprise Court
Lake Forest CA, 92630

Project: Genesis Solar Groundwater
Project Number: 196-004-06
Project Manager: Arlin Brewster

Reported:
12/26/19 08:20

Sample ID: PW-0

Laboratory ID: T194199-05RE1

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
Sodium	1300000	10000		ug/l	EPA 200.7	FILT, RE-01

Sample ID: PW-2

Laboratory ID: T194199-06

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
Arsenic	25	5.0		ug/l	200.8	FILT, R-07
Barium	43	5.0		ug/l	200.8	FILT, R-07
Chromium	1.2	5.0		ug/l	200.8	J, FILT, R-07
Copper	3	5		ug/l	EPA 200.7	J, FILT
Zinc	50	5.0		ug/l	200.8	FILT, R-07
Calcium	52000	5000		ug/l	EPA 200.7	FILT, RE-01
Iron	39	200		ug/l	EPA 200.7	J, FILT
Magnesium	4700	100		ug/l	EPA 200.7	FILT
Potassium	6500	100		ug/l	EPA 200.7	FILT
Total Dissolved Solids	2100	55		mg/l	TDS by SM2540C	
pH	8.1	0.10		pH Units	SM4500	O-09
Specific Conductance (EC)	3610	10.0		umhos/cm	SM2510b mod.	
Fluoride	13.3	0.500		mg/l	EPA 300.0	
Chloride	1300	500		mg/l	EPA 300.0	
Sulfate as SO4	515	500		mg/l	EPA 300.0	

Sample ID: PW-2

Laboratory ID: T194199-06RE1

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
Sodium	800000	5000		ug/l	EPA 200.7	FILT, RE-01

Sample ID: DM-1

Laboratory ID: T194199-07

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
Arsenic	0.80	5.0		ug/l	200.8	J, FILT, R-07
Barium	32	5.0		ug/l	200.8	R-07, FILT
Chromium	2.1	5.0		ug/l	200.8	FILT, R-07, J
Copper	4	5		ug/l	EPA 200.7	J, FILT
Selenium	0.80	5.0		ug/l	200.8	J, FILT, R-07

SunStar Laboratories, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager

Northstar Environmental Remediation
 26225 Enterprise Court
 Lake Forest CA, 92630

Project: Genesis Solar Groundwater
 Project Number: 196-004-06
 Project Manager: Arlin Brewster

Reported:
 12/26/19 08:20

Sample ID: DM-1 **Laboratory ID:** T194199-07

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
Zinc	47	5.0		ug/l	200.8	FILT, R-07
Calcium	250000	30000		ug/l	EPA 200.7	FILT, RE-01
Magnesium	67000	100		ug/l	EPA 200.7	FILT
Potassium	32000	100		ug/l	EPA 200.7	FILT
Total Dissolved Solids	11000	55		mg/l	TDS by SM2540C	
pH	7.7	0.10		pH Units	SM4500	O-09
Specific Conductance (EC)	17600	10.0		umhos/cm	SM2510b mod.	
Chloride	7460	5000		mg/l	EPA 300.0	
Sulfate as SO4	2150	5000		mg/l	EPA 300.0	J, R-01
Nitrate as NO3	16.3	0.500		mg/l	EPA 300.0	

Sample ID: DM-1 **Laboratory ID:** T194199-07RE1

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
Sodium	4200000	20000		ug/l	EPA 200.7	FILT, RE-01

Sample ID: DM-2 **Laboratory ID:** T194199-08

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
Barium	50	5.0		ug/l	200.8	FILT, R-07
Chromium	2.9	5.0		ug/l	200.8	J, FILT, R-07
Copper	7	5		ug/l	EPA 200.7	FILT
Selenium	3.2	5.0		ug/l	200.8	J, FILT, R-07
Zinc	76	5.0		ug/l	200.8	FILT, R-07
Calcium	310000	30000		ug/l	EPA 200.7	FILT, RE-01
Potassium	30000	100		ug/l	EPA 200.7	FILT
Magnesium	65000	100		ug/l	EPA 200.7	FILT
Total Dissolved Solids	10000	55		mg/l	TDS by SM2540C	
pH	7.6	0.10		pH Units	SM4500	O-09
Specific Conductance (EC)	17000	10.0		umhos/cm	SM2510b mod.	
Chloride	7680	5000		mg/l	EPA 300.0	
Sulfate as SO4	2330	5000		mg/l	EPA 300.0	J, R-01
Nitrate as NO3	21.2	0.500		mg/l	EPA 300.0	

SunStar Laboratories, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager

Northstar Environmental Remediation
 26225 Enterprise Court
 Lake Forest CA, 92630

Project: Genesis Solar Groundwater
 Project Number: 196-004-06
 Project Manager: Arlin Brewster

Reported:
 12/26/19 08:20

Sample ID: DM-2

Laboratory ID: T194199-08RE1

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
Sodium	4400000	20000		ug/l	EPA 200.7	FILT, RE-01

Sample ID: DM-3

Laboratory ID: T194199-09

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
Arsenic	11	5.0		ug/l	200.8	FILT, R-07
Barium	18	5.0		ug/l	200.8	FILT, R-07
Chromium	0.90	5.0		ug/l	200.8	J, FILT, R-07
Copper	6	5		ug/l	EPA 200.7	FILT
Selenium	0.40	5.0		ug/l	200.8	J, FILT, R-07
Zinc	51	5.0		ug/l	200.8	FILT, R-07
Calcium	240000	30000		ug/l	EPA 200.7	FILT, RE-01
Potassium	31000	100		ug/l	EPA 200.7	FILT
Magnesium	58000	100		ug/l	EPA 200.7	FILT
pH	7.7	0.10		pH Units	SM4500	O-09
Total Dissolved Solids	11000	55		mg/l	TDS by SM2540C	
Specific Conductance (EC)	17800	10.0		umhos/cm	SM2510b mod.	
Chloride	9760	500		mg/l	EPA 300.0	
Sulfate as SO4	4350	500		mg/l	EPA 300.0	
Nitrate as NO3	3.52	0.500		mg/l	EPA 300.0	

Sample ID: DM-3

Laboratory ID: T194199-09RE1

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
Sodium	4100000	20000		ug/l	EPA 200.7	RE-01, FILT

Sample ID: DUP

Laboratory ID: T194199-10

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
Arsenic	26	5.0		ug/l	200.8	FILT, R-07
Barium	42	5.0		ug/l	200.8	FILT, R-07
Chromium	0.30	5.0		ug/l	200.8	J, FILT, R-07
Copper	2	5		ug/l	EPA 200.7	J, FILT
Zinc	46	5.0		ug/l	200.8	FILT, R-07

SunStar Laboratories, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager

Northstar Environmental Remediation
26225 Enterprise Court
Lake Forest CA, 92630

Project: Genesis Solar Groundwater
Project Number: 196-004-06
Project Manager: Arlin Brewster

Reported:
12/26/19 08:20

Sample ID: DUP

Laboratory ID: T194199-10

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
Calcium	52000	5000		ug/l	EPA 200.7	FILT, RE-01
Iron	150	200		ug/l	EPA 200.7	J, FILT
Magnesium	4500	100		ug/l	EPA 200.7	FILT
Potassium	7900	100		ug/l	EPA 200.7	FILT
pH	8.1	0.10		pH Units	SM4500	O-09
Total Dissolved Solids	1600	55		mg/l	TDS by SM2540C	
Specific Conductance (EC)	3600	10.0		umhos/cm	SM2510b mod.	
Chloride	1370	500		mg/l	EPA 300.0	
Sulfate as SO4	584	500		mg/l	EPA 300.0	

Sample ID: DUP

Laboratory ID: T194199-10RE1

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
Sodium	820000	5000		ug/l	EPA 200.7	FILT, RE-01

SunStar Laboratories, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager

Northstar Environmental Remediation
 26225 Enterprise Court
 Lake Forest CA, 92630

Project: Genesis Solar Groundwater
 Project Number: 196-004-06
 Project Manager: Arlin Brewster

Reported:
 12/26/19 08:20

23a

T194199-01 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 200 Series Methods

Copper	3	5	ug/l	1	9120919	12/09/19	12/16/19	EPA 200.7	FILT, J
Calcium	22000	2500	"	25	"	"	12/16/19	"	FILT
Iron	ND	200	"	1	"	"	"	"	FILT
Magnesium	500	100	"	"	"	"	"	"	FILT
Potassium	410	100	"	"	"	"	"	"	FILT
Sodium	570000	2500	"	25	"	"	12/16/19	"	FILT, RE-01
Antimony	ND	5.0	"	10	9120930	12/09/19	12/12/19	200.8	FILT, R-07
Arsenic	ND	5.0	"	"	"	"	"	"	FILT, R-07
Barium	20	5.0	"	"	"	"	"	"	FILT, R-07
Cadmium	ND	5.0	"	"	"	"	"	"	FILT, R-07
Chromium	0.30	5.0	"	"	"	"	"	"	FILT, R-07, J
Cobalt	ND	5.0	"	"	"	"	"	"	FILT, R-07
Lead	ND	5.0	"	"	"	"	"	"	FILT, R-07
Nickel	ND	5.0	"	"	"	"	"	"	FILT, R-07
Selenium	1.4	5.0	"	"	"	"	"	"	FILT, R-07, J
Zinc	480	5.0	"	"	"	"	"	"	FILT, R-07

Cold Vapor Extraction EPA 7470/7471

Mercury	ND	0.50	ug/l	1	9120929	12/09/19	12/11/19	EPA 7470A Water	
---------	----	------	------	---	---------	----------	----------	--------------------	--

Conventional Chemistry Parameters by APHA/EPA/ASTM Methods

Oil & Grease	ND	5.00	mg/l	1	9120617	12/06/19	12/11/19	EPA 1664B	
Specific Conductance (EC)	2570	10.0	umhos/cm	"	9120636	12/06/19	12/06/19	SM2510b mod.	
pH	8.3	0.10	pH Units	"	9120635	12/06/19	12/06/19	SM4500	O-09
Total Dissolved Solids	1400	55	mg/l	"	9120914	12/09/19	12/09/19	TDS by SM2540C	

SunStar Laboratories, Inc.



Jeff Lee, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Northstar Environmental Remediation 26225 Enterprise Court Lake Forest CA, 92630	Project: Genesis Solar Groundwater Project Number: 196-004-06 Project Manager: Arlin Brewster	Reported: 12/26/19 08:20
--	---	-----------------------------

23a
T194199-01 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Anions by EPA Method 300.0

Chloride	667	500	mg/l	100	9120634	12/06/19	12/10/19	EPA 300.0	
Sulfate as SO4	492	500	"	"	"	"	"	"	R-01, J
Nitrate as NO3	ND	0.500	"	1	"	"	12/06/19	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager

Northstar Environmental Remediation
26225 Enterprise Court
Lake Forest CA, 92630

Project: Genesis Solar Groundwater
Project Number: 196-004-06
Project Manager: Arlin Brewster

Reported:
12/26/19 08:20

OBS-1
T194199-02 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 200 Series Methods

Copper	6	5	ug/l	1	9120919	12/09/19	12/16/19	EPA 200.7	FILT
Calcium	330000	40000	"	400	"	"	12/13/19	"	FILT, RE-01
Iron	ND	200	"	1	"	"	12/16/19	"	FILT
Magnesium	93000	100	"	"	"	"	"	"	FILT
Potassium	34000	100	"	"	"	"	"	"	FILT
Antimony	ND	5.0	"	10	9120930	12/09/19	12/12/19	200.8	FILT, R-07
Arsenic	ND	5.0	"	"	"	"	"	"	FILT, R-07
Barium	15	5.0	"	"	"	"	"	"	FILT, R-07
Cadmium	ND	5.0	"	"	"	"	"	"	FILT, R-07
Chromium	0.10	5.0	"	"	"	"	"	"	FILT, R-07, J
Cobalt	ND	5.0	"	"	"	"	"	"	FILT, R-07
Lead	ND	5.0	"	"	"	"	"	"	FILT, R-07
Nickel	ND	5.0	"	"	"	"	"	"	FILT, R-07
Selenium	60	5.0	"	"	"	"	"	"	FILT, R-07
Zinc	48	5.0	"	"	"	"	"	"	FILT, R-07

Cold Vapor Extraction EPA 7470/7471

Mercury	ND	0.50	ug/l	1	9120929	12/09/19	12/11/19	EPA 7470A Water	
---------	----	------	------	---	---------	----------	----------	--------------------	--

Conventional Chemistry Parameters by APHA/EPA/ASTM Methods

Oil & Grease	ND	5.00	mg/l	1	9120617	12/06/19	12/11/19	EPA 1664B	
Specific Conductance (EC)	23900	10.0	umhos/cm	"	9120636	12/06/19	12/06/19	SM2510b mod.	
pH	7.7	0.10	pH Units	"	9120635	12/06/19	12/06/19	SM4500	O-09
Total Dissolved Solids	15000	55	mg/l	"	9120914	12/09/19	12/09/19	TDS by SM2540C	

SunStar Laboratories, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager

Northstar Environmental Remediation
26225 Enterprise Court
Lake Forest CA, 92630

Project: Genesis Solar Groundwater
Project Number: 196-004-06
Project Manager: Arlin Brewster

Reported:
12/26/19 08:20

OBS-1
T194199-02 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	--------------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Anions by EPA Method 300.0

Chloride	9710	5000	mg/l	1000	9120634	12/06/19	12/10/19	EPA 300.0	
Sulfate as SO4	8020	5000	"	"	"	"	"	"	
Nitrate as NO3	9.79	0.500	"	1	"	"	12/06/19	"	

SunStar Laboratories, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Northstar Environmental Remediation 26225 Enterprise Court Lake Forest CA, 92630	Project: Genesis Solar Groundwater Project Number: 196-004-06 Project Manager: Arlin Brewster	Reported: 12/26/19 08:20
--	---	------------------------------------

OBS-1
T194199-02RE1 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 200 Series Methods

Sodium	6700000	30000	ug/l	300	9121936	12/19/19	12/19/19	EPA 200.7	FILT, RE-01
---------------	----------------	-------	------	-----	---------	----------	----------	-----------	-------------

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager

Northstar Environmental Remediation
26225 Enterprise Court
Lake Forest CA, 92630

Project: Genesis Solar Groundwater
Project Number: 196-004-06
Project Manager: Arlin Brewster

Reported:
12/26/19 08:20

TW-1

T194199-03 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 200 Series Methods

Copper	7	5	ug/l	1	9120919	12/09/19	12/16/19	EPA 200.7	FILT
Calcium	77000	7500	"	75	"	"	12/12/19	"	FILT, RE-01
Iron	25	200	"	1	"	"	12/16/19	"	J, FILT
Magnesium	6000	100	"	"	"	"	"	"	FILT
Potassium	24000	100	"	"	"	"	"	"	FILT
Antimony	ND	5.0	"	10	9120930	12/09/19	12/12/19	200.8	FILT, R-07
Arsenic	ND	5.0	"	"	"	"	"	"	FILT, R-07
Barium	12	5.0	"	"	"	"	"	"	FILT, R-07
Cadmium	ND	5.0	"	"	"	"	"	"	FILT, R-07
Chromium	0.30	5.0	"	"	"	"	"	"	FILT, R-07, J
Cobalt	ND	5.0	"	"	"	"	"	"	FILT, R-07
Lead	ND	5.0	"	"	"	"	"	"	FILT, R-07
Nickel	ND	5.0	"	"	"	"	"	"	FILT, R-07
Selenium	ND	5.0	"	"	"	"	"	"	FILT, R-07
Zinc	47	5.0	"	"	"	"	"	"	FILT, R-07

Cold Vapor Extraction EPA 7470/7471

Mercury	ND	0.50	ug/l	1	9120929	12/09/19	12/11/19	EPA 7470A Water	
---------	----	------	------	---	---------	----------	----------	--------------------	--

Conventional Chemistry Parameters by APHA/EPA/ASTM Methods

Oil & Grease	ND	5.00	mg/l	1	9120617	12/06/19	12/11/19	EPA 1664B	
Specific Conductance (EC)	14100	10.0	umhos/cm	"	9120636	12/06/19	12/06/19	SM2510b mod.	
pH	9.7	0.10	pH Units	"	9120635	12/06/19	12/06/19	SM4500	O-09
Total Dissolved Solids	7900	55	mg/l	"	9120914	12/09/19	12/09/19	TDS by SM2540C	

SunStar Laboratories, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Northstar Environmental Remediation 26225 Enterprise Court Lake Forest CA, 92630	Project: Genesis Solar Groundwater Project Number: 196-004-06 Project Manager: Arlin Brewster	Reported: 12/26/19 08:20
--	---	-----------------------------

TW-1
T194199-03 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Anions by EPA Method 300.0

Chloride	7300	500	mg/l	100	9120634	12/06/19	12/10/19	EPA 300.0	
Sulfate as SO4	2490	500	"	"	"	"	"	"	
Nitrate as NO3	ND	0.500	"	1	"	"	12/06/19	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Northstar Environmental Remediation 26225 Enterprise Court Lake Forest CA, 92630	Project: Genesis Solar Groundwater Project Number: 196-004-06 Project Manager: Arlin Brewster	Reported: 12/26/19 08:20
--	---	------------------------------------

TW-1
T194199-03RE1 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 200 Series Methods

Sodium	5100000	30000	ug/l	300	9121936	12/19/19	12/19/19	EPA 200.7	FILT, RE-01
---------------	----------------	-------	------	-----	---------	----------	----------	-----------	-------------

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager

Northstar Environmental Remediation
26225 Enterprise Court
Lake Forest CA, 92630

Project: Genesis Solar Groundwater
Project Number: 196-004-06
Project Manager: Arlin Brewster

Reported:
12/26/19 08:20

TW-2

T194199-04 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 200 Series Methods

Copper	4	5	ug/l	1	9120919	12/09/19	12/16/19	EPA 200.7	J, FILT
Calcium	91000	10000	"	100	"	"	12/13/19	"	FILT, RE-01
Iron	95	200	"	1	"	"	12/16/19	"	J, FILT
Potassium	24000	100	"	"	"	"	"	"	FILT
Magnesium	650	100	"	"	"	"	"	"	FILT
Antimony	ND	5.0	"	10	9120930	12/09/19	12/12/19	200.8	FILT, R-07
Arsenic	ND	5.0	"	"	"	"	"	"	FILT, R-07
Barium	46	5.0	"	"	"	"	"	"	FILT, R-07
Cadmium	ND	5.0	"	"	"	"	"	"	FILT, R-07
Chromium	0.20	5.0	"	"	"	"	"	"	J, FILT, R-07
Cobalt	ND	5.0	"	"	"	"	"	"	FILT, R-07
Lead	ND	5.0	"	"	"	"	"	"	FILT, R-07
Nickel	ND	5.0	"	"	"	"	"	"	FILT, R-07
Selenium	ND	5.0	"	"	"	"	"	"	FILT, R-07
Zinc	46	5.0	"	"	"	"	"	"	FILT, R-07

Cold Vapor Extraction EPA 7470/7471

Mercury	ND	0.50	ug/l	1	9120929	12/09/19	12/11/19	EPA 7470A Water	
---------	----	------	------	---	---------	----------	----------	--------------------	--

Conventional Chemistry Parameters by APHA/EPA/ASTM Methods

Oil & Grease	ND	5.00	mg/l	1	9120617	12/06/19	12/11/19	EPA 1664B	
Specific Conductance (EC)	5580	10.0	umhos/cm	"	9120636	12/06/19	12/06/19	SM2510b mod.	
pH	9.4	0.10	pH Units	"	9120635	12/06/19	12/06/19	SM4500	O-09
Total Dissolved Solids	3100	55	mg/l	"	9120914	12/09/19	12/09/19	TDS by SM2540C	

SunStar Laboratories, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Northstar Environmental Remediation 26225 Enterprise Court Lake Forest CA, 92630	Project: Genesis Solar Groundwater Project Number: 196-004-06 Project Manager: Arlin Brewster	Reported: 12/26/19 08:20
--	---	-----------------------------

TW-2
T194199-04 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Anions by EPA Method 300.0

Chloride	2750	500	mg/l	100	9120634	12/06/19	12/10/19	EPA 300.0	
Sulfate as SO4	686	500	"	"	"	"	"	"	
Nitrate as NO3	ND	0.500	"	1	"	"	12/06/19	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Northstar Environmental Remediation 26225 Enterprise Court Lake Forest CA, 92630	Project: Genesis Solar Groundwater Project Number: 196-004-06 Project Manager: Arlin Brewster	Reported: 12/26/19 08:20
--	---	------------------------------------

TW-2
T194199-04RE1 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 200 Series Methods

Sodium	1200000	8000	ug/l	80	9121936	12/19/19	12/19/19	EPA 200.7	FILT, RE-01
---------------	----------------	------	------	----	---------	----------	----------	-----------	-------------

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager

Northstar Environmental Remediation
26225 Enterprise Court
Lake Forest CA, 92630

Project: Genesis Solar Groundwater
Project Number: 196-004-06
Project Manager: Arlin Brewster

Reported:
12/26/19 08:20

PW-0

T194199-05 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 200 Series Methods

Copper	4	5	ug/l	1	9120919	12/09/19	12/16/19	EPA 200.7	J, FILT
Calcium	120000	12000	"	120	"	"	12/12/19	"	FILT, RE-01
Iron	120	200	"	1	"	"	12/16/19	"	J, FILT
Magnesium	1800	100	"	"	"	"	"	"	FILT
Potassium	26000	100	"	"	"	"	"	"	FILT
Antimony	ND	5.0	"	10	9120930	12/09/19	12/12/19	200.8	FILT, R-07
Arsenic	42	5.0	"	"	"	"	"	"	FILT, R-07
Barium	60	5.0	"	"	"	"	"	"	FILT, R-07
Cadmium	ND	5.0	"	"	"	"	"	"	FILT, R-07
Chromium	0.20	5.0	"	"	"	"	"	"	J, FILT, R-07
Cobalt	ND	5.0	"	"	"	"	"	"	FILT, R-07
Lead	ND	5.0	"	"	"	"	"	"	FILT, R-07
Nickel	ND	5.0	"	"	"	"	"	"	FILT, R-07
Selenium	ND	5.0	"	"	"	"	"	"	FILT, R-07
Zinc	51	5.0	"	"	"	"	"	"	FILT, R-07

Cold Vapor Extraction EPA 7470/7471

Mercury	ND	0.50	ug/l	1	9120929	12/09/19	12/11/19	EPA 7470A Water	
---------	----	------	------	---	---------	----------	----------	--------------------	--

Conventional Chemistry Parameters by APHA/EPA/ASTM Methods

Oil & Grease	ND	5.00	mg/l	1	9120617	12/06/19	12/11/19	EPA 1664B	
Specific Conductance (EC)	6290	10.0	umhos/cm	"	9120636	12/06/19	12/06/19	SM2510b mod.	
pH	8.2	0.10	pH Units	"	9120635	12/06/19	12/06/19	SM4500	O-09
Total Dissolved Solids	3400	55	mg/l	"	9120914	12/09/19	12/09/19	TDS by SM2540C	

SunStar Laboratories, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Northstar Environmental Remediation 26225 Enterprise Court Lake Forest CA, 92630	Project: Genesis Solar Groundwater Project Number: 196-004-06 Project Manager: Arlin Brewster	Reported: 12/26/19 08:20
--	---	------------------------------------

PW-0
T194199-05 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Anions by EPA Method 300.0

Fluoride	12.5	0.500	mg/l	1	9120634	12/06/19	12/06/19	EPA 300.0	
Chloride	3220	500	"	100	"	"	12/10/19	"	
Sulfate as SO4	944	500	"	"	"	"	"	"	
Nitrate as NO3	ND	0.500	"	1	"	"	12/06/19	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Northstar Environmental Remediation 26225 Enterprise Court Lake Forest CA, 92630	Project: Genesis Solar Groundwater Project Number: 196-004-06 Project Manager: Arlin Brewster	Reported: 12/26/19 08:20
--	---	-----------------------------

PW-0
T194199-05RE1 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 200 Series Methods

Sodium	1300000	10000	ug/l	100	9121936	12/19/19	12/19/19	EPA 200.7	FILT, RE-01
---------------	----------------	-------	------	-----	---------	----------	----------	-----------	-------------

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager

Northstar Environmental Remediation
26225 Enterprise Court
Lake Forest CA, 92630

Project: Genesis Solar Groundwater
Project Number: 196-004-06
Project Manager: Arlin Brewster

Reported:
12/26/19 08:20

PW-2

T194199-06 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 200 Series Methods

Copper	3	5	ug/l	1	9120919	12/09/19	12/16/19	EPA 200.7	J, FILT
Calcium	52000	5000	"	50	"	"	12/11/19	"	FILT, RE-01
Iron	39	200	"	1	"	"	12/16/19	"	J, FILT
Magnesium	4700	100	"	"	"	"	"	"	FILT
Potassium	6500	100	"	"	"	"	"	"	FILT
Antimony	ND	5.0	"	10	9120930	12/09/19	12/12/19	200.8	R-07, FILT
Arsenic	25	5.0	"	"	"	"	"	"	FILT, R-07
Barium	43	5.0	"	"	"	"	"	"	FILT, R-07
Cadmium	ND	5.0	"	"	"	"	"	"	FILT, R-07
Chromium	1.2	5.0	"	"	"	"	"	"	J, FILT, R-07
Cobalt	ND	5.0	"	"	"	"	"	"	FILT, R-07
Lead	ND	5.0	"	"	"	"	"	"	FILT, R-07
Nickel	ND	5.0	"	"	"	"	"	"	R-07, FILT
Selenium	ND	5.0	"	"	"	"	"	"	FILT, R-07
Zinc	50	5.0	"	"	"	"	"	"	FILT, R-07

Cold Vapor Extraction EPA 7470/7471

Mercury	ND	0.50	ug/l	1	9120929	12/09/19	12/11/19	EPA 7470A Water	
---------	----	------	------	---	---------	----------	----------	--------------------	--

Conventional Chemistry Parameters by APHA/EPA/ASTM Methods

Oil & Grease	ND	5.00	mg/l	1	9120617	12/06/19	12/11/19	EPA 1664B	
Specific Conductance (EC)	3610	10.0	umhos/cm	"	9120636	12/06/19	12/06/19	SM2510b mod.	
pH	8.1	0.10	pH Units	"	9120635	12/06/19	12/06/19	SM4500	O-09
Total Dissolved Solids	2100	55	mg/l	"	9120914	12/09/19	12/09/19	TDS by SM2540C	

SunStar Laboratories, Inc.



Jeff Lee, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Northstar Environmental Remediation 26225 Enterprise Court Lake Forest CA, 92630	Project: Genesis Solar Groundwater Project Number: 196-004-06 Project Manager: Arlin Brewster	Reported: 12/26/19 08:20
--	---	------------------------------------

PW-2
T194199-06 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Anions by EPA Method 300.0

Fluoride	13.3	0.500	mg/l	1	9120634	12/06/19	12/07/19	EPA 300.0	
Chloride	1300	500	"	100	"	"	12/10/19	"	
Sulfate as SO4	515	500	"	"	"	"	"	"	
Nitrate as NO3	ND	0.500	"	1	"	"	12/07/19	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Northstar Environmental Remediation 26225 Enterprise Court Lake Forest CA, 92630	Project: Genesis Solar Groundwater Project Number: 196-004-06 Project Manager: Arlin Brewster	Reported: 12/26/19 08:20
--	---	------------------------------------

PW-2
T194199-06RE1 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 200 Series Methods

Sodium	800000	5000	ug/l	50	9121936	12/19/19	12/19/19	EPA 200.7	FILT, RE-01
---------------	---------------	------	------	----	---------	----------	----------	-----------	-------------

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager

Northstar Environmental Remediation
26225 Enterprise Court
Lake Forest CA, 92630

Project: Genesis Solar Groundwater
Project Number: 196-004-06
Project Manager: Arlin Brewster

Reported:
12/26/19 08:20

DM-1
T194199-07 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 200 Series Methods

Copper	4	5	ug/l	1	9120919	12/09/19	12/16/19	EPA 200.7	J, FILT
Calcium	250000	30000	"	300	"	"	12/13/19	"	FILT, RE-01
Iron	ND	200	"	1	"	"	12/16/19	"	FILT
Magnesium	67000	100	"	"	"	"	"	"	FILT
Potassium	32000	100	"	"	"	"	"	"	FILT
Antimony	ND	5.0	"	10	9120930	12/09/19	12/12/19	200.8	FILT, R-07
Arsenic	0.80	5.0	"	"	"	"	"	"	J, FILT, R-07
Barium	32	5.0	"	"	"	"	"	"	R-07, FILT
Cadmium	ND	5.0	"	"	"	"	"	"	FILT, R-07
Chromium	2.1	5.0	"	"	"	"	"	"	FILT, R-07, J
Cobalt	ND	5.0	"	"	"	"	"	"	FILT, R-07
Lead	ND	5.0	"	"	"	"	"	"	FILT, R-07
Nickel	ND	5.0	"	"	"	"	"	"	FILT, R-07
Selenium	0.80	5.0	"	"	"	"	"	"	J, FILT, R-07
Zinc	47	5.0	"	"	"	"	"	"	FILT, R-07

Cold Vapor Extraction EPA 7470/7471

Mercury	ND	0.50	ug/l	1	9120929	12/09/19	12/11/19	EPA 7470A Water	
---------	----	------	------	---	---------	----------	----------	--------------------	--

Conventional Chemistry Parameters by APHA/EPA/ASTM Methods

Oil & Grease	ND	5.00	mg/l	1	9120617	12/06/19	12/11/19	EPA 1664B	
Specific Conductance (EC)	17600	10.0	umhos/cm	"	9120636	12/06/19	12/06/19	SM2510b mod.	
pH	7.7	0.10	pH Units	"	9120635	12/06/19	12/06/19	SM4500	O-09
Total Dissolved Solids	11000	55	mg/l	"	9120914	12/09/19	12/09/19	TDS by SM2540C	

SunStar Laboratories, Inc.



Jeff Lee, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Northstar Environmental Remediation 26225 Enterprise Court Lake Forest CA, 92630	Project: Genesis Solar Groundwater Project Number: 196-004-06 Project Manager: Arlin Brewster	Reported: 12/26/19 08:20
--	---	------------------------------------

DM-1
T194199-07 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Anions by EPA Method 300.0

Chloride	7460	5000	mg/l	1000	9120634	12/06/19	12/10/19	EPA 300.0	
Sulfate as SO4	2150	5000	"	"	"	"	"	"	J, R-01
Nitrate as NO3	16.3	0.500	"	1	"	"	12/07/19	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Northstar Environmental Remediation 26225 Enterprise Court Lake Forest CA, 92630	Project: Genesis Solar Groundwater Project Number: 196-004-06 Project Manager: Arlin Brewster	Reported: 12/26/19 08:20
--	---	------------------------------------

DM-1
T194199-07RE1 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 200 Series Methods

Sodium	4200000	20000	ug/l	200	9121936	12/19/19	12/19/19	EPA 200.7	FILT, RE-01
---------------	----------------	-------	------	-----	---------	----------	----------	-----------	-------------

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager

Northstar Environmental Remediation
26225 Enterprise Court
Lake Forest CA, 92630

Project: Genesis Solar Groundwater
Project Number: 196-004-06
Project Manager: Arlin Brewster

Reported:
12/26/19 08:20

DM-2
T194199-08 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 200 Series Methods

Copper	7	5	ug/l	1	9120919	12/09/19	12/16/19	EPA 200.7	FILT
Calcium	310000	30000	"	300	"	"	12/13/19	"	FILT, RE-01
Iron	ND	200	"	1	"	"	12/16/19	"	FILT
Magnesium	65000	100	"	"	"	"	"	"	FILT
Potassium	30000	100	"	"	"	"	"	"	FILT
Antimony	ND	5.0	"	10	9120930	12/09/19	12/12/19	200.8	FILT, R-07
Arsenic	ND	5.0	"	"	"	"	"	"	FILT, R-07
Barium	50	5.0	"	"	"	"	"	"	FILT, R-07
Cadmium	ND	5.0	"	"	"	"	"	"	FILT, R-07
Chromium	2.9	5.0	"	"	"	"	"	"	J, FILT, R-07
Cobalt	ND	5.0	"	"	"	"	"	"	FILT, R-07
Lead	ND	5.0	"	"	"	"	"	"	FILT, R-07
Nickel	ND	5.0	"	"	"	"	"	"	R-07, FILT
Selenium	3.2	5.0	"	"	"	"	"	"	J, FILT, R-07
Zinc	76	5.0	"	"	"	"	"	"	FILT, R-07

Cold Vapor Extraction EPA 7470/7471

Mercury	ND	0.50	ug/l	1	9120929	12/09/19	12/11/19	EPA 7470A Water	
---------	----	------	------	---	---------	----------	----------	--------------------	--

Conventional Chemistry Parameters by APHA/EPA/ASTM Methods

Oil & Grease	ND	5.00	mg/l	1	9121028	12/06/19	12/12/19	EPA 1664B	
Specific Conductance (EC)	17000	10.0	umhos/cm	"	9120636	12/06/19	12/06/19	SM2510b mod.	
pH	7.6	0.10	pH Units	"	9120635	12/06/19	12/06/19	SM4500	O-09
Total Dissolved Solids	10000	55	mg/l	"	9120914	12/09/19	12/09/19	TDS by SM2540C	

SunStar Laboratories, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Northstar Environmental Remediation 26225 Enterprise Court Lake Forest CA, 92630	Project: Genesis Solar Groundwater Project Number: 196-004-06 Project Manager: Arlin Brewster	Reported: 12/26/19 08:20
--	---	-----------------------------

DM-2
T194199-08 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Anions by EPA Method 300.0

Chloride	7680	5000	mg/l	1000	9120634	12/06/19	12/10/19	EPA 300.0	
Sulfate as SO4	2330	5000	"	"	"	"	"	"	J, R-01
Nitrate as NO3	21.2	0.500	"	1	"	"	12/07/19	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Northstar Environmental Remediation 26225 Enterprise Court Lake Forest CA, 92630	Project: Genesis Solar Groundwater Project Number: 196-004-06 Project Manager: Arlin Brewster	Reported: 12/26/19 08:20
--	---	------------------------------------

DM-2
T194199-08RE1 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 200 Series Methods

Sodium	4400000	20000	ug/l	200	9121936	12/19/19	12/19/19	EPA 200.7	FILT, RE-01
---------------	----------------	-------	------	-----	---------	----------	----------	-----------	-------------

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager

Northstar Environmental Remediation
26225 Enterprise Court
Lake Forest CA, 92630

Project: Genesis Solar Groundwater
Project Number: 196-004-06
Project Manager: Arlin Brewster

Reported:
12/26/19 08:20

**DM-3
T194199-09 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 200 Series Methods

Copper	6	5	ug/l	1	9120919	12/09/19	12/16/19	EPA 200.7	FILT
Calcium	240000	30000	"	300	"	"	12/13/19	"	FILT, RE-01
Iron	ND	200	"	1	"	"	12/16/19	"	FILT
Magnesium	58000	100	"	"	"	"	"	"	FILT
Potassium	31000	100	"	"	"	"	"	"	FILT
Antimony	ND	5.0	"	10	9120930	12/09/19	12/12/19	200.8	FILT, R-07
Arsenic	11	5.0	"	"	"	"	"	"	FILT, R-07
Barium	18	5.0	"	"	"	"	"	"	FILT, R-07
Cadmium	ND	5.0	"	"	"	"	"	"	FILT, R-07
Chromium	0.90	5.0	"	"	"	"	"	"	J, FILT, R-07
Cobalt	ND	5.0	"	"	"	"	"	"	FILT, R-07
Lead	ND	5.0	"	"	"	"	"	"	FILT, R-07
Nickel	ND	5.0	"	"	"	"	"	"	FILT, R-07
Selenium	0.40	5.0	"	"	"	"	"	"	J, FILT, R-07
Zinc	51	5.0	"	"	"	"	"	"	FILT, R-07

Cold Vapor Extraction EPA 7470/7471

Mercury	ND	0.50	ug/l	1	9120929	12/09/19	12/11/19	EPA 7470A Water	
---------	----	------	------	---	---------	----------	----------	--------------------	--

Conventional Chemistry Parameters by APHA/EPA/ASTM Methods

Oil & Grease	ND	5.00	mg/l	1	9121028	12/06/19	12/12/19	EPA 1664B	
Specific Conductance (EC)	17800	10.0	umhos/cm	"	9120636	12/06/19	12/06/19	SM2510b mod.	
pH	7.7	0.10	pH Units	"	9120635	12/06/19	12/06/19	SM4500	O-09
Total Dissolved Solids	11000	55	mg/l	"	9120914	12/09/19	12/09/19	TDS by SM2540C	

SunStar Laboratories, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager

Northstar Environmental Remediation
26225 Enterprise Court
Lake Forest CA, 92630

Project: Genesis Solar Groundwater
Project Number: 196-004-06
Project Manager: Arlin Brewster

Reported:
12/26/19 08:20

**DM-3
T194199-09 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Anions by EPA Method 300.0

Chloride	9760	500	mg/l	100	9120634	12/06/19	12/10/19	EPA 300.0	
Sulfate as SO4	4350	500	"	"	"	"	"	"	
Nitrate as NO3	3.52	0.500	"	1	"	"	12/07/19	"	

SunStar Laboratories, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Northstar Environmental Remediation 26225 Enterprise Court Lake Forest CA, 92630	Project: Genesis Solar Groundwater Project Number: 196-004-06 Project Manager: Arlin Brewster	Reported: 12/26/19 08:20
--	---	------------------------------------

DM-3
T194199-09RE1 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 200 Series Methods

Sodium	410000	20000	ug/l	200	9121936	12/19/19	12/19/19	EPA 200.7	RE-01, FILT
---------------	---------------	-------	------	-----	---------	----------	----------	-----------	-------------

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager

Northstar Environmental Remediation
26225 Enterprise Court
Lake Forest CA, 92630

Project: Genesis Solar Groundwater
Project Number: 196-004-06
Project Manager: Arlin Brewster

Reported:
12/26/19 08:20

DUP

T194199-10 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 200 Series Methods

Copper	2	5	ug/l	1	9120919	12/09/19	12/10/19	EPA 200.7	J, FILT
Calcium	52000	5000	"	50	"	"	12/11/19	"	FILT, RE-01
Iron	150	200	"	1	"	"	12/16/19	"	J, FILT
Potassium	7900	100	"	"	"	"	"	"	FILT
Magnesium	4500	100	"	"	"	"	"	"	FILT
Antimony	ND	5.0	"	10	9120930	12/09/19	12/12/19	200.8	FILT, R-07
Arsenic	26	5.0	"	"	"	"	"	"	FILT, R-07
Barium	42	5.0	"	"	"	"	"	"	FILT, R-07
Cadmium	ND	5.0	"	"	"	"	"	"	FILT, R-07
Chromium	0.30	5.0	"	"	"	"	"	"	J, FILT, R-07
Cobalt	ND	5.0	"	"	"	"	"	"	FILT, R-07
Lead	ND	5.0	"	"	"	"	"	"	FILT, R-07
Nickel	ND	5.0	"	"	"	"	"	"	FILT, R-07
Selenium	ND	5.0	"	"	"	"	"	"	R-07, FILT
Zinc	46	5.0	"	"	"	"	"	"	FILT, R-07

Cold Vapor Extraction EPA 7470/7471

Mercury	ND	0.50	ug/l	1	9120929	12/09/19	12/11/19	EPA 7470A Water	
---------	----	------	------	---	---------	----------	----------	--------------------	--

Conventional Chemistry Parameters by APHA/EPA/ASTM Methods

Oil & Grease	ND	5.00	mg/l	1	9121028	12/06/19	12/12/19	EPA 1664B	
Specific Conductance (EC)	3600	10.0	umhos/cm	"	9120636	12/06/19	12/06/19	SM2510b mod.	
pH	8.1	0.10	pH Units	"	9120635	12/06/19	12/06/19	SM4500	O-09
Total Dissolved Solids	1600	55	mg/l	"	9120914	12/09/19	12/09/19	TDS by SM2540C	

SunStar Laboratories, Inc.



Jeff Lee, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Northstar Environmental Remediation 26225 Enterprise Court Lake Forest CA, 92630	Project: Genesis Solar Groundwater Project Number: 196-004-06 Project Manager: Arlin Brewster	Reported: 12/26/19 08:20
--	---	------------------------------------

DUP
T194199-10 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Anions by EPA Method 300.0

Chloride	1370	500	mg/l	100	9120634	12/06/19	12/10/19	EPA 300.0	
Sulfate as SO4	584	500	"	"	"	"	"	"	
Nitrate as NO3	ND	0.500	"	1	"	"	12/07/19	"	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Northstar Environmental Remediation 26225 Enterprise Court Lake Forest CA, 92630	Project: Genesis Solar Groundwater Project Number: 196-004-06 Project Manager: Arlin Brewster	Reported: 12/26/19 08:20
--	---	------------------------------------

DUP
T194199-10RE1 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 200 Series Methods

Sodium	820000	5000	ug/l	50	9121936	12/19/19	12/19/19	EPA 200.7	FILT, RE-01
---------------	---------------	------	------	----	---------	----------	----------	-----------	-------------

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Northstar Environmental Remediation 26225 Enterprise Court Lake Forest CA, 92630	Project: Genesis Solar Groundwater Project Number: 196-004-06 Project Manager: Arlin Brewster	Reported: 12/26/19 08:20
--	---	-----------------------------

Metals by EPA 200 Series Methods - Quality Control
SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9120919 - EPA 3010A

Blank (9120919-BLK1)										Prepared: 12/09/19 Analyzed: 12/16/19	
Antimony	9	5	ug/l							B-ND	
Arsenic	ND	5	"								
Barium	ND	5	"								
Beryllium	ND	5	"								
Cadmium	0.9	5	"							J	
Chromium	0.6	5	"							J	
Cobalt	ND	5	"								
Copper	ND	5	"								
Lead	5	5	"							B-ND	
Molybdenum	ND	5	"								
Nickel	3	5	"							J	
Silver	ND	30	"								
Selenium	5	30	"							J	
Thallium	ND	30	"								
Vanadium	1	30	"							J	
Zinc	6	30	"							J	
Aluminum	35	100	"							J	
Calcium	ND	100	"								
Iron	ND	200	"								
Magnesium	ND	100	"								
Potassium	ND	100	"								

LCS (9120919-BS1)										Prepared: 12/09/19 Analyzed: 12/17/19	
Arsenic	528	5	ug/l	500		106	85-115				
Barium	538	5	"	500		108	85-115				
Cadmium	541	5	"	500		108	85-115				
Chromium	536	5	"	500		107	85-115				
Cobalt	536	5	"	500		107	85-115				
Copper	538	5	"	500		108	85-115				
Lead	539	5	"	500		108	85-115				
Molybdenum	523	5	"	500		105	85-115				
Nickel	537	5	"	500		107	85-115				
Selenium	527	30	"	500		105	85-115				
Thallium	543	30	"	500		109	85-115				
Vanadium	532	30	"	500		106	85-115				
Zinc	541	30	"	500		108	85-115				

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager

Northstar Environmental Remediation
26225 Enterprise Court
Lake Forest CA, 92630

Project: Genesis Solar Groundwater
Project Number: 196-004-06
Project Manager: Arlin Brewster

Reported:
12/26/19 08:20

Metals by EPA 200 Series Methods - Quality Control

SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9120919 - EPA 3010A

LCS (9120919-BS1)

Prepared: 12/09/19 Analyzed: 12/16/19

Potassium	503	100	ug/l	500		101	85-115			
Magnesium	532	100	"	500		106	85-115			

Matrix Spike (9120919-MS1)

Source: T194199-01

Prepared: 12/09/19 Analyzed: 12/16/19

Arsenic	593	5	ug/l	500		119	70-130			QM-05
Barium	569	5	"	500		114	70-130			QM-05
Cadmium	575	5	"	500		115	70-130			QM-05
Chromium	547	5	"	500		109	70-130			QM-05
Cobalt	555	5	"	500		111	70-130			QM-05
Copper	588	5	"	500	3	117	70-130			
Lead	542	5	"	500		108	70-130			QM-05
Molybdenum	626	5	"	500		125	70-130			QM-05
Nickel	558	5	"	500		112	70-130			QM-05
Selenium	600	30	"	500		120	70-130			QM-05
Thallium	507	30	"	500		101	70-130			QM-05
Vanadium	583	30	"	500		117	70-130			QM-05
Zinc	1090	30	"	500		219	70-130			QM-05
Potassium	12200	100	"	500	409	NR	70-130			QM-05
Magnesium	942	100	"	500	500	88.5	70-130			

Matrix Spike Dup (9120919-MSD1)

Source: T194199-01

Prepared: 12/09/19 Analyzed: 12/16/19

Arsenic	568	5	ug/l	500		114	70-130	4.30	30	QM-05
Barium	559	5	"	500		112	70-130	1.76	30	QM-05
Cadmium	565	5	"	500		113	70-130	1.85	30	QM-05
Chromium	533	5	"	500		107	70-130	2.46	30	QM-05
Cobalt	540	5	"	500		108	70-130	2.71	30	QM-05
Copper	582	5	"	500	3	116	70-130	1.06	30	
Lead	527	5	"	500		105	70-130	2.77	30	QM-05
Molybdenum	612	5	"	500		122	70-130	2.20	30	QM-05
Nickel	549	5	"	500		110	70-130	1.70	30	QM-05
Selenium	578	30	"	500		116	70-130	3.67	30	QM-05
Thallium	486	30	"	500		97.2	70-130	4.22	30	QM-05
Vanadium	569	30	"	500		114	70-130	2.48	30	QM-05
Zinc	2070	30	"	500		414	70-130	61.6	30	QM-05
Potassium	12500	100	"	500	409	NR	70-130	2.26		QM-05
Magnesium	934	100	"	500	500	86.9	70-130	0.853		QM-05

SunStar Laboratories, Inc.



Jeff Lee, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Northstar Environmental Remediation
26225 Enterprise Court
Lake Forest CA, 92630

Project: Genesis Solar Groundwater
Project Number: 196-004-06
Project Manager: Arlin Brewster

Reported:
12/26/19 08:20

Metals by EPA 200 Series Methods - Quality Control

SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9120930 - EPA 3010A

Blank (9120930-BLK1)

Prepared: 12/09/19 Analyzed: 12/12/19

Antimony	ND	0.50	ug/l							
Arsenic	ND	0.50	"							
Barium	ND	0.50	"							
Cadmium	ND	0.50	"							
Chromium	0.0100	0.50	"							J
Cobalt	ND	0.50	"							
Lead	ND	0.50	"							
Nickel	ND	0.50	"							
Selenium	ND	0.50	"							
Zinc	0.110	0.50	"							J

LCS (9120930-BS1)

Prepared: 12/09/19 Analyzed: 12/12/19

Arsenic	55.8	0.50	ug/l	50.0		112	80-120			
Barium	58.8	0.50	"	50.0		118	80-120			
Cadmium	53.4	0.50	"	50.0		107	80-120			
Chromium	46.6	0.50	"	50.0		93.2	80-120			
Lead	53.8	0.50	"	50.0		108	80-120			

Matrix Spike (9120930-MS1)

Source: T194199-01

Prepared: 12/09/19 Analyzed: 12/12/19

Arsenic	45.0	5.0	ug/l	50.0	ND	90.0	75-125			R-07
Barium	66.9	5.0	"	50.0	19.9	94.0	75-125			QM-05, R-07
Cadmium	48.3	5.0	"	50.0	ND	96.6	75-125			R-07
Chromium	50.0	5.0	"	50.0	0.300	99.4	75-125			R-07
Lead	49.6	5.0	"	50.0	ND	99.2	75-125			R-07

Matrix Spike Dup (9120930-MSD1)

Source: T194199-01

Prepared: 12/09/19 Analyzed: 12/12/19

Arsenic	52.6	5.0	ug/l	50.0	ND	105	75-125	15.6	20	QM-05, R-07
Barium	76.8	5.0	"	50.0	19.9	114	75-125	13.8	20	QM-05, R-07
Cadmium	54.2	5.0	"	50.0	ND	108	75-125	11.5	20	QM-05, R-07
Chromium	55.8	5.0	"	50.0	0.300	111	75-125	11.0	20	QM-05, R-07
Lead	54.1	5.0	"	50.0	ND	108	75-125	8.68	20	QM-05, R-07

SunStar Laboratories, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager

Northstar Environmental Remediation 26225 Enterprise Court Lake Forest CA, 92630	Project: Genesis Solar Groundwater Project Number: 196-004-06 Project Manager: Arlin Brewster	Reported: 12/26/19 08:20
--	---	-----------------------------

Metals by EPA 200 Series Methods - Quality Control

SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9121936 - EPA 3010A

Blank (9121936-BLK1)										
										Prepared & Analyzed: 12/19/19
Sodium	64	100	ug/l							J
LCS (9121936-BS1)										
										Prepared & Analyzed: 12/19/19
Sodium	3200	100	ug/l	2500		128	70-130			
Matrix Spike (9121936-MS1)										
										Source: T194199-01RE1
										Prepared & Analyzed: 12/19/19
Sodium	573000	2500	ug/l	2500	574000	NR	70-130			QM-05, RE-01
Matrix Spike Dup (9121936-MSD1)										
										Source: T194199-01RE1
										Prepared & Analyzed: 12/19/19
Sodium	587000	2500	ug/l	2500	574000	518	70-130	2.42		QM-05, RE-01

SunStar Laboratories, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager

Northstar Environmental Remediation
26225 Enterprise Court
Lake Forest CA, 92630

Project: Genesis Solar Groundwater
Project Number: 196-004-06
Project Manager: Arlin Brewster

Reported:
12/26/19 08:20

Cold Vapor Extraction EPA 7470/7471 - Quality Control

SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9120929 - EPA 7470A Water

Blank (9120929-BLK1)

Prepared: 12/09/19 Analyzed: 12/11/19

Mercury	ND	0.50	ug/l							
---------	----	------	------	--	--	--	--	--	--	--

LCS (9120929-BS1)

Prepared: 12/09/19 Analyzed: 12/11/19

Mercury	5.05	0.50	ug/l	5.00		101	80-120			
---------	------	------	------	------	--	-----	--------	--	--	--

Matrix Spike (9120929-MS1)

Source: T194199-01

Prepared: 12/09/19 Analyzed: 12/11/19

Mercury	4.52	0.50	ug/l	5.00	0.0601	89.2	75-125			
---------	------	------	------	------	--------	------	--------	--	--	--

Matrix Spike Dup (9120929-MSD1)

Source: T194199-01

Prepared: 12/09/19 Analyzed: 12/11/19

Mercury	4.45	0.50	ug/l	5.00	0.0601	87.8	75-125	1.48	20	
---------	------	------	------	------	--------	------	--------	------	----	--

SunStar Laboratories, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager

Northstar Environmental Remediation 26225 Enterprise Court Lake Forest CA, 92630	Project: Genesis Solar Groundwater Project Number: 196-004-06 Project Manager: Arlin Brewster	Reported: 12/26/19 08:20
--	---	-----------------------------

Conventional Chemistry Parameters by APHA/EPA/ASTM Methods - Quality Control

SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9120617 - General Preparation

Blank (9120617-BLK1) Prepared: 12/06/19 Analyzed: 12/11/19

Oil & Grease	ND	5.00	mg/l							
--------------	----	------	------	--	--	--	--	--	--	--

LCS (9120617-BS1) Prepared: 12/06/19 Analyzed: 12/11/19

Oil & Grease	39.3	5.00	mg/l	40.0		98.2	83-101			
--------------	------	------	------	------	--	------	--------	--	--	--

LCS Dup (9120617-BSD1) Prepared: 12/06/19 Analyzed: 12/11/19

Oil & Grease	40.4	5.00	mg/l	40.0		101	83-101	2.76	11	
--------------	------	------	------	------	--	-----	--------	------	----	--

Batch 9120635 - General Preparation

Duplicate (9120635-DUP1) Source: T194199-01 Prepared & Analyzed: 12/06/19

pH	8.35	0.10	pH Units		8.32			0.360	20	O-09
----	------	------	----------	--	------	--	--	-------	----	------

Batch 9120636 - General Preparation

Duplicate (9120636-DUP1) Source: T194199-01 Prepared & Analyzed: 12/06/19

Specific Conductance (EC)	2580	10.0	umhos/cm		2570			0.388	15	
---------------------------	------	------	----------	--	------	--	--	-------	----	--

Batch 9120914 - General Preparation

Blank (9120914-BLK1) Prepared & Analyzed: 12/09/19

Total Dissolved Solids	ND	55	mg/l							
------------------------	----	----	------	--	--	--	--	--	--	--

LCS (9120914-BS1) Prepared & Analyzed: 12/09/19

Total Dissolved Solids	484	55	mg/l	500		96.8	80-120			
------------------------	-----	----	------	-----	--	------	--------	--	--	--

SunStar Laboratories, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager

Northstar Environmental Remediation 26225 Enterprise Court Lake Forest CA, 92630	Project: Genesis Solar Groundwater Project Number: 196-004-06 Project Manager: Arlin Brewster	Reported: 12/26/19 08:20
--	---	-----------------------------

Conventional Chemistry Parameters by APHA/EPA/ASTM Methods - Quality Control

SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9120914 - General Preparation

Duplicate (9120914-DUP1)	Source: T194199-01			Prepared & Analyzed: 12/09/19						
Total Dissolved Solids	1320	55	mg/l		1380			3.85	20	

Batch 9121028 - General Preparation

Blank (9121028-BLK1)	Prepared: 12/10/19 Analyzed: 12/12/19									
Oil & Grease	ND	5.00	mg/l							

LCS (9121028-BS1)	Prepared: 12/10/19 Analyzed: 12/12/19									
Oil & Grease	38.1	5.00	mg/l	40.0		95.2	83-101			

LCS Dup (9121028-BSD1)	Prepared: 12/10/19 Analyzed: 12/12/19									
Oil & Grease	37.3	5.00	mg/l	40.0		93.2	83-101	2.12	11	

SunStar Laboratories, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager

Northstar Environmental Remediation 26225 Enterprise Court Lake Forest CA, 92630	Project: Genesis Solar Groundwater Project Number: 196-004-06 Project Manager: Arlin Brewster	Reported: 12/26/19 08:20
--	---	-----------------------------

Anions by EPA Method 300.0 - Quality Control

SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9120634 - General Preparation

Blank (9120634-BLK1)

Prepared & Analyzed: 12/06/19

Chloride	ND	5.00	mg/l							
Sulfate as SO4	0.895	5.00	"							J
Nitrate as NO3	ND	0.500	"							

LCS (9120634-BS1)

Prepared & Analyzed: 12/06/19

Chloride	29.6	5.00	mg/l	25.0		118	75-125			
Sulfate as SO4	24.3	5.00	"	25.0		97.3	75-125			
Nitrate as NO3	24.0	0.500	"	25.0		96.2	75-125			

Matrix Spike (9120634-MS1)

Source: T194199-01

Prepared: 12/06/19 Analyzed: 12/10/19

Chloride	665	500	mg/l	25.0	667	NR	75-125			QM-01
Sulfate as SO4	503	500	"	25.0	492	45.2	75-125			QM-01
Nitrate as NO3	23.7	0.500	"	25.0	ND	94.8	75-125			

Matrix Spike Dup (9120634-MSD1)

Source: T194199-01

Prepared: 12/06/19 Analyzed: 12/10/19

Chloride	664	500	mg/l	25.0	667	NR	75-125	0.0150	20	QM-01
Sulfate as SO4	500	500	"	25.0	492	34.4	75-125	0.538	20	QM-01
Nitrate as NO3	23.8	0.500	"	25.0	ND	95.0	75-125	0.202	20	

SunStar Laboratories, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager

Northstar Environmental Remediation
26225 Enterprise Court
Lake Forest CA, 92630

Project: Genesis Solar Groundwater
Project Number: 196-004-06
Project Manager: Arlin Brewster

Reported:
12/26/19 08:20

Notes and Definitions

- RE-01 Sample contained analytes with concentrations above calibration limits and was rerun at a dilution.
- R-07 Reporting limit for this compound(s) has been raised to account for dilution necessary due to high levels of interfering compound(s) and/or matrix affect.
- R-01 The Reporting Limit has been raised to account for dilution necessary due to matrix interference.
- QM-05 The spike recovery was outside acceptance limits for the MS and/or MSD due to possible matrix interference. The LCS was within acceptance criteria. The data is acceptable as no negative impact on data is expected.
- QM-01 The % recovery is outside of established control limits due to matrix interference and/or sample dilution due to matrix effect. The batch was accepted based on acceptable LCS recovery.
- O-09 The sample was analyzed outside the EPA recommended holding time of 24 hours.
- J Detected but below the Standard Reporting Limit; therefore, result is an estimated concentration (CLP J-Flag).
- FILT The sample was filtered prior to analysis.
- B-ND The analyte is found in the method blank at a level greater than the reporting limit but the associated samples are ND. There is no impact on data.
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference

SunStar Laboratories, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager

Chain of Custody Record

SunStar Laboratories, Inc.
 25712 Commercentre Dr
 Lake Forest, CA 92630
 949-297-5020

Client: Northstar Environmental Remediation
 Address: 26225 Enterprise Court, Lake Forest, CA 92630
 Phone: 949-274-1719 Fax: _____
 Project Manager: Arlin Brewster

Date: 12/06/19 Page: 1 of 1
 Project Name: Genesis Solar Groundwater
 Collector: Arlin Brewster Client Project #: 196-004-06
 Batch #: 7194199 EDF #: T10000006093

Sample ID	Date Sampled	Time	Sample Type	Container Type	200.7 - Metals: Ca, Cu, Na, K, Fe, Mg (FIELD FILTERED)	200.8 - Metals: Sb, As, Ba, Cd, Cr, Co, Pb, Ni, Se, Zn (F.F.)	300.0 - Chloride, Nitrate, Sulfate	1664 - Oil and Grease	7470A - Mercury	9040 - pH	SM2510B - Conductivity, Specific	SM2540C - Total Dis. Solids	8015M - Therminol (Subcontract)	Deuterium, Oxygen-18 (Subcont.)	300.0 - Fluoride	Laboratory ID #	Comments/Preservative	Total # of containers
23a	12/05/19	1000	W	Various	X	X	X	X	X	X	X	X	X	X	01			7
OBS-1		0845	W	Various	X	X	X	X	X	X	X	X	X	X	02			7
TW-1		0900	W	Various	X	X	X	X	X	X	X	X	X	X	03			7
TW-2		1020	W	Various	X	X	X	X	X	X	X	X	X	X	04			7
PW-0		1140	W	Various	X	X	X	X	X	X	X	X	X	X	05			7
PW-2		1245	W	Various	X	X	X	X	X	X	X	X	X	X	06			7
DM-1		1336	W	Various	X	X	X	X	X	X	X	X	X	X	07			7
DM-2		1500	W	Various	X	X	X	X	X	X	X	X	X	X	08			7
DM-3	12/06/19	0655	W	Various	X	X	X	X	X	X	X	X	X	X	09			7
DUP		N/A	W	Various	X	X	X	X	X	X	X	X	X	X	10			7
Field Blank		N/A	W	Various														1
Trip Blank		N/A	W	Various														1
<p>Relinquished by: (signature) <u>[Signature]</u> Date / Time <u>12/06/19 1115</u> Received by: (signature) <u>[Signature]</u> Date / Time <u>12/06/19 11:15</u></p> <p>Relinquished by: (signature) <u>[Signature]</u> Date / Time _____ Received by: (signature) _____ Date / Time _____</p> <p>Relinquished by: (signature) _____ Date / Time _____ Received by: (signature) _____ Date / Time _____</p>																		

Handwritten: Dissolved (FIELD FILTERED) → Not field Filtered

Sample disposal Instructions: Disposal @ \$2.00 each
 Return to client _____ Pickup _____

Turn around time: **Standard**

Chain of Custody seals Y/N/NA
 Seals intact? Y/N/NA
 Received good condition/cold

72
 4110
 370
 290

Notes

** Deuterium & Oxygen-18 subcontract has 10 day TAT

Reporting limits must match previous reports

SAMPLE RECEIVING REVIEW SHEET

Batch/Work Order #: T194199

Client Name: Northstar Environmental Remediation Project: Genesis Solar Groundwater

Delivered by: Client SunStar Courier GSO FedEx Other

If Courier, Received by: _____ Date/Time Courier Received: _____

Lab Received by: Sunny Date/Time Lab Received: 12-6-19 11:15

Total number of coolers received: 3 Thermometer ID: SC-1 Calibration due : 6/27/20

Temperature:	Cooler #1	1.7	°C +/- the CF (+ 1.2°C) =	2.9	°C corrected temperature
Temperature:	Cooler #2	2.5	°C +/- the CF (+ 1.2°C) =	3.7	°C corrected temperature
Temperature:	Cooler #3	2.9	°C +/- the CF (+ 1.2°C) =	4.1	°C corrected temperature
Temperature criteria = ≤ 6°C (no frozen containers)			Within criteria?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
If NO:					
Samples received on ice?			<input type="checkbox"/> Yes	<input type="checkbox"/> No → Complete Non-Conformance Sheet	
If on ice, samples received same day collected?			<input type="checkbox"/> Yes → Acceptable	<input type="checkbox"/> No → Complete Non-Conformance Sheet	

Custody seals intact on cooler/sample Yes No* N/A

Sample containers intact Yes No*

Sample labels match Chain of Custody IDs Yes No*

Total number of containers received match COC Yes No*

Proper containers received for analyses requested on COC Yes No*

Proper preservative indicated on COC/containers for analyses requested Yes No* N/A

Complete shipment received in good condition with correct temperatures, containers, labels, volumes preservatives and within method specified holding times Yes No*

* Complete Non-Conformance Receiving Sheet if checked Cooler/Sample Review - Initials and date: DM 12-6-19

Comments:

Lab #: 744855 Job #: 43654 IS-101168 Co. Job#:
Sample Name: T194199-1 Co. Lab#:
Company: SunStar Laboratories, Inc
API/Well:
Container: 250ml Plastic Bottle
Field/Site Name: T194199
Location:
Formation/Depth:
Sampling Point:
Date Sampled: 12/05/2019 10:00 Date Received: 12/12/2019 Date Reported: 12/19/2019

δD of water ----- -75.5 ‰ relative to VSMOW

$\delta^{18}O$ of water ----- -10.24 ‰ relative to VSMOW

Tritium content of water ----- na

$\delta^{13}C$ of DIC ----- na

^{14}C content of DIC ----- na

$\delta^{15}N$ of nitrate ----- na

$\delta^{18}O$ of nitrate ----- na

$\delta^{34}S$ of sulfate ----- na

$\delta^{18}O$ of sulfate ----- na

Vacuum Distilled? * ----- No

Remarks:

nd = not detected. na = not analyzed.

*Indicates if vacuum distillation was utilized for hydrogen and oxygen isotopic analysis of water



Lab #: 744856 Job #: 43654 IS-101168 Co. Job#:
Sample Name: T194199-2 Co. Lab#:
Company: SunStar Laboratories, Inc
API/Well:
Container: 250ml Plastic Bottle
Field/Site Name: T194199
Location:
Formation/Depth:
Sampling Point:
Date Sampled: 12/05/2019 8:45 Date Received: 12/12/2019 Date Reported: 12/19/2019

δD of water ----- -59.5 ‰ relative to VSMOW

$\delta^{18}O$ of water ----- -6.56 ‰ relative to VSMOW

Tritium content of water ----- na

$\delta^{13}C$ of DIC ----- na

^{14}C content of DIC ----- na

$\delta^{15}N$ of nitrate ----- na

$\delta^{18}O$ of nitrate ----- na

$\delta^{34}S$ of sulfate ----- na

$\delta^{18}O$ of sulfate ----- na

Vacuum Distilled? * ----- No

Remarks:

nd = not detected. na = not analyzed.

*Indicates if vacuum distillation was utilized for hydrogen and oxygen isotopic analysis of water



Lab #: 744857 Job #: 43654 IS-101168 Co. Job#:
Sample Name: T194199-3 Co. Lab#:
Company: SunStar Laboratories, Inc
API/Well:
Container: 250ml Plastic Bottle
Field/Site Name: T194199
Location:
Formation/Depth:
Sampling Point:
Date Sampled: 12/05/2019 9:00 Date Received: 12/12/2019 Date Reported: 12/19/2019

δD of water ----- -61.3 ‰ relative to VSMOW

$\delta^{18}O$ of water ----- -7.64 ‰ relative to VSMOW

Tritium content of water ----- na

$\delta^{13}C$ of DIC ----- na

^{14}C content of DIC ----- na

$\delta^{15}N$ of nitrate ----- na

$\delta^{18}O$ of nitrate ----- na

$\delta^{34}S$ of sulfate ----- na

$\delta^{18}O$ of sulfate ----- na

Vacuum Distilled? * ----- No

Remarks:

nd = not detected. na = not analyzed.

*Indicates if vacuum distillation was utilized for hydrogen and oxygen isotopic analysis of water



Lab #: 744858 Job #: 43654 IS-101168 Co. Job#:
Sample Name: T194199-4 Co. Lab#:
Company: SunStar Laboratories, Inc
API/Well:
Container: 250ml Plastic Bottle
Field/Site Name: T194199
Location:
Formation/Depth:
Sampling Point:
Date Sampled: 12/05/2019 10:20 Date Received: 12/12/2019 Date Reported: 12/19/2019

δD of water ----- -74.6 ‰ relative to VSMOW

$\delta^{18}O$ of water ----- -9.87 ‰ relative to VSMOW

Tritium content of water ----- na

$\delta^{13}C$ of DIC ----- na

^{14}C content of DIC ----- na

$\delta^{15}N$ of nitrate ----- na

$\delta^{18}O$ of nitrate ----- na

$\delta^{34}S$ of sulfate ----- na

$\delta^{18}O$ of sulfate ----- na

Vacuum Distilled? * ----- No

Remarks:

nd = not detected. na = not analyzed.

*Indicates if vacuum distillation was utilized for hydrogen and oxygen isotopic analysis of water

Lab #: 744859 Job #: 43654 IS-101168 Co. Job#:
Sample Name: T194199-5 Co. Lab#:
Company: SunStar Laboratories, Inc
API/Well:
Container: 250ml Plastic Bottle
Field/Site Name: T194199
Location:
Formation/Depth:
Sampling Point:
Date Sampled: 12/05/2019 11:40 Date Received: 12/12/2019 Date Reported: 12/19/2019

δD of water ----- -75.7 ‰ relative to VSMOW

$\delta^{18}O$ of water ----- -9.90 ‰ relative to VSMOW

Tritium content of water ----- na

$\delta^{13}C$ of DIC ----- na

^{14}C content of DIC ----- na

$\delta^{15}N$ of nitrate ----- na

$\delta^{18}O$ of nitrate ----- na

$\delta^{34}S$ of sulfate ----- na

$\delta^{18}O$ of sulfate ----- na

Vacuum Distilled? * ----- No

Remarks:

nd = not detected. na = not analyzed.

*Indicates if vacuum distillation was utilized for hydrogen and oxygen isotopic analysis of water



Lab #: 744860 Job #: 43654 IS-101168 Co. Job#:
Sample Name: T194199-6 Co. Lab#:
Company: SunStar Laboratories, Inc
API/Well:
Container: 250ml Plastic Bottle
Field/Site Name: T194199
Location:
Formation/Depth:
Sampling Point:
Date Sampled: 12/05/2019 12:45 Date Received: 12/12/2019 Date Reported: 12/19/2019

δD of water	-----	-77.8 ‰ relative to VSMOW
δ ¹⁸ O of water	-----	-10.22 ‰ relative to VSMOW
Tritium content of water	-----	na
δ ¹³ C of DIC	-----	na
¹⁴ C content of DIC	-----	na
δ ¹⁵ N of nitrate	-----	na
δ ¹⁸ O of nitrate	-----	na
δ ³⁴ S of sulfate	-----	na
δ ¹⁸ O of sulfate	-----	na
Vacuum Distilled? *	-----	No

Remarks:

nd = not detected. na = not analyzed.

*Indicates if vacuum distillation was utilized for hydrogen and oxygen isotopic analysis of water



Lab #: 744861 Job #: 43654 IS-101168 Co. Job#:
Sample Name: T194199-7 Co. Lab#:
Company: SunStar Laboratories, Inc
API/Well:
Container: 250ml Plastic Bottle
Field/Site Name: T194199
Location:
Formation/Depth:
Sampling Point:
Date Sampled: 12/05/2019 13:36 Date Received: 12/12/2019 Date Reported: 12/19/2019

δD of water ----- -70.1 ‰ relative to VSMOW

$\delta^{18}O$ of water ----- -8.55 ‰ relative to VSMOW

Tritium content of water ----- na

$\delta^{13}C$ of DIC ----- na

^{14}C content of DIC ----- na

$\delta^{15}N$ of nitrate ----- na

$\delta^{18}O$ of nitrate ----- na

$\delta^{34}S$ of sulfate ----- na

$\delta^{18}O$ of sulfate ----- na

Vacuum Distilled? * ----- No

Remarks:

nd = not detected. na = not analyzed.

*Indicates if vacuum distillation was utilized for hydrogen and oxygen isotopic analysis of water

Lab #: 744862 Job #: 43654 IS-101168 Co. Job#:
Sample Name: T194199-8 Co. Lab#:
Company: SunStar Laboratories, Inc
API/Well:
Container: 250ml Plastic Bottle
Field/Site Name: T194199
Location:
Formation/Depth:
Sampling Point:
Date Sampled: 12/05/2019 15:00 Date Received: 12/12/2019 Date Reported: 12/19/2019

δ D of water ----- -70.0 ‰ relative to VSMOW

δ^{18} O of water ----- -8.48 ‰ relative to VSMOW

Tritium content of water ----- na

δ^{13} C of DIC ----- na

14 C content of DIC ----- na

δ^{15} N of nitrate ----- na

δ^{18} O of nitrate ----- na

δ^{34} S of sulfate ----- na

δ^{18} O of sulfate ----- na

Vacuum Distilled? * ----- No

Remarks:

nd = not detected. na = not analyzed.

*Indicates if vacuum distillation was utilized for hydrogen and oxygen isotopic analysis of water



Lab #: 744863 Job #: 43654 IS-101168 Co. Job#:
Sample Name: T194199-9 Co. Lab#:
Company: SunStar Laboratories, Inc
API/Well:
Container: 250ml Plastic Bottle
Field/Site Name: T194199
Location:
Formation/Depth:
Sampling Point:
Date Sampled: 12/05/2019 6:55 Date Received: 12/12/2019 Date Reported: 12/19/2019

δD of water ----- -70.5 ‰ relative to VSMOW

$\delta^{18}O$ of water ----- -8.64 ‰ relative to VSMOW

Tritium content of water ----- na

$\delta^{13}C$ of DIC ----- na

^{14}C content of DIC ----- na

$\delta^{15}N$ of nitrate ----- na

$\delta^{18}O$ of nitrate ----- na

$\delta^{34}S$ of sulfate ----- na

$\delta^{18}O$ of sulfate ----- na

Vacuum Distilled? * ----- No

Remarks:

nd = not detected. na = not analyzed.

*Indicates if vacuum distillation was utilized for hydrogen and oxygen isotopic analysis of water

Lab #: 744864 Job #: 43654 IS-101168 Co. Job#:
Sample Name: T194199-10 Co. Lab#:
Company: SunStar Laboratories, Inc
API/Well:
Container: 250ml Plastic Bottle
Field/Site Name: T194199
Location:
Formation/Depth:
Sampling Point:
Date Sampled: 12/06/2019 0:00 Date Received: 12/12/2019 Date Reported: 12/19/2019

δD of water ----- -78.3 ‰ relative to VSMOW

$\delta^{18}O$ of water ----- -10.22 ‰ relative to VSMOW

Tritium content of water ----- na

$\delta^{13}C$ of DIC ----- na

^{14}C content of DIC ----- na

$\delta^{15}N$ of nitrate ----- na

$\delta^{18}O$ of nitrate ----- na

$\delta^{34}S$ of sulfate ----- na

$\delta^{18}O$ of sulfate ----- na

Vacuum Distilled? * ----- No

Remarks:

nd = not detected. na = not analyzed.

*Indicates if vacuum distillation was utilized for hydrogen and oxygen isotopic analysis of water

ANALYTICAL REPORT

Eurofins TestAmerica, Irvine
17461 Derian Ave
Suite 100
Irvine, CA 92614-5817
Tel: (949)261-1022

Laboratory Job ID: 440-257052-1
Client Project/Site: T194199

For:
SunStar Laboratories Inc
25712 Commercentre Drive
Lake Forest, California 92630

Attn: Jeff Lee



Authorized for release by:
12/20/2019 11:28:32 AM

Danielle Roberts, Senior Project Manager
(949)260-3249
danielle.roberts@testamericainc.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:
www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Table of Contents

Cover Page	1
Table of Contents	2
Sample Summary	3
Detection Summary	4
Client Sample Results	5
Surrogate Summary	7
Method Summary	8
Lab Chronicle	9
QC Sample Results	11
QC Association Summary	12
Definitions/Glossary	13
Certification Summary	14
Chain of Custody	15
Receipt Checklists	17



Sample Summary

Client: SunStar Laboratories Inc
Project/Site: T194199

Job ID: 440-257052-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
440-257052-1	T194199-1	Water	12/05/19 10:00	12/11/19 12:57	
440-257052-2	T194199-2	Water	12/05/19 08:45	12/11/19 12:57	
440-257052-3	T194199-3	Water	12/05/19 09:00	12/11/19 12:57	
440-257052-4	T194199-4	Water	12/05/19 10:20	12/11/19 12:57	
440-257052-5	T194199-5	Water	12/05/19 11:40	12/11/19 12:57	
440-257052-6	T194199-6	Water	12/05/19 12:45	12/11/19 12:57	
440-257052-7	T194199-7	Water	12/05/19 13:36	12/11/19 12:57	
440-257052-8	T194199-8	Water	12/05/19 15:00	12/11/19 12:57	
440-257052-9	T194199-9	Water	12/05/19 06:55	12/11/19 12:57	
440-257052-10	T194199-10	Water	12/06/19 00:00	12/11/19 12:57	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Detection Summary

Client: SunStar Laboratories Inc
Project/Site: T194199

Job ID: 440-257052-1

Client Sample ID: T194199-1	Lab Sample ID: 440-257052-1
<input type="checkbox"/> No Detections.	
Client Sample ID: T194199-2	Lab Sample ID: 440-257052-2
<input type="checkbox"/> No Detections.	
Client Sample ID: T194199-3	Lab Sample ID: 440-257052-3
<input type="checkbox"/> No Detections.	
Client Sample ID: T194199-4	Lab Sample ID: 440-257052-4
<input type="checkbox"/> No Detections.	
Client Sample ID: T194199-5	Lab Sample ID: 440-257052-5
<input type="checkbox"/> No Detections.	
Client Sample ID: T194199-6	Lab Sample ID: 440-257052-6
<input type="checkbox"/> No Detections.	
Client Sample ID: T194199-7	Lab Sample ID: 440-257052-7
<input type="checkbox"/> No Detections.	
Client Sample ID: T194199-8	Lab Sample ID: 440-257052-8
<input type="checkbox"/> No Detections.	
Client Sample ID: T194199-9	Lab Sample ID: 440-257052-9
<input type="checkbox"/> No Detections.	
Client Sample ID: T194199-10	Lab Sample ID: 440-257052-10
<input type="checkbox"/> No Detections.	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Irvine

Client Sample Results

Client: SunStar Laboratories Inc
Project/Site: T194199

Job ID: 440-257052-1

Client Sample ID: T194199-1

Lab Sample ID: 440-257052-1

Date Collected: 12/05/19 10:00

Matrix: Water

Date Received: 12/11/19 12:57

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene, 1,1'-oxybis-	ND		0.10	0.020	mg/L		12/12/19 05:54	12/12/19 16:29	1
1,1'-Biphenyl	ND	*	0.10	0.020	mg/L		12/12/19 05:54	12/12/19 16:29	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>n</i> -Octacosane	68		45 - 120				12/12/19 05:54	12/12/19 16:29	1

Client Sample ID: T194199-2

Lab Sample ID: 440-257052-2

Date Collected: 12/05/19 08:45

Matrix: Water

Date Received: 12/11/19 12:57

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene, 1,1'-oxybis-	ND		0.10	0.020	mg/L		12/12/19 05:54	12/12/19 16:53	1
1,1'-Biphenyl	ND	*	0.10	0.020	mg/L		12/12/19 05:54	12/12/19 16:53	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>n</i> -Octacosane	66		45 - 120				12/12/19 05:54	12/12/19 16:53	1

Client Sample ID: T194199-3

Lab Sample ID: 440-257052-3

Date Collected: 12/05/19 09:00

Matrix: Water

Date Received: 12/11/19 12:57

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene, 1,1'-oxybis-	ND		0.11	0.021	mg/L		12/12/19 05:54	12/12/19 17:16	1
1,1'-Biphenyl	ND	*	0.11	0.021	mg/L		12/12/19 05:54	12/12/19 17:16	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>n</i> -Octacosane	64		45 - 120				12/12/19 05:54	12/12/19 17:16	1

Client Sample ID: T194199-4

Lab Sample ID: 440-257052-4

Date Collected: 12/05/19 10:20

Matrix: Water

Date Received: 12/11/19 12:57

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene, 1,1'-oxybis-	ND		0.10	0.020	mg/L		12/12/19 05:54	12/12/19 17:39	1
1,1'-Biphenyl	ND	*	0.10	0.020	mg/L		12/12/19 05:54	12/12/19 17:39	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>n</i> -Octacosane	65		45 - 120				12/12/19 05:54	12/12/19 17:39	1

Client Sample ID: T194199-5

Lab Sample ID: 440-257052-5

Date Collected: 12/05/19 11:40

Matrix: Water

Date Received: 12/11/19 12:57

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene, 1,1'-oxybis-	ND		0.10	0.020	mg/L		12/12/19 05:54	12/12/19 18:25	1
1,1'-Biphenyl	ND	*	0.10	0.020	mg/L		12/12/19 05:54	12/12/19 18:25	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>n</i> -Octacosane	76		45 - 120				12/12/19 05:54	12/12/19 18:25	1

Eurofins TestAmerica, Irvine

Client Sample Results

Client: SunStar Laboratories Inc
Project/Site: T194199

Job ID: 440-257052-1

Client Sample ID: T194199-6

Lab Sample ID: 440-257052-6

Date Collected: 12/05/19 12:45

Matrix: Water

Date Received: 12/11/19 12:57

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene, 1,1'-oxybis-	ND		0.10	0.021	mg/L		12/12/19 05:54	12/12/19 18:48	1
1,1'-Biphenyl	ND	*	0.10	0.021	mg/L		12/12/19 05:54	12/12/19 18:48	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>n</i> -Octacosane	59		45 - 120				12/12/19 05:54	12/12/19 18:48	1

Client Sample ID: T194199-7

Lab Sample ID: 440-257052-7

Date Collected: 12/05/19 13:36

Matrix: Water

Date Received: 12/11/19 12:57

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene, 1,1'-oxybis-	ND		0.10	0.020	mg/L		12/12/19 05:54	12/12/19 19:12	1
1,1'-Biphenyl	ND	*	0.10	0.020	mg/L		12/12/19 05:54	12/12/19 19:12	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>n</i> -Octacosane	52		45 - 120				12/12/19 05:54	12/12/19 19:12	1

Client Sample ID: T194199-8

Lab Sample ID: 440-257052-8

Date Collected: 12/05/19 15:00

Matrix: Water

Date Received: 12/11/19 12:57

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene, 1,1'-oxybis-	ND		0.10	0.020	mg/L		12/12/19 05:54	12/12/19 19:35	1
1,1'-Biphenyl	ND	*	0.10	0.020	mg/L		12/12/19 05:54	12/12/19 19:35	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>n</i> -Octacosane	81		45 - 120				12/12/19 05:54	12/12/19 19:35	1

Client Sample ID: T194199-9

Lab Sample ID: 440-257052-9

Date Collected: 12/05/19 06:55

Matrix: Water

Date Received: 12/11/19 12:57

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene, 1,1'-oxybis-	ND		0.10	0.021	mg/L		12/12/19 05:54	12/12/19 19:58	1
1,1'-Biphenyl	ND	*	0.10	0.021	mg/L		12/12/19 05:54	12/12/19 19:58	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>n</i> -Octacosane	86		45 - 120				12/12/19 05:54	12/12/19 19:58	1

Client Sample ID: T194199-10

Lab Sample ID: 440-257052-10

Date Collected: 12/06/19 00:00

Matrix: Water

Date Received: 12/11/19 12:57

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene, 1,1'-oxybis-	ND		0.10	0.021	mg/L		12/12/19 05:54	12/12/19 20:22	1
1,1'-Biphenyl	ND	*	0.10	0.021	mg/L		12/12/19 05:54	12/12/19 20:22	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>n</i> -Octacosane	79		45 - 120				12/12/19 05:54	12/12/19 20:22	1

Eurofins TestAmerica, Irvine

Surrogate Summary

Client: SunStar Laboratories Inc
Project/Site: T194199

Job ID: 440-257052-1

Method: 8015B - Diesel Range Organics (DRO) (GC)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	OTCN1 (45-120)
440-257052-1	T194199-1	68
440-257052-2	T194199-2	66
440-257052-3	T194199-3	64
440-257052-4	T194199-4	65
440-257052-5	T194199-5	76
440-257052-6	T194199-6	59
440-257052-7	T194199-7	52
440-257052-8	T194199-8	81
440-257052-9	T194199-9	86
440-257052-10	T194199-10	79
LCS 440-585419/4-A	Lab Control Sample	65
LCSD 440-585419/5-A	Lab Control Sample Dup	83
MB 440-585419/1-A	Method Blank	84

Surrogate Legend

OTCN = n-Octacosane

Method Summary

Client: SunStar Laboratories Inc
Project/Site: T194199

Job ID: 440-257052-1

Method	Method Description	Protocol	Laboratory
8015B	Diesel Range Organics (DRO) (GC)	SW846	TAL IRV
3510C	Liquid-Liquid Extraction (Separatory Funnel)	SW846	TAL IRV

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL IRV = Eurofins TestAmerica, Irvine, 17461 Derian Ave, Suite 100, Irvine, CA 92614-5817, TEL (949)261-1022



Lab Chronicle

Client: SunStar Laboratories Inc
Project/Site: T194199

Job ID: 440-257052-1

Client Sample ID: T194199-1

Lab Sample ID: 440-257052-1

Date Collected: 12/05/19 10:00

Matrix: Water

Date Received: 12/11/19 12:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			985 mL	1 mL	585419	12/12/19 05:54	L1H	TAL IRV
Total/NA	Analysis	8015B		1			585505	12/12/19 16:29	MPD	TAL IRV

Client Sample ID: T194199-2

Lab Sample ID: 440-257052-2

Date Collected: 12/05/19 08:45

Matrix: Water

Date Received: 12/11/19 12:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			985 mL	1 mL	585419	12/12/19 05:54	L1H	TAL IRV
Total/NA	Analysis	8015B		1			585505	12/12/19 16:53	MPD	TAL IRV

Client Sample ID: T194199-3

Lab Sample ID: 440-257052-3

Date Collected: 12/05/19 09:00

Matrix: Water

Date Received: 12/11/19 12:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			950 mL	1 mL	585419	12/12/19 05:54	L1H	TAL IRV
Total/NA	Analysis	8015B		1			585505	12/12/19 17:16	MPD	TAL IRV

Client Sample ID: T194199-4

Lab Sample ID: 440-257052-4

Date Collected: 12/05/19 10:20

Matrix: Water

Date Received: 12/11/19 12:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			985 mL	1 mL	585419	12/12/19 05:54	L1H	TAL IRV
Total/NA	Analysis	8015B		1			585505	12/12/19 17:39	MPD	TAL IRV

Client Sample ID: T194199-5

Lab Sample ID: 440-257052-5

Date Collected: 12/05/19 11:40

Matrix: Water

Date Received: 12/11/19 12:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			985 mL	1 mL	585419	12/12/19 05:54	L1H	TAL IRV
Total/NA	Analysis	8015B		1			585505	12/12/19 18:25	MPD	TAL IRV

Client Sample ID: T194199-6

Lab Sample ID: 440-257052-6

Date Collected: 12/05/19 12:45

Matrix: Water

Date Received: 12/11/19 12:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			970 mL	1 mL	585419	12/12/19 05:54	L1H	TAL IRV
Total/NA	Analysis	8015B		1			585505	12/12/19 18:48	MPD	TAL IRV

Lab Chronicle

Client: SunStar Laboratories Inc
Project/Site: T194199

Job ID: 440-257052-1

Client Sample ID: T194199-7

Lab Sample ID: 440-257052-7

Date Collected: 12/05/19 13:36

Matrix: Water

Date Received: 12/11/19 12:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			995 mL	1 mL	585419	12/12/19 05:54	L1H	TAL IRV
Total/NA	Analysis	8015B		1			585505	12/12/19 19:12	MPD	TAL IRV

Client Sample ID: T194199-8

Lab Sample ID: 440-257052-8

Date Collected: 12/05/19 15:00

Matrix: Water

Date Received: 12/11/19 12:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			980 mL	1 mL	585419	12/12/19 05:54	L1H	TAL IRV
Total/NA	Analysis	8015B		1			585505	12/12/19 19:35	MPD	TAL IRV

Client Sample ID: T194199-9

Lab Sample ID: 440-257052-9

Date Collected: 12/05/19 06:55

Matrix: Water

Date Received: 12/11/19 12:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			965 mL	1 mL	585419	12/12/19 05:54	L1H	TAL IRV
Total/NA	Analysis	8015B		1			585505	12/12/19 19:58	MPD	TAL IRV

Client Sample ID: T194199-10

Lab Sample ID: 440-257052-10

Date Collected: 12/06/19 00:00

Matrix: Water

Date Received: 12/11/19 12:57

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			960 mL	1 mL	585419	12/12/19 05:54	L1H	TAL IRV
Total/NA	Analysis	8015B		1			585505	12/12/19 20:22	MPD	TAL IRV

Laboratory References:

TAL IRV = Eurofins TestAmerica, Irvine, 17461 Derian Ave, Suite 100, Irvine, CA 92614-5817, TEL (949)261-1022

QC Sample Results

Client: SunStar Laboratories Inc
Project/Site: T194199

Job ID: 440-257052-1

Method: 8015B - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 440-585419/1-A
Matrix: Water
Analysis Batch: 585505

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 585419

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene, 1,1'-oxybis-	ND		0.10	0.020	mg/L		12/12/19 05:54	12/12/19 15:18	1
1,1'-Biphenyl	ND		0.10	0.020	mg/L		12/12/19 05:54	12/12/19 15:18	1
MB MB									
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
<i>n</i> -Octacosane	84		45 - 120			12/12/19 05:54	12/12/19 15:18	1	

Lab Sample ID: LCS 440-585419/4-A
Matrix: Water
Analysis Batch: 586489

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 585419

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits		
Benzene, 1,1'-oxybis-	0.100	0.0784	J	mg/L		78	50 - 115		
1,1'-Biphenyl	0.100	0.0565	J	mg/L		57	50 - 115		
LCS LCS									
Surrogate	%Recovery	Qualifier	Limits						
<i>n</i> -Octacosane	65		45 - 120						

Lab Sample ID: LCSD 440-585419/5-A
Matrix: Water
Analysis Batch: 585505

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 585419

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Benzene, 1,1'-oxybis-	0.100	0.0861	J	mg/L		86	50 - 115	9	30
1,1'-Biphenyl	0.100	0.0802	J*	mg/L		80	50 - 115	35	30
LCSD LCSD									
Surrogate	%Recovery	Qualifier	Limits						
<i>n</i> -Octacosane	83		45 - 120						

QC Association Summary

Client: SunStar Laboratories Inc
Project/Site: T194199

Job ID: 440-257052-1

GC Semi VOA

Prep Batch: 585419

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
440-257052-1	T194199-1	Total/NA	Water	3510C	
440-257052-2	T194199-2	Total/NA	Water	3510C	
440-257052-3	T194199-3	Total/NA	Water	3510C	
440-257052-4	T194199-4	Total/NA	Water	3510C	
440-257052-5	T194199-5	Total/NA	Water	3510C	
440-257052-6	T194199-6	Total/NA	Water	3510C	
440-257052-7	T194199-7	Total/NA	Water	3510C	
440-257052-8	T194199-8	Total/NA	Water	3510C	
440-257052-9	T194199-9	Total/NA	Water	3510C	
440-257052-10	T194199-10	Total/NA	Water	3510C	
MB 440-585419/1-A	Method Blank	Total/NA	Water	3510C	
LCS 440-585419/4-A	Lab Control Sample	Total/NA	Water	3510C	
LCSD 440-585419/5-A	Lab Control Sample Dup	Total/NA	Water	3510C	

Analysis Batch: 585505

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
440-257052-1	T194199-1	Total/NA	Water	8015B	585419
440-257052-2	T194199-2	Total/NA	Water	8015B	585419
440-257052-3	T194199-3	Total/NA	Water	8015B	585419
440-257052-4	T194199-4	Total/NA	Water	8015B	585419
440-257052-5	T194199-5	Total/NA	Water	8015B	585419
440-257052-6	T194199-6	Total/NA	Water	8015B	585419
440-257052-7	T194199-7	Total/NA	Water	8015B	585419
440-257052-8	T194199-8	Total/NA	Water	8015B	585419
440-257052-9	T194199-9	Total/NA	Water	8015B	585419
440-257052-10	T194199-10	Total/NA	Water	8015B	585419
MB 440-585419/1-A	Method Blank	Total/NA	Water	8015B	585419
LCSD 440-585419/5-A	Lab Control Sample Dup	Total/NA	Water	8015B	585419

Analysis Batch: 586489

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCS 440-585419/4-A	Lab Control Sample	Total/NA	Water	8015B	585419



Definitions/Glossary

Client: SunStar Laboratories Inc
Project/Site: T194199

Job ID: 440-257052-1

Qualifiers

GC Semi VOA

Qualifier	Qualifier Description
*	RPD of the LCS and LCSD exceeds the control limits
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Accreditation/Certification Summary

Client: SunStar Laboratories Inc
Project/Site: T194199

Job ID: 440-257052-1

Laboratory: Eurofins TestAmerica, Irvine

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
California	State Program	CA ELAP 2706	06-30-20

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
-----------------	-------------	--------	---------

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

SUBCONTRACT ORDER

SunStar Laboratories, Inc.

T194199


SENDING LABORATORY:

SunStar Laboratories, Inc.
25712 Commercentre Drive
Lake Forest, CA 92630
Phone: (949) 297-5020
Fax: (949) 297-5027
Project Manager: Jeff Lee

RECEIVING LABORATORY:

TestAmerica (Irvine) Laboratory
17461 Derian Ave, #100
Irvine, CA 92614
Phone: (949) 261-1022
Fax: N/A

JAL 12/18/19



440-257052 Chain of Custody

Analysis	Due	Expires	Laboratory ID	Comments
Sample ID: T194199-01	Water	Sampled: 12/05/19 10:00		
Misc Water Testing #1	12/18/19 15:00	06/02/20 10:00		8015M - Therminol
<i>Containers Supplied.</i>				
Sample ID: T194199-02	Water	Sampled: 12/05/19 08:45		
Misc Water Testing #1	12/18/19 15:00	06/02/20 08:45		8015M - Therminol
<i>Containers Supplied.</i>				
Sample ID: T194199-03	Water	Sampled: 12/05/19 09:00		
Misc Water Testing #1	12/18/19 15:00	06/02/20 09:00		8015M - Therminol
<i>Containers Supplied.</i>				
Sample ID: T194199-04	Water	Sampled: 12/05/19 10:20		
Misc Water Testing #1	12/18/19 15:00	06/02/20 10:20		8015M - Therminol
<i>Containers Supplied.</i>				
Sample ID: T194199-05	Water	Sampled: 12/05/19 11:40		
Misc Water Testing #1	12/18/19 15:00	06/02/20 11:40		8015M - Therminol
<i>Containers Supplied.</i>				
Sample ID: T194199-06	Water	Sampled: 12/05/19 12:45		
Misc Water Testing #1	12/18/19 15:00	06/02/20 12:45		8015M - Therminol
<i>Containers Supplied.</i>				


Released By	Date	Received By	Date
David Becker	12-11-2019 12:57		IR-45 4-4/4.1 12/11/19 12:57
Released By	Date	Received By	Date

SUBCONTRACT ORDER

SunStar Laboratories, Inc.

T194199

Analysis	Due	Expires	Laboratory ID	Comments
Sample ID: T194199-07	Water	Sampled:12/05/19 13:36		
Misc Water Testing #1	12/18/19 15:00	06/02/20 13:36		8015M - Therminol
<i>Containers Supplied:</i>				
Sample ID: T194199-08	Water	Sampled:12/05/19 15:00		
Misc Water Testing #1	12/18/19 15:00	06/02/20 15:00		8015M - Therminol
<i>Containers Supplied:</i>				
Sample ID: T194199-09	Water	Sampled:12/05/19 06:55		
Misc Water Testing #1	12/18/19 15:00	06/02/20 06:55		8015M - Therminol
<i>Containers Supplied:</i>				
Sample ID: T194199-10	Water	Sampled:12/06/19 00:00		
Misc Water Testing #1	12/18/19 15:00	06/03/20 00:00		8015M - Therminol
<i>Containers Supplied:</i>				

<i>David Becker</i>	12-11-2019	12:57		
Released By	Date		Received By	Date
				12/11/19 12:57
Released By	Date		Received By	Date

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Login Sample Receipt Checklist

Client: SunStar Laboratories Inc

Job Number: 440-257052-1

Login Number: 257052

List Source: Eurofins TestAmerica, Irvine

List Number: 1

Creator: Lagunas, Jorge L

Question	Answer	Comment
Radioactivity wasn't checked or is <=/ background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	N/A	Not present
Sample custody seals, if present, are intact.	N/A	Not Present
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	Refer to Job Narrative for details.
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



WORK ORDER

T194199

Client: Northstar Environmental Remediation
Project: Genesis Solar Groundwater

Project Manager: Jeff Lee
Project Number: 196-004-06

Report To:

Northstar Environmental Remediation
 Arlin Brewster
 26225 Enterprise Court
 Lake Forest, CA 92630

Date Due: 12/13/19 17:00 (5 day TAT)

Received By: Sunny Lounethone

Date Received: 12/06/19 11:15

Logged In By: Sunny Lounethone

Date Logged In: 12/06/19 15:18

Samples Received at: 3.7°C

Custody Seals No Received On Ice Yes

Containers Intact Yes

COC/Labels Agree Yes

Preservation Confir Yes

Analysis	Due	TAT	Expires	Comments
T194199-01 23a [Water] Sampled 12/05/19 10:00 (GMT-08:00) Pacific Time (US &				
1664	12/13/19 15:00	5	01/02/20 10:00	Oil & Grease
200.7	12/13/19 15:00	5	06/02/20 10:00	Dissolved Ca, Cu, Na, K, Fe, Mg
200.8	12/13/19 15:00	5	06/02/20 10:00	Dissolved Sb, As, Ba, Cd, Cr, Co, Pb, Ni, Se, Zn
300.0 - F, Cl, Br, SO4	12/13/19 15:00	5	01/02/20 10:00	Chloride, Sulfate, Fluoride only
300.0 - NO2, NO3, PO4	12/13/19 15:00	5	12/07/19 10:00	Nitrate only
7470/71 Hg	12/13/19 15:00	5	03/04/20 10:00	
Conductivity	12/13/19 15:00	5	01/02/20 10:00	
pH water 9040	12/13/19 15:00	5	12/06/19 10:00	
TDS-160.1	12/13/19 15:00	5	12/12/19 10:00	

T194199-02 OBS-1 [Water] Sampled 12/05/19 08:45 (GMT-08:00) Pacific Time (US &

1664	12/13/19 15:00	5	01/02/20 08:45	Oil & Grease
200.7	12/13/19 15:00	5	06/02/20 08:45	Dissolved Ca, Cu, Na, K, Fe, Mg
200.8	12/13/19 15:00	5	06/02/20 08:45	Dissolved Sb, As, Ba, Cd, Cr, Co, Pb, Ni, Se, Zn
300.0 - F, Cl, Br, SO4	12/13/19 15:00	5	01/02/20 08:45	Chloride, Sulfate, Fluoride only
300.0 - NO2, NO3, PO4	12/13/19 15:00	5	12/07/19 08:45	Nitrate only
7470/71 Hg	12/13/19 15:00	5	03/04/20 08:45	
Conductivity	12/13/19 15:00	5	01/02/20 08:45	
pH water 9040	12/13/19 15:00	5	12/06/19 08:45	
TDS-160.1	12/13/19 15:00	5	12/12/19 08:45	

WORK ORDER

T194199

Client: Northstar Environmental Remediation
Project: Genesis Solar Groundwater

Project Manager: Jeff Lee
Project Number: 196-004-06

Analysis	Due	TAT	Expires	Comments
T194199-03 TW-1 [Water] Sampled 12/05/19 09:00 (GMT-08:00) Pacific Time (US &				
1664	12/13/19 15:00	5	01/02/20 09:00	Oil & Grease
200.7	12/13/19 15:00	5	06/02/20 09:00	Dissolved Ca, Cu, Na, K, Fe, Mg
200.8	12/13/19 15:00	5	06/02/20 09:00	Dissolved Sb, As, Ba, Cd, Cr, Co, Pb, Ni, Se, Zn
300.0 - F, Cl, Br, SO4	12/13/19 15:00	5	01/02/20 09:00	Chloride, Sulfate, Fluoride only
300.0 - NO2, NO3, PO4	12/13/19 15:00	5	12/07/19 09:00	Nitrate only
7470/71 Hg	12/13/19 15:00	5	03/04/20 09:00	
Conductivity	12/13/19 15:00	5	01/02/20 09:00	
pH water 9040	12/13/19 15:00	5	12/06/19 09:00	
TDS-160.1	12/13/19 15:00	5	12/12/19 09:00	
T194199-04 TW-2 [Water] Sampled 12/05/19 10:20 (GMT-08:00) Pacific Time (US &				
1664	12/13/19 15:00	5	01/02/20 10:20	Oil & Grease
200.7	12/13/19 15:00	5	06/02/20 10:20	Dissolved Ca, Cu, Na, K, Fe, Mg
200.8	12/13/19 15:00	5	06/02/20 10:20	Dissolved Sb, As, Ba, Cd, Cr, Co, Pb, Ni, Se, Zn
300.0 - F, Cl, Br, SO4	12/13/19 15:00	5	01/02/20 10:20	Chloride, Sulfate, Fluoride only
300.0 - NO2, NO3, PO4	12/13/19 15:00	5	12/07/19 10:20	Nitrate only
7470/71 Hg	12/13/19 15:00	5	03/04/20 10:20	
Conductivity	12/13/19 15:00	5	01/02/20 10:20	
pH water 9040	12/13/19 15:00	5	12/06/19 10:20	
TDS-160.1	12/13/19 15:00	5	12/12/19 10:20	
T194199-05 PW-0 [Water] Sampled 12/05/19 11:40 (GMT-08:00) Pacific Time (US &				
1664	12/13/19 15:00	5	01/02/20 11:40	Oil & Grease
200.7	12/13/19 15:00	5	06/02/20 11:40	Dissolved Ca, Cu, Na, K, Fe, Mg
200.8	12/13/19 15:00	5	06/02/20 11:40	Dissolved Sb, As, Ba, Cd, Cr, Co, Pb, Ni, Se, Zn
300.0 - F, Cl, Br, SO4	12/13/19 15:00	5	01/02/20 11:40	Chloride, Sulfate, Fluoride only
300.0 - NO2, NO3, PO4	12/13/19 15:00	5	12/07/19 11:40	Nitrate only
7470/71 Hg	12/13/19 15:00	5	03/04/20 11:40	
Conductivity	12/13/19 15:00	5	01/02/20 11:40	
pH water 9040	12/13/19 15:00	5	12/06/19 11:40	
TDS-160.1	12/13/19 15:00	5	12/12/19 11:40	

WORK ORDER

T194199

Client: Northstar Environmental Remediation	Project Manager: Jeff Lee
Project: Genesis Solar Groundwater	Project Number: 196-004-06

Analysis	Due	TAT	Expires	Comments
T194199-06 PW-2 [Water] Sampled 12/05/19 12:45 (GMT-08:00) Pacific Time (US &				
1664	12/13/19 15:00	5	01/02/20 12:45	Oil & Grease
200.7	12/13/19 15:00	5	06/02/20 12:45	Dissolved Ca, Cu, Na, K, Fe, Mg
200.8	12/13/19 15:00	5	06/02/20 12:45	Dissolved Sb, As, Ba, Cd, Cr, Co, Pb, Ni, Se, Zn
300.0 - F, Cl, Br, SO4	12/13/19 15:00	5	01/02/20 12:45	Chloride, Sulfate, Fluoride only
300.0 - NO2, NO3, PO4	12/13/19 15:00	5	12/07/19 12:45	Nitrate only
7470/71 Hg	12/13/19 15:00	5	03/04/20 12:45	
Conductivity	12/13/19 15:00	5	01/02/20 12:45	
pH water 9040	12/13/19 15:00	5	12/06/19 12:45	
TDS-160.1	12/13/19 15:00	5	12/12/19 12:45	
T194199-07 DM-1 [Water] Sampled 12/05/19 13:36 (GMT-08:00) Pacific Time (US &				
1664	12/13/19 15:00	5	01/02/20 13:36	Oil & Grease
200.7	12/13/19 15:00	5	06/02/20 13:36	Dissolved Ca, Cu, Na, K, Fe, Mg
200.8	12/13/19 15:00	5	06/02/20 13:36	Dissolved Sb, As, Ba, Cd, Cr, Co, Pb, Ni, Se, Zn
300.0 - F, Cl, Br, SO4	12/13/19 15:00	5	01/02/20 13:36	Chloride, Sulfate, Fluoride only
300.0 - NO2, NO3, PO4	12/13/19 15:00	5	12/07/19 13:36	Nitrate only
7470/71 Hg	12/13/19 15:00	5	03/04/20 13:36	
Conductivity	12/13/19 15:00	5	01/02/20 13:36	
pH water 9040	12/13/19 15:00	5	12/06/19 13:36	
TDS-160.1	12/13/19 15:00	5	12/12/19 13:36	
T194199-08 DM-2 [Water] Sampled 12/05/19 15:00 (GMT-08:00) Pacific Time (US &				
1664	12/13/19 15:00	5	01/02/20 15:00	Oil & Grease
200.7	12/13/19 15:00	5	06/02/20 15:00	Dissolved Ca, Cu, Na, K, Fe, Mg
200.8	12/13/19 15:00	5	06/02/20 15:00	Dissolved Sb, As, Ba, Cd, Cr, Co, Pb, Ni, Se, Zn
300.0 - F, Cl, Br, SO4	12/13/19 15:00	5	01/02/20 15:00	Chloride, Sulfate, Fluoride only
300.0 - NO2, NO3, PO4	12/13/19 15:00	5	12/07/19 15:00	Nitrate only
7470/71 Hg	12/13/19 15:00	5	03/04/20 15:00	
Conductivity	12/13/19 15:00	5	01/02/20 15:00	
pH water 9040	12/13/19 15:00	5	12/06/19 15:00	
TDS-160.1	12/13/19 15:00	5	12/12/19 15:00	

WORK ORDER

T194199

Client: Northstar Environmental Remediation
Project: Genesis Solar Groundwater

Project Manager: Jeff Lee
Project Number: 196-004-06

Analysis	Due	TAT	Expires	Comments
T194199-09 DM-3 [Water] Sampled 12/05/19 06:55 (GMT-08:00) Pacific Time (US &				
1664	12/13/19 15:00	5	01/02/20 06:55	Oil & Grease
200.7	12/13/19 15:00	5	06/02/20 06:55	Dissolved Ca, Cu, Na, K, Fe, Mg
200.8	12/13/19 15:00	5	06/02/20 06:55	Dissolved Sb, As, Ba, Cd, Cr, Co, Pb, Ni, Se, Zn
300.0 - F, Cl, Br, SO4	12/13/19 15:00	5	01/02/20 06:55	Chloride, Sulfate, Fluoride only
300.0 - NO2, NO3, PO4	12/13/19 15:00	5	12/07/19 06:55	Nitrate only
7470/71 Hg	12/13/19 15:00	5	03/04/20 06:55	
Conductivity	12/13/19 15:00	5	01/02/20 06:55	
pH water 9040	12/13/19 15:00	5	12/06/19 06:55	
TDS-160.1	12/13/19 15:00	5	12/12/19 06:55	

T194199-10 DUP [Water] Sampled 12/06/19 00:00 (GMT-08:00) Pacific Time (US &				
1664	12/13/19 15:00	5	01/03/20 00:00	Oil & Grease
200.7	12/13/19 15:00	5	06/03/20 00:00	Dissolved Ca, Cu, Na, K, Fe, Mg
200.8	12/13/19 15:00	5	06/03/20 00:00	Dissolved Sb, As, Ba, Cd, Cr, Co, Pb, Ni, Se, Zn
300.0 - F, Cl, Br, SO4	12/13/19 15:00	5	01/03/20 00:00	Chloride, Sulfate, Fluoride only
300.0 - NO2, NO3, PO4	12/13/19 15:00	5	12/08/19 00:00	Nitrate only
7470/71 Hg	12/13/19 15:00	5	03/05/20 00:00	
Conductivity	12/13/19 15:00	5	01/03/20 00:00	
pH water 9040	12/13/19 15:00	5	12/07/19 00:00	
TDS-160.1	12/13/19 15:00	5	12/13/19 00:00	

Pace Analytical Energy Services , LLC

T194199-01 23a [Water] Sampled 12/05/19 10:00 (GMT-08:00) Pacific Time (US &				
Misc Water Testing #2	12/13/19 15:00	5	06/02/20 10:00	Deuterium, Oxygen-18

T194199-02 OBS-1 [Water] Sampled 12/05/19 08:45 (GMT-08:00) Pacific Time (US &				
Misc Water Testing #2	12/13/19 15:00	5	06/02/20 08:45	Deuterium, Oxygen-18

T194199-03 TW-1 [Water] Sampled 12/05/19 09:00 (GMT-08:00) Pacific Time (US &				
Misc Water Testing #2	12/13/19 15:00	5	06/02/20 09:00	Deuterium, Oxygen-18

T194199-04 TW-2 [Water] Sampled 12/05/19 10:20 (GMT-08:00) Pacific Time (US &				
Misc Water Testing #2	12/13/19 15:00	5	06/02/20 10:20	Deuterium, Oxygen-18

WORK ORDER

T194199

Client: Northstar Environmental Remediation	Project Manager: Jeff Lee
Project: Genesis Solar Groundwater	Project Number: 196-004-06

Analysis	Due	TAT	Expires	Comments
Pace Analytical Energy Services , LLC				
T194199-05 PW-0 [Water] Sampled 12/05/19 11:40 (GMT-08:00) Pacific Time (US &				
Misc Water Testing #2	12/13/19 15:00	5	06/02/20 11:40	Deuterium, Oxygen-18
T194199-06 PW-2 [Water] Sampled 12/05/19 12:45 (GMT-08:00) Pacific Time (US &				
Misc Water Testing #2	12/13/19 15:00	5	06/02/20 12:45	Deuterium, Oxygen-18
T194199-07 DM-1 [Water] Sampled 12/05/19 13:36 (GMT-08:00) Pacific Time (US &				
Misc Water Testing #2	12/13/19 15:00	5	06/02/20 13:36	Deuterium, Oxygen-18
T194199-08 DM-2 [Water] Sampled 12/05/19 15:00 (GMT-08:00) Pacific Time (US &				
Misc Water Testing #2	12/13/19 15:00	5	06/02/20 15:00	Deuterium, Oxygen-18
T194199-09 DM-3 [Water] Sampled 12/05/19 06:55 (GMT-08:00) Pacific Time (US &				
Misc Water Testing #2	12/13/19 15:00	5	06/02/20 06:55	Deuterium, Oxygen-18
T194199-10 DUP [Water] Sampled 12/06/19 00:00 (GMT-08:00) Pacific Time (US &				
Misc Water Testing #2	12/13/19 15:00	5	06/03/20 00:00	Deuterium, Oxygen-18
TestAmerica (Irvine) Laboratories				
T194199-01 23a [Water] Sampled 12/05/19 10:00 (GMT-08:00) Pacific Time (US &				
Misc Water Testing #1	12/13/19 15:00	5	06/02/20 10:00	8015M - Therminol
T194199-02 OBS-1 [Water] Sampled 12/05/19 08:45 (GMT-08:00) Pacific Time (US &				
Misc Water Testing #1	12/13/19 15:00	5	06/02/20 08:45	8015M - Therminol
T194199-03 TW-1 [Water] Sampled 12/05/19 09:00 (GMT-08:00) Pacific Time (US &				
Misc Water Testing #1	12/13/19 15:00	5	06/02/20 09:00	8015M - Therminol
T194199-04 TW-2 [Water] Sampled 12/05/19 10:20 (GMT-08:00) Pacific Time (US &				
Misc Water Testing #1	12/13/19 15:00	5	06/02/20 10:20	8015M - Therminol

WORK ORDER

T194199

Client: Northstar Environmental Remediation	Project Manager: Jeff Lee
Project: Genesis Solar Groundwater	Project Number: 196-004-06

Analysis	Due	TAT	Expires	Comments
TestAmerica (Irvine) Laboratories				
T194199-05 PW-0 [Water] Sampled 12/05/19 11:40 (GMT-08:00) Pacific Time (US &				
Misc Water Testing #1	12/13/19 15:00	5	06/02/20 11:40	8015M - Therminol
T194199-06 PW-2 [Water] Sampled 12/05/19 12:45 (GMT-08:00) Pacific Time (US &				
Misc Water Testing #1	12/13/19 15:00	5	06/02/20 12:45	8015M - Therminol
T194199-07 DM-1 [Water] Sampled 12/05/19 13:36 (GMT-08:00) Pacific Time (US &				
Misc Water Testing #1	12/13/19 15:00	5	06/02/20 13:36	8015M - Therminol
T194199-08 DM-2 [Water] Sampled 12/05/19 15:00 (GMT-08:00) Pacific Time (US &				
Misc Water Testing #1	12/13/19 15:00	5	06/02/20 15:00	8015M - Therminol
T194199-09 DM-3 [Water] Sampled 12/05/19 06:55 (GMT-08:00) Pacific Time (US &				
Misc Water Testing #1	12/13/19 15:00	5	06/02/20 06:55	8015M - Therminol
T194199-10 DUP [Water] Sampled 12/06/19 00:00 (GMT-08:00) Pacific Time (US &				
Misc Water Testing #1	12/13/19 15:00	5	06/03/20 00:00	8015M - Therminol