

DOCKETED

Docket Number:	09-AFC-08C
Project Title:	Genesis Solar Energy Project
TN #:	236700-6
Document Title:	Genesis Solar 2019 First Semester Groundwater Detection Monitoring Report
Description:	N/A
Filer:	Glen T King
Organization:	NextEra Energy
Submitter Role:	Applicant
Submission Date:	2/8/2021 2:49:34 PM
Docketed Date:	2/8/2021



2019 FIRST SEMIANNUAL
GROUNDWATER DETECTION MONITORING REPORT
Genesis Solar Energy Project

Riverside County, California

COC S&W-6

June 27, 2019

Prepared By:

Northstar Environmental Remediation

26225 Enterprise Court

Lake Forest, California 92630


SIGNATURE PAGE

2019 FIRST SEMIANNUAL GROUNDWATER DETECTION MONITORING REPORT

RIVERSIDE COUNTY, CALIFORNIA

PROFESSIONAL STATEMENT

I declare under the penalty of law that I have personally examined and am familiar with the information submitted in this document, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of a fine and imprisonment for knowing violations.





Arlin W. Brewster

Professional Geologist 9207

June 27, 2019

Table of Contents

1.0 INTRODUCTION	1
1.1 Background	1
1.2 Geographic Setting	2
1.3 Hydrogeologic Setting	2
1.4 Monitoring Program Objectives	3
2.0 EVAPORATION PONDS	4
2.1 Evaporation Pond Overview	4
2.2 Monitoring Methods	4
2.3 Evaporation Pond Sample Results	5
3.0 LEAKAGE DETECTION SYSTEM	5
3.1 Leakage Detection System Overview	5
3.2 Monitoring Methods	5
3.3 Monitoring Results	5
4.0 DETECTION MONITORING WELLS	6
4.1 Detection Monitoring Well Overview	6
4.2 Monitoring Methods	6
4.3 Results of Water Level Measurements	8
4.4 Groundwater Flow Velocity	8
4.5 General Chemical Analysis	9
4.6 Non-Statistical Analysis	10
4.7 Quality Assurance/Quality Control	10
5.0 LAND TREATMENT UNIT SUMMARY	11
6.0 ANNUAL SUMMARY	13
7.0 CONCLUSIONS	14
8.0 REFERENCES	15

LIST OF FIGURES

Figure 1	Project Location
Figure 2	Hydrogeologic Setting
Figure 3	Evaporation Pond and Detection Monitoring Well Locations
Figure 4	Groundwater Elevation Contour Map
Figure 5	Leak Detection System Detail

LIST OF TABLES

Table 1	Detection Monitoring Well Details
Table 2	Groundwater Level Measurements
Table 3	Field Data Collected During the Most Recent Groundwater Monitoring Event
Table 4	Summary of Laboratory Analytical Results
Table 5	Summary of Leakage Detection System Data

LIST OF APPENDICES

Appendix A	Field Data Sheets
Appendix B	Laboratory Analytical Reports – Evaporation Ponds
Appendix C	Laboratory Analytical Reports – Detection Monitoring Wells

1.0 INTRODUCTION

Northstar Environmental Remediation (Northstar) has prepared this 2019 First Semiannual Groundwater Detection Monitoring Report on behalf of Genesis Solar, LLC (Genesis). This report details groundwater detection monitoring performed in the first half of 2019 at the Genesis Solar Energy Project (GSEP).

The GSEP lies roughly 25 miles west of the city of Blythe, California in eastern Riverside County on lands managed by the Bureau of Land Management (BLM) (**Figure 1**). The GSEP consists of two independent concentrated solar electric generating facilities with a nominal net electrical output of 125 megawatts (MW) each (a total net electrical output of 250 MW).

Northstar conducts groundwater detection monitoring in accordance with Condition of Certification Soil & Water 6 (COC S&W-6) as presented in the California Energy Commission (CEC) Final Decision document dated October 12, 2010 (CEC, 2010). The COC S&W-6 requires compliance with Waste Discharge Requirements (WDR) and Monitoring and Reporting Program (MRP) Board Order No. R7-2013-0005, issued by the California Regional Water Quality Control Board, Colorado River Basin Region (CRWQCB).

1.1 Background

Genesis submitted an updated Plan of Development (POD) for the GSEP in September 2010 (Genesis Solar, LLC 2010). In addition, Genesis filed an Application for Certification (AFC) for the GSEP to the CEC in August 2009 (Genesis Solar, LLC 2009). The CEC issued its Final Decision on the GSEP on October 12, 2010 (CEC, 2010). The BLM issued the Final Environmental Impact Statement (FEIS) for the GSEP for public comment on August 27, 2010.

The GSEP uses dry cooling technology and relies on groundwater as a water source during operation. Three groundwater production wells installed at the GSEP between July and October 2011 are permitted to pump groundwater at an average rate of 202 acre-feet per year (afy) (up to 1,348 afy during construction).

The Final Decision and FEIS discuss the potential impacts associated with the proposed groundwater use by the GSEP. Groundwater drawdown impacts are anticipated to be less than significant, but because the prediction of groundwater level effects by computer modeling entails inherent uncertainty, both the Final Decision and the FEIS adopted COC S&W-2 for the GSEP to monitor groundwater level at the vicinity of the GSEP.

Two evaporation ponds (licensed as Class II Surface Impoundments) located between Solar Fields 1 and 2 accept wastewater generated during GSEP operation (**Figure 3**). Three detection monitoring wells (DM-1, DM-2, and DM-3) were installed, per the Final Decision, along the west, east, and south perimeter of the evaporation ponds in February 2012 (**Figure 4**). Groundwater samples were collected for four quarterly

events prior to GSEP operation to establish baseline conditions. Semiannual sampling will be conducted to comply with the requirements of COC S&W-6 and the WDR and MRP documents.

1.2 Geographic Setting

The GSEP lies between the communities of Blythe and Desert Center, California. Land use is predominantly open space and conservation and wilderness areas occupied by a community of low creosote and bursage vegetation. Chuckwalla and Ironwood State Prisons are located approximately 6 miles southeast of the GSEP.

The GSEP lies on broad, relatively flat topography sloping north to south at elevations between 400 and 370 feet above mean sea level (amsl). The surface is underlain by alluvial deposits derived from the Palen Mountains to the north-northwest, and the McCoy Mountains to the northeast (**Figure 1**).

The deposits immediately adjacent to the mountains have formed alluvial fans from multiple identifiable sources, and multiple fan surfaces have coalesced into a single bajada surface that wraps around each of these mountain fronts. Between the bajada surfaces from each mountain chain lies a broad valley-axial drainage that extends southward between the mountains and drains to the Ford Dry Lake playa, located about 1 mile south of the GSEP facility.

Climatic data collected from Weather Station Blythe Riverside Airport (33.61°N, -114.71°W, at an elevation of about 387 feet amsl) indicate the average maximum temperature in the airport vicinity is approximately 87.8°F (31.0°C). Average rainfall is reported to be approximately 3.83 inches (97.3 mm). Northstar obtained this data from the National Oceanic and Atmospheric Administration (NOAA) National Centers for Environmental Information 1981-2010 Normals.

1.3 Hydrogeologic Setting

The GSEP lies within the Chuckwalla Valley Groundwater Basin (Chuckwalla Basin) which has a surface area of 940 mi² (2,435 km²) underlying Chuckwalla Valley. It is bounded upgradient by three groundwater basins including the eastern part of the Orocopia Valley and Pinto Valley Groundwater Basins and the southern part of the Cadiz Valley Groundwater Basin, and downgradient by the Palo Verde Mesa Groundwater Basin (Palo Verde Basin) (**Figure 2**). Groundwater occurs at depths of about 80 to 140 feet below ground surface (bgs) and groundwater flow is generally southeast to eastward, from the Chuckwalla Basin to the Palo Verde Basin (**Figure 2**).

Sources of groundwater recharge to the Chuckwalla Basin includes precipitation, inflow from the Orocopia Valley and Pinto Valley Groundwater Basins, and return flows from agricultural sources and treated wastewater effluent. Groundwater is the only available water resource in Chuckwalla Valley, with extraction to meet local demand the primary source of groundwater outflow. Other minor sources of

outflow include underflow to the Palo Verde Basin and evapotranspiration in portions of Palen Dry Lake (where shallow groundwater is present).

Calculations of the Chuckwalla Basin groundwater budget prior to GSEP operations indicate a stable surplus of 2,600 afy (CEC, 2010). Current operational demand, based on calendar year 2018 extraction data, is approximately 114 afy.

The region of the Chuckwalla Basin occupied by the GSEP and associated groundwater monitoring wells is underlain by four geological units. The shallowest unit is the unconsolidated Holocene-aged Alluvium, consisting of geologically recent lake, river, and wind deposits (DWR, 1963). Beneath the Alluvium is the unconsolidated Pleistocene-aged Pinto Formation, consisting of coarse alluvial fan deposits (known as fanglomerate), interspersed with clays and basalt (DWR, 1963). Beneath the Pinto Formation is the unconsolidated to partially consolidated Pliocene-aged Bouse Formation, consisting of coarse alluvium and fanglomerate deposits (Wilson and Owen-Joyce, 1994). Below the Bouse Formation is bedrock consisting of metamorphic rocks and intrusive igneous basalts (DWR, 1963).

Groundwater in the GSEP monitoring region occurs in two aquifers: the shallower Alluvium aquifer (extending to a maximum approximate depth of 250 feet below ground surface); and, the deeper Bouse Formation aquifer (extending between approximately 250 to 6,500 feet below ground surface) (Wilson and Owen-Joyce, 1994). The Pinto Formation exists only on the eastern fringe of the Chuckwalla Basin and is generally not encountered by the GSEP monitoring wells. Monitoring data indicate a downward vertical hydraulic gradient of groundwater flow from the Alluvium to the Bouse Formation aquifer.

Based on recent monitoring data, the depth to groundwater in the Bouse Formation ranges from approximately 86.70 feet bgs (300.70 feet amsl) in TW-1, located upgradient of the site, to 136.60 feet bgs (255.50 feet amsl) in Well 23a, located downgradient of the site. Perched water exists at the Chuckwalla State Prison but is unlikely to occur within the GSEP boundaries as there is no irrigation.

1.4 Monitoring Program Objectives

Northstar performs groundwater detection monitoring in accordance with COC S&W-6 as described in the CEC's Final Decision. The primary objectives for the evaporation pond detection as outlined in the MRP are to:

- Establish baseline conditions by conducting four quarters of monitoring prior to discharge of wastewater to the ponds;
- Collect water level elevation data to characterize groundwater flow conditions in the uppermost water-bearing zone beneath the evaporation pond area;
- Collect and evaluate water quality data using approved statistical and other methods to identify potential changes in the existing water quality of the aquifer immediately underlying the evaporation ponds; and,

- Demonstrate compliance with the discharge requirements contained in COC S&W-6 and the WDR for the GSEP.

2.0 EVAPORATION PONDS

2.1 Evaporation Pond Overview

The North and South Evaporation Ponds (sometimes referred to as the West and East ponds, respectively) were designed by Fluor Corp. and are identified on **Figure 3**. Each pond is constructed with multiple layers of containment that drain to a centralized collection trench. The trench slopes away from the centerline of the ponds to the north and south and is equipped with a set of three leakage detection probes in each side. Each pond is also equipped with a pump to return all leaked water back to the pond surface.

2.2 Monitoring Methods

On a semiannual basis, a sample is collected from each of the evaporation ponds and identified as the North Pond and South Pond. Representative water is collected in a clean, dedicated 5-gallon bucket and processed into sample containers inside the containment area. Laboratory samples are submitted to SunStar Laboratories, Inc. (SunStar) of Lake Forest, California. SunStar subcontracts the heat transfer fluid analysis to TestAmerica Laboratories, Inc. (TestAmerica) of Irvine, California. They also subcontract the oxygen-18 and deuterium analysis to Isotech Laboratories, Inc. of Champaign, Illinois. All laboratories are state and federally certified and analyze the samples by the following methods, as detailed in the Final Decision, WDR, and MRP documents:

- Chloride, Sulfate, and Nitrate by EPA Method 300.0;
- Mercury by Standard Method 7470A;
- Total Dissolved Solids by Standard Method 2540C;
- pH by Standard Method 4500H;
- Specific Conductance by Standard Method 2510B;
- Heat Transfer Fluid (HTF) by EPA Method 8015B;
- Heavy Metals by EPA Method 200.7 and 200.8;
- Oil & Grease by EPA Method 1664A; and,
- Oxygen-18 and Deuterium by Isotope Geochemistry.

2.3 Evaporation Pond Sample Results

Analytical data for the evaporation ponds is included in **Table 4** and certified laboratory reports are included in **Appendix B**. In summary:

- The laboratory did not detect iron, antimony, cadmium, chromium, cobalt, lead, selenium, nickel, mercury, or heat transfer fluid in either pond; and,
- Compound concentrations were similar between both ponds.

3.0 LEAKAGE DETECTION SYSTEM

3.1 Leakage Detection System Overview

A cross-sectional schematic of the leakage detection system is included in **Figure 5**. As shown in the figure, each pond is equipped with a total of six probes (Watermark Model 200SS electrical resistance probes) installed at a distance of 15, 70, and 110 feet from the pond centerline.

The leaked water return pumps are installed on the north side of the North Pond and the south side of the South Pond. Readings from the totalizers on each pump are recorded on a quarterly basis.

3.2 Monitoring Methods

Terminals attached to the probe wire leads are stored in a weatherproof vault at the north and south end of each pond, where resistivity readings can be collected using a Watermark 30-KTCD-NL meter. Values can range from 0-10 centibars (saturated) to 199 centibars (dry). Readings are collected from the probes and the nearby water return pumps on a quarterly basis and summarized in **Table 5**. If the pump totalizers show any signs of increase, or if the probes display values within the saturated range (usually started with probe #1 in the lowest end of the trench), Northstar notifies NextEra operations who then conduct further investigation.

3.3 Monitoring Results

The water return pump totalizers have not increased during the reporting period, and currently read 1,687.19 gallons for the North Pond and 24.21 gallons for the South Pond.

None of the leak detection probes showed signs of water saturation, and only one showed signs of humidity in the collection trench: South Pond #1E. This probe has shown signs of sensor drift and sensitivity in previous events.

4.0 DETECTION MONITORING WELLS

4.1 Detection Monitoring Well Overview

A total of three detection monitoring wells were installed around the perimeter of the evaporation ponds (**Figure 4**). Detection monitoring wells DM-1, DM-2, and DM-3 were installed to a total depth of 120 feet bgs into the shallow Alluvium aquifer with screened intervals between 100 to 120 feet bgs. **Table 1** provides construction details for the wells. Well DM-1 is located upgradient, west of the ponds. Well DM-2 and DM-3 are located downgradient, east and south of the ponds, respectively.

4.2 Monitoring Methods

Northstar measured the depth to groundwater in each well using a Solinst interface probe. Field staff documented depth to water to the nearest hundredth (0.01) foot below a surveyed measuring mark located on the north side of the top of casing (toc) on a groundwater level measurement form (**Appendix A**). **Table 2** includes the groundwater level measurements and calculated water level elevations. **Figure 4** illustrates the groundwater elevation contours and flow direction.

Each detection monitoring well has a dedicated 1.66-inch diameter Geotech® stainless steel submersible bladder pump and dedicated Teflon-lined tubing with water intakes set at the middle of wetted screen at approximately 115 feet btoc. Field staff collected samples using the low-flow purging method in accordance with the guidelines established in the EPA document *Low-Flow (Minimal Drawdown) Groundwater Sampling Procedures* (Puls and Barcelona, 1996).

Field staff decontaminated reusable/non-dedicated equipment (water level probe and flow-through cell) prior to use at each well. Decontamination of reusable equipment consisted of washing with a laboratory-grade non-phosphate detergent (Liquinox or equivalent) and potable water solution followed by a double rinse with demineralized water.

Field staff measured groundwater parameters with a Horiba U-52 field instrument (Horiba). Staff calibrated the Horiba at the beginning of each day and decontaminated the instrument prior to use and between wells. Measurements of field parameters (pH, electrical conductivity (EC), temperature, turbidity, and oxidation-reduction potential (ORP)) were taken periodically and at the time of sampling as part of the low flow purge method of sampling.

Wells were purged until water quality parameters stabilized over three successive readings (+/- 0.2 for pH, +/- 10% for EC, ORP and turbidity). Northstar staff recorded the sampling methods, volume of water purged, pumping rate, field parameter measurements, and observations of water turbidity and odor on the groundwater sampling field form (**Appendix A**).

After purging and parameter stabilization, the flow-through cell was disconnected so samples could be collected from the pump discharge. Field staff wore new nitrile gloves to collect groundwater samples in clean bottles (preserved as appropriate) provided by the laboratory. Where required, samples were field filtered with a new 0.45-micron filter attached to the end of the discharge tubing. Staff labeled sample containers with the well identification, date, time, sampler, analytical method, and placed them in a chilled ice chest. Northstar delivered the samples under proper chain-of-custody protocol to the laboratory.

Groundwater purged from DM-1, DM-2, and DM-3 was temporarily contained in a sealed 5-gallon bucket and then disposed in the evaporation ponds as directed in the MRP. **Table 3** includes the measured field parameters documented at the end of purging activities.

Laboratory samples are submitted to SunStar Laboratories, Inc. (SunStar) of Lake Forest, California. SunStar subcontracts the heat transfer fluid analysis to TestAmerica Laboratories, Inc. (TestAmerica) of Irvine, California. They also subcontract the oxygen-18 and deuterium analysis to Isotech Laboratories, Inc. of Champaign, Illinois. All laboratories are state and federally certified and analyze the samples by the following methods, as detailed in the Final Decision, WDR, and MRP documents:

- Chloride, Sulfate, and Nitrate by EPA Method 300.0;
- Mercury by Standard Method 7470A;
- Total Dissolved Solids by Standard Method 2540C;
- pH by Standard Method 4500H;
- Specific Conductance by Standard Method 2510B;
- Heat Transfer Fluid (HTF) by EPA Method 8015B;
- Heavy Metals by EPA Method 200.7 and 200.8;
- Oil & Grease by EPA Method 1664A; and,
- Oxygen-18 and Deuterium by Isotope Geochemistry.

The laboratory conducted standard Quality Assurance/Quality Control (QA/QC) to assure analytical accuracy and precision. This included preparation and analysis of method blanks, surrogate spikes, matrix spike/matrix spike duplicate (MS/MSD) pairs and laboratory control samples (LCS), as required, with each analytical batch.

Northstar collects a duplicate sample once per sampling event that is submitted to the laboratory without identifiers that associate the sample with a well, date, or time. During this event, a duplicate sample from well PW-2 was collected for analysis. **Table 4** of the *Groundwater Quality Monitoring Report* (Northstar, 2019) provides a summary of analytical results for the duplicate sample.

In addition to these methods, a set of quality control blank samples is collected and put on hold at the laboratory pending analysis of the groundwater samples. These samples include a field blank and trip blank. The field blank bottle set is filled with demineralized water and set adjacent to the work area with the lids off during the work day and is intended to screen out constituents in ambient air. The trip blank

bottle set is prepared at the laboratory and is sealed throughout the groundwater sampling event. It is stored inside the sample coolers and is intended to screen out constituents in the coolers. The quality control blank samples are only analyzed if there is anomalous data present for the groundwater sampling results.

4.3 Results of Water Level Measurements

Table 2 provides the wellhead reference elevation (toc elevation), depth-to-groundwater, and water level elevations for each detection monitoring well. Depth to groundwater ranged from 104.38 (well DM-3) to 107.55 (well DM-2) feet bgs, and the calculated groundwater elevations range from 283.77 (well DM-2) to 284.31 (well DM-1) feet amsl.

Northstar used groundwater elevation data to generate a potentiometric surface contour map of the uppermost water-bearing zone beneath the evaporation pond (**Figure 4**). The groundwater flow direction and gradient beneath the site were determined based on linear interpolation between contours of equal elevation. Groundwater flow beneath the evaporation ponds was determined to be predominantly in an east direction at a gradient of approximately 0.0007 feet/foot. The groundwater flow direction and gradient are consistent with historical monitoring events. Groundwater flow direction has historically ranged between east-northeast and southeast and the gradient has ranged between 0.0004 and 0.0007 feet/foot.

4.4 Groundwater Flow Velocity

The average horizontal groundwater flow velocity beneath the evaporation ponds was estimated using the following equation:

$$V = (KhI)/ne$$

Where:

V = average linear groundwater velocity

Kh = aquifer horizontal hydraulic conductivity

I = average hydraulic gradient (vertical change in groundwater elevation/corresponding horizontal distance), and

ne = effective aquifer porosity.

Each monitoring well is screened from 100-120 feet bgs in fine-grained sand, as detailed in the Detection Monitoring Well Installation Report (WorleyParsons, 2012). The reported hydraulic conductivity for fine-grained sand is approximately 0.03 to 60 feet/day, as stated in scientific references (Domenico and Schwartz, 1990). Based on the characteristics of the shallow Alluvium aquifer in which the detection monitoring wells are screened, this calculation assumes an average hydraulic conductivity value of 15 to 30 feet/day, an effective porosity of 25 percent, and an average gradient of 0.0007 feet/foot, as estimated from **Figure 4**.

Based on these calculations, the average groundwater velocity estimated in the uppermost water-bearing zone beneath the evaporation ponds is approximately 0.042 to 0.084 feet laterally per day, or 15.33 to 30.66 lateral feet per year. Historically, estimates of groundwater flow velocity have ranged from 8.76 to 30.66 lateral feet per year.

4.5 General Chemical Analysis

Table 4 provides a summary of the detection monitoring well groundwater sample analytical results. **Appendix C** contains copies of the laboratory analytical reports for the groundwater samples. Groundwater samples from detection monitoring wells DM-1, DM-2, and DM-3 were analyzed for the parameters listed in Section 4.2. The concentration of detected analytes is generally similar between the detection monitoring wells. Similarity in the concentrations of analytes is expected as the three wells are located within 1,000 feet of each other and are screened at the same depth interval (100-120 feet bgs).

The following is a summary of the groundwater monitoring results for the detection monitoring wells since the beginning of the monitoring program:

- **Chloride** detections have been consistent for all wells and have ranged from 4,400 to 8,180 milligrams per liter (mg/L), averaging 5,177 mg/L.
- **Sulfate** detections have been consistent for all wells and have ranged from 1,600 to 3,280 mg/L, averaging 2,081 mg/L.
- **Nitrate** detections have been consistent for all wells and have ranged from non-detect to 17.5 mg/L, averaging 8.1 mg/L.
- **Total dissolved solid** levels have been consistent for all wells and have ranged from 7,100 to 13,000 mg/L, averaging 10,828 mg/L.
- **pH** levels have been consistent for all wells and have ranged from 7.20 to 7.95 standard units, averaging 7.79 standard units.
- **Specific conductivity** levels have been consistent for all wells and have ranged from 13,000 to 22,000 microsiemens per centimeter ($\mu\text{s}/\text{cm}$), averaging 17,570 $\mu\text{s}/\text{cm}$.
- **Antimony** has not been detected above the reporting limit for all wells.
- **Arsenic** detections have been consistent for all wells and have ranged from 4.7 to 20 $\mu\text{g}/\text{L}$, averaging 10.1 $\mu\text{g}/\text{L}$.
- **Barium** detections have been inconsistent between all wells, averaging 37 $\mu\text{g}/\text{L}$ in upgradient well DM-1, 78 $\mu\text{g}/\text{L}$ in downgradient well DM-2, and 19 $\mu\text{g}/\text{L}$ in downgradient well DM-3.
- **Cadmium** has not been detected above the reporting limit for all wells.
- **Calcium** detections have been consistent for all wells and have ranged from 210 to 470 mg/L, averaging 260 mg/L.
- **Chromium (Total)** detections have been inconsistent because the concentrations are frequently between the MDL and RL. Reportable concentrations have ranged from 3.1 to 3.7 $\mu\text{g}/\text{L}$, averaging 3.4 $\mu\text{g}/\text{L}$.
- **Cobalt** has not been detected above the reporting limit for all wells.

- **Copper** detections have been inconsistent because the concentrations are frequently between the MDL and RL. Reportable concentrations have ranged from 0.006 to 0.027 mg/L, averaging 0.017 mg/L.
- **Lead** has not been detected above the reporting limit for all wells.
- **Mercury** has only been detected once above the reporting limit in upgradient well DM-1 at a concentration of 0.26 µg/L. Mercury has not been detected at or above the reporting limit in wells DM-2 and DM-3.
- **Nickel** has only been detected once above the reporting limit in downgradient well DM-3 at a concentration of 10 µg/L. Nickel has not been detected at or above the reporting limit in wells DM-1 or DM-2.
- **Selenium** detections have been inconsistent because the concentrations are frequently between the MDL and RL. Reportable concentrations have ranged from 3.3 to 6.3 µg/L, averaging 5.0 µg/L.
- **Zinc** detections have been inconsistent because the concentrations are frequently between the MDL and RL. Reportable concentrations have ranged from 4.5 to 28 µg/L, averaging 10.8 µg/L.

4.6 Non-Statistical Analysis

In accordance with the MRP Part II.A.5 and Part III.A.2, a non-statistical analysis has been applied to the groundwater analytical results for this sampling event.

The non-statistical analysis requires all detections of the constituents of concern (ie, those defined in Part II.A.4 of the same document) reported above the method detection limit (MDL) in the downgradient wells (DM-2 and DM-3) that do not appear in the upgradient well (DM-1) be identified, and where there are either a) two or more constituents identified in this list from a single downgradient monitoring point, or b) one of the identified constituents in this list exceeds the Practical Quantification Limit (PQL), a release is tentatively indicated.

For the purposes of this report, the PQL is equal to the reporting limit (RL) as identified for each constituent in the laboratory report, which is generally 5 times the MDL. The results of the non-statistical method for this sampling event is as follows:

- Well DM-2: There are no constituents of concern that meet the release detection criteria.
- Well DM-3: There are no constituents of concern that meet the release detection criteria.

4.7 Quality Assurance/Quality Control

As documented in the attached laboratory reports (see **Appendix C**), groundwater samples collected from the evaporation pond detection monitoring wells during this sampling event were received by the laboratory in good condition, within the temperature limits required, and analyzed within the required holding times using the specified methods (with the exception of pH, which has a 15-minute hold time, and nitrates, because the anion laboratory was not in operation when the samples arrived).

None of the analytes were detected in the laboratory method blank samples except for zinc in batch 9061734 (which included all samples). Due to the fact that zinc was detected in all samples at a very consistent concentration ranging from 150 to 180 µg/l, but is not normally detected above the reporting limit for all samples, these results have been omitted from the summary in **Table 4** because they are highly suspect.

Matrix spike/matrix spike duplicate (MS/MSD) and laboratory control sample (LCS) recoveries for each method and analytical batch were within the laboratory's established control limits for the final report, with the following exceptions:

- The MS did not pass for arsenic, barium, cadmium, chromium, and lead for batch 9061734 (which included all samples) due to matrix interference; but the LCS was within acceptable criteria.
- The MS and MSD did not pass for chloride and sulfate for batch 9061717 (which included all samples) due to matrix interference; but the LCS was within acceptable criteria.

5.0 LAND TREATMENT UNIT SUMMARY

The Land Treatment Unit (LTU) is an onsite bioremediation landfarm utilized for the treatment of soil contaminated with the heat transfer fluid (HTF) Therminol. Soil from all HTF spills is excavated within 48 hours and placed in one of four treatment bays, numbered LTU #1 to 4. The soil is then tested to determine whether it can be effectively treated onsite (under 10,000 mg/kg of HTF) or if it is hazardous and must be treated offsite (above 10,000 mg/kg of HTF). Soil in the LTUs is overturned on a weekly basis by onsite staff to aid in the bioremediation of the soil. A representative composite soil sample is collected from each bay on a quarterly basis and analyzed by EPA Method 8260B for benzene to monitor the progress of remediation. Once the concentration is less than 100 mg/kg of HTF, the soil may be removed from the LTU and staged onsite for later use. Treatment is enhanced by the addition of moisture and fertilizers.

Contaminated soil in all LTUs was overturned on a weekly basis during the reporting period. Soil was tested from LTU #1 (June), LTU #2 (March and June), and LTU #3 (March and June) and found to be below the 100 mg/kg threshold on all occasions.

6.0 ANNUAL SUMMARY

The 2019 annual summary will be included in the 2019 Second Semiannual and Annual Groundwater Detection Monitoring Report, produced by Northstar by January 15, 2020.

7.0 CONCLUSIONS

Based on the available data obtained during this sample event:


- Sample results do not indicate a release at the GSEP to date.
- Available groundwater quality data is generally stable with minor trend fluctuations.
- The non-statistical analysis of the constituents of concern has not identified any potential releases.
- Groundwater flow direction, gradient, and velocity is consistent with historical events.




All data currently indicates compliance with the discharge requirements contained in COC S&W-6 and the WDR for the GSEP.



8.0 REFERENCES

- Bureau of Land Management, 2010. *Final Environmental Impact Statement, Genesis Solar Energy Project*. August 27, 2010.
- California Department of Water Resources (DWR), 1963. *Data on Water Wells and Springs in the Chuckwalla Valley Area, Riverside County, California*. Bulletin No. 91-7.
- California Energy Commission (CEC), 2010. *Genesis Solar Energy Project Commission Decision*. October 12, 2010.
- California Regional Water Quality Control Board – Colorado River Basin Region, 2013a. *Monitoring and Reporting Program R7-2013-0005 for Genesis Solar, LLC*. March 21, 2013.
- California Regional Water Quality Control Board – Colorado River Basin Region, 2013b. *Board Order R7-2013-0005 Waste Discharge Requirements for Genesis Solar, LLC*. March 21, 2013.
- Domenico, P. and Schwartz, F., 1990. *Physical and Chemical Hydrogeology*. J. Wiley & Sons.
- Genesis Solar, LLC, 2009. *Application for Certification, Genesis Solar Energy Project, Riverside County, California*. August 31, 2009.
- Genesis Solar, LLC, 2010. *Plan of Development CA48880, Genesis Solar Energy Project, Riverside County, California*. October 2010.
- Northstar Environmental Remediation, 2019. *2019 First Semiannual Groundwater Quality Monitoring Report, Genesis Solar Energy Project, Riverside County, California*. June 27, 2019.
- Puls, Robert W. and Michael J. Barcelona, 1996. *Low-Flow (Minimal Drawdown) Ground-Water Sampling Procedures. Ground Water Issue, EPA Superfund Technology Support Center for Ground Water*. EPA/540/S-95/504. April 1996.
- U.S. Bureau of Reclamation, 1972. *Inland Basins Project, California-Nevada, Summary Report: Reconnaissance Investigations*. 1972.
- Wilson, R.P., and Owen-Joyce, S.J., 1994. *Method to identify wells that yield water that will be replaced by Colorado River water in Arizona, California, Nevada, and Utah*. U.S. Geological Survey, Water Resources Investigation Report 94-4005.
- WorleyParsons, 2012. *Detection Monitoring Well Installation Report*. Genesis Solar Energy Project, March 30, 2012.

FIGURES



-  GSEP Footprint
-  Prisons
-  Wilderness Area



★ Site Location









Northstar Environmental Remediation
 26225 Enterprise Court
 Lake Forest, California 92630
 (949) 580-2800



Project Number:
 196-004-06

Genesis Solar Energy Project
 11995 Wiley's Well Road
 Blythe, California 92225

Figure 1
 Site Vicinity Map



-  GSEP Footprint
-  Watershed Boundary
-  Lake
-  Wilderness Area
-  Water Flow Direction



★ Site Location




Northstar Environmental Remediation
 26225 Enterprise Court
 Lake Forest, California 92630
 (949) 580-2800


Project Number:
 196-004-06

Genesis Solar Energy Project
 11995 Wiley's Well Road
 Blythe, California 92225

Figure 2
 Hydrogeologic Setting



 Detection Monitoring Well




Northstar Environmental Remediation
 26225 Enterprise Court
 Lake Forest, California 92630
 (949) 580-2800

Project Number: 196-004-06

Genesis Solar Energy Project
 11995 Wiley's Well Road
 Blythe, California 92225

Figure 3
 Evaporation Pond and Detection
 Monitoring Well Locations



Detection Monitoring Well

— Groundwater Elevation Contour Line

(284.30) Groundwater Elevation in Feet Above Mean Sea Level

Approximate Scale:
1 inch = 180 feet




Northstar Environmental Remediation
26225 Enterprise Court
Lake Forest, California 92630
(949) 580-2800

Project Number: 196-004-06

Genesis Solar Energy Project
11995 Wiley's Well Road
Blythe, California 92225

Figure 4
Groundwater Elevation
Contour Map



NOTE: ALL DIMENSIONS ARE APPROXIMATE AND ARE BASED UPON FIELD OBSERVATIONS.

- Notes:
1. Probes installed at #1W through #1E are Irrrometer/Watermark Model 200SS Moisture Probes.
 2. Access port is 4-inch diameter HDPE pipe.
 3. Moisture probes are tied to 1/4-inch diameter braided steel pull-through cable (total length of approximately 340 feet).
 4. Probes installed in 4-inch diameter perforated pipe with approximate 1 degree slope away from C/L.
 5. Moisture probes furnished with two leads for direct read by Watermark Model 30 KTC-D-NL meter.



PROJECT NAME GENESIS SOLAR ENERGY PROJECT	PROJECT NUMBER 196-004-05
PROJECT ADDRESS 11995 WILEY'S WELL RD, BLYTHE, CA	DRAWN/CHECKED BY AWB
CONSULTING FIRM NORTHSTAR ENVIRONMENTAL REMEDIATION	DATE DRAWN 12/05/2016
FIGURE DESCRIPTION LEAK DETECTION SYSTEM DETAIL	FIGURE NUMBER FIGURE 5

TABLES

TABLE 1
DETECTION MONITORING WELL DETAILS
 Genesis Solar Energy Project, Riverside County, California

Well ID	Other Name	Owner	Installation Date	Use/Status	Well Casing Diameter (inches)	Approximate Ground Surface Elevation (feet amsl)	Top Of Casing Elevation (feet amsl)	Well Depth (feet bgs)	Screened Interval (feet bgs)	Geologic Unit
WELLS INCLUDED IN THE GROUNDWATER MONITORING PROGRAM										
DM-1	Detection Monitoring Well 1	Genesis Solar, LLC	2/22/2012	Monitoring / Active	4	--	391.49	120	100 to 120	Alluvium
DM-2	Detection Monitoring Well 2	Genesis Solar, LLC	2/21/2012	Monitoring / Active	4	--	391.32	120	100 to 120	Alluvium
DM-3	Detection Monitoring Well 3	Genesis Solar, LLC	2/20/2012	Monitoring / Active	4	--	388.34	120	100 to 120	Alluvium

Notes:

- = information is not available or unknown
- amsl = above mean sea level
- bgs = below ground surface

TABLE 2
GROUNDWATER LEVEL MEASUREMENTS
 Genesis Solar Energy Project, Riverside County, California

Well ID	Date	Source	Top of Casing Elevation (feet amsl)	Depth to Water (feet below TOC)	Groundwater Elevation (feet amsl)	Difference from Baseline (feet)	Comments / Use
WELLS INCLUDED IN THE GROUNDWATER DETECTION MONITORING PROGRAM							
DM-1	2/27/2012	WorleyParsons	391.49	106.63	284.86	N/A	Monitoring
DM-1	5/24/2012	WorleyParsons	391.49	107.11	284.38	0.00	Baseline
DM-1	7/26/2012	WorleyParsons	391.49	107.10	284.39	0.01	Monitoring
DM-1	11/14/2012	WorleyParsons	391.49	108.15	283.34	-1.04	Monitoring
DM-1	3/29/2013	WorleyParsons	391.49	107.34	284.15	-0.23	Monitoring
DM-1	6/19/2013	WorleyParsons	391.49	107.19	284.30	-0.08	Monitoring
DM-1	8/13/2013	WorleyParsons	391.49	107.07	284.42	0.04	Monitoring
DM-1	11/12/2013	WorleyParsons	391.49	107.22	284.27	-0.11	Monitoring
DM-1	2/26/2014	WorleyParsons	391.49	107.13	284.36	-0.02	Monitoring
DM-1	5/22/2014	Northstar	391.49	107.05	284.44	0.06	Monitoring
DM-1	8/8/2014	Northstar	391.49	107.11	284.38	0.00	Monitoring
DM-1	12/4/2014	Northstar	391.49	107.03	284.46	0.08	Monitoring
DM-1	3/26/2015	Northstar	391.49	107.22	284.27	-0.11	Monitoring
DM-1	6/11/2015	Northstar	391.49	107.01	284.48	0.10	Monitoring
DM-1	12/10/2015	Northstar	391.49	106.98	284.51	0.13	Monitoring
DM-1	6/2/2016	Northstar	391.49	107.18	284.31	-0.07	Monitoring
DM-1	11/30/2016	Northstar	391.49	107.27	284.22	-0.16	Monitoring
DM-1	6/1/2017	Northstar	391.49	107.12	284.37	-0.01	Monitoring
DM-1	12/5/2017	Northstar	391.49	107.38	284.11	-0.27	Monitoring
DM-1	5/30/2018	Northstar	391.49	107.10	284.39	0.01	Monitoring
DM-1	12/4/2018	Northstar	391.49	107.45	284.04	-0.34	Monitoring
DM-1	6/14/2019	Northstar	391.49	107.18	284.31	-0.07	Monitoring
DM-2	2/27/2012	WorleyParsons	391.32	106.92	284.40	N/A	Monitoring
DM-2	5/24/2012	WorleyParsons	391.32	107.37	283.95	0.00	Baseline
DM-2	7/26/2012	WorleyParsons	391.32	107.33	283.99	0.04	Monitoring
DM-2	11/14/2012	WorleyParsons	391.32	108.33	282.99	-0.96	Monitoring
DM-2	3/29/2013	WorleyParsons	391.32	107.59	283.73	-0.22	Monitoring
DM-2	6/19/2013	WorleyParsons	391.32	107.41	283.91	-0.04	Monitoring
DM-2	8/13/2013	WorleyParsons	391.32	107.31	284.01	0.06	Monitoring
DM-2	11/12/2013	WorleyParsons	391.32	107.63	283.69	-0.26	Monitoring
DM-2	2/26/2014	WorleyParsons	391.32	107.40	283.92	-0.03	Monitoring
DM-2	5/22/2014	Northstar	391.32	107.28	284.04	0.09	Monitoring
DM-2	8/8/2014	Northstar	391.32	107.28	284.04	0.09	Monitoring
DM-2	12/4/2014	Northstar	391.32	107.43	283.89	-0.06	Monitoring
DM-2	3/26/2015	Northstar	391.32	107.61	283.71	-0.24	Monitoring
DM-2	6/11/2015	Northstar	391.32	107.40	283.92	-0.03	Monitoring
DM-2	12/10/2015	Northstar	391.32	107.30	284.02	0.07	Monitoring
DM-2	6/2/2016	Northstar	391.32	107.38	283.94	-0.01	Monitoring
DM-2	11/30/2016	Northstar	391.32	107.52	283.80	-0.15	Monitoring
DM-2	6/1/2017	Northstar	391.32	107.47	283.85	-0.10	Monitoring
DM-2	12/5/2017	Northstar	391.32	107.78	283.54	-0.41	Monitoring
DM-2	5/30/2018	Northstar	391.32	107.45	283.87	-0.08	Monitoring
DM-2	12/4/2018	Northstar	391.32	107.80	283.52	-0.43	Monitoring
DM-2	6/14/2019	Northstar	391.32	107.55	283.77	-0.18	Monitoring
DM-3	2/27/2012	WorleyParsons	388.34	103.85	284.49	N/A	Monitoring
DM-3	5/24/2012	WorleyParsons	388.34	104.35	283.99	0.00	Baseline
DM-3	7/26/2012	WorleyParsons	388.34	104.28	284.06	0.07	Monitoring
DM-3	11/14/2012	WorleyParsons	388.34	105.25	283.09	-0.90	Monitoring
DM-3	3/29/2013	WorleyParsons	388.34	104.35	283.99	0.00	Monitoring
DM-3	6/19/2013	WorleyParsons	388.34	104.20	284.14	0.15	Monitoring
DM-3	8/13/2013	WorleyParsons	388.34	104.31	284.03	0.04	Monitoring
DM-3	11/12/2013	WorleyParsons	388.34	104.43	283.91	-0.08	Monitoring
DM-3	2/26/2014	WorleyParsons	388.34	104.31	284.03	0.04	Monitoring
DM-3	5/22/2014	Northstar	388.34	104.20	284.14	0.15	Monitoring
DM-3	8/8/2014	Northstar	388.34	104.21	284.13	0.14	Monitoring
DM-3	12/4/2014	Northstar	388.34	104.39	283.95	-0.04	Monitoring
DM-3	3/26/2015	Northstar	388.34	104.59	283.75	-0.24	Monitoring
DM-3	6/12/2015	Northstar	388.34	104.18	284.16	0.17	Monitoring
DM-3	12/11/2015	Northstar	388.34	103.96	284.38	0.39	Monitoring
DM-3	6/3/2016	Northstar	388.34	104.38	283.96	-0.03	Monitoring
DM-3	12/2/2016	Northstar	388.34	104.28	284.06	0.07	Monitoring
DM-3	6/1/2017	Northstar	388.34	104.25	284.09	0.10	Monitoring
DM-3	12/5/2017	Northstar	388.34	104.62	283.72	-0.27	Monitoring
DM-3	5/30/2018	Northstar	388.34	104.27	284.07	0.08	Monitoring
DM-3	12/4/2018	Northstar	388.34	104.68	283.66	-0.33	Monitoring
DM-3	6/14/2019	Northstar	388.34	104.38	283.96	-0.03	Monitoring

Notes:
 amsl = above mean sea level
 TOC = top of casing

TABLE 3
FIELD DATA COLLECTED DURING THE MOST RECENT GROUNDWATER MONITORING EVENT
 Genesis Solar Energy Project, Riverside County, California

Well ID	Date	Groundwater Purging			Field Parameters					
		Rate of Groundwater Discharge (mL/min)	Purging Method	Total Volume Purged (mL)	pH	Conductivity (mS/cm)	Turbidity (NTU)	D.O. (mg/L)	Temperature (C ^o)	ORP (mV)
DM-1	6/14/2019	188	Bladder Pump	6,254	8.14	17.8	98.0	6.65	26.71	+68
DM-2	6/14/2019	112	Bladder Pump	5,646	8.05	18.2	79.5	0.60	28.58	+60
DM-3	6/14/2019	121	Bladder Pump	5,718	8.10	17.4	3.0	2.65	33.69	+90

NOTES:

mL = milliliters

mL/min = milliliters per minute

mS/cm = millisiemens per centimeter

NTU = Nephelometric Turbidity Units

DO = Dissolved Oxygen

mg/L = milligrams per liter

^oC = degree Celsius

mV = millivolts

TABLE 4
SUMMARY OF LABORATORY ANALYTICAL RESULTS
 Genesis Solar Energy Project, Riverside County, California

Well ID	Date Sampled	Sampling Method	Chloride	Sulfate	Nitrate	Calcium	Copper	Sodium	Potassium	Iron	Magnesium	Antimony	Arsenic	Barium	Cadmium	Chromium (Total)	Cobalt	Lead	Manganese	Nickel	Selenium	Zinc	Mercury	Total Dissolved Solids	Specific Conductance	pH (std. Units)	Oil & Grease / HEM	HTF [†]	Deuterium (% relative to VSMOW)	Oxygen-18 (% relative to VSMOW)	
			(mg/L)	(mg/L)	(mg/L)																			(mg/L)			(mg/L)				(ug/L)
			EPA Method 300.0			EPA Method 200.7						EPA Method 200.8											SM7470A	SM2540C	SM2510B	SM4500H	SM1664A	8015B	Isotope Geochemistry		
DM-1	5/24/2012	Low Flow	4,600	2,000	3.9	250	<0.10	3,800	23.0	<0.40	56	-	-	-	-	-	-	-	-	-	-	-	-	12,000	16,000	7.84	-	-	-65.1	-8.8	
DM-1	10/24/2012	Low Flow	5,400	2,300	<1.1	210	<0.010	3,200	20.0	<0.040	58	-	-	-	-	-	-	-	-	-	-	-	-	11,000	18,000	7.83	-	-	-72.1	-8.6	
DM-1	5/22/2014	Low Flow	5,300	2,000	-	240	<0.010	3,700	22	<0.040	54	<10	6.2	52	<5.0	<10	<5.0	<5.0	<5.0	2.5 ^J	4.6 ^J	3.0 ^J	<100	<0.20	11,000	19,000	7.81	<5.0	-	-68.50	-8.51
DM-1	5/22/2014 ¹	Low Flow	5,200	2,000	-	230	<0.010	3,600	22	<0.040	53	<10	5.6	50	<5.0	<10	<5.0	<5.0	<5.0	3.9 ^J	3.1 ^J	<100	<0.20	11,000	19,000	7.74	<5.3	-	-69.47	-8.74	
DM-1	12/4/2014	Low Flow	4,800	1,700	2.9	230	<0.050	3,600	21	<0.20	57	<10	7.7	50	<5.0	<10	<5.0	<5.0	<5.0	9.2 ^J	<10	25 ^J	0.15 ^J	11,000	19,000	7.92	<4.7	<0.094	N/A ²	N/A ²	
DM-1	6/11/2015	Low Flow	4,600	2,000	3.7 ^J	230	<0.10	3,600	21	<0.40	52	<10	3.8 ^J	36	<5.0	2.9 ^J	<5.0	<5.0	<5.0	3.6 ^J	6.3 ^J	3.6 ^J	<100	0.26	10,000	19,000	7.81	<4.7	<0.10	-69.2	-8.47
DM-1	12/10/2015	Low Flow	5,300	2,100	4.9 ^J	260	<0.010	3,700	22	<0.040	57	<10	5.6	38	<5.0	<10	<5.0	<5.0	<5.0	<10	5.2 ^J	<100	<0.20	12,000	19,000	7.79	<5.0	<0.094	-70.3	-8.57	
DM-1	6/2/2016	Low Flow	4,700	1,800	7.8	230	<0.10	3,800	18	<0.40	57	<2.0	5.1	31	<1.0	1.9 ^J	<1.0	<1.0	<1.0	0.99 ^J	1.1 ^J	3.3	2.5 ^J	<0.20	11,000	20,000	7.87	<4.7	<0.094	-69.87	-8.83
DM-1	11/30/2016	Low Flow	5,200	2,000	<5.5	230	<0.010	3,700	23	<0.040	59	<20	6.7 ^J	31	<10	<20	<10	<10	<10	<10	<10	13 ^J	<200	<0.20	11,000	17,000	7.8	<4.7	<0.093	-70.70	-8.68
DM-1	6/1/2017	Low Flow	4,600	1,900	4.2 ^J	250	<0.10	4,100	21	<1.0	62	<10	4.8 ^J	28	<5.0	5.9 ^J	<5.0	<5.0	<5.0	<5.0	7.6 ^J	6.9 ^J	<100	<0.20	11,000	16,000	7.9	<5.1	<0.094	-70.30	-8.57
DM-1	12/5/2017	Low Flow	7,130	2,770	12.8	230	0.025	1,100	30	<1.0	59	<1.0	6.2	28	<2.5	3.1	<2.5	<2.5	-	<2.5	5.1	6.6	<0.50	10,000	17,200	7.8	<5.0	<0.10	-69.14	-8.90	
DM-1	5/30/2018	Low Flow	5,190	2,030	14.7	270	0.096 ^J	5,200	63	0.78 ^J	64	<0.50	5.0	30	<0.50	<5.0	<0.50	<5.0	-	<5.0	5.9	9.5	<0.50	11,000	17,300	7.9	<5.0	<0.10	-71.10	-8.57	
DM-1	12/4/2018	Low Flow	8,180	3,280	9.00	260	<0.5	4,800	33	<20	68	<10	10	31	<10	<10	<10	<10	<10	<10	<10	<10	<0.50	11,000	17,400	7.7	<5.0	<0.10	-70.10	-8.55	
DM-1	6/14/2019	Low Flow	5,040	1,930	8.76	280	0.006	4,800	65	0.35	63	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<10	<0.50	9,600	17,700	7.2	<5.0	<0.10	-70.40	-8.58	
DM-2	5/24/2012	Low Flow	4,500	2,000	2.9	290	<0.10	3,500	25.0	<0.40	59	-	-	-	-	-	-	-	-	-	-	-	-	13,000	16,000	7.80	-	-	-71.7	-8.8	
DM-2	10/23/2012	Low Flow	4,800	2,000	<1.1	470	<0.010	2,600	27.0	<0.040	54	-	-	-	-	-	-	-	-	-	-	-	-	9,900	16,000	7.72	-	-	-70.9	-8.9	
DM-2	5/22/2014	Low Flow	5,100	2,000	-	320	<0.020	3,500	23	0.022 ^J	54	<10	4.7 ^J	97	<5.0	<10	<5.0	<5.0	<5.0	59	4.1 ^J	3.3 ^J	<100	<0.20	11,000	18,000	7.79	<5.1	-	-69.95	-8.72
DM-2	12/4/2014	Low Flow	4,400	1,600	3.0	300	<0.050	3,100	20	0.082 ^J	55	<10	5.7	140	<5.0	<10	<5.0	<5.0	<5.0	90	8.4 ^J	<10	<100	<0.20	9,900	17,000	7.90	<4.7	<0.095	N/A ²	N/A ²
DM-2	6/11/2015	Low Flow	4,500	2,000	3.8 ^J	290	<0.10	3,500	22	<0.40	55	<10	4.1 ^J	110	<5.0	2.9 ^J	<5.0	<5.0	<5.0	40	4.9 ^J	<10	<100	<0.20	9,600	18,000	7.92	<4.7	<0.10	-68.2	-8.52
DM-2	12/10/2015	Low Flow	5,400	2,200	<5.5	290	<0.010	3,600	21	0.062	61	<10	5.9	85	<5.0	<10	<5.0	<5.0	<5.0	88	<10	5.5 ^J	<100	<0.20	12,000	18,000	7.85	<5.0	<0.096	-69.4	-8.43
DM-2	6/2/2016	Low Flow	4,800	1,900	8.0	280	<0.10	3,800	20	0.27 ^J	60	0.51 ^J	4.7	62	<1.0	1.5 ^J	<1.0	<1.0	<1.0	62	1.1 ^J	3.5	<20	<0.20	12,000	22,000	7.95	<4.9	<0.097	-69.53	-8.63
DM-2	11/30/2016	Low Flow	5,300	2,200	2.8 ^J	290	<0.010	4,200	28	<0.040	61	<20	5.9 ^J	56	<10	<20	<10	<10	<10	40	<20	18 ^J	<200	<0.20	11,000	17,000	7.8	<4.7	<0.097	-70.20	-8.37
DM-2	6/1/2017	Low Flow	4,800	1,900	3.1 ^J	280	<0.10	4,100	21	<1.0	62	<10	4.4 ^J	52	<5.0	<10	<5.0	<5.0	17	5.2 ^J	5.6 ^J	<100	<0.20	12,000	16,000	7.9	<5.2	<0.097	-70.10	-8.51	
DM-2	12/5/2017	Low Flow	4,930	1,960	13.4	250	<0.025	1,400	34	<1.0	62	<1.0	5.5	69	<2.5	3.7	<2.5	<2.5	-	<2.5	5.7	4.5	<0.50	11,000	17,200	7.8	<5.0	<0.10	-67.66	-8.63	
DM-2	5/30/2018	Low Flow	6,000	2,280	17.5	300	0.11 ^J	4,800	68	<10	67	<5.0	5.1	51	<0.50	<5.0	<0.50	<0.50	-	<0.50	6.3	<5.0	<0.50	9,900	17,000	7.9	<5.0	<0.11	-69.20	-8.39	
DM-2	12/4/2018	Low Flow	5,290	1,770	11.4	240	<0.5	4,900	35	<20	60	<10	<10	57	<10	<10	<10	<10	-	<10	<10	28	<0.50	7,100	13,000	7.8	<5.0	<0.10	-72.30	-8.98	
DM-2	6/14/2019	Low Flow	5,240	2,080	11.2	300	<0.005	5,100	68	<0.20	67	<10	<10	<10	<10	<10	<10	<10	-	<10	<10	-	<0.50	9,300	18,000	7.3	<5.0	<0.10	-70.10	-8.50	
DM-3	5/24/2012	Low Flow	4,600	2,000	<2.2	220	<0.10	3,500	20.0	<0.40	51	-	-	-	-	-	-	-	-	-	-	-	-	12,000	16,000	7.83	-	-	-71.4	-8.9	
DM-3	10/23/2012	Low Flow	5,100	2,100	<2.2	210	<0.010	3,000	20.0	<0.040	52	-	-	-	-	-	-	-	<1.0	-	-	-	-	11,000	18,000	7.83	-	-	-72.6	-8.7	
DM-3	5/22/2014	Low Flow	5,400	2,100	-	230	<0.010	3,600	21	<0.040	51	<10	13	18	<5.0	<10	<5.0	<5.0	<5.0	<5.0	10	<10	<100	<0.20	11,000	19,000	7.66	<4.9	-	-68.86	-8.52
DM-3	12/5/2014	Low Flow	4,900	1,800	1.8 ^J	230	<0.050	3,600	20	<0.20	56	<10	16	18	<5.0	<10	<5.0	<5.0	<5.0	9.6 ^J	<10	<100	<0.20	11,000	18,000	7.82	<4.7	<0.099	N/A ²	N/A ²	
DM-3	6/12/2015	Low Flow	4,400	1,900	<5.5	220	<0.10	3,600	18	<0.40	50	<10	14	17	<5.0	<10	<5.0	<5.0	<5.0	4.5 ^J	<10	<100	<0.20	9,800	18,000	7.75	<4.9	<0.10	-69.6	-8.90	
DM-3	12/11/2015	Low Flow	5,100	2,200	<5.5	250	0.0057 ^J	3,500	19	<0.040	51	<10	17	21	<5.0	<10	<5.0	<5.0	<5.0	<10	3.1 ^J	<100	<0.20	11,000	18,000	7.79	<5.0	<0.094	-70.6	-8.73	
DM-3	6/3/2016	Low Flow	4,700	1,900	7.1	220	<0.10	3,700	17	<0.40	53	<2.0	14	16	<1.0	0.66 ^J	<1.0	<1.0	<1.0	0.64 ^J	0.88 ^J	1.0 ^J	5.1 ^J	<0.20	11,000	20,000	7.86	<4.7	<0.093	-69.29	-8.75
DM-3	12/2/2016	Low Flow	4,900	2,100	<5.5	240	0.0052 ^J	4,100	23	<0.040	56	<10	16	18	<5.0	<10	<5.0	<5.0	<5.0	<10	5.6 ^J	<100	<0.20	11,000	17,000	7.8	<4.8	<0.097	-72.20	-8.75	
DM-3	6/1/2017	Low Flow	4,800	2,000	<5.5	240	<0.10	3,900	19	<1.0	55	<10	15	18	<5.0	<10	<5.0	<5.0	<5.0	3.9 ^J	2.7 ^J	<100	<0.20	11,000	16,000	7.9	<5.1	<0.095	-70.80	-8.71	
DM-3	12/5/2017	Low Flow	4,880	2,020	2.77	230	0.027	1,200	31	0.073 ^J	59	<2.5	15	15	<2.5	<2.5	<2.5	<2.5	-	<2.5	<2.5	5.6	<0.50	13,000	17,000	7.8	<5.0	<0.10	-69.57	-8.87	
DM-3	5/30/2018	Low Flow	6,350	2,600	10.7	260	0.11 ^J	4,100	61	<10	61	<0.50	14	15	<0.50	<5.0	<0.50	<0.50	-	<0.50	<5.0	<5.0	<0.50	12,000	17,100	7.9	<5.0	<0.11	-70.60	-8.67	
DM-3	12/4/2018	Low Flow	6,770	2,840	2.50	280	<0.5	5,200	33	<20	69	<10	20	34	<10	<10	<10	<10	-	<10	<10	<10</									

TABLE 5
SUMMARY OF LEAKAGE DETECTION SYSTEM DATA
 Genesis Solar Energy Project, Riverside County, California

Date of Reading	Sensor Readings ¹														Comments
	North Pond							South Pond							
	#1W	#2W	#3W	#1E	#2E	#3E	Totalizer	#1W	#2W	#3W	#1E	#2E	#3E	Totalizer	
1st Qtr 2014	199	199	199	199	199	199	-	199	199	199	199	199	199	-	All probes are dry
2nd Qtr 2014	199	199	199	199	199	199	-	199	199	199	199	199	199	-	
3rd Qtr 2014	199	199	199	199	199	199	-	199	199	199	199	199	199	-	
12/05/2014	199	199	199	199	199	199	-	199	199	199	199	199	199	-	
03/26/2015	199	199	199	199	199	199	-	199	199	199	199	199	199	-	
06/12/2015	133	199	199	199	199	199	-	199	199	199	199	199	199	-	
09/03/2015	78	199	199	199	199	199	-	199	199	199	199	199	199	-	
09/15/2015	67	199	199	199	199	199	-	199	199	199	199	199	199	-	
12/10/2015	0	75	199	199	199	199	-	199	199	199	199	199	199	-	Sump pumps turned on - no water
03/01/2016	6	101	199	199	199	199	-	199	199	199	199	199	199	-	
06/02/2016	4	80	199	199	199	199	-	199	199	199	199	199	199	-	
09/01/2016	0	42	146	199	175	105	-	199	199	199	199	199	199	-	
12/01/2016	0	59	199	199	199	188	1,144.79	199	199	199	183	199	199	24.21	Readings on arrival
12/01/2016	199	199	199	199	199	199	1,144.79	199	199	199	183	199	199	24.21	Readings on departure, new probes in North Pond
03/02/2017	199	199	199	199	199	199	1,144.79	199	199	199	199	199	199	24.21	
06/01/2017	199	199	199	199	199	199	1,144.79	199	199	199	199	199	199	24.21	
09/04/2017	199	199	199	199	199	199	1,695.44	199	199	199	192	178	199	24.21	
12/05/2017	114	165	199	199	179	180	1,695.66	199	199	199	166	199	199	24.21	To date, all totalizer increases are from pump testing
03/06/2018	186	199	199	199	199	199	1,695.66	199	199	199	199	199	199	24.21	
06/01/2018	159	199	199	199	199	199	1,695.66	199	199	199	177	186	199	24.21	
09/12/2018	78	192	199	199	199	192	1,694.83	199	199	199	197	187	199	24.21	
12/03/2018	119	181	199	199	199	199	1,688.26	199	199	199	199	168	199	24.21	
03/08/2019	150	199	199	199	199	199	1,690.80	199	199	199	115	168	199	24.21	
06/13/2019	199	199	199	199	199	199	1,687.19	199	199	199	188	199	199	24.21	

1 - Readings in centibars, collected with a Watermark 30 KTCD-NL Soil Moisture Meter

APPENDIX A

FIELD DATA SHEETS



GROUNDWATER SAMPLING FIELD FORM

Event: 2019 1st Semiannual Site: Genesis Solar Energy Project Project No: 196-004-06

Project: Groundwater Quality Monitoring Program Project Manager: AWB

Technicians: RCD/AWB Weather: Hot, clear

Sampling Method: Geotech Submersible Bladder Pump - Low Flow Purge (< 250 mL/minute); Flow-Through Cell;
Parameters Stable Once Within 10%

Well No.	DM-1	Time	Water Level (ft btoc)	Temp °C	pH	Conductivity (mS/cm)	Turbidity (NTUs)	ORP (mV)	DO (mg/L)
Casing Diameter (in.)	4.0	6:48	107.20	26.61	8.18	17.8	102	+65	6.74
Total Depth (ft btoc)	120	6:50	107.20	26.67	8.16	17.8	100	+67	6.70
Screened Interval (ft btoc)	100 - 120	6:52	107.20	26.71	8.14	17.8	98	+68	6.65
Depth to Water (ft btoc)	107.18								
Depth of Inlet (ft btoc)	115.00								
Discharge Time (sec)	25								
Fill Time (sec)	15								
Cycles per Minute	1.5								
Volume per Cycle (mL)	125								
Pump Rate (mL/min)	188								
Sample Date	6/14/2019								
Sample Time	6:52								

General Well Location: West side of settlement ponds

COMMENTS:

Well No.	DM-2	Time	Water Level (ft btoc)	Temp °C	pH	Conductivity (mS/cm)	Turbidity (NTUs)	ORP (mV)	DO (mg/L)
Casing Diameter (in.)	4.0	7:58	107.78	28.49	8.07	18.2	80.6	+61	0.63
Total Depth (ft btoc)	120	8:00	107.78	28.54	8.06	18.2	79.6	+59	0.60
Screened Interval (ft btoc)	100 - 120	8:02	107.78	28.58	8.05	18.2	79.5	+60	0.60
Depth to Water (ft btoc)	107.55								
Depth of Inlet (ft btoc)	115.00								
Discharge Time (sec)	27								
Fill Time (sec)	40								
Cycles per Minute	0.9								
Volume per Cycle (mL)	125								
Pump Rate (mL/min)	112								
Sample Date	6/14/2019								
Sample Time	8:02								

General Well Location: East side of settlement ponds

COMMENTS:

Well No.	DM-3	Time	Water Level (ft btoc)	Temp °C	pH	Conductivity (mS/cm)	Turbidity (NTUs)	ORP (mV)	DO (mg/L)
Casing Diameter (in.)	4.0	9:13	104.40	33.75	8.06	17.6	3.1	+85	2.52
Total Depth (ft btoc)	120	9:15	104.40	33.70	8.08	17.5	3.1	+87	2.61
Screened Interval (ft btoc)	100 - 120	9:17	104.40	33.69	8.10	17.4	3.0	+90	2.65
Depth to Water (ft btoc)	104.38								
Depth of Inlet (ft btoc)	115.00								
Discharge Time (sec)	27								
Fill Time (sec)	35								
Cycles per Minute	0.97								
Volume per Cycle (mL)	125								
Pump Rate (mL/min)	121								
Sample Date	6/14/2019								
Sample Time	9:17								

General Well Location: South side of settlement ponds

COMMENTS:

APPENDIX B

LABORATORY ANALYTICAL RESULTS

EVAPORATION PONDS



25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

27 June 2019

Arlin Brewster
Northstar Environmental Remediation
26225 Enterprise Court
Lake Forest, CA 92630
RE: Genesis Solar LTUs & Ponds

Enclosed are the results of analyses for samples received by the laboratory on 06/14/19 15:05. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Jeff Lee
Project Manager



25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Northstar Environmental Remediation
26225 Enterprise Court
Lake Forest CA, 92630

Project: Genesis Solar LTUs & Ponds
Project Number: 196-004-05
Project Manager: Arlin Brewster

Reported:
06/27/19 16:51

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
NORTH POND	T191968-01	Water	06/13/19 05:45	06/14/19 15:05
SOUTH POND	T191968-02	Water	06/13/19 05:50	06/14/19 15:05

Metal samples were field filtered by client and is indicated in the CoC. All metals analytes are reported as dissolved metals. JL 6/17/19.

Sample were received on Friday 3pm. Laboratory did not anticipate short hold samples arriving so Anion analyst left the lab early. The Nitrate analysis will be analyzed out of hold time on Monday. Client has been informed of the situation on 6/17/19 and has instructed the lab to continue the analysis. JL 6/17/19.

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager

Northstar Environmental Remediation
26225 Enterprise Court
Lake Forest CA, 92630

Project: Genesis Solar LTUs & Ponds
Project Number: 196-004-05
Project Manager: Arlin Brewster

Reported:
06/27/19 16:51

DETECTIONS SUMMARY

Sample ID: NORTH POND

Laboratory ID: T191968-01

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
Arsenic	25	10		ug/l	200.8	
Barium	12	10		ug/l	200.8	
Copper	0.038	0.005		mg/l	EPA 200.7	
Zinc	160	10		ug/l	200.8	
Calcium	280	0.10		mg/l	EPA 200.7	
Magnesium	5.7	0.10		mg/l	EPA 200.7	
Sodium	41000	100		mg/l	EPA 200.7	
pH	9.1	0.10		pH Units	SM4500	O-04
Total Dissolved Solids	72000	55		mg/l	TDS by SM2540C	
Specific Conductance (EC)	108000	10.0		umhos/cm	SM2510b mod.	
Chloride	39800	2000		mg/l	EPA 300.0	
Sulfate as SO4	12000	100		mg/l	EPA 300.0	

Sample ID: SOUTH POND

Laboratory ID: T191968-02

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
Arsenic	28	10		ug/l	200.8	
Barium	25	10		ug/l	200.8	
Copper	0.064	0.005		mg/l	EPA 200.7	
Zinc	150	10		ug/l	200.8	
Calcium	430	0.10		mg/l	EPA 200.7	
Magnesium	16	0.10		mg/l	EPA 200.7	
Sodium	40000	100		mg/l	EPA 200.7	
pH	9.3	0.10		pH Units	SM4500	O-04
Total Dissolved Solids	68000	55		mg/l	TDS by SM2540C	
Specific Conductance (EC)	104000	10.0		umhos/cm	SM2510b mod.	
Chloride	38700	2000		mg/l	EPA 300.0	
Sulfate as SO4	10800	100		mg/l	EPA 300.0	
Nitrate as NO3	57.2	10.0		mg/l	EPA 300.0	O-07

SunStar Laboratories, Inc.



Jeff Lee, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

Northstar Environmental Remediation
26225 Enterprise Court
Lake Forest CA, 92630

Project: Genesis Solar LTUs & Ponds
Project Number: 196-004-05
Project Manager: Arlin Brewster

Reported:
06/27/19 16:51

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Northstar Environmental Remediation
 26225 Enterprise Court
 Lake Forest CA, 92630

Project: Genesis Solar LTUs & Ponds
 Project Number: 196-004-05
 Project Manager: Arlin Brewster

Reported:
 06/27/19 16:51

NORTH POND
T191968-01 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 200 Series Methods

Copper	0.038	0.005	mg/l	1	9061735	06/17/19	06/18/19	EPA 200.7	
Calcium	280	0.10	"	"	"	"	06/18/19	"	
Iron	ND	0.20	"	"	"	"	"	"	
Magnesium	5.7	0.10	"	"	"	"	"	"	
Potassium	ND	0.10	"	"	"	"	06/18/19	"	
Sodium	41000	100	"	1000	"	"	"	"	
Antimony	ND	10	ug/l	20	9061734	06/17/19	06/26/19	200.8	R-07
Arsenic	25	10	"	"	"	"	"	"	
Barium	12	10	"	"	"	"	"	"	
Cadmium	ND	10	"	"	"	"	"	"	R-07
Chromium	ND	10	"	"	"	"	"	"	R-07
Cobalt	ND	10	"	"	"	"	"	"	R-07
Lead	ND	10	"	"	"	"	"	"	R-07
Nickel	ND	10	"	"	"	"	"	"	R-07
Selenium	ND	10	"	"	"	"	"	"	R-07
Zinc	160	10	"	"	"	"	"	"	

Cold Vapor Extraction EPA 7470/7471

Mercury	ND	0.50	ug/l	1	9061732	06/24/19	06/24/19	EPA 7470A Water	
---------	----	------	------	---	---------	----------	----------	--------------------	--

Conventional Chemistry Parameters by APHA/EPA/ASTM Methods

Oil & Grease	ND	5.00	mg/l	1	9061911	06/19/19	06/21/19	EPA 1664B	
Specific Conductance (EC)	108000	10.0	umhos/cm	"	9061715	06/17/19	06/17/19	SM2510b mod.	
pH	9.1	0.10	pH Units	"	9061716	06/17/19	06/17/19	SM4500	O-04
Total Dissolved Solids	72000	55	mg/l	"	9061708	06/17/19	06/17/19	TDS by SM2540C	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Northstar Environmental Remediation 26225 Enterprise Court Lake Forest CA, 92630	Project: Genesis Solar LTUs & Ponds Project Number: 196-004-05 Project Manager: Arlin Brewster	Reported: 06/27/19 16:51
--	--	------------------------------------

NORTH POND
T191968-01 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Anions by EPA Method 300.0

Chloride	39800	2000	mg/l	400	9061717	06/17/19	06/18/19	EPA 300.0	
Sulfate as SO4	12000	100	"	20	"	"	06/18/19	"	
Nitrate as NO3	ND	0.500	"	1	"	"	06/17/19	"	O-07

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager

Northstar Environmental Remediation
26225 Enterprise Court
Lake Forest CA, 92630

Project: Genesis Solar LTUs & Ponds
Project Number: 196-004-05
Project Manager: Arlin Brewster

Reported:
06/27/19 16:51

SOUTH POND
T191968-02 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 200 Series Methods

Copper	0.064	0.005	mg/l	1	9061735	06/17/19	06/18/19	EPA 200.7	
Calcium	430	0.10	"	"	"	"	06/18/19	"	
Iron	ND	0.20	"	"	"	"	"	"	
Magnesium	16	0.10	"	"	"	"	"	"	
Potassium	ND	0.10	"	"	"	"	06/18/19	"	
Sodium	40000	100	"	1000	"	"	"	"	
Antimony	ND	10	ug/l	20	9061734	06/17/19	06/26/19	200.8	R-07
Arsenic	28	10	"	"	"	"	"	"	
Barium	25	10	"	"	"	"	"	"	
Cadmium	ND	10	"	"	"	"	"	"	R-07
Chromium	ND	10	"	"	"	"	"	"	R-07
Cobalt	ND	10	"	"	"	"	"	"	R-07
Lead	ND	10	"	"	"	"	"	"	R-07
Nickel	ND	10	"	"	"	"	"	"	R-07
Selenium	ND	10	"	"	"	"	"	"	R-07
Zinc	150	10	"	"	"	"	"	"	

Cold Vapor Extraction EPA 7470/7471

Mercury	ND	0.50	ug/l	1	9061732	06/24/19	06/24/19	EPA 7470A Water	
---------	----	------	------	---	---------	----------	----------	--------------------	--

Conventional Chemistry Parameters by APHA/EPA/ASTM Methods

Oil & Grease	ND	5.00	mg/l	1	9061911	06/19/19	06/21/19	EPA 1664B	
Specific Conductance (EC)	104000	10.0	umhos/cm	"	9061715	06/17/19	06/17/19	SM2510b mod.	
pH	9.3	0.10	pH Units	"	9061716	06/17/19	06/17/19	SM4500	O-04
Total Dissolved Solids	68000	55	mg/l	"	9061708	06/17/19	06/17/19	TDS by SM2540C	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Northstar Environmental Remediation 26225 Enterprise Court Lake Forest CA, 92630	Project: Genesis Solar LTUs & Ponds Project Number: 196-004-05 Project Manager: Arlin Brewster	Reported: 06/27/19 16:51
--	--	-----------------------------

SOUTH POND

T191968-02 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Anions by EPA Method 300.0

Chloride	38700	2000	mg/l	400	9061717	06/17/19	06/18/19	EPA 300.0	
Sulfate as SO4	10800	100	"	20	"	"	06/18/19	"	
Nitrate as NO3	57.2	10.0	"	"	"	"	"	"	O-07

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Northstar Environmental Remediation 26225 Enterprise Court Lake Forest CA, 92630	Project: Genesis Solar LTUs & Ponds Project Number: 196-004-05 Project Manager: Arlin Brewster	Reported: 06/27/19 16:51
--	--	-----------------------------

Metals by EPA 200 Series Methods - Quality Control
SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9061734 - EPA 3010A

Blank (9061734-BLK1)										
Prepared: 06/17/19 Analyzed: 06/26/19										
Antimony	ND	0.50	ug/l							
Arsenic	ND	0.50	"							
Barium	ND	0.50	"							
Cadmium	ND	0.50	"							
Chromium	ND	0.50	"							
Cobalt	ND	0.50	"							
Lead	ND	0.50	"							
Nickel	ND	0.50	"							
Selenium	ND	0.50	"							
Zinc	7.37	0.50	"							QB-01

LCS (9061734-BS1)										
Prepared: 06/17/19 Analyzed: 06/26/19										
Arsenic	50.2	10	ug/l	50.0		100	80-120			
Barium	53.0	10	"	50.0		106	80-120			
Cadmium	49.6	10	"	50.0		99.2	80-120			
Chromium	51.2	10	"	50.0		102	80-120			
Lead	49.2	10	"	50.0		98.4	80-120			

LCS Dup (9061734-BSD1)										
Prepared: 06/17/19 Analyzed: 06/26/19										
Arsenic	44.6	10	ug/l	50.0		89.2	80-120	11.8	20	
Barium	51.8	10	"	50.0		104	80-120	2.29	20	
Cadmium	48.6	10	"	50.0		97.2	80-120	2.04	20	
Chromium	48.8	10	"	50.0		97.6	80-120	4.80	20	
Lead	47.4	10	"	50.0		94.8	80-120	3.73	20	

Matrix Spike (9061734-MS1)										
Source: T191966-01 Prepared: 06/17/19 Analyzed: 06/26/19										
Arsenic	1.30	10	ug/l	50.0	ND	2.60	75-125			QM-05
Barium	7.94	10	"	50.0	6.00	3.88	75-125			QM-05
Cadmium	1.70	10	"	50.0	ND	3.40	75-125			QM-05
Chromium	3.74	10	"	50.0	3.60	0.280	75-125			QM-05
Lead	1.12	10	"	50.0	ND	2.24	75-125			QM-05

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Northstar Environmental Remediation
 26225 Enterprise Court
 Lake Forest CA, 92630

Project: Genesis Solar LTUs & Ponds
 Project Number: 196-004-05
 Project Manager: Arlin Brewster

Reported:
 06/27/19 16:51

Metals by EPA 200 Series Methods - Quality Control

SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9061735 - EPA 3010A

Blank (9061735-BLK1)

Prepared: 06/17/19 Analyzed: 06/18/19

Antimony	ND	0.005	mg/l							
Arsenic	ND	0.005	"							
Barium	ND	0.005	"							
Beryllium	ND	0.005	"							
Cadmium	ND	0.005	"							
Chromium	ND	0.005	"							
Cobalt	ND	0.005	"							
Copper	ND	0.005	"							
Lead	ND	0.005	"							
Molybdenum	ND	0.005	"							
Nickel	ND	0.005	"							
Silver	ND	0.030	"							
Selenium	ND	0.030	"							
Thallium	ND	0.030	"							
Vanadium	ND	0.030	"							
Zinc	ND	0.030	"							
Aluminum	ND	0.10	"							
Calcium	ND	0.10	"							
Iron	ND	0.20	"							
Manganese	ND	0.10	"							
Potassium	ND	0.10	"							
Magnesium	ND	0.10	"							
Sodium	ND	0.10	"							
Boron	ND	0.005	"							

LCS (9061735-BS1)

Prepared: 06/17/19 Analyzed: 06/25/19

Arsenic	2.01	0.005	mg/l	2.00	100	85-115
Barium	2.04	0.005	"	2.00	102	85-115
Cadmium	2.03	0.005	"	2.00	101	85-115
Chromium	2.04	0.005	"	2.00	102	85-115
Cobalt	2.01	0.005	"	2.00	100	85-115
Copper	2.02	0.005	"	2.00	101	85-115
Lead	2.04	0.005	"	2.00	102	85-115
Molybdenum	2.00	0.005	"	2.00	99.8	85-115
Nickel	2.03	0.005	"	2.00	102	85-115
Selenium	2.01	0.030	"	2.00	101	85-115

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager

Northstar Environmental Remediation
26225 Enterprise Court
Lake Forest CA, 92630

Project: Genesis Solar LTUs & Ponds
Project Number: 196-004-05
Project Manager: Arlin Brewster

Reported:
06/27/19 16:51

Metals by EPA 200 Series Methods - Quality Control

SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9061735 - EPA 3010A

LCS (9061735-BS1)

Prepared: 06/17/19 Analyzed: 06/25/19

Thallium	2.07	0.030	mg/l	2.00		104	85-115			
Vanadium	2.03	0.030	"	2.00		101	85-115			
Zinc	2.02	0.030	"	2.00		101	85-115			

Matrix Spike (9061735-MS1)

Source: T191966-01

Prepared: 06/17/19 Analyzed: 06/18/19

Arsenic	0.575	0.005	mg/l	0.500	ND	115	70-130			
Barium	0.573	0.005	"	0.500	0.024	110	70-130			
Cadmium	0.573	0.005	"	0.500	ND	115	70-130			
Chromium	0.548	0.005	"	0.500	0.0004	110	70-130			
Cobalt	0.540	0.005	"	0.500	0.0003	108	70-130			
Copper	0.555	0.005	"	0.500	0.005	110	70-130			
Lead	0.531	0.005	"	0.500	0.002	106	70-130			
Molybdenum	0.609	0.005	"	0.500	0.063	109	70-130			
Nickel	0.538	0.005	"	0.500	ND	108	70-130			
Selenium	0.550	0.030	"	0.500	0.005	109	70-130			
Thallium	0.498	0.030	"	0.500	ND	99.7	70-130			
Vanadium	0.576	0.030	"	0.500	0.002	115	70-130			
Zinc	1.07	0.030	"	0.500	0.473	119	70-130			

Matrix Spike Dup (9061735-MSD1)

Source: T191966-01

Prepared: 06/17/19 Analyzed: 06/18/19

Arsenic	0.580	0.005	mg/l	0.500	ND	116	70-130	0.898	30	
Barium	0.585	0.005	"	0.500	0.024	112	70-130	2.00	30	
Cadmium	0.585	0.005	"	0.500	ND	117	70-130	2.04	30	
Chromium	0.560	0.005	"	0.500	0.0004	112	70-130	2.12	30	
Cobalt	0.547	0.005	"	0.500	0.0003	109	70-130	1.34	30	
Copper	0.566	0.005	"	0.500	0.005	112	70-130	1.91	30	
Lead	0.539	0.005	"	0.500	0.002	107	70-130	1.55	30	
Molybdenum	0.620	0.005	"	0.500	0.063	111	70-130	1.82	30	
Nickel	0.546	0.005	"	0.500	ND	109	70-130	1.58	30	
Selenium	0.568	0.030	"	0.500	0.005	112	70-130	3.29	30	
Thallium	0.504	0.030	"	0.500	ND	101	70-130	1.05	30	
Vanadium	0.590	0.030	"	0.500	0.002	117	70-130	2.47	30	
Zinc	1.08	0.030	"	0.500	0.473	121	70-130	1.12	30	

SunStar Laboratories, Inc.



Jeff Lee, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Northstar Environmental Remediation
 26225 Enterprise Court
 Lake Forest CA, 92630

Project: Genesis Solar LTUs & Ponds
 Project Number: 196-004-05
 Project Manager: Arlin Brewster

Reported:
 06/27/19 16:51

Cold Vapor Extraction EPA 7470/7471 - Quality Control

SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9061732 - EPA 7470A Water

Blank (9061732-BLK1)

Prepared & Analyzed: 06/24/19

Mercury ND 0.50 ug/l

LCS (9061732-BS1)

Prepared & Analyzed: 06/24/19

Mercury 4.73 0.50 ug/l 5.00 94.6 80-120

Matrix Spike (9061732-MS1)

Source: T191966-02

Prepared & Analyzed: 06/24/19

Mercury 4.52 0.50 ug/l 5.00 0.0708 88.9 75-125

Matrix Spike Dup (9061732-MSD1)

Source: T191966-02

Prepared & Analyzed: 06/24/19

Mercury 4.51 0.50 ug/l 5.00 0.0708 88.8 75-125 0.0620 20

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Northstar Environmental Remediation 26225 Enterprise Court Lake Forest CA, 92630	Project: Genesis Solar LTUs & Ponds Project Number: 196-004-05 Project Manager: Arlin Brewster	Reported: 06/27/19 16:51
--	--	-----------------------------

Conventional Chemistry Parameters by APHA/EPA/ASTM Methods - Quality Control

SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9061708 - General Preparation

Blank (9061708-BLK1) Prepared & Analyzed: 06/17/19

Total Dissolved Solids	ND	55	mg/l							
------------------------	----	----	------	--	--	--	--	--	--	--

LCS (9061708-BS1) Prepared & Analyzed: 06/17/19

Total Dissolved Solids	493	55	mg/l	500		98.6	80-120			
------------------------	-----	----	------	-----	--	------	--------	--	--	--

Duplicate (9061708-DUP1) Source: T191942-02 Prepared & Analyzed: 06/17/19

Total Dissolved Solids	667	55	mg/l		672			0.747	20	
------------------------	-----	----	------	--	-----	--	--	-------	----	--

Batch 9061715 - General Preparation

Duplicate (9061715-DUP1) Source: T191966-01 Prepared & Analyzed: 06/17/19

Specific Conductance (EC)	2650	10.0	umhos/cm		2630			0.758	15	
---------------------------	------	------	----------	--	------	--	--	-------	----	--

Batch 9061716 - General Preparation

Duplicate (9061716-DUP1) Source: T191966-01 Prepared & Analyzed: 06/17/19

pH	7.51	0.10	pH Units		7.52			0.133	20	O-04
----	------	------	----------	--	------	--	--	-------	----	------

Batch 9061911 - General Preparation

Blank (9061911-BLK1) Prepared: 06/19/19 Analyzed: 06/21/19

Oil & Grease	ND	5.00	mg/l							
--------------	----	------	------	--	--	--	--	--	--	--

LCS (9061911-BS1) Prepared: 06/19/19 Analyzed: 06/21/19

Oil & Grease	35.5	5.00	mg/l	40.0		88.8	83-101			
--------------	------	------	------	------	--	------	--------	--	--	--

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Northstar Environmental Remediation 26225 Enterprise Court Lake Forest CA, 92630	Project: Genesis Solar LTUs & Ponds Project Number: 196-004-05 Project Manager: Arlin Brewster	Reported: 06/27/19 16:51
--	--	-----------------------------

Conventional Chemistry Parameters by APHA/EPA/ASTM Methods - Quality Control

SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9061911 - General Preparation

LCS Dup (9061911-BSD1)

Prepared: 06/19/19 Analyzed: 06/21/19

Oil & Grease	35.1	5.00	mg/l	40.0		87.8	83-101	1.13	11	
--------------	------	------	------	------	--	------	--------	------	----	--

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Northstar Environmental Remediation
 26225 Enterprise Court
 Lake Forest CA, 92630

Project: Genesis Solar LTUs & Ponds
 Project Number: 196-004-05
 Project Manager: Arlin Brewster

Reported:
 06/27/19 16:51

Anions by EPA Method 300.0 - Quality Control

SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9061717 - General Preparation

Blank (9061717-BLK1)

Prepared & Analyzed: 06/17/19

Fluoride	ND	0.500	mg/l							
Chloride	ND	5.00	"							
Nitrite as NO2	ND	0.500	"							
Sulfate as SO4	ND	5.00	"							
Bromide	ND	1.25	"							
Nitrate as NO3	ND	0.500	"							
Phosphate, Total as Orthophosphate	ND	0.500	"							

LCS (9061717-BS1)

Prepared & Analyzed: 06/17/19

Fluoride	24.7	0.500	mg/l	25.0		98.9	75-125			
Chloride	24.6	5.00	"	25.0		98.5	75-125			
Sulfate as SO4	22.8	5.00	"	25.0		91.3	75-125			
Nitrate as NO3	25.1	0.500	"	25.0		100	75-125			

Matrix Spike (9061717-MS1)

Source: T191965-01

Prepared & Analyzed: 06/17/19

Fluoride	27.3	0.500	mg/l	25.0	ND	109	75-125			
Chloride	2850	100	"	25.0	2790	231	75-125			QM-05
Sulfate as SO4	158	5.00	"	25.0	142	65.2	75-125			QM-05
Nitrate as NO3	24.4	0.500	"	25.0	ND	97.4	75-125			

Matrix Spike Dup (9061717-MSD1)

Source: T191965-01

Prepared & Analyzed: 06/17/19

Fluoride	27.7	0.500	mg/l	25.0	ND	111	75-125	1.28	20	
Chloride	2730	100	"	25.0	2790	NR	75-125	4.34	20	QM-05
Sulfate as SO4	159	5.00	"	25.0	142	69.6	75-125	0.688	20	QM-05
Nitrate as NO3	24.7	0.500	"	25.0	ND	98.8	75-125	1.38	20	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager

Northstar Environmental Remediation
26225 Enterprise Court
Lake Forest CA, 92630

Project: Genesis Solar LTUs & Ponds
Project Number: 196-004-05
Project Manager: Arlin Brewster

Reported:
06/27/19 16:51

Notes and Definitions

- R-07 Reporting limit for this compound(s) has been raised to account for dilution necessary due to high levels of interfering compound(s) and/or matrix affect.
- QM-05 The spike recovery was outside acceptance limits for the MS and/or MSD due to possible matrix interference. The LCS was within acceptance criteria. The data is acceptable as no negative impact on data is expected.
- QB-01 The method blank contains analyte at a concentration above the MRL; however, concentration is less than 10% of the sample result, which is negligible according to method criteria.
- O-07 The sample was analyzed outside the EPA recommended holding time of 48 hours.
- O-04 This sample was received and analyzed outside the EPA recommended holding time.
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference

SunStar Laboratories, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager

Chain of Custody Record

SunStar Laboratories, Inc.
 25712 Commercentre Dr
 Lake Forest, CA 92630
 949-297-5020

Client: Northstar Environmental Remediation _____ Date: 06/14/19 Page: 1 of 1
 Address: 26225 Enterprise Court, Lake Forest, CA 92630 Project Name: Genesis Solar LTUs & Ponds
 Phone: 949-274-1719 Fax: _____ Collector: Arlin Brewster Client Project #: 196-004-05
 Project Manager: Arlin Brewster Batch #: 79968 EDF #: T1000006093

Sample ID	Date Sampled	Time	Sample Type	Container Type	200.7 - Metals: Ca, Cu, Na, K, Fe, Mg (FIELD FILTERED)	200.8 - Metals: Sb, As, Ba, Cd, Cr, Co, Pb, Ni, Se, Zn (F.F.)	300.0 - Chloride, Nitrate, Sulfate	1664 - Oil and Grease	7470A - Mercury	9040 - pH	SM2510B - Conductivity, Specific	SM2540C - Total Dis. Solids	8015M - Thermanol (Subcontract)	Laboratory ID #	Comments/Preservative	Total # of containers	Notes
North Pond	6/13/19	0545	W	Various	X	X	X	X	X	X	X	X	01		5		
South Pond	6/13/19	0550	W	Various	X	X	X	X	X	X	X	X	02		5		
Field Blank	N/A	N/A	W	Various									03	HOLD	1		
Trip Blank	N/A	N/A	W	Various									04	HOLD	3		
Relinquished by: (signature)	Date / Time	Received by: (signature)	Date / Time														
<i>Jim Bunnif</i>	6/14/19 1500	<i>[Signature]</i>	6/14/19 1505														
Relinquished by: (signature)	Date / Time	Received by: (signature)	Date / Time														
<i>[Signature]</i>		<i>[Signature]</i>															
Relinquished by: (signature)	Date / Time	Received by: (signature)	Date / Time														
<i>[Signature]</i>		<i>[Signature]</i>															
Chain of Custody seals Y/N/NA																	
Seals intact? Y/N/NA																	
Received good condition/cold																	
2.2																	
Reporting limits must match previous reports																	
Turn around time: Standard																	

Sample disposal instructions: Disposal @ \$2.00 each _____ Return to client _____ Pickup _____

SAMPLE RECEIVING REVIEW SHEET

Batch/Work Order #: 719168 - 719168

Client Name: NORTHSTAR ENV.

Project: GENESIS SOLAR LTUS & PONDS

Delivered by: Client SunStar Courier GSO FedEx Other

If Courier, Received by: _____ Date/Time Courier Received: _____

Lab Received by: SUNNY Date/Time Lab Received: 6-14-19 / 15:05

Total number of coolers received: 1

Temperature:	Cooler #1	1.0	°C +/- the CF (1.2°C) = 2.2	°C corrected temperature
Temperature:	Cooler #2		°C +/- the CF (1.2°C) =	°C corrected temperature
Temperature:	Cooler #3		°C +/- the CF (1.2°C) =	°C corrected temperature

Temperature criteria = $\leq 6^{\circ}\text{C}$ (no frozen containers) Within criteria? Yes No

If NO:
 Samples received on ice? Yes No → Complete Non-Conformance Sheet
 If on ice, samples received same day collected? Yes → Acceptable No → Complete Non-Conformance Sheet

- Custody seals intact on cooler/sample Yes No* N/A
- Sample containers intact Yes No*
- Sample labels match Chain of Custody IDs Yes No*
- Total number of containers received match COC Yes No*
- Proper containers received for analyses requested on COC Yes No*
- Proper preservative indicated on COC/containers for analyses requested Yes No* N/A
- Complete shipment received in good condition with correct temperatures, containers, labels, volumes preservatives and within method specified holding times Yes No*

* Complete Non-Conformance Receiving Sheet if checked Cooler/Sample Review - Initials and date: SL 6-15-19

Comments: _____


ANALYTICAL REPORT

Eurofins TestAmerica, Irvine
17461 Derian Ave
Suite 100
Irvine, CA 92614-5817
Tel: (949)261-1022

Laboratory Job ID: 440-243977-1
Client Project/Site: T191968

For:
SunStar Laboratories Inc
25712 Commercentre Drive
Lake Forest, California 92630

Attn: Jeff Lee



Authorized for release by:
6/22/2019 9:31:51 AM

Danielle Roberts, Senior Project Manager
(949)260-3249
danielle.roberts@testamericainc.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:
www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Sample Summary	3
Case Narrative	4
Detection Summary	5
Client Sample Results	6
Surrogate Summary	7
Method Summary	8
Lab Chronicle	9
QC Sample Results	10
QC Association Summary	11
Definitions/Glossary	12
Certification Summary	13
Chain of Custody	14
Receipt Checklists	15



Sample Summary

Client: SunStar Laboratories Inc
Project/Site: T191968

Job ID: 440-243977-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
440-243977-1	T191968-01	Water	06/13/19 05:45	06/17/19 17:40	
440-243977-2	T191968-02	Water	06/13/19 05:50	06/17/19 17:40	

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

Case Narrative

Client: SunStar Laboratories Inc
Project/Site: T191968

Job ID: 440-243977-1

Job ID: 440-243977-1

Laboratory: Eurofins TestAmerica, Irvine

Narrative

**Job Narrative
440-243977-1**

Comments

No additional comments.

Receipt

The samples were received on 6/17/2019 5:40 PM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 2.6° C.

GC Semi VOA

Method(s) 8015B: Insufficient 8015-DRO sample volume was available to perform a matrix spike/matrix spike duplicate (MS/MSD) associated with batch preparation batch 440-553233 and analytical batch 440-553518. The laboratory control sample (LCS) was performed in duplicate to provide precision data for this batch.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Organic Prep

Method(s) 3510C: Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate (MS/MSD) associated with preparation batch 440-553233. Method 8015

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Detection Summary

Client: SunStar Laboratories Inc
Project/Site: T191968

Job ID: 440-243977-1

Client Sample ID: T191968-01

Lab Sample ID: 440-243977-1

No Detections.

Client Sample ID: T191968-02

Lab Sample ID: 440-243977-2

No Detections.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Irvine

Client Sample Results

Client: SunStar Laboratories Inc
Project/Site: T191968

Job ID: 440-243977-1

Client Sample ID: T191968-01

Lab Sample ID: 440-243977-1

Date Collected: 06/13/19 05:45

Matrix: Water

Date Received: 06/17/19 17:40

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene, 1,1'-oxybis-	ND		0.094	0.019	mg/L		06/18/19 06:13	06/19/19 11:04	1
1,1'-Biphenyl	ND		0.094	0.019	mg/L		06/18/19 06:13	06/19/19 11:04	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>n</i> -Octacosane	50		45 - 120				06/18/19 06:13	06/19/19 11:04	1

Client Sample ID: T191968-02

Lab Sample ID: 440-243977-2

Date Collected: 06/13/19 05:50

Matrix: Water

Date Received: 06/17/19 17:40

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene, 1,1'-oxybis-	ND		0.097	0.019	mg/L		06/18/19 06:13	06/19/19 10:44	1
1,1'-Biphenyl	ND		0.097	0.019	mg/L		06/18/19 06:13	06/19/19 10:44	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>n</i> -Octacosane	46		45 - 120				06/18/19 06:13	06/19/19 10:44	1

Surrogate Summary

Client: SunStar Laboratories Inc
Project/Site: T191968

Job ID: 440-243977-1

Method: 8015B - Diesel Range Organics (DRO) (GC)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	OTCN1 (45-120)
440-243977-1	T191968-01	50
440-243977-2	T191968-02	46
LCS 440-553233/4-A	Lab Control Sample	73
LCSD 440-553233/5-A	Lab Control Sample Dup	69
MB 440-553233/1-A	Method Blank	66

Surrogate Legend

OTCN = n-Octacosane

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Method Summary

Client: SunStar Laboratories Inc
Project/Site: T191968

Job ID: 440-243977-1

Method	Method Description	Protocol	Laboratory
8015B	Diesel Range Organics (DRO) (GC)	SW846	TAL IRV
3510C	Liquid-Liquid Extraction (Separatory Funnel)	SW846	TAL IRV

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL IRV = Eurofins TestAmerica, Irvine, 17461 Derian Ave, Suite 100, Irvine, CA 92614-5817, TEL (949)261-1022

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

Lab Chronicle

Client: SunStar Laboratories Inc
Project/Site: T191968

Job ID: 440-243977-1

Client Sample ID: T191968-01

Lab Sample ID: 440-243977-1

Date Collected: 06/13/19 05:45

Matrix: Water

Date Received: 06/17/19 17:40

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			1060 mL	1 mL	553233	06/18/19 06:13	L1H	TAL IRV
Total/NA	Analysis	8015B		1			553518	06/19/19 11:04	LMB	TAL IRV

Client Sample ID: T191968-02

Lab Sample ID: 440-243977-2

Date Collected: 06/13/19 05:50

Matrix: Water

Date Received: 06/17/19 17:40

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			1035 mL	1 mL	553233	06/18/19 06:13	L1H	TAL IRV
Total/NA	Analysis	8015B		1			553518	06/19/19 10:44	LMB	TAL IRV

Laboratory References:

TAL IRV = Eurofins TestAmerica, Irvine, 17461 Derian Ave, Suite 100, Irvine, CA 92614-5817, TEL (949)261-1022



QC Sample Results

Client: SunStar Laboratories Inc
Project/Site: T191968

Job ID: 440-243977-1

Method: 8015B - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 440-553233/1-A
Matrix: Water
Analysis Batch: 553518

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 553233

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil	Fac
	Result	Qualifier								
Benzene, 1,1'-oxybis-	ND		0.10	0.020	mg/L		06/18/19 06:13	06/19/19 10:23		1
1,1'-Biphenyl	ND		0.10	0.020	mg/L		06/18/19 06:13	06/19/19 10:23		1
	MB	MB	Limits			D	Prepared	Analyzed	Dil	Fac
Surrogate	%Recovery	Qualifier								
<i>n</i> -Octacosane	66		45 - 120				06/18/19 06:13	06/19/19 10:23		1

Lab Sample ID: LCS 440-553233/4-A
Matrix: Water
Analysis Batch: 553518

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 553233

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	Limits			
		Result	Qualifier					%Rec.	Limits	RPD
Benzene, 1,1'-oxybis-	0.100	0.0698	J	mg/L		70	50 - 115			
1,1'-Biphenyl	0.100	0.0604	J	mg/L		60	50 - 115			
	LCS	LCS	Limits			D	Prepared	Analyzed	Dil	Fac
Surrogate	%Recovery	Qualifier								
<i>n</i> -Octacosane	73		45 - 120							

Lab Sample ID: LCSD 440-553233/5-A
Matrix: Water
Analysis Batch: 553518

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 553233

Analyte	Spike Added	LCSD	LCSD	Unit	D	%Rec	Limits	RPD	Limit	
		Result	Qualifier							
Benzene, 1,1'-oxybis-	0.100	0.0683	J	mg/L		68	50 - 115	2	30	
1,1'-Biphenyl	0.100	0.0589	J	mg/L		59	50 - 115	3	30	
	LCSD	LCSD	Limits			D	Prepared	Analyzed	Dil	Fac
Surrogate	%Recovery	Qualifier								
<i>n</i> -Octacosane	69		45 - 120							

QC Association Summary

Client: SunStar Laboratories Inc
Project/Site: T191968

Job ID: 440-243977-1

GC Semi VOA

Prep Batch: 553233

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
440-243977-1	T191968-01	Total/NA	Water	3510C	
440-243977-2	T191968-02	Total/NA	Water	3510C	
MB 440-553233/1-A	Method Blank	Total/NA	Water	3510C	
LCS 440-553233/4-A	Lab Control Sample	Total/NA	Water	3510C	
LCSD 440-553233/5-A	Lab Control Sample Dup	Total/NA	Water	3510C	

Analysis Batch: 553518

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
440-243977-1	T191968-01	Total/NA	Water	8015B	553233
440-243977-2	T191968-02	Total/NA	Water	8015B	553233
MB 440-553233/1-A	Method Blank	Total/NA	Water	8015B	553233
LCS 440-553233/4-A	Lab Control Sample	Total/NA	Water	8015B	553233
LCSD 440-553233/5-A	Lab Control Sample Dup	Total/NA	Water	8015B	553233

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

Definitions/Glossary

Client: SunStar Laboratories Inc
Project/Site: T191968

Job ID: 440-243977-1

Qualifiers

GC Semi VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Accreditation/Certification Summary

Client: SunStar Laboratories Inc
Project/Site: T191968

Job ID: 440-243977-1

Laboratory: Eurofins TestAmerica, Irvine

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	EPA Region	Identification Number	Expiration Date
California	State Program	9	CA ELAP 2706	06-30-19 *

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
8015B	3510C	Water	1,1'-Biphenyl
8015B	3510C	Water	Benzene, 1,1'-oxybis-

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

SUBCONTRACT ORDER

SunStar Laboratories, Inc.

T191968


SENDING LABORATORY:

SunStar Laboratories, Inc.
25712 Commercentre Drive
Lake Forest, CA 92630
Phone: (949) 297-5020
Fax: (949) 297-5027
Project Manager: Jeff Lee

RECEIVING LABORATORY:

TestAmerica (Irvine) Laboratories
17461 Derian Ave, #100
Irvine, CA 92614
Phone : (949) 261-1022
Fax: N/A

Analysis	Due	Expires	Laboratory ID	Comments
Sample ID: T191968-01	Water	Sampled:06/13/19 05:45		
Misc Water Testing #1	06/21/19 15:00	12/10/19 05:45		8015M- Therminol
<i>Containers Supplied:</i>				
Sample ID: T191968-02	Water	Sampled:06/13/19 05:50		
Misc Water Testing #1	06/21/19 15:00	12/10/19 05:50		8015M- Therminol
<i>Containers Supplied:</i>				



440-243977 Chain of Custody

6/17/19
AK

Released By Paul Dumas Date 6-17-19 17:40 Received By _____ Date _____
Released By _____ Date _____ Received By Oben Omelcs Date 6/17/19 1740

2.4/2.6 IR-88

Login Sample Receipt Checklist

Client: SunStar Laboratories Inc

Job Number: 440-243977-1

Login Number: 243977

List Source: Eurofins TestAmerica, Irvine

List Number: 1

Creator: Escalante, Maria I

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.		
The cooler's custody seal, if present, is intact.		
Sample custody seals, if present, are intact.		
The cooler or samples do not appear to have been compromised or tampered with.		
Samples were received on ice.		
Cooler Temperature is acceptable.		
Cooler Temperature is recorded.		
COC is present.		
COC is filled out in ink and legible.		
COC is filled out with all pertinent information.		
Is the Field Sampler's name present on COC?		
There are no discrepancies between the containers received and the COC.		
Samples are received within Holding Time (excluding tests with immediate HTs)		
Sample containers have legible labels.		
Containers are not broken or leaking.		
Sample collection date/times are provided.		
Appropriate sample containers are used.		
Sample bottles are completely filled.		
Sample Preservation Verified.		
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs		
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").		
Multiphasic samples are not present.		
Samples do not require splitting or compositing.		
Residual Chlorine Checked.		

WORK ORDER

T191968

Client: Northstar Environmental Remediation
Project: Genesis Solar LTUs & Ponds

Project Manager: Jeff Lee
Project Number: 196-004-05

Report To:

Northstar Environmental Remediation
 Arlin Brewster
 26225 Enterprise Court
 Lake Forest, CA 92630

Date Due: 06/21/19 17:00 (5 day TAT)

Received By: Sunny Lounethone

Date Received: 06/14/19 15:05

Logged In By: Sunny Lounethone

Date Logged In: 06/15/19 09:06

Samples Received at: **2.2°C**

Custody Seals No Received On Ice Yes

Containers Intact Yes

COC/Labels Agree Yes

Preservation Confir Yes

Analysis	Due	TAT	Expires	Comments
T191968-01 NORTH POND [Water] Sampled 06/13/19 05:45 (GMT-08:00) Pacific Time (US &				
1664	06/21/19 15:00	5	07/11/19 05:45	Oil & Grease
200.7	06/21/19 15:00	5	12/10/19 05:45	Ca,Cu,Na,K,Fe,Mg (Field Filtered)
200.8	06/21/19 15:00	5	12/10/19 05:45	Sb,As,Ba,Cd,Cr,Co,Pb,Ni,Se,Zn (Field Filtered)
300.0 - F, Cl, Br, SO4	06/21/19 15:00	5	07/11/19 05:45	Chloride, Sulfate only
300.0 - NO2, NO3, PO4	06/21/19 15:00	5	06/15/19 05:45	Nitrate
7470/71 Hg	06/21/19 15:00	5	09/11/19 05:45	
Conductivity	06/21/19 15:00	5	07/11/19 05:45	
pH water 9040	06/21/19 15:00	5	06/14/19 05:45	
TDS-160.1	06/21/19 15:00	5	06/20/19 05:45	

T191968-02 SOUTH POND [Water] Sampled 06/13/19 05:50 (GMT-08:00) Pacific Time (US &				
1664	06/21/19 15:00	5	07/11/19 05:50	Oil & Grease
200.7	06/21/19 15:00	5	12/10/19 05:50	Ca,Cu,Na,K,Fe,Mg (Field Filtered)
200.8	06/21/19 15:00	5	12/10/19 05:50	Sb,As,Ba,Cd,Cr,Co,Pb,Ni,Se,Zn (Field Filtered)
300.0 - F, Cl, Br, SO4	06/21/19 15:00	5	07/11/19 05:50	Chloride, Sulfate only
300.0 - NO2, NO3, PO4	06/21/19 15:00	5	06/15/19 05:50	Nitrate
7470/71 Hg	06/21/19 15:00	5	09/11/19 05:50	
Conductivity	06/21/19 15:00	5	07/11/19 05:50	
pH water 9040	06/21/19 15:00	5	06/14/19 05:50	
TDS-160.1	06/21/19 15:00	5	06/20/19 05:50	

WORK ORDER

T191968

Client: Northstar Environmental Remediation	Project Manager: Jeff Lee
Project: Genesis Solar LTUs & Ponds	Project Number: 196-004-05

Analysis	Due	TAT	Expires	Comments
T191968-03 FIELD BLANK [Water] Sampled 06/13/19 00:00 (GMT-08:00)				
Pacific Time (US & [NO ANALYSES]				
T191968-04 TRIP BLANK [Water] Sampled 06/13/19 00:00 (GMT-08:00)				
Pacific Time (US & [NO ANALYSES]				

TestAmerica (Irvine) Laboratories

T191968-01 NORTH POND [Water] Sampled 06/13/19 05:45 (GMT-08:00)				
Pacific Time (US &				
Misc Water Testing #1	06/21/19 15:00	5	12/10/19 05:45	8015M- Therminol
T191968-02 SOUTH POND [Water] Sampled 06/13/19 05:50 (GMT-08:00)				
Pacific Time (US &				
Misc Water Testing #1	06/21/19 15:00	5	12/10/19 05:50	8015M- Therminol

APPENDIX C

LABORATORY ANALYTICAL RESULTS

DETECTION MONITORING WELLS



25712 Commercentre Drive
Lake Forest, California 92630
949.297.5020 Phone
949.297.5027 Fax

27 June 2019

Arlin Brewster
Northstar Environmental Remediation
26225 Enterprise Court
Lake Forest, CA 92630
RE: Genesis Solar Groundwater

Enclosed are the results of analyses for samples received by the laboratory on 06/14/19 15:05. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Jeff Lee
Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Northstar Environmental Remediation 26225 Enterprise Court Lake Forest CA, 92630	Project: Genesis Solar Groundwater Project Number: 196-004-06 Project Manager: Arlin Brewster	Reported: 06/27/19 15:10
--	---	-----------------------------

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
23a	T191966-01	Water	06/14/19 05:00	06/14/19 15:05
OBS-1	T191966-02	Water	06/13/19 13:00	06/14/19 15:05
TW-1	T191966-03	Water	06/13/19 12:25	06/14/19 15:05
TW-2	T191966-04	Water	06/14/19 05:45	06/14/19 15:05
PW-0	T191966-05	Water	06/13/19 06:56	06/14/19 15:05
PW-2	T191966-06	Water	06/13/19 07:15	06/14/19 15:05
DM-1	T191966-07	Water	06/14/19 06:52	06/14/19 15:05
DM-2	T191966-08	Water	06/14/19 08:02	06/14/19 15:05
DM-3	T191966-09	Water	06/14/19 09:17	06/14/19 15:05
DUP	T191966-10	Water	06/14/19 00:00	06/14/19 15:05

Metal samples were field filtered by client and is indicated in the CoC. All metals analytes are reported as dissolved metals. JL 6/17/19.

Sample were received on Friday 3pm. Laboratory did not anticipate short hold samples arriving so Anion analyst left the lab early. The Nitrate analysis will be analyzed out of hold time on Monday. Client has been informed of the situation on 6/17/19 and has instructed the lab to continue the analysis. JL 6/17/19.

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager

Northstar Environmental Remediation
26225 Enterprise Court
Lake Forest CA, 92630

Project: Genesis Solar Groundwater
Project Number: 196-004-06
Project Manager: Arlin Brewster

Reported:
06/27/19 15:10

DETECTIONS SUMMARY

Sample ID: 23a

Laboratory ID: T191966-01

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
Copper	0.005	0.005		mg/l	EPA 200.7	FILT
Nickel	12	10		ug/l	200.8	FILT
Zinc	180	10		ug/l	200.8	FILT
Calcium	24	0.10		mg/l	EPA 200.7	FILT
Iron	0.63	0.20		mg/l	EPA 200.7	FILT
Potassium	25	0.10		mg/l	EPA 200.7	FILT
Magnesium	0.68	0.10		mg/l	EPA 200.7	FILT
Sodium	630	10		mg/l	EPA 200.7	FILT
pH	7.5	0.10		pH Units	SM4500	O-04
Total Dissolved Solids	1400	55		mg/l	TDS by SM2540C	
Specific Conductance (EC)	2630	10.0		umhos/cm	SM2510b mod.	
Chloride	473	5.00		mg/l	EPA 300.0	
Sulfate as SO4	405	5.00		mg/l	EPA 300.0	

Sample ID: OBS-1

Laboratory ID: T191966-02

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
Copper	0.017	0.005		mg/l	EPA 200.7	FILT
Zinc	160	10		ug/l	200.8	FILT
Calcium	360	0.10		mg/l	EPA 200.7	FILT
Iron	0.53	0.20		mg/l	EPA 200.7	FILT
Potassium	78	0.10		mg/l	EPA 200.7	FILT
Magnesium	91	0.10		mg/l	EPA 200.7	FILT
Sodium	7700	10		mg/l	EPA 200.7	FILT
Total Dissolved Solids	11000	55		mg/l	TDS by SM2540C	
pH	7.5	0.10		pH Units	SM4500	O-04
Specific Conductance (EC)	24500	10.0		umhos/cm	SM2510b mod.	
Chloride	6070	250		mg/l	EPA 300.0	
Sulfate as SO4	5400	250		mg/l	EPA 300.0	
Nitrate as NO3	5.42	0.500		mg/l	EPA 300.0	O-07

SunStar Laboratories, Inc.



Jeff Lee, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Northstar Environmental Remediation
26225 Enterprise Court
Lake Forest CA, 92630

Project: Genesis Solar Groundwater
Project Number: 196-004-06
Project Manager: Arlin Brewster

Reported:
06/27/19 15:10

Sample ID: TW-1

Laboratory ID: T191966-03

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
Zinc	150	10		ug/l	200.8	FILT
Calcium	75	0.10		mg/l	EPA 200.7	FILT
Iron	1.8	0.20		mg/l	EPA 200.7	FILT
Magnesium	3.4	0.10		mg/l	EPA 200.7	FILT
Potassium	57	0.10		mg/l	EPA 200.7	FILT
Sodium	3700	10		mg/l	EPA 200.7	FILT
Total Dissolved Solids	6800	55		mg/l	TDS by SM2540C	
pH	11	0.10		pH Units	SM4500	O-04
Specific Conductance (EC)	14200	10.0		umhos/cm	SM2510b mod.	
Chloride	4070	250		mg/l	EPA 300.0	
Sulfate as SO4	1230	250		mg/l	EPA 300.0	

Sample ID: TW-2

Laboratory ID: T191966-04

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
Zinc	150	10		ug/l	200.8	FILT
Calcium	95	0.10		mg/l	EPA 200.7	FILT
Iron	0.23	0.20		mg/l	EPA 200.7	FILT
Potassium	54	0.10		mg/l	EPA 200.7	FILT
Magnesium	0.42	0.10		mg/l	EPA 200.7	FILT
Sodium	1300	10		mg/l	EPA 200.7	FILT
pH	9.6	0.10		pH Units	SM4500	O-04
Total Dissolved Solids	6400	55		mg/l	TDS by SM2540C	
Specific Conductance (EC)	5640	10.0		umhos/cm	SM2510b mod.	
Chloride	1560	50.0		mg/l	EPA 300.0	
Sulfate as SO4	430	5.00		mg/l	EPA 300.0	

Sample ID: PW-0

Laboratory ID: T191966-05

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
Zinc	160	10		ug/l	200.8	FILT
Calcium	130	0.10		mg/l	EPA 200.7	FILT
Iron	0.33	0.20		mg/l	EPA 200.7	FILT
Magnesium	1.9	0.10		mg/l	EPA 200.7	FILT
Potassium	57	0.10		mg/l	EPA 200.7	FILT

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Jeff Lee, Project Manager

Northstar Environmental Remediation
26225 Enterprise Court
Lake Forest CA, 92630

Project: Genesis Solar Groundwater
Project Number: 196-004-06
Project Manager: Arlin Brewster

Reported:
06/27/19 15:10

Sample ID: PW-0

Laboratory ID: T191966-05

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
Sodium	1500	10		mg/l	EPA 200.7	FILT
Oil & Grease	5.60	5.00		mg/l	EPA 1664B	
Total Dissolved Solids	2600	55		mg/l	TDS by SM2540C	
pH	7.1	0.10		pH Units	SM4500	O-04
Specific Conductance (EC)	6300	10.0		umhos/cm	SM2510b mod.	
Fluoride	5.82	0.500		mg/l	EPA 300.0	
Chloride	1740	50.0		mg/l	EPA 300.0	
Sulfate as SO4	535	5.00		mg/l	EPA 300.0	

Sample ID: PW-2

Laboratory ID: T191966-06

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
Zinc	160	10		ug/l	200.8	FILT
Calcium	62	0.10		mg/l	EPA 200.7	FILT
Magnesium	5.0	0.10		mg/l	EPA 200.7	FILT
Potassium	13	0.10		mg/l	EPA 200.7	FILT
Sodium	780	10		mg/l	EPA 200.7	FILT
Total Dissolved Solids	2300	55		mg/l	TDS by SM2540C	
pH	7.4	0.10		pH Units	SM4500	O-04
Specific Conductance (EC)	3600	10.0		umhos/cm	SM2510b mod.	
Fluoride	6.34	0.500		mg/l	EPA 300.0	
Chloride	860	100		mg/l	EPA 300.0	
Sulfate as SO4	431	5.00		mg/l	EPA 300.0	

Sample ID: DM-1

Laboratory ID: T191966-07

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
Copper	0.006	0.005		mg/l	EPA 200.7	FILT
Zinc	150	10		ug/l	200.8	FILT
Calcium	280	0.10		mg/l	EPA 200.7	FILT
Iron	0.35	0.20		mg/l	EPA 200.7	FILT
Potassium	65	0.10		mg/l	EPA 200.7	FILT
Magnesium	63	0.10		mg/l	EPA 200.7	FILT
Sodium	4800	10		mg/l	EPA 200.7	FILT
pH	7.2	0.10		pH Units	SM4500	O-04

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Jeff Lee, Project Manager

Northstar Environmental Remediation
26225 Enterprise Court
Lake Forest CA, 92630

Project: Genesis Solar Groundwater
Project Number: 196-004-06
Project Manager: Arlin Brewster

Reported:
06/27/19 15:10

Sample ID: DM-1

Laboratory ID: T191966-07

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
Total Dissolved Solids	9600	55		mg/l	TDS by SM2540C	
Specific Conductance (EC)	17700	10.0		umhos/cm	SM2510b mod.	
Chloride	5040	100		mg/l	EPA 300.0	
Sulfate as SO4	1930	100		mg/l	EPA 300.0	
Nitrate as NO3	8.76	0.500		mg/l	EPA 300.0	O-07

Sample ID: DM-2

Laboratory ID: T191966-08

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
Zinc	160	10		ug/l	200.8	FILT
Calcium	300	0.10		mg/l	EPA 200.7	FILT
Potassium	68	0.10		mg/l	EPA 200.7	FILT
Magnesium	67	0.10		mg/l	EPA 200.7	FILT
Sodium	5100	10		mg/l	EPA 200.7	FILT
Total Dissolved Solids	9300	55		mg/l	TDS by SM2540C	
pH	7.3	0.10		pH Units	SM4500	O-04
Specific Conductance (EC)	18000	10.0		umhos/cm	SM2510b mod.	
Chloride	5240	100		mg/l	EPA 300.0	
Sulfate as SO4	2080	100		mg/l	EPA 300.0	
Nitrate as NO3	11.2	0.500		mg/l	EPA 300.0	O-07

Sample ID: DM-3

Laboratory ID: T191966-09

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
Copper	0.009	0.005		mg/l	EPA 200.7	FILT
Zinc	150	10		ug/l	200.8	FILT
Calcium	270	0.10		mg/l	EPA 200.7	FILT
Potassium	60	0.10		mg/l	EPA 200.7	FILT
Magnesium	59	0.10		mg/l	EPA 200.7	FILT
Sodium	4900	10		mg/l	EPA 200.7	FILT
pH	7.5	0.10		pH Units	SM4500	O-04
Total Dissolved Solids	9300	55		mg/l	TDS by SM2540C	
Specific Conductance (EC)	16800	10.0		umhos/cm	SM2510b mod.	
Chloride	4880	100		mg/l	EPA 300.0	
Sulfate as SO4	1960	100		mg/l	EPA 300.0	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Jeff Lee, Project Manager

Northstar Environmental Remediation
26225 Enterprise Court
Lake Forest CA, 92630

Project: Genesis Solar Groundwater
Project Number: 196-004-06
Project Manager: Arlin Brewster

Reported:
06/27/19 15:10

Sample ID: DM-3

Laboratory ID: T191966-09

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
Nitrate as NO3	2.87	0.500		mg/l	EPA 300.0	O-07

Sample ID: DUP

Laboratory ID: T191966-10

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
Zinc	150	10		ug/l	200.8	FILT
Calcium	64	0.10		mg/l	EPA 200.7	FILT
Potassium	13	0.10		mg/l	EPA 200.7	FILT
Magnesium	5.2	0.10		mg/l	EPA 200.7	FILT
Sodium	800	10		mg/l	EPA 200.7	FILT
pH	7.9	0.10		pH Units	SM4500	O-04
Total Dissolved Solids	2600	55		mg/l	TDS by SM2540C	
Specific Conductance (EC)	3630	10.0		umhos/cm	SM2510b mod.	
Chloride	820	100		mg/l	EPA 300.0	
Sulfate as SO4	436	5.00		mg/l	EPA 300.0	

SunStar Laboratories, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager

Northstar Environmental Remediation
26225 Enterprise Court
Lake Forest CA, 92630

Project: Genesis Solar Groundwater
Project Number: 196-004-06
Project Manager: Arlin Brewster

Reported:
06/27/19 15:10

23a

T191966-01 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 200 Series Methods

Copper	0.005	0.005	mg/l	1	9061735	06/17/19	06/18/19	EPA 200.7	FILT
Calcium	24	0.10	"	"	"	"	"	"	FILT
Iron	0.63	0.20	"	"	"	"	"	"	FILT
Magnesium	0.68	0.10	"	"	"	"	"	"	FILT
Potassium	25	0.10	"	"	"	"	"	"	FILT
Sodium	630	10	"	100	"	"	"	"	FILT
Antimony	ND	10	ug/l	20	9061734	06/17/19	06/26/19	200.8	FILT, R-07
Arsenic	ND	10	"	"	"	"	"	"	FILT, R-07
Barium	ND	10	"	"	"	"	"	"	FILT, R-07
Cadmium	ND	10	"	"	"	"	"	"	FILT, R-07
Chromium	ND	10	"	"	"	"	"	"	FILT, R-07
Cobalt	ND	10	"	"	"	"	"	"	FILT, R-07
Lead	ND	10	"	"	"	"	"	"	FILT, R-07
Nickel	12	10	"	"	"	"	"	"	FILT
Selenium	ND	10	"	"	"	"	"	"	FILT, R-07
Zinc	180	10	"	"	"	"	"	"	FILT

Cold Vapor Extraction EPA 7470/7471

Mercury	ND	0.50	ug/l	1	9061732	06/24/19	06/24/19	EPA 7470A Water	FILT
---------	----	------	------	---	---------	----------	----------	--------------------	------

Conventional Chemistry Parameters by APHA/EPA/ASTM Methods

Oil & Grease	ND	5.00	mg/l	1	9061911	06/19/19	06/21/19	EPA 1664B	
Specific Conductance (EC)	2630	10.0	umhos/cm	"	9061715	06/17/19	06/17/19	SM2510b mod.	
pH	7.5	0.10	pH Units	"	9061716	06/17/19	06/17/19	SM4500	O-04
Total Dissolved Solids	1400	55	mg/l	"	9061733	06/17/19	06/18/19	TDS by SM2540C	

SunStar Laboratories, Inc.



Jeff Lee, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Northstar Environmental Remediation 26225 Enterprise Court Lake Forest CA, 92630	Project: Genesis Solar Groundwater Project Number: 196-004-06 Project Manager: Arlin Brewster	Reported: 06/27/19 15:10
--	---	------------------------------------

23a
T191966-01 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Anions by EPA Method 300.0

Chloride	473	5.00	mg/l	1	9061717	06/17/19	06/17/19	EPA 300.0	
Sulfate as SO4	405	5.00	"	"	"	"	"	"	
Nitrate as NO3	ND	0.500	"	"	"	"	"	"	O-07

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager

Northstar Environmental Remediation
26225 Enterprise Court
Lake Forest CA, 92630

Project: Genesis Solar Groundwater
Project Number: 196-004-06
Project Manager: Arlin Brewster

Reported:
06/27/19 15:10

**OBS-1
T191966-02 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 200 Series Methods

Copper	0.017	0.005	mg/l	1	9061735	06/17/19	06/18/19	EPA 200.7	FILT
Calcium	360	0.10	"	"	"	"	06/18/19	"	FILT
Iron	0.53	0.20	"	"	"	"	"	"	FILT
Magnesium	91	0.10	"	"	"	"	"	"	FILT
Potassium	78	0.10	"	"	"	"	06/18/19	"	FILT
Sodium	7700	10	"	100	"	"	"	"	FILT
Antimony	ND	10	ug/l	20	9061734	06/17/19	06/26/19	200.8	FILT, R-07
Arsenic	ND	10	"	"	"	"	"	"	FILT, R-07
Barium	ND	10	"	"	"	"	"	"	FILT, R-07
Cadmium	ND	10	"	"	"	"	"	"	FILT, R-07
Chromium	ND	10	"	"	"	"	"	"	FILT, R-07
Cobalt	ND	10	"	"	"	"	"	"	FILT, R-07
Lead	ND	10	"	"	"	"	"	"	FILT, R-07
Nickel	ND	10	"	"	"	"	"	"	FILT, R-07
Selenium	ND	10	"	"	"	"	"	"	FILT, R-07
Zinc	160	10	"	"	"	"	"	"	FILT

Cold Vapor Extraction EPA 7470/7471

Mercury	ND	0.50	ug/l	1	9061732	06/24/19	06/24/19	EPA 7470A Water	FILT
---------	----	------	------	---	---------	----------	----------	--------------------	------

Conventional Chemistry Parameters by APHA/EPA/ASTM Methods

Oil & Grease	ND	5.00	mg/l	1	9061911	06/19/19	06/21/19	EPA 1664B	
Specific Conductance (EC)	24500	10.0	umhos/cm	"	9061715	06/17/19	06/17/19	SM2510b mod.	
pH	7.5	0.10	pH Units	"	9061716	06/17/19	06/17/19	SM4500	O-04
Total Dissolved Solids	11000	55	mg/l	"	9061733	06/17/19	06/18/19	TDS by SM2540C	

SunStar Laboratories, Inc.



Jeff Lee, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Northstar Environmental Remediation 26225 Enterprise Court Lake Forest CA, 92630	Project: Genesis Solar Groundwater Project Number: 196-004-06 Project Manager: Arlin Brewster	Reported: 06/27/19 15:10
--	---	------------------------------------

OBS-1
T191966-02 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Anions by EPA Method 300.0

Chloride	6070	250	mg/l	50	9061717	06/17/19	06/17/19	EPA 300.0	
Sulfate as SO4	5400	250	"	"	"	"	"	"	
Nitrate as NO3	5.42	0.500	"	1	"	"	06/17/19	"	O-07

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Northstar Environmental Remediation
 26225 Enterprise Court
 Lake Forest CA, 92630

Project: Genesis Solar Groundwater
 Project Number: 196-004-06
 Project Manager: Arlin Brewster

Reported:
 06/27/19 15:10

TW-1

T191966-03 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 200 Series Methods

Copper	ND	0.005	mg/l	1	9061735	06/17/19	06/18/19	EPA 200.7	FILT
Calcium	75	0.10	"	"	"	"	"	"	FILT
Iron	1.8	0.20	"	"	"	"	"	"	FILT
Magnesium	3.4	0.10	"	"	"	"	"	"	FILT
Potassium	57	0.10	"	"	"	"	"	"	FILT
Sodium	3700	10	"	100	"	"	"	"	FILT
Antimony	ND	10	ug/l	20	9061734	06/17/19	06/26/19	200.8	FILT, R-07
Arsenic	ND	10	"	"	"	"	"	"	FILT, R-07
Barium	ND	10	"	"	"	"	"	"	FILT, R-07
Cadmium	ND	10	"	"	"	"	"	"	FILT, R-07
Chromium	ND	10	"	"	"	"	"	"	FILT, R-07
Cobalt	ND	10	"	"	"	"	"	"	FILT, R-07
Lead	ND	10	"	"	"	"	"	"	FILT, R-07
Nickel	ND	10	"	"	"	"	"	"	FILT, R-07
Selenium	ND	10	"	"	"	"	"	"	FILT, R-07
Zinc	150	10	"	"	"	"	"	"	FILT

Cold Vapor Extraction EPA 7470/7471

Mercury	ND	0.50	ug/l	1	9061732	06/24/19	06/24/19	EPA 7470A Water	FILT
---------	----	------	------	---	---------	----------	----------	--------------------	------

Conventional Chemistry Parameters by APHA/EPA/ASTM Methods

Oil & Grease	ND	5.00	mg/l	1	9061911	06/19/19	06/21/19	EPA 1664B	
Specific Conductance (EC)	14200	10.0	umhos/cm	"	9061715	06/17/19	06/17/19	SM2510b mod.	
pH	11	0.10	pH Units	"	9061716	06/17/19	06/17/19	SM4500	O-04
Total Dissolved Solids	6800	55	mg/l	"	9061733	06/17/19	06/18/19	TDS by SM2540C	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Northstar Environmental Remediation 26225 Enterprise Court Lake Forest CA, 92630	Project: Genesis Solar Groundwater Project Number: 196-004-06 Project Manager: Arlin Brewster	Reported: 06/27/19 15:10
--	---	------------------------------------

TW-1
T191966-03 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Anions by EPA Method 300.0

Chloride	4070	250	mg/l	50	9061717	06/17/19	06/18/19	EPA 300.0	
Sulfate as SO4	1230	250	"	"	"	"	"	"	
Nitrate as NO3	ND	0.500	"	1	"	"	06/17/19	"	O-07

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager

Northstar Environmental Remediation
26225 Enterprise Court
Lake Forest CA, 92630

Project: Genesis Solar Groundwater
Project Number: 196-004-06
Project Manager: Arlin Brewster

Reported:
06/27/19 15:10

TW-2

T191966-04 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 200 Series Methods

Copper	ND	0.005	mg/l	1	9061735	06/17/19	06/18/19	EPA 200.7	FILT
Calcium	95	0.10	"	"	"	"	"	"	FILT
Iron	0.23	0.20	"	"	"	"	"	"	FILT
Magnesium	0.42	0.10	"	"	"	"	"	"	FILT
Potassium	54	0.10	"	"	"	"	"	"	FILT
Sodium	1300	10	"	100	"	"	"	"	FILT
Antimony	ND	10	ug/l	20	9061734	06/17/19	06/26/19	200.8	FILT, R-07
Arsenic	ND	10	"	"	"	"	"	"	FILT, R-07
Barium	ND	10	"	"	"	"	"	"	FILT, R-07
Cadmium	ND	10	"	"	"	"	"	"	FILT, R-07
Chromium	ND	10	"	"	"	"	"	"	FILT, R-07
Cobalt	ND	10	"	"	"	"	"	"	FILT, R-07
Lead	ND	10	"	"	"	"	"	"	FILT, R-07
Nickel	ND	10	"	"	"	"	"	"	FILT, R-07
Selenium	ND	10	"	"	"	"	"	"	FILT, R-07
Zinc	150	10	"	"	"	"	"	"	FILT

Cold Vapor Extraction EPA 7470/7471

Mercury	ND	0.50	ug/l	1	9061732	06/24/19	06/24/19	EPA 7470A Water	FILT
---------	----	------	------	---	---------	----------	----------	--------------------	------

Conventional Chemistry Parameters by APHA/EPA/ASTM Methods

Oil & Grease	ND	5.00	mg/l	1	9061911	06/19/19	06/21/19	EPA 1664B	
Specific Conductance (EC)	5640	10.0	umhos/cm	"	9061715	06/17/19	06/17/19	SM2510b mod.	
pH	9.6	0.10	pH Units	"	9061716	06/17/19	06/17/19	SM4500	O-04
Total Dissolved Solids	6400	55	mg/l	"	9061733	06/17/19	06/18/19	TDS by SM2540C	

SunStar Laboratories, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Northstar Environmental Remediation 26225 Enterprise Court Lake Forest CA, 92630	Project: Genesis Solar Groundwater Project Number: 196-004-06 Project Manager: Arlin Brewster	Reported: 06/27/19 15:10
--	---	------------------------------------

TW-2
T191966-04 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Anions by EPA Method 300.0

Chloride	1560	50.0	mg/l	10	9061717	06/17/19	06/18/19	EPA 300.0	
Sulfate as SO4	430	5.00	"	1	"	"	06/17/19	"	
Nitrate as NO3	ND	0.500	"	"	"	"	"	"	O-07

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager

Northstar Environmental Remediation
26225 Enterprise Court
Lake Forest CA, 92630

Project: Genesis Solar Groundwater
Project Number: 196-004-06
Project Manager: Arlin Brewster

Reported:
06/27/19 15:10

PW-0

T191966-05 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 200 Series Methods

Copper	ND	0.005	mg/l	1	9061735	06/17/19	06/18/19	EPA 200.7	FILT
Calcium	130	0.10	"	"	"	"	"	"	FILT
Iron	0.33	0.20	"	"	"	"	"	"	FILT
Magnesium	1.9	0.10	"	"	"	"	"	"	FILT
Potassium	57	0.10	"	"	"	"	"	"	FILT
Sodium	1500	10	"	100	"	"	"	"	FILT
Antimony	ND	10	ug/l	20	9061734	06/17/19	06/26/19	200.8	FILT, R-07
Arsenic	ND	10	"	"	"	"	"	"	FILT, R-07
Barium	ND	10	"	"	"	"	"	"	FILT, R-07
Cadmium	ND	10	"	"	"	"	"	"	FILT, R-07
Chromium	ND	10	"	"	"	"	"	"	FILT, R-07
Cobalt	ND	10	"	"	"	"	"	"	FILT, R-07
Lead	ND	10	"	"	"	"	"	"	FILT, R-07
Nickel	ND	10	"	"	"	"	"	"	FILT, R-07
Selenium	ND	10	"	"	"	"	"	"	FILT, R-07
Zinc	160	10	"	"	"	"	"	"	FILT

Cold Vapor Extraction EPA 7470/7471

Mercury	ND	0.50	ug/l	1	9061732	06/24/19	06/24/19	EPA 7470A Water	FILT
---------	----	------	------	---	---------	----------	----------	--------------------	------

Conventional Chemistry Parameters by APHA/EPA/ASTM Methods

Oil & Grease	5.60	5.00	mg/l	1	9061911	06/19/19	06/21/19	EPA 1664B	
Specific Conductance (EC)	6300	10.0	umhos/cm	"	9061715	06/17/19	06/17/19	SM2510b mod.	
pH	7.1	0.10	pH Units	"	9061716	06/17/19	06/17/19	SM4500	O-04
Total Dissolved Solids	2600	55	mg/l	"	9061733	06/17/19	06/18/19	TDS by SM2540C	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Northstar Environmental Remediation 26225 Enterprise Court Lake Forest CA, 92630	Project: Genesis Solar Groundwater Project Number: 196-004-06 Project Manager: Arlin Brewster	Reported: 06/27/19 15:10
--	---	------------------------------------

PW-0
T191966-05 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Anions by EPA Method 300.0

Fluoride	5.82	0.500	mg/l	1	9061717	06/17/19	06/17/19	EPA 300.0	
Chloride	1740	50.0	"	10	"	"	06/18/19	"	
Sulfate as SO4	535	5.00	"	1	"	"	06/17/19	"	
Nitrate as NO3	ND	0.500	"	"	"	"	"	"	O-07

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Northstar Environmental Remediation 26225 Enterprise Court Lake Forest CA, 92630	Project: Genesis Solar Groundwater Project Number: 196-004-06 Project Manager: Arlin Brewster	Reported: 06/27/19 15:10
--	---	-----------------------------

PW-2
T191966-06 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 200 Series Methods

Copper	ND	0.005	mg/l	1	9061735	06/17/19	06/18/19	EPA 200.7	FILT
Calcium	62	0.10	"	"	"	"	06/18/19	"	FILT
Iron	ND	0.20	"	"	"	"	06/18/19	"	FILT
Magnesium	5.0	0.10	"	"	"	"	"	"	FILT
Potassium	13	0.10	"	"	"	"	"	"	FILT
Sodium	780	10	"	100	"	"	"	"	FILT
Antimony	ND	10	ug/l	20	9061734	06/17/19	06/26/19	200.8	FILT, R-07
Arsenic	ND	10	"	"	"	"	"	"	FILT, R-07
Barium	ND	10	"	"	"	"	"	"	FILT, R-07
Cadmium	ND	10	"	"	"	"	"	"	FILT, R-07
Chromium	ND	10	"	"	"	"	"	"	FILT, R-07
Cobalt	ND	10	"	"	"	"	"	"	FILT, R-07
Lead	ND	10	"	"	"	"	"	"	FILT, R-07
Nickel	ND	10	"	"	"	"	"	"	FILT, R-07
Selenium	ND	10	"	"	"	"	"	"	FILT, R-07
Zinc	160	10	"	"	"	"	"	"	FILT

Cold Vapor Extraction EPA 7470/7471

Mercury	ND	0.50	ug/l	1	9061732	06/24/19	06/24/19	EPA 7470A Water	FILT
---------	----	------	------	---	---------	----------	----------	--------------------	------

Conventional Chemistry Parameters by APHA/EPA/ASTM Methods

Oil & Grease	ND	5.00	mg/l	1	9061911	06/19/19	06/21/19	EPA 1664B	
Specific Conductance (EC)	3600	10.0	umhos/cm	"	9061715	06/17/19	06/17/19	SM2510b mod.	
pH	7.4	0.10	pH Units	"	9061716	06/17/19	06/17/19	SM4500	O-04
Total Dissolved Solids	2300	55	mg/l	"	9061733	06/17/19	06/18/19	TDS by SM2540C	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Northstar Environmental Remediation 26225 Enterprise Court Lake Forest CA, 92630	Project: Genesis Solar Groundwater Project Number: 196-004-06 Project Manager: Arlin Brewster	Reported: 06/27/19 15:10
--	---	------------------------------------

PW-2
T191966-06 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Anions by EPA Method 300.0

Fluoride	6.34	0.500	mg/l	1	9061717	06/17/19	06/17/19	EPA 300.0	
Chloride	860	100	"	20	"	"	06/18/19	"	
Sulfate as SO4	431	5.00	"	1	"	"	06/17/19	"	
Nitrate as NO3	ND	0.500	"	"	"	"	"	"	O-07

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager

Northstar Environmental Remediation
26225 Enterprise Court
Lake Forest CA, 92630

Project: Genesis Solar Groundwater
Project Number: 196-004-06
Project Manager: Arlin Brewster

Reported:
06/27/19 15:10

**DM-1
T191966-07 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 200 Series Methods

Copper	0.006	0.005	mg/l	1	9061735	06/17/19	06/18/19	EPA 200.7	FILT
Calcium	280	0.10	"	"	"	"	06/18/19	"	FILT
Iron	0.35	0.20	"	"	"	"	06/18/19	"	FILT
Potassium	65	0.10	"	"	"	"	"	"	FILT
Magnesium	63	0.10	"	"	"	"	06/18/19	"	FILT
Sodium	4800	10	"	100	"	"	06/18/19	"	FILT
Antimony	ND	10	ug/l	20	9061734	06/17/19	06/26/19	200.8	FILT, R-07
Arsenic	ND	10	"	"	"	"	"	"	FILT, R-07
Barium	ND	10	"	"	"	"	"	"	FILT, R-07
Cadmium	ND	10	"	"	"	"	"	"	FILT, R-07
Chromium	ND	10	"	"	"	"	"	"	FILT, R-07
Cobalt	ND	10	"	"	"	"	"	"	FILT, R-07
Lead	ND	10	"	"	"	"	"	"	FILT, R-07
Nickel	ND	10	"	"	"	"	"	"	FILT, R-07
Selenium	ND	10	"	"	"	"	"	"	FILT, R-07
Zinc	150	10	"	"	"	"	"	"	FILT

Cold Vapor Extraction EPA 7470/7471

Mercury	ND	0.50	ug/l	1	9061732	06/24/19	06/24/19	EPA 7470A Water	FILT
---------	----	------	------	---	---------	----------	----------	--------------------	------

Conventional Chemistry Parameters by APHA/EPA/ASTM Methods

Oil & Grease	ND	5.00	mg/l	1	9061911	06/19/19	06/21/19	EPA 1664B	
Specific Conductance (EC)	17700	10.0	umhos/cm	"	9061715	06/17/19	06/17/19	SM2510b mod.	
pH	7.2	0.10	pH Units	"	9061716	06/17/19	06/17/19	SM4500	O-04
Total Dissolved Solids	9600	55	mg/l	"	9061733	06/17/19	06/18/19	TDS by SM2540C	

SunStar Laboratories, Inc.



Jeff Lee, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Northstar Environmental Remediation 26225 Enterprise Court Lake Forest CA, 92630	Project: Genesis Solar Groundwater Project Number: 196-004-06 Project Manager: Arlin Brewster	Reported: 06/27/19 15:10
--	---	------------------------------------

DM-1
T191966-07 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Anions by EPA Method 300.0

Chloride	5040	100	mg/l	20	9061717	06/17/19	06/18/19	EPA 300.0	
Sulfate as SO4	1930	100	"	"	"	"	"	"	
Nitrate as NO3	8.76	0.500	"	1	"	"	06/17/19	"	O-07

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Northstar Environmental Remediation 26225 Enterprise Court Lake Forest CA, 92630	Project: Genesis Solar Groundwater Project Number: 196-004-06 Project Manager: Arlin Brewster	Reported: 06/27/19 15:10
--	---	-----------------------------

DM-2
T191966-08 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 200 Series Methods

Copper	ND	0.005	mg/l	1	9061735	06/17/19	06/18/19	EPA 200.7	FILT
Calcium	300	0.10	"	"	"	"	06/18/19	"	FILT
Iron	ND	0.20	"	"	"	"	06/18/19	"	FILT
Magnesium	67	0.10	"	"	"	"	06/18/19	"	FILT
Potassium	68	0.10	"	"	"	"	06/18/19	"	FILT
Sodium	5100	10	"	100	"	"	"	"	FILT
Antimony	ND	10	ug/l	20	9061734	06/17/19	06/26/19	200.8	FILT, R-07
Arsenic	ND	10	"	"	"	"	"	"	FILT, R-07
Barium	ND	10	"	"	"	"	"	"	FILT, R-07
Cadmium	ND	10	"	"	"	"	"	"	FILT, R-07
Chromium	ND	10	"	"	"	"	"	"	FILT, R-07
Cobalt	ND	10	"	"	"	"	"	"	FILT, R-07
Lead	ND	10	"	"	"	"	"	"	FILT, R-07
Nickel	ND	10	"	"	"	"	"	"	FILT, R-07
Selenium	ND	10	"	"	"	"	"	"	FILT, R-07
Zinc	160	10	"	"	"	"	"	"	FILT

Cold Vapor Extraction EPA 7470/7471

Mercury	ND	0.50	ug/l	1	9061732	06/24/19	06/24/19	EPA 7470A Water	FILT
---------	----	------	------	---	---------	----------	----------	--------------------	------

Conventional Chemistry Parameters by APHA/EPA/ASTM Methods

Oil & Grease	ND	5.00	mg/l	1	9061911	06/19/19	06/21/19	EPA 1664B	
Specific Conductance (EC)	18000	10.0	umhos/cm	"	9061715	06/17/19	06/17/19	SM2510b mod.	
pH	7.3	0.10	pH Units	"	9061716	06/17/19	06/17/19	SM4500	O-04
Total Dissolved Solids	9300	55	mg/l	"	9061733	06/17/19	06/18/19	TDS by SM2540C	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Northstar Environmental Remediation 26225 Enterprise Court Lake Forest CA, 92630	Project: Genesis Solar Groundwater Project Number: 196-004-06 Project Manager: Arlin Brewster	Reported: 06/27/19 15:10
--	---	------------------------------------

DM-2
T191966-08 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Anions by EPA Method 300.0

Chloride	5240	100	mg/l	20	9061717	06/17/19	06/18/19	EPA 300.0	
Sulfate as SO4	2080	100	"	"	"	"	"	"	
Nitrate as NO3	11.2	0.500	"	1	"	"	06/17/19	"	O-07

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Northstar Environmental Remediation
 26225 Enterprise Court
 Lake Forest CA, 92630

Project: Genesis Solar Groundwater
 Project Number: 196-004-06
 Project Manager: Arlin Brewster

Reported:
 06/27/19 15:10

DM-3
T191966-09 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 200 Series Methods

Copper	0.009	0.005	mg/l	1	9061735	06/17/19	06/18/19	EPA 200.7	FILT
Calcium	270	0.10	"	"	"	"	06/18/19	"	FILT
Iron	ND	0.20	"	"	"	"	"	"	FILT
Magnesium	59	0.10	"	"	"	"	"	"	FILT
Potassium	60	0.10	"	"	"	"	06/18/19	"	FILT
Sodium	4900	10	"	100	"	"	"	"	FILT
Antimony	ND	10	ug/l	20	9061734	06/17/19	06/26/19	200.8	FILT, R-07
Arsenic	ND	10	"	"	"	"	"	"	FILT, R-07
Barium	ND	10	"	"	"	"	"	"	FILT, R-07
Cadmium	ND	10	"	"	"	"	"	"	FILT, R-07
Chromium	ND	10	"	"	"	"	"	"	FILT, R-07
Cobalt	ND	10	"	"	"	"	"	"	FILT, R-07
Lead	ND	10	"	"	"	"	"	"	FILT, R-07
Nickel	ND	10	"	"	"	"	"	"	FILT, R-07
Selenium	ND	10	"	"	"	"	"	"	FILT, R-07
Zinc	150	10	"	"	"	"	"	"	FILT

Cold Vapor Extraction EPA 7470/7471

Mercury	ND	0.50	ug/l	1	9061732	06/24/19	06/24/19	EPA 7470A Water	FILT
---------	----	------	------	---	---------	----------	----------	--------------------	------

Conventional Chemistry Parameters by APHA/EPA/ASTM Methods

Oil & Grease	ND	5.00	mg/l	1	9061911	06/19/19	06/21/19	EPA 1664B	
Specific Conductance (EC)	16800	10.0	umhos/cm	"	9061715	06/17/19	06/17/19	SM2510b mod.	
pH	7.5	0.10	pH Units	"	9061716	06/17/19	06/17/19	SM4500	O-04
Total Dissolved Solids	9300	55	mg/l	"	9061733	06/17/19	06/18/19	TDS by SM2540C	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Northstar Environmental Remediation 26225 Enterprise Court Lake Forest CA, 92630	Project: Genesis Solar Groundwater Project Number: 196-004-06 Project Manager: Arlin Brewster	Reported: 06/27/19 15:10
--	---	------------------------------------

**DM-3
T191966-09 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Anions by EPA Method 300.0

Chloride	4880	100	mg/l	20	9061717	06/17/19	06/18/19	EPA 300.0	
Sulfate as SO4	1960	100	"	"	"	"	"	"	
Nitrate as NO3	2.87	0.500	"	1	"	"	06/17/19	"	O-07

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Northstar Environmental Remediation 26225 Enterprise Court Lake Forest CA, 92630	Project: Genesis Solar Groundwater Project Number: 196-004-06 Project Manager: Arlin Brewster	Reported: 06/27/19 15:10
--	---	-----------------------------

DUP
T191966-10 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Metals by EPA 200 Series Methods

Copper	ND	0.005	mg/l	1	9061735	06/17/19	06/18/19	EPA 200.7	FILT
Calcium	64	0.10	"	"	"	"	06/18/19	"	FILT
Iron	ND	0.20	"	"	"	"	"	"	FILT
Magnesium	5.2	0.10	"	"	"	"	"	"	FILT
Potassium	13	0.10	"	"	"	"	06/18/19	"	FILT
Sodium	800	10	"	100	"	"	"	"	FILT
Antimony	ND	10	ug/l	20	9061734	06/17/19	06/26/19	200.8	FILT, R-07
Arsenic	ND	10	"	"	"	"	"	"	FILT, R-07
Barium	ND	10	"	"	"	"	"	"	FILT, R-07
Cadmium	ND	10	"	"	"	"	"	"	FILT, R-07
Chromium	ND	10	"	"	"	"	"	"	FILT, R-07
Cobalt	ND	10	"	"	"	"	"	"	FILT, R-07
Lead	ND	10	"	"	"	"	"	"	FILT, R-07
Nickel	ND	10	"	"	"	"	"	"	FILT, R-07
Selenium	ND	10	"	"	"	"	"	"	FILT, R-07
Zinc	150	10	"	"	"	"	"	"	FILT

Cold Vapor Extraction EPA 7470/7471

Mercury	ND	0.50	ug/l	1	9061732	06/24/19	06/24/19	EPA 7470A Water	FILT
---------	----	------	------	---	---------	----------	----------	--------------------	------

Conventional Chemistry Parameters by APHA/EPA/ASTM Methods

Oil & Grease	ND	5.00	mg/l	1	9061911	06/19/19	06/21/19	EPA 1664B	
Specific Conductance (EC)	3630	10.0	umhos/cm	"	9061715	06/17/19	06/17/19	SM2510b mod.	
pH	7.9	0.10	pH Units	"	9061716	06/17/19	06/17/19	SM4500	O-04
Total Dissolved Solids	2600	55	mg/l	"	9061733	06/17/19	06/18/19	TDS by SM2540C	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Northstar Environmental Remediation 26225 Enterprise Court Lake Forest CA, 92630	Project: Genesis Solar Groundwater Project Number: 196-004-06 Project Manager: Arlin Brewster	Reported: 06/27/19 15:10
--	---	------------------------------------

DUP
T191966-10 (Water)

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

SunStar Laboratories, Inc.

Anions by EPA Method 300.0

Chloride	820	100	mg/l	20	9061717	06/17/19	06/18/19	EPA 300.0	
Sulfate as SO4	436	5.00	"	1	"	"	06/17/19	"	
Nitrate as NO3	ND	0.500	"	"	"	"	"	"	O-07

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Northstar Environmental Remediation
 26225 Enterprise Court
 Lake Forest CA, 92630

Project: Genesis Solar Groundwater
 Project Number: 196-004-06
 Project Manager: Arlin Brewster

Reported:
 06/27/19 15:10

Metals by EPA 200 Series Methods - Quality Control

SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9061734 - EPA 3010A

Blank (9061734-BLK1)

Prepared: 06/17/19 Analyzed: 06/26/19

Antimony	ND	0.50	ug/l							
Arsenic	ND	0.50	"							
Barium	ND	0.50	"							
Cadmium	ND	0.50	"							
Chromium	ND	0.50	"							
Cobalt	ND	0.50	"							
Lead	ND	0.50	"							
Nickel	ND	0.50	"							
Selenium	ND	0.50	"							
Zinc	7.37	0.50	"							QB-01

LCS (9061734-BS1)

Prepared: 06/17/19 Analyzed: 06/26/19

Arsenic	50.2	10	ug/l	50.0		100	80-120			
Barium	53.0	10	"	50.0		106	80-120			
Cadmium	49.6	10	"	50.0		99.2	80-120			
Chromium	51.2	10	"	50.0		102	80-120			
Lead	49.2	10	"	50.0		98.4	80-120			

LCS Dup (9061734-BSD1)

Prepared: 06/17/19 Analyzed: 06/26/19

Arsenic	44.6	10	ug/l	50.0		89.2	80-120	11.8	20	
Barium	51.8	10	"	50.0		104	80-120	2.29	20	
Cadmium	48.6	10	"	50.0		97.2	80-120	2.04	20	
Chromium	48.8	10	"	50.0		97.6	80-120	4.80	20	
Lead	47.4	10	"	50.0		94.8	80-120	3.73	20	

Matrix Spike (9061734-MS1)

Source: T191966-01

Prepared: 06/17/19 Analyzed: 06/26/19

Arsenic	1.30	10	ug/l	50.0	ND	2.60	75-125			QM-05
Barium	7.94	10	"	50.0	6.00	3.88	75-125			QM-05
Cadmium	1.70	10	"	50.0	ND	3.40	75-125			QM-05
Chromium	3.74	10	"	50.0	3.60	0.280	75-125			QM-05
Lead	1.12	10	"	50.0	ND	2.24	75-125			QM-05

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Northstar Environmental Remediation
 26225 Enterprise Court
 Lake Forest CA, 92630

Project: Genesis Solar Groundwater
 Project Number: 196-004-06
 Project Manager: Arlin Brewster

Reported:
 06/27/19 15:10

Metals by EPA 200 Series Methods - Quality Control

SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9061735 - EPA 3010A

Blank (9061735-BLK1)

Prepared: 06/17/19 Analyzed: 06/18/19

Antimony	ND	0.005	mg/l							
Arsenic	ND	0.005	"							
Barium	ND	0.005	"							
Beryllium	ND	0.005	"							
Cadmium	ND	0.005	"							
Chromium	ND	0.005	"							
Cobalt	ND	0.005	"							
Copper	ND	0.005	"							
Lead	ND	0.005	"							
Molybdenum	ND	0.005	"							
Nickel	ND	0.005	"							
Silver	ND	0.030	"							
Selenium	ND	0.030	"							
Thallium	ND	0.030	"							
Vanadium	ND	0.030	"							
Zinc	ND	0.030	"							
Aluminum	ND	0.10	"							
Calcium	ND	0.10	"							
Iron	ND	0.20	"							
Manganese	ND	0.10	"							
Potassium	ND	0.10	"							
Magnesium	ND	0.10	"							
Sodium	ND	0.10	"							
Boron	ND	0.005	"							

LCS (9061735-BS1)

Prepared: 06/17/19 Analyzed: 06/25/19

Arsenic	2.01	0.005	mg/l	2.00		100	85-115
Barium	2.04	0.005	"	2.00		102	85-115
Cadmium	2.03	0.005	"	2.00		101	85-115
Chromium	2.04	0.005	"	2.00		102	85-115
Cobalt	2.01	0.005	"	2.00		100	85-115
Copper	2.02	0.005	"	2.00		101	85-115
Lead	2.04	0.005	"	2.00		102	85-115
Molybdenum	2.00	0.005	"	2.00		99.8	85-115
Nickel	2.03	0.005	"	2.00		102	85-115
Selenium	2.01	0.030	"	2.00		101	85-115

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager

Northstar Environmental Remediation
26225 Enterprise Court
Lake Forest CA, 92630

Project: Genesis Solar Groundwater
Project Number: 196-004-06
Project Manager: Arlin Brewster

Reported:
06/27/19 15:10

Metals by EPA 200 Series Methods - Quality Control

SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9061735 - EPA 3010A

LCS (9061735-BS1)

Prepared: 06/17/19 Analyzed: 06/25/19

Thallium	2.07	0.030	mg/l	2.00		104	85-115			
Vanadium	2.03	0.030	"	2.00		101	85-115			
Zinc	2.02	0.030	"	2.00		101	85-115			

Matrix Spike (9061735-MS1)

Source: T191966-01

Prepared: 06/17/19 Analyzed: 06/18/19

Arsenic	0.575	0.005	mg/l	0.500	ND	115	70-130			
Barium	0.573	0.005	"	0.500	0.024	110	70-130			
Cadmium	0.573	0.005	"	0.500	ND	115	70-130			
Chromium	0.548	0.005	"	0.500	0.0004	110	70-130			
Cobalt	0.540	0.005	"	0.500	0.0003	108	70-130			
Copper	0.555	0.005	"	0.500	0.005	110	70-130			
Lead	0.531	0.005	"	0.500	0.002	106	70-130			
Molybdenum	0.609	0.005	"	0.500	0.063	109	70-130			
Nickel	0.538	0.005	"	0.500	ND	108	70-130			
Selenium	0.550	0.030	"	0.500	0.005	109	70-130			
Thallium	0.498	0.030	"	0.500	ND	99.7	70-130			
Vanadium	0.576	0.030	"	0.500	0.002	115	70-130			
Zinc	1.07	0.030	"	0.500	0.473	119	70-130			

Matrix Spike Dup (9061735-MSD1)

Source: T191966-01

Prepared: 06/17/19 Analyzed: 06/18/19

Arsenic	0.580	0.005	mg/l	0.500	ND	116	70-130	0.898	30	
Barium	0.585	0.005	"	0.500	0.024	112	70-130	2.00	30	
Cadmium	0.585	0.005	"	0.500	ND	117	70-130	2.04	30	
Chromium	0.560	0.005	"	0.500	0.0004	112	70-130	2.12	30	
Cobalt	0.547	0.005	"	0.500	0.0003	109	70-130	1.34	30	
Copper	0.566	0.005	"	0.500	0.005	112	70-130	1.91	30	
Lead	0.539	0.005	"	0.500	0.002	107	70-130	1.55	30	
Molybdenum	0.620	0.005	"	0.500	0.063	111	70-130	1.82	30	
Nickel	0.546	0.005	"	0.500	ND	109	70-130	1.58	30	
Selenium	0.568	0.030	"	0.500	0.005	112	70-130	3.29	30	
Thallium	0.504	0.030	"	0.500	ND	101	70-130	1.05	30	
Vanadium	0.590	0.030	"	0.500	0.002	117	70-130	2.47	30	
Zinc	1.08	0.030	"	0.500	0.473	121	70-130	1.12	30	

SunStar Laboratories, Inc.



Jeff Lee, Project Manager

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Northstar Environmental Remediation
 26225 Enterprise Court
 Lake Forest CA, 92630

Project: Genesis Solar Groundwater
 Project Number: 196-004-06
 Project Manager: Arlin Brewster

Reported:
 06/27/19 15:10

Cold Vapor Extraction EPA 7470/7471 - Quality Control

SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9061732 - EPA 7470A Water

Blank (9061732-BLK1)

Prepared & Analyzed: 06/24/19

Mercury ND 0.50 ug/l

LCS (9061732-BS1)

Prepared & Analyzed: 06/24/19

Mercury 4.73 0.50 ug/l 5.00 94.6 80-120

Matrix Spike (9061732-MS1)

Source: T191966-02

Prepared & Analyzed: 06/24/19

Mercury 4.52 0.50 ug/l 5.00 0.0708 88.9 75-125

Matrix Spike Dup (9061732-MSD1)

Source: T191966-02

Prepared & Analyzed: 06/24/19

Mercury 4.51 0.50 ug/l 5.00 0.0708 88.8 75-125 0.0620 20

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Northstar Environmental Remediation 26225 Enterprise Court Lake Forest CA, 92630	Project: Genesis Solar Groundwater Project Number: 196-004-06 Project Manager: Arlin Brewster	Reported: 06/27/19 15:10
--	---	-----------------------------

Conventional Chemistry Parameters by APHA/EPA/ASTM Methods - Quality Control

SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9061715 - General Preparation

Duplicate (9061715-DUP1)		Source: T191966-01			Prepared & Analyzed: 06/17/19					
Specific Conductance (EC)	2650	10.0	umhos/cm		2630			0.758	15	

Batch 9061716 - General Preparation

Duplicate (9061716-DUP1)		Source: T191966-01			Prepared & Analyzed: 06/17/19					
pH	7.51	0.10	pH Units		7.52			0.133	20	O-04

Batch 9061733 - General Preparation

Blank (9061733-BLK1)		Prepared: 06/17/19 Analyzed: 06/18/19								
Total Dissolved Solids	ND	55	mg/l							

LCS (9061733-BS1)		Prepared: 06/17/19 Analyzed: 06/18/19								
Total Dissolved Solids	484	55	mg/l	500		96.8	80-120			

Duplicate (9061733-DUP1)		Source: T192008-05			Prepared: 06/17/19 Analyzed: 06/18/19					
Total Dissolved Solids	1430	55	mg/l		1430			0.559	20	

Batch 9061911 - General Preparation

Blank (9061911-BLK1)		Prepared: 06/19/19 Analyzed: 06/21/19								
Oil & Grease	ND	5.00	mg/l							

LCS (9061911-BS1)		Prepared: 06/19/19 Analyzed: 06/21/19								
Oil & Grease	35.5	5.00	mg/l	40.0		88.8	83-101			

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive
 Lake Forest, California 92630
 949.297.5020 Phone
 949.297.5027 Fax

Northstar Environmental Remediation 26225 Enterprise Court Lake Forest CA, 92630	Project: Genesis Solar Groundwater Project Number: 196-004-06 Project Manager: Arlin Brewster	Reported: 06/27/19 15:10
--	---	-----------------------------

Conventional Chemistry Parameters by APHA/EPA/ASTM Methods - Quality Control

SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9061911 - General Preparation

LCS Dup (9061911-BSD1)

Prepared: 06/19/19 Analyzed: 06/21/19

Oil & Grease	35.1	5.00	mg/l	40.0		87.8	83-101	1.13	11	
--------------	------	------	------	------	--	------	--------	------	----	--

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager

Northstar Environmental Remediation
26225 Enterprise Court
Lake Forest CA, 92630

Project: Genesis Solar Groundwater
Project Number: 196-004-06
Project Manager: Arlin Brewster

Reported:
06/27/19 15:10

Anions by EPA Method 300.0 - Quality Control

SunStar Laboratories, Inc.

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 9061717 - General Preparation

Blank (9061717-BLK1)

Prepared & Analyzed: 06/17/19

Fluoride	ND	0.500	mg/l							
Chloride	ND	5.00	"							
Nitrite as NO2	ND	0.500	"							
Sulfate as SO4	ND	5.00	"							
Bromide	ND	1.25	"							
Nitrate as NO3	ND	0.500	"							
Phosphate, Total as Orthophosphate	ND	0.500	"							

LCS (9061717-BS1)

Prepared & Analyzed: 06/17/19

Fluoride	24.7	0.500	mg/l	25.0		98.9	75-125			
Chloride	24.6	5.00	"	25.0		98.5	75-125			
Sulfate as SO4	22.8	5.00	"	25.0		91.3	75-125			
Nitrate as NO3	25.1	0.500	"	25.0		100	75-125			

Matrix Spike (9061717-MS1)

Source: T191965-01

Prepared & Analyzed: 06/17/19

Fluoride	27.3	0.500	mg/l	25.0	ND	109	75-125			
Chloride	2850	100	"	25.0	2790	231	75-125			QM-05
Sulfate as SO4	158	5.00	"	25.0	142	65.2	75-125			QM-05
Nitrate as NO3	24.4	0.500	"	25.0	ND	97.4	75-125			

Matrix Spike Dup (9061717-MSD1)

Source: T191965-01

Prepared & Analyzed: 06/17/19

Fluoride	27.7	0.500	mg/l	25.0	ND	111	75-125	1.28	20	
Chloride	2730	100	"	25.0	2790	NR	75-125	4.34	20	QM-05
Sulfate as SO4	159	5.00	"	25.0	142	69.6	75-125	0.688	20	QM-05
Nitrate as NO3	24.7	0.500	"	25.0	ND	98.8	75-125	1.38	20	

SunStar Laboratories, Inc.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Jeff Lee, Project Manager

Northstar Environmental Remediation
26225 Enterprise Court
Lake Forest CA, 92630

Project: Genesis Solar Groundwater
Project Number: 196-004-06
Project Manager: Arlin Brewster

Reported:
06/27/19 15:10

Notes and Definitions

R-07 Reporting limit for this compound(s) has been raised to account for dilution necessary due to high levels of interfering compound(s) and/or matrix affect.

QM-05 The spike recovery was outside acceptance limits for the MS and/or MSD due to possible matrix interference. The LCS was within acceptance criteria. The data is acceptable as no negative impact on data is expected.

QB-01 The method blank contains analyte at a concentration above the MRL; however, concentration is less than 10% of the sample result, which is negligible according to method criteria.

O-07 The sample was analyzed outside the EPA recommended holding time of 48 hours.

O-04 This sample was received and analyzed outside the EPA recommended holding time.

FILT The sample was filtered prior to analysis.

DET Analyte DETECTED

ND Analyte NOT DETECTED at or above the reporting limit

NR Not Reported

dry Sample results reported on a dry weight basis

RPD Relative Percent Difference

SunStar Laboratories, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager

SunStar Laboratories, Inc.
 25712 Commercentre Dr
 Lake Forest, CA 92630
 949-297-5020

Chain of Custody Record

Client: Northstar Environmental Remediation
 Address: 26225 Enterprise Court, Lake Forest, CA 92630
 Phone: 949-274-1719 Fax: _____
 Project Manager: Arlin Brewster

Date: 6/14/19 Page: 1 of 1
 Project Name: Genesis Solar Groundwater
 Collector: Arlin Brewster
 Batch #: 792966 Client Project #: 196-004-06
 EDF #: T10000006093

Sample ID	Date Sampled	Time	Sample Type	Container Type	200.7 - Metals: Ca, Cu, Na, K, Fe, Mg (FIELD FILTERED)	200.8 - Metals: Sb, As, Ba, Cd, Cr, Co, Pb, Ni, Se, Zn (F.F.)	300.0 - Chloride, Nitrate, Sulfate	1664 - Oil and Grease	7470A - Mercury	9040 - pH	SM2510B - Conductivity, Specific	SM2540C - Total Dis. Solids	8015M - Therminol (Subcontract)	Deuterium, Oxygen-18 (Subcont.)	300.0 - Fluoride	Laboratory ID #	Comments/Preservative	Total # of containers
23a	6/14/19	05:00	W	Various	X	X	X	X	X	X	X	X	X	X	01			6
OBS-1	6/13/19	13:00	W	Various	X	X	X	X	X	X	X	X	X	X	02			6
TW-1	6/13/19	12:25	W	Various	X	X	X	X	X	X	X	X	X	X	03			6
TW-2	6/14/19	05:45	W	Various	X	X	X	X	X	X	X	X	X	X	04			6
PW-0	6/13/19	06:56	W	Various	X	X	X	X	X	X	X	X	X	X	05			6
PW-2	6/13/19	09:15	W	Various	X	X	X	X	X	X	X	X	X	X	06			6
DM-1	6/14/19	06:58	W	Various	X	X	X	X	X	X	X	X	X	X	07			6
DM-2	6/14/19	08:02	W	Various	X	X	X	X	X	X	X	X	X	X	08			6
DM-3	6/14/19	09:17	W	Various	X	X	X	X	X	X	X	X	X	X	09			6
DUP	N/A	N/A	W	Various	X	X	X	X	X	X	X	X	X	X	10			6
Field Blank	N/A	N/A	W	Various											11	HOLD	4	
Trip Blank	N/A	N/A	W	Various											12	HOLD	6	
Relinquished by: (signature) <u>MM BM</u>	Date / Time <u>6/14/19 15:00</u>	Received by: (signature) <u>[Signature]</u>	Date / Time <u>6/14/19 15:05</u>	Total # of containers <u>70</u>	Chain of Custody seals Y/N <u>(NA)</u>	Seals intact? Y/N <u>(NA)</u>	Received good condition/acid <u>2.2</u>	Turn around time: <u>Standard</u>	Notes ** Deuterium & Oxygen-18 subcontract has 10 day TAT Reporting limits must match previous reports									

Sample disposal Instructions: Disposal @ \$2.00 each Return to client Pickup

SAMPLE RECEIVING REVIEW SHEET

Batch/Work Order #: T191966

Client Name: NORTHSTAR ENV. Project: GENESIS SOLAR GROUNDWATER

Delivered by: Client SunStar Courier GSO FedEx Other

If Courier, Received by: _____ Date/Time Courier Received: _____

Lab Received by: SUNNY Date/Time Lab Received: 6-14-19 / 15:05

Total number of coolers received: 3

Temperature:	Cooler #1	1.0	°C +/- the CF (1.2°C) = 2.2	°C corrected temperature
Temperature:	Cooler #2	0.9	°C +/- the CF (1.2°C) = 2.1	°C corrected temperature
Temperature:	Cooler #3	1.4	°C +/- the CF (1.2°C) = 2.6	°C corrected temperature

Temperature criteria = ≤ 6°C (no frozen containers) Within criteria? Yes No

If NO:

Samples received on ice? Yes No → **Complete Non-Conformance Sheet**

If on ice, samples received same day collected? Yes → Acceptable No → **Complete Non-Conformance Sheet**

Custody seals intact on cooler/sample Yes No* N/A

Sample containers intact Yes No*

Sample labels match Chain of Custody IDs Yes No*

Total number of containers received match COC Yes No*

Proper containers received for analyses requested on COC Yes No*

Proper preservative indicated on COC/containers for analyses requested Yes No* N/A

Complete shipment received in good condition with correct temperatures, containers, labels, volumes preservatives and within method specified holding times Yes No*

* Complete Non-Conformance Receiving Sheet if checked Cooler/Sample Review - Initials and date: SC - SMH 6-15-19

Comments:


ANALYTICAL REPORT

Eurofins TestAmerica, Irvine
17461 Derian Ave
Suite 100
Irvine, CA 92614-5817
Tel: (949)261-1022

Laboratory Job ID: 440-243978-1
Client Project/Site: T191966

For:
SunStar Laboratories Inc
25712 Commercentre Drive
Lake Forest, California 92630

Attn: Jeff Lee



Authorized for release by:
6/22/2019 9:27:51 AM

Danielle Roberts, Senior Project Manager
(949)260-3249
danielle.roberts@testamericainc.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:
www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Sample Summary	3
Case Narrative	4
Detection Summary	5
Client Sample Results	6
Surrogate Summary	8
Method Summary	9
Lab Chronicle	10
QC Sample Results	12
QC Association Summary	13
Definitions/Glossary	14
Certification Summary	15
Chain of Custody	16
Receipt Checklists	18



Sample Summary

Client: SunStar Laboratories Inc
Project/Site: T191966

Job ID: 440-243978-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
440-243978-1	T191966-01	Water	06/14/19 05:00	06/17/19 17:40	
440-243978-2	T191966-02	Water	06/13/19 13:00	06/17/19 17:40	
440-243978-3	T191966-03	Water	06/13/19 12:25	06/17/19 17:40	
440-243978-4	T191966-04	Water	06/14/19 05:45	06/17/19 17:40	
440-243978-5	T191966-05	Water	06/13/19 06:56	06/17/19 17:40	
440-243978-6	T191966-06	Water	06/13/19 07:15	06/17/19 17:40	
440-243978-7	T191966-07	Water	06/14/19 06:52	06/17/19 17:40	
440-243978-8	T191966-08	Water	06/14/19 08:02	06/17/19 17:40	
440-243978-9	T191966-09	Water	06/14/19 09:17	06/17/19 17:40	
440-243978-10	T191966-10	Water	06/14/19 00:01	06/17/19 17:40	

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

Case Narrative

Client: SunStar Laboratories Inc
Project/Site: T191966

Job ID: 440-243978-1

Job ID: 440-243978-1

Laboratory: Eurofins TestAmerica, Irvine

Narrative

**Job Narrative
440-243978-1**

Comments

No additional comments.

Receipt

The samples were received on 6/17/2019 5:40 PM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 2.9° C.

GC Semi VOA

Method(s) 8015B: Insufficient 8015-DRO sample volume was available to perform a matrix spike/matrix spike duplicate (MS/MSD) associated with batch preparation batch 440-553233 and analytical batch 440-553518. The laboratory control sample (LCS) was performed in duplicate to provide precision data for this batch.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Organic Prep

Method(s) 3510C: Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate (MS/MSD) associated with preparation batch 440-553233 and 440-553233. Method 8015

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.



Detection Summary

Client: SunStar Laboratories Inc
Project/Site: T191966

Job ID: 440-243978-1

Client Sample ID: T191966-01 **Lab Sample ID: 440-243978-1**

No Detections.

Client Sample ID: T191966-02 **Lab Sample ID: 440-243978-2**

No Detections.

Client Sample ID: T191966-03 **Lab Sample ID: 440-243978-3**

No Detections.

Client Sample ID: T191966-04 **Lab Sample ID: 440-243978-4**

No Detections.

Client Sample ID: T191966-05 **Lab Sample ID: 440-243978-5**

No Detections.

Client Sample ID: T191966-06 **Lab Sample ID: 440-243978-6**

No Detections.

Client Sample ID: T191966-07 **Lab Sample ID: 440-243978-7**

No Detections.

Client Sample ID: T191966-08 **Lab Sample ID: 440-243978-8**

No Detections.

Client Sample ID: T191966-09 **Lab Sample ID: 440-243978-9**

No Detections.

Client Sample ID: T191966-10 **Lab Sample ID: 440-243978-10**

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Irvine



Client Sample Results

Client: SunStar Laboratories Inc
Project/Site: T191966

Job ID: 440-243978-1

Client Sample ID: T191966-01

Lab Sample ID: 440-243978-1

Date Collected: 06/14/19 05:00

Matrix: Water

Date Received: 06/17/19 17:40

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene, 1,1'-oxybis-	ND		0.10	0.021	mg/L		06/18/19 06:13	06/19/19 11:46	1
1,1'-Biphenyl	ND		0.10	0.021	mg/L		06/18/19 06:13	06/19/19 11:46	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>n</i> -Octacosane	64		45 - 120				06/18/19 06:13	06/19/19 11:46	1

Client Sample ID: T191966-02

Lab Sample ID: 440-243978-2

Date Collected: 06/13/19 13:00

Matrix: Water

Date Received: 06/17/19 17:40

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene, 1,1'-oxybis-	ND		0.10	0.020	mg/L		06/18/19 06:13	06/19/19 12:07	1
1,1'-Biphenyl	ND		0.10	0.020	mg/L		06/18/19 06:13	06/19/19 12:07	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>n</i> -Octacosane	65		45 - 120				06/18/19 06:13	06/19/19 12:07	1

Client Sample ID: T191966-03

Lab Sample ID: 440-243978-3

Date Collected: 06/13/19 12:25

Matrix: Water

Date Received: 06/17/19 17:40

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene, 1,1'-oxybis-	ND		0.10	0.020	mg/L		06/18/19 06:13	06/19/19 12:27	1
1,1'-Biphenyl	ND		0.10	0.020	mg/L		06/18/19 06:13	06/19/19 12:27	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>n</i> -Octacosane	72		45 - 120				06/18/19 06:13	06/19/19 12:27	1

Client Sample ID: T191966-04

Lab Sample ID: 440-243978-4

Date Collected: 06/14/19 05:45

Matrix: Water

Date Received: 06/17/19 17:40

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene, 1,1'-oxybis-	ND		0.10	0.021	mg/L		06/18/19 06:13	06/19/19 12:48	1
1,1'-Biphenyl	ND		0.10	0.021	mg/L		06/18/19 06:13	06/19/19 12:48	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>n</i> -Octacosane	67		45 - 120				06/18/19 06:13	06/19/19 12:48	1

Client Sample ID: T191966-05

Lab Sample ID: 440-243978-5

Date Collected: 06/13/19 06:56

Matrix: Water

Date Received: 06/17/19 17:40

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene, 1,1'-oxybis-	ND		0.10	0.021	mg/L		06/18/19 06:13	06/19/19 13:09	1
1,1'-Biphenyl	ND		0.10	0.021	mg/L		06/18/19 06:13	06/19/19 13:09	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>n</i> -Octacosane	69		45 - 120				06/18/19 06:13	06/19/19 13:09	1

Eurofins TestAmerica, Irvine

Client Sample Results

Client: SunStar Laboratories Inc
Project/Site: T191966

Job ID: 440-243978-1

Client Sample ID: T191966-06

Lab Sample ID: 440-243978-6

Date Collected: 06/13/19 07:15

Matrix: Water

Date Received: 06/17/19 17:40

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene, 1,1'-oxybis-	ND		0.11	0.021	mg/L		06/18/19 06:13	06/19/19 13:30	1
1,1'-Biphenyl	ND		0.11	0.021	mg/L		06/18/19 06:13	06/19/19 13:30	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>n</i> -Octacosane	72		45 - 120				06/18/19 06:13	06/19/19 13:30	1

Client Sample ID: T191966-07

Lab Sample ID: 440-243978-7

Date Collected: 06/14/19 06:52

Matrix: Water

Date Received: 06/17/19 17:40

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene, 1,1'-oxybis-	ND		0.10	0.020	mg/L		06/18/19 06:13	06/19/19 13:51	1
1,1'-Biphenyl	ND		0.10	0.020	mg/L		06/18/19 06:13	06/19/19 13:51	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>n</i> -Octacosane	71		45 - 120				06/18/19 06:13	06/19/19 13:51	1

Client Sample ID: T191966-08

Lab Sample ID: 440-243978-8

Date Collected: 06/14/19 08:02

Matrix: Water

Date Received: 06/17/19 17:40

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene, 1,1'-oxybis-	ND		0.10	0.020	mg/L		06/18/19 06:13	06/19/19 14:12	1
1,1'-Biphenyl	ND		0.10	0.020	mg/L		06/18/19 06:13	06/19/19 14:12	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>n</i> -Octacosane	74		45 - 120				06/18/19 06:13	06/19/19 14:12	1

Client Sample ID: T191966-09

Lab Sample ID: 440-243978-9

Date Collected: 06/14/19 09:17

Matrix: Water

Date Received: 06/17/19 17:40

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene, 1,1'-oxybis-	ND		0.10	0.020	mg/L		06/18/19 06:18	06/19/19 14:32	1
1,1'-Biphenyl	ND		0.10	0.020	mg/L		06/18/19 06:18	06/19/19 14:32	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>n</i> -Octacosane	73		45 - 120				06/18/19 06:18	06/19/19 14:32	1

Client Sample ID: T191966-10

Lab Sample ID: 440-243978-10

Date Collected: 06/14/19 00:01

Matrix: Water

Date Received: 06/17/19 17:40

Method: 8015B - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene, 1,1'-oxybis-	ND		0.11	0.022	mg/L		06/18/19 06:18	06/19/19 14:53	1
1,1'-Biphenyl	ND		0.11	0.022	mg/L		06/18/19 06:18	06/19/19 14:53	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>n</i> -Octacosane	71		45 - 120				06/18/19 06:18	06/19/19 14:53	1

Eurofins TestAmerica, Irvine

Surrogate Summary

Client: SunStar Laboratories Inc
Project/Site: T191966

Job ID: 440-243978-1

Method: 8015B - Diesel Range Organics (DRO) (GC)

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	OTCN1 (45-120)
440-243978-1	T191966-01	64
440-243978-2	T191966-02	65
440-243978-3	T191966-03	72
440-243978-4	T191966-04	67
440-243978-5	T191966-05	69
440-243978-6	T191966-06	72
440-243978-7	T191966-07	71
440-243978-8	T191966-08	74
440-243978-9	T191966-09	73
440-243978-10	T191966-10	71
LCS 440-553233/4-A	Lab Control Sample	73
LCSD 440-553233/5-A	Lab Control Sample Dup	69
MB 440-553233/1-A	Method Blank	66

Surrogate Legend

OTCN = n-Octacosane

Method Summary

Client: SunStar Laboratories Inc
Project/Site: T191966

Job ID: 440-243978-1

Method	Method Description	Protocol	Laboratory
8015B	Diesel Range Organics (DRO) (GC)	SW846	TAL IRV
3510C	Liquid-Liquid Extraction (Separatory Funnel)	SW846	TAL IRV

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL IRV = Eurofins TestAmerica, Irvine, 17461 Derian Ave, Suite 100, Irvine, CA 92614-5817, TEL (949)261-1022



Lab Chronicle

Client: SunStar Laboratories Inc
Project/Site: T191966

Job ID: 440-243978-1

Client Sample ID: T191966-01

Lab Sample ID: 440-243978-1

Date Collected: 06/14/19 05:00

Matrix: Water

Date Received: 06/17/19 17:40

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			970 mL	1 mL	553233	06/18/19 06:13	L1H	TAL IRV
Total/NA	Analysis	8015B		1			553518	06/19/19 11:46	LMB	TAL IRV

Client Sample ID: T191966-02

Lab Sample ID: 440-243978-2

Date Collected: 06/13/19 13:00

Matrix: Water

Date Received: 06/17/19 17:40

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			985 mL	1 mL	553233	06/18/19 06:13	L1H	TAL IRV
Total/NA	Analysis	8015B		1			553518	06/19/19 12:07	LMB	TAL IRV

Client Sample ID: T191966-03

Lab Sample ID: 440-243978-3

Date Collected: 06/13/19 12:25

Matrix: Water

Date Received: 06/17/19 17:40

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			1000 mL	1 mL	553233	06/18/19 06:13	L1H	TAL IRV
Total/NA	Analysis	8015B		1			553518	06/19/19 12:27	LMB	TAL IRV

Client Sample ID: T191966-04

Lab Sample ID: 440-243978-4

Date Collected: 06/14/19 05:45

Matrix: Water

Date Received: 06/17/19 17:40

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			975 mL	1 mL	553233	06/18/19 06:13	L1H	TAL IRV
Total/NA	Analysis	8015B		1			553518	06/19/19 12:48	LMB	TAL IRV

Client Sample ID: T191966-05

Lab Sample ID: 440-243978-5

Date Collected: 06/13/19 06:56

Matrix: Water

Date Received: 06/17/19 17:40

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			975 mL	1 mL	553233	06/18/19 06:13	L1H	TAL IRV
Total/NA	Analysis	8015B		1			553518	06/19/19 13:09	LMB	TAL IRV

Client Sample ID: T191966-06

Lab Sample ID: 440-243978-6

Date Collected: 06/13/19 07:15

Matrix: Water

Date Received: 06/17/19 17:40

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			945 mL	1 mL	553233	06/18/19 06:13	L1H	TAL IRV
Total/NA	Analysis	8015B		1			553518	06/19/19 13:30	LMB	TAL IRV

Lab Chronicle

Client: SunStar Laboratories Inc
Project/Site: T191966

Job ID: 440-243978-1

Client Sample ID: T191966-07

Lab Sample ID: 440-243978-7

Date Collected: 06/14/19 06:52

Matrix: Water

Date Received: 06/17/19 17:40

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			985 mL	1 mL	553233	06/18/19 06:13	L1H	TAL IRV
Total/NA	Analysis	8015B		1			553518	06/19/19 13:51	LMB	TAL IRV

Client Sample ID: T191966-08

Lab Sample ID: 440-243978-8

Date Collected: 06/14/19 08:02

Matrix: Water

Date Received: 06/17/19 17:40

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			985 mL	1 mL	553233	06/18/19 06:13	L1H	TAL IRV
Total/NA	Analysis	8015B		1			553518	06/19/19 14:12	LMB	TAL IRV

Client Sample ID: T191966-09

Lab Sample ID: 440-243978-9

Date Collected: 06/14/19 09:17

Matrix: Water

Date Received: 06/17/19 17:40

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			1005 mL	1 mL	553233	06/18/19 06:18	L1H	TAL IRV
Total/NA	Analysis	8015B		1			553518	06/19/19 14:32	LMB	TAL IRV

Client Sample ID: T191966-10

Lab Sample ID: 440-243978-10

Date Collected: 06/14/19 00:01

Matrix: Water

Date Received: 06/17/19 17:40

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			905 mL	1 mL	553233	06/18/19 06:18	L1H	TAL IRV
Total/NA	Analysis	8015B		1			553518	06/19/19 14:53	LMB	TAL IRV

Laboratory References:

TAL IRV = Eurofins TestAmerica, Irvine, 17461 Derian Ave, Suite 100, Irvine, CA 92614-5817, TEL (949)261-1022

QC Sample Results

Client: SunStar Laboratories Inc
Project/Site: T191966

Job ID: 440-243978-1

Method: 8015B - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 440-553233/1-A
Matrix: Water
Analysis Batch: 553518

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 553233

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil	Fac
	Result	Qualifier								
Benzene, 1,1'-oxybis-	ND		0.10	0.020	mg/L		06/18/19 06:13	06/19/19 10:23		1
1,1'-Biphenyl	ND		0.10	0.020	mg/L		06/18/19 06:13	06/19/19 10:23		1
MB MB										
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac	
<i>n</i> -Octacosane	66		45 - 120				06/18/19 06:13	06/19/19 10:23	1	

Lab Sample ID: LCS 440-553233/4-A
Matrix: Water
Analysis Batch: 553518

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 553233

Analyte	Spike Added	LCS	LCS	Unit	D	%Rec	Limits	RPD	Limit	
		Result	Qualifier							
Benzene, 1,1'-oxybis-	0.100	0.0698	J	mg/L		70	50 - 115			
1,1'-Biphenyl	0.100	0.0604	J	mg/L		60	50 - 115			
LCS LCS										
Surrogate	%Recovery	Qualifier	Limits				%Rec.			
<i>n</i> -Octacosane	73		45 - 120							

Lab Sample ID: LCSD 440-553233/5-A
Matrix: Water
Analysis Batch: 553518

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 553233

Analyte	Spike Added	LCSD	LCSD	Unit	D	%Rec	Limits	RPD	Limit	
		Result	Qualifier							
Benzene, 1,1'-oxybis-	0.100	0.0683	J	mg/L		68	50 - 115	2	30	
1,1'-Biphenyl	0.100	0.0589	J	mg/L		59	50 - 115	3	30	
LCSD LCSD										
Surrogate	%Recovery	Qualifier	Limits				%Rec.			
<i>n</i> -Octacosane	69		45 - 120							

QC Association Summary

Client: SunStar Laboratories Inc
Project/Site: T191966

Job ID: 440-243978-1

GC Semi VOA

Prep Batch: 553233

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
440-243978-1	T191966-01	Total/NA	Water	3510C	
440-243978-2	T191966-02	Total/NA	Water	3510C	
440-243978-3	T191966-03	Total/NA	Water	3510C	
440-243978-4	T191966-04	Total/NA	Water	3510C	
440-243978-5	T191966-05	Total/NA	Water	3510C	
440-243978-6	T191966-06	Total/NA	Water	3510C	
440-243978-7	T191966-07	Total/NA	Water	3510C	
440-243978-8	T191966-08	Total/NA	Water	3510C	
440-243978-9	T191966-09	Total/NA	Water	3510C	
440-243978-10	T191966-10	Total/NA	Water	3510C	
MB 440-553233/1-A	Method Blank	Total/NA	Water	3510C	
LCS 440-553233/4-A	Lab Control Sample	Total/NA	Water	3510C	
LCSD 440-553233/5-A	Lab Control Sample Dup	Total/NA	Water	3510C	

Analysis Batch: 553518

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
440-243978-1	T191966-01	Total/NA	Water	8015B	553233
440-243978-2	T191966-02	Total/NA	Water	8015B	553233
440-243978-3	T191966-03	Total/NA	Water	8015B	553233
440-243978-4	T191966-04	Total/NA	Water	8015B	553233
440-243978-5	T191966-05	Total/NA	Water	8015B	553233
440-243978-6	T191966-06	Total/NA	Water	8015B	553233
440-243978-7	T191966-07	Total/NA	Water	8015B	553233
440-243978-8	T191966-08	Total/NA	Water	8015B	553233
440-243978-9	T191966-09	Total/NA	Water	8015B	553233
440-243978-10	T191966-10	Total/NA	Water	8015B	553233
MB 440-553233/1-A	Method Blank	Total/NA	Water	8015B	553233
LCS 440-553233/4-A	Lab Control Sample	Total/NA	Water	8015B	553233
LCSD 440-553233/5-A	Lab Control Sample Dup	Total/NA	Water	8015B	553233



Definitions/Glossary

Client: SunStar Laboratories Inc
Project/Site: T191966

Job ID: 440-243978-1

Qualifiers

GC Semi VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Accreditation/Certification Summary

Client: SunStar Laboratories Inc
Project/Site: T191966

Job ID: 440-243978-1

Laboratory: Eurofins TestAmerica, Irvine

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	EPA Region	Identification Number	Expiration Date
California	State Program	9	CA ELAP 2706	06-30-19 *

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
8015B	3510C	Water	1,1'-Biphenyl
8015B	3510C	Water	Benzene, 1,1'-oxybis-

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Eurofins TestAmerica, Irvine



SUBCONTRACT ORDER

SunStar Laboratories, Inc.

T191966

SENDING LABORATORY:

SunStar Laboratories, Inc.
25712 Commercentre Drive
Lake Forest, CA 92630
Phone: (949) 297-5020
Fax: (949) 297-5027
Project Manager: Jeff Lee

RECEIVING LABORATORY:

TestAmerica (Irvine) Laboratories
17461 Derian Ave, #100
Irvine, CA 92614
Phone : (949) 261-1022
Fax: N/A

Analysis	Due	Expires	Laboratory ID	Comments
Sample ID: T191966-01	Water	Sampled:06/14/19 05:00		
Misc Water Testing #1	06/21/19 15:00	12/11/19 05:00		8015M- Therminol
<i>Containers Supplied:</i>				
Sample ID: T191966-02	Water	Sampled:06/13/19 13:00		
Misc Water Testing #1	06/21/19 15:00	12/10/19 13:00		8015M- Therminol
<i>Containers Supplied:</i>				
Sample ID: T191966-03	Water	Sampled:06/13/19 12:25		
Misc Water Testing #1	06/21/19 15:00	12/10/19 12:25		8015M- Therminol
<i>Containers Supplied:</i>				
Sample ID: T191966-04	Water	Sampled:06/14/19 05:45		
Misc Water Testing #1	06/21/19 15:00	12/11/19 05:45		8015M- Therminol
<i>Containers Supplied:</i>				
Sample ID: T191966-05	Water	Sampled:06/13/19 06:56		
Misc Water Testing #1	06/21/19 15:00	12/10/19 06:56		8015M- Therminol
<i>Containers Supplied:</i>				
Sample ID: T191966-06	Water	Sampled:06/13/19 07:15		
Misc Water Testing #1	06/21/19 15:00	12/10/19 07:15		8015M- Therminol
<i>Containers Supplied:</i>				



6/17/19
AK

Paul Dumas 6-17-19 17:40
Released By Date

Olga Andrus 6/17/19 1740
Received By Date

Released By Date

27/29 IR-88
Received By Date

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

SUBCONTRACT ORDER

SunStar Laboratories, Inc.

T191966

Analysis	Due	Expires	Laboratory ID	Comments
Sample ID: T191966-07	Water	Sampled:06/14/19 06:52		
Misc Water Testing #1	06/21/19 15:00	12/11/19 06:52		8015M- Therminol
<i>Containers Supplied:</i>				
Sample ID: T191966-08	Water	Sampled:06/14/19 08:02		
Misc Water Testing #1	06/21/19 15:00	12/11/19 08:02		8015M- Therminol
<i>Containers Supplied:</i>				
Sample ID: T191966-09	Water	Sampled:06/14/19 09:17		
Misc Water Testing #1	06/21/19 15:00	12/11/19 09:17		8015M- Therminol
<i>Containers Supplied:</i>				
Sample ID: T191966-10	Water	Sampled:06/14/19 00:00		
Misc Water Testing #1	06/21/19 15:00	12/11/19 00:00		8015M- Therminol
<i>Containers Supplied:</i>				

6/12/19
AK

<i>Paul Brown</i>	6-17-19	17:40		
Released By	Date		Received By	Date
			<i>Olga Onelovs</i>	6/17/19 1740
Released By	Date		Received By	Date

Login Sample Receipt Checklist

Client: SunStar Laboratories Inc

Job Number: 440-243978-1

Login Number: 243978

List Source: Eurofins TestAmerica, Irvine

List Number: 1

Creator: Escalante, Maria I

Question	Answer	Comment
Radioactivity wasn't checked or is <=/ background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	N/A	Not present
Sample custody seals, if present, are intact.	N/A	Not Present
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



Lab #: 723695 Job #: 41929 IS-101168 Co. Job#:
Sample Name: T191966-01 Co. Lab#:
Company: SunStar Laboratories, Inc
API/Well:
Container: 250ml Plastic Bottle
Field/Site Name: T191966
Location:
Formation/Depth:
Sampling Point:
Date Sampled: 6/14/2019 5:00 Date Received: 6/18/2019 Date Reported: 6/27/2019

δ D of water ----- -74.8 ‰ relative to VSMOW
 δ ¹⁸O of water ----- -10.22 ‰ relative to VSMOW
Tritium content of water ----- na
 δ ¹³C of DIC ----- na
¹⁴C content of DIC ----- na
 δ ¹⁵N of nitrate ----- na
 δ ¹⁸O of nitrate ----- na
 δ ³⁴S of sulfate ----- na
 δ ¹⁸O of sulfate ----- na
Vacuum Distilled? * ----- No

Remarks:

nd = not detected. na = not analyzed.

*Indicates if vacuum distillation was utilized for hydrogen and oxygen isotopic analysis of water

Lab #: 723696 Job #: 41929 IS-101168 Co. Job#:
 Sample Name: T191966-02 Co. Lab#:
 Company: SunStar Laboratories, Inc
 API/Well:
 Container: 250ml Plastic Bottle
 Field/Site Name: T191966
 Location:
 Formation/Depth:
 Sampling Point:
 Date Sampled: 6/13/2019 13:00 Date Received: 6/18/2019 Date Reported: 6/27/2019

δ D of water ----- -60.7 ‰ relative to VSMOW

δ^{18} O of water ----- -6.75 ‰ relative to VSMOW

Tritium content of water ----- na

δ^{13} C of DIC ----- na

14 C content of DIC ----- na

δ^{15} N of nitrate ----- na

δ^{18} O of nitrate ----- na

δ^{34} S of sulfate ----- na

δ^{18} O of sulfate ----- na

Vacuum Distilled? * ----- No

Remarks:

nd = not detected. na = not analyzed.

*Indicates if vacuum distillation was utilized for hydrogen and oxygen isotopic analysis of water

Lab #: 723697 Job #: 41929 IS-101168 Co. Job#: _____
 Sample Name: T191966-03 Co. Lab#: _____
 Company: SunStar Laboratories, Inc
 API/Well: _____
 Container: 250ml Plastic Bottle
 Field/Site Name: T191966
 Location: _____
 Formation/Depth: _____
 Sampling Point: _____
 Date Sampled: 6/13/2019 12:25 Date Received: 6/18/2019 Date Reported: 6/27/2019

δ D of water ----- -63.6 ‰ relative to VSMOW

δ ¹⁸O of water ----- -7.97 ‰ relative to VSMOW

Tritium content of water ----- na

δ ¹³C of DIC ----- na

¹⁴C content of DIC ----- na

δ ¹⁵N of nitrate ----- na

δ ¹⁸O of nitrate ----- na

δ ³⁴S of sulfate ----- na

δ ¹⁸O of sulfate ----- na

Vacuum Distilled? * ----- No

Remarks:

nd = not detected. na = not analyzed.

*Indicates if vacuum distillation was utilized for hydrogen and oxygen isotopic analysis of water

Lab #: 723698 Job #: 41929 IS-101168 Co. Job#: _____
 Sample Name: T191966-04 Co. Lab#: _____
 Company: SunStar Laboratories, Inc
 API/Well: _____
 Container: 250ml Plastic Bottle
 Field/Site Name: T191966
 Location: _____
 Formation/Depth: _____
 Sampling Point: _____
 Date Sampled: 6/14/2019 5:45 Date Received: 6/18/2019 Date Reported: 6/27/2019

δD of water	-----	-76.7 ‰ relative to VSMOW
δ ¹⁸ O of water	-----	-10.11 ‰ relative to VSMOW
Tritium content of water	-----	na
δ ¹³ C of DIC	-----	na
¹⁴ C content of DIC	-----	na
δ ¹⁵ N of nitrate	-----	na
δ ¹⁸ O of nitrate	-----	na
δ ³⁴ S of sulfate	-----	na
δ ¹⁸ O of sulfate	-----	na
Vacuum Distilled? *	-----	No

Remarks:

nd = not detected. na = not analyzed.

*Indicates if vacuum distillation was utilized for hydrogen and oxygen isotopic analysis of water

Lab #: 723699 Job #: 41929 IS-101168 Co. Job#: _____
 Sample Name: T191966-05 Co. Lab#: _____
 Company: SunStar Laboratories, Inc
 API/Well: _____
 Container: 250ml Plastic Bottle
 Field/Site Name: T191966
 Location: _____
 Formation/Depth: _____
 Sampling Point: _____
 Date Sampled: 6/13/2019 6:56 Date Received: 6/18/2019 Date Reported: 6/27/2019

δD of water	-----	-76.5 ‰ relative to VSMOW
δ ¹⁸ O of water	-----	-10.01 ‰ relative to VSMOW
Tritium content of water	-----	na
δ ¹³ C of DIC	-----	na
¹⁴ C content of DIC	-----	na
δ ¹⁵ N of nitrate	-----	na
δ ¹⁸ O of nitrate	-----	na
δ ³⁴ S of sulfate	-----	na
δ ¹⁸ O of sulfate	-----	na
Vacuum Distilled? *	-----	No

Remarks:

nd = not detected. na = not analyzed.

*Indicates if vacuum distillation was utilized for hydrogen and oxygen isotopic analysis of water

Lab #: 723700 Job #: 41929 IS-101168 Co. Job#:
Sample Name: T191966-06 Co. Lab#:
Company: SunStar Laboratories, Inc
API/Well:
Container: 250ml Plastic Bottle
Field/Site Name: T191966
Location:
Formation/Depth:
Sampling Point:
Date Sampled: 6/13/2019 7:15 Date Received: 6/18/2019 Date Reported: 6/27/2019

δ D of water ----- -78.2 ‰ relative to VSMOW
 δ ¹⁸O of water ----- -10.26 ‰ relative to VSMOW
Tritium content of water ----- na
 δ ¹³C of DIC ----- na
¹⁴C content of DIC ----- na
 δ ¹⁵N of nitrate ----- na
 δ ¹⁸O of nitrate ----- na
 δ ³⁴S of sulfate ----- na
 δ ¹⁸O of sulfate ----- na
Vacuum Distilled? * ----- No

Remarks:

nd = not detected. na = not analyzed.

*Indicates if vacuum distillation was utilized for hydrogen and oxygen isotopic analysis of water

Lab #: 723701 Job #: 41929 IS-101168 Co. Job#:
Sample Name: T191966-07 Co. Lab#:
Company: SunStar Laboratories, Inc
API/Well:
Container: 250ml Plastic Bottle
Field/Site Name: T191966
Location:
Formation/Depth:
Sampling Point:
Date Sampled: 6/14/2019 6:52 Date Received: 6/18/2019 Date Reported: 6/27/2019

δ D of water ----- -70.4 ‰ relative to VSMOW

δ^{18} O of water ----- -8.58 ‰ relative to VSMOW

Tritium content of water ----- na

δ^{13} C of DIC ----- na

14 C content of DIC ----- na

δ^{15} N of nitrate ----- na

δ^{18} O of nitrate ----- na

δ^{34} S of sulfate ----- na

δ^{18} O of sulfate ----- na

Vacuum Distilled? * ----- No

Remarks:

nd = not detected. na = not analyzed.

*Indicates if vacuum distillation was utilized for hydrogen and oxygen isotopic analysis of water

Lab #: 723702 Job #: 41929 IS-101168 Co. Job#: _____
 Sample Name: T191966-08 Co. Lab#: _____
 Company: SunStar Laboratories, Inc
 API/Well: _____
 Container: 250ml Plastic Bottle
 Field/Site Name: T191966
 Location: _____
 Formation/Depth: _____
 Sampling Point: _____
 Date Sampled: 6/14/2019 8:02 Date Received: 6/18/2019 Date Reported: 6/27/2019

δD of water ----- -70.1 ‰ relative to VSMOW

δ¹⁸O of water ----- -8.50 ‰ relative to VSMOW

Tritium content of water ----- na

δ¹³C of DIC ----- na

¹⁴C content of DIC ----- na

δ¹⁵N of nitrate ----- na

δ¹⁸O of nitrate ----- na

δ³⁴S of sulfate ----- na

δ¹⁸O of sulfate ----- na

Vacuum Distilled? * ----- No

Remarks:

nd = not detected. na = not analyzed.

*Indicates if vacuum distillation was utilized for hydrogen and oxygen isotopic analysis of water

Lab #: 723703 Job #: 41929 IS-101168 Co. Job#:
 Sample Name: T191966-09 Co. Lab#:
 Company: SunStar Laboratories, Inc
 API/Well:
 Container: 250ml Plastic Bottle
 Field/Site Name: T191966
 Location:
 Formation/Depth:
 Sampling Point:
 Date Sampled: 6/14/2019 9:17 Date Received: 6/18/2019 Date Reported: 6/27/2019

δD of water ----- -70.8 ‰ relative to VSMOW

δ¹⁸O of water ----- -8.69 ‰ relative to VSMOW

Tritium content of water ----- na

δ¹³C of DIC ----- na

¹⁴C content of DIC ----- na

δ¹⁵N of nitrate ----- na

δ¹⁸O of nitrate ----- na

δ³⁴S of sulfate ----- na

δ¹⁸O of sulfate ----- na

Vacuum Distilled? * ----- No

Remarks:

nd = not detected. na = not analyzed.

*Indicates if vacuum distillation was utilized for hydrogen and oxygen isotopic analysis of water

Lab #: 723704 Job #: 41929 IS-101168 Co. Job#:
 Sample Name: T191966-10 Co. Lab#:
 Company: SunStar Laboratories, Inc
 API/Well:
 Container: 250ml Plastic Bottle
 Field/Site Name: T191966
 Location:
 Formation/Depth:
 Sampling Point:
 Date Sampled: 6/14/2019 0:00 Date Received: 6/18/2019 Date Reported: 6/27/2019

δD of water	-----	-78.2 ‰ relative to VSMOW
δ ¹⁸ O of water	-----	-10.25 ‰ relative to VSMOW
Tritium content of water	-----	na
δ ¹³ C of DIC	-----	na
¹⁴ C content of DIC	-----	na
δ ¹⁵ N of nitrate	-----	na
δ ¹⁸ O of nitrate	-----	na
δ ³⁴ S of sulfate	-----	na
δ ¹⁸ O of sulfate	-----	na
Vacuum Distilled? *	-----	No

Remarks:

nd = not detected. na = not analyzed.

*Indicates if vacuum distillation was utilized for hydrogen and oxygen isotopic analysis of water

WORK ORDER

T191966

Client: Northstar Environmental Remediation
Project: Genesis Solar Groundwater

Project Manager: Jeff Lee
Project Number: 196-004-06

Report To:

Northstar Environmental Remediation
 Arlin Brewster
 26225 Enterprise Court
 Lake Forest, CA 92630

Date Due: 06/21/19 17:00 (5 day TAT)

Received By: Sunny Lounethone

Date Received: 06/14/19 15:05

Logged In By: Sunny Lounethone

Date Logged In: 06/15/19 08:10

Samples Received at: 2.2°C

Custody Seals No Received On Ice Yes

Containers Intact Yes

COC/Labels Agree Yes

Preservation Confir Yes

Analysis	Due	TAT	Expires	Comments
T191966-01 23a [Water] Sampled 06/14/19 05:00 (GMT-08:00) Pacific Time (US &				
1664	06/21/19 15:00	5	07/12/19 05:00	Oil & Grease
200.7	06/21/19 15:00	5	12/11/19 05:00	Ca,Cu,Na,K,Fe,Mg (Field Filtered, Report as Dissolved)
200.8	06/21/19 15:00	5	12/11/19 05:00	Sb,As,Ba,Cd,Cr,Co,Pb,Ni,Se,Zn (Field Filtered, Report as Dissolved)
300.0 - F, Cl, Br, SO4	06/21/19 15:00	5	07/12/19 05:00	Chloride,Sulfate only
300.0 - NO2, NO3, PO4	06/21/19 15:00	5	06/16/19 05:00	Nitrate only
7470/71 Hg	06/21/19 15:00	5	09/12/19 05:00	
Conductivity	06/21/19 15:00	5	07/12/19 05:00	
pH water 9040	06/21/19 15:00	5	06/15/19 05:00	
TDS-160.1	06/21/19 15:00	5	06/21/19 05:00	
T191966-02 OBS-1 [Water] Sampled 06/13/19 13:00 (GMT-08:00) Pacific Time (US &				
1664	06/21/19 15:00	5	07/11/19 13:00	Oil & Grease
200.7	06/21/19 15:00	5	12/10/19 13:00	Ca,Cu,Na,K,Fe,Mg (Field Filtered, Report as Dissolved)
200.8	06/21/19 15:00	5	12/10/19 13:00	Sb,As,Ba,Cd,Cr,Co,Pb,Ni,Se,Zn (Field Filtered, Report as Dissolved)
300.0 - F, Cl, Br, SO4	06/21/19 15:00	5	07/11/19 13:00	Chloride,Sulfate only
300.0 - NO2, NO3, PO4	06/21/19 15:00	5	06/15/19 13:00	Nitrate only
7470/71 Hg	06/21/19 15:00	5	09/11/19 13:00	
Conductivity	06/21/19 15:00	5	07/11/19 13:00	
pH water 9040	06/21/19 15:00	5	06/14/19 13:00	
TDS-160.1	06/21/19 15:00	5	06/20/19 13:00	

WORK ORDER

T191966

Client: Northstar Environmental Remediation
Project: Genesis Solar Groundwater

Project Manager: Jeff Lee
Project Number: 196-004-06

Analysis	Due	TAT	Expires	Comments
T191966-03 TW-1 [Water] Sampled 06/13/19 12:25 (GMT-08:00) Pacific Time (US &				
1664	06/21/19 15:00	5	07/11/19 12:25	Oil & Grease
200.7	06/21/19 15:00	5	12/10/19 12:25	Ca,Cu,Na,K,Fe,Mg (Field Filtered, Report as Dissolved)
200.8	06/21/19 15:00	5	12/10/19 12:25	Sb,As,Ba,Cd,Cr,Co,Pb,Ni,Se,Zn (Field Filtered, Report as Dissolved)
300.0 - F, Cl, Br, SO4	06/21/19 15:00	5	07/11/19 12:25	Chloride,Sulfate only
300.0 - NO2, NO3, PO4	06/21/19 15:00	5	06/15/19 12:25	Nitrate only
7470/71 Hg	06/21/19 15:00	5	09/11/19 12:25	
Conductivity	06/21/19 15:00	5	07/11/19 12:25	
pH water 9040	06/21/19 15:00	5	06/14/19 12:25	
TDS-160.1	06/21/19 15:00	5	06/20/19 12:25	
T191966-04 TW-2 [Water] Sampled 06/14/19 05:45 (GMT-08:00) Pacific Time (US &				
1664	06/21/19 15:00	5	07/12/19 05:45	Oil & Grease
200.7	06/21/19 15:00	5	12/11/19 05:45	Ca,Cu,Na,K,Fe,Mg (Field Filtered, Report as Dissolved)
200.8	06/21/19 15:00	5	12/11/19 05:45	Sb,As,Ba,Cd,Cr,Co,Pb,Ni,Se,Zn (Field Filtered, Report as Dissolved)
300.0 - F, Cl, Br, SO4	06/21/19 15:00	5	07/12/19 05:45	Chloride,Sulfate only
300.0 - NO2, NO3, PO4	06/21/19 15:00	5	06/16/19 05:45	Nitrate only
7470/71 Hg	06/21/19 15:00	5	09/12/19 05:45	
Conductivity	06/21/19 15:00	5	07/12/19 05:45	
pH water 9040	06/21/19 15:00	5	06/15/19 05:45	
TDS-160.1	06/21/19 15:00	5	06/21/19 05:45	
T191966-05 PW-0 [Water] Sampled 06/13/19 06:56 (GMT-08:00) Pacific Time (US &				
1664	06/21/19 15:00	5	07/11/19 06:56	Oil & Grease
200.7	06/21/19 15:00	5	12/10/19 06:56	Ca, Cu, Na, K, Fe, Mg (Field Filtered, Report as Dissolved)
200.8	06/21/19 15:00	5	12/10/19 06:56	Sb, As, Ba, Cd, Cr, Co, Pb, Ni, Se, Zn (Field Filtered, Report as Dissolved)
300.0 - F, Cl, Br, SO4	06/21/19 15:00	5	07/11/19 06:56	Fluoride, Chloride, Sulfate only
300.0 - NO2, NO3, PO4	06/21/19 15:00	5	06/15/19 06:56	Nitrate only
7470/71 Hg	06/21/19 15:00	5	09/11/19 06:56	
Conductivity	06/21/19 15:00	5	07/11/19 06:56	
pH water 9040	06/21/19 15:00	5	06/14/19 06:56	
TDS-160.1	06/21/19 15:00	5	06/20/19 06:56	

WORK ORDER

T191966

Client: Northstar Environmental Remediation

Project Manager: Jeff Lee

Project: Genesis Solar Groundwater

Project Number: 196-004-06

Analysis	Due	TAT	Expires	Comments
T191966-06 PW-2 [Water] Sampled 06/13/19 07:15 (GMT-08:00) Pacific Time (US &				
1664	06/21/19 15:00	5	07/11/19 07:15	Oil & Grease
200.7	06/21/19 15:00	5	12/10/19 07:15	Ca, Cu, Na, K, Fe, Mg (Field Filtered, Report as Dissolved)
200.8	06/21/19 15:00	5	12/10/19 07:15	Sb, As, Ba, Cd, Cr, Co, Pb, Ni, Se, Zn (Field Filtered, Report as Dissolved)
300.0 - F, Cl, Br, SO4	06/21/19 15:00	5	07/11/19 07:15	Fluoride, Chloride, Sulfate only
300.0 - NO2, NO3, PO4	06/21/19 15:00	5	06/15/19 07:15	Nitrate only
7470/71 Hg	06/21/19 15:00	5	09/11/19 07:15	
Conductivity	06/21/19 15:00	5	07/11/19 07:15	
pH water 9040	06/21/19 15:00	5	06/14/19 07:15	
TDS-160.1	06/21/19 15:00	5	06/20/19 07:15	
T191966-07 DM-1 [Water] Sampled 06/14/19 06:52 (GMT-08:00) Pacific Time (US &				
1664	06/21/19 15:00	5	07/12/19 06:52	Oil & Grease
200.7	06/21/19 15:00	5	12/11/19 06:52	Ca,Cu,Na,K,Fe,Mg (Field Filtered, Report as Dissolved)
200.8	06/21/19 15:00	5	12/11/19 06:52	Sb,As,Ba,Cd,Cr,Co,Pb,Ni,Se,Zn (Field Filtered, Report as Dissolved)
300.0 - F, Cl, Br, SO4	06/21/19 15:00	5	07/12/19 06:52	Chloride,Sulfate only
300.0 - NO2, NO3, PO4	06/21/19 15:00	5	06/16/19 06:52	Nitrate only
7470/71 Hg	06/21/19 15:00	5	09/12/19 06:52	
Conductivity	06/21/19 15:00	5	07/12/19 06:52	
pH water 9040	06/21/19 15:00	5	06/15/19 06:52	
TDS-160.1	06/21/19 15:00	5	06/21/19 06:52	
T191966-08 DM-2 [Water] Sampled 06/14/19 08:02 (GMT-08:00) Pacific Time (US &				
1664	06/21/19 15:00	5	07/12/19 08:02	Oil & Grease
200.7	06/21/19 15:00	5	12/11/19 08:02	Ca,Cu,Na,K,Fe,Mg (Field Filtered, Report as Dissolved)
200.8	06/21/19 15:00	5	12/11/19 08:02	Sb,As,Ba,Cd,Cr,Co,Pb,Ni,Se,Zn (Field Filtered, Report as Dissolved)
300.0 - F, Cl, Br, SO4	06/21/19 15:00	5	07/12/19 08:02	Chloride,Sulfate only
300.0 - NO2, NO3, PO4	06/21/19 15:00	5	06/16/19 08:02	Nitrate only
7470/71 Hg	06/21/19 15:00	5	09/12/19 08:02	
Conductivity	06/21/19 15:00	5	07/12/19 08:02	
pH water 9040	06/21/19 15:00	5	06/15/19 08:02	
TDS-160.1	06/21/19 15:00	5	06/21/19 08:02	

WORK ORDER

T191966

Client: Northstar Environmental Remediation	Project Manager: Jeff Lee
Project: Genesis Solar Groundwater	Project Number: 196-004-06

Analysis	Due	TAT	Expires	Comments
T191966-09 DM-3 [Water] Sampled 06/14/19 09:17 (GMT-08:00) Pacific Time (US &				
1664	06/21/19 15:00	5	07/12/19 09:17	Oil & Grease
200.7	06/21/19 15:00	5	12/11/19 09:17	Ca,Cu,Na,K,Fe,Mg (Field Filtered, Report as Dissolved)
200.8	06/21/19 15:00	5	12/11/19 09:17	Sb,As,Ba,Cd,Cr,Co,Pb,Ni,Se,Zn (Field Filtered, Report as Dissolved)
300.0 - F, Cl, Br, SO4	06/21/19 15:00	5	07/12/19 09:17	Chloride,Sulfate only
300.0 - NO2, NO3, PO4	06/21/19 15:00	5	06/16/19 09:17	Nitrate only
7470/71 Hg	06/21/19 15:00	5	09/12/19 09:17	
Conductivity	06/21/19 15:00	5	07/12/19 09:17	
pH water 9040	06/21/19 15:00	5	06/15/19 09:17	
TDS-160.1	06/21/19 15:00	5	06/21/19 09:17	

T191966-10 DUP [Water] Sampled 06/14/19 00:00 (GMT-08:00) Pacific Time (US &				
1664	06/21/19 15:00	5	07/12/19 00:00	Oil & Grease
200.7	06/21/19 15:00	5	12/11/19 00:00	Ca,Cu,Na,K,Fe,Mg (Field Filtered, Report as Dissolved)
200.8	06/21/19 15:00	5	12/11/19 00:00	Sb,As,Ba,Cd,Cr,Co,Pb,Ni,Se,Zn (Field Filtered, Report as Dissolved)
300.0 - F, Cl, Br, SO4	06/21/19 15:00	5	07/12/19 00:00	Chloride,Sulfate only
300.0 - NO2, NO3, PO4	06/21/19 15:00	5	06/16/19 00:00	Nitrate only
7470/71 Hg	06/21/19 15:00	5	09/12/19 00:00	
Conductivity	06/21/19 15:00	5	07/12/19 00:00	
pH water 9040	06/21/19 15:00	5	06/15/19 00:00	
TDS-160.1	06/21/19 15:00	5	06/21/19 00:00	

T191966-11 FIELD BLANK [Water] Sampled 06/14/19 00:00 (GMT-08:00) Pacific Time (US &
[NO ANALYSES]

T191966-12 TRIP BLANK [Water] Sampled 06/14/19 00:00 (GMT-08:00) Pacific Time (US &
[NO ANALYSES]

Isotech Laboratories, Inc.

T191966-01 23a [Water] Sampled 06/14/19 05:00 (GMT-08:00) Pacific Time (US &

Misc Water Testing #2	06/21/19 15:00	10	12/11/19 05:00	Deuterium,Oxygen-18
-----------------------	----------------	----	----------------	---------------------

WORK ORDER

T191966

Client: Northstar Environmental Remediation	Project Manager: Jeff Lee
Project: Genesis Solar Groundwater	Project Number: 196-004-06

Analysis	Due	TAT	Expires	Comments
Isotech Laboratories, Inc.				
T191966-02 OBS-1 [Water] Sampled 06/13/19 13:00 (GMT-08:00) Pacific Time (US &				
Misc Water Testing #2	06/21/19 15:00	10	12/10/19 13:00	Deuterium,Oxygen-18
T191966-03 TW-1 [Water] Sampled 06/13/19 12:25 (GMT-08:00) Pacific Time (US &				
Misc Water Testing #2	06/21/19 15:00	10	12/10/19 12:25	Deuterium,Oxygen-18
T191966-04 TW-2 [Water] Sampled 06/14/19 05:45 (GMT-08:00) Pacific Time (US &				
Misc Water Testing #2	06/21/19 15:00	10	12/11/19 05:45	Deuterium,Oxygen-18
T191966-05 PW-0 [Water] Sampled 06/13/19 06:56 (GMT-08:00) Pacific Time (US &				
Misc Water Testing #2	06/21/19 15:00	10	12/10/19 06:56	Deuterium, Oxygen-18
T191966-06 PW-2 [Water] Sampled 06/13/19 07:15 (GMT-08:00) Pacific Time (US &				
Misc Water Testing #2	06/21/19 15:00	10	12/10/19 07:15	Deuterium, Oxygen-18
T191966-07 DM-1 [Water] Sampled 06/14/19 06:52 (GMT-08:00) Pacific Time (US &				
Misc Water Testing #2	06/21/19 15:00	10	12/11/19 06:52	Deuterium,Oxygen-18
T191966-08 DM-2 [Water] Sampled 06/14/19 08:02 (GMT-08:00) Pacific Time (US &				
Misc Water Testing #2	06/21/19 15:00	10	12/11/19 08:02	Deuterium,Oxygen-18
T191966-09 DM-3 [Water] Sampled 06/14/19 09:17 (GMT-08:00) Pacific Time (US &				
Misc Water Testing #2	06/21/19 15:00	10	12/11/19 09:17	Deuterium,Oxygen-18
T191966-10 DUP [Water] Sampled 06/14/19 00:00 (GMT-08:00) Pacific Time (US &				
Misc Water Testing #2	06/21/19 15:00	10	12/11/19 00:00	Deuterium,Oxygen-18
TestAmerica (Irvine) Laboratories				
T191966-01 23a [Water] Sampled 06/14/19 05:00 (GMT-08:00) Pacific Time (US &				
Misc Water Testing #1	06/21/19 15:00	10	12/11/19 05:00	8015M- Therminol

WORK ORDER

T191966

Client: Northstar Environmental Remediation	Project Manager: Jeff Lee
Project: Genesis Solar Groundwater	Project Number: 196-004-06

Analysis	Due	TAT	Expires	Comments
TestAmerica (Irvine) Laboratories				
T191966-02 OBS-1 [Water] Sampled 06/13/19 13:00 (GMT-08:00) Pacific Time (US &				
Misc Water Testing #1	06/21/19 15:00	10	12/10/19 13:00	8015M- Therminol
T191966-03 TW-1 [Water] Sampled 06/13/19 12:25 (GMT-08:00) Pacific Time (US &				
Misc Water Testing #1	06/21/19 15:00	10	12/10/19 12:25	8015M- Therminol
T191966-04 TW-2 [Water] Sampled 06/14/19 05:45 (GMT-08:00) Pacific Time (US &				
Misc Water Testing #1	06/21/19 15:00	10	12/11/19 05:45	8015M- Therminol
T191966-05 PW-0 [Water] Sampled 06/13/19 06:56 (GMT-08:00) Pacific Time (US &				
Misc Water Testing #1	06/21/19 15:00	10	12/10/19 06:56	8015M- Therminol
T191966-06 PW-2 [Water] Sampled 06/13/19 07:15 (GMT-08:00) Pacific Time (US &				
Misc Water Testing #1	06/21/19 15:00	10	12/10/19 07:15	8015M- Therminol
T191966-07 DM-1 [Water] Sampled 06/14/19 06:52 (GMT-08:00) Pacific Time (US &				
Misc Water Testing #1	06/21/19 15:00	10	12/11/19 06:52	8015M- Therminol
T191966-08 DM-2 [Water] Sampled 06/14/19 08:02 (GMT-08:00) Pacific Time (US &				
Misc Water Testing #1	06/21/19 15:00	10	12/11/19 08:02	8015M- Therminol
T191966-09 DM-3 [Water] Sampled 06/14/19 09:17 (GMT-08:00) Pacific Time (US &				
Misc Water Testing #1	06/21/19 15:00	10	12/11/19 09:17	8015M- Therminol
T191966-10 DUP [Water] Sampled 06/14/19 00:00 (GMT-08:00) Pacific Time (US &				
Misc Water Testing #1	06/21/19 15:00	10	12/11/19 00:00	8015M- Therminol