

**DOCKETED**

<b>Docket Number:</b>	09-AFC-08C
<b>Project Title:</b>	Genesis Solar Energy Project
<b>TN #:</b>	241203
<b>Document Title:</b>	2021 SGN S2 Groundwater Detection Monitoring Report
<b>Description:</b>	N/A
<b>Filer:</b>	Maria E Lopez
<b>Organization:</b>	NextEra Energy
<b>Submitter Role:</b>	Applicant
<b>Submission Date:</b>	1/18/2022 1:42:43 PM
<b>Docketed Date:</b>	1/18/2022



2021 SECOND SEMIANNUAL AND ANNUAL  
GROUNDWATER DETECTION MONITORING REPORT  
Genesis Solar Energy Project

Riverside County, California

COC S&W-6

January 7, 2022

Prepared By:

Northstar Environmental Remediation

26225 Enterprise Court

Lake Forest, California 92630

## SIGNATURE PAGE

### 2021 SECOND SEMIANNUAL AND ANNUAL GROUNDWATER DETECTION MONITORING REPORT

RIVERSIDE COUNTY, CALIFORNIA

#### PROFESSIONAL STATEMENT

I declare under the penalty of law that I have personally examined and am familiar with the information submitted in this document, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of a fine and imprisonment for knowing violations.

I further certify that this report has been reviewed by the appropriate authority at NextEra Energy Resources and is being submitted with their written consent.




---

Arlin W. Brewster

Professional Geologist 9207

January 7, 2022



# Table of Contents

1.0 INTRODUCTION.....	1
1.1 Background .....	1
1.2 Geographic Setting.....	2
1.3 Hydrogeologic Setting .....	2
1.4 Monitoring Program Objectives.....	3
2.0 EVAPORATION PONDS .....	4
2.1 Evaporation Pond Overview .....	4
2.2 Monitoring Methods.....	4
2.3 Evaporation Pond Sample Results .....	4
3.0 LEAKAGE DETECTION SYSTEM .....	5
3.1 Leakage Detection System Overview.....	5
3.2 Monitoring Methods.....	5
3.3 Monitoring Results.....	5
4.0 DETECTION MONITORING WELLS .....	5
4.1 Detection Monitoring Well Overview .....	5
4.2 Monitoring Methods.....	6
4.3 Results of Water Level Measurements .....	7
4.4 Groundwater Flow Velocity .....	8
4.5 General Chemical Analysis .....	8
4.6 Non-Statistical Analysis .....	10
4.7 Quality Assurance/Quality Control .....	10
5.0 LAND TREATMENT UNIT SUMMARY .....	12
6.0 ANNUAL SUMMARY .....	13
7.0 CONCLUSIONS.....	15
8.0 REFERENCES .....	16

## **LIST OF FIGURES**

Figure 1	Project Location
Figure 2	Hydrogeologic Setting
Figure 3	Evaporation Pond and Detection Monitoring Well Locations
Figure 4	Groundwater Elevation Contour Map
Figure 5	Leak Detection System Detail

## **LIST OF TABLES**

Table 1	Detection Monitoring Well Details
Table 2	Groundwater Level Measurements
Table 3	Field Data Collected During the Most Recent Groundwater Monitoring Event
Table 4	Summary of Laboratory Analytical Results
Table 5	Summary of Leakage Detection System Data

## **LIST OF APPENDICES**

Appendix A	Field Data Sheets
Appendix B	Laboratory Analytical Reports – Evaporation Ponds
Appendix C	Laboratory Analytical Reports – Detection Monitoring Wells

## 1.0 INTRODUCTION

Northstar Environmental Remediation (Northstar) has prepared this 2021 Second Semiannual and Annual Groundwater Detection Monitoring Report on behalf of Genesis Solar, LLC (Genesis). This report details groundwater detection monitoring performed in the second half of 2021 at the Genesis Solar Energy Project (GSEP).

The GSEP lies roughly 25 miles west of the city of Blythe, California in eastern Riverside County on lands managed by the Bureau of Land Management (BLM) (**Figure 1**). The GSEP consists of two independent concentrated solar electric generating facilities with a nominal net electrical output of 125 megawatts (MW) each (a total net electrical output of 250 MW).

Northstar conducts groundwater detection monitoring in accordance with Condition of Certification Soil & Water 6 (COC S&W-6) as presented in the California Energy Commission (CEC) Final Decision document dated October 12, 2010 (CEC, 2010). The COC S&W-6 requires compliance with Waste Discharge Requirements (WDR) and Monitoring and Reporting Program (MRP) Board Order No. R7-2013-0005, issued by the California Regional Water Quality Control Board, Colorado River Basin Region (CRWQCB).

### 1.1 Background

Genesis submitted an updated Plan of Development (POD) for the GSEP in September 2010 (Genesis Solar, LLC 2010). In addition, Genesis filed an Application for Certification (AFC) for the GSEP to the CEC in August 2009 (Genesis Solar, LLC 2009). The CEC issued its Final Decision on the GSEP on October 12, 2010 (CEC, 2010). The BLM issued the Final Environmental Impact Statement (FEIS) for the GSEP for public comment on August 27, 2010.

The GSEP uses dry cooling technology and relies on groundwater as a water source during operation. Three groundwater production wells installed at the GSEP between July and October 2011 are permitted to pump groundwater at an average rate of 202 acre-feet per year (afy) (up to 1,348 afy during construction).

The Final Decision and FEIS discuss the potential impacts associated with the proposed groundwater use by the GSEP. Groundwater drawdown impacts are anticipated to be less than significant, but because the prediction of groundwater level effects by computer modeling entails inherent uncertainty, both the Final Decision and the FEIS adopted COC S&W-2 for the GSEP to monitor groundwater level at the vicinity of the GSEP.

Two evaporation ponds (licensed as Class II Surface Impoundments) located between Solar Fields 1 and 2 accept wastewater generated during GSEP operation (**Figure 3**). Three detection monitoring wells (DM-1, DM-2, and DM-3) were installed, per the Final Decision, along the west, east, and south perimeter of the

evaporation ponds in February 2012 (**Figure 4**). Groundwater samples were collected for four quarterly events prior to GSEP operation to establish baseline conditions. Semiannual sampling will be conducted to comply with the requirements of COC S&W-6 and the WDR and MRP documents.

## 1.2 Geographic Setting

The GSEP lies between the communities of Blythe and Desert Center, California. Land use is predominantly open space and conservation and wilderness areas occupied by a community of low creosote and bursage vegetation. Chuckwalla and Ironwood State Prisons are located approximately 6 miles southeast of the GSEP.

The GSEP lies on broad, relatively flat topography sloping north to south at elevations between 400 and 370 feet above mean sea level (amsl). The surface is underlain by alluvial deposits derived from the Palen Mountains to the north-northwest, and the McCoy Mountains to the northeast (**Figure 1**).

The deposits immediately adjacent to the mountains have formed alluvial fans from multiple identifiable sources, and multiple fan surfaces have coalesced into a single bajada surface that wraps around each of these mountain fronts. Between the bajada surfaces from each mountain chain lies a broad valley-axial drainage that extends southward between the mountains and drains to the Ford Dry Lake playa, located about 1 mile south of the GSEP facility.

Climatic data collected from Weather Station Blythe Riverside Airport (33.61°N, -114.71°W, at an elevation of about 387 feet amsl) indicate the average maximum temperature in the airport vicinity is approximately 87.8°F (31.0°C). Average rainfall is reported to be approximately 3.83 inches (97.3 mm). Northstar obtained this data from the National Oceanic and Atmospheric Administration (NOAA) National Centers for Environmental Information 1981-2010 Normals.

## 1.3 Hydrogeologic Setting

The GSEP lies within the Chuckwalla Valley Groundwater Basin (Chuckwalla Basin) which has a surface area of 940 mi<sup>2</sup> (2,435 km<sup>2</sup>) underlying Chuckwalla Valley. It is bounded upgradient by three groundwater basins including the eastern part of the Orocopia Valley and Pinto Valley Groundwater Basins and the southern part of the Cadiz Valley Groundwater Basin, and downgradient by the Palo Verde Mesa Groundwater Basin (Palo Verde Basin) (**Figure 2**). Groundwater occurs at depths of about 80 to 140 feet below ground surface (bgs) and groundwater flow is generally southeast to eastward, from the Chuckwalla Basin to the Palo Verde Basin (**Figure 2**).

Sources of groundwater recharge to the Chuckwalla Basin includes precipitation, inflow from the Orocopia Valley and Pinto Valley Groundwater Basins, and return flows from agricultural sources and treated wastewater effluent. Groundwater is the only available water resource in Chuckwalla Valley, with extraction to meet local demand the primary source of groundwater outflow. Other minor sources of

outflow include underflow to the Palo Verde Basin and evapotranspiration in portions of Palen Dry Lake (where shallow groundwater is present).

Calculations of the Chuckwalla Basin groundwater budget prior to GSEP operations indicate a stable surplus of 2,600 afy (CEC, 2010). Current operational demand, based on calendar year 2020 extraction data, is approximately 112 afy.

The region of the Chuckwalla Basin occupied by the GSEP and associated groundwater monitoring wells is underlain by four geological units. The shallowest unit is the unconsolidated Holocene-aged Alluvium, consisting of geologically recent lake, river, and wind deposits (DWR, 1963). Beneath the Alluvium is the unconsolidated Pleistocene-aged Pinto Formation, consisting of coarse alluvial fan deposits (known as fanglomerate), interspersed with clays and basalt (DWR, 1963). Beneath the Pinto Formation is the unconsolidated to partially consolidated Pliocene-aged Bouse Formation, consisting of coarse alluvium and fanglomerate deposits (Wilson and Owen-Joyce, 1994). Below the Bouse Formation is bedrock consisting of metamorphic rocks and intrusive igneous basalts (DWR, 1963).

Groundwater in the GSEP monitoring region occurs in two aquifers: the shallower Alluvium aquifer (extending to a maximum approximate depth of 250 feet below ground surface); and, the deeper Bouse Formation aquifer (extending between approximately 250 to 6,500 feet below ground surface) (Wilson and Owen-Joyce, 1994). The Pinto Formation exists only on the eastern fringe of the Chuckwalla Basin and is generally not encountered by the GSEP monitoring wells. Monitoring data indicate a downward vertical hydraulic gradient of groundwater flow from the Alluvium to the Bouse Formation aquifer.

Based on recent monitoring data, the depth to groundwater in the Bouse Formation ranges from approximately 87.72 feet bgs (299.68 feet amsl) in TW-1, located upgradient of the site, to 136.68 feet bgs (255.42 feet amsl) in Well 23a, located downgradient of the site. Perched water exists at the Chuckwalla State Prison but is unlikely to occur within the GSEP boundaries as there is no irrigation.

## 1.4 Monitoring Program Objectives

Northstar performs groundwater detection monitoring in accordance with COC S&W-6 as described in the CEC's Final Decision. The primary objectives for the evaporation pond detection as outlined in the MRP are to:

- Establish baseline conditions by conducting four quarters of monitoring prior to discharge of wastewater to the ponds;
- Collect water level elevation data to characterize groundwater flow conditions in the uppermost water-bearing zone beneath the evaporation pond area;
- Collect and evaluate water quality data using approved statistical and other methods to identify potential changes in the existing water quality of the aquifer immediately underlying the evaporation ponds; and,



- Demonstrate compliance with the discharge requirements contained in COC S&W-6 and the WDR for the GSEP.

## 2.0 EVAPORATION PONDS

### 2.1 Evaporation Pond Overview

The North and South Evaporation Ponds (sometimes referred to as the West and East ponds, respectively) were designed by Fluor Corp. and are identified on **Figure 3**. Each pond is constructed with multiple layers of containment that drain to a centralized collection trench. The trench slopes away from the centerline of the ponds to the north and south and is equipped with a set of three leakage detection probes in each side. Each pond is also equipped with a pump to return all leaked water back to the pond surface.

### 2.2 Monitoring Methods

On a semiannual basis, a sample is collected from each of the evaporation ponds and identified as the North Pond and South Pond. Representative water is collected in a clean, dedicated 5-gallon bucket and processed into sample containers inside the containment area. Laboratory samples are submitted to SunStar Laboratories, Inc. (SunStar) of Lake Forest, California. SunStar subcontracts the heat transfer fluid analysis to Eurofins Calscience Laboratories, Inc. (Eurofins) of Irvine, California. All laboratories are state and federally certified and analyze the samples by the following methods, as detailed in the Final Decision, WDR, and MRP documents:

- Chloride, Sulfate, and Nitrate by EPA Method 300.0;
- Mercury by Standard Method 7470A;
- Total Dissolved Solids by Standard Method 2540C;
- pH by Standard Method 4500H;
- Specific Conductance by Standard Method 2510B;
- Heat Transfer Fluid (HTF) by EPA Method 8015B;
- Heavy Metals by EPA Method 200.7 and 200.8;
- Oil & Grease by EPA Method 1664A; and,

### 2.3 Evaporation Pond Sample Results

Analytical data for the evaporation ponds is included in **Table 4** and certified laboratory reports are included in **Appendix B**. In summary:

- The laboratory did not detect nitrate as  $\text{NO}_3$ , copper, iron, antimony, cadmium, chromium, cobalt, lead, mercury, oil & grease, or heat transfer fluid in either pond; and,
- Compound concentrations were generally higher in the North Pond.

## 3.0 LEAKAGE DETECTION SYSTEM

### 3.1 Leakage Detection System Overview

A cross-sectional schematic of the leakage detection system is included in **Figure 5**. As shown in the figure, each pond is equipped with a total of six probes (Watermark Model 200SS electrical resistance probes) installed at a distance of 15, 70, and 110 feet from the pond centerline.

The leaked water return pumps are installed on the north side of the North Pond and the south side of the South Pond. Readings from the totalizers on each pump are recorded on a quarterly basis.

### 3.2 Monitoring Methods

Terminals attached to the probe wire leads are stored in a weatherproof vault at the north and south end of each pond, where resistivity readings can be collected using a Watermark 30-KTCD-NL meter. Values can range from 0-10 centibars (saturated) to 199 centibars (dry). Readings are collected from the probes and the nearby water return pumps on a quarterly basis and summarized in **Table 5**. If the pump totalizers show any signs of increase, or if the probes display values within the saturated range (usually started with probe #1 in the lowest end of the trench), Northstar notifies NextEra operations who then conduct further investigation.

### 3.3 Monitoring Results

The water return pump totalizers drifted slightly during the 3<sup>rd</sup> and 4<sup>th</sup> quarters but no water was pumped from the sumps. However, the totalizer for the South Pond stopped working late in the 4<sup>th</sup> quarter and is scheduled for repair/replacement soon. The totalizer for the North Pond currently reads 2,186.30 gallons.

None of the leak detection probes showed signs of water saturation, and only one showed signs of humidity in the collection trench (North Pond #1W). This probe has shown signs of sensor drift and sensitivity in previous events.

## 4.0 DETECTION MONITORING WELLS

### 4.1 Detection Monitoring Well Overview

A total of three detection monitoring wells were installed around the perimeter of the evaporation ponds (**Figure 4**). Detection monitoring wells DM-1, DM-2, and DM-3 were installed to a total depth of 120 feet bgs into the shallow Alluvium aquifer with screened intervals between 100 to 120 feet bgs. **Table 1** provides construction details for the wells. Well DM-1 is located upgradient, west of the ponds. Well DM-2 and DM-3 are located downgradient, east and south of the ponds, respectively.

## 4.2 Monitoring Methods

Northstar measured the depth to groundwater in each well using a Solinst interface probe. Field staff documented depth to water to the nearest hundredth (0.01) foot below a surveyed measuring mark located on the north side of the top of casing (toc) on a groundwater level measurement form (**Appendix A**). **Table 2** includes the groundwater level measurements and calculated water level elevations. **Figure 4** illustrates the groundwater elevation contours and flow direction.

Each detection monitoring well has a dedicated 1.66-inch diameter Geotech® stainless steel submersible bladder pump and dedicated Teflon-lined tubing with water intakes set at the middle of wetted screen at approximately 115 feet btoc. Field staff collect samples from these wells using the low flow purging method in accordance with the most recent EPA guidance document (USEPA, 2017).

Field staff decontaminated reusable/non-dedicated equipment (water level probe and flow-through cell) prior to use at each well. Decontamination of reusable equipment consisted of washing with a laboratory-grade non-phosphate detergent (Liquinox or equivalent) and potable water solution followed by a double rinse with demineralized water.

Field staff measure groundwater parameters with a Horiba water quality field instrument. Staff calibrate the Horiba at the beginning of each day and decontaminate the instrument prior to use and between wells. Measurements of field parameters (pH, electrical conductivity (EC), temperature, turbidity, and oxidation-reduction potential (ORP)) were taken at 5-minute intervals and at the time of sampling as part of the low flow purge method of sampling.

Wells were purged until water quality parameters stabilized over three successive readings (+/- 0.2 for pH, +/- 10% for EC, ORP and turbidity) and the discharge volume exceeded the drawdown, tubing, and flow-through cell volume. Northstar staff recorded the sampling methods, volume of water purged, pumping rate, field parameter measurements, and observations of water turbidity and odor on the groundwater sampling field form (**Appendix A**).

After purging and parameter stabilization, the flow-through cell was disconnected so samples could be collected from the pump discharge. Field staff wore new nitrile gloves to collect groundwater samples in clean bottles (preserved as appropriate) provided by the laboratory. Where required, samples were field filtered with a new 0.45-micron filter attached to the end of the discharge tubing. Staff labeled sample containers with the well identification, date, time, sampler, analytical method, and placed them in a chilled ice chest. Northstar delivered the samples under proper chain-of-custody protocol to the laboratory.

Groundwater purged from DM-1, DM-2, and DM-3 was temporarily contained in a sealed 5-gallon bucket and then disposed in the evaporation ponds as directed in the MRP (Part II A.1.b.). **Table 3** includes the measured field parameters documented at the end of purging activities.

Laboratory samples are submitted to SunStar Laboratories, Inc. (SunStar) of Lake Forest, California. SunStar subcontracts the heat transfer fluid analysis to Eurofins Calscience Laboratories, Inc. (Eurofins) of Irvine, California. They also subcontract the oxygen-18 and deuterium analysis to Isotech Laboratories, Inc. of Champaign, Illinois. All laboratories are state and federally certified and analyze the samples by the following methods, as detailed in the Final Decision, WDR, and MRP documents:

- Chloride, Sulfate, and Nitrate by EPA Method 300.0;
- Mercury by Standard Method 7470A;
- Total Dissolved Solids by Standard Method 2540C;
- pH by Standard Method 4500H;
- Specific Conductance by Standard Method 2510B;
- Heat Transfer Fluid (HTF) by EPA Method 8015B;
- Heavy Metals by EPA Method 200.7 and 200.8;
- Oil & Grease by EPA Method 1664A; and,
- Oxygen-18 and Deuterium by Isotope Geochemistry.

The laboratory conducted standard Quality Assurance/Quality Control (QA/QC) to assure analytical accuracy and precision. This included preparation and analysis of method blanks, surrogate spikes, matrix spike/matrix spike duplicate (MS/MSD) pairs and laboratory control samples (LCS), as required, with each analytical batch.

Northstar collects a duplicate sample once per sampling event that is submitted to the laboratory without identifiers that associate the sample with a well, date, or time. During this event, a duplicate sample from well PW-2 was collected for analysis. **Table 4** of the *Groundwater Quality Monitoring Report* (Northstar, 2021) provides a summary of analytical results for the duplicate sample.

In addition to these methods, a set of quality control blank samples is collected and put on hold at the laboratory pending analysis of the groundwater samples. These samples include a field blank and trip blank. The field blank bottle set is filled with demineralized water and set adjacent to the work area with the lids off during the workday and is intended to screen out constituents in ambient air. The trip blank bottle sets are prepared at the laboratory and are sealed throughout the groundwater sampling event. They are stored inside the sample coolers and are intended to screen out constituents in the coolers. The quality control blank samples are only analyzed if there is anomalous data present for the groundwater sampling results.

### 4.3 Results of Water Level Measurements

**Table 2** provides the wellhead reference elevation (toc elevation), depth-to-groundwater, and water level elevations for each detection monitoring well. Depth to groundwater ranged from 104.50 (well DM-3) to 107.71 (well DM-2) feet bgs, and the calculated groundwater elevations range from 283.61 (well DM-2) to 284.14 (well DM-1) feet amsl.

Northstar used groundwater elevation data to generate a potentiometric surface contour map of the uppermost water-bearing zone beneath the evaporation pond (**Figure 4**). The groundwater flow direction and gradient beneath the site were determined based on linear interpolation between contours of equal elevation. Groundwater flow beneath the evaporation ponds was determined to be predominantly in an east to southeast direction at a gradient of approximately 0.0007 feet/foot. The groundwater flow direction and gradient are consistent with historical monitoring events. Groundwater flow direction has historically ranged between east-northeast and southeast and the gradient has ranged between 0.0004 and 0.0007 feet/foot.

#### 4.4 Groundwater Flow Velocity

The average horizontal groundwater flow velocity beneath the evaporation ponds was estimated using the following equation:

$$V = (KhI)/ne$$

Where:

**V** = average linear groundwater velocity (in feet per day)

**Kh** = aquifer horizontal hydraulic conductivity (in feet per day)

**I** = average hydraulic gradient (vertical change in groundwater elevation/corresponding horizontal distance in feet per lateral feet), and

**ne** = effective aquifer porosity.

Each monitoring well is screened from 100-120 feet bgs in fine-grained sand, as detailed in the Detection Monitoring Well Installation Report (WorleyParsons, 2012). The reported hydraulic conductivity for fine-grained sand is approximately 0.03 to 60 feet/day, as stated in scientific references (Domenico and Schwartz, 1990). Based on the characteristics of the shallow Alluvium aquifer in which the detection monitoring wells are screened, this calculation assumes an average hydraulic conductivity value of 15 to 30 feet/day, an effective porosity of 25 percent, and an average gradient of 0.0007 feet/foot, as estimated from **Figure 4**.

Based on these calculations, the average groundwater velocity estimated in the uppermost water-bearing zone beneath the evaporation ponds is approximately 0.042 to 0.084 feet laterally per day, or 15.33 to 30.66 lateral feet per year. Historically, estimates of groundwater flow velocity have ranged from 8.76 to 30.66 lateral feet per year.

#### 4.5 General Chemical Analysis

**Table 4** provides a summary of the detection monitoring well groundwater sample analytical results. **Appendix C** contains copies of the laboratory analytical reports for the groundwater samples. Groundwater samples from detection monitoring wells DM-1, DM-2, and DM-3 were analyzed for the parameters listed in Section 4.2. The concentration of detected analytes is generally similar between the

detection monitoring wells. Similarity in the concentrations of analytes is expected as the three wells are located within 1,000 feet of each other and are screened at the same depth interval (100-120 feet bgs).

The following is a summary of the groundwater monitoring results for the detection monitoring wells since the beginning of the monitoring program:

- **Chloride** detections have been consistent for all wells and have ranged from 4,400 to 9,760 milligrams per liter (mg/L), averaging 5,410 mg/L.
- **Sulfate as SO<sub>4</sub>** detections have been consistent for all wells and have ranged from 1,600 to 4,350 mg/L, averaging 2,136 mg/L.
- **Nitrate as NO<sub>3</sub>** detections have been consistent for all wells and have ranged from non-detect to 21.2 mg/L, averaging 8.11 mg/L.
- **Total dissolved solid** concentrations have been consistent for all wells and have ranged from 7,100 to 14,000 mg/L, averaging 10,816 mg/L.
- **pH** levels have been consistent for all wells and have ranged from 7.20 to 7.95 standard units, averaging 7.80 standard units.
- **Specific conductivity** levels have been consistent for all wells and have ranged from 13,000 to 22,000 microSiemens per centimeter (µs/cm), averaging 17,605 µs/cm.
- **Antimony** has not been detected above the reporting limit for all wells.
- **Arsenic** detections have been consistent for all wells and have ranged from non-detect to 26 µg/L, averaging 11.2 µg/L.
- **Barium** detections have been inconsistent between all wells, averaging 35.3 µg/L in upgradient well DM-1, 67.5 µg/L in downgradient well DM-2, and 18.7 µg/L in downgradient well DM-3.
- **Cadmium** has not been detected above the reporting limit for all wells.
- **Calcium** detections have been consistent for all wells and have ranged from 190 to 470 mg/L, averaging 254 mg/L.
- **Chromium (Total)** detections have been inconsistent because the concentrations are frequently between the MDL and RL. Reportable concentrations have ranged from 3.1 to 3.7 µg/L, averaging 3.4 µg/L.
- **Cobalt** has not been detected above the reporting limit for all wells.
- **Copper** detections have been inconsistent because the concentrations are frequently between the MDL and RL. Reportable concentrations have ranged from 0.006 to 0.027 mg/L, averaging 0.011 mg/L.
- **Lead** has not been detected above the reporting limit for all wells.
- **Mercury** has only been detected once above the reporting limit in upgradient well DM-1 at a concentration of 0.26 µg/L. Mercury has not been detected at or above the reporting limit in wells DM-2 and DM-3.
- **Nickel** has only been detected once above the reporting limit in downgradient well DM-3 at a concentration of 10 µg/L. Nickel has not been detected at or above the reporting limit in wells DM-1 or DM-2.
- **Selenium** detections have been inconsistent because the concentrations are frequently between the MDL and RL. Reportable concentrations have ranged from 0.68 to 20 µg/L, averaging 8.7 µg/L.

- **Zinc** detections have been inconsistent because the concentrations are frequently between the MDL and RL. Reportable concentrations have ranged from 0.55 to 76 µg/L, averaging 22.4 µg/L.

#### 4.6 Non-Statistical Analysis

In accordance with the MRP Part II.A.5 and Part III.A.2, a non-statistical analysis has been applied to the groundwater analytical results for this sampling event.

The non-statistical analysis requires all detections of the constituents of concern (ie, those defined in Part II.A.4 of the same document) reported above the method detection limit (MDL) in the downgradient wells (DM-2 and DM-3) that do not appear in the upgradient well (DM-1) be identified, and where there are either a) two or more constituents identified in this list from a single downgradient monitoring point, or b) one of the identified constituents in this list exceeds the Practical Quantification Limit (PQL), a release is tentatively indicated.

For the purposes of this report, the PQL is equal to the reporting limit (RL) as identified for each constituent in the laboratory report, which is generally 5 times the MDL. The results of the non-statistical method for this sampling event is as follows:

- Well DM-2: There are no constituents of concern that meet the release detection criteria.
- Well DM-3: Arsenic was detected above the PQL of 10 µg/L at a concentration of 26 µg/L. Arsenic has historically been detected at low concentrations in all detection monitoring wells onsite. The detected concentration of 26 µg/L is slightly higher than the normal background range for this well.

#### 4.7 Quality Assurance/Quality Control

As documented in the attached laboratory reports (see **Appendix C**), groundwater samples collected from the evaporation pond detection monitoring wells during this sampling event were received by the laboratory in good condition, within the temperature limits required, and analyzed within the required holding times using the specified methods (with the exception of pH, which has a 15-minute hold time).

None of the analytes were detected in the laboratory method blank samples.

Matrix spike/matrix spike duplicate (MS/MSD) and laboratory control sample (LCS) recoveries for each method and analytical batch were within the laboratory's established control limits during this monitoring event, with the following exceptions:

- The spike recovery was outside acceptable limits for the MS and/or MSD due to possible matrix interference. The LCS was within acceptable criteria. The following analytes were potentially affected:
  - Magnesium

- The percent recovery was outside of established control limits due to matrix interference and/or sample dilution due to matrix effect. The batch was accepted based on acceptable LCS recovery. The following analytes were potentially affected:
  - Fluoride, Chloride, and Sulfate

Duplicate sample control: For this event, a duplicate sample (named DUP) was collected from sample point PW-2 (as reported in the *Groundwater Quality Monitoring Report* (Northstar, 2021). The sample was submitted to the laboratory without date or time qualifiers. For this event, all sample results for PW-2 and DUP agreed within 10% except for the following:

- Zinc by EPA Method 200.8, which was reported at concentrations of 2.1 and 1.2 µg/l, respectively (43% difference); and,
- Total Dissolved Solids by Standard Method 2540C, which was reported at concentrations of 1,300 and 2,100 mg/L, respectively (38% difference).



## 5.0 LAND TREATMENT UNIT SUMMARY

The Land Treatment Unit (LTU) is an onsite bioremediation landfarm utilized for the treatment of soil contaminated with the heat transfer fluid (HTF) Therminol. Soil from all HTF spills is excavated within 48 hours and placed in one of four treatment bays, numbered LTU #1 to 4. The soil is then tested to determine whether it can be effectively treated onsite (under 10,000 mg/kg of HTF) or if it is hazardous and must be treated offsite (above 10,000 mg/kg of HTF). Soil in the LTUs is overturned on a weekly basis by onsite staff to aid in the bioremediation of the soil. A representative composite soil sample is collected from each bay on a quarterly basis (or as needed) and analyzed by EPA Method 8015M for Therminol (characterized by the chemical markers 1,1'-oxybis-benzene and 1,1'-biphenyl) to monitor the progress of remediation. Once the concentration is less than 100 mg/kg of HTF, the soil may be removed from the LTU and staged onsite for later use. Treatment is enhanced by the addition of moisture and fertilizers.

Contaminated soil in all LTUs was overturned on a weekly basis during the reporting period. Soil sampled from LTU Bay #1 in June 2021 was above the 10,000 mg/kg threshold only for one marker (13,000 mg/kg for 1,1'-oxybis-benzene). Since only one marker was above the threshold, this soil was treated onsite and retested in August and September to verify if onsite remediation was effective. This process resulted in declining concentrations of the marker compounds as follows:

- June 2021:
  - 1,1'-oxybis-benzene: 13,000 mg/kg
  - 1,1'-biphenyl: 4,600 mg/kg
- August 2021:
  - 1,1'-oxybis-benzene: 12,000 mg/kg
  - 1,1'-biphenyl: 4,300 mg/kg
- September 2021:
  - 1,1'-oxybis-benzene: 8,400 mg/kg
  - 1,1'-biphenyl: 2,400 mg/kg

Soil was also added to LTU Bay #2 in the 3<sup>rd</sup> quarter and was sampled in September 2021. The concentrations of the marker compounds were as follows:

- September 2021:
  - 1,1'-oxybis-benzene: 3,500 mg/kg
  - 1,1'-biphenyl: 1,200 mg/kg

After receiving the September analytical results and determining that further treatment of both stockpiles was necessary, the stockpiles were merged and treated throughout the rest of the year and resampled in December 2021. The concentrations of the marker compounds were as follows:

- December 2021:
  - 1,1'-oxybis-benzene: 2,500 mg/kg
  - 1,1'-biphenyl: 180 mg/kg

## 6.0 ANNUAL SUMMARY

In accordance with WDR R7-2013-0005, this section presents a summary of the monitoring activities conducted during the 2021 monitoring period. Monitoring activities during this period included the following:

- Semiannual groundwater sampling and analysis of the detection monitoring network; and,
- Semiannual groundwater level measurements of the detection monitoring network.

The groundwater level and analytical data are included in **Tables 2** and **4**, respectively.

The data collected during the semiannual detection well monitoring events during the 2021 calendar year represents the eighth year of post-construction normal facility operation. The laboratory analytical data from the 2021 calendar year is consistent with the historical background data collected prior to settlement pond construction and operation.

The non-statistical analysis of the constituents of concern identified three potential releases in downgradient well DM-3 during the 2021 calendar year, all based upon the criteria of one constituent being reported above the Practical Quantification Limit (PQL) in a downgradient well while not being detected in the upgradient well. These detections are as follows:

1. Arsenic was detected in DM-3 in the second quarter of 2021 at a concentration of 17 µg/L. Arsenic is naturally occurring in all three detection monitoring wells, and has been detected consistently since the beginning of monitoring in DM-3 at an average concentration of 16 µg/L. Therefore, a detection of arsenic at this concentration is considered normal for this well.
2. Zinc was detected in DM-3 in the second quarter of 2021 at a concentration of 10 µg/L. Zinc is naturally occurring in all three detection monitoring wells, and has been detected consistently when the laboratory has used lower reporting limits. Historically, the laboratory used a PQL of 100 µg/L; for this sample, the PQL was reduced to 10 µg/L, identical to the detected concentration. Due to the exceedingly low PQLs used during this event, it appears that this constituent would normally have been non-detect, or at least below the PQL if normal reporting limits had been used, and would not have fit the potential release criteria.
3. Arsenic was detected in DM-3 in the fourth quarter of 2021 at a concentration of 26 µg/L. Arsenic is naturally occurring in all three detection monitoring wells, and has been detected consistently since the beginning of monitoring in DM-3 at an average concentration of 16 µg/L. While this is the highest arsenic concentration detected in DM-3 to date, the lack of other elevated compound concentrations indicates that this is simply a statistical outlier and not evidence of a release.

During the 2021 calendar year, the groundwater gradient was 0.0007 feet per linear foot to the east-southeast; groundwater elevations ranged from 283.61 feet amsl in well DM-2 to 284.43 feet amsl in well DM-1; and groundwater flow velocity ranged between 0.042 to 0.084 feet laterally per day, or 15.33 to 30.66 lateral feet per year.

Each of the settlement ponds is equipped with a leakage detection system consisting of six moisture probes installed in a drain pipe below the pond liners. Northstar monitors the probes quarterly at a minimum. If leaks are detected, the pond is drained and the lining inspected and repaired as necessary. The pond lining was most recently repaired in 2016, and the moisture probes under the north pond were replaced in December of that year after becoming saturated. During the 2021 calendar year, the moisture probes have indicated some residual humidity in the pipe, but there were no signs of leaks. Should a leak occur, each pond is equipped with two recirculation pumps to drain the lining and redeposit the water in the pond until an inspection can be performed.

## 7.0 CONCLUSIONS

Based on the available data obtained during this sample event:


- Detections of arsenic in detection monitoring well DM-3 currently meet the non-statistical analysis criteria for a potential release. However, as noted in Section 4.6, due to the lack of other elevated compound concentrations, this appears to be a statistical outlier. Northstar concludes that while it meets the potential release criteria, this does not indicate a release and is instead representative of normal background concentrations.
- Available groundwater quality data is generally stable with minor trend fluctuations.
- Groundwater flow direction, gradient, and velocity is consistent with historical events.




All data currently indicates compliance with the discharge requirements contained in COC S&W-6 and the WDR for the GSEP, with exceptions as noted above.



## 8.0 REFERENCES

- Bureau of Land Management, 2010. *Final Environmental Impact Statement, Genesis Solar Energy Project*. August 27, 2010.
- California Department of Water Resources (DWR), 1963. *Data on Water Wells and Springs in the Chuckwalla Valley Area, Riverside County, California*. Bulletin No. 91-7.
- California Energy Commission (CEC), 2010. *Genesis Solar Energy Project Commission Decision*. October 12, 2010.
- California Regional Water Quality Control Board – Colorado River Basin Region, 2013a. *Monitoring and Reporting Program R7-2013-0005 for Genesis Solar, LLC*. March 21, 2013.
- California Regional Water Quality Control Board – Colorado River Basin Region, 2013b. *Board Order R7-2013-0005 Waste Discharge Requirements for Genesis Solar, LLC*. March 21, 2013.
- Domenico, P. and Schwartz, F., 1990. *Physical and Chemical Hydrogeology*. J. Wiley & Sons.
- Genesis Solar, LLC, 2009. *Application for Certification, Genesis Solar Energy Project, Riverside County, California*. August 31, 2009.
- Genesis Solar, LLC, 2010. *Plan of Development CA48880, Genesis Solar Energy Project, Riverside County, California*. October 2010.
- Northstar Environmental Remediation, 2021. *2021 First Semiannual and Annual Groundwater Quality Monitoring Report, Genesis Solar Energy Project, Riverside County, California*. December 29, 2021.
- U.S. Bureau of Reclamation, 1972. *Inland Basins Project, California-Nevada, Summary Report: Reconnaissance Investigations*. 1972.
- U.S. Environmental Protection Agency (USEPA), 2017. *Low Stress (low flow) Purging and Sampling Procedure for the Collection of Groundwater Samples from Monitoring Wells*. September 19, 2017.
- Wilson, R.P., and Owen-Joyce, S.J., 1994. *Method to identify wells that yield water that will be replaced by Colorado River water in Arizona, California, Nevada, and Utah*. U.S. Geological Survey, Water Resources Investigation Report 94-4005.
- WorleyParsons, 2012. *Detection Monitoring Well Installation Report*. Genesis Solar Energy Project, March 30, 2012.

# FIGURES



-  GSEP Footprint
-  Prisons
-  Wilderness Area



★ Site Location




Northstar Environmental  
Remediation  
26225 Enterprise Court  
Lake Forest, California 92630  
(949) 580-2800

Project Number:  
196-004-06

Genesis Solar Energy Project  
11995 Wiley's Well Road  
Blythe, California 92225

Figure 1  
Site Vicinity Map





★ Site Location



Northstar Environmental Remediation  
 26225 Enterprise Court  
 Lake Forest, California 92630  
 (949) 580-2800

Project Number:  
 196-004-06

- GSEP Footprint
- Watershed Boundary
- Lake
- Wilderness Area
- Water Flow Direction



Genesis Solar Energy Project  
 11995 Wiley's Well Road  
 Blythe, California 92225

Figure 2  
 Hydrogeologic Setting





 Detection Monitoring Well





Northstar Environmental Remediation  
 26225 Enterprise Court  
 Lake Forest, California 92630  
 (949) 580-2800

Project Number: 196-004-06

Genesis Solar Energy Project  
 11995 Wiley's Well Road  
 Blythe, California 92225


Figure 3  
 Evaporation Pond and Detection  
 Monitoring Well Locations





--- Groundwater Elevation Contour Lines

 Detection Monitoring Well

 Groundwater Gradient Direction

(283.80) Groundwater Elevation in Feet Above Mean Sea Level

Approximate Scale:  
1 inch = 180 feet




Northstar Environmental Remediation  
26225 Enterprise Court  
Lake Forest, California 92630  
(949) 580-2800

Project Number: 196-004-06

Genesis Solar Energy Project  
11995 Wiley's Well Road  
Blythe, California 92225

Figure 4  
Groundwater Elevation  
Contour Map



NOTE: ALL DIMENSIONS ARE APPROXIMATE AND ARE BASED UPON FIELD OBSERVATIONS.

- Notes:
1. Probes installed at #1W through #1E are Irrrometer/Watermark Model 200SS Moisture Probes.
  2. Access port is 4-inch diameter HDPE pipe.
  3. Moisture probes are tied to 1/4-inch diameter braided steel pull-through cable (total length of approximately 340 feet).
  4. Probes installed in 4-inch diameter perforated pipe with approximate 1 degree slope away from C/L.
  5. Moisture probes furnished with two leads for direct read by Watermark Model 30 KTC-D-NL meter.



PROJECT NAME GENESIS SOLAR ENERGY PROJECT	PROJECT NUMBER 196-004-05
PROJECT ADDRESS 11995 WILEY'S WELL RD, BLYTHE, CA	DRAWN/CHECKED BY AWB
CONSULTING FIRM NORTHSTAR ENVIRONMENTAL REMEDIATION	DATE DRAWN 12/05/2016
FIGURE DESCRIPTION LEAK DETECTION SYSTEM DETAIL	FIGURE NUMBER FIGURE 5

# **TABLES**

**TABLE 1**  
**DETECTION MONITORING WELL DETAILS**  
 Genesis Solar Energy Project, Riverside County, California

Well ID	Other Name	Owner	Installation Date	Use/Status	Well Casing Diameter (inches)	Approximate Ground Surface Elevation (feet amsl)	Top Of Casing Elevation (feet amsl)	Well Depth (feet bgs)	Screened Interval (feet bgs)	Geologic Unit
<b>WELLS INCLUDED IN THE GROUNDWATER MONITORING PROGRAM</b>										
DM-1	Detection Monitoring Well 1	Genesis Solar, LLC	2/22/2012	Monitoring / Active	4	--	391.49	120	100 to 120	Alluvium
DM-2	Detection Monitoring Well 2	Genesis Solar, LLC	2/21/2012	Monitoring / Active	4	--	391.32	120	100 to 120	Alluvium
DM-3	Detection Monitoring Well 3	Genesis Solar, LLC	2/20/2012	Monitoring / Active	4	--	388.34	120	100 to 120	Alluvium

**Notes:**

-- = information is not available or unknown

amsl = above mean sea level

bgs = below ground surface

**TABLE 2**  
**GROUNDWATER LEVEL MEASUREMENTS**  
 Genesis Solar Energy Project, Riverside County, California

Well ID	Date	Source	Top of Casing Elevation (feet amsl)	Depth to Water (feet below TOC)	Groundwater Elevation (feet amsl)	Difference from Baseline (feet)	Comments / Use
<b>WELLS INCLUDED IN THE GROUNDWATER DETECTION MONITORING PROGRAM</b>							
DM-1	2/27/2012	WorleyParsons	391.49	106.63	284.86	N/A	Monitoring
DM-1	5/24/2012	WorleyParsons	391.49	107.11	284.38	0.00	Baseline
DM-1	7/26/2012	WorleyParsons	391.49	107.10	284.39	0.01	Monitoring
DM-1	11/14/2012	WorleyParsons	391.49	108.15	283.34	-1.04	Monitoring
DM-1	3/29/2013	WorleyParsons	391.49	107.34	284.15	-0.23	Monitoring
DM-1	6/19/2013	WorleyParsons	391.49	107.19	284.30	-0.08	Monitoring
DM-1	8/13/2013	WorleyParsons	391.49	107.07	284.42	0.04	Monitoring
DM-1	11/12/2013	WorleyParsons	391.49	107.22	284.27	-0.11	Monitoring
DM-1	2/26/2014	WorleyParsons	391.49	107.13	284.36	-0.02	Monitoring
DM-1	5/22/2014	Northstar	391.49	107.05	284.44	0.06	Monitoring
DM-1	8/8/2014	Northstar	391.49	107.11	284.38	0.00	Monitoring
DM-1	12/4/2014	Northstar	391.49	107.03	284.46	0.08	Monitoring
DM-1	3/26/2015	Northstar	391.49	107.22	284.27	-0.11	Monitoring
DM-1	6/11/2015	Northstar	391.49	107.01	284.48	0.10	Monitoring
DM-1	12/10/2015	Northstar	391.49	106.98	284.51	0.13	Monitoring
DM-1	6/2/2016	Northstar	391.49	107.18	284.31	-0.07	Monitoring
DM-1	11/30/2016	Northstar	391.49	107.27	284.22	-0.16	Monitoring
DM-1	6/1/2017	Northstar	391.49	107.12	284.37	-0.01	Monitoring
DM-1	12/5/2017	Northstar	391.49	107.38	284.11	-0.27	Monitoring
DM-1	5/30/2018	Northstar	391.49	107.10	284.39	0.01	Monitoring
DM-1	12/4/2018	Northstar	391.49	107.45	284.04	-0.34	Monitoring
DM-1	6/14/2019	Northstar	391.49	107.18	284.31	-0.07	Monitoring
DM-1	12/5/2019	Northstar	391.49	107.42	284.07	-0.31	Monitoring
DM-1	6/4/2020	Northstar	391.49	107.10	284.39	0.01	Monitoring
DM-1	12/3/2020	Northstar	391.49	107.70	283.79	-0.59	Monitoring
DM-1	6/3/2021	Northstar	391.49	107.06	284.43	0.05	Monitoring
DM-1	12/2/2021	Northstar	391.49	107.35	284.14	-0.24	Monitoring
DM-2	2/27/2012	WorleyParsons	391.32	106.92	284.40	N/A	Monitoring
DM-2	5/24/2012	WorleyParsons	391.32	107.37	283.95	0.00	Baseline
DM-2	7/26/2012	WorleyParsons	391.32	107.33	283.99	0.04	Monitoring
DM-2	11/14/2012	WorleyParsons	391.32	108.33	282.99	-0.96	Monitoring
DM-2	3/29/2013	WorleyParsons	391.32	107.59	283.73	-0.22	Monitoring
DM-2	6/19/2013	WorleyParsons	391.32	107.41	283.91	-0.04	Monitoring
DM-2	8/13/2013	WorleyParsons	391.32	107.31	284.01	0.06	Monitoring
DM-2	11/12/2013	WorleyParsons	391.32	107.63	283.69	-0.26	Monitoring
DM-2	2/26/2014	WorleyParsons	391.32	107.40	283.92	-0.03	Monitoring
DM-2	5/22/2014	Northstar	391.32	107.28	284.04	0.09	Monitoring
DM-2	8/8/2014	Northstar	391.32	107.28	284.04	0.09	Monitoring
DM-2	12/4/2014	Northstar	391.32	107.43	283.89	-0.06	Monitoring
DM-2	3/26/2015	Northstar	391.32	107.61	283.71	-0.24	Monitoring
DM-2	6/11/2015	Northstar	391.32	107.40	283.92	-0.03	Monitoring
DM-2	12/10/2015	Northstar	391.32	107.30	284.02	0.07	Monitoring
DM-2	6/2/2016	Northstar	391.32	107.38	283.94	-0.01	Monitoring
DM-2	11/30/2016	Northstar	391.32	107.52	283.80	-0.15	Monitoring
DM-2	6/1/2017	Northstar	391.32	107.47	283.85	-0.10	Monitoring
DM-2	12/5/2017	Northstar	391.32	107.78	283.54	-0.41	Monitoring
DM-2	5/30/2018	Northstar	391.32	107.45	283.87	-0.08	Monitoring
DM-2	12/4/2018	Northstar	391.32	107.80	283.52	-0.43	Monitoring
DM-2	6/14/2019	Northstar	391.32	107.55	283.77	-0.18	Monitoring
DM-2	12/5/2019	Northstar	391.32	107.72	283.60	-0.35	Monitoring
DM-2	6/4/2020	Northstar	391.32	107.45	283.87	-0.08	Monitoring
DM-2	12/3/2020	Northstar	391.32	108.03	283.29	-0.66	Monitoring
DM-2	6/3/2021	Northstar	391.32	107.64	283.68	-0.27	Monitoring
DM-2	12/2/2021	Northstar	391.32	107.71	283.61	-0.34	Monitoring
DM-3	2/27/2012	WorleyParsons	388.34	103.85	284.49	N/A	Monitoring
DM-3	5/24/2012	WorleyParsons	388.34	104.35	283.99	0.00	Baseline
DM-3	7/26/2012	WorleyParsons	388.34	104.28	284.06	0.07	Monitoring
DM-3	11/14/2012	WorleyParsons	388.34	105.25	283.09	-0.90	Monitoring
DM-3	3/29/2013	WorleyParsons	388.34	104.35	283.99	0.00	Monitoring
DM-3	6/19/2013	WorleyParsons	388.34	104.20	284.14	0.15	Monitoring
DM-3	8/13/2013	WorleyParsons	388.34	104.31	284.03	0.04	Monitoring
DM-3	11/12/2013	WorleyParsons	388.34	104.43	283.91	-0.08	Monitoring
DM-3	2/26/2014	WorleyParsons	388.34	104.31	284.03	0.04	Monitoring
DM-3	5/22/2014	Northstar	388.34	104.20	284.14	0.15	Monitoring
DM-3	8/8/2014	Northstar	388.34	104.21	284.13	0.14	Monitoring
DM-3	12/4/2014	Northstar	388.34	104.39	283.95	-0.04	Monitoring
DM-3	3/26/2015	Northstar	388.34	104.59	283.75	-0.24	Monitoring
DM-3	6/12/2015	Northstar	388.34	104.18	284.16	0.17	Monitoring
DM-3	12/11/2015	Northstar	388.34	103.96	284.38	0.39	Monitoring

**TABLE 2**  
**GROUNDWATER LEVEL MEASUREMENTS**  
 Genesis Solar Energy Project, Riverside County, California

Well ID	Date	Source	Top of Casing Elevation (feet amsl)	Depth to Water (feet below TOC)	Groundwater Elevation (feet amsl)	Difference from Baseline (feet)	Comments / Use
DM-3	6/3/2016	Northstar	388.34	104.38	283.96	-0.03	Monitoring
DM-3	12/2/2016	Northstar	388.34	104.28	284.06	0.07	Monitoring
DM-3	6/1/2017	Northstar	388.34	104.25	284.09	0.10	Monitoring
DM-3	12/5/2017	Northstar	388.34	104.62	283.72	-0.27	Monitoring
DM-3	5/30/2018	Northstar	388.34	104.27	284.07	0.08	Monitoring
DM-3	12/4/2018	Northstar	388.34	104.68	283.66	-0.33	Monitoring
DM-3	6/14/2019	Northstar	388.34	104.38	283.96	-0.03	Monitoring
DM-3	12/6/2019	Northstar	388.34	104.66	283.68	-0.31	Monitoring
DM-3	6/5/2020	Northstar	388.34	104.32	284.02	0.03	Monitoring
DM-3	12/3/2020	Northstar	388.34	104.80	283.54	-0.45	Monitoring
DM-3	6/3/2021	Northstar	388.34	104.29	284.05	0.06	Monitoring
DM-3	12/2/2021	Northstar	388.34	104.50	283.84	-0.15	Monitoring

**Notes:**

amsl = above mean sea level

TOC = top of casing

**TABLE 3**  
**FIELD DATA COLLECTED DURING THE MOST RECENT GROUNDWATER MONITORING EVENT**  
 Genesis Solar Energy Project, Riverside County, California

Well ID	Date	Groundwater Purging			Field Parameters					
		Rate of Groundwater Discharge (mL/min)	Purging Method	Total Volume Purged (mL)	pH	Conductivity (mS/cm)	Turbidity (NTU)	D.O. (mg/L)	Temperature (C°)	ORP (mV)
DM-1	12/2/2021	188	Bladder Pump	3,760	8.42	18.2	N/A	2.78	29.0	+74
DM-2	12/2/2021	120	Bladder Pump	3,760	8.40	18.5	N/A	1.13	27.6	+37
DM-3	12/2/2021	121	Bladder Pump	3,760	8.71	17.7	N/A	2.65	24.5	+44

**NOTES:**  
 mL = milliliters  
 mL/min = milliliters per minute  
 mS/cm = millisiemens per centimeter  
 NTU = Nephelometric Turbidity Units  
 DO = Dissolved Oxygen  
 mg/L = milligrams per liter  
 °C = degree Celsius  
 mV = millivolts



**TABLE 4**  
**SUMMARY OF LABORATORY ANALYTICAL RESULTS**  
 Genesis Solar Energy Project, Riverside County, California

Well ID	Date Sampled	Sampling Method	Chloride	Sulfate	Nitrate	Calcium	Copper	Sodium	Potassium	Iron	Magnesium	Antimony	Arsenic	Barium	Cadmium	Chromium	Cobalt	Lead	Manganese	Nickel	Selenium	Zinc	Mercury	Total	Specific	pH	Oil &	HTF <sup>†</sup>	Deuterium	Oxygen-18
			(mg/L)	(SO4) (mg/L)	(NO3)-N (mg/L)											(mg/L)								(mg/L)	(Total) (ug/L)	(mg/L)	(mg/L)			
			EPA Method 300.0			EPA Method 200.7						EPA Method 200.8											SM7470A	SM2540C	SM2510B	SM4500H	SM1664A	8015B	Isotope Geochemistry	
DM-1	5/24/2012	Low Flow	4,600	2,000	3.9	250	<0.10	3,800	23.0	<0.40	56	-	-	-	-	-	-	-	-	-	-	-	-	12,000	16,000	7.84	-	-	-65.1	-8.8
DM-1	10/24/2012	Low Flow	5,400	2,300	<1.1	210	<0.010	3,200	20.0	<0.040	58	-	-	-	-	-	-	-	11	-	-	-	-	11,000	18,000	7.83	-	-	-72.1	-8.6
DM-1	5/22/2014	Low Flow	5,300	2,000	-	240	<0.010	3,700	22	<0.040	54	<10	6.2	52	<5.0	<10	<5.0	<5.0	2.5 <sup>†</sup>	4.6 <sup>†</sup>	3.0 <sup>†</sup>	<100	<0.20	11,000	19,000	7.81	<5.0	-	-68.50	-8.51
DM-1	5/22/2014 <sup>1</sup>	Low Flow	5,200	2,000	-	230	<0.010	3,600	22	<0.040	53	<10	5.6	50	<5.0	<10	<5.0	<5.0	3.9 <sup>†</sup>	3.1 <sup>†</sup>	<100	<0.20	11,000	19,000	7.74	<5.3	-	-69.47	-8.74	
DM-1	12/4/2014	Low Flow	4,800	1,700	2.9	230	<0.050	3,600	21	<0.20	57	<10	7.7	50	<5.0	<10	<5.0	<5.0	9.2 <sup>†</sup>	<10	25 <sup>†</sup>	0.15 <sup>†</sup>	11,000	19,000	7.92	<4.7	<0.094	N/A <sup>2</sup>	N/A <sup>2</sup>	
DM-1	6/11/2015	Low Flow	4,600	2,000	3.7 <sup>†</sup>	230	<0.10	3,600	21	<0.40	52	<10	3.8 <sup>†</sup>	36	<5.0	2.9 <sup>†</sup>	<5.0	<5.0	3.6 <sup>†</sup>	6.3 <sup>†</sup>	3.6 <sup>†</sup>	<100	0.26	10,000	19,000	7.81	<4.7	<0.10	-69.2	-8.47
DM-1	12/10/2015	Low Flow	5,300	2,100	4.9 <sup>†</sup>	260	<0.010	3,700	22	<0.040	57	<10	5.6	38	<5.0	<10	<5.0	<5.0	<5.0	<10	5.2 <sup>†</sup>	<100	<0.20	12,000	19,000	7.79	<5.0	<0.094	-70.3	-8.57
DM-1	6/2/2016	Low Flow	4,700	1,800	7.8	230	<0.10	3,800	18	<0.40	57	<2.0	5.1	31	<1.0	1.9 <sup>†</sup>	<1.0	<1.0	0.99 <sup>†</sup>	1.1 <sup>†</sup>	3.3	2.5 <sup>†</sup>	<0.20	11,000	20,000	7.87	<4.7	<0.094	-69.87	-8.83
DM-1	11/30/2016	Low Flow	5,200	2,000	<5.5	230	<0.010	3,700	23	<0.040	59	<20	6.7 <sup>†</sup>	31	<10	<20	<10	<10	<10	<10	13 <sup>†</sup>	<200	<0.20	11,000	17,000	7.8	<4.7	<0.093	-70.70	-8.68
DM-1	6/1/2017	Low Flow	4,600	1,900	4.2 <sup>†</sup>	250	<0.10	4,100	21	<1.0	62	<10	4.8 <sup>†</sup>	28	<5.0	5.9 <sup>†</sup>	<5.0	<5.0	<5.0	7.6 <sup>†</sup>	6.9 <sup>†</sup>	<100	<0.20	11,000	16,000	7.9	<5.1	<0.094	-70.30	-8.57
DM-1	12/5/2017	Low Flow	7,130	2,770	12.8	230	0.025	1,100	30	<1.0	59	<1.0	6.2	28	<2.5	3.1	<2.5	<2.5	-	<2.5	5.1	6.6	<0.50	10,000	17,200	7.8	<5.0	<0.10	-69.14	-8.90
DM-1	5/30/2018	Low Flow	5,190	2,030	14.7	270	0.096 <sup>†</sup>	5,200	63	0.78 <sup>†</sup>	64	<0.50	5.0	30	<0.50	<5.0	<0.50	<5.0	-	<5.0	5.9	9.5	<0.50	11,000	17,300	7.9	<5.0	<0.10	-71.10	-8.57
DM-1	12/4/2018	Low Flow	8,180	3,280	9.00	260	<0.5	4,800	33	<20	68	<10	10	31	<10	<10	<10	<10	-	<10	<10	<10	<0.50	11,000	17,400	7.7	<5.0	<0.10	-70.10	-8.55
DM-1	6/14/2019	Low Flow	5,040	1,930	8.76	280	0.006	4,800	65	0.35	63	<10	<10	<10	<10	<10	<10	<10	-	<10	<10	-	<0.50	9,600	17,700	7.2	<5.0	<0.10	-70.40	-8.58
DM-1	12/5/2019	Low Flow	7,460	2,150 <sup>†</sup>	16.3	250	0.004 <sup>†</sup>	4,200	32	<0.20	67	<5.0	0.80 <sup>†</sup>	32	<5.0	2.1 <sup>†</sup>	<5.0	<5.0	-	<5.0	0.80 <sup>†</sup>	47	<0.50	11,000	17,600	7.7	<5.0	<0.10	-70.10	-8.55
DM-1	6/4/2020	Low Flow	5,500	2,090	8.04	220	0.007	4,300	24	<0.20	53	<5.0	<5.0	33	<5.0	<5.0	<5.0	-	<5.0	13	16	<0.50	12,000	17,800	7.3	<5.0	<0.096	-70.30	-8.57	
DM-1	12/3/2020	Low Flow	5,530	2,150	8.50	230	<0.005	9,500	35	<0.20	49	<5.0	<5.0	35	<5.0	<5.0	<5.0	-	<5.0	0.87	<0.50	<0.50	<0.50	12,000	18,000	7.9	<5.0	<0.11	-70.20	-8.57
DM-1	6/3/2021	Low Flow	5,520	2,050	8.28	220	<0.50	3,800	<50	<20	57	<10	<10	31	<10	<10	<10	<10	-	<10	17	<10	<0.50	8,100	17,800	7.7	<5.0	<0.095	-70.80	-8.62
DM-1	12/2/2021	Low Flow	5,360	1,930	8.59	230	<0.50	4,200	<50	<20	58	<10	<10	29	<10	<10	<10	<10	-	<10	16	<10	<1.0	14,000	17,800	7.8	<5.0	<0.099	-70.10	-8.58
DM-2	5/24/2012	Low Flow	4,500	2,000	2.9	290	<0.10	3,500	25.0	<0.40	59	-	-	-	-	-	-	-	-	-	-	-	-	13,000	16,000	7.80	-	-	-71.7	-8.8
DM-2	10/23/2012	Low Flow	4,800	2,000	<1.1	470	<0.010	2,600	27.0	<0.040	54	-	-	-	-	-	-	-	110	-	-	-	-	9,900	16,000	7.72	-	-	-70.9	-8.9
DM-2	5/22/2014	Low Flow	5,100	2,000	-	320	<0.020	3,500	23	0.022 <sup>†</sup>	54	<10	4.7 <sup>†</sup>	97	<5.0	<10	<5.0	<5.0	59	4.1 <sup>†</sup>	3.3 <sup>†</sup>	<100	<0.20	11,000	18,000	7.79	<5.1	-	-69.95	-8.72
DM-2	12/4/2014	Low Flow	4,400	1,600	3.0	300	<0.050	3,100	20	0.082 <sup>†</sup>	55	<10	5.7	140	<5.0	<10	<5.0	<5.0	90	8.4 <sup>†</sup>	<10	<100	<0.20	9,900	17,000	7.90	<4.7	<0.095	N/A <sup>2</sup>	N/A <sup>2</sup>
DM-2	6/11/2015	Low Flow	4,500	2,000	3.8 <sup>†</sup>	290	<0.10	3,500	22	<0.40	55	<10	4.1 <sup>†</sup>	110	<5.0	2.9 <sup>†</sup>	<5.0	<5.0	40	4.9 <sup>†</sup>	<10	<100	<0.20	9,600	18,000	7.92	<4.7	<0.10	-68.2	-8.52
DM-2	12/10/2015	Low Flow	5,400	2,200	<5.5	290	<0.010	3,600	21	0.062	61	<10	5.9	85	<5.0	<10	<5.0	<5.0	88	<10	5.5 <sup>†</sup>	<100	<0.20	12,000	18,000	7.85	<5.0	<0.096	-69.4	-8.43
DM-2	6/2/2016	Low Flow	4,800	1,900	8.0	280	<0.10	3,800	20	0.27 <sup>†</sup>	60	0.51 <sup>†</sup>	4.7	62	<1.0	1.5 <sup>†</sup>	<1.0	<1.0	62	1.1 <sup>†</sup>	3.5	<20	<0.20	12,000	22,000	7.95	<4.9	<0.097	-69.53	-8.63
DM-2	11/30/2016	Low Flow	5,300	2,200	2.8 <sup>†</sup>	290	<0.010	4,200	28	<0.040	61	<20	5.9 <sup>†</sup>	56	<10	<20	<10	<10	40	<20	18 <sup>†</sup>	<200	<0.20	11,000	17,000	7.8	<4.7	<0.097	-70.20	-8.37
DM-2	6/1/2017	Low Flow	4,800	1,900	3.1 <sup>†</sup>	280	<0.10	4,100	21	<1.0	62	<10	4.4 <sup>†</sup>	52	<5.0	<10	<5.0	<5.0	17	5.2 <sup>†</sup>	5.6 <sup>†</sup>	<100	<0.20	12,000	16,000	7.9	<5.2	<0.097	-70.10	-8.51
DM-2	12/5/2017	Low Flow	4,930	1,960	13.4	250	<0.025	1,400	34	<1.0	62	<1.0	5.5	69	<2.5	3.7	<2.5	<2.5	-	<2.5	5.7	4.5	<0.50	11,000	17,200	7.8	<5.0	<0.10	-67.66	-8.63
DM-2	5/30/2018	Low Flow	6,000	2,280	17.5	300	0.11 <sup>†</sup>	4,800	68	<10	67	<5.0	5.1	51	<0.50	<5.0	<0.50	<0.50	-	<0.50	6.3	<5.0	<0.50	9,900	17,000	7.9	<5.0	<0.11	-69.20	-8.39
DM-2	12/4/2018	Low Flow	5,290	1,770	11.4	240	<0.5	4,900	35	<20	60	<10	<10	57	<10	<10	<10	<10	-	<10	<10	28	<0.50	7,100	13,000	7.8	<5.0	<0.10	-72.30	-8.98
DM-2	6/14/2019	Low Flow	5,240	2,080	11.2	300	<0.005	5,100	68	<0.20	67	<10	<10	<10	<10	<10	<10	<10	-	<10	<10	-	<0.50	9,300	18,000	7.3	<5.0	<0.10	-70.10	-8.50
DM-2	12/5/2019	Low Flow	7,680	2,330 <sup>†</sup>	21.2	310	0.007	4,400	30	<0.20	65	<5.0	<5.0	50	<5.0	2.9 <sup>†</sup>	<5.0	<5.0	-	<5.0	3.2 <sup>†</sup>	76	<0.50	10,000	17,000	7.6	<5.0	<0.10	-70.00	-8.48
DM-2	6/4/2020	Low Flow	5,580	2,240	10.4	280	0.007	4,100	41	<0.20	55	<5.0	<5.0	46	<5.0	<5.0	<5.0	-	<5.0	9.8	24	<0.50	11,000	18,100	7.4	<5.0	<0.096	-69.90	-8.47	
DM-2	12/3/2020	Low Flow	5,730	2,340	9.46	250	<0.005	11,000	34	<0.20	51	<5.0	<5.0	49	<5.0	<5.0	<5.0	-	<5.0	0.94	<0.50	<0.50	<0.50	10,000	18,000	7.8	<5.0	<0.11	-70.10	-8.50
DM-2	6/3/2021	Low Flow	5,610	2,210	7.85	230	<0.50	3,800	<50	<20	58	<10	<10	45	<10	<10	<10	<10	-	<10	16	<10	<0.50	9,000	18,200	7.6	<5.0	<0.092	-69.90	-8.50
DM-2	12/2/2021	Low Flow	5,470	2,100	10.0	270	<0.50	4,500	<50	<20	63	<10	<10	44	<10	<10	<10	<10	-	<10	16	<10	<1.0	13,000	18,200	7.8	<5.0	<0.095	-69.50	-8.47
DM-3	5/24/2012	Low Flow	4,600	2,000	<2.2	220	<0.10	3,500	20.0	<0.40	51	-	-	-	-	-	-	-	-	-	-	-	-	12,000	16,000	7.83	-	-	-71.4	-8.9
DM-3	10/23/2012	Low Flow	5,100	2,100	<2.2	210	<0.010	3,000	20.0	<0.040	52	-	-	-	-	-	-	-	<1.0	-	-	-	-	11,000	18,000	7.83	-	-	-72.6	-8.7
DM-3	5/22/2014	Low Flow	5,400	2,100	-	230	<0.010	3,600	21																					

**TABLE 4**  
**SUMMARY OF LABORATORY ANALYTICAL RESULTS**  
 Genesis Solar Energy Project, Riverside County, California

Well ID	Date Sampled	Sampling Method	Chloride	Sulfate	Nitrate	Calcium	Copper	Sodium	Potassium	Iron	Magnesium	Antimony	Arsenic	Barium	Cadmium	Chromium (Total)	Cobalt	Lead	Manganese	Nickel	Selenium	Zinc	Mercury	Total Dissolved Solids	Specific Conductance	pH (standard Units)	Oil & Grease / HEM	HTF <sup>†</sup>	Deuterium (% relative to VSMOW)	Oxygen-18 (% relative to VSMOW)
			(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(ug/L)	(mg/L)	(us/cm)	(mg/L)	(mg/L)	(% relative to VSMOW)	(% relative to VSMOW)
			EPA Method 300.0			EPA Method 200.7						EPA Method 200.8											SM7470A	SM2540C	SM2510B	SM4500H	SM1664A	8015B	Isotope Geochemistry	
North Pond	12/3/2020	Composite	38,000	11,800	7.73	390	<0.5	30,000	250	<20	19	<25	8.7	330	<25	<25	<25	<25	-	<25	0.81	0.81	<0.50	57,000	95,000	8.9	<5.00	<0.10	N/A	N/A
North Pond	6/4/2021	Composite	48,200	15,200	53.1	400	<0.50	31,000	230	<20	12	<25	510	130	<25	<25	<25	<25	-	30	53	<25	<0.50	16,000	119,000	9.4	<5.00	<0.087	N/A	N/A
North Pond	12/2/2021	Composite	57,500	18,600	<50.0	470	<0.50	44,000	300	<20	17	<20	640	170	<20	<20	<20	<20	-	<20	31	<20	<1.0	91,000	142,000	8.9	<5.00	<0.092	N/A	N/A
South Pond	6/1/2018	Composite	152,000	59,500	22.2	27	<0.015	17,000	1,100	<0.35	17	<10	1,100	85	<25	<10	<10	<0.50	-	46	43	79	<0.50	310,000	218,000	8.3	<1.40	<0.090	N/A	N/A
South Pond	12/3/2018	Composite	33,200	8,710	65.1	410	2.8	34,000	420	<20	27	<25	390	310	<25	<25	<25	<25	-	<25	<25	160	<0.50	39,000	61,200	8.9	36.4	<0.097	N/A	N/A
South Pond	6/13/2019	Composite	38,700	10,800	57.2	430	0.064	40,000	<0.10	<0.20	16	<10	28	25	<10	<10	<10	<10	-	<10	<10	-	<0.50	68,000	104,000	9.3	<5.00	<0.097	N/A	N/A
South Pond	12/5/2019	Composite	30,000	6,770	2.17	200	0.041	14,000	160	<0.20	13	<5.0	200	170	<5.0	<5.0	<5.0	<5.0	-	<5.0	<5.0	190	<0.50	35,000	49,700	9.0	<5.00	<0.099	N/A	N/A
South Pond	6/4/2020	Composite	74,600	23,900	14.8	390	4.2	62,000	470	<20	1,100	<25	1,100	360	<25	<25	<25	<25	-	36	68	48	<0.50	130,000	166,000	8.8	<5.00	<0.091	N/A	N/A
South Pond	12/3/2020	Composite	73,700	16,600	10.6	370	<0.5	42,000	480	<20	23	<25	14	290	<25	<25	<25	<25	-	<25	0.73	3.0	<0.50	92,000	150,000	8.6	<5.00	<0.099	N/A	N/A
South Pond	6/4/2021	Composite	91,000	22,300	<50.0	420	<0.50	55,000	620	<20	29	<25	1,100	420	<25	<25	<25	<25	-	56	69	100	<0.50	25,000	183,000	9.0	<5.00	<0.091	N/A	N/A
South Pond	12/2/2021	Composite	24,000	6,560	<50.0	240	<0.50	19,000	150	<20	16	<10	290	200	<10	<10	<10	<20	-	21	18	64	<1.0	38,000	67,500	8.9	<5.00	<0.090	N/A	N/A

NOTES:

- mg/L = milligrams per liter
  - ug/L = micrograms per liter
  - uS/cm = microsiemens per centimeter
  - % = parts per thousand
  - VSMOW = Vienna Standard Mean Ocean Water
  - < = not detected at or above the indicated reporting limit
  - = information is unknown / not applicable / not analyzed
  - J - Result is less than the reporting limit but greater than or equal to the method detection limit, thus the concentration is an approximate value.
  - † - Heat Transfer Fluid (HTF) is characterized by the analytes 1,1'-oxybis-benzene and 1,1'-biphenyl.
  - 1 - Duplicate sample
  - 2 - Analytical results not available at time of reporting due to laboratory equipment failure.
- Analytical data shaded grey is a monitored Contaminant of Concern as defined in the Waste Discharge Requirements, Condition 79, Page 16

**TABLE 5**  
**SUMMARY OF LEAKAGE DETECTION SYSTEM DATA**  
 Genesis Solar Energy Project, Riverside County, California

Date of Reading	Sensor Readings <sup>1</sup>														Comments
	North Pond							South Pond							
	#1W	#2W	#3W	#1E	#2E	#3E	Totalizer	#1W	#2W	#3W	#1E	#2E	#3E	Totalizer	
1st Qtr 2014	199	199	199	199	199	199	-	199	199	199	199	199	199	-	All probes are dry
2nd Qtr 2014	199	199	199	199	199	199	-	199	199	199	199	199	199	-	
3rd Qtr 2014	199	199	199	199	199	199	-	199	199	199	199	199	199	-	
12/05/2014	199	199	199	199	199	199	-	199	199	199	199	199	199	-	
03/26/2015	199	199	199	199	199	199	-	199	199	199	199	199	199	-	
06/12/2015	133	199	199	199	199	199	-	199	199	199	199	199	199	-	
09/03/2015	78	199	199	199	199	199	-	199	199	199	199	199	199	-	
09/15/2015	67	199	199	199	199	199	-	199	199	199	199	199	199	-	
12/10/2015	0	75	199	199	199	199	-	199	199	199	199	199	199	-	Sump pumps turned on - no water
03/01/2016	6	101	199	199	199	199	-	199	199	199	199	199	199	-	
06/02/2016	4	80	199	199	199	199	-	199	199	199	199	199	199	-	
09/01/2016	0	42	146	199	175	105	-	199	199	199	199	199	199	-	
12/01/2016	0	59	199	199	199	188	1,144.79	199	199	199	183	199	199	24.21	Readings on arrival
12/01/2016	199	199	199	199	199	199	1,144.79	199	199	199	183	199	199	24.21	Readings on departure, new probes in North Pond
03/02/2017	199	199	199	199	199	199	1,144.79	199	199	199	199	199	199	24.21	
06/01/2017	199	199	199	199	199	199	1,144.79	199	199	199	199	199	199	24.21	
09/04/2017	199	199	199	199	199	199	1,695.44	199	199	199	192	178	199	24.21	
12/05/2017	114	165	199	199	179	180	1,695.66	199	199	199	166	199	199	24.21	To date, all totalizer increases are from pump testing
03/06/2018	186	199	199	199	199	199	1,695.66	199	199	199	199	199	199	24.21	
06/01/2018	159	199	199	199	199	199	1,695.66	199	199	199	177	186	199	24.21	
09/12/2018	78	192	199	199	199	192	1,694.83	199	199	199	197	187	199	24.21	
12/03/2018	119	181	199	199	199	199	1,688.26	199	199	199	199	168	199	24.21	
03/08/2019	150	199	199	199	199	199	1,690.80	199	199	199	115	168	199	24.21	
06/13/2019	199	199	199	199	199	199	1,687.19	199	199	199	188	199	199	24.21	
09/08/2019	199	199	199	199	199	199	1,686.68	199	199	199	188	199	199	24.21	
12/05/2019	145	199	199	199	199	199	1,683.78	199	199	199	199	199	199	24.21	
03/17/2020	168	199	199	199	199	199	1,681.87	199	199	199	199	199	199	24.21	
06/04/2020	109	199	199	199	199	199	1,657.23	199	199	199	199	199	199	22.64	
09/16/2020	199	199	199	199	199	199	1,619.72	199	199	199	199	199	199	20.34	
12/03/2020	98	199	199	199	199	199	1,624.77	199	199	199	199	199	199	20.34	
03/23/2021	104	199	199	199	199	199	1,628.91	199	199	199	199	199	199	20.34	
06/04/2021	119	199	199	199	199	199	2,017.91	199	199	199	199	199	199	205.98	Sump pumps tested prior to readings
09/21/2021	89	199	199	199	199	199	2,188.61	199	199	199	199	199	199	197.30	
12/02/2021	97	199	199	199	199	199	2,186.30	199	199	199	199	199	199	N/A <sup>2</sup>	

1 - Readings in centibars, collected with a Watermark 30 KTC-D-NL Soil Moisture Meter

2 - Pump totalizer not functioning

# **APPENDIX A**

## **FIELD DATA SHEETS**



## GROUNDWATER SAMPLING FIELD FORM

Date: December 2021	Site: Genesis Solar Energy Project	Project No: 196-004-06
Project: Groundwater Quality Monitoring Program		Project Manager: AWB
Technicians: AWB		Weather: Clear, cool
Sampling Method: Low-Flow Sampling with Submersible Pump (EPA 2017 Protocols)		

Well No.	DM-1	Time (5 Min Int)	Water Level (ft btoc)	Temp °C (3%)	pH (+/- 0.1)	Cond (mS/cm) (3%)	Turbidity (NTUs) (10%)	ORP (mV) (+/- 10)	DO (mg/L) (10%)
Casing Diameter (in.)	4.0	15:00	107.36	28.7	8.55	18.19	N/A	+73	3.50
Total Depth (ft btoc)	120	15:05	107.36	28.9	8.47	18.17	N/A	+73	2.83
Screen Interval (ft btoc)	100 - 120	15:10	107.36	29.0	8.43	18.18	N/A	+74	2.79
Depth to Water (ft btoc)	107.35	15:15	107.36	29.0	8.42	18.18	N/A	+74	2.78
Depth of Inlet (ft btoc)	115.00								
Discharge Time (sec)	25								
Fill Time (sec)	15								
Cycles per Minute	1.5								
Volume per Cycle (mL)	125								
Pump Rate (mL/min)	188								
Volume Purged (mL)	3,760								
Sample Time	15:15								

**Purge Volume Calculation:** Total must exceed tubing volume (1,204 mL) plus drawdown volume (2,460 mL/foot) = **1,229 mL**

**COMMENTS:** Sampled 12/02/21

Well No.	DM-2	Time (5 Min Int)	Water Level (ft btoc)	Temp °C (3%)	pH (+/- 0.1)	Cond (mS/cm) (3%)	Turbidity (NTUs) (10%)	ORP (mV) (+/- 10)	DO (mg/L) (10%)
Casing Diameter (in.)	4.0	16:10	107.95	27.0	8.40	18.53	N/A	+50	1.95
Total Depth (ft btoc)	120	16:15	107.99	27.2	8.42	18.53	N/A	+39	1.17
Screen Interval (ft btoc)	100 - 120	16:20	108.02	27.5	8.40	18.54	N/A	+38	1.15
Depth to Water (ft btoc)	107.71	16:25	108.03	27.6	8.40	18.54	N/A	+37	1.13
Depth of Inlet (ft btoc)	115.00								
Discharge Time (sec)	27								
Fill Time (sec)	40								
Cycles per Minute	0.9								
Volume per Cycle (mL)	125								
Pump Rate (mL/min)	120								
Volume Purged (mL)	3,760								
Sample Time	16:25								

**Purge Volume Calculation:** Total must exceed tubing volume (1,204 mL) plus drawdown volume (2,460 mL/foot) = **1,992 mL**

**COMMENTS:** Sampled 12/02/21

Well No.	DM-3	Time (5 Min Int)	Water Level (ft btoc)	Temp °C (3%)	pH (+/- 0.1)	Cond (mS/cm) (3%)	Turbidity (NTUs) (10%)	ORP (mV) (+/- 10)	DO (mg/L) (10%)
Casing Diameter (in.)	4.0	17:40	104.52	24.0	8.70	17.60	N/A	+46	2.71
Total Depth (ft btoc)	120	17:45	104.54	24.4	8.70	17.66	N/A	+44	2.67
Screen Interval (ft btoc)	100 - 120	17:50	104.56	24.5	8.71	17.68	N/A	+44	2.65
Depth to Water (ft btoc)	104.50								
Depth of Inlet (ft btoc)	115.00								
Discharge Time (sec)	27								
Fill Time (sec)	35								
Cycles per Minute	0.97								
Volume per Cycle (mL)	125								
Pump Rate (mL/min)	121								
Volume Purged (mL)	3,760								
Sample Time	17:50								

**Purge Volume Calculation:** Total must exceed tubing volume (1,204 mL) plus drawdown volume (2,460 mL/foot) = **1,352 mL**

**COMMENTS:** Sampled 12/02/21

# **APPENDIX B**

**LABORATORY ANALYTICAL RESULTS**

**EVAPORATION PONDS**



25712 Commercentre Drive  
Lake Forest, California 92630  
949.297.5020 Phone  
949.297.5027 Fax

03 January 2022

Arlin Brewster  
Northstar Environmental Remediation  
26225 Enterprise Court  
Lake Forest, CA 92630  
RE: Genesis Solar LTUs & Ponds

Enclosed are the results of analyses for samples received by the laboratory on 12/03/21 14:15. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Jeff Lee  
Project Manager



25712 Commercentre Drive  
Lake Forest, California 92630  
949.297.5020 Phone  
949.297.5027 Fax

Northstar Environmental Remediation 26225 Enterprise Court Lake Forest CA, 92630	Project: Genesis Solar LTUs & Ponds Project Number: 196-004-05 Project Manager: Arlin Brewster	Reported: 01/03/22 11:12
--	--	-----------------------------

**ANALYTICAL REPORT FOR SAMPLES**

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
North Pond	T213692-01	Water	12/02/21 14:10	12/03/21 14:15
South Pond	T213692-02	Water	12/02/21 14:30	12/03/21 14:15

Metals analysis for EPA 200.8 and 200.7 were filtered in the field prior to laboratory analysis. The results are reported as dissolved metals. JL 12/20/21

Nitrate samples were originally analyzed within 48hr hold time. However, due to sample matrix, additional dilutions were required. The extra dilutions were conducted outside of method recommended hold time. JL 12/20/21

RE1: Report revised to correct dilution factor error occurred on the original EPA 200.7 analysis. The metal samples were diluted at 100x prior to analysis but the original report did not reflect the correct dilution calculation. JL 12/22/21

RE2: Conductivity result for sample T213692-01 was miscalculated by analyst and is off by a factor of 100x. Data has been revised and the corrected data reentered. JL 1/3/22

SunStar Laboratories, Inc.

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

Jeff Lee, Project Manager



Northstar Environmental Remediation  
26225 Enterprise Court  
Lake Forest CA, 92630

Project: Genesis Solar LTUs & Ponds  
Project Number: 196-004-05  
Project Manager: Arlin Brewster

Reported:  
01/03/22 11:12

**DETECTIONS SUMMARY**

**Sample ID:** North Pond

**Laboratory ID:** T213692-01

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
Arsenic	640	20		ug/l	200.8	FILT
Barium	170	20		ug/l	200.8	FILT
Selenium	31	20		ug/l	200.8	FILT
Calcium	470	10		mg/l	EPA 200.7	FILT, R-07
Magnesium	17	10		mg/l	EPA 200.7	FILT, R-07
Potassium	300	50		mg/l	EPA 200.7	FILT, R-07
Sodium	44000	50		mg/l	EPA 200.7	FILT, R-07
pH	8.9	0.10		pH Units	SM 4500-H+B	O-04
Total Dissolved Solids	91000	10		mg/l	TDS by SM2540C	
Specific Conductance (EC)	142000	10.0		umhos/cm	SM2510b mod.	
Chloride	57500	5000		mg/l	EPA 300.0	
Sulfate as SO4	18600	500		mg/l	EPA 300.0	

**Sample ID:** South Pond

**Laboratory ID:** T213692-02

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
Arsenic	290	10		ug/l	200.8	FILT
Barium	200	10		ug/l	200.8	FILT
Nickel	21	10		ug/l	200.8	FILT
Selenium	18	10		ug/l	200.8	FILT
Zinc	64	10		ug/l	200.8	FILT
Calcium	240	10		mg/l	EPA 200.7	FILT, R-07
Magnesium	16	10		mg/l	EPA 200.7	FILT, R-07
Potassium	150	50		mg/l	EPA 200.7	FILT, R-07
Sodium	19000	50		mg/l	EPA 200.7	FILT, R-07
pH	8.9	0.10		pH Units	SM 4500-H+B	O-04
Total Dissolved Solids	38000	10		mg/l	TDS by SM2540C	
Specific Conductance (EC)	67500	10.0		umhos/cm	SM2510b mod.	
Chloride	24000	500		mg/l	EPA 300.0	
Sulfate as SO4	6560	500		mg/l	EPA 300.0	

SunStar Laboratories, Inc.



Jeff Lee, Project Manager

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*



25712 Commercentre Drive  
Lake Forest, California 92630  
949.297.5020 Phone  
949.297.5027 Fax

Northstar Environmental Remediation  
26225 Enterprise Court  
Lake Forest CA, 92630

Project: Genesis Solar LTUs & Ponds  
Project Number: 196-004-05  
Project Manager: Arlin Brewster

**Reported:**  
01/03/22 11:12

---

SunStar Laboratories, Inc.

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

---

Jeff Lee, Project Manager

Northstar Environmental Remediation  
26225 Enterprise Court  
Lake Forest CA, 92630

Project: Genesis Solar LTUs & Ponds  
Project Number: 196-004-05  
Project Manager: Arlin Brewster

Reported:  
01/03/22 11:12

**North Pond  
T213692-01 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

**SunStar Laboratories, Inc.**

**Metals by EPA 200 Series Methods**

Copper	ND	0.50	mg/l	100	1120828	12/08/21	12/14/21	EPA 200.7	FILT, R-07
<b>Calcium</b>	<b>470</b>	10	"	"	"	"	"	"	FILT, R-07
Iron	ND	20	"	"	"	"	"	"	FILT, R-07
<b>Magnesium</b>	<b>17</b>	10	"	"	"	"	"	"	FILT, R-07
<b>Potassium</b>	<b>300</b>	50	"	"	"	"	"	"	FILT, R-07
<b>Sodium</b>	<b>44000</b>	50	"	"	"	"	"	"	FILT, R-07
Antimony	ND	20	ug/l	40	1120617	12/06/21	12/09/21	200.8	FILT
<b>Arsenic</b>	<b>640</b>	20	"	"	"	"	"	"	FILT
<b>Barium</b>	<b>170</b>	20	"	"	"	"	"	"	FILT
Cadmium	ND	20	"	"	"	"	"	"	FILT
Chromium	ND	20	"	"	"	"	"	"	FILT
Cobalt	ND	20	"	"	"	"	"	"	FILT
Lead	ND	50	"	100	"	"	12/09/21	"	FILT
Nickel	ND	20	"	40	"	"	12/09/21	"	FILT
<b>Selenium</b>	<b>31</b>	20	"	"	"	"	"	"	FILT
Zinc	ND	20	"	"	"	"	"	"	FILT

**Cold Vapor Extraction EPA 7470/7471**

Mercury	ND	1.0	ug/l	1	1120840	12/08/21	12/10/21	EPA 7470A Water	
---------	----	-----	------	---	---------	----------	----------	--------------------	--

**Conventional Chemistry Parameters by APHA/EPA/ASTM Methods**

Oil & Grease	ND	5.00	mg/l	1	1120835	12/08/21	12/13/21	EPA 1664B	
<b>Specific Conductance (EC)</b>	<b>142000</b>	10.0	umhos/cm	"	1120719	12/07/21	12/07/21	SM2510b mod.	
<b>pH</b>	<b>8.9</b>	0.10	pH Units	"	1120610	12/06/21	12/07/21	SM 4500-H+B	O-04
<b>Total Dissolved Solids</b>	<b>91000</b>	10	mg/l	"	1120838	12/06/21	12/10/21	TDS by SM2540C	

SunStar Laboratories, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive  
 Lake Forest, California 92630  
 949.297.5020 Phone  
 949.297.5027 Fax

Northstar Environmental Remediation 26225 Enterprise Court Lake Forest CA, 92630	Project: Genesis Solar LTUs & Ponds Project Number: 196-004-05 Project Manager: Arlin Brewster	Reported: 01/03/22 11:12
--	--	-----------------------------

**North Pond**  
**T213692-01 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

**SunStar Laboratories, Inc.**

**Anions by EPA Method 300.0**

Chloride	57500	5000	mg/l	1000	1120323	12/03/21	12/07/21	EPA 300.0	
Sulfate as SO4	18600	500	"	100	"	"	12/07/21	"	
Nitrate as NO3	ND	50.0	"	"	"	"	"	"	RR-01
Nitrate as N	ND	0.200	"	1	"	"	"	"	RR-01

SunStar Laboratories, Inc.

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

Jeff Lee, Project Manager

Northstar Environmental Remediation  
26225 Enterprise Court  
Lake Forest CA, 92630

Project: Genesis Solar LTUs & Ponds  
Project Number: 196-004-05  
Project Manager: Arlin Brewster

**Reported:**  
01/03/22 11:12

**South Pond  
T213692-02 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

**SunStar Laboratories, Inc.**

**Metals by EPA 200 Series Methods**

Copper	ND	0.50	mg/l	100	1120828	12/08/21	12/14/21	EPA 200.7	FILT, R-07
<b>Calcium</b>	<b>240</b>	10	"	"	"	"	"	"	FILT, R-07
Iron	ND	20	"	"	"	"	"	"	FILT, R-07
<b>Magnesium</b>	<b>16</b>	10	"	"	"	"	"	"	FILT, R-07
<b>Potassium</b>	<b>150</b>	50	"	"	"	"	"	"	FILT, R-07
<b>Sodium</b>	<b>19000</b>	50	"	"	"	"	"	"	FILT, R-07
Antimony	ND	10	ug/l	20	1120617	12/06/21	12/09/21	200.8	FILT
<b>Arsenic</b>	<b>290</b>	10	"	"	"	"	"	"	FILT
<b>Barium</b>	<b>200</b>	10	"	"	"	"	"	"	FILT
Cadmium	ND	10	"	"	"	"	"	"	FILT
Chromium	ND	10	"	"	"	"	"	"	FILT
Cobalt	ND	10	"	"	"	"	"	"	FILT
Lead	ND	20	"	40	"	"	12/09/21	"	FILT
<b>Nickel</b>	<b>21</b>	10	"	20	"	"	12/09/21	"	FILT
<b>Selenium</b>	<b>18</b>	10	"	"	"	"	"	"	FILT
<b>Zinc</b>	<b>64</b>	10	"	"	"	"	"	"	FILT

**Cold Vapor Extraction EPA 7470/7471**

Mercury	ND	1.0	ug/l	1	1120840	12/08/21	12/10/21	EPA 7470A Water	
---------	----	-----	------	---	---------	----------	----------	--------------------	--

**Conventional Chemistry Parameters by APHA/EPA/ASTM Methods**

Oil & Grease	ND	5.00	mg/l	1	1120835	12/08/21	12/13/21	EPA 1664B	
<b>Specific Conductance (EC)</b>	<b>67500</b>	10.0	umhos/cm	"	1120719	12/07/21	12/07/21	SM2510b mod.	
<b>pH</b>	<b>8.9</b>	0.10	pH Units	"	1120610	12/06/21	12/07/21	SM 4500-H+B	O-04
<b>Total Dissolved Solids</b>	<b>38000</b>	10	mg/l	"	1120838	12/06/21	12/10/21	TDS by SM2540C	

SunStar Laboratories, Inc.



Jeff Lee, Project Manager

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*



25712 Commercentre Drive  
 Lake Forest, California 92630  
 949.297.5020 Phone  
 949.297.5027 Fax

Northstar Environmental Remediation 26225 Enterprise Court Lake Forest CA, 92630	Project: Genesis Solar LTUs & Ponds Project Number: 196-004-05 Project Manager: Arlin Brewster	Reported: 01/03/22 11:12
--	--	-----------------------------

**South Pond**  
**T213692-02 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

**SunStar Laboratories, Inc.**

**Anions by EPA Method 300.0**

Chloride	24000	500	mg/l	100	1120323	12/03/21	12/07/21	EPA 300.0	
Sulfate as SO4	6560	500	"	"	"	"	"	"	
Nitrate as NO3	ND	50.0	"	"	"	"	"	"	RR-01
Nitrate as N	ND	0.200	"	1	"	"	"	"	RR-01

SunStar Laboratories, Inc.

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

Jeff Lee, Project Manager



25712 Commercentre Drive  
 Lake Forest, California 92630  
 949.297.5020 Phone  
 949.297.5027 Fax

Northstar Environmental Remediation  
 26225 Enterprise Court  
 Lake Forest CA, 92630

Project: Genesis Solar LTUs & Ponds  
 Project Number: 196-004-05  
 Project Manager: Arlin Brewster

Reported:  
 01/03/22 11:12

**Metals by EPA 200 Series Methods - Quality Control**  
**SunStar Laboratories, Inc.**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Batch 1120617 - EPA 3010A**

**Blank (1120617-BLK1)**

Prepared: 12/06/21 Analyzed: 12/09/21

Antimony	ND	0.50	ug/l							
Arsenic	ND	0.50	"							
Barium	ND	0.50	"							
Beryllium	ND	0.50	"							
Cadmium	ND	0.50	"							
Chromium	ND	0.50	"							
Cobalt	ND	0.50	"							
Lead	ND	0.50	"							
Nickel	ND	0.50	"							
Selenium	ND	0.50	"							
Zinc	ND	0.50	"							

**LCS (1120617-BS1)**

Prepared: 12/06/21 Analyzed: 12/09/21

Arsenic	52.0	0.50	ug/l	50.0		104	80-120			
Barium	52.0	0.50	"	50.0		104	80-120			
Cadmium	54.4	0.50	"	50.0		109	80-120			
Chromium	50.3	0.50	"	50.0		101	80-120			
Lead	51.9	0.50	"	50.0		104	80-120			

**Matrix Spike (1120617-MS1)**

Source: T213690-02

Prepared: 12/06/21 Analyzed: 12/09/21

Arsenic	61.7	0.50	ug/l	50.0	0.130	123	75-125			
Barium	163	0.50	"	50.0	107	114	75-125			
Cadmium	57.5	0.50	"	50.0	ND	115	75-125			
Chromium	53.3	0.50	"	50.0	0.230	106	75-125			
Lead	53.6	0.50	"	50.0	ND	107	75-125			

**Matrix Spike Dup (1120617-MSD1)**

Source: T213690-02

Prepared: 12/06/21 Analyzed: 12/09/21

Arsenic	61.4	0.50	ug/l	50.0	0.130	123	75-125	0.422	20	
Barium	163	0.50	"	50.0	107	113	75-125	0.325	20	
Cadmium	55.8	0.50	"	50.0	ND	112	75-125	2.95	20	
Chromium	51.0	0.50	"	50.0	0.230	101	75-125	4.47	20	
Lead	52.1	0.50	"	50.0	ND	104	75-125	2.93	20	

SunStar Laboratories, Inc.

Jeff Lee, Project Manager

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*



25712 Commercentre Drive  
 Lake Forest, California 92630  
 949.297.5020 Phone  
 949.297.5027 Fax

Northstar Environmental Remediation 26225 Enterprise Court Lake Forest CA, 92630	Project: Genesis Solar LTUs & Ponds Project Number: 196-004-05 Project Manager: Arlin Brewster	Reported: 01/03/22 11:12
--	--	-----------------------------

**Metals by EPA 200 Series Methods - Quality Control**

**SunStar Laboratories, Inc.**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Batch 1120828 - EPA 3010A**

**Blank (1120828-BLK1)**

Prepared: 12/08/21 Analyzed: 12/14/21

Antimony	ND	0.005	mg/l							
Chromium	ND	0.005	"							
Copper	ND	0.005	"							
Lead	ND	0.005	"							
Nickel	ND	0.005	"							
Silver	ND	0.030	"							
Zinc	ND	0.030	"							
Calcium	ND	0.10	"							
Iron	ND	0.20	"							
Potassium	ND	0.50	"							
Magnesium	ND	0.10	"							
Sodium	ND	0.50	"							

**LCS (1120828-BS1)**

Prepared: 12/08/21 Analyzed: 12/14/21

Chromium	0.490	0.005	mg/l	0.500		98.0	85-115			
Copper	0.513	0.005	"	0.500		103	85-115			
Lead	0.486	0.005	"	0.500		97.3	85-115			
Nickel	0.488	0.005	"	0.500		97.5	85-115			
Zinc	0.477	0.030	"	0.500		95.4	85-115			
Iron	0.488	0.20	"	0.500		97.6	85-115			
Magnesium	0.490	0.10	"	0.500		98.0	85-115			

**Matrix Spike (1120828-MS1)**

Source: T213675-05

Prepared: 12/08/21 Analyzed: 12/14/21

Chromium	0.477	0.005	mg/l	0.500	0.0007	95.4	70-130			
Copper	0.504	0.005	"	0.500	0.002	100	70-130			
Lead	0.462	0.005	"	0.500	0.006	91.1	70-130			
Nickel	0.470	0.005	"	0.500	0.001	93.8	70-130			
Zinc	0.493	0.030	"	0.500	ND	98.5	70-130			
Iron	0.474	0.20	"	0.500	0.013	92.1	70-130			
Magnesium	23.8	0.10	"	0.500	24.0	NR	70-130			

QM-05

SunStar Laboratories, Inc.

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

Jeff Lee, Project Manager



Northstar Environmental Remediation  
26225 Enterprise Court  
Lake Forest CA, 92630

Project: Genesis Solar LTUs & Ponds  
Project Number: 196-004-05  
Project Manager: Arlin Brewster

**Reported:**  
01/03/22 11:12

**Metals by EPA 200 Series Methods - Quality Control**

**SunStar Laboratories, Inc.**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Batch 1120828 - EPA 3010A**

**Matrix Spike Dup (1120828-MSD1)**

**Source: T213675-05**

Prepared: 12/08/21 Analyzed: 12/14/21

Chromium	0.480	0.005	mg/l	0.500	0.0007	95.9	70-130	0.550	30	
Copper	0.508	0.005	"	0.500	0.002	101	70-130	0.791	30	
Lead	0.460	0.005	"	0.500	0.006	90.9	70-130	0.288	30	
Nickel	0.470	0.005	"	0.500	0.001	93.7	70-130	0.0468	30	
Zinc	0.491	0.030	"	0.500	ND	98.3	70-130	0.217	30	
Iron	0.477	0.20	"	0.500	0.013	92.7	70-130	0.631	30	
Magnesium	23.6	0.10	"	0.500	24.0	NR	70-130	0.887	30	QM-05

SunStar Laboratories, Inc.



*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

Jeff Lee, Project Manager

Northstar Environmental Remediation  
26225 Enterprise Court  
Lake Forest CA, 92630

Project: Genesis Solar LTUs & Ponds  
Project Number: 196-004-05  
Project Manager: Arlin Brewster

**Reported:**  
01/03/22 11:12

**Cold Vapor Extraction EPA 7470/7471 - Quality Control**

**SunStar Laboratories, Inc.**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Batch 1120840 - EPA 7470A Water**

**Blank (1120840-BLK1)**

Prepared: 12/08/21 Analyzed: 12/10/21

Mercury	ND	1.0	ug/l							
---------	----	-----	------	--	--	--	--	--	--	--

**LCS (1120840-BS1)**

Prepared: 12/08/21 Analyzed: 12/10/21

Mercury	6.95	1.0	ug/l	7.00		99.3	80-120			
---------	------	-----	------	------	--	------	--------	--	--	--

**Matrix Spike (1120840-MS1)**

Source: T213691-01

Prepared: 12/08/21 Analyzed: 12/10/21

Mercury	7.24	1.0	ug/l	7.00	ND	103	75-125			
---------	------	-----	------	------	----	-----	--------	--	--	--

**Matrix Spike Dup (1120840-MSD1)**

Source: T213691-01

Prepared: 12/08/21 Analyzed: 12/10/21

Mercury	7.35	1.0	ug/l	7.00	ND	105	75-125	1.46	20	
---------	------	-----	------	------	----	-----	--------	------	----	--

SunStar Laboratories, Inc.



*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

Jeff Lee, Project Manager

Northstar Environmental Remediation  
26225 Enterprise Court  
Lake Forest CA, 92630

Project: Genesis Solar LTUs & Ponds  
Project Number: 196-004-05  
Project Manager: Arlin Brewster

**Reported:**  
01/03/22 11:12

**Conventional Chemistry Parameters by APHA/EPA/ASTM Methods - Quality Control**

**SunStar Laboratories, Inc.**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Batch 1120610 - General Preparation**

<b>Duplicate (1120610-DUP1)</b>		<b>Source: T213691-01</b>		Prepared: 12/06/21 Analyzed: 12/07/21			
pH	8.44	0.10	pH Units	8.43	0.119	20	O-04

**Batch 1120719 - General Preparation**

<b>Duplicate (1120719-DUP1)</b>		<b>Source: T213691-01</b>		Prepared & Analyzed: 12/07/21		
Specific Conductance (EC)	2660	10.0	umhos/cm	2650	0.377	15

**Batch 1120835 - General Preparation**

<b>Blank (1120835-BLK1)</b>				Prepared: 12/08/21 Analyzed: 12/13/21		
Oil & Grease	ND	5.00	mg/l			
<b>LCS (1120835-BS1)</b>				Prepared: 12/08/21 Analyzed: 12/13/21		
Oil & Grease	30.6	5.00	mg/l	35.4	86.4	78-114
<b>LCS Dup (1120835-BSD1)</b>				Prepared: 12/08/21 Analyzed: 12/13/21		
Oil & Grease	29.7	5.00	mg/l	35.4	83.9	78-114 2.99 20

**Batch 1120838 - General Preparation**

<b>Blank (1120838-BLK1)</b>				Prepared: 12/08/21 Analyzed: 12/10/21		
Total Dissolved Solids	ND	10	mg/l			
<b>LCS (1120838-BS1)</b>				Prepared: 12/08/21 Analyzed: 12/10/21		
Total Dissolved Solids	440	10	mg/l	500	88.0	80-120

SunStar Laboratories, Inc.



*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

Jeff Lee, Project Manager



25712 Commercentre Drive  
 Lake Forest, California 92630  
 949.297.5020 Phone  
 949.297.5027 Fax

Northstar Environmental Remediation  
 26225 Enterprise Court  
 Lake Forest CA, 92630

Project: Genesis Solar LTUs & Ponds  
 Project Number: 196-004-05  
 Project Manager: Arlin Brewster

Reported:  
 01/03/22 11:12

**Conventional Chemistry Parameters by APHA/EPA/ASTM Methods - Quality Control**

**SunStar Laboratories, Inc.**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Batch 1120838 - General Preparation**

**Duplicate (1120838-DUP1)**

**Source: T213691-01**

Prepared: 12/08/21 Analyzed: 12/10/21

Total Dissolved Solids	962	10	mg/l		934			2.95	20	
------------------------	-----	----	------	--	-----	--	--	------	----	--

SunStar Laboratories, Inc.

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

Jeff Lee, Project Manager



25712 Commercentre Drive  
 Lake Forest, California 92630  
 949.297.5020 Phone  
 949.297.5027 Fax

Northstar Environmental Remediation 26225 Enterprise Court Lake Forest CA, 92630	Project: Genesis Solar LTUs & Ponds Project Number: 196-004-05 Project Manager: Arlin Brewster	Reported: 01/03/22 11:12
--	--	-----------------------------

**Anions by EPA Method 300.0 - Quality Control**

**SunStar Laboratories, Inc.**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Batch 1120323 - General Preparation**

**Blank (1120323-BLK1)**

Prepared & Analyzed: 12/03/21

Fluoride	ND	0.500	mg/l							
Chloride	ND	5.00	"							
Sulfate as SO4	ND	5.00	"							
Nitrate as NO3	ND	0.500	"							
Nitrate as N	ND	0.200	"							

**LCS (1120323-BS1)**

Prepared & Analyzed: 12/03/21

Fluoride	26.9	0.500	mg/l	25.0		108	75-125			
Chloride	25.3	5.00	"	25.0		101	75-125			
Sulfate as SO4	25.9	5.00	"	25.0		104	75-125			
Nitrate as NO3	25.0	0.500	"	25.0		100	75-125			

**Matrix Spike (1120323-MS1)**

Source: T213691-01

Prepared & Analyzed: 12/03/21

Fluoride	31.4	0.500	mg/l	25.0	ND	125	75-125		20	QM-01
Chloride	476	25.0	"	25.0	490	NR	75-125		20	QM-01
Sulfate as SO4	416	25.0	"	25.0	419	NR	75-125		20	QM-01
Nitrate as NO3	24.2	0.500	"	25.0	1.02	92.9	75-125		20	

**Matrix Spike Dup (1120323-MSD1)**

Source: T213691-01

Prepared & Analyzed: 12/03/21

Fluoride	31.4	0.500	mg/l	25.0	ND	125	75-125	0.00	20	QM-01
Chloride	490	25.0	"	25.0	490	0.280	75-125	2.85	20	QM-01
Sulfate as SO4	428	25.0	"	25.0	419	33.2	75-125	2.83	20	QM-01
Nitrate as NO3	24.8	0.500	"	25.0	1.02	95.3	75-125	2.43	20	

SunStar Laboratories, Inc.

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

Jeff Lee, Project Manager

Northstar Environmental Remediation  
26225 Enterprise Court  
Lake Forest CA, 92630

Project: Genesis Solar LTUs & Ponds  
Project Number: 196-004-05  
Project Manager: Arlin Brewster

Reported:  
01/03/22 11:12

### Notes and Definitions

- RR-01 Sample was originally analyzed within EPA recommended holding time. However, subsequent re-analysis due to dilution and/or poor purge, occurred outside EPA recommended holding time.
- R-07 Reporting limit for this compound(s) has been raised to account for dilution necessary due to high levels of interfering compound(s) and/or matrix affect.
- QM-05 The spike recovery was outside acceptance limits for the MS and/or MSD due to possible matrix interference. The LCS was within acceptance criteria. The data is acceptable as no negative impact on data is expected.
- QM-01 The % recovery is outside of established control limits due to matrix interference and/or sample dilution due to matrix effect. The batch was accepted based on acceptable LCS recovery.
- O-04 This sample was received and analyzed outside the EPA recommended holding time.
- FILT The sample was filtered prior to analysis.
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference

SunStar Laboratories, Inc.



*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

Jeff Lee, Project Manager



## SAMPLE RECEIVING REVIEW SHEET

Batch/Work Order #: T213692

Client Name: Northstar Environmental

Project: Genesis Solar Groundwater LTUs & Ponds JB 12/3/21

Delivered by:  Client  SunStar Courier  GLS  FedEx  UPS

If Courier, Received by: \_\_\_\_\_ Date/Time Courier Received: \_\_\_\_\_

Lab Received by: Jeff Date/Time Lab Received: 12/3/21 14:15

Total number of coolers received: 1 Thermometer ID: SC-1 Calibration due :8/24/22

Temperature: Cooler #1	0.8 °C +/- the CF (+0.1 °C) =	0.9 °C	°C corrected temperature
Temperature: Cooler #2	°C +/- the CF ( °C) =		°C corrected temperature
Temperature: Cooler #3	°C +/- the CF ( °C) =		°C corrected temperature
<b>Temperature criteria = ≤ 6°C (no frozen containers)</b>		Within criteria?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
<b>IF NO:</b>			
Samples received on ice?	<input type="checkbox"/> Yes		<input type="checkbox"/> No → Complete Non-Conformance Sheet
If on ice, samples received same day collected?	<input type="checkbox"/> Yes → Acceptable		<input type="checkbox"/> No → Complete Non-Conformance Sheet

Custody seals intact on cooler/sample  Yes  No\*  N/A

Sample containers intact  Yes  No\*

Sample labels match Chain of Custody IDs  Yes  No\*

Total number of containers received match COC  Yes  No\*

Proper containers received for analyses requested on COC  Yes  No\*

Proper preservative indicated on COC/containers for analyses requested  Yes  No\*  N/A

Complete shipment received in good condition with correct temperatures, containers, labels, volumes preservatives and within method specified holding times  Yes  No\*

\* Complete Non-Conformance Receiving Sheet if checked Cooler/Sample Review - Initials and date: JB 12/3/21

**Comments:**  
\_\_\_\_\_  
\_\_\_\_\_



## ANALYTICAL REPORT

Eurofins Calscience Irvine  
2841 Dow Avenue  
Tustin, CA 92780  
Tel: (949)261-1022

Laboratory Job ID: 440-292418-1  
Client Project/Site: T213692

For:  
SunStar Laboratories Inc  
25712 Commercentre Drive  
Lake Forest, California 92630

Attn: Jeff Lee



Authorized for release by:  
12/20/2021 10:04:12 AM

Danielle Roberts, Senior Project Manager  
(949)261-1022  
[Danielle.Roberts@Eurofinset.com](mailto:Danielle.Roberts@Eurofinset.com)

### LINKS

Review your project  
results through  
**TotalAccess**

Have a Question?



Visit us at:

[www.eurofinsus.com/Env](http://www.eurofinsus.com/Env)

*The test results in this report meet all 2003 NELAC, 2009 TNI, and 2016 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.*

*This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.*

*Results relate only to the items tested and the sample(s) as received by the laboratory.*

# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	2
Sample Summary . . . . .	3
Case Narrative . . . . .	4
Detection Summary . . . . .	5
Client Sample Results . . . . .	6
Surrogate Summary . . . . .	7
Method Summary . . . . .	8
Lab Chronicle . . . . .	9
QC Sample Results . . . . .	10
QC Association Summary . . . . .	11
Definitions/Glossary . . . . .	12
Certification Summary . . . . .	13
Chain of Custody . . . . .	14
Receipt Checklists . . . . .	16



# Sample Summary

Client: SunStar Laboratories Inc  
Project/Site: T213692

Job ID: 440-292418-1

---

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
440-292418-1	T213692-01	Water	12/02/21 14:10	12/06/21 15:17
440-292418-2	T213692-02	Water	12/02/21 14:30	12/06/21 15:17

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

# Case Narrative

Client: SunStar Laboratories Inc  
Project/Site: T213692

Job ID: 440-292418-1

---

**Job ID: 440-292418-1**

---

**Laboratory: Eurofins Calscience Irvine**

---

**Narrative**

**Job Narrative  
440-292418-1**

**Comments**

No additional comments.

**Receipt**

The samples were received on 12/6/2021 3:17 PM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 8.6° C.

**Receipt Exceptions**

The following samples were received at the laboratory outside the required temperature criteria: T213692-01 (440-292418-1) and T213692-02 (440-292418-2). The sample was received with blue ice at 8.60/8.60 Deg C.

**GC Semi VOA**

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

**Organic Prep**

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

# Detection Summary

Client: SunStar Laboratories Inc  
Project/Site: T213692

Job ID: 440-292418-1

---

**Client Sample ID: T213692-01**

**Lab Sample ID: 440-292418-1**

No Detections.

---

**Client Sample ID: T213692-02**

**Lab Sample ID: 440-292418-2**

No Detections.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15

This Detection Summary does not include radiochemical test results.

Eurofins Calscience Irvine

# Client Sample Results

Client: SunStar Laboratories Inc  
Project/Site: T213692

Job ID: 440-292418-1

**Client Sample ID: T213692-01**

**Lab Sample ID: 440-292418-1**

Date Collected: 12/02/21 14:10

Matrix: Water

Date Received: 12/06/21 15:17

**Method: 8015B - 8100M (Modified) Total Extractable Petroleum Hydrocarbons**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene, 1,1'-oxybis-	ND		92	29	ug/L		12/09/21 16:53	12/16/21 11:54	1
1,1'-Biphenyl	ND		92	25	ug/L		12/09/21 16:53	12/16/21 11:54	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
<i>n</i> -Octacosane (Surr)	65		53 - 151	12/09/21 16:53	12/16/21 11:54	1

**Client Sample ID: T213692-02**

**Lab Sample ID: 440-292418-2**

Date Collected: 12/02/21 14:30

Matrix: Water

Date Received: 12/06/21 15:17

**Method: 8015B - 8100M (Modified) Total Extractable Petroleum Hydrocarbons**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene, 1,1'-oxybis-	ND		90	28	ug/L		12/09/21 16:53	12/16/21 12:22	1
1,1'-Biphenyl	ND		90	25	ug/L		12/09/21 16:53	12/16/21 12:22	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
<i>n</i> -Octacosane (Surr)	78		53 - 151	12/09/21 16:53	12/16/21 12:22	1

# Surrogate Summary

Client: SunStar Laboratories Inc  
Project/Site: T213692

Job ID: 440-292418-1

**Method: 8015B - 8100M (Modified) Total Extractable Petroleum Hydrocarbons**

**Matrix: Water**

**Prep Type: Total/NA**

## Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	OTCSN1 (53-151)
440-292418-1	T213692-01	65
440-292418-2	T213692-02	78
LCS 570-199934/2-A	Lab Control Sample	75
LCSD 570-199934/3-A	Lab Control Sample Dup	77
MB 570-199934/1-A	Method Blank	71

### Surrogate Legend

OTCSN = n-Octacosane (Surr)

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

# Method Summary

Client: SunStar Laboratories Inc  
Project/Site: T213692

Job ID: 440-292418-1

Method	Method Description	Protocol	Laboratory
8015B	8100M (Modified) Total Extractable Petroleum Hydrocarbons	4Wb 6	ECL 1
3510C	Liquid-Liquid Extraction (Separatory Funnel)	SW846	ECL 1

**Protocol References:**

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

**Laboratory References:**

ECL 1 = Eurofins Calscience LLC Lincoln, 7440 Lincoln Way, Garden Grove, CA 92841, TEL (714)895-5494

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15



# Lab Chronicle

Client: SunStar Laboratories Inc  
Project/Site: T213692

Job ID: 440-292418-1

## Client Sample ID: T213692-01

Lab Sample ID: 440-292418-1

Date Collected: 12/02/21 14:10

Matrix: Water

Date Received: 12/06/21 15:17

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			271.6 mL	2.5 mL	199934	12/09/21 16:53	UFLU	ECL 1
Total/NA	Analysis	8015B		1			201522	12/16/21 11:54	N5Y3	ECL 1

## Client Sample ID: T213692-02

Lab Sample ID: 440-292418-2

Date Collected: 12/02/21 14:30

Matrix: Water

Date Received: 12/06/21 15:17

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			277.2 mL	2.5 mL	199934	12/09/21 16:53	UFLU	ECL 1
Total/NA	Analysis	8015B		1			201522	12/16/21 12:22	N5Y3	ECL 1

### Laboratory References:

ECL 1 = Eurofins Calscience LLC Lincoln, 7440 Lincoln Way, Garden Grove, CA 92841, TEL (714)895-5494

# QC Sample Results

Client: SunStar Laboratories Inc  
Project/Site: T213692

Job ID: 440-292418-1

## Method: 8015B - 8100M (Modified) Total Extractable Petroleum Hydrocarbons

**Lab Sample ID: MB 570-199934/1-A**  
**Matrix: Water**  
**Analysis Batch: 201522**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 199934**

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Benzene, 1,1'-oxybis-	ND		100	32	ug/L		12/09/21 16:53	12/16/21 10:34	1
1,1'-Biphenyl	ND		100	27	ug/L		12/09/21 16:53	12/16/21 10:34	1
<b>MB MB</b>									
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>n</i> -Octacosane (Surr)	71		53 - 151				12/09/21 16:53	12/16/21 10:34	1

**Lab Sample ID: LCS 570-199934/2-A**  
**Matrix: Water**  
**Analysis Batch: 201522**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 199934**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1'-Biphenyl	1000	787		ug/L		79	45 - 120
<b>LCS LCS</b>							
Surrogate	%Recovery	Qualifier	Limits				
<i>n</i> -Octacosane (Surr)	75		53 - 151				

**Lab Sample ID: LCSD 570-199934/3-A**  
**Matrix: Water**  
**Analysis Batch: 201522**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**  
**Prep Batch: 199934**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	
								RPD	Limit
Benzene, 1,1'-oxybis-	1000	765		ug/L		77	57 - 120	2	20
1,1'-Biphenyl	1000	803		ug/L		80	45 - 120	2	20
<b>LCSD LCSD</b>									
Surrogate	%Recovery	Qualifier	Limits						
<i>n</i> -Octacosane (Surr)	77		53 - 151						

# QC Association Summary

Client: SunStar Laboratories Inc  
Project/Site: T213692

Job ID: 440-292418-1

## GC Semi VOA

### Prep Batch: 199934

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
440-292418-1	T213692-01	Total/NA	Water	3510C	
440-292418-2	T213692-02	Total/NA	Water	3510C	
MB 570-199934/1-A	Method Blank	Total/NA	Water	3510C	
LCS 570-199934/2-A	Lab Control Sample	Total/NA	Water	3510C	
LCSD 570-199934/3-A	Lab Control Sample Dup	Total/NA	Water	3510C	

### Analysis Batch: 201522

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
440-292418-1	T213692-01	Total/NA	Water	8015B	199934
440-292418-2	T213692-02	Total/NA	Water	8015B	199934
MB 570-199934/1-A	Method Blank	Total/NA	Water	8015B	199934
LCS 570-199934/2-A	Lab Control Sample	Total/NA	Water	8015B	199934
LCSD 570-199934/3-A	Lab Control Sample Dup	Total/NA	Water	8015B	199934

# Definitions/Glossary

Client: SunStar Laboratories Inc  
Project/Site: T213692

Job ID: 440-292418-1

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

# Accreditation/Certification Summary

Client: SunStar Laboratories Inc  
Project/Site: T213692

Job ID: 440-292418-1

## Laboratory: Eurofins Calscience LLC

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	Los Angeles County Sanitation Districts	10109	09-30-22
California	SCAQMD LAP	17LA0919	11-30-21 *
California	State	2944	09-30-22
Guam	State	21-003R	06-22-22
Nevada	State	CA00111	07-31-22
Oregon	NELAP	CA300001	01-30-22
USDA	US Federal Programs	P330-20-00034	02-10-23
Washington	State	C916-18	10-12-22

\* Accreditation/Certification renewal pending - accreditation/certification considered valid.

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

SUBCONTRACT ORDER

SunStar Laboratories, Inc.

T213692

292418

SENDING LABORATORY.

SunStar Laboratories, Inc.  
25712 Commercentre Drive  
Lake Forest, CA 92630  
Phone (949) 297-5020  
Fax. (949) 297-5027  
Project Manager Jeff Lee

RECEIVING LABORATORY.

Eurofins TestAmerica (Irvine) Laboratories  
17461 Derian Ave, #100  
Irvine, CA 92614  
Phone (949) 261-1022  
Fax N/A

Analysis	Due	Expires	Laboratory ID	Comments
<b>Sample ID: T213692-01</b>	<b>Water</b>	<b>Sampled. 12/02/21 14:10</b>	[REDACTED]	
Misc Water Testing #1 <i>Containers Supplied.</i>	12/17/21 00:00	05/31/22 14:10		8015M Thermnol
<b>Sample ID: T213692-02</b>	<b>Water</b>	<b>Sampled. 12/02/21 14:30</b>	[REDACTED]	
Misc Water Testing #1 <i>Containers Supplied.</i>	12/17/21 00:00	05/31/22 14:30		8015M- Thermnol



440-292418 Chain of Custody

00  
12/06/21


12/6/21 1517

EUROV
12/6/21
1517

Released By \_\_\_\_\_ Date \_\_\_\_\_ Received By \_\_\_\_\_ Date \_\_\_\_\_

on blue ice

86/86  
12 89

# Chain of Custody Record



<b>Client Information (Sub Contract Lab)</b>		Sampler:	Lab PM:	Carrier Tracking No(s):	COC No:				
Client Contact: Shipping/Receiving		Phone:	Roberts, Danielle C	State of Origin California	440-176368 1				
Company: Eurofins Calscience LLC		E-Mail: Danielle.Roberts@Eurofinset.com		Page: Page 1 of 1	Job #: 440-292418-1				
Address: 7440 Lincoln Way,		Accreditations Required (See note): State Program - California		Preservation Codes					
City: Garden Grove	State Zip CA, 92841	Due Date Requested: 12/17/2021	Analysis Requested						
Phone: 714-895-5494(Tel) 714-894-7501(Fax)	PO #:	TAI Requested (days):	A - HCL M - Hexane N - None B - NaOH O - AsNaO2 C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Amchlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA Other:						
E-mail:	WO #:		8015B_DRO/3510C ThermoInol						
Project Name: T213692	Project #: 44014499		Perform MS/MSD (Yes or No)						
Site	SSOW#:		Field Filtered Sample (Yes or No)						
<b>Sample Identification - Client ID (Lab ID)</b>		<b>Sample Date</b>		<b>Sample Time</b>	<b>Sample Type (C=comp, G=grab)</b>	<b>Matrix (W=water, S=solid, O=waterfall, BT=Blank, AA=NA)</b>	<b>Preservation Code</b>	<b>Total Number of Containers</b>	<b>Special Instructions/Note:</b>
T213692-01 (440-292418-1)		12/2/21	14:10 Pacific	Water				1	
T213692-02 (440-292418-2)		12/2/21	14:30 Pacific	Water				1	

Note: Since laboratory accreditations are subject to change, Eurofins Calscience places the ownership of method, analyte & accreditation compliance upon out subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/test/matrix being analyzed the samples must be shipped back to the Eurofins Calscience laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Calscience attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Calscience.

**Possible Hazard Identification**  
 Return To Client  Disposal By Lab  Archive For \_\_\_\_\_ Months  
 Special Instructions/QC Requirements.

Unconfirmed Deliverable Requested 1, II, III, IV, Other (specify)	Primary Deliverable Rank. 2	Method of Shipment:
Relinquished by: <i>[Signature]</i>	Date: 12/6/21	Received by: <i>[Signature]</i>
Relinquished by: <i>[Signature]</i>	Date: 12/6/21	Received by: <i>[Signature]</i>
Relinquished by: <i>[Signature]</i>	Date: 12/6/21	Received by: <i>[Signature]</i>
Custody Seals Intact: <i>[Signature]</i>	Custody Seal No	Cooler Temperature(s) °C and Other Remarks: 2.7/7.7/5.5



## Login Sample Receipt Checklist

Client: SunStar Laboratories Inc

Job Number: 440-292418-1

**Login Number: 292418**

**List Number: 1**

**Creator: Escalante, Maria I**

**List Source: Eurofins Calscience Irvine**

Question	Answer	Comment
Radioactivity wasn't checked or is <math>\leq</math> background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	N/A	Not present
Sample custody seals, if present, are intact.	N/A	Not Present
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	False	Cooler temperature outside required temperature criteria.
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	Received project as a subcontract.
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



# Login Sample Receipt Checklist

Client: SunStar Laboratories Inc

Job Number: 440-292418-1

**Login Number: 292418**

**List Number: 2**

**Creator: Ortiz-Luis, Michael**

**List Source: Eurofins Calscience LLC**

**List Creation: 12/07/21 12:48 PM**

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	3.2
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	False	Received project as a subcontract.
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

**WORK ORDER**

**T213692**

**Client: Northstar Environmental Remediation**  
**Project: Genesis Solar LTUs & Ponds**

**Project Manager: Jeff Lee**  
**Project Number: 196-004-05**

**Report To:**

Northstar Environmental Remediation  
 Arlin Brewster  
 26225 Enterprise Court  
 Lake Forest, CA 92630

Date Due: 12/17/21 00:00 (10 day TAT)

Received By: Jeff Lee

Date Received: 12/03/21 14:15

Logged In By: Jeff Lee

Date Logged In: 12/03/21 14:34

Samples Received at: **0.9°C**

Custody Seals No Received On Ice Yes  
 Containers Intact Yes  
 COC/Labels Agree Yes  
 Preservation Confir Yes

Analysis	Due	TAT	Expires	Comments
<b>T213692-01 North Pond [Water] Sampled 12/02/21 14:10 (GMT-08:00) Pacific Time (US &amp;</b>				
1664	12/10/21 15:00	5	12/30/21 14:10	Oil & Grease
200.7	12/10/21 15:00	5	05/31/22 14:10	Ca,Cu,Na,K,Fe,Mg (F.F)
200.8	12/10/21 15:00	5	05/31/22 14:10	Sb,As,Ba,Cd,Cr,Co,Pb,Ni,Se,Zn (F.F)
300.0 - F, Cl, Br, SO4	12/10/21 15:00	5	12/30/21 14:10	Chloride,Sulfate only
300.0 - NO2, NO3, PO4	12/10/21 15:00	5	12/04/21 14:10	Nitrate
7470/71 Hg	12/10/21 15:00	5	03/02/22 14:10	
Conductivity	12/10/21 15:00	5	12/30/21 14:10	
pH water SM 4500-H+B	12/08/21 15:00	3	12/03/21 14:10	
TDS-160.1	12/10/21 15:00	5	12/09/21 14:10	

<b>T213692-02 South Pond [Water] Sampled 12/02/21 14:30 (GMT-08:00) Pacific Time (US &amp;</b>				
1664	12/10/21 15:00	5	12/30/21 14:30	Oil & Grease
200.7	12/10/21 15:00	5	05/31/22 14:30	Ca,Cu,Na,K,Fe,Mg (F.F)
200.8	12/10/21 15:00	5	05/31/22 14:30	Sb,As,Ba,Cd,Cr,Co,Pb,Ni,Se,Zn (F.F)
300.0 - F, Cl, Br, SO4	12/10/21 15:00	5	12/30/21 14:30	Chloride,Sulfate only
300.0 - NO2, NO3, PO4	12/10/21 15:00	5	12/04/21 14:30	Nitrate
7470/71 Hg	12/10/21 15:00	5	03/02/22 14:30	
Conductivity	12/10/21 15:00	5	12/30/21 14:30	
pH water SM 4500-H+B	12/08/21 15:00	3	12/03/21 14:30	
TDS-160.1	12/10/21 15:00	5	12/09/21 14:30	

**WORK ORDER**

**T213692**

<b>Client:</b> Northstar Environmental Remediation	<b>Project Manager:</b> Jeff Lee
<b>Project:</b> Genesis Solar LTUs & Ponds	<b>Project Number:</b> 196-004-05

Analysis	Due	TAT	Expires	Comments
<b>T213692-03 Field Blank [Water] Sampled 12/02/21 00:00 (GMT-08:00) Pacific</b>				
<b>Time (US &amp; [NO ANALYSES])</b>				
<b>T213692-04 Trip Blank [Water] Sampled 12/02/21 00:00 (GMT-08:00) Pacific</b>				
<b>Time (US &amp; [NO ANALYSES])</b>				

**Eurofins TestAmerica (Irvine) Laboratories**

<b>T213692-01 North Pond [Water] Sampled 12/02/21 14:10 (GMT-08:00) Pacific</b>				
<b>Time (US &amp;</b>				
Misc Water Testing #1	12/17/21 00:00	10	05/31/22 14:10	8015M- Therminol
<b>T213692-02 South Pond [Water] Sampled 12/02/21 14:30 (GMT-08:00) Pacific</b>				
<b>Time (US &amp;</b>				
Misc Water Testing #1	12/17/21 00:00	10	05/31/22 14:30	8015M- Therminol

# **APPENDIX C**

**LABORATORY ANALYTICAL RESULTS**

**DETECTION MONITORING WELLS**



25712 Commercentre Drive  
Lake Forest, California 92630  
949.297.5020 Phone  
949.297.5027 Fax

22 December 2021

Arlin Brewster  
Northstar Environmental Remediation  
26225 Enterprise Court  
Lake Forest, CA 92630  
RE: Genesis Solar Groundwater

Enclosed are the results of analyses for samples received by the laboratory on 12/03/21 14:15. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Jeff Lee  
Project Manager

Northstar Environmental Remediation  
26225 Enterprise Court  
Lake Forest CA, 92630

Project: Genesis Solar Groundwater  
Project Number: 196-004-06  
Project Manager: Arlin Brewster

**Reported:**  
12/22/21 12:42

**ANALYTICAL REPORT FOR SAMPLES**

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
23A	T213691-01	Water	12/03/21 06:45	12/03/21 14:15
OBS-1	T213691-02	Water	12/03/21 09:35	12/03/21 14:15
TW-1	T213691-03	Water	12/03/21 09:00	12/03/21 14:15
TW-2	T213691-04	Water	12/02/21 12:35	12/03/21 14:15
PW-0	T213691-05	Water	12/02/21 13:46	12/03/21 14:15
PW-2	T213691-06	Water	12/02/21 13:15	12/03/21 14:15
DM-1	T213691-07	Water	12/02/21 15:15	12/03/21 14:15
DM-2	T213691-08	Water	12/02/21 16:25	12/03/21 14:15
DM-3	T213691-09	Water	12/02/21 17:50	12/03/21 14:15
DUP	T213691-10	Water	12/02/21 00:00	12/03/21 14:15

Metals analysis for EPA 200.8 and 200.7 were filtered in the field prior to laboratory analysis. The results are reported as dissolved metals. JL 12/20/21

Nitrate samples were originally analyzed within 48hr hold time. However, due to sample matrix, additional dilutions were required. The extra dilutions were conducted outside of method recommended hold time. JL 12/20/21

RE1: Report revised to correct dilution factor error occurred on the original EPA 200.7 analysis. The metal samples were diluted at 100x prior to analysis but the original report did not reflect the correct dilution calculation. JL 12/22/21

SunStar Laboratories, Inc.



*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

Jeff Lee, Project Manager

Northstar Environmental Remediation  
26225 Enterprise Court  
Lake Forest CA, 92630

Project: Genesis Solar Groundwater  
Project Number: 196-004-06  
Project Manager: Arlin Brewster

Reported:  
12/22/21 12:42

**DETECTIONS SUMMARY**

Sample ID: 23A

Laboratory ID: T213691-01

Analyte	Reporting		Units	Method	Notes
	Result	Limit			
Arsenic	2.1	0.50	ug/l	200.8	FILT
Barium	19	0.50	ug/l	200.8	FILT
Nickel	1.1	0.50	ug/l	200.8	FILT
Selenium	0.91	0.50	ug/l	200.8	FILT
Zinc	86	0.50	ug/l	200.8	FILT
Calcium	18	10	mg/l	EPA 200.7	FILT, R-07
Sodium	690	50	mg/l	EPA 200.7	FILT, R-07
Total Dissolved Solids	930	10	mg/l	TDS by SM2540C	
pH	8.4	0.10	pH Units	SM 4500-H+B	O-04
Specific Conductance (EC)	2650	10.0	umhos/cm	SM2510b mod.	
Chloride	490	25.0	mg/l	EPA 300.0	
Sulfate as SO4	419	25.0	mg/l	EPA 300.0	
Nitrate as NO3	1.02	0.500	mg/l	EPA 300.0	
Nitrate as N	0.230	0.200	mg/l	EPA 300.0	

Sample ID: OBS-1

Laboratory ID: T213691-02

Analyte	Reporting		Units	Method	Notes
	Result	Limit			
Arsenic	10	10	ug/l	200.8	FILT
Barium	15	10	ug/l	200.8	FILT
Selenium	66	10	ug/l	200.8	FILT
Zinc	18	10	ug/l	200.8	FILT
Calcium	300	10	mg/l	EPA 200.7	FILT, R-07
Magnesium	86	10	mg/l	EPA 200.7	FILT, R-07
Sodium	6600	50	mg/l	EPA 200.7	FILT, R-07
Total Dissolved Solids	11000	10	mg/l	TDS by SM2540C	
pH	7.9	0.10	pH Units	SM 4500-H+B	O-04
Specific Conductance (EC)	2450	10.0	umhos/cm	SM2510b mod.	
Chloride	6160	500	mg/l	EPA 300.0	
Sulfate as SO4	5520	500	mg/l	EPA 300.0	
Nitrate as NO3	5.55	0.500	mg/l	EPA 300.0	
Nitrate as N	1.25	0.200	mg/l	EPA 300.0	

SunStar Laboratories, Inc.



Jeff Lee, Project Manager

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

Northstar Environmental Remediation  
 26225 Enterprise Court  
 Lake Forest CA, 92630

Project: Genesis Solar Groundwater  
 Project Number: 196-004-06  
 Project Manager: Arlin Brewster

**Reported:**  
 12/22/21 12:42

**Sample ID:** TW-1

**Laboratory ID:** T213691-03

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
Barium	13	10		ug/l	200.8	FILT
Selenium	14	10		ug/l	200.8	FILT
Zinc	20	10		ug/l	200.8	FILT
Calcium	100	10		mg/l	EPA 200.7	FILT, R-07
Magnesium	18	10		mg/l	EPA 200.7	FILT, R-07
Sodium	3900	50		mg/l	EPA 200.7	FILT, R-07
Total Dissolved Solids	9100	10		mg/l	TDS by SM2540C	
pH	9.4	0.10		pH Units	SM 4500-H+B	O-04
Specific Conductance (EC)	15300	10.0		umhos/cm	SM2510b mod.	
Chloride	4470	500		mg/l	EPA 300.0	
Sulfate as SO4	1520	500		mg/l	EPA 300.0	
Nitrate as NO3	0.974	0.500		mg/l	EPA 300.0	
Nitrate as N	0.220	0.200		mg/l	EPA 300.0	

**Sample ID:** TW-2

**Laboratory ID:** T213691-04

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
Barium	52	10		ug/l	200.8	FILT
Calcium	83	10		mg/l	EPA 200.7	FILT, R-07
Sodium	1200	50		mg/l	EPA 200.7	FILT, R-07
Total Dissolved Solids	3500	10		mg/l	TDS by SM2540C	
pH	9.0	0.10		pH Units	SM 4500-H+B	O-04
Specific Conductance (EC)	5750	10.0		umhos/cm	SM2510b mod.	
Chloride	1540	500		mg/l	EPA 300.0	
Nitrate as NO3	0.944	0.500		mg/l	EPA 300.0	
Nitrate as N	0.210	0.200		mg/l	EPA 300.0	

**Sample ID:** PW-0

**Laboratory ID:** T213691-05

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
Arsenic	49	10		ug/l	200.8	FILT
Barium	62	10		ug/l	200.8	FILT
Zinc	29	10		ug/l	200.8	FILT
Calcium	110	10		mg/l	EPA 200.7	FILT, R-07
Sodium	1300	50		mg/l	EPA 200.7	FILT, R-07

SunStar Laboratories, Inc.



*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

Jeff Lee, Project Manager



Northstar Environmental Remediation  
26225 Enterprise Court  
Lake Forest CA, 92630

Project: Genesis Solar Groundwater  
Project Number: 196-004-06  
Project Manager: Arlin Brewster

Reported:  
12/22/21 12:42

Sample ID: PW-0

Laboratory ID: T213691-05

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
Total Dissolved Solids	2500	10		mg/l	TDS by SM2540C	
pH	8.2	0.10		pH Units	SM 4500-H+B	O-04
Specific Conductance (EC)	6400	10.0		umhos/cm	SM2510b mod.	
Fluoride	6.29	0.500		mg/l	EPA 300.0	
Chloride	1720	500		mg/l	EPA 300.0	

Sample ID: PW-2

Laboratory ID: T213691-06

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
Arsenic	36	0.50		ug/l	200.8	FILT
Barium	47	0.50		ug/l	200.8	FILT
Nickel	0.70	0.50		ug/l	200.8	FILT
Selenium	0.75	0.50		ug/l	200.8	FILT
Zinc	2.1	0.50		ug/l	200.8	FILT
Calcium	52	10		mg/l	EPA 200.7	FILT, R-07
Sodium	800	50		mg/l	EPA 200.7	FILT, R-07
Total Dissolved Solids	1300	10		mg/l	TDS by SM2540C	
pH	8.2	0.10		pH Units	SM 4500-H+B	O-04
Specific Conductance (EC)	3630	10.0		umhos/cm	SM2510b mod.	
Fluoride	6.70	0.500		mg/l	EPA 300.0	
Chloride	886	50.0		mg/l	EPA 300.0	
Sulfate as SO4	444	50.0		mg/l	EPA 300.0	

Sample ID: DM-1

Laboratory ID: T213691-07

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
Barium	29	10		ug/l	200.8	FILT
Selenium	16	10		ug/l	200.8	FILT
Calcium	230	10		mg/l	EPA 200.7	FILT, R-07
Magnesium	58	10		mg/l	EPA 200.7	FILT, R-07
Sodium	4200	50		mg/l	EPA 200.7	FILT, R-07
Total Dissolved Solids	14000	10		mg/l	TDS by SM2540C	
pH	7.8	0.10		pH Units	SM 4500-H+B	O-04
Specific Conductance (EC)	17800	10.0		umhos/cm	SM2510b mod.	
Chloride	5360	500		mg/l	EPA 300.0	

SunStar Laboratories, Inc.



Jeff Lee, Project Manager

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

Northstar Environmental Remediation  
26225 Enterprise Court  
Lake Forest CA, 92630

Project: Genesis Solar Groundwater  
Project Number: 196-004-06  
Project Manager: Arlin Brewster

**Reported:**  
12/22/21 12:42

**Sample ID:** DM-1

**Laboratory ID:** T213691-07

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
Sulfate as SO4	1930	500		mg/l	EPA 300.0	
Nitrate as NO3	8.59	0.500		mg/l	EPA 300.0	
Nitrate as N	1.94	0.200		mg/l	EPA 300.0	

**Sample ID:** DM-2

**Laboratory ID:** T213691-08

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
Barium	44	10		ug/l	200.8	FILT
Selenium	16	10		ug/l	200.8	FILT
Calcium	270	10		mg/l	EPA 200.7	FILT, R-07
Magnesium	63	10		mg/l	EPA 200.7	FILT, R-07
Sodium	4500	50		mg/l	EPA 200.7	FILT, R-07
Total Dissolved Solids	13000	10		mg/l	TDS by SM2540C	
pH	7.8	0.10		pH Units	SM 4500-H+B	O-04
Specific Conductance (EC)	18200	10.0		umhos/cm	SM2510b mod.	
Chloride	5470	500		mg/l	EPA 300.0	
Sulfate as SO4	2100	500		mg/l	EPA 300.0	
Nitrate as NO3	10.0	0.500		mg/l	EPA 300.0	
Nitrate as N	2.26	0.200		mg/l	EPA 300.0	

**Sample ID:** DM-3

**Laboratory ID:** T213691-09

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
Arsenic	26	10		ug/l	200.8	FILT
Barium	17	10		ug/l	200.8	FILT
Selenium	11	10		ug/l	200.8	FILT
Calcium	220	10		mg/l	EPA 200.7	FILT, R-07
Magnesium	53	10		mg/l	EPA 200.7	FILT, R-07
Sodium	4000	50		mg/l	EPA 200.7	FILT, R-07
Total Dissolved Solids	12000	10		mg/l	TDS by SM2540C	
pH	7.8	0.10		pH Units	SM 4500-H+B	O-04
Specific Conductance (EC)	17400	10.0		umhos/cm	SM2510b mod.	
Chloride	5230	500		mg/l	EPA 300.0	
Sulfate as SO4	2020	500		mg/l	EPA 300.0	
Nitrate as NO3	3.06	0.500		mg/l	EPA 300.0	

SunStar Laboratories, Inc.



Jeff Lee, Project Manager

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

Northstar Environmental Remediation  
26225 Enterprise Court  
Lake Forest CA, 92630

Project: Genesis Solar Groundwater  
Project Number: 196-004-06  
Project Manager: Arlin Brewster

**Reported:**  
12/22/21 12:42

**Sample ID:** DM-3

**Laboratory ID:** T213691-09

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
Nitrate as N	0.690	0.200		mg/l	EPA 300.0	

**Sample ID:** DUP

**Laboratory ID:** T213691-10

Analyte	Result	Reporting		Units	Method	Notes
		Limit				
Arsenic	38	0.50		ug/l	200.8	FILT
Barium	46	0.50		ug/l	200.8	FILT
Nickel	0.64	0.50		ug/l	200.8	FILT
Selenium	0.78	0.50		ug/l	200.8	FILT
Zinc	1.2	0.50		ug/l	200.8	FILT
Calcium	51	10		mg/l	EPA 200.7	FILT, R-07
Sodium	800	50		mg/l	EPA 200.7	FILT, R-07
Total Dissolved Solids	2100	10		mg/l	TDS by SM2540C	
pH	8.0	0.10		pH Units	SM 4500-H+B	O-04
Specific Conductance (EC)	3640	10.0		umhos/cm	SM2510b mod.	
Chloride	891	50.0		mg/l	EPA 300.0	
Sulfate as SO4	448	50.0		mg/l	EPA 300.0	

SunStar Laboratories, Inc.



*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

Jeff Lee, Project Manager

Northstar Environmental Remediation  
 26225 Enterprise Court  
 Lake Forest CA, 92630

Project: Genesis Solar Groundwater  
 Project Number: 196-004-06  
 Project Manager: Arlin Brewster

Reported:  
 12/22/21 12:42

**23A**

**T213691-01 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

**SunStar Laboratories, Inc.**

**Metals by EPA 200 Series Methods**

Copper	ND	0.50	mg/l	100	1120828	12/08/21	12/14/21	EPA 200.7	FILT, R-07
<b>Calcium</b>	<b>18</b>	10	"	"	"	"	12/14/21	"	FILT, R-07
Iron	ND	20	"	"	"	"	"	"	FILT, R-07
Magnesium	ND	10	"	"	"	"	"	"	FILT, R-07
Potassium	ND	50	"	"	"	"	"	"	FILT, R-07
<b>Sodium</b>	<b>690</b>	50	"	"	"	"	"	"	FILT, R-07
Antimony	ND	0.50	ug/l	1	1120617	12/06/21	12/09/21	200.8	FILT
<b>Arsenic</b>	<b>2.1</b>	0.50	"	"	"	"	"	"	FILT
<b>Barium</b>	<b>19</b>	0.50	"	"	"	"	"	"	FILT
Cadmium	ND	0.50	"	"	"	"	"	"	FILT
Chromium	ND	0.50	"	"	"	"	"	"	FILT
Cobalt	ND	0.50	"	"	"	"	"	"	FILT
Lead	ND	0.50	"	"	"	"	"	"	FILT
<b>Nickel</b>	<b>1.1</b>	0.50	"	"	"	"	"	"	FILT
<b>Selenium</b>	<b>0.91</b>	0.50	"	"	"	"	"	"	FILT
<b>Zinc</b>	<b>86</b>	0.50	"	"	"	"	"	"	FILT

**Cold Vapor Extraction EPA 7470/7471**

Mercury	ND	1.0	ug/l	1	1120840	12/08/21	12/10/21	EPA 7470A Water	
---------	----	-----	------	---	---------	----------	----------	--------------------	--

**Conventional Chemistry Parameters by APHA/EPA/ASTM Methods**

Oil & Grease	ND	5.68	mg/l	1	1120835	12/08/21	12/13/21	EPA 1664B	
<b>Specific Conductance (EC)</b>	<b>2650</b>	10.0	umhos/cm	"	1120719	12/07/21	12/07/21	SM2510b mod.	
<b>pH</b>	<b>8.4</b>	0.10	pH Units	"	1120610	12/06/21	12/07/21	SM 4500-H+B	O-04
<b>Total Dissolved Solids</b>	<b>930</b>	10	mg/l	"	1120838	12/06/21	12/10/21	TDS by SM2540C	

SunStar Laboratories, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager

Northstar Environmental Remediation  
26225 Enterprise Court  
Lake Forest CA, 92630

Project: Genesis Solar Groundwater  
Project Number: 196-004-06  
Project Manager: Arlin Brewster

**Reported:**  
12/22/21 12:42

**23A**

**T213691-01 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	--------------------	-------	----------	-------	----------	----------	--------	-------

**SunStar Laboratories, Inc.**

**Anions by EPA Method 300.0**

Chloride	490	25.0	mg/l	5	1120323	12/03/21	12/06/21	EPA 300.0	
Sulfate as SO4	419	25.0	"	"	"	"	"	"	
Nitrate as NO3	1.02	0.500	"	1	"	"	12/03/21	"	
Nitrate as N	0.230	0.200	"	"	"	"	"	"	

SunStar Laboratories, Inc.



*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

Jeff Lee, Project Manager

Northstar Environmental Remediation  
26225 Enterprise Court  
Lake Forest CA, 92630

Project: Genesis Solar Groundwater  
Project Number: 196-004-06  
Project Manager: Arlin Brewster

Reported:  
12/22/21 12:42

**OBS-1**  
**T213691-02 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

**SunStar Laboratories, Inc.**

**Metals by EPA 200 Series Methods**

Copper	ND	0.50	mg/l	100	1120828	12/08/21	12/14/21	EPA 200.7	FILT, R-07
<b>Calcium</b>	<b>300</b>	10	"	"	"	"	12/14/21	"	FILT, R-07
Iron	ND	20	"	"	"	"	12/14/21	"	FILT, R-07
<b>Magnesium</b>	<b>86</b>	10	"	"	"	"	"	"	FILT, R-07
Potassium	ND	50	"	"	"	"	12/14/21	"	FILT, R-07
<b>Sodium</b>	<b>6600</b>	50	"	"	"	"	"	"	FILT, R-07
Antimony	ND	10	ug/l	20	1120617	12/06/21	12/09/21	200.8	FILT
<b>Arsenic</b>	<b>10</b>	10	"	"	"	"	"	"	FILT
<b>Barium</b>	<b>15</b>	10	"	"	"	"	"	"	FILT
Cadmium	ND	10	"	"	"	"	"	"	FILT
Chromium	ND	10	"	"	"	"	"	"	FILT
Cobalt	ND	10	"	"	"	"	"	"	FILT
Lead	ND	10	"	"	"	"	"	"	FILT
Nickel	ND	10	"	"	"	"	"	"	FILT
<b>Selenium</b>	<b>66</b>	10	"	"	"	"	"	"	FILT
<b>Zinc</b>	<b>18</b>	10	"	"	"	"	"	"	FILT

**Cold Vapor Extraction EPA 7470/7471**

Mercury	ND	1.0	ug/l	1	1120840	12/08/21	12/10/21	EPA 7470A Water	
---------	----	-----	------	---	---------	----------	----------	--------------------	--

**Conventional Chemistry Parameters by APHA/EPA/ASTM Methods**

Oil & Grease	ND	5.00	mg/l	1	1120835	12/08/21	12/13/21	EPA 1664B	
<b>Specific Conductance (EC)</b>	<b>2450</b>	10.0	umhos/cm	"	1120719	12/07/21	12/07/21	SM2510b mod.	
<b>pH</b>	<b>7.9</b>	0.10	pH Units	"	1120610	12/06/21	12/07/21	SM 4500-H+B	O-04
<b>Total Dissolved Solids</b>	<b>11000</b>	10	mg/l	"	1120838	12/06/21	12/10/21	TDS by SM2540C	

SunStar Laboratories, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive  
 Lake Forest, California 92630  
 949.297.5020 Phone  
 949.297.5027 Fax

Northstar Environmental Remediation 26225 Enterprise Court Lake Forest CA, 92630	Project: Genesis Solar Groundwater Project Number: 196-004-06 Project Manager: Arlin Brewster	Reported: 12/22/21 12:42
--	---	-----------------------------

**OBS-1**  
**T213691-02 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

**SunStar Laboratories, Inc.**

**Anions by EPA Method 300.0**

Chloride	6160	500	mg/l	100	1120323	12/03/21	12/06/21	EPA 300.0	
Sulfate as SO4	5520	500	"	"	"	"	"	"	
Nitrate as NO3	5.55	0.500	"	1	"	"	12/03/21	"	
Nitrate as N	1.25	0.200	"	"	"	"	"	"	

SunStar Laboratories, Inc.

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

Jeff Lee, Project Manager

Northstar Environmental Remediation  
26225 Enterprise Court  
Lake Forest CA, 92630

Project: Genesis Solar Groundwater  
Project Number: 196-004-06  
Project Manager: Arlin Brewster

Reported:  
12/22/21 12:42

**TW-1**

**T213691-03 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

**SunStar Laboratories, Inc.**

**Metals by EPA 200 Series Methods**

Copper	ND	0.50	mg/l	100	1120828	12/08/21	12/14/21	EPA 200.7	FILT, R-07
<b>Calcium</b>	<b>100</b>	10	"	"	"	"	12/14/21	"	FILT, R-07
Iron	ND	20	"	"	"	"	"	"	FILT, R-07
<b>Magnesium</b>	<b>18</b>	10	"	"	"	"	"	"	FILT, R-07
Potassium	ND	50	"	"	"	"	"	"	FILT, R-07
<b>Sodium</b>	<b>3900</b>	50	"	"	"	"	"	"	FILT, R-07
Antimony	ND	10	ug/l	20	1120617	12/06/21	12/09/21	200.8	FILT
Arsenic	ND	10	"	"	"	"	"	"	FILT
<b>Barium</b>	<b>13</b>	10	"	"	"	"	"	"	FILT
Cadmium	ND	10	"	"	"	"	"	"	FILT
Chromium	ND	10	"	"	"	"	"	"	FILT
Cobalt	ND	10	"	"	"	"	"	"	FILT
Lead	ND	10	"	"	"	"	"	"	FILT
Nickel	ND	10	"	"	"	"	"	"	FILT
<b>Selenium</b>	<b>14</b>	10	"	"	"	"	"	"	FILT
<b>Zinc</b>	<b>20</b>	10	"	"	"	"	"	"	FILT

**Cold Vapor Extraction EPA 7470/7471**

Mercury	ND	1.0	ug/l	1	1120840	12/08/21	12/10/21	EPA 7470A Water	
---------	----	-----	------	---	---------	----------	----------	--------------------	--

**Conventional Chemistry Parameters by APHA/EPA/ASTM Methods**

Oil & Grease	ND	5.00	mg/l	1	1120835	12/08/21	12/13/21	EPA 1664B	
<b>Specific Conductance (EC)</b>	<b>15300</b>	10.0	umhos/cm	"	1120719	12/07/21	12/07/21	SM2510b mod.	
<b>pH</b>	<b>9.4</b>	0.10	pH Units	"	1120610	12/06/21	12/07/21	SM 4500-H+B	O-04
<b>Total Dissolved Solids</b>	<b>9100</b>	10	mg/l	"	1120838	12/06/21	12/10/21	TDS by SM2540C	

SunStar Laboratories, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager





25712 Commercentre Drive  
 Lake Forest, California 92630  
 949.297.5020 Phone  
 949.297.5027 Fax

Northstar Environmental Remediation 26225 Enterprise Court Lake Forest CA, 92630	Project: Genesis Solar Groundwater Project Number: 196-004-06 Project Manager: Arlin Brewster	<b>Reported:</b> 12/22/21 12:42
--	---	------------------------------------

**TW-1**  
**T213691-03 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

**SunStar Laboratories, Inc.**

**Anions by EPA Method 300.0**

Chloride	4470	500	mg/l	100	1120323	12/03/21	12/06/21	EPA 300.0	
Sulfate as SO4	1520	500	"	"	"	"	"	"	
Nitrate as NO3	0.974	0.500	"	1	"	"	12/03/21	"	
Nitrate as N	0.220	0.200	"	"	"	"	"	"	

SunStar Laboratories, Inc.

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

Jeff Lee, Project Manager

Northstar Environmental Remediation  
26225 Enterprise Court  
Lake Forest CA, 92630

Project: Genesis Solar Groundwater  
Project Number: 196-004-06  
Project Manager: Arlin Brewster

**Reported:**  
12/22/21 12:42

**TW-2**

**T213691-04 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

**SunStar Laboratories, Inc.**

**Metals by EPA 200 Series Methods**

Copper	ND	0.50	mg/l	100	1120828	12/08/21	12/14/21	EPA 200.7	FILT, R-07
<b>Calcium</b>	<b>83</b>	10	"	"	"	"	12/14/21	"	FILT, R-07
Iron	ND	20	"	"	"	"	"	"	FILT, R-07
Potassium	ND	50	"	"	"	"	"	"	FILT, R-07
Magnesium	ND	10	"	"	"	"	"	"	FILT, R-07
<b>Sodium</b>	<b>1200</b>	50	"	"	"	"	"	"	FILT, R-07
Antimony	ND	10	ug/l	20	1120617	12/06/21	12/09/21	200.8	FILT
Arsenic	ND	10	"	"	"	"	"	"	FILT
<b>Barium</b>	<b>52</b>	10	"	"	"	"	"	"	FILT
Cadmium	ND	10	"	"	"	"	"	"	FILT
Chromium	ND	10	"	"	"	"	"	"	FILT
Cobalt	ND	10	"	"	"	"	"	"	FILT
Lead	ND	10	"	"	"	"	"	"	FILT
Nickel	ND	10	"	"	"	"	"	"	FILT
Selenium	ND	10	"	"	"	"	"	"	FILT
Zinc	ND	10	"	"	"	"	"	"	FILT

**Cold Vapor Extraction EPA 7470/7471**

Mercury	ND	1.0	ug/l	1	1120840	12/08/21	12/10/21	EPA 7470A Water	
---------	----	-----	------	---	---------	----------	----------	--------------------	--

**Conventional Chemistry Parameters by APHA/EPA/ASTM Methods**

Oil & Grease	ND	5.00	mg/l	1	1120835	12/08/21	12/13/21	EPA 1664B	
<b>Specific Conductance (EC)</b>	<b>5750</b>	10.0	umhos/cm	"	1120719	12/07/21	12/07/21	SM2510b mod.	
<b>pH</b>	<b>9.0</b>	0.10	pH Units	"	1120610	12/06/21	12/07/21	SM 4500-H+B	O-04
<b>Total Dissolved Solids</b>	<b>3500</b>	10	mg/l	"	1120838	12/06/21	12/10/21	TDS by SM2540C	

SunStar Laboratories, Inc.



Jeff Lee, Project Manager

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*



25712 Commercentre Drive  
 Lake Forest, California 92630  
 949.297.5020 Phone  
 949.297.5027 Fax

Northstar Environmental Remediation 26225 Enterprise Court Lake Forest CA, 92630	Project: Genesis Solar Groundwater Project Number: 196-004-06 Project Manager: Arlin Brewster	<b>Reported:</b> 12/22/21 12:42
--	---	------------------------------------

**TW-2**  
**T213691-04 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

**SunStar Laboratories, Inc.**

**Anions by EPA Method 300.0**

<b>Chloride</b>	<b>1540</b>	500	mg/l	100	1120323	12/03/21	12/06/21	EPA 300.0	
Sulfate as SO4	ND	500	"	"	"	"	"	"	
<b>Nitrate as NO3</b>	<b>0.944</b>	0.500	"	1	"	"	12/03/21	"	
Nitrate as N	<b>0.210</b>	0.200	"	"	"	"	"	"	

SunStar Laboratories, Inc.

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

Jeff Lee, Project Manager

Northstar Environmental Remediation 26225 Enterprise Court Lake Forest CA, 92630	Project: Genesis Solar Groundwater Project Number: 196-004-06 Project Manager: Arlin Brewster	Reported: 12/22/21 12:42
--	---	-----------------------------

**PW-0**  
**T213691-05 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

**SunStar Laboratories, Inc.**

**Metals by EPA 200 Series Methods**

Copper	ND	0.50	mg/l	100	1120828	12/08/21	12/14/21	EPA 200.7	FILT, R-07
<b>Calcium</b>	<b>110</b>	10	"	"	"	"	12/14/21	"	FILT, R-07
Iron	ND	20	"	"	"	"	"	"	FILT, R-07
Potassium	ND	50	"	"	"	"	"	"	FILT, R-07
Magnesium	ND	10	"	"	"	"	"	"	FILT, R-07
<b>Sodium</b>	<b>1300</b>	50	"	"	"	"	"	"	FILT, R-07
Antimony	ND	10	ug/l	20	1120617	12/06/21	12/09/21	200.8	FILT
<b>Arsenic</b>	<b>49</b>	10	"	"	"	"	"	"	FILT
<b>Barium</b>	<b>62</b>	10	"	"	"	"	"	"	FILT
Cadmium	ND	10	"	"	"	"	"	"	FILT
Chromium	ND	10	"	"	"	"	"	"	FILT
Cobalt	ND	10	"	"	"	"	"	"	FILT
Lead	ND	10	"	"	"	"	"	"	FILT
Nickel	ND	10	"	"	"	"	"	"	FILT
Selenium	ND	10	"	"	"	"	"	"	FILT
<b>Zinc</b>	<b>29</b>	10	"	"	"	"	"	"	FILT

**Cold Vapor Extraction EPA 7470/7471**

Mercury	ND	1.0	ug/l	1	1120840	12/08/21	12/10/21	EPA 7470A Water	
---------	----	-----	------	---	---------	----------	----------	--------------------	--

**Conventional Chemistry Parameters by APHA/EPA/ASTM Methods**

Oil & Grease	ND	5.00	mg/l	1	1120835	12/08/21	12/13/21	EPA 1664B	
<b>Specific Conductance (EC)</b>	<b>6400</b>	10.0	umhos/cm	"	1120719	12/07/21	12/07/21	SM2510b mod.	
<b>pH</b>	<b>8.2</b>	0.10	pH Units	"	1120610	12/06/21	12/07/21	SM 4500-H+B	O-04
<b>Total Dissolved Solids</b>	<b>2500</b>	10	mg/l	"	1120838	12/06/21	12/10/21	TDS by SM2540C	

SunStar Laboratories, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive  
 Lake Forest, California 92630  
 949.297.5020 Phone  
 949.297.5027 Fax

Northstar Environmental Remediation 26225 Enterprise Court Lake Forest CA, 92630	Project: Genesis Solar Groundwater Project Number: 196-004-06 Project Manager: Arlin Brewster	Reported: 12/22/21 12:42
--	---	-----------------------------

**PW-0**  
**T213691-05 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

**SunStar Laboratories, Inc.**

**Anions by EPA Method 300.0**

Fluoride	6.29	0.500	mg/l	1	1120323	12/03/21	12/03/21	EPA 300.0	
Chloride	1720	500	"	100	"	"	12/06/21	"	
Sulfate as SO4	ND	500	"	"	"	"	"	"	
Nitrate as NO3	ND	0.500	"	1	"	"	12/03/21	"	
Nitrate as N	ND	0.200	"	"	"	"	"	"	

SunStar Laboratories, Inc.

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

Jeff Lee, Project Manager

Northstar Environmental Remediation  
 26225 Enterprise Court  
 Lake Forest CA, 92630

Project: Genesis Solar Groundwater  
 Project Number: 196-004-06  
 Project Manager: Arlin Brewster

Reported:  
 12/22/21 12:42

**PW-2**

**T213691-06 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

**SunStar Laboratories, Inc.**

**Metals by EPA 200 Series Methods**

Copper	ND	0.50	mg/l	100	1120828	12/08/21	12/14/21	EPA 200.7	FILT, R-07
<b>Calcium</b>	<b>52</b>	10	"	"	"	"	12/14/21	"	FILT, R-07
Iron	ND	20	"	"	"	"	"	"	FILT, R-07
Magnesium	ND	10	"	"	"	"	"	"	FILT, R-07
Potassium	ND	50	"	"	"	"	"	"	FILT, R-07
<b>Sodium</b>	<b>800</b>	50	"	"	"	"	"	"	FILT, R-07
Antimony	ND	0.50	ug/l	1	1120617	12/06/21	12/09/21	200.8	FILT
<b>Arsenic</b>	<b>36</b>	0.50	"	"	"	"	"	"	FILT
<b>Barium</b>	<b>47</b>	0.50	"	"	"	"	"	"	FILT
Cadmium	ND	0.50	"	"	"	"	"	"	FILT
Chromium	ND	0.50	"	"	"	"	"	"	FILT
Cobalt	ND	0.50	"	"	"	"	"	"	FILT
Lead	ND	0.50	"	"	"	"	"	"	FILT
<b>Nickel</b>	<b>0.70</b>	0.50	"	"	"	"	"	"	FILT
<b>Selenium</b>	<b>0.75</b>	0.50	"	"	"	"	"	"	FILT
<b>Zinc</b>	<b>2.1</b>	0.50	"	"	"	"	"	"	FILT

**Cold Vapor Extraction EPA 7470/7471**

Mercury	ND	1.0	ug/l	1	1120840	12/08/21	12/10/21	EPA 7470A Water	
---------	----	-----	------	---	---------	----------	----------	--------------------	--

**Conventional Chemistry Parameters by APHA/EPA/ASTM Methods**

Oil & Grease	ND	5.00	mg/l	1	1120835	12/08/21	12/13/21	EPA 1664B	
<b>Specific Conductance (EC)</b>	<b>3630</b>	10.0	umhos/cm	"	1120719	12/07/21	12/07/21	SM2510b mod.	
<b>pH</b>	<b>8.2</b>	0.10	pH Units	"	1120610	12/06/21	12/07/21	SM 4500-H+B	O-04
<b>Total Dissolved Solids</b>	<b>1300</b>	10	mg/l	"	1120838	12/06/21	12/10/21	TDS by SM2540C	

SunStar Laboratories, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager



25712 Commercentre Drive  
 Lake Forest, California 92630  
 949.297.5020 Phone  
 949.297.5027 Fax

Northstar Environmental Remediation 26225 Enterprise Court Lake Forest CA, 92630	Project: Genesis Solar Groundwater Project Number: 196-004-06 Project Manager: Arlin Brewster	Reported: 12/22/21 12:42
--	---	-----------------------------

**PW-2**  
**T213691-06 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

**SunStar Laboratories, Inc.**

**Anions by EPA Method 300.0**

Fluoride	6.70	0.500	mg/l	1	1120323	12/03/21	12/03/21	EPA 300.0	
Chloride	886	50.0	"	10	"	"	12/06/21	"	
Sulfate as SO4	444	50.0	"	"	"	"	"	"	
Nitrate as NO3	ND	0.500	"	1	"	"	12/03/21	"	
Nitrate as N	ND	0.200	"	"	"	"	"	"	

SunStar Laboratories, Inc.

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

Jeff Lee, Project Manager

Northstar Environmental Remediation  
26225 Enterprise Court  
Lake Forest CA, 92630

Project: Genesis Solar Groundwater  
Project Number: 196-004-06  
Project Manager: Arlin Brewster

**Reported:**  
12/22/21 12:42

**DM-1  
T213691-07 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

**SunStar Laboratories, Inc.**

**Metals by EPA 200 Series Methods**

Copper	ND	0.50	mg/l	100	1120828	12/08/21	12/14/21	EPA 200.7	FILT, R-07
<b>Calcium</b>	<b>230</b>	10	"	"	"	"	12/14/21	"	FILT, R-07
Iron	ND	20	"	"	"	"	"	"	FILT, R-07
Potassium	ND	50	"	"	"	"	"	"	FILT, R-07
<b>Magnesium</b>	<b>58</b>	10	"	"	"	"	"	"	FILT, R-07
<b>Sodium</b>	<b>4200</b>	50	"	"	"	"	"	"	FILT, R-07
Antimony	ND	10	ug/l	20	1120617	12/06/21	12/09/21	200.8	FILT
Arsenic	ND	10	"	"	"	"	"	"	FILT
<b>Barium</b>	<b>29</b>	10	"	"	"	"	"	"	FILT
Cadmium	ND	10	"	"	"	"	"	"	FILT
Chromium	ND	10	"	"	"	"	"	"	FILT
Cobalt	ND	10	"	"	"	"	"	"	FILT
Lead	ND	10	"	"	"	"	"	"	FILT
Nickel	ND	10	"	"	"	"	"	"	FILT
<b>Selenium</b>	<b>16</b>	10	"	"	"	"	"	"	FILT
Zinc	ND	10	"	"	"	"	"	"	FILT

**Cold Vapor Extraction EPA 7470/7471**

Mercury	ND	1.0	ug/l	1	1120840	12/08/21	12/10/21	EPA 7470A Water	
---------	----	-----	------	---	---------	----------	----------	--------------------	--

**Conventional Chemistry Parameters by APHA/EPA/ASTM Methods**

Oil & Grease	ND	5.00	mg/l	1	1120835	12/08/21	12/13/21	EPA 1664B	
<b>Specific Conductance (EC)</b>	<b>17800</b>	10.0	umhos/cm	"	1120719	12/07/21	12/07/21	SM2510b mod.	
<b>pH</b>	<b>7.8</b>	0.10	pH Units	"	1120610	12/06/21	12/07/21	SM 4500-H+B	O-04
<b>Total Dissolved Solids</b>	<b>14000</b>	10	mg/l	"	1120838	12/06/21	12/10/21	TDS by SM2540C	

SunStar Laboratories, Inc.



Jeff Lee, Project Manager

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*





25712 Commercentre Drive  
 Lake Forest, California 92630  
 949.297.5020 Phone  
 949.297.5027 Fax

Northstar Environmental Remediation 26225 Enterprise Court Lake Forest CA, 92630	Project: Genesis Solar Groundwater Project Number: 196-004-06 Project Manager: Arlin Brewster	Reported: 12/22/21 12:42
--	---	-----------------------------

**DM-1**  
**T213691-07 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

**SunStar Laboratories, Inc.**

**Anions by EPA Method 300.0**

Chloride	5360	500	mg/l	100	1120323	12/03/21	12/03/21	EPA 300.0	
Sulfate as SO4	1930	500	"	"	"	"	"	"	
Nitrate as NO3	8.59	0.500	"	1	"	"	12/03/21	"	
Nitrate as N	1.94	0.200	"	"	"	"	"	"	

SunStar Laboratories, Inc.

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

Jeff Lee, Project Manager

Northstar Environmental Remediation  
26225 Enterprise Court  
Lake Forest CA, 92630

Project: Genesis Solar Groundwater  
Project Number: 196-004-06  
Project Manager: Arlin Brewster

**Reported:**  
12/22/21 12:42

**DM-2  
T213691-08 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

**SunStar Laboratories, Inc.**

**Metals by EPA 200 Series Methods**

Copper	ND	0.50	mg/l	100	1120828	12/08/21	12/14/21	EPA 200.7	FILT, R-07
<b>Calcium</b>	<b>270</b>	10	"	"	"	"	12/14/21	"	FILT, R-07
Iron	ND	20	"	"	"	"	"	"	FILT, R-07
<b>Magnesium</b>	<b>63</b>	10	"	"	"	"	"	"	FILT, R-07
Potassium	ND	50	"	"	"	"	"	"	FILT, R-07
<b>Sodium</b>	<b>4500</b>	50	"	"	"	"	"	"	FILT, R-07
Antimony	ND	10	ug/l	20	1120617	12/06/21	12/09/21	200.8	FILT
Arsenic	ND	10	"	"	"	"	"	"	FILT
<b>Barium</b>	<b>44</b>	10	"	"	"	"	"	"	FILT
Cadmium	ND	10	"	"	"	"	"	"	FILT
Chromium	ND	10	"	"	"	"	"	"	FILT
Cobalt	ND	10	"	"	"	"	"	"	FILT
Lead	ND	10	"	"	"	"	"	"	FILT
Nickel	ND	10	"	"	"	"	"	"	FILT
<b>Selenium</b>	<b>16</b>	10	"	"	"	"	"	"	FILT
Zinc	ND	10	"	"	"	"	"	"	FILT

**Cold Vapor Extraction EPA 7470/7471**

Mercury	ND	1.0	ug/l	1	1120840	12/08/21	12/10/21	EPA 7470A Water	
---------	----	-----	------	---	---------	----------	----------	--------------------	--

**Conventional Chemistry Parameters by APHA/EPA/ASTM Methods**

Oil & Grease	ND	5.00	mg/l	1	1120835	12/08/21	12/13/21	EPA 1664B	
<b>Specific Conductance (EC)</b>	<b>18200</b>	10.0	umhos/cm	"	1120719	12/07/21	12/07/21	SM2510b mod.	
<b>pH</b>	<b>7.8</b>	0.10	pH Units	"	1120610	12/06/21	12/07/21	SM 4500-H+B	O-04
<b>Total Dissolved Solids</b>	<b>13000</b>	10	mg/l	"	1120838	12/06/21	12/10/21	TDS by SM2540C	

SunStar Laboratories, Inc.



Jeff Lee, Project Manager

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*



25712 Commercentre Drive  
 Lake Forest, California 92630  
 949.297.5020 Phone  
 949.297.5027 Fax

Northstar Environmental Remediation 26225 Enterprise Court Lake Forest CA, 92630	Project: Genesis Solar Groundwater Project Number: 196-004-06 Project Manager: Arlin Brewster	Reported: 12/22/21 12:42
--	---	-----------------------------

**DM-2**  
**T213691-08 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

**SunStar Laboratories, Inc.**

**Anions by EPA Method 300.0**

Chloride	5470	500	mg/l	100	1120323	12/03/21	12/07/21	EPA 300.0	
Sulfate as SO4	2100	500	"	"	"	"	"	"	
Nitrate as NO3	10.0	0.500	"	1	"	"	12/03/21	"	
Nitrate as N	2.26	0.200	"	"	"	"	"	"	

SunStar Laboratories, Inc.

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

Jeff Lee, Project Manager

Northstar Environmental Remediation  
26225 Enterprise Court  
Lake Forest CA, 92630

Project: Genesis Solar Groundwater  
Project Number: 196-004-06  
Project Manager: Arlin Brewster

**Reported:**  
12/22/21 12:42

**DM-3  
T213691-09 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

**SunStar Laboratories, Inc.**

**Metals by EPA 200 Series Methods**

Copper	ND	0.50	mg/l	100	1120828	12/08/21	12/14/21	EPA 200.7	FILT, R-07
<b>Calcium</b>	<b>220</b>	10	"	"	"	"	12/14/21	"	FILT, R-07
Iron	ND	20	"	"	"	"	"	"	FILT, R-07
<b>Magnesium</b>	<b>53</b>	10	"	"	"	"	"	"	FILT, R-07
Potassium	ND	50	"	"	"	"	"	"	FILT, R-07
<b>Sodium</b>	<b>4000</b>	50	"	"	"	"	"	"	FILT, R-07
Antimony	ND	10	ug/l	20	1120617	12/06/21	12/09/21	200.8	FILT
<b>Arsenic</b>	<b>26</b>	10	"	"	"	"	"	"	FILT
<b>Barium</b>	<b>17</b>	10	"	"	"	"	"	"	FILT
Cadmium	ND	10	"	"	"	"	"	"	FILT
Chromium	ND	10	"	"	"	"	"	"	FILT
Cobalt	ND	10	"	"	"	"	"	"	FILT
Lead	ND	10	"	"	"	"	"	"	FILT
Nickel	ND	10	"	"	"	"	"	"	FILT
<b>Selenium</b>	<b>11</b>	10	"	"	"	"	"	"	FILT
Zinc	ND	10	"	"	"	"	"	"	FILT

**Cold Vapor Extraction EPA 7470/7471**

Mercury	ND	1.0	ug/l	1	1120840	12/08/21	12/10/21	EPA 7470A Water	
---------	----	-----	------	---	---------	----------	----------	--------------------	--

**Conventional Chemistry Parameters by APHA/EPA/ASTM Methods**

Oil & Grease	ND	5.00	mg/l	1	1120835	12/08/21	12/13/21	EPA 1664B	
<b>Specific Conductance (EC)</b>	<b>17400</b>	10.0	umhos/cm	"	1120719	12/07/21	12/07/21	SM2510b mod.	
<b>pH</b>	<b>7.8</b>	0.10	pH Units	"	1120610	12/06/21	12/07/21	SM 4500-H+B	O-04
<b>Total Dissolved Solids</b>	<b>12000</b>	10	mg/l	"	1120838	12/06/21	12/10/21	TDS by SM2540C	

SunStar Laboratories, Inc.



*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

Jeff Lee, Project Manager



25712 Commercentre Drive  
 Lake Forest, California 92630  
 949.297.5020 Phone  
 949.297.5027 Fax

Northstar Environmental Remediation 26225 Enterprise Court Lake Forest CA, 92630	Project: Genesis Solar Groundwater Project Number: 196-004-06 Project Manager: Arlin Brewster	Reported: 12/22/21 12:42
--	---	-----------------------------

**DM-3**  
**T213691-09 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

**SunStar Laboratories, Inc.**

**Anions by EPA Method 300.0**

Chloride	5230	500	mg/l	100	1120323	12/03/21	12/07/21	EPA 300.0	
Sulfate as SO4	2020	500	"	"	"	"	"	"	
Nitrate as NO3	3.06	0.500	"	1	"	"	12/04/21	"	
Nitrate as N	0.690	0.200	"	"	"	"	"	"	

SunStar Laboratories, Inc.

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

Jeff Lee, Project Manager

Northstar Environmental Remediation  
26225 Enterprise Court  
Lake Forest CA, 92630

Project: Genesis Solar Groundwater  
Project Number: 196-004-06  
Project Manager: Arlin Brewster

**Reported:**  
12/22/21 12:42

**DUP**

**T213691-10 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

**SunStar Laboratories, Inc.**

**Metals by EPA 200 Series Methods**

Copper	ND	0.50	mg/l	100	1120828	12/08/21	12/14/21	EPA 200.7	FILT, R-07
<b>Calcium</b>	<b>51</b>	10	"	"	"	"	12/14/21	"	FILT, R-07
Iron	ND	20	"	"	"	"	"	"	FILT, R-07
Potassium	ND	50	"	"	"	"	"	"	FILT, R-07
Magnesium	ND	10	"	"	"	"	"	"	FILT, R-07
<b>Sodium</b>	<b>800</b>	50	"	"	"	"	"	"	FILT, R-07
Antimony	ND	0.50	ug/l	1	1120617	12/06/21	12/09/21	200.8	FILT
<b>Arsenic</b>	<b>38</b>	0.50	"	"	"	"	"	"	FILT
<b>Barium</b>	<b>46</b>	0.50	"	"	"	"	"	"	FILT
Cadmium	ND	0.50	"	"	"	"	"	"	FILT
Chromium	ND	0.50	"	"	"	"	"	"	FILT
Cobalt	ND	0.50	"	"	"	"	"	"	FILT
Lead	ND	0.50	"	"	"	"	"	"	FILT
<b>Nickel</b>	<b>0.64</b>	0.50	"	"	"	"	"	"	FILT
<b>Selenium</b>	<b>0.78</b>	0.50	"	"	"	"	"	"	FILT
<b>Zinc</b>	<b>1.2</b>	0.50	"	"	"	"	"	"	FILT

**Cold Vapor Extraction EPA 7470/7471**

Mercury	ND	1.0	ug/l	1	1120840	12/08/21	12/10/21	EPA 7470A Water	
---------	----	-----	------	---	---------	----------	----------	--------------------	--

**Conventional Chemistry Parameters by APHA/EPA/ASTM Methods**

Oil & Grease	ND	5.00	mg/l	1	1120835	12/08/21	12/13/21	EPA 1664B	
<b>Specific Conductance (EC)</b>	<b>3640</b>	10.0	umhos/cm	"	1120719	12/07/21	12/07/21	SM2510b mod.	
<b>pH</b>	<b>8.0</b>	0.10	pH Units	"	1120610	12/06/21	12/07/21	SM 4500-H+B	O-04
<b>Total Dissolved Solids</b>	<b>2100</b>	10	mg/l	"	1120838	12/06/21	12/10/21	TDS by SM2540C	

SunStar Laboratories, Inc.



*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

Jeff Lee, Project Manager



25712 Commercentre Drive  
 Lake Forest, California 92630  
 949.297.5020 Phone  
 949.297.5027 Fax

Northstar Environmental Remediation 26225 Enterprise Court Lake Forest CA, 92630	Project: Genesis Solar Groundwater Project Number: 196-004-06 Project Manager: Arlin Brewster	Reported: 12/22/21 12:42
--	---	-----------------------------

**DUP**  
**T213691-10 (Water)**

Analyte	Result	Reporting Limit	Units	Dilution	Batch	Prepared	Analyzed	Method	Notes
---------	--------	-----------------	-------	----------	-------	----------	----------	--------	-------

**SunStar Laboratories, Inc.**

**Anions by EPA Method 300.0**

Chloride	891	50.0	mg/l	10	1120323	12/03/21	12/07/21	EPA 300.0	
Sulfate as SO4	448	50.0	"	"	"	"	"	"	
Nitrate as NO3	ND	0.500	"	1	"	"	12/04/21	"	RR-01
Nitrate as N	ND	0.200	"	"	"	"	"	"	RR-01

SunStar Laboratories, Inc.

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

Jeff Lee, Project Manager

Northstar Environmental Remediation  
26225 Enterprise Court  
Lake Forest CA, 92630

Project: Genesis Solar Groundwater  
Project Number: 196-004-06  
Project Manager: Arlin Brewster

Reported:  
12/22/21 12:42

**Metals by EPA 200 Series Methods - Quality Control**  
**SunStar Laboratories, Inc.**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Batch 1120617 - EPA 3010A**

**Blank (1120617-BLK1)**

Prepared: 12/06/21 Analyzed: 12/09/21

Antimony	ND	0.50	ug/l							
Arsenic	ND	0.50	"							
Barium	ND	0.50	"							
Beryllium	ND	0.50	"							
Cadmium	ND	0.50	"							
Chromium	ND	0.50	"							
Cobalt	ND	0.50	"							
Lead	ND	0.50	"							
Nickel	ND	0.50	"							
Selenium	ND	0.50	"							
Zinc	ND	0.50	"							

**LCS (1120617-BS1)**

Prepared: 12/06/21 Analyzed: 12/09/21

Arsenic	52.0	0.50	ug/l	50.0		104	80-120			
Barium	52.0	0.50	"	50.0		104	80-120			
Cadmium	54.4	0.50	"	50.0		109	80-120			
Chromium	50.3	0.50	"	50.0		101	80-120			
Lead	51.9	0.50	"	50.0		104	80-120			

**Matrix Spike (1120617-MS1)**

Source: T213690-02

Prepared: 12/06/21 Analyzed: 12/09/21

Arsenic	61.7	0.50	ug/l	50.0	0.130	123	75-125			
Barium	163	0.50	"	50.0	107	114	75-125			
Cadmium	57.5	0.50	"	50.0	ND	115	75-125			
Chromium	53.3	0.50	"	50.0	0.230	106	75-125			
Lead	53.6	0.50	"	50.0	ND	107	75-125			

**Matrix Spike Dup (1120617-MSD1)**

Source: T213690-02

Prepared: 12/06/21 Analyzed: 12/09/21

Arsenic	61.4	0.50	ug/l	50.0	0.130	123	75-125	0.422	20	
Barium	163	0.50	"	50.0	107	113	75-125	0.325	20	
Cadmium	55.8	0.50	"	50.0	ND	112	75-125	2.95	20	
Chromium	51.0	0.50	"	50.0	0.230	101	75-125	4.47	20	
Lead	52.1	0.50	"	50.0	ND	104	75-125	2.93	20	

SunStar Laboratories, Inc.



Jeff Lee, Project Manager

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*





25712 Commercentre Drive  
 Lake Forest, California 92630  
 949.297.5020 Phone  
 949.297.5027 Fax

Northstar Environmental Remediation 26225 Enterprise Court Lake Forest CA, 92630	Project: Genesis Solar Groundwater Project Number: 196-004-06 Project Manager: Arlin Brewster	Reported: 12/22/21 12:42
--	---	-----------------------------

**Metals by EPA 200 Series Methods - Quality Control**

**SunStar Laboratories, Inc.**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Batch 1120828 - EPA 3010A**

**Blank (1120828-BLK1)**

Prepared: 12/08/21 Analyzed: 12/14/21

Antimony	ND	0.005	mg/l							
Chromium	ND	0.005	"							
Copper	ND	0.005	"							
Lead	ND	0.005	"							
Nickel	ND	0.005	"							
Silver	ND	0.030	"							
Zinc	ND	0.030	"							
Calcium	ND	0.10	"							
Iron	ND	0.20	"							
Magnesium	ND	0.10	"							
Potassium	ND	0.50	"							
Sodium	ND	0.50	"							

**LCS (1120828-BS1)**

Prepared: 12/08/21 Analyzed: 12/14/21

Chromium	0.490	0.005	mg/l	0.500		98.0	85-115			
Copper	0.513	0.005	"	0.500		103	85-115			
Lead	0.486	0.005	"	0.500		97.3	85-115			
Nickel	0.488	0.005	"	0.500		97.5	85-115			
Zinc	0.477	0.030	"	0.500		95.4	85-115			
Iron	0.488	0.20	"	0.500		97.6	85-115			
Magnesium	0.490	0.10	"	0.500		98.0	85-115			

**Matrix Spike (1120828-MS1)**

Source: T213675-05

Prepared: 12/08/21 Analyzed: 12/14/21

Chromium	0.477	0.005	mg/l	0.500	0.0007	95.4	70-130			
Copper	0.504	0.005	"	0.500	0.002	100	70-130			
Lead	0.462	0.005	"	0.500	0.006	91.1	70-130			
Nickel	0.470	0.005	"	0.500	0.001	93.8	70-130			
Zinc	0.493	0.030	"	0.500	ND	98.5	70-130			
Iron	0.474	0.20	"	0.500	0.013	92.1	70-130			
Magnesium	23.8	0.10	"	0.500	24.0	NR	70-130			

QM-05

SunStar Laboratories, Inc.

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

Jeff Lee, Project Manager

Northstar Environmental Remediation  
26225 Enterprise Court  
Lake Forest CA, 92630

Project: Genesis Solar Groundwater  
Project Number: 196-004-06  
Project Manager: Arlin Brewster

**Reported:**  
12/22/21 12:42

**Metals by EPA 200 Series Methods - Quality Control**

**SunStar Laboratories, Inc.**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Batch 1120828 - EPA 3010A**

**Matrix Spike Dup (1120828-MSD1)**

**Source: T213675-05**

Prepared: 12/08/21 Analyzed: 12/14/21

Chromium	0.480	0.005	mg/l	0.500	0.0007	95.9	70-130	0.550	30	
Copper	0.508	0.005	"	0.500	0.002	101	70-130	0.791	30	
Lead	0.460	0.005	"	0.500	0.006	90.9	70-130	0.288	30	
Nickel	0.470	0.005	"	0.500	0.001	93.7	70-130	0.0468	30	
Zinc	0.491	0.030	"	0.500	ND	98.3	70-130	0.217	30	
Iron	0.477	0.20	"	0.500	0.013	92.7	70-130	0.631	30	
Magnesium	23.6	0.10	"	0.500	24.0	NR	70-130	0.887	30	QM-05

SunStar Laboratories, Inc.



*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

Jeff Lee, Project Manager

Northstar Environmental Remediation  
26225 Enterprise Court  
Lake Forest CA, 92630

Project: Genesis Solar Groundwater  
Project Number: 196-004-06  
Project Manager: Arlin Brewster

**Reported:**  
12/22/21 12:42

**Cold Vapor Extraction EPA 7470/7471 - Quality Control**

**SunStar Laboratories, Inc.**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Batch 1120840 - EPA 7470A Water**

**Blank (1120840-BLK1)**

Prepared: 12/08/21 Analyzed: 12/10/21

Mercury	ND	1.0	ug/l							
---------	----	-----	------	--	--	--	--	--	--	--

**LCS (1120840-BS1)**

Prepared: 12/08/21 Analyzed: 12/10/21

Mercury	6.95	1.0	ug/l	7.00		99.3	80-120			
---------	------	-----	------	------	--	------	--------	--	--	--

**Matrix Spike (1120840-MS1)**

Source: T213691-01

Prepared: 12/08/21 Analyzed: 12/10/21

Mercury	7.24	1.0	ug/l	7.00	ND	103	75-125			
---------	------	-----	------	------	----	-----	--------	--	--	--

**Matrix Spike Dup (1120840-MSD1)**

Source: T213691-01

Prepared: 12/08/21 Analyzed: 12/10/21

Mercury	7.35	1.0	ug/l	7.00	ND	105	75-125	1.46	20	
---------	------	-----	------	------	----	-----	--------	------	----	--

SunStar Laboratories, Inc.



*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

Jeff Lee, Project Manager

Northstar Environmental Remediation 26225 Enterprise Court Lake Forest CA, 92630	Project: Genesis Solar Groundwater Project Number: 196-004-06 Project Manager: Arlin Brewster	Reported: 12/22/21 12:42
--	---	-----------------------------

**Conventional Chemistry Parameters by APHA/EPA/ASTM Methods - Quality Control**

**SunStar Laboratories, Inc.**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Batch 1120610 - General Preparation**

<b>Duplicate (1120610-DUP1)</b>		<b>Source: T213691-01</b>		Prepared: 12/06/21 Analyzed: 12/07/21	
pH	8.44	0.10	pH Units	8.43	0.119 20 O-04

**Batch 1120719 - General Preparation**

<b>Duplicate (1120719-DUP1)</b>		<b>Source: T213691-01</b>		Prepared & Analyzed: 12/07/21	
Specific Conductance (EC)	2660	10.0	umhos/cm	2650	0.377 15

**Batch 1120835 - General Preparation**

<b>Blank (1120835-BLK1)</b>				Prepared: 12/08/21 Analyzed: 12/13/21	
Oil & Grease	ND	5.00	mg/l		
<b>LCS (1120835-BS1)</b>				Prepared: 12/08/21 Analyzed: 12/13/21	
Oil & Grease	30.6	5.00	mg/l	35.4	86.4 78-114
<b>LCS Dup (1120835-BSD1)</b>				Prepared: 12/08/21 Analyzed: 12/13/21	
Oil & Grease	29.7	5.00	mg/l	35.4	83.9 78-114 2.99 20

**Batch 1120838 - General Preparation**

<b>Blank (1120838-BLK1)</b>				Prepared: 12/08/21 Analyzed: 12/10/21	
Total Dissolved Solids	ND	10	mg/l		
<b>LCS (1120838-BS1)</b>				Prepared: 12/08/21 Analyzed: 12/10/21	
Total Dissolved Solids	440	10	mg/l	500	88.0 80-120

SunStar Laboratories, Inc.



Jeff Lee, Project Manager

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*



25712 Commercentre Drive  
 Lake Forest, California 92630  
 949.297.5020 Phone  
 949.297.5027 Fax

Northstar Environmental Remediation 26225 Enterprise Court Lake Forest CA, 92630	Project: Genesis Solar Groundwater Project Number: 196-004-06 Project Manager: Arlin Brewster	Reported: 12/22/21 12:42
--	---	-----------------------------

**Conventional Chemistry Parameters by APHA/EPA/ASTM Methods - Quality Control**  
**SunStar Laboratories, Inc.**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Batch 1120838 - General Preparation**

<b>Duplicate (1120838-DUP1)</b>	<b>Source: T213691-01</b>		Prepared: 12/08/21 Analyzed: 12/10/21							
Total Dissolved Solids	962	10	mg/l		934			2.95	20	

SunStar Laboratories, Inc.

*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

Jeff Lee, Project Manager

Northstar Environmental Remediation  
26225 Enterprise Court  
Lake Forest CA, 92630

Project: Genesis Solar Groundwater  
Project Number: 196-004-06  
Project Manager: Arlin Brewster

Reported:  
12/22/21 12:42

**Anions by EPA Method 300.0 - Quality Control**

**SunStar Laboratories, Inc.**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

**Batch 1120323 - General Preparation**

**Blank (1120323-BLK1)**

Prepared & Analyzed: 12/03/21

Fluoride	ND	0.500	mg/l							
Chloride	ND	5.00	"							
Sulfate as SO4	ND	5.00	"							
Nitrate as NO3	ND	0.500	"							
Nitrate as N	ND	0.200	"							

**LCS (1120323-BS1)**

Prepared & Analyzed: 12/03/21

Fluoride	26.9	0.500	mg/l	25.0		108	75-125			
Chloride	25.3	5.00	"	25.0		101	75-125			
Sulfate as SO4	25.9	5.00	"	25.0		104	75-125			
Nitrate as NO3	25.0	0.500	"	25.0		100	75-125			

**Matrix Spike (1120323-MS1)**

Source: T213691-01

Prepared & Analyzed: 12/03/21

Fluoride	31.4	0.500	mg/l	25.0	ND	125	75-125		20	QM-01
Chloride	476	25.0	"	25.0	490	NR	75-125		20	QM-01
Sulfate as SO4	416	25.0	"	25.0	419	NR	75-125		20	QM-01
Nitrate as NO3	24.2	0.500	"	25.0	1.02	92.9	75-125		20	

**Matrix Spike Dup (1120323-MSD1)**

Source: T213691-01

Prepared & Analyzed: 12/03/21

Fluoride	31.4	0.500	mg/l	25.0	ND	125	75-125	0.00	20	QM-01
Chloride	490	25.0	"	25.0	490	0.280	75-125	2.85	20	QM-01
Sulfate as SO4	428	25.0	"	25.0	419	33.2	75-125	2.83	20	QM-01
Nitrate as NO3	24.8	0.500	"	25.0	1.02	95.3	75-125	2.43	20	

SunStar Laboratories, Inc.



The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Jeff Lee, Project Manager

Northstar Environmental Remediation  
26225 Enterprise Court  
Lake Forest CA, 92630

Project: Genesis Solar Groundwater  
Project Number: 196-004-06  
Project Manager: Arlin Brewster

**Reported:**  
12/22/21 12:42

### Notes and Definitions

- RR-01 Sample was originally analyzed within EPA recommended holding time. However, subsequent re-analysis due to dilution and/or poor purge, occurred outside EPA recommended holding time.
- R-07 Reporting limit for this compound(s) has been raised to account for dilution necessary due to high levels of interfering compound(s) and/or matrix affect.
- QM-05 The spike recovery was outside acceptance limits for the MS and/or MSD due to possible matrix interference. The LCS was within acceptance criteria. The data is acceptable as no negative impact on data is expected.
- QM-01 The % recovery is outside of established control limits due to matrix interference and/or sample dilution due to matrix effect. The batch was accepted based on acceptable LCS recovery.
- O-04 This sample was received and analyzed outside the EPA recommended holding time.
- FILT The sample was filtered prior to analysis.
- DET Analyte DETECTED
- ND Analyte NOT DETECTED at or above the reporting limit
- NR Not Reported
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference

SunStar Laboratories, Inc.



*The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.*

Jeff Lee, Project Manager

# Chain of Custody Record

SunStar Laboratories, Inc.  
 25712 Commercentre Dr  
 Lake Forest, CA 92630  
 949-297-5020

Client: Northstar Environmental Remediation  
 Address: 26225 Enterprise Court, Lake Forest, CA 92630  
 Phone: 949-274-1719 Fax: \_\_\_\_\_  
 Project Manager: Arlin Brewster

Date: 12/03/21 Page: 1 of 1  
 Project Name: Genesis Solar Groundwater  
 Collector: Arlin Brewster Client Project #: 196-004-06  
 Batch #: T2-13691 EDF #: T10000006093

Sample ID	Date Sampled	Time	Sample Type	Container Type	200.7 - Dissolved Metals: Ca, Cu, Na, K, Fe, Mg (FIELD FILTERED)	200.8 - Dissolved Metals: Sb, As, Ba, Cd, Cr, Co, Pb, Ni, Se, Zn (F.F.)	300.0 - Chloride, Nitrate, Sulfate	1664 - Oil and Grease	7470A - Mercury	9040 - pH	SM2510B - Conductivity, Specific	SM2540C - Total Dis. Solids	8015M - Therminol (Subcontract)	Deuterium, Oxygen-18 (Subcont.)	300.0 - Fluoride	Laboratory ID #	Comments/Preservative	Total # of containers
23a	12/03/21	6:45	W	Various	X	X	X	X	X	X	X	X	X	X				7
OBS-1	12/03/21	9:35	W	Various	X	X	X	X	X	X	X	X	X	X				7
TW-1	12/03/21	9:00	W	Various	X	X	X	X	X	X	X	X	X	X				7
TW-2	12/03/21	12:35	W	Various	X	X	X	X	X	X	X	X	X	X				7
PW-0	12/03/21	13:46	W	Various	X	X	X	X	X	X	X	X	X	X				7
PW-2	12/03/21	13:15	W	Various	X	X	X	X	X	X	X	X	X	X				7
DM-1	12/03/21	15:15	W	Various	X	X	X	X	X	X	X	X	X	X				7
DM-2	12/03/21	16:25	W	Various	X	X	X	X	X	X	X	X	X	X				7
DM-3	12/03/21	17:30	W	Various	X	X	X	X	X	X	X	X	X	X				7
DUP	N/A	N/A	W	Various	X	X	X	X	X	X	X	X	X	X				7
Field Blank	N/A	N/A	W	Various														1
Tip Blank	N/A	N/A	W	Various														1
Relinquished by: (signature) _____ Date / Time _____ Received by: (signature) _____ Date / Time _____ Relinquished by: (signature) _____ Date / Time _____ Received by: (signature) _____ Date / Time _____ Relinquished by: (signature) _____ Date / Time _____ Received by: (signature) _____ Date / Time _____																		

Turn around time: **Standard** \*\*  
 Total # of containers: 72  
 Chain of Custody seals: Y/N/A  
 Seals intact? Y/N/A  
 Received good condition/cold: 0.9°C  
 Notes: **0.9°C**  
**\*\* Deuterium & Oxygen-18 subcontract has 10 day TAT**  
 Reporting limits must match previous reports





## SAMPLE RECEIVING REVIEW SHEET

Batch/Work Order #: T213691

Client Name: Nanostar Environmental Project: Genesis Solar Groundwater

Delivered by:  Client  SunStar Courier  GLS  FedEx  UPS

If Courier, Received by: \_\_\_\_\_ Date/Time Received: \_\_\_\_\_ Courier \_\_\_\_\_

Lab Received by: Jeff Date/Time Received: 12/3/21 14:15 Lab \_\_\_\_\_

Total number of coolers received: 1 Thermometer ID: SC-1 Calibration due :8/24/22

Temperature: Cooler #1 <u>0.8</u> °C +/- the CF (+0.1 °C) = <u>0.9</u>	°C corrected temperature
Temperature: Cooler #2 _____ °C +/- the CF ( _____ °C) = _____	°C corrected temperature
Temperature: Cooler #3 _____ °C +/- the CF ( _____ °C) = _____	°C corrected temperature

**Temperature criteria = ≤ 6°C (no frozen containers)** Within criteria?  Yes  No  N/A

**If NO:**  
 Samples received on ice?  Yes  No → **Complete Non-Conformance Sheet**  
 If on ice, samples received same day collected?  Yes → Acceptable  No → **Complete Non-Conformance Sheet**

- Custody seals intact on cooler/sample  Yes  No\*  N/A
- Sample containers intact  Yes  No\*
- Sample labels match Chain of Custody IDs  Yes  No\*
- Total number of containers received match COC  Yes  No\*
- Proper containers received for analyses requested on COC  Yes  No\*
- Proper preservative indicated on COC/containers for analyses requested  Yes  No\*  N/A
- Complete shipment received in good condition with correct temperatures, containers, labels, volumes preservatives and within method specified holding times  Yes  No\*

\* Complete Non-Conformance Receiving Sheet if checked Cooler/Sample Review - Initials and date: JB 12/3/21

**Comments:**  
 \_\_\_\_\_  
 \_\_\_\_\_


## ANALYTICAL REPORT

Eurofins Calscience Irvine  
2841 Dow Avenue  
Tustin, CA 92780  
Tel: (949)261-1022

Laboratory Job ID: 440-292420-1  
Client Project/Site: T213691

For:  
SunStar Laboratories Inc  
25712 Commercentre Drive  
Lake Forest, California 92630

Attn: Jeff Lee



Authorized for release by:  
12/20/2021 10:36:07 AM

Danielle Roberts, Senior Project Manager  
(949)261-1022  
[Danielle.Roberts@Eurofinset.com](mailto:Danielle.Roberts@Eurofinset.com)

### LINKS

Review your project  
results through  
**TotalAccess**

Have a Question?



Visit us at:

[www.eurofinsus.com/Env](http://www.eurofinsus.com/Env)

*The test results in this report meet all 2003 NELAC, 2009 TNI, and 2016 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.*

*This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.*

*Results relate only to the items tested and the sample(s) as received by the laboratory.*

# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	2
Sample Summary . . . . .	3
Case Narrative . . . . .	4
Detection Summary . . . . .	5
Client Sample Results . . . . .	6
Surrogate Summary . . . . .	8
Method Summary . . . . .	9
Lab Chronicle . . . . .	10
QC Sample Results . . . . .	12
QC Association Summary . . . . .	13
Definitions/Glossary . . . . .	14
Certification Summary . . . . .	15
Chain of Custody . . . . .	16
Receipt Checklists . . . . .	20



# Sample Summary

Client: SunStar Laboratories Inc  
Project/Site: T213691

Job ID: 440-292420-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
440-292420-1	T213691-01	Water	12/03/21 06:45	12/06/21 15:17
440-292420-2	T213691-02	Water	12/03/21 09:35	12/06/21 15:17
440-292420-3	T213691-03	Water	12/03/21 09:00	12/06/21 15:17
440-292420-4	T213691-04	Water	12/02/21 12:35	12/06/21 15:17
440-292420-5	T213691-05	Water	12/02/21 13:46	12/06/21 15:17
440-292420-6	T213691-06	Water	12/02/21 13:15	12/06/21 15:17
440-292420-7	T213691-07	Water	12/02/21 15:15	12/06/21 15:17
440-292420-8	T213691-08	Water	12/02/21 16:25	12/06/21 15:17
440-292420-9	T213691-09	Water	12/02/21 17:50	12/06/21 15:17
440-292420-10	T213691-10	Water	12/02/21 00:01	12/06/21 15:17

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

# Case Narrative

Client: SunStar Laboratories Inc  
Project/Site: T213691

Job ID: 440-292420-1

---

## Job ID: 440-292420-1

---

Laboratory: Eurofins Calscience Irvine

### Narrative

---

#### Job Narrative 440-292420-1

### Comments

No additional comments.

### Receipt

The samples were received on 12/6/2021 3:17 PM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 8.6° C.

### Receipt Exceptions

The following samples were received at the laboratory outside the required temperature criteria: T213691-01 (440-292420-1), T213691-02 (440-292420-2), T213691-03 (440-292420-3), T213691-04 (440-292420-4), T213691-05 (440-292420-5), T213691-06 (440-292420-6), T213691-07 (440-292420-7), T213691-08 (440-292420-8), T213691-09 (440-292420-9) and T213691-10 (440-292420-10). The samples were received with blue ice at 8.60/8.60 Deg C.

### GC Semi VOA

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

### Organic Prep

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

# Detection Summary

Client: SunStar Laboratories Inc  
Project/Site: T213691

Job ID: 440-292420-1

**Client Sample ID: T213691-01**

**Lab Sample ID: 440-292420-1**

No Detections.

**Client Sample ID: T213691-02**

**Lab Sample ID: 440-292420-2**

No Detections.

**Client Sample ID: T213691-03**

**Lab Sample ID: 440-292420-3**

No Detections.

**Client Sample ID: T213691-04**

**Lab Sample ID: 440-292420-4**

No Detections.

**Client Sample ID: T213691-05**

**Lab Sample ID: 440-292420-5**

No Detections.

**Client Sample ID: T213691-06**

**Lab Sample ID: 440-292420-6**

No Detections.

**Client Sample ID: T213691-07**

**Lab Sample ID: 440-292420-7**

No Detections.

**Client Sample ID: T213691-08**

**Lab Sample ID: 440-292420-8**

No Detections.

**Client Sample ID: T213691-09**

**Lab Sample ID: 440-292420-9**

No Detections.

**Client Sample ID: T213691-10**

**Lab Sample ID: 440-292420-10**

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Calscience Irvine



# Client Sample Results

Client: SunStar Laboratories Inc  
Project/Site: T213691

Job ID: 440-292420-1

**Client Sample ID: T213691-01**

**Lab Sample ID: 440-292420-1**

Date Collected: 12/03/21 06:45

Matrix: Water

Date Received: 12/06/21 15:17

**Method: 8015B - 8100M (Modified) Total Extractable Petroleum Hydrocarbons**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene, 1,1'-oxybis-	ND		96	30	ug/L		12/09/21 16:53	12/16/21 12:48	1
1,1'-Biphenyl	ND		96	26	ug/L		12/09/21 16:53	12/16/21 12:48	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>n</i> -Octacosane (Surr)	80		53 - 151				12/09/21 16:53	12/16/21 12:48	1

**Client Sample ID: T213691-02**

**Lab Sample ID: 440-292420-2**

Date Collected: 12/03/21 09:35

Matrix: Water

Date Received: 12/06/21 15:17

**Method: 8015B - 8100M (Modified) Total Extractable Petroleum Hydrocarbons**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene, 1,1'-oxybis-	ND		100	32	ug/L		12/09/21 16:53	12/16/21 13:16	1
1,1'-Biphenyl	ND		100	27	ug/L		12/09/21 16:53	12/16/21 13:16	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>n</i> -Octacosane (Surr)	83		53 - 151				12/09/21 16:53	12/16/21 13:16	1

**Client Sample ID: T213691-03**

**Lab Sample ID: 440-292420-3**

Date Collected: 12/03/21 09:00

Matrix: Water

Date Received: 12/06/21 15:17

**Method: 8015B - 8100M (Modified) Total Extractable Petroleum Hydrocarbons**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene, 1,1'-oxybis-	ND		97	31	ug/L		12/09/21 16:53	12/16/21 13:43	1
1,1'-Biphenyl	ND		97	26	ug/L		12/09/21 16:53	12/16/21 13:43	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>n</i> -Octacosane (Surr)	84		53 - 151				12/09/21 16:53	12/16/21 13:43	1

**Client Sample ID: T213691-04**

**Lab Sample ID: 440-292420-4**

Date Collected: 12/02/21 12:35

Matrix: Water

Date Received: 12/06/21 15:17

**Method: 8015B - 8100M (Modified) Total Extractable Petroleum Hydrocarbons**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene, 1,1'-oxybis-	ND		99	31	ug/L		12/09/21 16:53	12/16/21 14:10	1
1,1'-Biphenyl	ND		99	27	ug/L		12/09/21 16:53	12/16/21 14:10	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>n</i> -Octacosane (Surr)	77		53 - 151				12/09/21 16:53	12/16/21 14:10	1

**Client Sample ID: T213691-05**

**Lab Sample ID: 440-292420-5**

Date Collected: 12/02/21 13:46

Matrix: Water

Date Received: 12/06/21 15:17

**Method: 8015B - 8100M (Modified) Total Extractable Petroleum Hydrocarbons**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene, 1,1'-oxybis-	ND		100	32	ug/L		12/09/21 16:53	12/16/21 14:36	1
1,1'-Biphenyl	ND		100	27	ug/L		12/09/21 16:53	12/16/21 14:36	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>n</i> -Octacosane (Surr)	78		53 - 151				12/09/21 16:53	12/16/21 14:36	1

Eurofins Calscience Irvine

# Client Sample Results

Client: SunStar Laboratories Inc  
Project/Site: T213691

Job ID: 440-292420-1

**Client Sample ID: T213691-06**

**Lab Sample ID: 440-292420-6**

Date Collected: 12/02/21 13:15

Matrix: Water

Date Received: 12/06/21 15:17

**Method: 8015B - 8100M (Modified) Total Extractable Petroleum Hydrocarbons**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene, 1,1'-oxybis-	ND		100	31	ug/L		12/09/21 16:53	12/16/21 15:04	1
1,1'-Biphenyl	ND		100	27	ug/L		12/09/21 16:53	12/16/21 15:04	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>n</i> -Octacosane (Surr)	74		53 - 151				12/09/21 16:53	12/16/21 15:04	1

**Client Sample ID: T213691-07**

**Lab Sample ID: 440-292420-7**

Date Collected: 12/02/21 15:15

Matrix: Water

Date Received: 12/06/21 15:17

**Method: 8015B - 8100M (Modified) Total Extractable Petroleum Hydrocarbons**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene, 1,1'-oxybis-	ND		99	31	ug/L		12/09/21 16:53	12/16/21 15:30	1
1,1'-Biphenyl	ND		99	27	ug/L		12/09/21 16:53	12/16/21 15:30	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>n</i> -Octacosane (Surr)	78		53 - 151				12/09/21 16:53	12/16/21 15:30	1

**Client Sample ID: T213691-08**

**Lab Sample ID: 440-292420-8**

Date Collected: 12/02/21 16:25

Matrix: Water

Date Received: 12/06/21 15:17

**Method: 8015B - 8100M (Modified) Total Extractable Petroleum Hydrocarbons**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene, 1,1'-oxybis-	ND		95	30	ug/L		12/09/21 16:53	12/16/21 15:57	1
1,1'-Biphenyl	ND		95	26	ug/L		12/09/21 16:53	12/16/21 15:57	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>n</i> -Octacosane (Surr)	74		53 - 151				12/09/21 16:53	12/16/21 15:57	1

**Client Sample ID: T213691-09**

**Lab Sample ID: 440-292420-9**

Date Collected: 12/02/21 17:50

Matrix: Water

Date Received: 12/06/21 15:17

**Method: 8015B - 8100M (Modified) Total Extractable Petroleum Hydrocarbons**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene, 1,1'-oxybis-	ND		94	30	ug/L		12/09/21 16:53	12/16/21 16:24	1
1,1'-Biphenyl	ND		94	26	ug/L		12/09/21 16:53	12/16/21 16:24	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>n</i> -Octacosane (Surr)	70		53 - 151				12/09/21 16:53	12/16/21 16:24	1

**Client Sample ID: T213691-10**

**Lab Sample ID: 440-292420-10**

Date Collected: 12/02/21 00:01

Matrix: Water

Date Received: 12/06/21 15:17

**Method: 8015B - 8100M (Modified) Total Extractable Petroleum Hydrocarbons**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene, 1,1'-oxybis-	ND		98	31	ug/L		12/09/21 16:53	12/16/21 16:51	1
1,1'-Biphenyl	ND		98	27	ug/L		12/09/21 16:53	12/16/21 16:51	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>n</i> -Octacosane (Surr)	68		53 - 151				12/09/21 16:53	12/16/21 16:51	1

Eurofins Calscience Irvine



# Surrogate Summary

Client: SunStar Laboratories Inc  
Project/Site: T213691

Job ID: 440-292420-1

**Method: 8015B - 8100M (Modified) Total Extractable Petroleum Hydrocarbons**

**Matrix: Water**

**Prep Type: Total/NA**

## Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	OTCSN1 (53-151)
440-292420-1	T213691-01	80
440-292420-2	T213691-02	83
440-292420-3	T213691-03	84
440-292420-4	T213691-04	77
440-292420-5	T213691-05	78
440-292420-6	T213691-06	74
440-292420-7	T213691-07	78
440-292420-8	T213691-08	74
440-292420-9	T213691-09	70
440-292420-10	T213691-10	68
LCS 570-199934/2-A	Lab Control Sample	75
LCSD 570-199934/3-A	Lab Control Sample Dup	77
MB 570-199934/1-A	Method Blank	71

### Surrogate Legend

OTCSN = n-Octacosane (Surr)

# Method Summary

Client: SunStar Laboratories Inc  
Project/Site: T213691

Job ID: 440-292420-1

Method	Method Description	Protocol	Laboratory
8015B	8100M (Modified) Total Extractable Petroleum Hydrocarbons	SW846	ECL 1
3510C	Liquid-Liquid Extraction (Separatory Funnel)	SW846	ECL 1

**Protocol References:**

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

**Laboratory References:**

ECL 1 = Eurofins Calscience LLC Lincoln, 7440 Lincoln Way, Garden Grove, CA 92841, TEL (714)895-5494



# Lab Chronicle

Client: SunStar Laboratories Inc  
Project/Site: T213691

Job ID: 440-292420-1

**Client Sample ID: T213691-01**

**Lab Sample ID: 440-292420-1**

Date Collected: 12/03/21 06:45

Matrix: Water

Date Received: 12/06/21 15:17

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			260.2 mL	2.5 mL	199934	12/09/21 16:53	UFLU	ECL 1
Total/NA	Analysis	8015B		1			201522	12/16/21 12:48	N5Y3	ECL 1

**Client Sample ID: T213691-02**

**Lab Sample ID: 440-292420-2**

Date Collected: 12/03/21 09:35

Matrix: Water

Date Received: 12/06/21 15:17

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			250.3 mL	2.5 mL	199934	12/09/21 16:53	UFLU	ECL 1
Total/NA	Analysis	8015B		1			201522	12/16/21 13:16	N5Y3	ECL 1

**Client Sample ID: T213691-03**

**Lab Sample ID: 440-292420-3**

Date Collected: 12/03/21 09:00

Matrix: Water

Date Received: 12/06/21 15:17

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			258.4 mL	2.5 mL	199934	12/09/21 16:53	UFLU	ECL 1
Total/NA	Analysis	8015B		1			201522	12/16/21 13:43	N5Y3	ECL 1

**Client Sample ID: T213691-04**

**Lab Sample ID: 440-292420-4**

Date Collected: 12/02/21 12:35

Matrix: Water

Date Received: 12/06/21 15:17

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			252.3 mL	2.5 mL	199934	12/09/21 16:53	UFLU	ECL 1
Total/NA	Analysis	8015B		1			201522	12/16/21 14:10	N5Y3	ECL 1

**Client Sample ID: T213691-05**

**Lab Sample ID: 440-292420-5**

Date Collected: 12/02/21 13:46

Matrix: Water

Date Received: 12/06/21 15:17

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			250 mL	2.5 mL	199934	12/09/21 16:53	UFLU	ECL 1
Total/NA	Analysis	8015B		1			201522	12/16/21 14:36	N5Y3	ECL 1

**Client Sample ID: T213691-06**

**Lab Sample ID: 440-292420-6**

Date Collected: 12/02/21 13:15

Matrix: Water

Date Received: 12/06/21 15:17

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			250.4 mL	2.5 mL	199934	12/09/21 16:53	UFLU	ECL 1
Total/NA	Analysis	8015B		1			201522	12/16/21 15:04	N5Y3	ECL 1

# Lab Chronicle

Client: SunStar Laboratories Inc  
Project/Site: T213691

Job ID: 440-292420-1

**Client Sample ID: T213691-07**

**Lab Sample ID: 440-292420-7**

Date Collected: 12/02/21 15:15

Matrix: Water

Date Received: 12/06/21 15:17

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			253 mL	2.5 mL	199934	12/09/21 16:53	UFLU	ECL 1
Total/NA	Analysis	8015B		1			201522	12/16/21 15:30	N5Y3	ECL 1

**Client Sample ID: T213691-08**

**Lab Sample ID: 440-292420-8**

Date Collected: 12/02/21 16:25

Matrix: Water

Date Received: 12/06/21 15:17

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			264.1 mL	2.5 mL	199934	12/09/21 16:53	UFLU	ECL 1
Total/NA	Analysis	8015B		1			201522	12/16/21 15:57	N5Y3	ECL 1

**Client Sample ID: T213691-09**

**Lab Sample ID: 440-292420-9**

Date Collected: 12/02/21 17:50

Matrix: Water

Date Received: 12/06/21 15:17

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			266.5 mL	2.5 mL	199934	12/09/21 16:53	UFLU	ECL 1
Total/NA	Analysis	8015B		1			201522	12/16/21 16:24	N5Y3	ECL 1

**Client Sample ID: T213691-10**

**Lab Sample ID: 440-292420-10**

Date Collected: 12/02/21 00:01

Matrix: Water

Date Received: 12/06/21 15:17

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3510C			254.7 mL	2.5 mL	199934	12/09/21 16:53	UFLU	ECL 1
Total/NA	Analysis	8015B		1			201522	12/16/21 16:51	N5Y3	ECL 1

**Laboratory References:**

ECL 1 = Eurofins Calscience LLC Lincoln, 7440 Lincoln Way, Garden Grove, CA 92841, TEL (714)895-5494



# QC Sample Results

Client: SunStar Laboratories Inc  
Project/Site: T213691

Job ID: 440-292420-1

## Method: 8015B - 8100M (Modified) Total Extractable Petroleum Hydrocarbons

**Lab Sample ID: MB 570-199934/1-A**  
**Matrix: Water**  
**Analysis Batch: 201522**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**  
**Prep Batch: 199934**

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Benzene, 1,1'-oxybis-	ND		100	32	ug/L		12/09/21 16:53	12/16/21 10:34	1
1,1'-Biphenyl	ND		100	27	ug/L		12/09/21 16:53	12/16/21 10:34	1
<b>MB MB</b>									
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
<i>n-Octacosane (Surr)</i>	71		53 - 151				12/09/21 16:53	12/16/21 10:34	1

**Lab Sample ID: LCS 570-199934/2-A**  
**Matrix: Water**  
**Analysis Batch: 201522**

**Client Sample ID: Lab Control Sample**  
**Prep Type: Total/NA**  
**Prep Batch: 199934**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits		
								Limits	
Benzene, 1,1'-oxybis-	1000	751		ug/L		75	57 - 120		
1,1'-Biphenyl	1000	787		ug/L		79	45 - 120		
<b>LCS LCS</b>									
Surrogate	%Recovery	Qualifier	Limits						
<i>n-Octacosane (Surr)</i>	75		53 - 151						

**Lab Sample ID: LCSD 570-199934/3-A**  
**Matrix: Water**  
**Analysis Batch: 201522**

**Client Sample ID: Lab Control Sample Dup**  
**Prep Type: Total/NA**  
**Prep Batch: 199934**

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	
								RPD	Limit
Benzene, 1,1'-oxybis-	1000	765		ug/L		77	57 - 120	2	20
1,1'-Biphenyl	1000	803		ug/L		80	45 - 120	2	20
<b>LCSD LCSD</b>									
Surrogate	%Recovery	Qualifier	Limits						
<i>n-Octacosane (Surr)</i>	77		53 - 151						

# QC Association Summary

Client: SunStar Laboratories Inc  
Project/Site: T213691

Job ID: 440-292420-1

## GC Semi VOA

### Prep Batch: 199934

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
440-292420-1	T213691-01	Total/NA	Water	3510C	
440-292420-2	T213691-02	Total/NA	Water	3510C	
440-292420-3	T213691-03	Total/NA	Water	3510C	
440-292420-4	T213691-04	Total/NA	Water	3510C	
440-292420-5	T213691-05	Total/NA	Water	3510C	
440-292420-6	T213691-06	Total/NA	Water	3510C	
440-292420-7	T213691-07	Total/NA	Water	3510C	
440-292420-8	T213691-08	Total/NA	Water	3510C	
440-292420-9	T213691-09	Total/NA	Water	3510C	
440-292420-10	T213691-10	Total/NA	Water	3510C	
MB 570-199934/1-A	Method Blank	Total/NA	Water	3510C	
LCS 570-199934/2-A	Lab Control Sample	Total/NA	Water	3510C	
LCSD 570-199934/3-A	Lab Control Sample Dup	Total/NA	Water	3510C	

### Analysis Batch: 201522

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
440-292420-1	T213691-01	Total/NA	Water	8015B	199934
440-292420-2	T213691-02	Total/NA	Water	8015B	199934
440-292420-3	T213691-03	Total/NA	Water	8015B	199934
440-292420-4	T213691-04	Total/NA	Water	8015B	199934
440-292420-5	T213691-05	Total/NA	Water	8015B	199934
440-292420-6	T213691-06	Total/NA	Water	8015B	199934
440-292420-7	T213691-07	Total/NA	Water	8015B	199934
440-292420-8	T213691-08	Total/NA	Water	8015B	199934
440-292420-9	T213691-09	Total/NA	Water	8015B	199934
440-292420-10	T213691-10	Total/NA	Water	8015B	199934
MB 570-199934/1-A	Method Blank	Total/NA	Water	8015B	199934
LCS 570-199934/2-A	Lab Control Sample	Total/NA	Water	8015B	199934
LCSD 570-199934/3-A	Lab Control Sample Dup	Total/NA	Water	8015B	199934

# Definitions/Glossary

Client: SunStar Laboratories Inc  
Project/Site: T213691

Job ID: 440-292420-1

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

# Accreditation/Certification Summary

Client: SunStar Laboratories Inc  
Project/Site: T213691

Job ID: 440-292420-1

## Laboratory: Eurofins Calscience LLC

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
California	Los Angeles County Sanitation Districts	10109	09-30-22
California	SCAQMD LAP	17LA0919	11-30-21 *
California	State	2944	09-30-22
Guam	State	21-003R	06-22-22
Nevada	State	CA00111	07-31-22
Oregon	NELAP	CA300001	01-30-22
USDA	US Federal Programs	P330-20-00034	02-10-23
Washington	State	C916-18	10-12-22

\* Accreditation/Certification renewal pending - accreditation/certification considered valid.



SUBCONTRACT ORDER

SunStar Laboratories, Inc.

T213691

292420

SENDING LABORATORY.

SunStar Laboratories, Inc  
25712 Commercentre Drive  
Lake Forest, CA 92630  
Phone (949) 297-5020  
Fax. (949) 297-5027  
Project Manager Jeff Lee

RECEIVING LABORATORY.

Eurofins TestAmerica (Irvine) Laboratories  
17461 Derian Ave, #100  
Irvine, CA 92614  
Phone (949) 261-1022  
Fax. N/A

Analysis	Due	Expires	Laboratory ID	Comments
<b>Sample ID: T213691-01</b>	<b>Water</b>	<b>Sampled 12/03/21 06.45</b>	[REDACTED]	
Misc Water Testing #1 <i>Containers Supplied.</i>	12/17/21 00:00	06/01/22 06.45		8015M- Therminol
<b>Sample ID: T213691-02</b>	<b>Water</b>	<b>Sampled:12/03/21 09:35</b>	[REDACTED]	
Misc Water Testing #1 <i>Containers Supplied.</i>	12/17/21 00:00	06/01/22 09 35		8015M Therminol
<b>Sample ID: T213691-03</b>	<b>Water</b>	<b>Sampled.12/03/21 09.00</b>	[REDACTED]	
Misc Water Testing #1 <i>Containers Supplied.</i>	12/17/21 00:00	06/01/22 09 00		8015M- Therminol
<b>Sample ID: T213691-04</b>	<b>Water</b>	<b>Sampled.12/02/21 12.35</b>	[REDACTED]	
Misc Water Testing #1 <i>Containers Supplied.</i>	12/17/21 00:00	05/31/22 12 35		8015M- Therminol
<b>Sample ID: T213691-05</b>	<b>Water</b>	<b>Sampled.12/02/21 13:46</b>	[REDACTED]	
Misc Water Testing #1 <i>Containers Supplied.</i>	12/17/21 00:00	05/31/22 13:46		8015M- Therminol
<b>Sample ID: T213691-06</b>	<b>Water</b>	<b>Sampled 12/02/21 13 15</b>	[REDACTED]	
Misc Water Testing #1 <i>Containers Supplied.</i>	12/17/21 00:00	05/31/22 13 15		8015M- Therminol

00  
12/06/21



*[Signature]*  
Released By

12-6-21  
Date

1517

*[Signature]*  
Received By

FCIRV

Date

12/4/21

1517

Released By

Date

Received By

Date

SUBCONTRACT ORDER

SunStar Laboratories, Inc.

T213691

Analysis	Due	Expires	Laboratory ID	Comments
<b>Sample ID: T213691-07</b>	<b>Water</b>	<b>Sampled. 12/02/21 15 15</b>	[REDACTED]	
Misc Water Testing #1 <i>Containers Supplied.</i>	12/17/21 00:00	05/31/22 15 15		8015M- Therminol
<b>Sample ID: T213691-08</b>	<b>Water</b>	<b>Sampled 12/02/21 16:25</b>	[REDACTED]	
Misc Water Testing #1 <i>Containers Supplied.</i>	12/17/21 00 00	05/31/22 16:25		8015M- Therminol
<b>Sample ID: T213691-09</b>	<b>Water</b>	<b>Sampled. 12/02/21 17.50</b>	[REDACTED]	
Misc Water Testing #1 <i>Containers Supplied.</i>	12/17/21 00:00	05/31/22 17 50		8015M Therminol
<b>Sample ID: T213691-10</b>	<b>Water</b>	<b>Sampled 12/02/21 00:00</b>	[REDACTED]	
Misc Water Testing #1 <i>Containers Supplied.</i>	12/17/21 00:00	05/31/22 00:00		8015M- Therminol

*DBenz*  
Released By

12-6-21  
Date

1517

*[Signature]*  
Received By

*EC112V*  
Date

12/4/21 1517

Released By

Date

Received By

Date

*on blue ice*

*8-6/8-4*  
*11 89*

# Chain of Custody Record




<b>Client Information (Sub Contract Lab)</b>		Sampler:	Lab PM:	Carrier Tracking No(s):	COC No:	
Client Contact: Shipping/Receiving		Phone:	Roberts, Danielle C		440-176368 1	
Company: Eurofins Calscience LLC		E-Mail:	Danielle.Roberts@Eurofinsnet.com	State of Origin: California	Page: Page 1 of 2	
Address: 7440 Lincoln Way, Garden Grove State, Zip CA, 92841		Accreditations Required (See note): State Program - California	Job #: 440-292420-1			
Phone: 714-895-5494 (Tel) 714-894-7501 (Fax)		Due Date Requested: 12/17/2021	Preservation Codes:			
Email:		TAT Requested (days):	A - HCL M - Hexane N - None O - AsNaO2 P - Na2OAS Q - Na2SO3 R - Na2SO3 S - H2SO4 T - TSP Dodecahydrate U - Acetone V - MCAA W - pH 4-5 X - EDTA Z - other (specify)			
Project Name: T213692		PO #:	Analysis Requested			
Site: SSOW#:		WO #:	Total Number of Containers			
		Project #: 44014499	Perform MS/MSD (Yes or No)			
		Site:	Field Filtered Sample (Yes or No)			
			8015B_DRO/3510C Thermo			
<b>Sample Identification - Client ID (Lab ID)</b>		<b>Sample Date</b>	<b>Sample Time</b>	<b>Sample Type (C=Comp, G=grab)</b>	<b>Matrix (Water, Specific, On-site, BR/Trace, As/Ar)</b>	<b>Special Instructions/Note</b>
T213691-01 (440-292420-1)		12/3/21	06:45 Pacific	Water	Water	
T213691-02 (440-292420-2)		12/3/21	09:35 Pacific	Water	Water	
T213691-03 (440-292420-3)		12/3/21	09:00 Pacific	Water	Water	
T213691-04 (440-292420-4)		12/2/21	12:35 Pacific	Water	Water	
T213691-05 (440-292420-5)		12/2/21	13:46 Pacific	Water	Water	
T213691-06 (440-292420-6)		12/2/21	13:15 Pacific	Water	Water	
T213691-07 (440-292420-7)		12/2/21	15:15 Pacific	Water	Water	
T213691-08 (440-292420-8)		12/2/21	16:25 Pacific	Water	Water	
T213691-09 (440-292420-9)		12/2/21	17:50 Pacific	Water	Water	
<p>Note: Since laboratory accreditations are subject to change, Eurofins Calscience places the ownership of method, analyte &amp; accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/matrix being analyzed, the samples must be shipped back to the Eurofins Calscience laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Calscience attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Calscience.</p>						
<b>Possible Hazard Identification</b>						
Unconfirmed						
Deliverable Requested I, II, III, IV, Other (specify)						
Primary Deliverable Rank. 2						
Empty For Relinquished by						
Relinquished by: <i>[Signature]</i> Date: 12/6/21 14:55						
Relinquished by: <i>[Signature]</i> Date: 12/6/21 18:05						
Relinquished by: <i>[Signature]</i> Date: 12/6/21 18:05						
Custody Seal Intact: <i>[Signature]</i> Custody Seal No						
Cooler Temperature(s) °C and Other Remarks: 2-6/3.5 hrs						



**Eurofins Calscience Irvine**  
 17461 Derian Ave Suite 100  
 Irvine, CA 92614-5817  
 Phone 949-261-1022 Fax: 949-260-3297

## Chain of Custody Record



<b>Client Information (Sub Contract Lab)</b>		Sampler:	Lab PM: Roberts, Danielle C		Carrier Tracking No(s):	COG No: 440-176368.2																			
Client Contact: Shipping/Receiving		Phone:	E-Mail: Danielle.Roberts@Eurofinset.com		State of Origin:	Page: Page 2 of 2																			
Company: Eurofins Calscience LLC		Accreditations Required (See note):	State Program - California		Job #:	440-292420-1																			
Address: 7440 Lincoln Way,		Due Date Requested:	Analysis Requested		Preservation Codes:	A - HCL M - Hexane N - None O - AshNaO2 P - Na2O4S Q - Na2SO3 R - Na2SO3 S - H2SO4 T - TSP Dodecahydrate U - Acetone V - MCAA W - pH 4-5 L - EDTA Z - other (specify) Other:																			
City: Garden Grove	TAT Requested (days):																								
State, Zip: CA, 92841	PO #:																								
Phone: 714-895-5494 (Tel) 714-894-7501 (Fax)	WO #:																								
Email:	Project #:																								
Project Name: T213692	SSON#:																								
Site:	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Sample Date</th> <th>Sample Time</th> <th>Sample Type (C=comp, G=grab)</th> <th>Matrix (W=water, S=solid, O=overseal, ST=stump, AA=AA)</th> <th>Field Filtered Sample (Yes or No)</th> <th>Perform MS/MSD (Yes or No)</th> <th>8015B_DRO/3510C Thermal</th> <th>Total Number of containers</th> <th>Special Instructions/Note:</th> </tr> </thead> <tbody> <tr> <td>12/21/21</td> <td>00:01 Pacific</td> <td></td> <td>Water</td> <td>X</td> <td>X</td> <td></td> <td>1</td> <td></td> </tr> </tbody> </table>							Sample Date	Sample Time	Sample Type (C=comp, G=grab)	Matrix (W=water, S=solid, O=overseal, ST=stump, AA=AA)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	8015B_DRO/3510C Thermal	Total Number of containers	Special Instructions/Note:	12/21/21	00:01 Pacific		Water	X	X		1	
Sample Date	Sample Time	Sample Type (C=comp, G=grab)	Matrix (W=water, S=solid, O=overseal, ST=stump, AA=AA)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	8015B_DRO/3510C Thermal	Total Number of containers	Special Instructions/Note:																	
12/21/21	00:01 Pacific		Water	X	X		1																		
Sample Identification - Client ID (Lab ID)		T213691-10 (440-292420-10)																							
<p>Note: Since laboratory accreditations are subject to change, Eurofins Calscience places the ownership of method, analyte &amp; accreditation compliance upon out subcontract laboratories. This sample shipment is forwarded under chain-of-custody if the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/test/matrix being analyzed. The samples must be shipped back to the Eurofins Calscience laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Calscience attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Calscience.</p>																									
<b>Possible Hazard Identification</b>																									
<input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months																									
Special Instructions/GC Requirements:																									
Deliverable Requested I, II, III, IV, Other (specify) Primary Deliverable Rank 2																									
Empty If Relinquished by: _____ Date: _____ Method of Shipment: _____																									
Relinquished by: <i>[Signature]</i> Date/Time: 12/16/21 1055 Company: EC																									
Relinquished by: <i>[Signature]</i> Date/Time: 12/16/21 1805 Company: EC																									
Relinquished by: _____ Date/Time: _____ Company: _____																									
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No            Cooler Temperature(s) °C and Other Remarks: 26/35																									



Ver 06/08/2021

## Login Sample Receipt Checklist

Client: SunStar Laboratories Inc

Job Number: 440-292420-1

**Login Number: 292420**

**List Source: Eurofins Calscience Irvine**

**List Number: 1**

**Creator: Escalante, Maria I**

Question	Answer	Comment
Radioactivity wasn't checked or is <=/ background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	N/A	Not present
Sample custody seals, if present, are intact.	N/A	Not Present
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	False	Cooler temperature outside required temperature criteria.
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	Received project as a subcontract.
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

## Login Sample Receipt Checklist

Client: SunStar Laboratories Inc

Job Number: 440-292420-1

**Login Number: 292420**

**List Number: 2**

**Creator: Ortiz-Luis, Michael**

**List Source: Eurofins Calscience LLC**

**List Creation: 12/07/21 02:34 PM**

Question	Answer	Comment
Radioactivity wasn't checked or is <math>\leq</math> background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	3.5
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	False	Received project as a subcontract.
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Lab #: 810643 Job #: 49539 IS-101168 Co. Job#:  
Sample Name: T231691-01 Co. Lab#:  
Company: SunStar Laboratories, Inc  
API/Well:  
Container: 250ml Plastic Bottle  
Field/Site Name: T213691  
Location:  
Formation/Depth:  
Sampling Point:  
Date Sampled: 12/03/2021 6:45 Date Received: 12/07/2021 Date Reported: 12/21/2021

$\delta D$  of water ----- -74.1 ‰ relative to VSMOW

$\delta^{18}O$  of water ----- -10.21 ‰ relative to VSMOW

Tritium content of water ----- na

$\delta^{13}C$  of DIC ----- na

$^{14}C$  content of DIC ----- na

$\delta^{15}N$  of nitrate ----- na

$\delta^{18}O$  of nitrate ----- na

$\delta^{34}S$  of sulfate ----- na

$\delta^{18}O$  of sulfate ----- na

Vacuum Distilled? \* ----- No

Remarks:

nd = not detected. na = not analyzed.

\*Indicates if vacuum distillation was utilized for hydrogen and oxygen isotopic analysis of water

Lab #: 810644 Job #: 49539 IS-101168 Co. Job#:   
Sample Name: T231691-02 Co. Lab#:   
Company: SunStar Laboratories, Inc   
API/Well:   
Container: 250ml Plastic Bottle   
Field/Site Name: T213691   
Location:   
Formation/Depth:   
Sampling Point:   
Date Sampled: 12/03/2021 9:35 Date Received: 12/07/2021 Date Reported: 12/21/2021

$\delta$ D of water ----- -60.1 ‰ relative to VSMOW

$\delta^{18}$ O of water ----- -6.77 ‰ relative to VSMOW

Tritium content of water ----- na

$\delta^{13}$ C of DIC ----- na

$^{14}$ C content of DIC ----- na

$\delta^{15}$ N of nitrate ----- na

$\delta^{18}$ O of nitrate ----- na

$\delta^{34}$ S of sulfate ----- na

$\delta^{18}$ O of sulfate ----- na

Vacuum Distilled? \* ----- No

Remarks:

nd = not detected. na = not analyzed.

\*Indicates if vacuum distillation was utilized for hydrogen and oxygen isotopic analysis of water



Lab #: 810645 Job #: 49539 IS-101168 Co. Job#:  
Sample Name: T231691-03 Co. Lab#:  
Company: SunStar Laboratories, Inc  
API/Well:  
Container: 250ml Plastic Bottle  
Field/Site Name: T213691  
Location:  
Formation/Depth:  
Sampling Point:  
Date Sampled: 12/03/2021 9:00 Date Received: 12/07/2021 Date Reported: 12/21/2021

$\delta D$  of water ----- -63.2 ‰ relative to VSMOW

$\delta^{18}O$  of water ----- -7.76 ‰ relative to VSMOW

Tritium content of water ----- na

$\delta^{13}C$  of DIC ----- na

$^{14}C$  content of DIC ----- na

$\delta^{15}N$  of nitrate ----- na

$\delta^{18}O$  of nitrate ----- na

$\delta^{34}S$  of sulfate ----- na

$\delta^{18}O$  of sulfate ----- na

Vacuum Distilled? \* ----- No

Remarks:

nd = not detected. na = not analyzed.

\*Indicates if vacuum distillation was utilized for hydrogen and oxygen isotopic analysis of water

Lab #: 810646 Job #: 49539 IS-101168 Co. Job#:  
Sample Name: T231691-04 Co. Lab#:  
Company: SunStar Laboratories, Inc  
API/Well:  
Container: 250ml Plastic Bottle  
Field/Site Name: T213691  
Location:  
Formation/Depth:  
Sampling Point:  
Date Sampled: 12/02/2021 12:35 Date Received: 12/07/2021 Date Reported: 12/21/2021

$\delta D$  of water ----- -75.5 ‰ relative to VSMOW

$\delta^{18}O$  of water ----- -10.01 ‰ relative to VSMOW

Tritium content of water ----- na

$\delta^{13}C$  of DIC ----- na

$^{14}C$  content of DIC ----- na

$\delta^{15}N$  of nitrate ----- na

$\delta^{18}O$  of nitrate ----- na

$\delta^{34}S$  of sulfate ----- na

$\delta^{18}O$  of sulfate ----- na

Vacuum Distilled? \* ----- No

Remarks:

nd = not detected. na = not analyzed.

\*Indicates if vacuum distillation was utilized for hydrogen and oxygen isotopic analysis of water

Lab #: 810647 Job #: 49539 IS-101168 Co. Job#:  
Sample Name: T231691-05 Co. Lab#:  
Company: SunStar Laboratories, Inc  
API/Well:  
Container: 250ml Plastic Bottle  
Field/Site Name: T213691  
Location:  
Formation/Depth:  
Sampling Point:  
Date Sampled: 12/02/2021 13:46 Date Received: 12/07/2021 Date Reported: 12/21/2021

$\delta D$  of water ----- -76.2 ‰ relative to VSMOW

$\delta^{18}O$  of water ----- -10.03 ‰ relative to VSMOW

Tritium content of water ----- na

$\delta^{13}C$  of DIC ----- na

$^{14}C$  content of DIC ----- na

$\delta^{15}N$  of nitrate ----- na

$\delta^{18}O$  of nitrate ----- na

$\delta^{34}S$  of sulfate ----- na

$\delta^{18}O$  of sulfate ----- na

Vacuum Distilled? \* ----- No

Remarks:

nd = not detected. na = not analyzed.

\*Indicates if vacuum distillation was utilized for hydrogen and oxygen isotopic analysis of water



Lab #: 810648 Job #: 49539 IS-101168 Co. Job#:  
Sample Name: T231691-06 Co. Lab#:  
Company: SunStar Laboratories, Inc  
API/Well:  
Container: 250ml Plastic Bottle  
Field/Site Name: T213691  
Location:  
Formation/Depth:  
Sampling Point:  
Date Sampled: 12/02/2021 13:15 Date Received: 12/07/2021 Date Reported: 12/21/2021

$\delta D$  of water ----- -77.6 ‰ relative to VSMOW

$\delta^{18}O$  of water ----- -10.22 ‰ relative to VSMOW

Tritium content of water ----- na

$\delta^{13}C$  of DIC ----- na

$^{14}C$  content of DIC ----- na

$\delta^{15}N$  of nitrate ----- na

$\delta^{18}O$  of nitrate ----- na

$\delta^{34}S$  of sulfate ----- na

$\delta^{18}O$  of sulfate ----- na

Vacuum Distilled? \* ----- No

Remarks:

nd = not detected. na = not analyzed.

\*Indicates if vacuum distillation was utilized for hydrogen and oxygen isotopic analysis of water

Lab #: 810649 Job #: 49539 IS-101168 Co. Job#:  
Sample Name: T231691-07 Co. Lab#:  
Company: SunStar Laboratories, Inc  
API/Well:  
Container: 250ml Plastic Bottle  
Field/Site Name: T213691  
Location:  
Formation/Depth:  
Sampling Point:  
Date Sampled: 12/02/2021 15:15 Date Received: 12/07/2021 Date Reported: 12/21/2021

$\delta D$  of water ----- -70.1 ‰ relative to VSMOW

$\delta^{18}O$  of water ----- -8.58 ‰ relative to VSMOW

Tritium content of water ----- na

$\delta^{13}C$  of DIC ----- na

$^{14}C$  content of DIC ----- na

$\delta^{15}N$  of nitrate ----- na

$\delta^{18}O$  of nitrate ----- na

$\delta^{34}S$  of sulfate ----- na

$\delta^{18}O$  of sulfate ----- na

Vacuum Distilled? \* ----- No

Remarks:

nd = not detected. na = not analyzed.

\*Indicates if vacuum distillation was utilized for hydrogen and oxygen isotopic analysis of water

Lab #: 810650 Job #: 49539 IS-101168 Co. Job#:  
Sample Name: T231691-08 Co. Lab#:  
Company: SunStar Laboratories, Inc  
API/Well:  
Container: 250ml Plastic Bottle  
Field/Site Name: T213691  
Location:  
Formation/Depth:  
Sampling Point:  
Date Sampled: 12/02/2021 16:25 Date Received: 12/07/2021 Date Reported: 12/21/2021

$\delta D$  of water ----- -69.5 ‰ relative to VSMOW

$\delta^{18}O$  of water ----- -8.47 ‰ relative to VSMOW

Tritium content of water ----- na

$\delta^{13}C$  of DIC ----- na

$^{14}C$  content of DIC ----- na

$\delta^{15}N$  of nitrate ----- na

$\delta^{18}O$  of nitrate ----- na

$\delta^{34}S$  of sulfate ----- na

$\delta^{18}O$  of sulfate ----- na

Vacuum Distilled? \* ----- No

Remarks:

nd = not detected. na = not analyzed.

\*Indicates if vacuum distillation was utilized for hydrogen and oxygen isotopic analysis of water

Lab #: 810651 Job #: 49539 IS-101168 Co. Job#:  
Sample Name: T231691-09 Co. Lab#:  
Company: SunStar Laboratories, Inc  
API/Well:  
Container: 250ml Plastic Bottle  
Field/Site Name: T213691  
Location:  
Formation/Depth:  
Sampling Point:  
Date Sampled: 12/02/2021 17:50 Date Received: 12/07/2021 Date Reported: 12/21/2021

$\delta D$  of water ----- -70.6 ‰ relative to VSMOW

$\delta^{18}O$  of water ----- -8.69 ‰ relative to VSMOW

Tritium content of water ----- na

$\delta^{13}C$  of DIC ----- na

$^{14}C$  content of DIC ----- na

$\delta^{15}N$  of nitrate ----- na

$\delta^{18}O$  of nitrate ----- na

$\delta^{34}S$  of sulfate ----- na

$\delta^{18}O$  of sulfate ----- na

Vacuum Distilled? \* ----- No

Remarks:

nd = not detected. na = not analyzed.

\*Indicates if vacuum distillation was utilized for hydrogen and oxygen isotopic analysis of water

Lab #: 810652 Job #: 49539 IS-101168 Co. Job#:  
Sample Name: T231691-10 Co. Lab#:  
Company: SunStar Laboratories, Inc  
API/Well:  
Container: 250ml Plastic Bottle  
Field/Site Name: T213691  
Location:  
Formation/Depth:  
Sampling Point:  
Date Sampled: 12/02/2021 0:00 Date Received: 12/07/2021 Date Reported: 12/21/2021

$\delta D$  of water ----- -77.8 ‰ relative to VSMOW

$\delta^{18}O$  of water ----- -10.24 ‰ relative to VSMOW

Tritium content of water ----- na

$\delta^{13}C$  of DIC ----- na

$^{14}C$  content of DIC ----- na

$\delta^{15}N$  of nitrate ----- na

$\delta^{18}O$  of nitrate ----- na

$\delta^{34}S$  of sulfate ----- na

$\delta^{18}O$  of sulfate ----- na

Vacuum Distilled? \* ----- No

Remarks:

nd = not detected. na = not analyzed.

\*Indicates if vacuum distillation was utilized for hydrogen and oxygen isotopic analysis of water



**WORK ORDER**

**T213691**

**Client: Northstar Environmental Remediation**  
**Project: Genesis Solar Groundwater**

**Project Manager: Jeff Lee**  
**Project Number: 196-004-06**

**Report To:**

Northstar Environmental Remediation  
 Arlin Brewster  
 26225 Enterprise Court  
 Lake Forest, CA 92630

Date Due: 12/17/21 00:00 (10 day TAT)

Received By: Jeff Lee

Date Received: 12/03/21 14:15

Logged In By: Jeff Lee

Date Logged In: 12/03/21 14:28

Samples Received at: **0.9°C**

Custody Seals No Received On Ice Yes  
 Containers Intact Yes  
 COC/Labels Agree Yes  
 Preservation Confir Yes

Analysis	Due	TAT	Expires	Comments
----------	-----	-----	---------	----------

**T213691-01 23A [Water] Sampled 12/03/21 06:45 (GMT-08:00) Pacific Time (US &**

1664	12/10/21 15:00	5	12/31/21 06:45	Oil & Grease
200.7	12/10/21 15:00	5	06/01/22 06:45	Ca,Cu,Na,K,Fe,Mg
200.8	12/10/21 15:00	5	06/01/22 06:45	Sb,As,Ba,Cd,Cr,Co,Pb,Ni,Se,Zn
300.0 - F, Cl, Br, SO4	12/10/21 15:00	5	12/31/21 06:45	Chloride,Sulfate only
300.0 - NO2, NO3, PO4	12/10/21 15:00	5	12/05/21 06:45	Nitrate
7470/71 Hg	12/10/21 15:00	5	03/03/22 06:45	
Conductivity	12/10/21 15:00	5	12/31/21 06:45	
pH water SM 4500-H+B	12/08/21 15:00	3	12/04/21 06:45	
TDS-160.1	12/10/21 15:00	5	12/10/21 06:45	

**T213691-02 OBS-1 [Water] Sampled 12/03/21 09:35 (GMT-08:00) Pacific Time (US &**

1664	12/10/21 15:00	5	12/31/21 09:35	Oil & Grease
200.7	12/10/21 15:00	5	06/01/22 09:35	Ca,Cu,Na,K,Fe,Mg
200.8	12/10/21 15:00	5	06/01/22 09:35	Sb,As,Ba,Cd,Cr,Co,Pb,Ni,Se,Zn
300.0 - F, Cl, Br, SO4	12/10/21 15:00	5	12/31/21 09:35	Chloride,Sulfate only
300.0 - NO2, NO3, PO4	12/10/21 15:00	5	12/05/21 09:35	Nitrate
7470/71 Hg	12/10/21 15:00	5	03/03/22 09:35	
Conductivity	12/10/21 15:00	5	12/31/21 09:35	
pH water SM 4500-H+B	12/08/21 15:00	3	12/04/21 09:35	
TDS-160.1	12/10/21 15:00	5	12/10/21 09:35	

**WORK ORDER**

**T213691**

**Client: Northstar Environmental Remediation**  
**Project: Genesis Solar Groundwater**

**Project Manager: Jeff Lee**  
**Project Number: 196-004-06**

Analysis	Due	TAT	Expires	Comments
<b>T213691-03 TW-1 [Water] Sampled 12/03/21 09:00 (GMT-08:00) Pacific Time (US &amp;</b>				
1664	12/10/21 15:00	5	12/31/21 09:00	Oil & Grease
200.7	12/10/21 15:00	5	06/01/22 09:00	Ca,Cu,Na,K,Fe,Mg
200.8	12/10/21 15:00	5	06/01/22 09:00	Sb,As,Ba,Cd,Cr,Co,Pb,Ni,Se,Zn
300.0 - F, Cl, Br, SO4	12/10/21 15:00	5	12/31/21 09:00	Chloride,Sulfate only
300.0 - NO2, NO3, PO4	12/10/21 15:00	5	12/05/21 09:00	Nitrate
7470/71 Hg	12/10/21 15:00	5	03/03/22 09:00	
Conductivity	12/10/21 15:00	5	12/31/21 09:00	
pH water SM 4500-H+B	12/08/21 15:00	3	12/04/21 09:00	
TDS-160.1	12/10/21 15:00	5	12/10/21 09:00	
<b>T213691-04 TW-2 [Water] Sampled 12/02/21 12:35 (GMT-08:00) Pacific Time (US &amp;</b>				
1664	12/10/21 15:00	5	12/30/21 12:35	Oil & Grease
200.7	12/10/21 15:00	5	05/31/22 12:35	Ca,Cu,Na,K,Fe,Mg
200.8	12/10/21 15:00	5	05/31/22 12:35	Sb,As,Ba,Cd,Cr,Co,Pb,Ni,Se,Zn
300.0 - F, Cl, Br, SO4	12/10/21 15:00	5	12/30/21 12:35	Chloride,Sulfate only
300.0 - NO2, NO3, PO4	12/10/21 15:00	5	12/04/21 12:35	Nitrate
7470/71 Hg	12/10/21 15:00	5	03/02/22 12:35	
Conductivity	12/10/21 15:00	5	12/30/21 12:35	
pH water SM 4500-H+B	12/08/21 15:00	3	12/03/21 12:35	
TDS-160.1	12/10/21 15:00	5	12/09/21 12:35	
<b>T213691-05 PW-0 [Water] Sampled 12/02/21 13:46 (GMT-08:00) Pacific Time (US &amp;</b>				
1664	12/10/21 15:00	5	12/30/21 13:46	Oil & Grease
200.7	12/10/21 15:00	5	05/31/22 13:46	Ca,Cu,Na,K,Fe,Mg
200.8	12/10/21 15:00	5	05/31/22 13:46	Sb,As,Ba,Cd,Cr,Co,Pb,Ni,Se,Zn
300.0 - F, Cl, Br, SO4	12/10/21 15:00	5	12/30/21 13:46	Fluoride, Chloride,Sulfate only
300.0 - NO2, NO3, PO4	12/10/21 15:00	5	12/04/21 13:46	Nitrate
7470/71 Hg	12/10/21 15:00	5	03/02/22 13:46	
Conductivity	12/10/21 15:00	5	12/30/21 13:46	
pH water SM 4500-H+B	12/08/21 15:00	3	12/03/21 13:46	
TDS-160.1	12/10/21 15:00	5	12/09/21 13:46	

**WORK ORDER**

**T213691**

**Client: Northstar Environmental Remediation**  
**Project: Genesis Solar Groundwater**

**Project Manager: Jeff Lee**  
**Project Number: 196-004-06**

Analysis	Due	TAT	Expires	Comments
<b>T213691-06 PW-2 [Water] Sampled 12/02/21 13:15 (GMT-08:00) Pacific Time (US &amp;</b>				
1664	12/10/21 15:00	5	12/30/21 13:15	Oil & Grease
200.7	12/10/21 15:00	5	05/31/22 13:15	Ca,Cu,Na,K,Fe,Mg
200.8	12/10/21 15:00	5	05/31/22 13:15	Sb,As,Ba,Cd,Cr,Co,Pb,Ni,Se,Zn
300.0 - F, Cl, Br, SO4	12/10/21 15:00	5	12/30/21 13:15	Fluoride, Chloride,Sulfate only
300.0 - NO2, NO3, PO4	12/10/21 15:00	5	12/04/21 13:15	Nitrate
7470/71 Hg	12/10/21 15:00	5	03/02/22 13:15	
Conductivity	12/10/21 15:00	5	12/30/21 13:15	
pH water SM 4500-H+B	12/08/21 15:00	3	12/03/21 13:15	
TDS-160.1	12/10/21 15:00	5	12/09/21 13:15	
<b>T213691-07 DM-1 [Water] Sampled 12/02/21 15:15 (GMT-08:00) Pacific Time (US &amp;</b>				
1664	12/10/21 15:00	5	12/30/21 15:15	Oil & Grease
200.7	12/10/21 15:00	5	05/31/22 15:15	Ca,Cu,Na,K,Fe,Mg
200.8	12/10/21 15:00	5	05/31/22 15:15	Sb,As,Ba,Cd,Cr,Co,Pb,Ni,Se,Zn
300.0 - F, Cl, Br, SO4	12/10/21 15:00	5	12/30/21 15:15	Chloride,Sulfate only
300.0 - NO2, NO3, PO4	12/10/21 15:00	5	12/04/21 15:15	Nitrate
7470/71 Hg	12/10/21 15:00	5	03/02/22 15:15	
Conductivity	12/10/21 15:00	5	12/30/21 15:15	
pH water SM 4500-H+B	12/08/21 15:00	3	12/03/21 15:15	
TDS-160.1	12/10/21 15:00	5	12/09/21 15:15	
<b>T213691-08 DM-2 [Water] Sampled 12/02/21 16:25 (GMT-08:00) Pacific Time (US &amp;</b>				
1664	12/10/21 15:00	5	12/30/21 16:25	Oil & Grease
200.7	12/10/21 15:00	5	05/31/22 16:25	Ca,Cu,Na,K,Fe,Mg
200.8	12/10/21 15:00	5	05/31/22 16:25	Sb,As,Ba,Cd,Cr,Co,Pb,Ni,Se,Zn
300.0 - F, Cl, Br, SO4	12/10/21 15:00	5	12/30/21 16:25	Chloride,Sulfate only
300.0 - NO2, NO3, PO4	12/10/21 15:00	5	12/04/21 16:25	Nitrate
7470/71 Hg	12/10/21 15:00	5	03/02/22 16:25	
Conductivity	12/10/21 15:00	5	12/30/21 16:25	
pH water SM 4500-H+B	12/08/21 15:00	3	12/03/21 16:25	
TDS-160.1	12/10/21 15:00	5	12/09/21 16:25	

**WORK ORDER**

**T213691**

<b>Client:</b> Northstar Environmental Remediation	<b>Project Manager:</b> Jeff Lee
<b>Project:</b> Genesis Solar Groundwater	<b>Project Number:</b> 196-004-06

Analysis	Due	TAT	Expires	Comments
<b>T213691-09 DM-3 [Water] Sampled 12/02/21 17:50 (GMT-08:00) Pacific Time (US &amp;</b>				
1664	12/10/21 15:00	5	12/30/21 17:50	Oil & Grease
200.7	12/10/21 15:00	5	05/31/22 17:50	Ca,Cu,Na,K,Fe,Mg
200.8	12/10/21 15:00	5	05/31/22 17:50	Sb,As,Ba,Cd,Cr,Co,Pb,Ni,Se,Zn
300.0 - F, Cl, Br, SO4	12/10/21 15:00	5	12/30/21 17:50	Chloride,Sulfate only
300.0 - NO2, NO3, PO4	12/10/21 15:00	5	12/04/21 17:50	Nitrate
7470/71 Hg	12/10/21 15:00	5	03/02/22 17:50	
Conductivity	12/10/21 15:00	5	12/30/21 17:50	
pH water SM 4500-H+B	12/08/21 15:00	3	12/03/21 17:50	
TDS-160.1	12/10/21 15:00	5	12/09/21 17:50	

<b>T213691-10 DUP [Water] Sampled 12/02/21 00:00 (GMT-08:00) Pacific Time (US &amp;</b>				
1664	12/10/21 15:00	5	12/30/21 00:00	Oil & Grease
200.7	12/10/21 15:00	5	05/31/22 00:00	Ca,Cu,Na,K,Fe,Mg
200.8	12/10/21 15:00	5	05/31/22 00:00	Sb,As,Ba,Cd,Cr,Co,Pb,Ni,Se,Zn
300.0 - F, Cl, Br, SO4	12/10/21 15:00	5	12/30/21 00:00	Chloride,Sulfate only
300.0 - NO2, NO3, PO4	12/10/21 15:00	5	12/04/21 00:00	Nitrate
7470/71 Hg	12/10/21 15:00	5	03/02/22 00:00	
Conductivity	12/10/21 15:00	5	12/30/21 00:00	
pH water SM 4500-H+B	12/08/21 15:00	3	12/03/21 00:00	
TDS-160.1	12/10/21 15:00	5	12/09/21 00:00	

**T213691-11 FIELD BLANK [Water] Sampled 12/02/21 00:00 (GMT-08:00) Pacific Time (US &**  
[NO ANALYSES] **HOLD**

**T213691-12 TRIP BLANK [Water] Sampled 12/02/21 00:00 (GMT-08:00) Pacific Time (US &**  
[NO ANALYSES] **HOLD**

**Eurofins TestAmerica (Irvine) Laboratories**

**T213691-01 23A [Water] Sampled 12/03/21 06:45 (GMT-08:00) Pacific Time (US &**

Misc Water Testing #1	12/17/21 00:00	10	06/01/22 06:45	8015M- Therminol
-----------------------	----------------	----	----------------	------------------

**T213691-02 OBS-1 [Water] Sampled 12/03/21 09:35 (GMT-08:00) Pacific Time (US &**

Misc Water Testing #1	12/17/21 00:00	10	06/01/22 09:35	8015M- Therminol
-----------------------	----------------	----	----------------	------------------

**WORK ORDER**

**T213691**

<b>Client:</b> Northstar Environmental Remediation	<b>Project Manager:</b> Jeff Lee
<b>Project:</b> Genesis Solar Groundwater	<b>Project Number:</b> 196-004-06

Analysis	Due	TAT	Expires	Comments
<b>Eurofins TestAmerica (Irvine) Laboratories</b>				
<b>T213691-03 TW-1 [Water] Sampled 12/03/21 09:00 (GMT-08:00) Pacific Time (US &amp;</b>				
Misc Water Testing #1	12/17/21 00:00	10	06/01/22 09:00	8015M- Therminol
<b>T213691-04 TW-2 [Water] Sampled 12/02/21 12:35 (GMT-08:00) Pacific Time (US &amp;</b>				
Misc Water Testing #1	12/17/21 00:00	10	05/31/22 12:35	8015M- Therminol
<b>T213691-05 PW-0 [Water] Sampled 12/02/21 13:46 (GMT-08:00) Pacific Time (US &amp;</b>				
Misc Water Testing #1	12/17/21 00:00	10	05/31/22 13:46	8015M- Therminol
<b>T213691-06 PW-2 [Water] Sampled 12/02/21 13:15 (GMT-08:00) Pacific Time (US &amp;</b>				
Misc Water Testing #1	12/17/21 00:00	10	05/31/22 13:15	8015M- Therminol
<b>T213691-07 DM-1 [Water] Sampled 12/02/21 15:15 (GMT-08:00) Pacific Time (US &amp;</b>				
Misc Water Testing #1	12/17/21 00:00	10	05/31/22 15:15	8015M- Therminol
<b>T213691-08 DM-2 [Water] Sampled 12/02/21 16:25 (GMT-08:00) Pacific Time (US &amp;</b>				
Misc Water Testing #1	12/17/21 00:00	10	05/31/22 16:25	8015M- Therminol
<b>T213691-09 DM-3 [Water] Sampled 12/02/21 17:50 (GMT-08:00) Pacific Time (US &amp;</b>				
Misc Water Testing #1	12/17/21 00:00	10	05/31/22 17:50	8015M- Therminol
<b>T213691-10 DUP [Water] Sampled 12/02/21 00:00 (GMT-08:00) Pacific Time (US &amp;</b>				
Misc Water Testing #1	12/17/21 00:00	10	05/31/22 00:00	8015M- Therminol
<b>Isotech Laboratories, Inc.</b>				
<b>T213691-01 23A [Water] Sampled 12/03/21 06:45 (GMT-08:00) Pacific Time (US &amp;</b>				
Misc Water Testing #2	12/17/21 00:00	10	06/01/22 06:45	Deuterium,Oxygen-18
<b>T213691-02 OBS-1 [Water] Sampled 12/03/21 09:35 (GMT-08:00) Pacific Time (US &amp;</b>				
Misc Water Testing #2	12/17/21 00:00	10	06/01/22 09:35	Deuterium,Oxygen-18

**WORK ORDER**

**T213691**

**Client: Northstar Environmental Remediation**  
**Project: Genesis Solar Groundwater**

**Project Manager: Jeff Lee**  
**Project Number: 196-004-06**

Analysis	Due	TAT	Expires	Comments
<b>Isotech Laboratories, Inc.</b>				
<b>T213691-03 TW-1 [Water] Sampled 12/03/21 09:00 (GMT-08:00) Pacific Time (US &amp;</b>				
Misc Water Testing #2	12/17/21 00:00	10	06/01/22 09:00	Deuterium,Oxygen-18
<b>T213691-04 TW-2 [Water] Sampled 12/02/21 12:35 (GMT-08:00) Pacific Time (US &amp;</b>				
Misc Water Testing #2	12/17/21 00:00	10	05/31/22 12:35	Deuterium,Oxygen-18
<b>T213691-05 PW-0 [Water] Sampled 12/02/21 13:46 (GMT-08:00) Pacific Time (US &amp;</b>				
Misc Water Testing #2	12/17/21 00:00	10	05/31/22 13:46	Deuterium,Oxygen-18
<b>T213691-06 PW-2 [Water] Sampled 12/02/21 13:15 (GMT-08:00) Pacific Time (US &amp;</b>				
Misc Water Testing #2	12/17/21 00:00	10	05/31/22 13:15	Deuterium,Oxygen-18
<b>T213691-07 DM-1 [Water] Sampled 12/02/21 15:15 (GMT-08:00) Pacific Time (US &amp;</b>				
Misc Water Testing #2	12/17/21 00:00	10	05/31/22 15:15	Deuterium,Oxygen-18
<b>T213691-08 DM-2 [Water] Sampled 12/02/21 16:25 (GMT-08:00) Pacific Time (US &amp;</b>				
Misc Water Testing #2	12/17/21 00:00	10	05/31/22 16:25	Deuterium,Oxygen-18
<b>T213691-09 DM-3 [Water] Sampled 12/02/21 17:50 (GMT-08:00) Pacific Time (US &amp;</b>				
Misc Water Testing #2	12/17/21 00:00	10	05/31/22 17:50	Deuterium,Oxygen-18
<b>T213691-10 DUP [Water] Sampled 12/02/21 00:00 (GMT-08:00) Pacific Time (US &amp;</b>				
Misc Water Testing #2	12/17/21 00:00	10	05/31/22 00:00	Deuterium,Oxygen-18