

DOCKETED

Docket Number:	19-BSTD-01
Project Title:	2019 Alternative Calculation Method Reference Manuals and Compliance Software Tools
TN #:	241440
Document Title:	Tim Souza, PE Comments - NEEA Heat Pump water heater equipment list in ACM
Description:	N/A
Filer:	System
Organization:	Tim Souza, PE
Submitter Role:	Applicant Consultant
Submission Date:	2/7/2022 11:53:56 AM
Docketed Date:	2/7/2022

Comment Received From: Tim Souza, PE
Submitted On: 2/7/2022
Docket Number: 19-BSTD-01

NEEA Heat Pump water heater equipment list in ACM

Please "unlock" the equipment list for the NEEA Heat pump water heaters in your ACM (EnergyPro) so we can put in the current equipment. With this locked we cannot get compliance and need the credit from current, more efficient, heat pump water heating equipment. This is really important right now since Multifamily projects are moving to all electric and need HP water heater to comply.

Additional submitted attachment is included below.

New Boiler:
Multiplier:

Number of Panels: Azimuth:
Tank Volume: Tilt:

Multi-Family Central System HP Water Heating System

Heat Pump Water Heater
Location: Room:

Pump
Control:
Pump Multiplier:
Design Power: hp

Piping
Loop Count:
Insul. Thickness: inches
Location:

Residential
Distribution:
Compact Distribution:

Central Heat Pump Water Heating
System Type:
Tank Count:
 HP Count: Total Volume: gallons
Rheem

Select a Heat Pump Water Heater

Filter Criteria
Volume to

Brand	Model	Volume	UEF
Rheem	PROPH80 T2 RH350 D (80 gal)	80.0	3.40
Rheem	XE50T10HD50U0 (50 gal)	50.0	3.20
Rheem	XE50T12EH45U0 (50 gal)	50.0	1.80
Rheem	XE50T12EH45U0W (50 gal)	50.0	2.20
Rheem	XE65T10HD50U0 (65 gal)	65.0	3.40
Rheem	XE80T10HD50U0 (80 gal)	80.0	3.40
Rheem	XE80T12EH45U0 (80 gal)	80.0	1.94
Rheem	XE80T12EH45U0W (80 gal)	80.0	2.28
Rheem	PROPH50 T2 RH350 DC (50 gal)	50.0	3.20
Rheem	PROPH65 T2 RH350 DC (65 gal)	65.0	3.40
Rheem	PROPH80 T2 RH350 DC (80 gal)	80.0	3.40
Rheem	HPLD50 (50 gal)	50.0	3.20
Rheem	HPLD65 (65 gal)	65.0	3.40
Rheem	HPLD80 (80 gal)	80.0	3.40
Rheem	XE50T10HD22U0 (50 gal)	50.0	3.20
Rheem	XE50T10HD50U1 (50 gal)	50.0	3.20
Rheem	XE65T10HD22U0 (65 gal)	65.0	3.40
Rheem	XE65T10HD50U1 (65 gal)	65.0	3.40
Rheem	XE80T10HD22U0 (80 gal)	80.0	3.40
Rheem	XE80T10HD50U1 (80 gal)	80.0	3.40
Rheem	PROPH50 T2 RH350 D15 (50 gal)	50.0	3.20
Rheem	PROPH50 T2 RH350 DCB (50 gal)	50.0	3.20
Rheem	PROPH65 T2 RH350 D15 (65 gal)	65.0	3.40
Rheem	PROPH65 T2 RH350 DCB (65 gal)	65.0	3.40
Rheem	PROPH80 T2 RH350 D15 (80 gal)	80.0	3.40

O/A →

Att
Hi Tim-
Tha
Here is the HVAC submittal.
Bra
Pro
Let me know if you need anymore info.
W
Thanks
David Baker
President BCC General Contractors, Inc