

DOCKETED

Docket Number:	19-BSTD-06
Project Title:	Local Ordinances Exceeding the 2019 Energy Code
TN #:	242577-3
Document Title:	City of Encinitas-2019 Ordinance 2021-13
Description:	Signed Ordinance from the City of Encinitas
Filer:	Danuta Drozdowicz
Organization:	California Energy Commission
Submitter Role:	Commission Staff
Submission Date:	4/5/2022 4:35:52 PM
Docketed Date:	4/5/2022

ORDINANCE 2021-13

AN ORDINANCE OF THE CITY COUNCIL OF ENCINITAS, ADOPTING AMENDMENTS TO CHAPTER 23.12 (UNIFORM CODES FOR CONSTRUCTION) OF TITLE 23 (BUILDING AND CONSTRUCTION) OF THE ENCINITAS MUNICIPAL CODE TO ADOPT THE 2019 CALIFORNIA BUILDING CODE AND CALIFORNIA GREEN BUILDING CODE WITH CERTAIN AMENDMENTS, ADDITIONS, AND DELETIONS RELATED TO ENERGY EFFICIENCY, SOLAR ENERGY, AND BUILDING DECARBONIZATION.

SECTION ONE. The City Council of the City of Encinitas hereby finds and declares as follows:

WHEREAS, the City of Encinitas desires to amend Section 23.12.080 and Section 23.12.110 of Chapter 23.12 (Uniform Codes for Construction) of Title 23 (Building and Construction) of the City of Encinitas Municipal Code to implement goals and objectives set forth in the Climate Action Plan for reducing greenhouse gas (GHG) emissions, conserving water and energy, encouraging green buildings, protecting the natural environment, and protecting the health of residents and visitors;

WHEREAS, the California Global Warming Solutions Act of 2006, known as AB 32, established a statewide goal of reducing greenhouse gas emission to 1990 levels by 2020 and to a level 80 percent below 1990 levels by 2050, and directs the California Air Resources Board to develop a strategy to achieve such reductions;

WHEREAS, the State of California Climate Strategy identifies key strategies for addressing climate change that includes increasing renewable energy usage, doubling energy efficiency savings in existing buildings, making heating fuels cleaner, and reducing emissions from transportation;

WHEREAS, the City Council of the City of Encinitas adopted CEQA-qualified Climate Action Plan on January 17, 2018 aligning local climate action policies with the State of California Climate Strategy including the adoption strategies and goals to procure grid available electricity from 100 percent renewable energy sources, increase energy efficiency in residential and non-residential buildings, and promote the installation of local renewable energy sources at homes and businesses;

WHEREAS, the City of Encinitas Climate Action Plan found that buildings are the second largest contributor to GHG emissions, accounting for 39 percent of its total emissions in 2012;

WHEREAS, the United Nations Intergovernmental Panel on Climate Change (IPCC) has warned that failure to address the causes of global climate change within the next few years will result in sea level rise, increased frequency of wildland fires, and reduced freshwater resources, which will significantly increase the cost of providing local governmental services and protecting public infrastructure;

WHEREAS, the City Council of the City of Encinitas adopted Resolution 2020-90 Declaring a Climate Emergency on December 16, 2020;

WHEREAS, the 2019 California Building Standards Code adopted by the California Building Standards Commission has set minimum Green Building Standards and, within the code, expressly stated that the standards are viewed as "minimal" and that local government entities retain discretion, pursuant to Health and Safety Code Section 17958 to exceed the standards established by the code based on express findings that such changes or modifications are reasonably necessary because of local climatic, topographical, or geological conditions pursuant to Health and Safety Code Section 17985.5, 17958.7, and 18941.5;

WHEREAS, California Green Building Standard Code Section 101.7.1 provides that local climatic, geological, or topographical conditions include environmental conditions established by a city, county, or city and county;

WHEREAS, the local amendments and changes to the California Building Standards Codes are reasonably necessary because of the following climatic, geologic, and topographical conditions:

1. The City has over 6 miles of beaches, several creeks, and other low-lying areas prone to flooding. The City is at risk to coastal storms, erosion, and flooding. There is broad scientific consensus that the earth will continue to warm and sea levels will rise impacting beaches, roads, properties, infrastructure, and environmentally sensitive areas.
2. The City has experienced increases in annual temperature. Annual temperatures have increased more than 1 degree F in many parts of the state, and have exceeded increases of 2 degree F in areas that include the San Diego region. Temperature increases are expected to continue into the future.
3. The City is situated in hilly, inland terrain. Approximately 50% of the City is covered by native vegetation on steep and frequently inaccessible hillsides. The native vegetation includes highly combustible grasses, dense brush and chaparral, and could pose a wildfire risk. Natural firebreaks in these areas are significantly lacking.
4. The City experiences seasonal climatic conditions during the late summer and fall that can result in frequent Santa Ana weather patterns. Dry, hot, strong, and gusty Santa Ana wind conditions produce extreme dryness and some of the highest wind events in San Diego County, resulting in some of the region's most catastrophic wildfires. These fires impact public health in the populated coastal zone through extreme heat and smoke.
5. The City acts to address environmental conditions that impact public health and welfare. Sustainability and resiliency are core values of the City's General Plan and Climate Action Plan. Energy Efficiency promotes public health and welfare by enhancing the environmental and economic health of the City through green practices in design, construction, maintenance, and operation of new and existing buildings. Construction of energy efficient buildings and installation of renewable energy systems protects the public health and welfare by reducing air pollution, greenhouse gas emissions, average and peak energy demand, and adverse impacts from power outages.

6. Amendments to the California Green Building Standards Code and Energy Code are reasonably necessary to promote energy efficiency and conservation in the City, increase use of sustainable energy sources, reduce GHG emissions, promote green development patterns, and maintain a long-term balance between environmental, social, and economic impacts that protect public health and welfare.

WHEREAS, Public Resources Code Section 25402.1(h)(2) and Section 10-106 of the Building Energy Efficiency Standards establish a process by which local governments may adopt more stringent energy efficiency standards provided that the more stringent standards are cost effective and the California Energy Commission finds that the standards will require buildings to be designed to consume no more energy than permitted by the California Energy Code;

WHEREAS, the California Energy Codes & Standards 2019 Existing Low-rise Residential Building Efficiency Upgrade, Low-Rise Residential New Construction, and Nonresidential New Construction Reach Code Cost Effectiveness Study prepared by the California Statewide Utility Program and TRC's Cost-Effectiveness Study for Nonresidential New Construction and Alterations for Solar Photovoltaics (PV) demonstrate that the local amendments are cost-effective and do not result in buildings consuming more energy than is permitted by the California Energy Code;

WHEREAS, the City Council finds in its independent judgment that the proposed amendment to the Encinitas Municipal Code to adopt State uniform codes is exempt from environmental review as per Section 15378(b)(5) of the CEQA Guidelines since the activity in question is not considered a "project" as defined therein. The action being considered by the City Council is an administrative activity of government that will not result in the direct or indirect physical change in the environment. This action entails adoption of State mandated Building Codes that are enforceable upon the City. Minor amendments will not have a significant effect on the environment because the strengthened requirements reduce hazards and accommodate features to reduced environmental effects. The City Council therefore finds that there is no possibility that the minor local amendments may have a significant effect on the environment; therefore pursuant to Section 15061 (b)(3) of the CEQA Guidelines the activity is exempt from the provisions of CEQA; and

WHEREAS, the City Council of the City of Encinitas adopted Chapter 23.12 (Uniform Codes for Construction) of Title 23 (Building and Construction) of the Encinitas Municipal Code on October 23, 2019 and now seeks to amend Section 23.12.030, Section 23.12.080, and Section 23.12.110 of Chapter 23.12 to reflect its Climate Action Plan.

NOW, THEREFORE, the City Council of the City of Encinitas, California, hereby ordains as follows:

SECTION TWO. Sections 23.12.080 and 23.12.110 of Chapter 23.12 of the Encinitas Municipal Code are hereby amended by repealing in its entirety and adopting a new Section 23.12.080 and Section 23.12.110 to read as follows:

23.12.080 Adoption of the 2019 California Energy Code, Part 6, Title 24 of the California Code of Regulations.

- A. There is adopted and incorporated by reference herein as the City's Energy Code for the purpose of prescribing regulations in the City of Encinitas for the conservation of energy, the 2019 California Energy Code, Part 6, Title 24 of the California Code of Regulations, a portion of the 2019 California Building Standards Code, as defined in the California Health and Safety Code, Section 18901 et seq. Except as otherwise provided by this section of the City of Encinitas Municipal Code, all construction of buildings where energy will be utilized shall be in conformance with 2019 California Energy Code and any rules and regulations promulgated pursuant thereto, including the California Energy Code, 2019 Edition, published by the California Energy Commission.
- B. Section 120.10 is added to the California Energy Code as follows:

**Section 120.10
NONRESIDENTIAL PHOTOVOLTAIC SYSTEM REQUIRED**

All new non-residential construction, high-rise residential, and hotel/motel buildings shall comply with the requirements of Section 120.10(a) or 120.10(b). Additions to existing non-residential, high-rise residential, and hotel/motel buildings where the total roof area is increased by at least 1,000 square feet shall comply with the requirements of Section 120.10(a) or (b). Alterations to existing non-residential, high-rise residential, and hotel/motel buildings with a permit valuation of at least \$1,000,000 that affects at least 75 percent of the gross floor area shall also comply with the requirements of Section 120.10(a) or (b).

The required installation of a photovoltaic (PV) system shall be sized according to one of the following methods:

(a) Based on Gross floor area.

1. Building with greater than or equal to 10,000 square feet of gross floor area shall install a minimum PV system sized at 15 kilowatts direct current (kWdc) per 10,000 square feet of gross floor area.

Note to Section 120.10(a)1: PV system size= 15 kWdc X (Gross Floor Area/ 10,000 sq. ft.) where the building size factor shall be rounded to the nearest tenth and the resulting product shall be rounded to the nearest whole number. For example, an applicant with a 126,800 square foot building shall install a minimum 191 kilowatt (kWdc) PV system.

2. Buildings under 10,000 square feet of gross floor area shall install a minimum 5 kilowatt (kWdc) PV system.

Note to Section 120.10(a): Applicants are encouraged to right-size the PV system based on the building's electrical demand to improve the system's cost effectiveness. Applications should also ensure that the PV system meets electrical corporation net energy metering requirements, if applicable.

Note to Section 120.10(a): Where appropriate and where approved by Development Services Director or their designee, a PV system based on gross floor area may be based on the scope of the application where the system size reflects only the gross square footage controlled by the applicant, such as a tenant improvement that only affects the tenant's portion of a building's total gross floor area or a general renovation of a nonresidential building by a property owner or manager that only affects common areas. Applicant specific gross floor area PV systems shall be the minimum requirement unless an applicant can demonstrate to the Development Services Director or their designee that serving applicant specific load is infeasible per Exception 1 to Section 120.10.

(b) Based on Time Dependent Valuation (TDV). Install a solar PV system that will offset 80 percent of the building's TDV energy on an annual basis. The system sizing requirement shall be based upon total building TDV energy use including both conditioned and unconditioned space and calculated using modeling software or other methods approved by the Development Services Director.

Note to Section 120.10(b): Where appropriate and where approved by Development Services Director or their designee, TDV may be based on the scope of the application where the system size reflects only the load controlled by the applicant, such as a tenant improvement that only affects a tenant's portion of a building or a general renovation of a nonresidential building by a property owner that only affects common areas. Applicant specific TDV shall be the minimum requirement unless an applicant can demonstrate to the Development Services Director or their designee that serving common area load is infeasible per Exception 1 to Section 120.10.

Note to Section 120.10(a) and (b): In determining whether additions to existing non-residential, high-rise residential, and hotel/motel buildings increased the total roof area by at least 1,000 square feet, only roof area for new Enclosed Space, defined as space that is substantially surrounded by solid surfaces, including walls, ceilings or roofs, doors, fenestration areas, and floors or ground, is applicable. For sizing of a system, the determination of total roof area shall also be consistent with total roof area under Title 24, Part 6, Section 110.10 (b)1.B.

Exception 1 to Section 120.10: The Development Services Director or their designee may waive or reduce, by the maximum extent necessary, the provision of this Section if the Development Services Director or their designee determines there are sufficient practical challenges to make satisfaction of the requirements infeasible. Practical challenges may be the result of the building site location, structural load limitations, limited rooftop availability, or shading from nearby structures, topography or vegetation. The applicant is responsible for demonstrating requirement infeasibility when applying for an exception.

Exception 2 to Section 120.10: The Development Services Director or their designee may waive or reduce, by the maximum extent necessary, the provisions of this Section if the Development Services Director or their designee determines the building has satisfied the purpose and intent of this provision through the use of alternate on-site renewable generation systems, such as wind energy systems.

Exception 3 to Section 120.10: Greenhouse structures used for commercial cultivation, educational purposes, or the conservancy of plants or animals are exempted from the requirements of Section 120.10. The Development Services Director or their designee may exempt other greenhouse structure uses on a case-by-case basis.

Exception 4 to Section 120.10: If offered by local load serving entity (e.g. local utility provider), new nonresidential buildings including the nonresidential portions of mixed use construction, high-rise residential, and hotel/motel buildings, and alterations thereto having a building permit of at least \$1,000,000 and affecting at least 75 percent of the existing floor area, or additions that increase roof size by at least 1,000 square feet, may instead comply with Section 120.10 by submitting proof to the Development Services Director or their designee that each electrical meter related to the new construction, alteration, or addition is served by a load serving entity's electric tariff, contract, or offered product that provides the greatest available percentage of electrical power from renewable energy sources. To comply with this exception, the applicant must prove that the load serving entity's electric tariff, contract, or offered product is equivalent to the greatest available percentage of electrical power from renewable energy sources for any customer in the City of Encinitas. Proof of enrollment shall be maintained and documented through utility billings and shall be provided upon request to the Development Services Director or their designee. If required, applicant shall consent to disclosure of tariff documentation to the Development Services Director or their designee for verification as authorized under California Public Utilities Code § 8380 (b). Applicant consent and disclosure shall be limited to Development Services Director or their designee accessing tariff information for verification purposes only.

Exception 5 to Section 120.10: An applicant may install a ground-mounted solar PV system that meets the requirements of Section 120.10 as a voluntary alternative to installing rooftop solar PV. The ground-mounted solar photovoltaic system shall comply with all existing health and safety requirements and limitations in the City.

Exception 6 to Section 120.10: Permit valuation shall exclude valuations for aesthetic exterior alterations in determining the \$1,000,000 permit valuation for alterations to existing non-residential, high-rise residential, and hotel/motel buildings.

Note to Exception 6 to Section 120.10: Exclusion of aesthetic exterior alterations is intended to remove facade alterations and other exterior alterations that do not affect internal floor space or are not otherwise required to comply with health and safety requirements.

C. Section 150.2 of the California Energy Code is amended to add paragraph (d) as follows:

(d) The following requirements shall apply to the entire dwelling unit, not just the addition or altered portion. Where these requirements conflict with other energy code requirements, the stricter requirement shall prevail. All additions and alterations of residential buildings with a building permit valuation of \$50,000 or higher shall include one of the following energy efficiency measures:

1. Additions and alterations of single family residential buildings built before 1978 shall include one of the following:
 - A. Duct sealing pursuant to 2019 Title 24 Section 150.2(b)1 E with verification by a Home Energy Rating System (HERS) rater. All exceptions as stated in 2019 Title 24 Section 150.2(b)1 E are allowed. Projects that require duct sealing as part of an HVAC alteration or replacement must meet all of the requirements of Title 24, Part 6, including HERS rater verification.
 - B. Cool roof with an aged solar reflectance of greater than or equal to 0.25 and a thermal emittance of greater than or equal to 0.75. All exceptions as stated in 2019 Title 24 Section 150.2(b)1i for steep slope roofs and 150.2(b)1 ii for low slope roofs are allowed. Only areas of roof that are to be re-roofed are subject to the cool roof upgrade. Projects that are not installing a new roof as part of the scope are exempt from this cool roof energy efficiency measure.
2. Additions and alterations of single family residential buildings built in 1978 or after shall include one of the following:
 - A. A lighting package consisting of:
 - i. Replacement of all interior and exterior screw-in (A-base) incandescent, compact fluorescent, and halogen lamps with screw-in LED lamps; and,
 - ii. Installation of manual-on automatic-off vacancy sensors that meet Title 24 Section 110.9(b)4 in all bathrooms, bedrooms, offices, laundry rooms, utility rooms, and garages. Spaces which already include vacancy sensors, motions sensors, or dimmers do not need to install new Title 24 Section 110.9(b)4 sensors.
 - B. A water heating package consisting of:
 - i. Addition of exterior insulation meeting a minimum of R-6 to storage water heaters 20 gallons or larger in size, except if insulation installation would void the water heater warranty. Installation must allow for proper venting of the appliance; and,
 - ii. Insulation of all accessible hot water pipes with R-3 pipe insulation. This includes insulating the supply pipe leaving the water heater, piping to faucets underneath sinks, and accessible pipes in attic spaces and crawlspaces; and,
 - iii. Upgrading of fittings in faucets and shower heads to meet current CALGreen (Title 24, Part 11, Sections 4.303.1.3 and 4.303.1.4 of the California Building Code) standards, except for fittings with rated flow rates no more than 10percent greater than current CALGreen standards.

3. Additions and alterations of multi-family residential buildings built before 1978 shall include attic air sealing and insulation with a minimum of R-38 rating. Buildings without vented attic spaces, buildings with existing attic insulation levels greater than R-5, and buildings that are not currently conditioned for space heating and cooling are exempt from this attic insulation energy efficiency measure.
4. Additions and alterations of multi-family residential buildings built between 1978 and 1990 shall include one of the following:
 - A. Duct sealing pursuant to 2019 Title 24 Section 150.2(b)1 E with verification by a HERS rater. All exceptions as stated in 2019 Title 24 Section 150.2(b)1 E are allowed. Projects that require duct sealing as part of an HVAC alteration or replacement must meet all of the requirements of Title 24, Part 6, including HERS rater verification.
 - B. Cool roof with an aged solar reflectance of greater than or equal to 0.25 and a thermal emittance of greater than or equal to 0.75. All exceptions as stated in 2019 Title 24 Section 150.2(b)1 ii for steep slope roofs and 150.2(b)1 iii for low slope roofs are allowed. Only areas of roof that are to be re-roofed are subject to the cool roof upgrade. Projects that are not installing a new roof as part of the scope are exempt from this cool roof energy efficiency measure.
5. Additions and alterations of multi-family residential buildings built in or after 1991 shall include one of the following:
 - A. A lighting package consisting of:
 - i. Replacement of all interior and exterior screw-in (A-base) incandescent, compact fluorescent, and halogen lamps with screw-in LED lamps; and,
 - ii. Installation of manual-on automatic-off vacancy sensors that meet Title 24 Section 110.9(b)4 in all bathrooms, bedrooms, offices, laundry rooms, utility rooms, and garages. Spaces which already include vacancy sensors, motions sensors, or dimmers do not need to install new Title 24 Section 110.9(b)4 sensors.
 - B. A water heating package consisting of:
 - i. Addition of exterior insulation meeting a minimum of R-6 to storage water heaters 20 gallons are larger in size, except for buildings with central water heating systems or if insulation installation would void the water heater warranty. Installation must allow for proper venting of the appliance; and,
 - ii. Insulation of all accessible hot water pipes with R-3 pipe insulation. This includes insulating the supply pipe leaving the water heater, piping

to faucets underneath sinks, and accessible pipes in attic spaces and crawlspaces; and,

- iii. Upgrading of fittings in faucets and shower heads to meet current CALGreen (Title 24, Part 11, Sections 4.303.1.3 and 4.303.1.4 of the California Building Code) standards, except for fittings with rated flow rates no more than ten percent greater than current CALGreen standards.

Note: To the extent the provisions of Section 150.2(d) conflict with other provisions of the California Energy Code, then the most energy conserving provisions shall supersede and control.

Exception 1 to Section 150.2(d): The requirement for inclusion of energy efficiency measures does not apply to residential buildings that receive a rating of seven (7) or higher on the U.S. Department of Energy's Home Energy Score rating system based upon an assessment by a Home Energy Score Certified Assessor, to the satisfaction of the Development Services Director or their designee.

D. Section 100.0, subpart (e) of the California Energy Code is amended as follows:

(e) Sections applicable to particular buildings. TABLE 100.0-A and this subsection list the provisions of Part 6 that are applicable to different types of buildings covered by Section 100.0(a).

1. All buildings. Sections 100.0 through 110.12 apply to all buildings.

EXCEPTION to Section 100.0(e) 1: Spaces or requirements not listed in TABLE 100.0-A.

2. Newly constructed buildings.

A. All newly constructed buildings. Sections 110.0 through 110.12 apply to all newly constructed buildings within the scope of Section 100.0(a). In addition, newly constructed buildings shall meet the requirements of Subsections B, C, D or E, as applicable, and shall be an All-Electric Building as defined in Section 100.1 (b) unless one of the following exceptions is applicable:

EXCEPTION 1: "Essential Facilities" as defined by California Health & Safety Code § 16007 built to the standards required by the Essential Services Buildings Seismic Safety Act of 1986 (California Health & Safety Code §§ 16000-16023) and Title 24, Part 1, Chapter 4 are exempt from the all-electric if it is necessary to meet the requirements of other permitting agencies or is demonstrated to be necessary for the purpose of protecting public health, safety, and welfare. "Essential Facilities" as defined by the California Building Code Part 2 Section 202 are included in the definition of "essential services building".

EXCEPTION 2: At the discretion of the Development Services Director or their designee, non-residential buildings containing a for-profit restaurant open to the public may be approved for an exception to install gas-fueled cooking appliances. This request must be based on a business-related reason to cook with a flame that cannot be reasonably achieved with an electric fuel source. Examples include: barbeque-themed restaurants, woks, and pizza ovens. The Development Services Director or their designee shall grant this exception if they find the following:

1. There is a business-related reason to cook with a flame;
2. This need cannot be reasonably achieved with an electric fuel source;
3. The applicant has employed methods to mitigate the greenhouse gas impacts of the gas fueled appliance based on reducing on site energy use that is equal to or greater than the expected annual GHG emissions from the Therms consumed onsite based on new natural gas service request from the utility and equipment installed.

Note: GHG emissions mitigation can include energy efficiency, onsite renewable generation, electric vehicle service equipment, or other action to reduce GHG emissions from this building;

4. The applicant shall comply with the pre-wiring provision of Note 1 below.

EXCEPTION 3: Applies to projects where there is existing electrical service to the property that must be upgraded to serve the all-electric design. The Development Services Director or their designee may exempt the project from this requirement if there is evidence substantiating that meeting the requirements will necessitate a significant alteration of the local utility infrastructure. The alteration is considered significant if it increases the utility side upgrade cost to the project applicant by 20% or more compared to new service for electric and natural gas to serve the same peak load. Applicant shall provide documentation of costs from the utility for both the all-electric new service design and electric and natural gas new service design to Development Services and any other requested documentation.

Note to Exception 3: This exemption does not apply to applications where there is no existing utility service.

Note 1: If natural gas appliances are used in any of the above exceptions 1-3, natural gas appliance locations shall also be Electric-Ready for future electric appliance installation. Electric-Ready shall be specified in the Design Guidelines for Electric-Ready Buildings published by Development Services.

Note 2 Where any of the exceptions 1-3 are granted, the applicant is prohibited from completing any natural gas or propane plumbing rough work or stub out for any appliance or end-use that is required to be electric.

Note 3: If any of the exceptions 1-3 are granted, the Development Services Director or their designee shall have the authority to approve alternative materials, design and methods of construction or equipment per CBC 104.

- E Section 100.1 (b) of the California Energy Code is hereby amended by adding the following:

For the purposes of interpreting this chapter and the associated standards for compliance, the terms below are defined as follows. These definitions are in addition to those in Section 100.1 (b) of the California Energy Code, as modified in Section 23.12.080 E of the Encinitas Municipal Code. In the event of a conflict between the definitions in this section and in Section 100.1 (b), the definitions in this section shall control.

ALL ELECTRIC BUILDING: is a building that has no natural gas or propane plumbing installed within the building and there is no gas meter connection, and that uses electricity as the source of energy for its space heating, water heating, cooking appliances, and clothes drying appliances. All Electric Buildings may include solar thermal pool heating.

- F. Sections 110.2, 110.3, 110.4, and 110.5 of the California Energy Code are hereby amended to read as follows:

SECTION 110.2- MANDATORY REQUIREMENTS FOR SPACE-CONDITIONING EQUIPMENT

Certification by Manufacturers. Any space-conditioning equipment listed in this section, meeting the requirements of section 100.0 (e)(2)(A) may be installed only if the manufacturer has certified to the Commission that the equipment complies with all the applicable requirements of this section.

[SUBPARTS (a)-(f) OF THIS SECTION SHALL BE INCORPORATED WITH NO AMENDMENTS]

SECTION 110.3- MANDATORY REQUIREMENTS FOR SERVICE WATER-HEATING SYSTEMS AND EQUIPMENT

(a) Certification by manufacturers. Any service water-heating system or equipment, meeting the requirements of section 100.0 (e)(2)(A), may be installed only if the manufacturer has certified that the system or equipment complies with all of the requirements of this subsection for that system or equipment.

[SUBPART 1. OF THIS SECTION SHALL BE INCORPORATED WITH NO AMENDMENTS]

SECTION 110.4 - MANDATORY REQUIREMENTS FOR POOL AND SPA SYSTEMS AND EQUIPMENT

(a) Certification by Manufacturers. Any pool or spa heating system or equipment, meeting the requirements of section 100.0 (e)(2)(A), may be installed only if the manufacturer has certified that the system or equipment has all of the following:

[SUBPARTS (a) (1-4) OF THIS SECTION SHALL BE INCORPORATED WITH NO AMENDMENTS]

SECTION 110.5- NATURAL GAS CENTRAL FURNACES, COOKING EQUIPMENT, POOL AND SPA HEATERS, AND FIREPLACES: PILOT LIGHTS PROHIBITED

Any natural gas system or equipment, meeting the requirements of Section 100.0 (e)(2)(A), listed below may be installed only if it does not have a continuously burning pilot light.

[SUBPARTS (a)-(e) OF THIS SECTION SHALL BE INCORPORATED WITH NO AMENDMENTS].

- G. **Applicability:** Any discretionary or non-discretionary project that has submitted a building permit application to the City of Encinitas as of the effective date of Ordinance 2021-13 shall be exempt from Section B-F.

23.12.110 Adoption of the 2019 California Green Building Standards Code, Part 11, Title 24 of the California Code of Regulations.

A. There is adopted and incorporated by reference herein as the City's Green Building Code for the purpose of prescribing regulations in the City of Encinitas for enhancing the design and construction of buildings through the use of building concepts having a reduced negative impact or positive environmental impact and encouraging sustainable construction practices the 2019 California Green Building Standards Code, Part II, Title 24 of the California Code of Regulations, a portion of the 2019 California Buildings Standards Code, as defined in the California Health and Safety Code, Section 18901 et seq., and the California Green Building Standards Code, 2019 Edition. Except as otherwise provided by this section of the City of Encinitas Municipal Code, all construction of buildings shall be in conformance with the 2019 California Building Standards Code and any rules and regulations promulgated pursuant thereto, including the California Green Building Standards Code, 2019 Edition, published by the California Building Standards Commission.

B. Section 4.304.2 is hereby added to the 2019 California Green Building Standards Code to read:

4.304.2 Graywater systems. Newly constructed single-family dwelling units shall be pre-plumbed for a graywater system permitted and constructed in accordance with Chapter 15 of the California Plumbing Code and including a stub-out in a convenient location for integration of the graywater system with landscape irrigation systems and

accepting graywater from all sources permissible in conformance with the definition of graywater as per Section 14876 of the California Water Code.

Exception: A graywater system shall not be permitted where a qualified soils engineer determines in a written, stamped report, or a percolation test shows, that the absorption capacity of the soil at the project site is unable to accommodate the discharge of a graywater irrigation system.

- C. Section A4.106.8 is hereby added and amended to the 2019 California Green Building Standards Code to read:

A4.106.8 Electric vehicle (EV) charging for new construction. New construction shall comply with Sections A4.106.8.1-a!G A4.106.8.2, and A4.106.8.3 to facilitate the future installation and use of electric vehicle chargers. Electric vehicle supply equipment (EVSE) shall be installed in accordance with the *California Electrical Code*, Article 625.

Exceptions: On a case-by case basis, where the local enforcing agency has determined EV charging and infrastructure are not feasible based upon one or more of the following conditions:

1. Where there is no commercial power supply.
2. Where there is evidence substantiating that meeting the requirements will alter the local utility infrastructure design requirements on the utility side of the meter so as to increase the utility side cost to the homeowner or the developer by more than \$400.00 per dwelling unit.
3. Where there will be an impact to existing parking requirements for hotel, motel and nonresidential additions and alterations greater than 10,000 square feet.
4. Or other conditions as determined by the City.

A4.106.8.1 New one- and two-family dwellings and townhouse with attached private garages.

Tier 1. For each dwelling unit, a dedicated 208/240-volt branch circuit shall be installed in the raceway required by Section 4.106.4.1. The branch circuit and associated overcurrent protective device shall be rated to 40 amperes minimum. Other electrical components, including a receptacle or blank cover, related to this section shall be installed in accordance with the *California Electrical Code*.

A4.106.8.1.1 Identification. The service panel or subpanel circuit director shall identify the overcurrent protective device designated for future EV charging purposes as "EV READY" in accordance with the *California Electrical Code*. The receptacle or blank cover shall be identified as "EV READY".

A4.106.8.2 New multifamily dwellings. For any new multifamily dwelling, at least 15 percent of the total number of parking spaces provided for all types of parking facilities, but in no case less than one, shall be electric vehicle charging spaces (EV spaces).

**SECTION AS.213
ENERGY EFFICIENT STEEL FRAMING**

AS.213.1 Steel framing. Design steel framing for maximum energy efficiency. Techniques for avoiding thermal bridging in the envelope include:

1. Exterior rigid insulation;
2. Punching large holes in the stud web without affecting the structural integrity of the stud;
3. Spacing the studs as far as possible while maintaining the structural integrity of the structure; and
4. Detailed design of intersections of wall openings and building intersections of floors, walls and roofs.

E **Applicability:** Any discretionary or non-discretionary project that has submitted a building permit application to the City of Encinitas as of the effective date of Ordinance 2021-13 shall be exempt from Section D.

SECTION THREE SEVERABILITY.

If any section, subsection, sentence, clause, phrase or word of this Ordinance is for any reason held to be invalid by a court of competent jurisdiction, such decision shall not affect the validity of the remaining portions of this Ordinance. The City Council hereby declares that it would have passed and adopted this Ordinance, and each and all provisions hereof, irrespective of the fact that one or more provisions may be declared invalid.

SECTION FOUR: PUBLIC NOTICE AND EFFECTIVE DATE.

The City Clerk is directed to prepare and have published a summary of the Ordinance no less than five days prior to consideration of its adoption, and again within 15 days following adoption, indicating the votes cast.


This ordinance shall take effect and be in force on the 30th day after adoption and following approval by the California Energy Commission and the City Clerk of City of Encinitas is hereby authorized to use summary publication procedures pursuant to Government Code Section 26933 utilizing the Coast News, a newspaper of general circulation published in the City of Encinitas.

SECTION FIVE: INTRODUCTION.

This Ordinance was introduced on August 18, 2021 and reintroduced on September 22, 2021 and October 13, 2021.


PASSED AND ADOPTED this 27th day of October, 2021, by the following vote to wit:

AYES: Blakespear, Hinze, Kranz, Lyndes, Mosca
NAYS: None
ABSTAIN: None
ABSENT: None



Catherine S. Blakespear, Mayor, City of Encinitas

ATTEST:



Kathy Hollywood, City Clerk

APPROVED AS TO FORM:




Leslie E. Devaney, City Attorney

CERTIFICATION: I, Kathy Hollywood, City Clerk of the City of Encinitas, California, do hereby certify under penalty of perjury that the foregoing ordinance was duly and regularly introduced at a meeting of the City Council on the 18th day of August, 2021, re-introduced on the 22nd day of September, 2021, and that thereafter the said ordinance was duly and regularly adopted at a meeting of the City Council on the 27th of October, 2021 by the following vote, to wit:

AYES: Blakespear, Hinze, Kranz, Lyndes, Mosca
NAYS: None
ABSENT: None
ABSTAIN: None

IN WITNESS WHEREOF, I have hereunto set my hand and affixed the official seal of the City of Encinitas, California, this 27th day of October, 2021



Kathy Hollywood, City Clerk