

DOCKETED

Docket Number:	01-AFC-19C
Project Title:	SMUD Cosumnes Power Plant - Compliance
TN #:	244287-2
Document Title:	Table of Contents
Description:	N/A
Filer:	Patty Paul
Organization:	Ch2mhill/Carrier
Submitter Role:	Applicant Consultant
Submission Date:	8/1/2022 3:19:28 PM
Docketed Date:	8/1/2022

Contents

Acronyms and Abbreviations	xvii
1.0 Executive Summary.....	1-1
1.1 Project Overview	1-1
1.2 Project Schedule	1-3
1.3 Project Ownership	1-3
1.3.1 Labor Agreements	1-3
1.4 Project Alternatives	1-3
1.5 Environmental Considerations.....	1-4
1.5.1 Air Quality.....	1-4
1.5.2 Water Resources	1-4
1.5.3 Visual.....	1-4
1.5.4 Biology	1-5
1.5.5 Noise.....	1-5
1.6 Persons Who Prepared the AFC.....	1-5
2.0 Project Description.....	2-1
2.1 Introduction.....	2-1
2.2 Generating Facility Description, Design, and Operation.....	2-2
2.2.1 Site Arrangement and Access	2-2
2.2.2 Process Description	2-2
2.2.3 Facility Generating Cycle	2-3
2.2.4 Combustion Turbine Generators, Heat Recovery Steam Generators, Steam Turbine Generator and Condenser	2-3
2.2.5 Major Electrical Equipment and Systems	2-5
2.2.6 Fuel System	2-7
2.2.7 Water Supply and Use	2-8
2.2.8 Plant Cooling Systems	2-10
2.2.9 Waste Management.....	2-11
2.2.10 Hazardous Materials Handling.....	2-12
2.2.11 Emission Control and Monitoring	2-13
2.2.12 Fire Protection.....	2-14
2.2.13 Plant Auxiliaries	2-14
2.2.14 Interconnect to Electrical Grid	2-17
2.2.15 Project Construction.....	2-17
2.2.16 Power Plant Operation	2-18
2.3 Facility Safety Design.....	2-19
2.3.1 Natural Hazards	2-19
2.3.2 Emergency Systems and Safety Precautions	2-20
2.4 Facility Reliability	2-21
2.4.1 Facility Availability	2-21
2.4.2 Redundancy of Critical Components	2-22

2.4.3 Fuel Availability	2-25
2.4.4 Water Availability	2-25
2.4.5 Project Quality Control	2-26
2.5 Laws, Ordinances, Regulations, and Standards.....	2-27
3.0 Demand Conformance.....	3-1
4.0 Facility Closure	4-1
4.1 Temporary Closure	4-1
4.2 Permanent Closure.....	4-1
5.0 Electric Transmission.....	5-1
5.1 Introduction.....	5-1
5.2 Applicable Laws, Ordinances, Regulations, and Standards	5-1
5.2.1 Design and Construction.....	5-2
5.2.2 Electric and Magnetic Fields	5-3
5.2.3 Hazardous Shock.....	5-3
5.2.4 Communications Interference	5-4
5.2.5 Aviation Safety.....	5-4
5.2.6 Fire Hazards	5-5
5.2.7 Jurisdictional Agencies	5-5
5.3 Transmission Interconnection	5-6
5.3.1 Existing Electrical Transmission Facilities	5-6
5.3.2 Proposed Transmission Interconnection System	5-7
5.4 Proposed Transmission Interconnection Alternatives	5-8
5.5 Interconnection System Impact Study	5-9
5.6 Transmission Line Safety and Nuisances.....	5-9
5.6.1 Electrical Clearances	5-9
5.6.2 Electrical Effects.....	5-10
5.6.3 Aviation Safety.....	5-13
5.6.4 Fire Hazards	5-14
5.7 References.....	5-14
6.0 Natural Gas Supply.....	6-1
6.1 The Proposed Route	6-1
6.2 Alternative Routes.....	6-2
6.3 Selection Criteria.....	6-3
6.4 Construction Practices	6-4
6.5 Pipeline Operations.....	6-6
6.6 References.....	6-7
7.0 Water Supply.....	7-1
7.1 Cooling Water	7-1
7.1.1 Raw Water Quality	7-2
7.1.2 Cooling Tower Water Quality	7-4
7.1.3 Cooling Tower Blowdown Quality.....	7-4
7.1.4 Condensate Makeup and Feedwater Water Chemistry.....	7-4

7.1.5 Water Conditioning System Quality	7-5
7.1.6 Clarifier Mixture Quality.....	7-5
7.1.7 Water for Construction.....	7-6
7.2 Domestic Use Water.....	7-6
7.3 Process Makeup Water	7-6
7.4 Backup Water.....	7-6
7.5 Alternatives	7-7
7.5.1 Alternative Water Supplies.....	7-7
7.5.2 Alternative Water Line Routes	7-8
7.6 References.....	7-8
8.0 Environmental Information.....	8-1
8.1 Air Quality.....	8.1-1
8.1.1 Existing Conditions	8.1-1
8.1.2 Overview of Air Quality Standards.....	8.1-2
8.1.3 Air Quality Trends (Criteria Pollutants)	8.1-3
8.1.4 Laws, Ordinances, Regulations, & Standards (LORS)	8.1-10
8.1.5 Environmental Consequences	8.1-21
8.1.6 Mitigation Measures	8.1-53
8.1.7 References.....	8.1-53
8.2 Biological Resources.....	8.2-1
8.2.1 Introduction.....	8.2-1
8.2.2 Applicable Laws, Ordinances, Regulations, and Standards	8.2-1
8.2.3 Setting.....	8.2-3
8.2.4 Environmental Consequence.....	8.2-9
8.2.5 Proposed Mitigation and Monitoring.....	8.2-16
8.2.6 Involved Agencies and Agency Contacts	8.2-18
8.2.7 Permits Required and Permit Schedule	8.2-18
8.2.8 Reference.....	8.2-18
8.3 Cultural Resources	8.3-1
8.3.1 Laws, Ordinances, Regulations, and Standards.....	8.3-2
8.3.2 Affected Environment.....	8.3-7
8.3.3 Environmental Consequences	8.3-23
8.3.4 Cumulative Effects	8.3-25
8.3.5 Mitigation Measures	8.3-25
8.3.6 Involved Agencies and Agency Contacts	8.3-29
8.3.7 Permits Required and Schedule	8.3-30
8.3.8 References Cited or Consulted	8.3-31
8.4 Land Use	8.4-1
8.4.1 Laws, Ordinances, Regulations, and Standards.....	8.4-1
8.4.2 Affected Environment.....	8.4-4
8.4.3 Future Growth Trends.....	8.4-10
8.4.4 Discretionary Reviews by Public Agencies	8.4-10
8.4.5 Environmental Consequences	8.4-10
8.4.6 Cumulative Impacts.....	8.4-11
8.4.7 References.....	8.4-15
8.5 Noise.....	8.5-1

8.5.1	Fundamentals of Acoustics	8.5-1
8.5.2	Laws, Ordinances, Regulations, and Standards.....	8.5-4
8.5.3	Affected Environment.....	8.5-7
8.5.4	Environmental Consequences	8.5-8
8.5.5	Mitigation Measures	8.5-15
8.5.6	Involved Agencies and Agency Contacts	8.5-16
8.5.7	Permits Required and Permit Schedule	8.5-16
8.5.8	References.....	8.5-16
8.6	Public Health.....	8.6-1
8.6.1	Laws, Ordinances, Regulations, and Standards.....	8.6-1
8.6.2	Affected Environment.....	8.6-3
8.6.3	Environmental Consequences	8.6-4
8.6.4	Mitigation Measures	8.6-11
8.6.5	References.....	8.6-12
8.7	Worker Health and Safety	8.7-1
8.7.1	Introduction.....	8.7-1
8.7.2	Laws, Ordinances, Regulations, and Standards.....	8.7-1
8.7.3	Setting.....	8.7-5
8.7.4	Impacts.....	8.7-6
8.7.5	Involved Agencies and Agency Contacts	8.7-22
8.7.6	Permits Required and Permit Schedule	8.7-22
8.8	Socioeconomics	8.8-1
8.8.1	Introduction.....	8.8-1
8.8.2	Laws, Ordinances, Regulations, and Standards.....	8.8-1
8.8.3	Affected Environment.....	8.8-2
8.8.4	Environmental Consequences	8.8-10
8.8.5	Cumulative Impacts.....	8.8-18
8.8.6	Environmental Justice	8.8-18
8.8.7	Mitigation Measures	8.8-18
8.8.8	Involved Agencies and Agency Contacts	8.8-19
8.8.9	Permits and Permitting Schedule.....	8.8-19
8.8.10	References.....	8.8-19
8.9	Agriculture and Soils	8.9-1
8.9.1	Applicable Laws, Ordinances, Regulations, and Standards	8.9-1
8.9.2	Affected Environment.....	8.9-2
8.9.3	Environmental Consequences	8.9-10
8.9.4	The Effects of Generating Facility Emissions on Soil-Vegetation Systems.....	8.9-11
8.9.5	Mitigation Measures and Monitoring	8.9-11
8.9.6	Involved Agencies and Agency Contacts	8.9-12
8.9.7	Permits Required and Permit Schedule	8.9-12
8.9.8	References.....	8.9-13
8.10	Traffic and Transportation	8.10-1
8.10.1	Introduction.....	8.10-1
8.10.2	Laws, Ordinances, Regulations, and Standards.....	8.10-1
8.10.3	Affected Environment.....	8.10-6
8.10.4	Environmental Consequences	8.10-9

8.10.4.1 Significance Criteria	8.10-9
8.10.5 Cumulative Impacts	8.10-14
8.10.6 Mitigation Measures	8.10-14
8.10.7 Involved Agencies and Agency Contacts	8.10-15
8.10.8 Permits and Permit Schedule.....	8.10-15
8.10.9 References	8.10-16
8.11 Visual Resources.....	8.11-1
8.11.1 Introduction.....	8.11-1
8.11.2 Laws, Ordinances, Regulations, and Standards.....	8.11-1
8.11.3 Affected Environment.....	8.11-1
8.11.4 Environmental Consequences	8.11-8
8.11.5 Assessment of Significance of Overall Visual Impacts	8.11-10
8.11.6 Mitigation Measures	8.11-22
8.11.7 References	8.11-22
8.12 Hazardous Materials Handling.....	8.12-1
8.12.1 Introduction.....	8.12-1
8.12.2 Laws, Ordinances, Regulations, and Standards.....	8.12-1
8.12.3 Affected Environment.....	8.12-6
8.12.4 Potential Environmental and Human Health Effects.....	8.12-7
8.12.5 Off-site Migration Modeling	8.12-14
8.12.6 Fire and Explosion Risk	8.12-18
8.12.7 Cumulative Impacts	8.12-18
8.12.8 Proposed Mitigation Measures.....	8.12-18
8.12.9 Involved Agencies and Agency Contacts	8.12-24
8.12.10 Permits Required and Permit Schedule	8.12-24
8.12.11 References	8.12-24
8.13 Waste Management.....	8.13-1
8.13.1 Introduction.....	8.13-1
8.13.2 Laws, Ordinances, Regulations, and Standards.....	8.13-1
8.13.4 Project Waste Generation	8.13-6
8.13.5 Waste Disposal Sites	8.13-10
8.13.6 Waste Management Methods and Mitigation.....	8.13-12
8.13.7 Cumulative Impacts	8.13-15
8.13.8 Monitoring.....	8.13-16
8.13.9 Involved Agencies.....	8.13-16
8.13.10 Permits Required and Permit Schedule	8.13-17
8.13.11 References	8.13-17
8.14 Water Resources	8.14-1
8.14.1 Introduction.....	8.14-1
8.14.2 Applicable Laws, Ordinances, Regulations, and Standards	8.14-1
8.14.3 Hydrologic Setting	8.14-3
8.14.4 Water Use and Disposal	8.14-7
8.14.5 Effects on Water Resources	8.14-13
8.14.6 Mitigation	8.14-25
8.14.7 Proposed Monitoring Plans and Compliance Verification Procedures	8.14-27
8.14.8 Cumulative Impacts.....	8.14-27

8.14.9 Permits Required	8.14-27
8.14.10 Agency Contacts	8.14-28
8.14.11 References	8.14-28
8.15 Geologic Hazards and Resources.....	8.15-1
8.15.1 Introduction.....	8.15-1
8.15.2 Laws, Ordinances, Regulations, and Standards.....	8.15-1
8.15.3 Affected Environment.....	8.15-1
8.15.4 Environmental Consequences	8.15-5
8.15.5 Mitigation Measures	8.15-6
8.15.6 Involved Agencies and Agency Contacts	8.15-6
8.15.7 Permits Required and Permit Schedule	8.15-7
8.15.8 References	8.15-7
8.16 Paleontological Resources	8.16-1
8.16.1 Introduction.....	8.16-1
8.16.2 Laws, Ordinances, Regulations, and Standards.....	8.16-1
8.16.3 Affected Environment.....	8.16-2
8.16.4 Environmental Consequences	8.16-14
8.16.5 Cumulative Impacts	8.16-15
8.16.6 Mitigation Measures	8.16-15
8.16.7 Involved Agencies and Agency Contacts	8.16-16
8.16.8 Permits Required and Permit Schedule	8.16-16
8.16.9 References.....	8.16-16
9.0 Alternatives.....	9-1
9.1 No Project Alternative	9-1
9.1.1 Description	9-1
9.1.2 Potential Environmental Impacts.....	9-1
9.2 Proposed and Alternative Sites	9-2
9.2.1 The Proposed Site	9-2
9.2.2 Alternative Sites.....	9-3
9.3 Alternative Linear Facilities	9-10
9.3.1 Electric Transmission Line	9-10
9.3.2 Natural Gas Supply Lines	9-10
9.3.3 Water Supply Lines	9-14
9.4 Alternative Project Configurations	9-15
9.5 Alternative Technologies.....	9-15
9.5.1 Selection Methodology	9-15
9.5.2 Technologies Reviewed	9-16
9.5.3 Conclusions	9-22
9.6 References.....	9-22
10.0 Engineering.....	10-1
10.1 Facility Design.....	10-1
10.2 Reliability	10-2
10.2.1 Fuel Availability	10-2
10.2.2 Plant Availability	10-2
10.3 Efficiency.....	10-3

10.4 Laws, Ordinances, Regulations, and Standards.....	10-4
10.5 Involved Agencies and Agency Contacts	10-5
10.6 Permits and Permitting Schedule.....	10-6

Tables

2.2-1 Estimated Average (61 degrees F) and Peak (104 degrees F) Water Requirements...	2-8
2.2-2 Project Schedule Major Milestones	2-17
2.2-3 Average and Peak Construction Traffic	2-18
2.2-4 CPP Staffing Plan.....	2-18
2.4-1 Major Equipment Redundancy	2-22
5.2-1 Design and Construction Laws, Ordinances, and Standards Applicable to CPP Electric Transmission.....	5-2
5.2-2 Electric and Magnetic Field Laws, Ordinances, and Standards Applicable to CPP Electric Transmission.....	5-3
5.2-3 Hazardous Shock Laws, Ordinances, and Standards Applicable to CPP Electric Transmission	5-3
5.2-4 Communications Interference Laws, Ordinances, and Standards Applicable to CPP Electric Transmission	5-4
5.2-5 Aviation Safety Laws, Ordinances, and Standards Applicable to CPP Electric Transmission	5-4
5.2-6 Fire Hazard Laws, Ordinances, and Standards Applicable to CPP Electric Transmission	5-5
5.2-7 Jurisdictional Agencies for CPP Electric Transmission.....	5-5
7.7-1 Estimated Monthly Water Requirements for CPP.....	7-2
7.7-2 Folsom-South Canal Raw Water Sampling Results.....	7-2
7.7-3 Cooling Tower Target Chemistry (mg/L)	7-4
7.7-4 Specifications for the High Purity Feedwater Makeup Water System Quality	7-5
8-1.1 Ambient Air Quality Standards.....	8.1-4
8-1.2A Ozone Levels at Elk Grove 1993-2000 (parts per million - ppm)	8.1-5
8-1.2B Ozone Levels at Sloughhouse 1997-2000 (parts per million - ppm)	8.1-5
8-1.3 Nitrogen Dioxide Levels at Elk Grove 1993-2000 (parts per million - ppm)	8.1-6
8-1.4 Carbon Monoxide Levels at Sacramento 1991-2000 (parts per million - ppm).....	8.1-7
8-1.5 Sulfur Dioxide Levels in Sacramento 1991-2000 (parts per million - ppm)	8.1-7
8-1.6 Particulate Sulfate Levels in Sacramento 1991-1997 (micrograms per cubic meter - :g/m ³).....	8.1-8
8-1.7 PM ₁₀ Levels at Sacramento 1993-2000 (micrograms per cubic meter - µg/m ³).....	8.1-9
8-1.8 PM _{2.5} Levels at Sacramento 1991-2000 (micrograms per cubic meter - µg/m ³).....	8.1-10
8-1.9 Airborne Lead Levels in Sacramento 1991-1997 (micrograms per cubic meter - µg/m ³).....	8.1-10
8-1.10 Criteria Pollutant Precursors.....	8.1-16
8-1.11 Preconstruction Review Elements for Criteria Pollutants	8.1-16

8-1.12	Emission Offset Trigger Levels	8.1-17
8-1.13	PSD Class II Increments	8.1-18
8-1.14	Health Risk Thresholds	8.1-19
8-1.15	Air Quality Agencies	8.1-21
8-1.16	Laws, Ordinances, Regulations, Standards (LORS), and Permits for Protection of Air Quality	8.1-22
8-1.17	Typical Natural Gas Analysis, CPP Project.....	8.1-28
8-1.18	Emissions from Combustion Turbines (104°F and 17 percent relative humidity) ^a	8.1-28
8-1.19	Emissions from Combustion Gas Turbines (34°F and 59 percent relative humidity) ^a	8.1-29
8-1.20	Expected Facility Startup and Shutdown Emission Rates (per gas turbine) ^a	8.1-29
8-1.21	Maximum Combined Cycle Operation Heat Input Rates (HHV) (104°F and 17 percent Relative Humidity)	8.1-30
8-1.22	Maximum Combined Cycle Operation Heat Input Rates (HHV) (34°F and 59 percent Relative Humidity)	8.1-30
8-1.23	Emissions from New Equipment (Gas Turbines and Cooling Towers) ^a	8.1-31
8-1.24	Results of Screening Procedure: New Gas Turbines/HRSGs Operating Conditions Producing Maximum Modeled Ambient Impacts	8.1-36
8-1.25	Emission Rates and Stack Parameters Used in Modeling Analysis for Gas Turbine Startup Emissions Impacts	8.1-37
8-1.26	Summary of Results from Refined Modeling Analyses Maximum Impacts ($\mu\text{g}/\text{m}^3$)	8.1-38
8-1.27	Maximum Background Concentrations, 1998-2000 ($\mu\text{g}/\text{m}^3$).....	8.1-40
8-1.28	Modeled Maximum Project Impacts	8.1-40
8-1.29	Comparison of Net Emissions Increase with PSD Significant Emissions Levels, CPP Project (Tons/Year)	8.1-41
8-1.30	Project Impacts in Class I Area, CPP Project.....	8.1-42
8-1.31	Screening Health Risk Assessment Results.....	8.1-44
8-1.32	Maximum Predicted 24-Hour Change in Extinction	8.1-47
8-1.33	Comparison of Maximum Modeled Impacts and PSD Preconstruction Monitoring Thresholds CPP Project (Gas Turbines/HRSGs)	8.1-48
8-1.34	Summary of Offset Requirements	8.1-51
8.2-1	Laws, Ordinances, and Regulations Applicable to CPP Biological Resources	8.2-20
8.2-2	Sacramento County General Plan, Conservation Element	8.2-24
8.2-3	Special-Status Species Potentially Occurring in CPP Project Area.....	8.2-30
8.2-4	Summary of Permanent and Temporary CPP Project Impacts on Biological Resources During Construction	8.2-35
8.2-5	Contacts for the CPP Project	8.2-38
8.2-6	Permits and Schedule.....	8.2-38
8.3-1	Applicable Cultural Resources Laws, Ordinances, Regulations, and Standards	8.3-3
8.3-2	Hypothesized Characteristics of Cultural Periods in California	8.3-10
8.3-3	The Chartkoff and Chartkoff (1984) Model of Cultural Periods in California	8.3-11
8.3-4	Recommended Mitigation.....	8.3-26

8.3-5	Agency Contacts	8.3-29
8.4-1	Summary of Project Feature Jurisdictions.....	8.4-1
8.4-2	Laws, Ordinances, Regulations, and Standards Applicable to CPP Land Use	8.4-2
8.4-3	Land Use-Related Compliance Needed for Project Approval	8.4-3
8.4-4	Planning Designation Definitions in Project Vicinity.....	8.4-5
8.4-5	Existing Land Uses and Planning Designations for Project Vicinity and Project Features.....	8.4-6
8.4-6	CPP Land Use Consistency With Applicable Plans and Policies	8.4-12
8.5-1	Definitions of Acoustical Terms	8.5-1
8.5-2	Typical Sound Levels Measured in the Environment and Industry	8.5-3
8.5-3	Summary of Applicable Local Noise Regulations, County of Sacramento.....	8.5-5
8.5-4	Land Use Compatibility for Community Noise Environments.....	8.5-6
8.5-5	Applicable Laws, Ordinances, Regulations, and Standards	8.5-6
8.5-6	Construction Equipment and Composite Site Noise Levels	8.5-10
8.5-7	Average Construction Noise Levels at Various Receptors (dBA)	8.5-10
8.5-8	Maximum Noise Levels from Common Construction Equipment and Resultant Receptor Noise Levels.....	8.5-11
8.5-9	Predicted Plant Noise Levels (dBA) at Nearby Receptors.....	8.5-14
8.5-10	Agency Contacts	8.5-16
8.6-1	Summary of Primary Regulatory Jurisdictions for Public Health.....	8.6-2
8.6-2	Summary of Agency Contacts for Public Health	8.6-3
8.6-3	Chemical Substances Potentially Emitted to the Air from CPP.....	8.6-4
8.6-4	Toxicity Values Used to Characterize Health Risks	8.6-6
8.6-5	Summary of Excess Lifetime Cancer Risks for the Maximum Exposed Individual	8.6-8
8.6-6	Summary of Chronic Noncancer Hazard Quotients (Inhalation Exposure Pathway) for the Maximum Exposed Individual.....	8.6-8
8.6-7	Summary of Chronic Noncancer Hazard Quotients (Non-Inhalation Exposure Pathway) for the Maximum Exposed Individual.....	8.6-9
8.6-8	Summary of Acute Noncancer Hazard Quotients for the Maximum Exposed Individual	8.6-9
8.7-1	Federal Laws, Ordinances, Regulations, and Standards	8.7-1
8.7-2	State Laws, Ordinances, Regulations, and Standards	8.7-1
8.7-3	Local Laws, Ordinances, Regulations, and Standards	8.7-3
8.7-4	Applicable National Consensus Standard	8.7-4
8.7-5	Construction Hazard Analysis	8.7-7
8.7-6	Operation Hazard Analysis	8.7-9
8.7-7	Construction Training Program	8.7-19
8.7-8	Operations Training Program.....	8.7-21
8.7-9	Agency Contacts	8.7-22
8.7-10	Health and Safety Permits.....	8.7-23

8.8-1	Laws, Ordinances, Regulations, and Standards Applicable to CPP Socioeconomics	8.8-1
8.8-2	Historic Estimated and Future Projected Populations of Sacramento County, San Joaquin County, and California	8.8-3
8.8-3	Historic Estimated and Future Projected Population Growth Rates for Sacramento County, San Joaquin County, and California	8.8-3
8.8-4	Percentage Racial Breakdown of Historic and Projected Future Populations of Sacramento County, San Joaquin County, and California	8.8-3
8.8-5	Housing Estimates for Sacramento County, San Joaquin County, and California for the Year 2000	8.8-4
8.8-6	Sacramento and San Joaquin County Employment by Industry for 1997 and 1999	8.8-5
8.8-7	Combined Non-Farm Employment Estimates and Projections for Sacramento and San Joaquin Counties	8.8-5
8.8-8	Historic and Projected Future Occupational Employment for the Combined Sacramento and San Joaquin County Region.....	8.8-6
8.8-9	Historic Unemployment Rates And State Rankings For Sacramento County, San Joaquin County, and California	8.8-7
8.8-10	Sacramento County Budget for Selected Years (Millions).....	8.8-8
8.8-11	School Enrollment Data for Local School Districts	8.8-9
8.8-12	CPP Construction Workforce Requirements, Phase 1.....	8.8-12
8.8-13	CPP Construction Workforce Requirements, Phase 2.....	8.8-13
8.8-14	Typical Plant Operation Workforce	8.8-16
8.8-15	Agencies and Agency Contacts for CPP Socioeconomics.....	8.8-19
8.9-1	Laws, Ordinances, Regulations, and Standards Applicable to CPP Agriculture and Soils	8.9-1
8.9-2A	Soil Mapping Units and Properties ^a	8.9-4
8.9-2B	Soil Mapping Units and Properties ^a	8.9-7
8.9-3	Agency Contacts for CPP Agriculture and Soils.....	8.9-13
8.10-1	Relevant Policies for the Sacramento County General Plan and Metropolitan Transportation Plan.....	8.10-3
8.10-2	Compliance with Laws, Ordinances, Regulations, and Standards	8.10-4
8.10.3	Current Traffic Characteristics of Highways in the Project Area	8.10-7
8.10.4	Accident History	8.10-7
8.10.5	Total Daily Construction-Related Vehicle Trip Generation	8.10-10
8.10.6	Peak Construction Project Traffic Volumes and LOS on Roadways in the Project Area	8.10-11
8.10.7	Involved Agencies and Contacts.....	8.10-15
8.10.8	Permit Schedule for Traffic and Transportation	8.10-15
8.11.1	Landscape Visual Quality Scale Used in Rating the Areas Potentially Affected by the Proposed Project	8.11-4
8.11-2	Proposed Project's Consistency with Local LORS Applicable to Visual Resources: Sacramento County General Plan and Zoning Ordinance	8.11-15
8.11-3	Sacramento County Contact Person	8.11-21

8.12-1 Applicable Laws, Ordinances, Regulations, and Standards8.12-1

8.12-2 Location of Hazardous Materials8.12-6

8.12-3 CPP Chemical Inventory for 1000 MW Facility8.12-11

8.12-4 Acutely Hazardous Materials8.12-13

8.12-5 Toxicity of Hazardous and Acutely Hazardous Materials8.12-15

8.12-6 Agency Contacts8.12-24

8.13-1 Applicable Laws, Ordinances, Regulations, and Standards8.13-2

8.13-2 Hazardous Wastes Generated at the CPP Facility8.13-10

8.13-3 Solid Waste Disposal Facilities for CPP Waste8.13-11

8.13-4 Name, Title, Phone Number, and Address of Contacts at Agencies With
Jurisdiction for Waste Management8.13-16

8.13-5 Permits Required and Permit Schedule for CPP Waste Management8.13-17

8.14-1 Laws, Ordinances, Regulations, and Standards Applicable to CPP
Water Resources8.14-2

8.14-2 General Plan Policies Applicable to Water Resources and Conformance
of CPP Project (CPP)8.14-4

8.14-3 Estimated Quality of Wastewater Discharged to Clay Creek Under
NPDES Permit8.14-8

8.14-4 Estimated Quality of Cooling Tower Drift8.14-10

8.14-5 Average Monthly Rainfall Near the Proposed Project Site (Clay Ranch
DWR # B00 1785)8.14-12

8.14-6 Stormwater Runoff Prior to Construction8.14-12

8.14-7 Stormwater Runoff Following Construction8.14-13

8.14-8 Potential Wetlands Crossed by Proposed Cosumnes Power Plant
Gas Pipeline8.14-19

8.14-9 Permits and Permitting Agencies for CPP Water Resources8.14-28

8.15-1 Laws, Ordinances, Regulations, and Standards8.15-1

8.15-2 Summary of Potential Geologic Hazards8.15-5

8.16-1 LORS Applicable to Paleontological Resources8.16-1

9.2-1 Site Selection Criteria9-3

9.2-2 Comparison of Alternative Sites to the Proposed Site9-9

10.4-1 Applicable Laws, Ordinances, Regulations, and Standards10-4

10.4-2 Agency Contacts10-5

Figures

1.1-1 General Vicinity Map

1.1-2 Proposed Project Site

1.1-3 Site Plan

1.1-4 Appearance of Site Before Construction, Looking North

1.1-5	Appearance of Site After Construction, Looking North
2.1-1	Site and Linear Facilities Location Map
2.2-1	Plot Plan (With GE 7FA and North Unit as Phase 1)
2.2-2	Plant South Elevation
2.2-3	Site Access and Laydown Areas
2.2-4	Heat and Mass Balance Average
2.2-5	One Line Schematic of the Proposed 230kV Switchyard
2.2-6a	Phase I - Annual Average Water Balance Diagram
2.2-6b	Phase II - Annual Average Water Balance Diagram
5.1-1	Northern California Electric Grid
5.1-2	SMUD Transmission System (230 KV/115 KV and UARP) 2000 System
5.3-1	Proposed and Existing Transmission Lines, Recreation Areas and Settled Areas
5.3-2	Single-Line Diagram
5.3-3	Plot Plan (With GE 7FA and North Unit as Phase 1)
5.3-4a	230kV Double Circuit Tangent Pole
5.3-4b	230kV Single Circuit Tangent Pole
5.3-5	One-line Diagram Rancho Seco Switchyard
5.3-6	Rancho Seco 230kV Switchyard
6.1-1	Gas Line Alternatives
6.1-2	(Map 1 of 6) Construction Types Carson Cogen Southwest Corridor
6.1-3	(Map 2 of 6) Construction Types Carson Cogen Southwest Corridor
6.1-4	(Map 3 of 6) Construction Types Carson Cogen Southwest Corridor
6.1-5	(Map 4 of 6) Construction Types Carson Cogen Southwest Corridor
6.1-6	(Map 5 of 6) Construction Types Carson Cogen Southwest Corridor
6.1-7	(Map 6 of 6) Construction Types Carson Cogen Southwest Corridor
7.1-1	Proposed Water Supply Line Alignment
8.1-1	January Predominant Mean Circulation of the Surface Winds
8.1-2	April Predominant Mean Circulation of the Surface Winds
8.1-3	July Predominant Mean Circulation of the Surface Winds
8.1-4	October Predominant Mean Circulation of the Surface Winds
8.1-5a	Annual Wind Rose - 1985
8.1-5b	First Quarter Wind Rose - 1985
8.1-5c	Second Quarter Wind Rose - 1985
8.1-5d	Third Quarter Wind Rose - 1985
8.1-5e	Fourth Quarter Wind Rose - 1985
8.1-6a	Annual Wind Rose - 1986
8.1-6b	First Quarter Wind Rose - 1986
8.1-6c	Second Quarter Wind Rose - 1986
8.1-6d	Third Quarter Wind Rose - 1986
8.1-6e	Fourth Quarter Wind Rose - 1986
8.1-7a	Annual Wind Rose - 1987
8.1-7b	First Quarter Wind Rose - 1987

8-1.7c	Second Quarter Wind Rose - 1987
8.1-7d	Third Quarter Wind Rose - 1987
8.1-7e	Fourth Quarter Wind Rose - 1987
8.1-8a	Annual Wind Rose - 1988
8.1-8b	First Quarter Wind Rose - 1988
8.1-8c	Second Quarter Wind Rose - 1988
8.1-8d	Third Quarter Wind Rose - 1998
8.1-8e	Fourth Quarter Wind Rose - 1988
8.1-9a	Annual Wind Rose - 1989
8.1-9b	First Quarter Wind Rose - 1989
8.1-9c	Second Quarter Wind Rose - 1989
8.1-9d	Third Quarter Wind Rose - 1989
8.1-9e	Fourth Quarter Wind Rose - 1989
8.1-10a	Maximum Hourly Ozone Levels Sloughouse and Elk Grove (Bruceville Road), 1993-2000
8.1-10b	Violations of the California 1-Hour Ozone Standard (0.09 ppm) Elk Grove (Bruceville Road), 1993-2000
8.1-11	Maximum Hourly NO ₂ Levels Elk Grove (Bruceville Road), 1993-2000
8.1-12	Maximum Annual Average NO ₂ Levels Elk Grove (Bruceville Road), 1993-2000
8.1-13	Maximum 8-Hour Average CO Levels Sacramento (T Street), 1991-2000
8.1-14	Maximum 1-Hour Average CO Levels Sacramento (T Street), 1999-2000
8.1-15	Maximum 1-Hour and 24-Hour Average SO ₂ Levels Sacramento (Del Paso Manor), 1991-2000
8.1-16	Maximum 24-Hour Sulfate Levels Sacramento (Stockton Blvd.), 1991-1997
8.1-17	Maximum 24-Hour PM ₁₀ Levels Sacramento (Stockton Blvd.), 1993-2000
8.1-18	Expected Violations of the California 24-Hour PM ₁₀ Standard (50 µg/m ³) Sacramento (Branch Center Rd), 1993-2000
8.1-19	Maximum 24-Hour PM _{2.5} Levels Sacramento (T Street), 1991-2000
8.1-20	Maximum 30-Day Average Lead Levels Sacramento (Stockton Blvd.), 1991-1997
8.1-21	Coordinate System Showing Gaussian Distributions
8.1-22	Layout of Receptor Grid
8.2-1	Biologically Sensitive Resources
8.2-2a	Sensitive Biological Species Locations for project site
8.2-2b	Sensitive Biological Species Locations Along Gas Line
8.2-2c	Sensitive Biological Species Locations Along Gas Line
8.3-1	Ethnographic Occupations
8.3-2a	Archeological Coverage Survey Map
8.3-2b	Archeological Coverage Survey Map
8.3-2c	Archeological Coverage Survey Map
8.3-2d	Archeological Coverage Survey Map
8.3-2e	Archeological Coverage Survey Map
8.3-3	Confidential - Known Archeological or Historical Sites
8.4-1	Land Use Designation for Project and Vicinity

8.4-2	Zoning Designations for Project and Vicinity
8.5-1	Ambient Noise Monitoring Location
8.5-2	Noise Emission Contours (Base Load)
8.6-1	Sensitive Receptors within 3 miles of Site
8.6-2	10-Mile Radius Index for Quad Maps
8.8-1	Minority Distribution in the Vicinity of CPP
8.8-2	Income Distribution in the Vicinity of CPP
8.9-1a	Project Area Soil Map
8.9-1b	Project Area Soil Map
8.9-1c	Project Area Soil Map
8.9-1d	Project Area Soil Map
8.9-1e	Project Area Soil Map
8.9-2	Project Area Agricultural Map
8.10-1	Regional Transportation Setting
8.10-2	Existing daily and Peak Hour Traffic Volumes in Study Area
8.11-1	Generalized Viewshed and KOP Locations
8.11-2a	KOP 1: Existing View of Project Site
8.11-2b	KOP 1: Simulated View of Project
8.11-3a	KOP 2: Existing View of Project Site
8.11-3b	KOP 2: Simulated View of Project
8.11-4a	KOP 3: Existing View of Project Site
8.11-4b	KOP 3: Simulated View of Project
8.11-5a	KOP 4: Existing View of Project Site
8.11-5b	KOP 4: Simulated View of Project
8.14-1	Local Surface Water Features
8.14-2	100-Year Flood Map
8.14-3a	Phase I - Annual Average Water Balance Diagram
8.14-3b	Phase II - Annual Average Water Balance Diagram
8.14-3c	Phase I - 104 Degrees Fahrenheit Peak Water Balance Diagram
8.14-3d	Phase II - 104 Degrees Fahrenheit Peak Waater Balance Diagram
8.14-4	Grading and Drainage Plan
8.14-5	Surface Waters Potentially Affected By Project
8.15-1	Cosumnes Power Plant Area Geology
8.15-2	Generalized Geologic Cross-Section
8.15-3	Principal Fault Zones
8.16-1	Confidential - Paleontological Figure
9.2-1	Alternative Site Locations

- 10.3-1 Heat And Mass Balance at 104 Degrees Fahrenheit
 10.3-2 Heat And Mass Balance at 34 Degrees Fahrenheit

Appendices

- 1A Owners Adjacent to the Site and Linear Corridors
 1B Persons Who Prepared the AFC
 5A Cosumnes Power Plant Transmission System Impact Study
 5B EMF and Powerline Concepts
 6A Application for Natural Gas
 7A Water Supply Letter
 8.1A Construction Phase Impacts
 8.1B Detailed Emission Calculations
 8.1C Modeling Protocol
 8.1D Modeling Analysis
 8.1E Screening Health Risk Assessment
 8.1F BACT Analysis
 8.1G Cumulative Impact Protocol
 8.2A CNDDDB Species Lists
 8.2B Agency Consultation
 8.2C Qualifications/Resumes of Field Surveyors
 8.2D Outline of CPP Biological Resources Mitigation Implementation Plan
 8.3A Proposed Native American Burial Protection Plan for the CPP Construction Program
 8.3B Letter to Native American Heritage Commission (Including Response)
 8.3C GANDA Confidential Reports
 8.3D WRMS Confidential Southwest Corridor Maps
 8.3E Confidential Site Form
 8.5A Noise Monitoring Results
 8.8A Records of Conversations
 8.13A VISTA Info Site Assessment Report
 8.14A NPDES Permit Application
 8.15A 1993 Geological Assessment from Rancho Seco ISFSI
 10A Civil Engineering Design Criteria
 10B Structural Engineering Design Criteria
 10C Mechanical Engineering Design Criteria
 10D Electrical Engineering Design Criteria
 10E Control Engineering Design Criteria
 10F Chemical Engineering Design Criteria
 10G Geologic and Foundation Criteria