

DOCKETED

Docket Number:	22-BSTD-01
Project Title:	2025 Energy Code Pre-Rulemaking
TN #:	252567
Document Title:	628 Comments from Sierra Club Members on 2025 Energy Code Pre-Rulemaking
Description:	N/A
Filer:	System
Organization:	Sierra Club
Submitter Role:	Public
Submission Date:	10/10/2023 3:49:53 PM
Docketed Date:	10/10/2023

*Comment Received From: Teresa Cheng
Submitted On: 10/10/2023
Docket Number: 22-BSTD-01*

628 Comments from Sierra Club Members on 2025 Energy Code Pre-Rulemaking

Attached are the signatures and comments of 628 individuals who signed onto the following statement through the Sierra Club:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Please note that 98 of these signers added their own personal comments.

Additional submitted attachment is included below.



SIERRA CLUB

CALIFORNIA

October 10, 2023

California Energy Commission
715 P St.
Sacramento, CA 95814

Re: Public Comment on 2025 Energy Code Pre-Rulemaking

Sent Via Electronic Mail

To whom it may concern,

Attached are the signatures and comments of **628** individuals who signed onto the following statement through the Sierra Club:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed. I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps

instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Please note that **98** of these signers added their own personal comments. If there are any questions about this statement or our positions on this matter, please do not hesitate to contact me.

Sincerely,

Jason John
Associate Director
Sierra Club California
jason.john@sierraclub.org

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Susan Larson

Paso Robles, CA 93446

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Martha Burr

Los Angeles, CA 90028

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Robert Fountain

Cambria, CA 93428

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Elizabeth Estes

Pasadena, CA 91107

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Nona Weiner

San Jose, CA 95127

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Sam Butler

Los Angeles, CA 90045

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Rodney Love

Rodney, CA 91320

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Allison Mannos

Los Angeles, CA 90027

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Ryan Acebo

Oakland, CA 94602

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Garry Star

Thousand Oaks, CA 91362

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Linda Sartor

Santa Rosa, CA 95404

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Jill Mistretta

kentfield, CA 94904

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Gary and Ellen Shick Beckerman

Santa Ynez, CA 93460

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Laurel Cameron

Redondo Beach, CA 90277

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Howard Cohen

Palo Alto, CA 94306

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Jennifer Binstock

LOS ANGELES, CA 90065

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Time Is Now For A Strong 2025 Building Code.

Sincerely,

Perry Gx

Tustin, CA 92780

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Robert Boughton

sacramento, CA 95831

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Vivian Deutsch

Calabasas, CA 91302

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Sue King

Pleasanton, CA 94588

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Marco Vasquez

94085, CA 94085

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Darrell Neft

Costa Mesa, CA 92626

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

J Yudell

Santa Monica, CA 90409

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Alex Luostari

Los Angeles, CA 90064

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Mary Hurley

Eureka, CA 95503

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Kenneth Nahigian

Sacramento, CA 95827

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Pat Blackwell-Marchant

Castro Valley, CA 94552

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Hugh Moore

Los Angeles, CA 90006

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Louise Lieb

Sebastopol, CA 95472

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Jessica Heiden

Eureka, CA 95503

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Tia Triplett

Los Angeles, CA 90066

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Kim Moreno

glendale, CA 91214

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

John Paladin

Santa Clarita, CA 91355

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Wendy Bayless

Sebastopol, CA 95472

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Lauren Linda

Laguna Woods, CA 92637

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Let's do it now....

Sincerely,

Ingrid Ramsay

Novato, CA 94949

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Paul Maysonave

sonoma, CA 95476

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Martin Horwitz

San Francisco, CA 94122

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Claudia Monahan

La Quinta, CA 92253

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Kevin Schader

Pleasant Hill, CA 94523

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

C. Yee

Sacramento, CA 95831

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

just do it

Sincerely,

Robert Reed

Laguna Beach, CA 92651

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Greg Thomson

Greg, CA 94965

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Eva Thomas

Woodside, CA 94062

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Don Orahood

Bonsall, CA 92003

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Soraya Barabi

Los Angeles, CA 90025

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Theresa Gonzalez

Los Gatos, CA 95030

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Acting now will ensure that Californians rely on renewable energy in the future.

Sincerely,

Judy Trahan

Hayward, CA 94544

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Jerid Anderson

Santa Maria, CA 93455

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Evan Mcdermit

Fullerton, CA 92832

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Victoria Wade

marina, CA 93933

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Wayne Gibb

Forestville, CA 95436

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

George Wood

Ukiah, CA 95482

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Richard Devletian

Los Angeles, CA 90026

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

My home was originally built to use gas for heating, cooking, and laundry. But we now know that's bad for the environment, and we need to do better going forward and retrofiting.

Sincerely,

Nina Berry

Van Nuys, CA 91405

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Mark Hurst

Orinda, CA 94563

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Let's get the transition from gas to electric going.

Sincerely,

Elizabeth Berteaux

davis, CA 95616

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Richard Blain

Temecula, CA 92592

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Years ago I started using heat pumps?

Sincerely,

T Suzuki

Long Beach, CA 90810

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Cynthia and Thomas Rudolph

Brisbane, CA 94005

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Joanne Tenney

Escondido, CA 92026

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Let's do better in the future = we have the options!

Sincerely,

Pat Bryan

Lemon Grove, CA 91945

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Marc Silverman

LA, CA 90068

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Suzanne Deerlyjohnson

Long Beach, CA 90806

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

We need help with environmental issues. Make it a stronger building code!!

Sincerely,

Ronit Corry

Santa Barbara, CA 93101

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Time is short for all of humanity that ignores impending climate peril

Sincerely,

William Wallin

Richmond, CA 94805

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

transition to all electric please

Sincerely,

Dean Vogel

Davis, CA 95616

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Ted Fishman

san jose, CA 95123

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Al Shayne

los angeles, CA 90036

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Please save our planet!

Sincerely,

Rena Lewis

Ojai, CA 93023

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Marianna Mejia

Soquel, CA 95073

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Jeffrey Jones

Sherman Oaks, CA 91423

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Connie Lindgren

Arcata, CA 95521

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

I am a long-time California resident who is concerned about the climate crisis and believes we need to take all measures to combat it.

Sincerely,

David Kaskowitz

SAN FRANCISCO, CA 94110

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Carol Hirth

Berkeley, CA 94702

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Julie Adelson

San Pedro, CA 90731

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Deborah Holcomb

Deborah, CA 90025

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Stephen Rosenblum

Palo Alto, CA 94301

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Daniel Gonzalez

San Diego, CA 92129

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Dave Whipple

Monterey, CA 93940

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Peter Reimer

hayward, CA 94542

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Blaise Brockman

arcadia, CA 91007

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Eliminate gas from future buildings

Sincerely,

Jennifer Russell

Walnut Creek, CA 94595

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Anthony Jammal

Roseville, CA 95661

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Andrea Ferrari

Oceanside, CA 92056

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Barbara Whyman

Ventura, CA 93001

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Paul Katz

Paul, CA 95004

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

John Alexander

Oceanside, CA 92057

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Gavrilah Wells

San Francisco, CA 94114

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Pela Tomasello

Santaa Cruz, CA 95062

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Don Meehan

san jose, CA 95124

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Dalia Salgado

Los Angeles, CA 90017

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Brett Thomsen

Redondo Beach, CA 90278

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Robert Paquette

Pasadena, CA 91107

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Leah Berman

Aptos, CA 95003

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

I live in an apartment with gas appliances, but I leave them off (including their pilot flames) and only use portable electric appliances. My home is cleaner and I don't pollute as much. Methane, aka natural gas, is a terrible polluting poison.

Sincerely,

Scott Jenkins

San Luis Obispo, CA 93401

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Daniel Chandler

Trinidad, CA 95570

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Lena Fine

Campbell, CA 95008

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Anthony Tupasi

Anthony, CA 94122

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Let's get homes off of dirty, expensive gas.

Sincerely,

James & Carol Patton

Kensington, CA 94708

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Gary and Seraphina Landgrebe

Soquel, CA 95073

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Nabeel Al-Shamma

Mountain View, CA 94041

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Melissa, CA 93950

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Elaine Benjamin

Alpine, CA 91901

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Michael Kavanaugh

San Francisco, CA 94116

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Why wait any longer? Thank you for your time and consideration.

Sincerely,

Rachel Denny

Bradley, CA 93426

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Michael Legrande

VALLEY SPRINGS, CA 95252

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Jim Nasella

Glendale, CA 91201

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Mohan Sakhrani

Dublin, CA 94568

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Philip Simon

San Rafael, CA 94903

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Virpi Toivonen

Santa Clara, CA 95051

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Making A/C replacement with heat pumps mandatory would be a real win for the environment. I know from my experience that it can be expensive. I would like to see a mandatory requirement with means-based rebates or subsidies.

Sincerely,

Janice Pardoe

Berkeley, CA 94705

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Bruce Grobman

Santa Cruz, CA 95062

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Carole Gonsalves

San Jose, CA 95120

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Methane is a key contributor to ghg emissions- time to decarbonize buildings!

Sincerely,

Cheryl Weiden

Cheryl, CA 94022

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Sue Blockstein

San Mateo, CA 94402

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

If we electrify everything, we have a chance of meeting our climate targets! Please be bold and get us off gas!

Sincerely,

Gloria Sefton

Trabuco Canyon, CA 92678

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Daniel Goldberg

Riverside, CA 92506

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Matthew Rivers

Porter Ranch, CA 91326

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Susan Jonas

Los Osos, CA 93402

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Cheryl Parkins

Oakland, CA 94611

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Andrew Russell

Encino, CA 91316

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Holly Isaacson

North Hollywood, CA 91601

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Sherrie Howell

Pleasanton, CA 94588

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Ruth & Michael Burman

San Carlos, CA 94070

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

My family has installed solar panels and drives electric cars in an effort to lower our carbon footprint. But we would also like to have help moving away from gas to electric HVAC through the use of heat pumps. A good start is the 2025 Building Code for new home construction.

Sincerely,

Jonathan Fernsler

Grover Beach, CA 93433

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Ms. Courtney

Orange, CA 92866

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Alice Neuhauser

Manhattan Beach, CA 90266

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Thomas Conroy

Manhattan Beach, CA 90266

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Thank you for your courage and foresight. We need major steps away from fossil fuels.

Sincerely,

Alan Weiner

Agoura Hills, CA 91301

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Erin Garcia

WEST LOS ANGELES, CA 90025

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Katherine Haley

Fort Bragg, CA 95437

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Mark Zakowski

Los Angeles, CA 90064

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Natural gas is incredibly unhealthy: we have much better options now.

Sincerely,

William Blake

Santa Rosa, CA 95404

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Jane Norbeck

Walnut Creek, CA 94595

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Wallace Rhine

Cazadero, CA 95421

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Christopher Ware

Fremont, CA 94539

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Let's do the right thing so we have a future!

Sincerely,

Molly Engellenner

Auburn, CA 95603

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Nina Greenberg

Los Angeles, CA 90039

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Andrew Mueckenberger

Alameda, CA 94501

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Kerri Mcgoldrick

Castro Valley, CA 94546

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

We have no time to waste if we want to stop global warming from continuing to cause extreme, destructive and costly weather events. We must take immediate action to do what is currently within our means to slow the rate of global warming.

Sincerely,

David Rodriguez

South Pasadena, CA 91030

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Anna Buenrostro

Los Angeles, CA 90011

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Jason Cunningham

Studio City, CA 91604

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Patti Fink

Petaluma, CA 94954

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Marivee Frayer

Boulder Creek, CA 95006

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Jl Angell

Rescue, CA 95672

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Dave Beck

San Juan Capistrano, CA 92675

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Doug Evans

Ventura, CA 93003

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

We need to require end-of-life AC units be replaced with dual direction heat pumps in the 2025 CA Building Code NOW. Otherwise more wasteful units will be installed between 2025 and 2028 with another 10 to 20 years of wasting energy to go. How does that make sense for CA? For the sake of Californians' health and energy bills, we cannot make these upgrades voluntary.

Sincerely,

Connie Yee

San Gabriel, CA 91775

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

John Miller

Irvine, CA 92618

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Mark Rhomberg

Pacific Palisades, CA 90272

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Megan Yarnall

Eureka, CA 95503

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Sally Olah

Sherman Oaks, CA 91403

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Michael Henderson

Huntington Beach, CA 92649

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Stop Burning Stuff... all stuff.

Sincerely,

Mark Spohr

Tahoe City, CA 96145

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Gail Weininger

Oakland, CA 94611

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

David Doering

San Francisco, CA 94109

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Martha Booz

El Sobrante, CA 94803

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Lawrence Deng

San Jose, CA 95120

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Susan Brisby

Lancaster, CA 93536

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Jill Davine

Culver City, CA 90232

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Carol Eyster

Redlands, CA 92373

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Laura Dill

Berkeley, CA 94706

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Karin Labby

Los Angeles, CA 90039

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Alice Kelly

Felton, CA 95018

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Carole Kalous

Berkeley, CA 94704

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

L D

Berkeley, CA 94709

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Ronald Bogin

Ronald, CA 94530

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Stephanie Glatt

Buellton, CA 93427

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Lynne Weiske

Los Angeles, CA 90048

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Sylvia Vairo

Santa Cruz, CA 95062

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Kit Long

Napa., CA 94559

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Patricia Harp

Modesto, CA 95355

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Kermit CARRAWAY

Auburn, CA 95602

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Venetia Large

Altadena, CA 91003

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Nicole Fountain

Lincoln, CA 95648

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Dan Esposito

Manhattan Beach, CA 90266

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

We cannot afford to wait until 2028! Please take action now!

Sincerely,

Alissandra Valdez

Burbank, CA 91501

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Ann Bein

Los Angeles, CA 90064

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Rochelle La Frinere

San Diego, CA 92114

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Bruce England

Mountain View, CA 94043

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

George Whitman

Cathedral City, CA 92234

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Health over profits

Sincerely,

Pamela Sandberg

Fort Bragg, CA 95437

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Jeffrey Stone

Yreka, CA 96097

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Edwin and Jean Aiken

Sunnyvale, CA 94087

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Catherine Uchiyama

Catherine, CA 93906

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Tim Katz

Newbury Park, CA 91320

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Brigid Murphy

Chino, CA 91710

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Chris Loo

Morgan Hill, CA 95037

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

B Sandow

Richmond, CA 94804

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Timothy Davis

Timothy, CA 92845

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

James Adams

Sacramento, CA 95827

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

I want that dirty polluting gas out of my home. I got most out, just the dryer in the garage left.

Sincerely,

Janet Lorraine

Santa Rosa, CA 95407

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Austin Sutta

Oakland, CA 94605

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

We know how to do this. Let's do it now for the sake of the environment and all living beings.

Sincerely,

Pamela Montgomery

Saratoga, CA 95070

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

STOP being part of what's making the climate catastrophe WORSE! TAKE ACTION NOW!!

Sincerely,

Ellen Gachesa

Napa, CA 94558

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Ask any wild land fire fighter and they will tell you how dangerous gas utilities are in homes.

Sincerely,

Fionna Davis

Eureka, CA 95502

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Willis Carraway

San Diego, CA 92128

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Steve Robey

Berkeley, CA 94708

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Lois Chappell

Lois, CA 92110

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

We need to stop using fossil fuels!

Sincerely,

Pat Turney

Hayward, CA 94542

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Barbara Bills

placerville, CA 95667

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Vira Confectioner

Sunol, CA 94586

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

John Steponaitis

San Francisco, CA 94109

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

I grew up with smelly gas stoves and am moving to induction cooking to get rid of the health and fire danger of gas.

Sincerely,

Kris Montgomery

Unit H, CA 95405

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Craig Galloway

Santa Monica, CA 90403

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Tristan Dunker

Garden Grove, CA 92845

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Donna Shaw

Simi Valley, CA 93065

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Tom Earnist

San Pedro, CA 90731

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Natalie Cohen

Pasadena, CA 91106

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Stephen Falgout

Murrieta, CA 92563

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Leonard Herzog

Los Angeles, CA 90064

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Robert Sykes

Salinas, CA 93908

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

J Cole

Joshua Tree, CA 92252

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Marisa Landsberg

Manhattan Beach, CA, CA 90266

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Allen Leinwand

San Jose, CA 95124

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Thanks for your efforts to replace dangerous, polluting, unhealthy, fossil fuels with electricity-based energy for California buildings.

My children and grandchildren will thank you.

Please continue with these efforts.

We've got to stop burning things.

Sincerely,

Michael Schwager

Irvine, CA 92620

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

James Patton

James, CA 94024

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Mark Kupke

Santa Rosa, CA 95401

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Matt Bender

Cardiff by the Sea, CA 92007

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Lee Liddle

Fresno, CA 93720

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Bruce Stubbs

Carlsbad, CA 92010

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Kermit Cuff

Mountain View, CA 94041

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Ryan Dell

Santa Rosa, CA 95405

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Mark Golembiewski

Pacifica, CA 94044

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

I already have heat pumps for space heating in my home. I would like to have heat pumps for water heating also.

Sincerely,

Stephen Ferry

Santa Barbara, CA 93111

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

We need clean energy!

Sincerely,

Daniel Feldman

San Francisco, CA 94107

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Heat Pumps work well. I have had one for 35 years.

Sincerely,

Valerie Phillips

Citrus Heights, CA 95621

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Stacy Cornelius

Laguna Beach, CA 92651

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

The International Energy Agency just issued an update to its climate change projections as to what it will take to keep temperatures within the 1.5 - 2 deg C maximum. They included phasing out gas furnace and water heaters by 2025! California needs to maintain its lead in climate change measures. This is one of them: requiring heat pumps as early as possible.

Sincerely,

Chris Gilbert

BERKELEY, CA 94707

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

As a person who suffers from lung disease, I urge you to support clean air for all of us.

Sincerely,

John Peterson

Temecula, CA 92592

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Rene Flores

Bonita, CA 91902

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Gita Dev

woodside, CA 94062

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Marion Eckmiller

San Diego, CA 92117

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Karen Lassen

Berkeley, CA 94707

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Deborah Vinall

Upland, CA 91786

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

J De Lu

Santa Cruz, CA 95065

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Time to phase dirty gas out of our homes!

Sincerely,

Bonnie Macraith

Arcata, CA 95521

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Sheila Silan

Somerset, CA 95684

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Rebecca Wang

Alhambra, CA 91801

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Daniel Podell

Santa Rosa, CA 95404

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Sandra Gamble

Ridgecrest, CA 93555

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

We need to reduce our fossil fuel use. Transitioning off gas for homes is the right thing to do.

Sincerely,

Janet Parkins

Oakland, CA 94611

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Phillip Cripps

Cathedral City, CA 92234

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

I've been working in my community on Reach Codes but it would be even better for the entire state to work on decarbonization instead of community by community. Please speed up the decarbonization of our state's buildings.

Sincerely,

Nancy Schneider

San Mateo, CA 94402

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Mo Hurley

Oakland, CA 94610

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Christina Dilko

Novato, CA 94949

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

I have personally already replaced my heating and AC with a heat pump, it works very well and uses only electricity.

Sincerely,

Marc Vayssieres

Davis, CA 95618

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Susan Hanger

Topanga, CA 90290

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Don Martin

Nipomo, CA 93444

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Lawrence Garwin

Lawrence, CA 94301

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Stephen Bohac

Twain Harte, CA 95383

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Help reduce the burning of fossil fuels to reduce the impacts of climate change.

Sincerely,

Noah and Elena Armstrong

San Jose, CA 95123

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

John Pederson

Novato, CA 94947

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Scott Tipton

Concord, CA 94521

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Getting off fossil fuels is essential!

Sincerely,

Peter Andersen

Jamul, CA 91935

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Eric Pickering

Roseville, CA 95661

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Sally Marone

Livermore, CA 94550

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Elizabeth Milliken

Saint Helena, CA 94574

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

All solar here + San Jose Clean Energy 100% (wind). C'mon kids, play nice and care for people & the planet. Gee whiz, thanks!

Sincerely,

James Petkiewicz

San Jose, CA 95125

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Frank B. Anderson

SAN PEDRO, CA 90731

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Ernie Walters

Union City Ca, CA 94587

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

LET'S GROW UP & SMARTEN UP! LET'S STOP POLLUTING OURSELVES & ALL OTHER SENTIENT BEINGS IN OUR WAKE! WE NEED CLEAN & SAFE ENVIRONMENTS, HEALTHY BIODIVERSITY & HEALTHY US. FOSSIL FUELS ARE KILLING US. WHAT OTHER SPECIES DOES THAT TO THEMSELVES?

Sincerely,

Deborah Temple

San Rafael, CA 94901

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Each Step Helps!

Sincerely,

Scott Chapman

San Luis Obispo, CA 93406

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Javier Del Valle

Montebello, CA 90640

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Robert Jardine

Cupertino, CA 95014

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

My husband and I have been contemplating replacing our 30+ year old AC and furnace with a heat pump combination. We think it's the right thing to do to stop using gas energy for these when electricity from our solar installation is available. It will reduce our greenhouse gas footprint over the next years. Please consider these energy efficiency changes to the 2025 building code.

Many thanks

Sincerely,

Barbara Rivenes

Grass Valley California 95945, CA 95945

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Ursula Lenihan

Foster City, CA 94404

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Marguerite Sgrillo

Richmond, CA 94806

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Miriam Baum

Alta Loma, CA 91701

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Ingrid Newstadt

Los Angeles, CA 90065

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Ronda Rosner

Palo Alto, CA 94306

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Gas is a fossil fuel and we have to stop using these fuels or life on earth will end.

Sincerely,

Lesley Schultz

Oakland, CA 94610

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Ken Lamance

San Carlos, CA 94070

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Carol Ruth

stanford, CA 94305

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Existing buildings need to transition off of gas to all electric as fast as possible and new buildings should not be allowed to connect to gas except in those rare instances (e.g.some manufacturing processes where there isn't yet a good alternative to gas. Emissions from buildings are a major source of green house gases and the world is in a climate crisis and California (and everyplace else) needs regulations that will make the transition possible, including that all gas burning appliances must be replaced by electric on burnout

Sincerely,

Karen Jacques

Sacramento, CA 95811

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Michael Hogan

Del Mar, CA 92014

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Jack Milton

Davis, CA 95616

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Nancy Schwartz

san diego, CA 92117

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Beth Herndobler

Altadena, CA 91001

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Charles Calhoun

San Francisco, CA 94115

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

We have to clean up our environment NOW - no excuses.

Sincerely,

Penelope Ward

Topanga, CA 90290

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Roger Ewing

Agoura Hills, CA 91301

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

We must do everything in our power to transition to clean energy.

Sincerely,

Carol Eliason

Fresno, CA 93711

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Gina Garcia

Santa Monica, CA 90405

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

A good building code can help get us off of fossil fuels. Depending less on fossil fuels will make the climate better [eventually] so that we do not have to endure as many prolonged heat waves and droughts, extreme weather events, wildfires, floods etc. It cannot wait. We need it now.

Sincerely,

Susan Walp

Pasadena, CA 91103

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Lisa Denbaugh

Mission Viejo, CA 92692

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Judith Smith

Judith, CA 94601

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Greg Rosas

Castro Valley, CA 94546

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Tina Ann

Bolinas, CA 94924

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Charles and Rita Rossmann

Modesto, CA 95350

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Pat Magrath

Upland, CA 91784

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Paul Welch

San Jose, CA 95118

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Jonathan Eden

Berkeley, CA 94707

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Peg Albrets

Cupertino, CA 95014

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

David Miotke

Berkeley, CA 94703

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Richard Saunders

Oakland, CA 94609

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

I don't like gas in my bathroom. I don't like it in my dining room. I don't like it under my blankets. I do not like green eggs & gas.

Sincerely,

Margaret Petkiewicz

San Jose, CA 95125

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Charesa Harper

Napa, CA 94558

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Paul Welch

San Jose, CA 95118

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Joslyn Baxter

Mill Valley, CA 94941

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Paul Welch

San Jose, CA 95118

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Earl Frounfelter

SANTA MARIA, CA 93454

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Richard Klune

San Diego, CA 92124

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Robert Roberto

SANTEE, CA 92071

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Anita Wisch

Valencia, CA 91355

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Jordan Briskin

Palo Alto, CA 94306

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Heat pumps and electric water heating are crucial to new building codes

Sincerely,

Sabina Yates

Benicia, CA 94510

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

We need a gradual transition away from fossil fuels. Adopting a building code to aid this will over time aid this transition. I expect to replace my heating system every 25 years. If we require replacement with heat pumps and build new structures with heat pumps over time we will make this transition. I am also concerned that we don't expand our natural gas infrastructure. Like any infrastructure it needs to be maintained and there is more budgeting enthusiasm for building it than maintaining it. Given that we are seeing more natural disasters expanding that infrastructure seems like a poor idea.

Sincerely,

Julie Kloper

Rohnert Park, CA 94928

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Samantha Johnson

San Diego, CA 92109

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Mike Breidegam

Canoga Park, CA 91304

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Francine Kubrin

Los Angeles, CA 90049

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Karen Berger

Montrose, CA 91020

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Ken Wilson

Santa Rosa, CA 95409

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Michael Ireland

Groveland, CA 95321

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

June Cochran

Pismo Beach, CA 93449

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Scott Stellar

Atascadero, CA 93422

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

The Energy Commission should adopt a strong 2025 Building Code that will help transition California's homes off of dirty, expensive gas!

Sincerely,

Rob Cherwink

SONOMA, CA 95476

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Kathleen Fernandez

Yorba Linda, CA 92887

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Karen Lull

Claremont, CA 91711

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Donald Taylor

Fair Oaks, CA 95628

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Karen Mccaw

Los Angeles, CA 90043

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Russell Stone

San Jose, CA 95148

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Anita Wisch

Valencia, CA 91355

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Please pass bills to stop using gas in residential buildings for heating and kitchen stoves and replace with heat pumps

Sincerely,

Mary Ann Reynolds

Modesto, CA 95356

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Karen O'Rourke

Canoga Park, CA 91304

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Jeff Thayer

San Diego, CA 92117

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

As a member of a city council in CA, I know how important strong building codes are. We need it as a backbone for our own policy making.

Sincerely,

Illece Weber

Agoura Hills, CA 91301

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Jeff Matsuno

Redondo Beach, CA 90277

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Lily Mejia

Hemet, CA 92543

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Frank Ortiz

Los Angeles, CA 90022

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Alexandra Libacova

Oakland, CA 94606

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

There's no Planet B!

Sincerely,

Laura Strom

Los Angeles, CA 90034

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Steven & Linda Velasco

Costa Mesa, CA 92626

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Hod Gray

Lompoc, CA 93436

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

James Stamos

Saratoga, CA 95070

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Gas appliances are a danger to health and the environment.

Sincerely,

Gayle Dufour

Woodland Hills, CA 91364

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Janice Jones

El Cerrito, CA 94530

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Frederick Hamilton

RANCHO CUCAMONGA, CA 91739

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Austin Nealon

Ventura, CA 93001

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Edward Landler

Los Angeles, CA 90065

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Paul Hunrichs

Santee, CA 92071

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Stephen Zelman

Woodland Hills, CA 91367

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

James R Monroe

Concord, CA 94521

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Susan Schwartz

SAN DIEGO, CA 92128

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Judith Borcz

Redwood City, CA 94062

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Elise Beliak

Foster City, CA 94404

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

include earthquake, hillsides and ocean fronts too.

Sincerely,

Saran Kirschbaum

Los Angeles, CA 90035

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Lynne Jeffries

Laguna Niguel, CA 92677

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Carolyn Duryea

St. Helena, CA 94574

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Alisha Nickols

Stockton, CA 95207

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Michael Braude

Menlo Park, CA 94025

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Elizabeth Levy

Richmond, CA 94805

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Doug Bender

Redondo Beach, CA 90277

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Dan And Kittredge

La Mesa, CA 91941

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Erlinda Cortez

Long Beach, CA 90807

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Susan Trivisonno

San Jose, CA 95135

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Gabriel Graubner

Yountville, CA 94599

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Christine Ney

Anaheim, CA 92807

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

California needs to demonstrate strong leadership to the entire world that we must and can turn the environmental disaster around.

Sincerely,

Henry Morgen

Los Angeles, CA 90019

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Roberta Stern

Oakland, CA 94618

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Samantha Maxwell

Orangevale, CA 95662

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Mario Guzman

San Jose, CA 95112

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Cynthia Vigus

Laguna Niguel, CA 92677

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Larry Fish

Moreno Valley, CA 92557

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Andy Lupenko

Lemon Grove, CA 91945

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Millie Busse

San Diego, CA 92128

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Holly Perez

chula vista, CA 91910

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Diane Cantwell

Tujunga, CA 91042

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Bryn Fillers

La Jolla, CA 92037

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Linda Fitzgibbon

Woodland, CA 95695

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Robin Vantassell

Summerland, CA 93067

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

John Armstrong

Rocklin, CA 95765

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Andrea Whitson

San Jose, CA 95118

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Sylvia De Baca

San Dimas, CA 91773

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Eric Nichandros

Castro Valley, CA 94552

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

I switched to a heat pump water heater last year and it works great. Heat pumps should be mandatory for all new buildings and all replacements in existing buildings.

Sincerely,

Jim Cramer

Davis, CA 95616

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Cynthia Vigus

Laguna Niguel, CA 92677

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Robert Lentz

Sylmar, CA 91342

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Joan Smith

Joan, CA 94904

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

The Earth is running out of time!!

Sincerely,

Kristin Womack

San Anselmo, CA 94960

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

There are so many reasons for banning gas use; please just get moving and adopt a strong building code.

Sincerely,

Judith Kirk

Redwood City, CA 94062

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Barbara Poland

La Crescenta, CA 91214

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Last October the gas to our modest flat was cut off (yay!). We've installed a heat pump HVAC system and are kicking ourselves for not doing this sooner. PLEASE include heat pump HVACs in the new building code so that everyone can experience clean air, and??most importantly??sheer joy!

Sincerely,

O Mandrussow

San Francisco, CA 94114

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Lynn Hoang

fullerton, CA 92833

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Victoria Silver

Irvine, CA 92617

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Charles Wolfe

Sylmar, CA 91342

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Ellen Koivisto

SF, CA 94122

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Connie Rogers

Gilroy, CA 95020

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Philip Sherman

Sacramento, CA 95814

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Thank you for reading this

Sincerely,

Carol Gordon

Los Angeles, CA 90027

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Heather Schraeder

Aliso Viejo, CA 92656

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Anne Barker

San Rafael, CA 94903

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Nancy Borelli

Santa Rosa Valley, CA 93012

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Brad Nelson

Oxnard, CA 93035

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Alice Polesky

San Francisco, CA 94107

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Aylene Kovary

Sherman Oaks, CA 91423

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Margaret Shekell

Los Angeles, CA 90034

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Robert Drey

Monterey Park, CA 91754

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Please help get rid of these poisonous appliances ASAP!!!

Sincerely,

Conor Soraghan

San Diego, CA 92107

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

C G

San Diego, CA 92122

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Jane Centers

San Jose, CA 95124

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Cleda Houmes

Salinas, CA 93901

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Elizabeth DeJarnatt

Pacifica, CA 94044

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Angela Gantos

Tiburon, CA 94920

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

The idea of a heat pump is excellent-it will help get us off gas and that is what we need to do.

Sincerely,

Janice Tarr

L.A, CA 90049

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Krista Dana

Sunnyvale, CA 94087

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

John Cornish

Concord, CA 94521

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Kevin Patterson

Walnut Creek, CA 94595

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Jason Chinn

Cloverdale, CA 95425

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Maryellen Redish

Palm Springs, CA 92262

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Joel Soloksky

Walnut Creek, CA 94595

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Celeste Anacker

Santa Barbara, CA 93105

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Increasing wildfires tied to climate change are threatening my business in the Sierras. Please help reduce climate change.

Sincerely,

Doug Fischer

Santa Barbara, CA 93109

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Ben Martin

Mtn View, CA 94040

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Terri Trammell

San Juan Capistrano, CA 92675

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Candy Bowman

Placerville, CA 95667

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Laura Chenel

Sonoma, CA 95476

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Susan Von Schmacht

Watsonville, CA 95076

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

kent morris

fullerton, CA 92831

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Christine Doyka

Garberville, CA 95542

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Linda Martinez

Los Angeles, CA 90032

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Bianca Molgora

San Francisco, CA 94110

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Maryfrances Careccia

West Hollywood, CA 90048

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Marilyn Price

Mill Valley, CA 94941

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Carlos Arnold

Santa Maria, CA 93455

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Guillemette Epailly

Santa Monica, CA 90404

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

As a former oil and gas senior researcher with ARCO Oil and Gas I urge you to support building codes that eliminate fossil fuels and stress energy efficiency.

Sincerely,

Jay Jones

Upland, CA 91786

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Gina Ness

Eureka, CA 95501

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Christian Reyes

Moreno Valley, CA 92555

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Blake Wu

Lafayette, CA 94549

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

LAUREN SCHIFFMAN

El Cerrito, CA 94530

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Nicole Arslan

Los Angeles, CA 90039

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Kevin Hearle Ph.d.

San Mateo, CA 94402

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Martin Marcus

San Diego, CA 92120

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Holly Hall

Temecula, CA 92592

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Jerry Tobe

Los Angeles, CA 90034

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Claudia Mackey

Stockton, CA 95209

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Marion Barry

Loomis, CA 95650

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Beti Webb Trauth

Eureka, CA 95503

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

A.R. Puccio

Walnut Creek, CA 94596

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

C. Martinez

San Diego, CA 92104

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

San Jose is phasing out gas use. Surely the State should as well!

Sincerely,

Star St John

San Jose, CA 95124

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Wesley Reutimann

Pasadena, CA 91103

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

We must do better and stop polluting ourselves and over heating planet.

Sincerely,

Dimitri Katsaros

San Jose, CA 95129

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Ellen Mccann

Fort Bragg, CA 95437

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Constance Starner

Woodbridge, CA 95258

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Howard Meyerson

El Cerrito, CA 94530

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Paula Carrier

San Diego, CA 92101

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Mathieu Bonin

Los Angeles, CA 90011

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Mathieu Bonin

Los Angeles, CA 90011

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Sue Barthelow

Auburn, CA 95602

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Paul Steege

Nevada City, CA 95959

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

As the owner of a 1950's built home, I have recently replaced my gas furnace with a heat pump. It was very expensive to make this change but I felt it was the forward-thinking choice. Most owners of older homes don't have the funds to do this. Please do all you can to quicken the shift away from fossil fuels in new construction.

Sincerely,

Lesley Mahaffey

Fullerton, CA 92831

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

We support all alternatives to gas.

Sincerely,

Susan Worden

Rio Vista, CA 94571

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Robert Magarian

Berkeley, CA 94701

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Janet McClain

Cardiff, CA 92007

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Davin Peterson

Eureka, CA 95503

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Catherine Ronan

Los Angeles, CA 90066

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

B Chan

San Diego, CA 92131

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Nancy Erb

Oakland, CA 94611

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

We need to transition California's homes off dirty, expensive gas now.

Sincerely,

Heather Sargeant

Twin Peaks, CA 92391

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Sandra Carp

San Marcos, CA 92078

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Anja Sanchez-lasthaus

Bonita, CA 91902

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Scott McCreery

Morro Bay, CA 93442

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Megan Robbins

Bodega Bay, CA 94923

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

I'm including this line to indicate that I'm a real person and that this issue is important to me.

Sincerely,

Andre Tarverdians

San Diego, CA 92120

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Jane Spini

Arcata, CA 95521

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Ann Pinkerton

Oakland, CA 94618

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Carol Wilehy

Victorville, CA 92394

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Marilyn Fuller

Los Gatos, CA 95033

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Beth Boyd

Santa Barbara, CA 93108

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Jennifer Biswas

Culver City, CA 90232

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Deb Federin

Monterey, CA 93940

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Bruce Mckinley

Fontana, CA 92336

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Chris Eaton

Los Angeles, CA 90041

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Benjamin Park

West Hollywood, CA 90046

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

We are in a climate emergency, and we need to rapidly reduce our use of fossil fuels and specifically, natural gas. Please help us by passing legislation to support conversion to heat pumps by homeowners with natural gas heaters.

Sincerely,

Barbara Beno

Hercules, CA 94547

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

We need to stop all building owners from renewing investments in fossil fuels and go electric from now on. It is an easy and economic way to start protecting our climate.

Sincerely,

Bret Andersen

Palo Alto, CA 94303

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Teresa Treiber

SAN DIEGO, CA 92106

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Joe LeBlanc

Sebastopol, CA 95472

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Peggy Luna

Pleasant Hill, CA 94523

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Jeffrey Streicher

Long Beach, CA 90808

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Jim Spooner

Manteca, CA 95337

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Caroline Bering

Mountain View, CA 94040

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Alfa Santos

Chula Vista, CA 91910

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Diana Kostka

Auburn, CA 95603

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Alexander Vollmer

san rafael, CA 94901

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Lee Wasserwald

Santa Monica, CA 90401, CA 90401

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

William Briggs

Hermosa Beach, CA 90254

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Gas STINKS!

Sincerely,

Laurie Tsitsivas

Dana Point, CA 92629

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Matthew Reid

Calistoga, CA 94515

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Vincent Campisi

Canyon Country, CA 91387

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Jorge De Cecco

Ukiah, CA 95482

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Scott Grinthal

Oakland, CA 94605

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Nora Doyle

Studio City, CA 91604

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

I would like to install a heat pump but the cost is too great for me. Increasing demand for heat pumps should lower the cost and get more people in the business who understand them and can advise consumers on what to do to realistically buy and install one.

Sincerely,

Joan Raphael

San Diego, CA 92126

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Susan Perry

Cambria, CA 93428

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Raquel Narvios

San Francisco, CA 94134

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Stephanie de los Rios

Del Mar, CA 92014

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Yvonne Greenen

Palo Alto, CA 94301

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Chris Rice

Los Angeles, CA 90049

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Stephanie Linam

Benicia, CA 94510

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Bruce Burns

San Diego, CA 92108

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Gillian Halpin

San Francisco, CA 94123

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Julie Osborn

Folsom, CA 95630

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Kristen Manies

Sunnyvale, CA 94086

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Elizabeth & Jim Mittermiller

La Jolla, CA 92037

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Cathren Murray

Richmond, CA 94801

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Georgia Koenig

Garden Grove, CA 92845

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Michelle Palladine

Palm Springs, CA 92262

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Jacqueline Wilde

Santa Rosa, CA 95404

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Jeanne Greene

Chico, CA 95928

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Caephren Mckenna

Oakland, CA 94609

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Rachel Kelley

Santa Monica, CA 90405

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Susan Dunn

Grass Valley, CA 95945

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Brianna Quick

Morgan Hill, CA 95037

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Marie Perry

Ceres, CA 95307

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Joleen Siebert

Reedley, CA 93654

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Harriet Harvey-Horn

Los Gatos, CA 95032

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Helen Manning-Brown

ATASCADERO, CA 93422

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Our family purchased a heat pump three years ago and we couldn't be happier with it. This is not an imposition, it's an opportunity! Let's not sink more costs into gas infrastructure.

Sincerely,

Ruth Cooper

Ojai, CA 93023

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Jill Dunham

Tustin, CA 92782

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Darlene Ross

Woodbridge, CA 95258

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Jazzmyne Oda

San Francisco, CA 94115

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Ronald Patterson

Mill Valley, CA 94941

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Ronnie Zuckerberg

San Francisco, CA 94131

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Peter Scharnell

Newport Beach, CA 92660

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Stephanie Larro

Woodland Hills, CA 91367

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Susan Oliver

San Diego, CA 92111

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Brenda Wallace

Berkeley, CA 94707

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Tammy Bullock

Ramona, CA 92065

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Kimberly Orbe

Huntington Beach, CA 90004

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

CARL LUHRING

Vista, CA 92083

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Raul Anorve

Los Angeles, CA 90032

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Samuel Durkin

Fairfield, CA 94534

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Alec Taratula

Alhambra, CA 91801

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Noah Haydon

Daly City, CA 94015

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Barbara Nuckols

Woodland, CA 95695

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Ernest Boyd

Sunnyvale, CA 94087

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Kerry Mccarthy

Chico, CA 95926

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Jimmie Lunsford

san diego, CA 92176

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Ron Parsons

South San Francisco, CA 94080

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Jessica Dardarian

Jessica, CA 95630

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

John Hawkins

Newbury Park, CA 91320

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Neal Steiner

Los Angeles, CA 90034

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Jon Spitz

Laytonville, CA 95454

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Yvonne Neal

Playa del Rey, CA 90293

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Sara Bruce

San Jose, CA 95110

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

When will it be time to protect Californians and kids' health, damaged by this indoor air pollution, if not now? That this switch also helps combat climate change makes it critical.

Sincerely,

Merete Rietveld

Los Angeles, CA 90041

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Tracy Turner

Los Alamitos, CA 90720

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Erfin Hartojo

Walnut, CA 91789

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Kurt Speidel

San Clemente, CA 92673

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Cindy Stein

Newbury Park, CA 91320

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Justin Truong

San Francisco, CA 94112

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Rita Thio

Walnut, CA 91789

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Maia de Raat

San Francisco, CA 94103

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Bridgett Heinly

San Diego, CA 92107

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Pamela La Rue

Long Beach, CA 90808

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Bob Smith

Salinas, CA 93908

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Kevin Bissonnette

San Clemente, CA 92672

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Joe Salazar

Santa Rosa, CA 95407

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Mary Stanistreet

Ventura, CA 93003

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Charles Heinrichs

Yreka, CA 96097

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Casee Maxfield

Los Angeles, CA 90028

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

I am a concerned citizen and member of the Bishop's Commission on Climate Change for the Episcopal diocese of Los Angeles. I cannot help but see, hear and feel the impacts of our changing climate all around us. The heat waves, wildfires, droughts, extreme weather, and more that are harming us and costing us. There have already been 23 billion dollar disasters due to climate change this year - a record - and we still have 3 months to go. This is happening here and now and on our watch. We have a moral obligation and deep responsibility to ourselves and future generations to do something. What better action than to join our voices in demanding an end to harmful, polluting fossil fuel use, especially in our homes. Please take action and make our CA building code a mandate for electrification now. Every day that we delay in ending our use of fossil fuels will further destabilize our climate and the livability of our precious planet, our only home. Thank you.

Sincerely,

Katherine Varley

Los Angeles, CA 90035

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

The earth is no longer "warming", it's "boiling"! Our future demands safe clean energy.

Sincerely,

Hester Mary Rybka

Oakland, CA 94544

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Francesca Rago

Pleasant Hill, CA 94523

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Mark Nagy

ENCINITAS, CA 92024

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Helen Miller

Los Angeles, CA 90028

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Misha Askren

Los Angeles, CA 90019

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

'We, the people, means ALL the people'!!!

Sincerely,

Carla Davis

CORTE MADERA, CA 94925

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Madeleine Fisher-Kern

Los Angeles, CA 90036

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Eliot Helman

SF, CA 94158

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Making electric appliances required will make them happen! Do it!

Sincerely,

Lin Griffith

Oakland, CA 94619

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Margarita Perez

Sylmar, CA 91342

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Lisa Edenhofer

San Diego, CA 92116

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Kira Durbin

Sherman Oaks, CA 91411

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Diane Pitzel

San Diego, CA 92109

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Derek Ryder

LOS ANGELES, CA 90065

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Elise Bell

Fairfield, CA 94533

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Laura Collins

Rancho Cordova, CA 95670

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Felicia Bander

Sebastopol, CA 95472

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Darren Frale

Los Angeles, CA 90065

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Rebecca Clark

West Hills, CA 91307

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Steve Sketo

Bakersfield, CA 93312

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

J Barry Gurdin

San Francisco, CA 94122

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Ban Methane! Go Electric! Home Solar and Wind Power!

Sincerely,

Robert Raven

American Canyon, CA 94503

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Christopher Yrarrazaval

Santa Ana, CA 92706

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Polly O'Malley

Los Angeles, CA 90025

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Cathie Barrows

Orinda, CA 94563

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

June Yamada

WESTMINSTER, CA 92683

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Help Californians stop indoor cancer causing pollution and at least require new residences to be all electric.

Sincerely,

Belinda Allen

Gilroy, CA 95020

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Julia Vetrie

Canyon Country, CA 91387

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Monica Supina

Ontario, CA 91761

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Amelia Jones

Santa Monica, CA 90405

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Una Marie Pierce

National, City, CA 91950

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Charlene Zanella

Redwood Valley, CA 95470

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Mario Mora

Sanger, CA 93657

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Bob Leppo

Shell Beach, CA 93449

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Jessica Perez

San Diego, CA 92123

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Nikki Nafziger

Vallejo, CA 94590

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Maureen McDonald

Desert Hot Springs, CA 92240

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Stephanie Nunez

Van Nuys, CA 91405

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

We must turn to renewable energy and off fossil fuels completely asap.

Sincerely,

Suzanne Clarke

Petaluma, CA 94952

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Leonie Terfort

Leonie, CA 94941

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Climate change is here and heating up faster than originally thought. It's a real and present danger to us all. We must stop drilling for, transporting, and burning fossil fuels immediately if we are to have a chance of surviving.

Sincerely,

Anne-Christine Strugnell

Anne-Christine, CA 94903

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Too many appliances in our houses and industry are run by burning fossil fuels. We do no longer have to pollute our spaces with methane, CO2 and other gases, because now we can move also to much more energy efficient appliances, such as the heat pumps and induction stoves. Let us do it now.

Sincerely,

Bettina Hughes

Forest Knolls,, CA 94933

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Heat pumps are such an easy solution to the problem of using gas for heat. It would affect so many households and have such a huge impact on lowering green house gas emissions. For the sake of our childrens' lives, please do it, now.

Sincerely,

Deirdre Fennessy

Mill Valley, CA 94941

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Matt Williams

Oakland, CA 94602

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Chris Weigert

San Jose, CA 95112

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Sandra Thompson

Roseville, CA 95678

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Brit Pyland

Oakland, CA 94606

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Leah Fagundes

Richmond, CA 94806

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Joy Baker

Petaluma, CA 94952

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Joy Baker

Petaluma, CA 94952

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Sandra Thompson

Roseville, CA 95678

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Cheryl Pruitt

Victorville, CA 92395

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Susanne Cumming

Marina del Rey, CA 90292

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Paige DeCino

„ CA 92008

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Jim Wilson

Placerville, CA 95667

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Dennis Landi

Bellflower, CA 90706

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Dennis Landi

Bellflower, CA 90706

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Norma Harrison

Berkeley, CA 94702

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

There is no time to waste! There is no need to waste.

Strengthen the codes now.

Sincerely,

Polly Cooper

Santa Margarita, CA 93453

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Mark Beseda

Stockton, CA 95209

Dear California Energy Commission:

Californians like me are feeling the impacts of poor air quality, climate change, and high energy bills everyday. The state must act quickly to transition our communities away from fossil fuels and towards renewable energy and zero emission technologies to help address these quality of life issues. Planning for the rapid deployment of heat pumps as part of the CEC's 2025 Energy Code Pre-Rulemaking is a critical step to doing so.

Thank you for the CEC's proposed inclusion of both heat pump space and water heating as the new construction baseline in single and multi-family buildings, and the expansion of the space heating new construction baselines to larger nonresidential buildings. I'm also grateful to see the proposed requirements that gas-fired single zone rooftop cooling units in existing buildings be replaced with heat pumps when equipment is changed out, but further action is needed.

I urge the CEC to move the replacement of residential central A/C units with heat pumps from the voluntary section to Part 6 of the 2025 building code.

About 1.9 million residential A/C units are currently due for replacement in California. At little to no cost, these households could install two-way heat pumps instead: accelerating California's 6 million heat pump goal while providing a super-efficient alternative to gas heating.

The climate and the state's impending policies cannot wait an additional three years to transition this important decarbonization pathway from voluntary to prescriptive. In its next iteration of proposed updates to the 2025 Building Code, please include A/C-heat pump replacements in Part 6 of the 2025 energy code.

Sincerely,

Tim Maurer

Tim, CA 92808