



California Feed-in Tariff Design & Policy Options

- Changes/Updates to the *Draft* Reports
- Final Recommendations & Conclusions
- Key Implementation Issues

California Energy Commission
Feed-in Tariff Workshop #3 - December 1, 2008

Robert C. Grace
Sustainable Energy Advantage, LLC

03-RPS-1078

DOCKET

09-IEP-1G

DATE DEC 01 2008

RECD. DEC 02 2008

Presentation Overview



Purpose: To review the proposed final results of the California Feed-in Tariff Design & Policy Options exploration, the path taken to get there, and where to go from here.

- Changes to draft reports
- Process – Phase I
 - Policy Drivers
 - Experience elsewhere
 - Policy Issues & Options
 - Stakeholder Feedback
- Process – Phase II
 - Lessons learned - Spain & Germany
 - Core, non-core & implementation issues
 - *Representative* Policy “Paths” & interactions
 - Stakeholder Feedback
- Recommendation
 - Cost-based Feed-in Tariff ≤ 20 MW
 - Potential broader application in future
- Implementation Issues
 - Establishing initial tariff prices
 - Adjusting tariff prices
 - Supporting efficient T&D and Supply Portfolio Planning
 - Legislative issues



Changes to Draft Reports

Changes to Draft Reports



- Paper #1: Exploring Feed-in Tariffs for California - Feed-In Tariff Design and Implementation Issues and Options
 - Editorial changes, clarified dates
 - Make sure references current; updates (e.g. CPUC REC order)
- Paper #2: California Feed-in Tariffs Design & Policy Options
 - Edits/updates
 - Fine-tune policy interactions discussion
 - Added appendices: staff summaries of WS#1 & WS#2 stakeholder comments
 - Added last chapter to reflect recommendations for feed-in tariff design & implementation (core issues) & identifying implementation issues for IEPR process



Process- Phase I

Goals, Objectives & Policy Drivers



Goals: e.g.

- reduce GHG
- Reduce fossil fuel use
- manage ratepayer cost & risk
- Etc.

Objectives: e.g.

- 20% RE by 2010
- 33% RE by 2020

CEC staff/REC Committee 'Policy Drivers' for feed-in tariffs: e.g.

- High priority:
 - Quantity
 - Financial security
- Medium priority
 - Diversity 'A' = Diverse mix (technology & operational characteristics)
 - Sustainable renewable energy
 - Price stabilization
- Lower priority
 - Diversity 'B' = other policy objectives (e.g. biomass)

Subject to constraints...

- available transmission
- siting/permitting
- feasible build-out time
- cost-effectiveness
- environmental/resource sustainability


Feed-in Tariff Experience Elsewhere



- Europe
- Ontario and Prince Edward Island
- Brazil
- Korea




- Denmark
- Spain
- Germany



Feed-in Tariff Policy Design Issues (1)




(from *Exploring Feed-in Tariffs for California: Feed-in Tariff Design and Implementation Issues and Options* (referred to herein as the Issues & Options Report))



Feed-in Tariff Policy Design Issues (2)



(from issues/Options Report)



Stakeholder Feedback – Phase I



- Workshop #1 (June 30, 2008)
- Written Comments (announcement questions)
- On-line survey (specific design options)
- See: http://www.energy.ca.gov/portfolio/documents/2008-06-30_workshop/comments/
- Key takeaways:
 - Non-utility stakeholders support a broad range of different feed-in tariff options to grow the market, and “close gap” between net metering and RPS
 - Utilities state that FITs would conflict with RPS and would raise costs
 - Recognition that FITs do not address all constraints (e.g. transmission)



Process- Phase II

Lessons Learned from Germany & Spain



- Long-term, generation cost based payments can rapidly grow renewable energy markets and achieve national targets
- Technology-specific tariffs create diversity when set at appropriate levels
- Investor security is determined both by price certainty and policy certainty
- Value-based incentives may not put downward pressure on renewable energy prices
- Feed-in tariffs can suppress wholesale market prices
- Both Spain and Germany distribute policy costs nationally
- Long-term payments have been used successfully in Germany and Spain
- Implementing support for emerging resources is challenging
- Setting the correct price for biomass can be challenging

Feed-in Tariff Policy Design Options



- Issues & Options Report identified range of design issues & options
- Many potential combinations
- Sorted issues into 3 categories:
 - **Core policy issues:**
 - High-level policy decisions dictate CA's feed-in tariff strategy
 - Critical characteristics of alternative feed-in tariff policy paths
 - **Non-core policy issues:**
 - Important, modify feed-in tariff design, but don't fundamentally alter its core structure
 - Would require decisions to move forward, but are independent of policy path selected → appended to any of the selected policy paths.
 - **Implementation details:**
 - Issues that must be addressed, but do not require major policy decisions
 - Further discussion can be deferred




Core Design Issues

- Narrowed through consideration of:
 - Policy Drivers & input from Commission's Renewables Committee
 - Pros & cons in Issues & Options Report
 - Practical constraints and California precedents
 - Stakeholder comments
 - Commission staff and consultant analysis
- Some issues found to have single viable choice
- Remaining issues used to craft a representative range of 'policy paths'



Representative Policy Paths

- Developed six fundamentally distinct feed-in tariff policy design alternatives
 - Constructed from narrowed options for “core” design issues
 - Representative models intended to stimulate dialogue
 - Guided by... CEC policy drivers, stakeholder comments, lessons learned from FIT experience elsewhere
- Representative range of options spanning direction, scope, timing
 - Potential forks on the road... yet interactions are possible leading to implementation trajectories
- Implicit seventh choice—maintaining the status quo



Policy Path #1:

“Full German-style Tariff”



Unlimited size, cost-based and differentiated, but w/ competitive benchmarks, and implementation triggered by RPS performance; emerging resources capped

Resource Type	All
Vintage	New, separate price for repowering
Size	No limit
Timing	If RPS<20% contracted by 2010, start in 2012-13
Scope	Full Market
Setting the Price	Cost-based with initial differentiated auction without MPR to set competitive benchmark for subsequent tariff
Contract Duration	Long-term
Tariff Differentiation	Differentiation by technology & size
Limits	Capped at RPS targets; caps on more expensive technologies

PROS

- Rapid market growth
- Investor security
- Resource diversity
- Help stabilize rates, potential for wholesale price suppression
- ‘Emerging cap’ limits costs
- Trigger mechanism provides opportunity for RPS to perform

CONS

- Uncertain level of policy response
- Uncertain impact & cost
- Competitive benchmark untested
- Does not address technical barriers, such as transmission

Policy Path #2: “MPR on Steroids”



Generators > 20 MW, undifferentiated value-based, 3-yr pilot, 1 utility

Resource Type	All
Vintage	New + repowering
Size	> 20
Timing	Now (available for 3-year duration)
Scope	Pilot (limited time, 1 utility)
Setting the Price	Value Based (time & peak differentiated with CO ₂ & other adders)
Contract Duration	Long-term
Tariff Differentiation	Not Applicable
Limits	Uncapped

PROS

- Immediate implementation, gain experience
- Pilot nature could control costs
- Could demonstrate whether standard offers make renewable projects more viable, increase investor security, reduce barriers
- (development & transaction cost, timing, risk premium, cost of capital, etc.)

CONS

- Unlikely to promote resource diversity
- Unlikely to achieve quantity targets
- Difficult for long lead time projects to respond
- May not provide hedge benefit of long-term contracts

Policy Path #3: “CREZ Only”



German-style Differentiated Cost-based, Limited to CREZ, > 1.5 MW

Resource Type	All
Vintage	New
Size	>1.5
Timing	automatically in 2010/2011 (so projects developed with transmission)
Scope	CREZ-Only
Setting the Price	Cost-based
Contract Duration	Long-term
Tariff Differentiation	Wind by size, geothermal, biomass by size, solar by technology
Limits	Capped at CREZ Transmission limit

PROS

- Encourage generation development ASAP after CREZ transmission committed
- Same benefits as #1 (rapid growth, security, diversity, etc.).
- Prices potentially lower b/c of good resources
- Eliminates multiple-contingency transmission & solicitation concerns

CONS

- Same Cons as #1 (uncertain response and cost)
- No caps on emerging resources (can be mitigated)
- Speculative queuing b/c of transmission capacity limits?

Policy Path #4: “Solar Only”



Systems > 1 MW (net metering threshold), pilot program in 1 utility, cost-based with competitive benchmark, capped

Resource Type	Solar
Vintage	New
Size	> 1 MW Net metering threshold
Timing	Now
Scope	Pilot within one utility
Setting the Price	Cost-Based w/ Competitive benchmark
Contract Duration	Long-term
Tariff Differentiation	By size, type
Limits	Capacity limit will be established for the sponsoring utility.

PROS

- Investor security
- Incentives for systems larger than net metering threshold
- Near-term CSP development
- Contributes to diversity
- Could be established quickly, either independently or with another path

CONS

- Does not fully achieve diversity goal
- Unlikely to meet 2020 goal
- Unlikely to stabilize or hedge prices
- Cap could cause speculative queuing and/or undermine investor security

Policy Path #5: Biomass Only



Sustainable biomass > 1.5 MW only, cost-based

Resource Type	Biomass (sustainable)
Vintage	New
Size	>1.5
Timing	Now
Scope	Full Market
Setting the Price	Cost-based, calculated to consider sustainable yield of local biomass sources
Contract Duration	Short- or Medium Term
Tariff Differentiation	By fuel and size
Limits	Uncapped

PROS

- Responds to Executive Order S-06-06, contributing to diversity goals
- Reinforces the importance of sustainable biomass feeds tocks
- Could be established quickly, either independently or with another path

CONS

- Does not fully achieve diversity goal
- Unlikely to meet 2020 goal alone

Policy Path #6: “German-style for Under 20 MW”



Full market < 20 MW cost-based differentiated by technology & size

Resource Type	All
Vintage	New, separate price for repowering
Size	<20
Timing	Now
Scope	Full Market
Setting the Price	Cost-based
Contract Duration	Long-term
Tariff Differentiation	Differentiation by technology & size
Limits	Uncapped


PROS

- Similar to #1
- Responds to stakeholder concerns about ‘gap’, lack of small project under RPS
- Smaller size limits cost impact concerns

CONS

- Generator size limits progress toward 2020 goals
- Challenge to choose the ‘right’ price administratively

Representative Alternative Policy Paths



Timing, Scope and Triggers in Policy Paths Create Implementation Options



- Policy paths, while distinct, are not all mutually-exclusive, independent alternatives
- Interactions & Trajectories
 - Some could be adopted in concert with others
 - Partial-market, or pilot scale or duration, can be thought of as potentially working together along a ‘policy trajectory’
- Some could be adopted while awaiting a specific trigger for a more comprehensive option...
 - Allowing modest initial steps (a ‘go slow approach’) before launching a comprehensive feed-in tariff policy regime
 - Buying time to prepare if necessary to implement

Stakeholder Feedback – Phase II



- Workshop #2 (October 1, 2008)
- Written Comments on
 - Policy paths...
 - for which there is support/lack of material opposition
 - can be effectively implemented in the short term
 - Specific basis of opposition, barriers, concerns
 - Challenges in co-existing with current RPS solicitation process
 - Ways to mitigate concerns
- See: http://www.energy.ca.gov/portfolio/documents/2008-10-01_workshop/comments/
- Key takeaways:
 - Strong support for Option #6 with limited dissent
 - Little support for pilot policy (either limited to one utility or to a window of time)
 - Utilities favor status quo with current feed-in tariff for 1.5 MW and below



Recommendation



Report Recommendation

- Establish feed-in tariff *initially* for projects up to 20 MW
 - Cost-based, must take tariff offering long-term contracts
 - Open to all RPS-eligible resource types
 - For new projects (separate tariff could be explored for repowering)
 - No waiting
 - Technology- and size-differentiated
- Consider recommended feed-in tariff as a potential bridge to feed-in tariffs for (a) projects > 20 MW or (b) projects in CREZs
 - if conditions merit expansion
 - as greater experience is gained with smaller project feed-in tariffs
 - as transmission and other barriers are addressed

Key Implementation Issues for Resolution in the IEPR process



- Establishing initial tariff prices
- Adjusting tariff prices
- Supporting efficient T&D and Supply Portfolio Planning
- Legislative issues
- Non-core policy issues & implementation-level design issues

Establishing Initial Tariff Prices



Alternatives include...

- Government-established (e.g. NREL, LBNL, experts)
- Use current, applicable market information
 - For some technologies & project sizes, if good info available
- Alternatives with stakeholder input include....
 - *MPR-type docket*; parties propose/support tariff rates; CPUC sets parameters
 - *Technology working groups* (similar to the Procurement Working Groups in CA RPS) review (confidential?) cost data
 - CEC &/or CPUC prepare proposals based on publicly-available cost data for reaction (PIER as potential institutional home?)
 - Technology-specific auctions
 - Utilize aggregate prices by technology from utility RPS solicitations as starting point

Adjusting Tariff Prices



Get the
price 'right'



- Sufficient time to respond;
- Maximize market certainty;
- Minimize administrative complexity

Leave initial tariff prices alone for 2 to 3 years?

IEPR process should consider...

- **Method of adjusting the price** designed to place downward pressure on prices:
 - Scheduled (digression)
 - Fixed (nominal) → burden of inflation drives down the real value of tariff
 - ✗ Value-indexed (not consistent with cost-based)
- **When to adjust the price**
 - Periodic schedule
 - Capacity-dependent block trigger
 - Periodic review
 - Hybrid (capacity-dependent revisions subject to periodic review)
- **How much to adjust the price**
 - Experience curves
 - Uniform (small) steps

Supporting Efficient T&D & Supply Portfolio Planning



IEPR process should consider how to...

- Design tariffs with responsive digression:
 - to encourage generation with highest system value → Aggressive tariff rate price signals
 - discourage generation with lowest system value → Conservative tariff rates to send signals
- Make impending generation visible to system planners
 - Notice provisions in tariffs?
- Provide to system planners a reasonable level of certainty as to what generation interconnect & when
 - Develop some means to solidify commitments, identify non-performing projects
- Are pre-operational or operating performance requirements necessary?

Legislative Issues



Is legislation required...

- So that IOU 20% RPS does not serve as a cap on expanded feed-in tariff?
- To give CPUC or Energy Commission authority to...
 - Require feed-in tariffs for up to 20 MW?
 - Expand RPS past 20%?
 - Authorize cost-based, must-take tariffs?
 - Revise SB 380 to provide CPUC with authority to implement feed-in tariffs > 1.5 MW, cost-based, and allowing statewide cap > 500 MW?
- To allow statewide cost reallocation among LSEs?
- To make a feed-in tariff available to any generator located in California, including in POU territory?

Non-core Policy Issues & Implementation-Level Design Issues



California Feed-in Tariffs Design & Policy Options, Table 4

Non-Core

- Generator eligibility – location
- Price setting details
 - Profit level
 - Aggressive vs. conservative
- Interconnection issues
- What is being purchased?
- Cost allocation/distribution
- Integration into power supply
- Development security requirements

Implementation details

- Operation security requirements
- Management & oversight
- Rule 21 changes?
- Queuing procedures



Questions?

Thank you for your attention.