

California Energy Commission

DOCKETED 12-IEP-1C

> TN # 65979 JUN 27 2012

REINVENTING FIRE IN SOUTHERN CALIFORNIA: ACHIEVING 50% RENEWABLE ELECTRICITY SUPPLY BY 2030

2012 IEPR Update Workshop Los Angeles, California June 22, 2012


JAMES NEWCOMB, PROGRAM DIRECTOR
MATHIAS BELL, CONSULTANT

RMI EXPLORED THE FEASIBILITY OF 50% RENEWABLE ELECTRICITY BY 2030 IN SOUTHERN CALIFORNIA






50% RE BY 2030: A NEXT STEP TOWARD MEETING CALIFORNIA'S LONG-TERM CLIMATE GOALS






REINVENTING FIRE: U.S. ELECTRICITY TO 2050







NREL: RENEWABLE ELECTRICITY FUTURES






ANALYSIS APPROACH

- Extend CPUC RPS Calculator to 2030 (state-wide)
- Develop model assumptions about load forecast and resource potential:
 - Load forecast
 - Vehicle electrification
 - Incremental uncommitted energy efficiency
 - Demand response
 - Combined heat and power
 - Distributed solar PV potential
- Forecast renewable resource costs
- Adapt tools for system-level capacity balance
 - Reserve margin approach
 - Capacity credits for intermittent renewables
 - Nuclear retirements




RENEWABLE ENERGY COST ASSUMPTIONS






TECHNICAL POTENTIAL FOR DISTRIBUTED SOLAR PV UNDER ALTERNATE INTERCONNECTION CRITERIA



Source: CPUC 2012



FOUR SCENARIOS FOR THE FUTURE



Retired

Nuclear Power

Scenario 4: Transform


SCENARIO ASSUMPTIONS

| | Advance | Localize | Replace | Transform |
|------------------------|------------|------------|----------------|----------------|
| Distributed renewables | Moderate | High | Moderate | High |
| Nuclear plants | Relicensed | Relicensed | Decommissioned | Decommissioned |
| Energy efficiency | Moderate | Moderate | High | High |
| Demand response | Moderate | Moderate | High | High |
| Electric vehicles | Moderate | High | Moderate | High |
| CHP | Moderate | Moderate | High | High |




SOUTHERN CALIFORNIA CAN MEET 50% TARGET WITH VARIOUS RESOURCE PORTFOLIOS

Energy By Generation Source





TOTAL RESOURCE COSTS (TRC) IN 2030 VARY FROM \$35-39 BILLION






COST AND EMISSIONS SUMMARY—2030

| | Advance | Localize | Replace | Transform |
|---|---------|----------|---------|-----------|
| Total resource cost (billions of 2010 dollars) | \$34.9 | \$37.9 | \$36.5 | \$39.3 |
| Average Cost of Load Served (2010 cents/ kWh) | 20.5¢ | 20.4¢ | 22.0¢ | 21.7¢ |
| Total carbon emissions (million metric tons) | 25.3 | 24.0 | 31.6 | 30.4 |




PRESENT VALUE OF ANNUAL COSTS 2012-2030

PRESENT VALUE OF SOUTHERN CALIFORNIA TOTAL SYSTEM COST, 2012-2030



Net present value of annual costs using a 3% social discount rate.

50% RENEWABLE ELECTRICITY SCENARIOS ACHIEVE GHG EMISSIONS REDUCTIONS OF 42-57%



SOME IMPORTANT COSTS AND BENEFITS *NOT* CONSIDERED IN THE MODEL

- Extraordinary costs for repairing, maintaining, or decommissioning SONGS
- Fuel price- and supply-risks
- Potential costs or benefits of changes in reliability or resilience of the electricity system
- Economic development and local job creation
- Cost of curtailment of renewable supply during periods of "over generation"



ANALYTICAL CAVEATS

- SONGS retirement scenarios conservatively assume addition of an equivalent amount of gas-fired capacity in the LA basin
 - Further analysis is necessary to evaluate the potential and relative costs of supply- and demand-side alternatives to SONGS Presence of SONGS that would maintain in-basin reliability without compromising local air quality
 - The short-term implications of SONGS outage are not analyzed in RMI's study
- Increased ramping requirements in high penetration scenarios are represented through an "integration adder," but are not modeled in detail
 - Additional work is necessary to understand the increased system flexibility and ramping requirements under alternative resource scenarios



FOR FURTHER INFORMATION, OR TO REQUEST A COPY OF RMI'S FORTHCOMING REPORT, CONTACT MATHIAS BELL: MBELL@RMI.ORG

ACKNOWLEDGEMENT: ANALYSIS AND MODELING SUPPORT FROM ENERGY + ENVIRONMENTAL ECONOMICS



DISTRIBUTED PV VS. CENTRALIZED RENEWABLES: 2030 CAPACITY



■ New Distributed Solar PV Capacity

New Centralized Renewables Capacity



DISTRIBUTED PV VS. CENTRALIZED RENEWABLES: 2030 ENERGY



■ New Distributed Solar PV Generation

New Centralized Renewables Generation

