

## DOCKETED

<b>Docket Number:</b>	07-AFC-06C
<b>Project Title:</b>	Carlsbad Energy Center - Compliance
<b>TN #:</b>	203976
<b>Document Title:</b>	Terramar's Rebuttal Air Quality Testimony Submitted for the ACECP Hearing
<b>Description:</b>	N/A
<b>Filer:</b>	Kerry Siekmann
<b>Organization:</b>	Terramar Association
<b>Submitter Role:</b>	Intervenor
<b>Submission Date:</b>	3/27/2015 9:38:48 AM
<b>Docketed Date:</b>	3/27/2015

## **Terramar's Rebuttal Air Quality Testimony submitted for the ACECP Hearing**

### **Update for the Terramar List of Exhibits**

3004      203924      3/19/15    FDOC

### **Rebuttal Air Quality Testimony**

Terramar would like to thank the San Diego Air Pollution Control District for reconsidering the baseline years used for the ACECP. Based on Terramar's testimony submitted to the CEC, Terramar agrees with the baseline change to the five previous years and expected this adjustment by the San Diego Air Pollution Control District.

Terramar would like to discuss with staff how the changes created by the baseline change will change the project conditions, as now the project is a major modification.

Also, Terramar would like to bring up the possibility that the project will now need to go through PDS review and will be responsible for NOx offsets.