Docket Number:	15-AAER-05
<b>Project Title:</b>	Residential Lavatory Faucets and Showerheads
TN #:	205965
<b>Document Title:</b>	State of Calififornia Office of Administrative Law's Notice of Filing and Printing Only
<b>Description:</b>	N/A
Filer:	Patty Paul
Organization:	California Energy Commission
<b>Submitter Role:</b>	Commission Staff
Submission Date:	9/1/2015 11:07:38 AM
<b>Docketed Date:</b>	9/1/2015

### State of California Office of Administrative Law

In re:

**California Energy Commission** 

Regulatory Action:

Title 20, California Code of Regulations

Adopt sections:

Amend sections:

1602, 1604, 1605.1, 1605.3,

1606

Repeal sections:

NOTICE OF FILING AND PRINTING ONLY

**Government Code Section 11343.8** 

OAL Matter Number: 2015-0812-02

OAL Matter Type: File and Print Only (FP)

This rulemaking action by the California Energy Commission establishes standards to improve the efficiency of residential lavatory faucets and showerheads for sale and installation in new and existing buildings. These standards are being adopted pursuant to directives 16, 26, and 30 of Governor's Executive Order No. B-29-15, signed on April 1, 2015.

OAL filed this regulation(s) or order(s) of repeal with the Secretary of State, and will publish the regulation(s) or order(s) of repeal in the California Code of Regulations.

Date: August 20, 2015

Bric J. Partington

**Attorney** 

**DEBRA M. CORNEZ** For:

Director

Original: Robert P. Oglesby Copy: Jared Babula

#### For use by Secretary of State only NOTICE PUBLICATION/REGULATIO STD. 400 (REV. 01-2013) NOTICE FILE NUMBER REGULATORY ACTION NUMBER OAL FILE **EMERGENCY NUMBER** 2015-08/2-02FP For use by Office of Administrative Law (OAL) only **NUMBERS** endorsed - filed in the office of the Secretary of State of the State of California 2015 AUG 12 P 4: 48 AUG 20 2015 2:21 PM OFFICE OF ADMINISTRATIVE L NOTICE REGULATIONS AGENCY WITH RULEMAKING AUTHORITY AGENCY FILE NUMBER (If any) California Energy Commission Docket 15-AAER-5 A. PUBLICATION OF NOTICE (Complete for publication in Notice Register) 1. SUBJECT OF NOTICE TITLE(S) FIRST SECTION AFFECTED 2. REQUESTED PUBLICATION DATE 3. NOTICE TYPE Notice re Proposed 4. AGENCY CONTACT PERSON TELEPHONE NUMBER FAX NUMBER (Optional) Other Regulatory Action ACTION ON PROPOSED NOTICE OAL USE NOTICE REGISTER NUMBER PUBLICATION DATE Approved as Approved as Modified Disapproved/ ONLY Submitted Withdrawn B. SUBMISSION OF REGULATIONS (Complete when submitting regulations) 1a. SUBJECT OF REGULATION(S) 1b. ALL PREVIOUS RELATED OAL REGULATORY ACTION NUMBER(S) Lavatory Faucets and Showerhead Water Efficiency Regulations 2. SPECIFY CALIFORNIA CODE OF REGULATIONS TITLE(S) AND SECTION(S) (Including title 26, if toxics related) ADOPT **SECTION(S) AFFECTED** (List all section number(s) AMEND individually. Attach additional sheet if needed.) 1602, 1604, 1605.1, 1605.3, 1606 TITLE(S) 20 3. TYPE OF FILING Regular Rulemaking (Gov. Certificate of Compliance: The agency officer named Emergency Readopt (Gov. **Changes Without Regulatory** Code §11346) below certifies that this agency complied with the Code, §11346.1(h)) Effect (Cal. Code Regs., title Resubmittal of disapproved or provisions of Gov. Code §§11346.2-11347.3 either 1, §100) withdrawn nonemergency before the emergency regulation was adopted or File & Print filing (Gov. Code §§11349.3, Print Only within the time period required by statute. 11349.4) Emergency (Gov. Code, Resubmittal of disapproved or withdrawn Other (Specify) emergency filing (Gov. Code, §11346.1) §11346.1(b)) 4. ALL BEGINNING AND ENDING DATES OF AVAILABILITY OF MODIFIED REGULATIONS AND/OR MATERIAL ADDED TO THE RULEMAKING FILE (Ca). Code Regs. title 1, §44 and Gov. Code §11347.1) 5. EFFECTIVE DATE OF CHANGES (Gov. Code, §5 11343.4, 11346.1(d); Cal. Code Regs., title 1, §100 ) Effective January 1, April 1, July 1, or Effective on filing with Effective **§100 Changes Without** October 1 (Gov. Code §11343.4(a)) Secretary of State Regulatory Effect other (Specify) 6. CHECK IF THESE REGULATIONS REQUIRE NOTICE TO, OR REVIEW, CONSULTATION, APPROVAL OR CONCURRENCE BY, ANOTHER AGENCY OR ENTITY Fair Political Practices Commission State Fire Marshal Department of Finance (Form STD. 399) (SAM §6660) Other (Specify) 7. CONTACT PERSON TELEPHONE NUMBER FAX NUMBER (Optional) E-MAIL ADDRESS (Optional) Jared Babula (916) 651-1462 jared.babula@energy.ca.gov For use by Office of Administrative Law (OAL) only I certify that the attached copy of the regulation(s) is a true and correct copy of the regulation(s) identified on this form, that the information specified on this form is true and correct, and that I am the head of the agency taking this action, **ENDORSED APPROVED** or a designee of the head of the agency, and am authorized to make this certification. SIGNATURE OF AGENCY HEAD OR DESIGNEE 8-12-15 AUG 2 n 2015 MAME AND TITLE OF SIGNATORY Robert P. Oglesby Office of Administrative Law

# California Energy Commission

# PROPOSED AMENDMENTS TO APPLIANCE EFFICIENCY REGULATIONS

CALIFORNIA CODE OF REGULATIONS TITLE 20, SECTIONS 1601 THROUGH 1609

2015 APPLIANCE EFFICIENCY RULEMAKING FOR RESIDENTIAL LAVATORY FAUCETS AND SHOWERHEADS

Docket Number: 15-AAER-5



CALIFORNIA ENERGY COMMISSION

Edmund G. Brown Jr., Governor

AUGUST 2015 CEC-400-2015-026

# **Proposed Regulations**

Proposed new language appears as underline (<u>example</u>) and proposed deletions appear as strikeout (<del>example</del>). Existing language appears as plain text. Three dots or "…" represents the substance of the regulations that exists between the proposed language and current language.

#### Section 1602. Definitions.

... [skipping (a)-(g)]

#### (h) Plumbing Fittings.

#### ... [skipping "Commercial pre-rinse spray valve" through "Metering faucet"]

"Plumbing fitting" means a device that controls and guides the flow of water in a supply system. A plumbing fitting includes a showerhead, lavatory faucet, kitchen faucet, metering faucet, lavatory replacement aerator, kitchen replacement aerator, wash fountain, commercial pre-rinse spray valve, <u>public lavatory faucet</u>, or tub spout diverter.

#### ... [skipping "psi" through "Pull-type tub spout diverter"]

"Showerhead" means a device through which water is discharged for a shower bath- and includes a body sprayer and handheld showerhead but does not include Showerhead means any showerhead (including a hand held showerhead), except a safety showerhead.

"Showerhead" means a device through which water is discharged for a shower bath.

#### ... [skipping "Showerhead-tub spout diverter combination" through "Wash fountain"]

"Water use" means the quantity of water flowing through a showerhead or faucet, at point of use, <u>as</u> determined in accordance with <u>using the</u> test <u>method in procedures under Appendix S</u> of subpart B of 10 C.F.R. part 430 section 1604(h).

#### ...[skipping (i)-(w)]

Note: Authority cited: Sections 25213, 25218(e), 25402(a)-25402(c) and 25960, Public Resources Code; and sections 16, 26 and 30, Governor's Exec. Order No. B-29-15 (April 1, 2015). Reference: Sections 25216.5(d), 25402(a)-25402(c), 25402.5.4 and 25960, Public Resources Code; and section 16, Governor's Exec. Order No. B-29-15 (April 1, 2015).

# Section 1604. Test Methods for Specific Appliances.

 $\dots$ [skipping (a)-(g)]

#### (h) Plumbing Fittings.

- (1) The test method for commercial pre-rinse spray valves is 10 C.F.R. sections 431.263 and 431.264,
- (2) The test methods for showerheads are:
  - (A) Maximum flow rate test. The test method for determining maximum flow rate of a showerhead is 10 C.F.R. section 430.23(t) (Appendix S to Subpart B of Part 430).
  - (B) Minimum flow rate test. The test method for determining minimum flow rates of a showerhead is ASME A112.18.1-2012 / CSA B125.1-2012, Section 5.12.
  - (C) Showerheads with multiple nozzles. Showerheads with multiple nozzles shall be tested with all nozzles in use at the same time.
- (2) (3) The test method for other plumbing fittings is 10 C.F.R. section 430.23(s) (Appendix S to Subpart B of part 430).
- (3) (4) Showerhead-tub spout diverter combinations shall have both the showerhead and tub spout diverter tested individually.

#### (i) Plumbing Fixtures.

The test methods for plumbing fixtures are:

- (1) 10 C.F.R. section 430.23(t) (Appendix T to Subpart B of part 430). Water Closets. The test method for testing gallons per flush of water closets is 10 C.F.R. section 430.23 (u) (Appendix T to Subpart B of part 430). See Section 1604(i)(3) for the required waste extraction test.
- (2) <u>Urinals.</u> The test method for testing gallons per flush of urinals is 10 C.F.R. section 430.23(v) (Appendix T to Subpart B of part 430).
- (23) Waste Extraction Test (Section 7.10) of ASME A112.19.2/CSA B45.1-2013.

#### ...[skipping (j)-(w)]

The following documents are incorporated by reference in Section 1604.

...[skipping "California Energy Commission Test Methods" through "American National Standards Institute"]