DOCKETED	
Docket Number:	13-AFC-01
<b>Project Title:</b>	Alamitos Energy Center
TN #:	214913
Document Title:	Order to Staff and Applicant re: Alamitos Energy Center AFC [13-AFC-01]
Description:	Memorandum Ordering Staff to ensure that agencies, such as CDFW, that may have been omitted from the agency mailing list be notified of all notices and filings before Thursday December 22, 2016. Further, Staff and Applicant are Ordered to submit evidence at the 12/20/16 Evidentiary Hearing that resolves inconsistencies regarding the AEC site elevation.
Filer:	Ken Celli
Organization:	Energy Commission Hearing Office
Submitter Role:	Committee
Submission Date:	12/19/2016 2:20:40 PM
Docketed Date:	12/19/2016

## Memorandum

то: All Parties to the Alamitos Energy Center Application for Certification Date: December 19, 2016

From : Kenneth Celli, Hearing Officer

California Energy Commission 1516 Ninth Street Sacramento CA 95814-5512

Subject: Order to Staff and Applicant re: Alamitos Energy Center AFC [13-AFC-01]

It appears that the agency mailing list [number 7504] for the Alamitos Energy Center Application for Certification does not include the California Department of Fish and Wildlife. The Presiding Member directs Staff to confirm that all appropriate agencies are included in the mailing list. Further, Staff is directed to provide all notices and filings (e.g., Preliminary Staff Assessment, Final Staff Assessment, Parts 1 and 2, Notices of Availability, Evidentiary Hearings, etc.) to any agencies omitted from the list by close of business, Thursday, December 22, 2016.

The Committee notes that there is inconsistency in the FSA regarding the site elevation. The Geo-Paleo section states at page 5.2-4: "Topography of the site is relatively flat and elevation ranges from approximately 8 to 15 feet above mean sea level" but Geo-Paleo, page 5.2-23 states that "the entire AEC site lies at an elevation that is less than 10 feet above mean sea level." The Visual Resources section states at page 4.12-4: "The existing AGS is situated on a flat coastal plain with a site elevation of approximately 10 to 20 feet above mean sea level."

Staff and Applicant should come prepared to submit evidence at tomorrow's evidentiary hearing that resolves this confusion.