

## DOCKETED

<b>Docket Number:</b>	16-AFC-01
<b>Project Title:</b>	Stanton Energy Reliability Center
<b>TN #:</b>	223178
<b>Document Title:</b>	Email re Stanton Status Report
<b>Description:</b>	Hearing Officer's reply email to request from Applicant's counsel extending the due date for status reports 5 days to April 20, 2018.
<b>Filer:</b>	Ken Celli
<b>Organization:</b>	Energy Commission Hearing Office
<b>Submitter Role:</b>	Committee
<b>Submission Date:</b>	4/11/2018 1:28:38 PM
<b>Docketed Date:</b>	4/11/2018

**From:** [Celli, Ken@Energy](mailto:Celli.Ken@Energy)  
**To:** "[Scott Galati](mailto:Scott.Galati)"; [Heiser, John@Energy](mailto:Heiser.John@Energy); [DeCarlo, Lisa@Energy](mailto:DeCarlo.Lisa@Energy)  
**Cc:** "[sarveybob@aol.com](mailto:sarveybob@aol.com)"; "[Rob@redwoodrob.com](mailto:Rob@redwoodrob.com)"  
**Subject:** RE: Stanton Status Report  
**Date:** Wednesday, April 11, 2018 1:12:00 PM

---

Ok. Everyone please file your status reports on 4/20/18.

Kenneth D. Celli  
Hearing Advisor II  
California Energy Commission  
(916) 651-8893



---

**From:** Scott Galati [mailto:[sgalati@dayzenllc.com](mailto:sgalati@dayzenllc.com)]  
**Sent:** Wednesday, April 11, 2018 11:11 AM  
**To:** Celli, Ken@Energy; Heiser, John@Energy; DeCarlo, Lisa@Energy  
**Subject:** Stanton Status Report

Ken,

We have a Staff PSA Workshop on April 18. I propose filing my status report to the Commission on April 20<sup>th</sup> following that workshop because I believe I will be able to update the Committee more accurately then. Will that be ok?



**Scott A. Galati**  
**President**  
2501 Capitol Avenue, Suite 201  
Sacramento, CA 95816  
Direct Line (916) 441-6574  
Mobile (916) 505-6570  
[www.dayzenllc.com](http://www.dayzenllc.com)

**NOTE:** This e-mail may contain material that is confidential, privileged and/or attorney work product solely for the use of the intended recipient(s).

Any review, reliance or distribution by others or forwarding without express written permission is strictly prohibited.