| DOCKETED | |
|------------------|---|
| Docket Number: | 18-EVI-01 |
| Project Title: | California Plug-in Electric Vehicle Infrastructure Projections |
| TN #: | 223625 |
| Document Title: | Modeling PEV Mobility, Charging Behavior, Infrastructure Siting, and Grid Integration |
| Description: | NREL PowerPoint presentation |
| Filer: | Tami Haas |
| Organization: | California Energy Commission |
| Submitter Role: | Commission Staff |
| Submission Date: | 5/31/2018 11:49:00 AM |
| Docketed Date: | 5/31/2018 |



Environmental Energy Technologies Division

Lawrence Berkeley National Laboratory

Modeling PEV Mobility, Charging Behavior, Infrastructure Siting, and Grid Integration

Colin Sheppard
Sr. Transportation Scientific Engineering Associate
Lawrence Berkeley National Laboratory

CEC Staff Workshop: CA PEV Infrastructure Projections

May 23, 2018

Overview



- Brief History of Modeling Efforts
- BEAM Intro / Key Features
- Optimization-based Approach to Regional Siting
- Utility-based Approach to Regional Siting
- New Mobility & Vehicle Grid Integration

Brief History of Modeling PEVs




- PEVI Plug-in Electric Vehicle Infrastructure Model
 - 2011-2015 Used for infrastructure siting and grid impact assessment
 - Delhi, India and Counties of Humboldt,
 Siskiyou, Shasta, Tehama, Glenn, Colusa
- BEAM Behavior, Energy, Autonomy, Mobility
 - 2016-Present
 - San Francisco Bay Area
 - Used for vehicle grid integration analysis







BEAM Model: Behavior Energy Autonomy Mobility












For visualizations and further information: http://beam.lbl.gov/

Optimization-Based Approach to Siting



Fleet Penetration
0.5%


- PEVI
- Heuristic optimization
- Objective: minimize traveler delay (in \$)
- Greedy siting algorithm yields approximate pareto optimal curve (guide for rollout and budge limited planners)



Utility-based Approach to Siting








BEAM Simulates New Mobility / Multimodal






For visualizations and further information: http://beam.lbl.gov/



VGI for New Mobility






CA Vehicle Grid Integration Analysis







Annual California renewable energy curtailment 1,500 None base 4xRan 8xRan 1,000 Curtailment (GVVh) 500 No PEVs **TOU Night** TOU Both Unmanaged Smart Charging Strategy

Increasing workplace chargers by 4x (blue) and 8x (purple) enhance ability to reduce renewable curtailment.