

DOCKETED

Docket Number:	19-BSTD-03
Project Title:	2022 Energy Code Pre-Rulemaking
TN #:	237107
Document Title:	Laura Rosenberger Haider Comments - Electrify all appliances in new buildings
Description:	N/A
Filer:	System
Organization:	Laura Rosenberger Haider
Submitter Role:	Public
Submission Date:	3/10/2021 1:39:01 AM
Docketed Date:	3/10/2021

Comment Received From: Laura Rosenberger Haider
Submitted On: 3/10/2021
Docket Number: 19-BSTD-03

Electrify all appliances in new buildings

Research shows that children with asthma are particularly affected by indoor air pollution from gas stoves. Children living in areas with high levels of outdoor air pollution and lower-income, African American and Hispanic children with asthma are likely the most disproportionately burdened by indoor air pollution from gas stoves.

Integrated Science Assessment (ISA) For Oxides of Nitrogen " Health Criteria (Final Report, 2016). US Environmental Protection Agency, Washington, DC, EPA/600/R-15/068, 2016, p. lxxxvii, <https://cfpub.epa.gov/ncea/isa/recordisplay.cfm?deid=310879>.

Nadia N Hansel et al., "A Longitudinal Study of Indoor Nitrogen Dioxide Levels and Respiratory Symptoms in Inner-City Children with Asthma," Environmental Health Perspectives Volume 116 Number 10, October 2008, p. 1430, <https://ehp.niehs.nih.gov/doi/10.1289/ehp.11349>.