



Mojave Desert Air Quality Management District

14306 Park Avenue, Victorville, CA 92392-2310

760.245.1661 • fax 760.245.2699

Visit our web site: <http://www.mdaqmd.ca.gov>

Eldon Heaston, Executive Director

March 19, 2007

John Kessler, Project Manager
California Energy Commission
1516 Ninth Street
Sacramento, CA 95814-5512

DOCKET	
07-AFC-1	
DATE	MAR 19 2007
RECD.	MAR 26 2007

Re: Victorville 2 Hybrid Power Project Application for Certification

Dear Mr. Kessler:

The Mojave Desert Air Quality Management District (District) received a Request for Agency Participation and Application for Certification for the Victorville 2 Hybrid Power Project (VV2) on March 13, 2007. In accordance with Rule 1306(B)(1), the District is hereby notifying you of its intent to participate in the VV2 proceedings. On a preliminary basis, the District concurs with the proponent's definition of applicable Best Available Control Technology (BACT) and finds that there is a substantial likelihood that the proposed facility can satisfy applicable District rules and regulations.

The District has reviewed this application for completeness as required by Rules 1302(B) and 1306(C). The District hereby finds this application complete, as it contains the following discussion elements: alternative siting; Class I area visibility; determination of emissions including toxic and hazardous; BACT; ambient air quality impacts including health; and applicable district rules and regulations.


This letter also represents notification to USEPA Region IX and the Federal Land Manager that VV2 is a proposed major facility within 60 miles of a Class I Area (Cucamonga Wilderness Area among others), and that a Class I Area Visibility Analysis has been submitted, as required by 1306(B)(2)(c). A copy of this analysis will be submitted to USEPA Region IX and the Federal Land Managers under a separate cover.

The District has reviewed the meteorological data submitted with the application that was used to perform the modeling evaluation for the project. The District has determined that the data set submitted contains at least one year of data that is adequate to evaluate the project.

The District is now performing the analysis necessary to issue a Preliminary Determination of Compliance for VV2. The District will notify you of any issues or information that need clarification.

If you have any questions regarding this letter, please contact Alan De Salvio, Supervising Air Quality Engineer, at (760) 245-1661, extension 6726.

Sincerely,

A handwritten signature in black ink, appearing to read "Eldon Heaston". The signature is written in a cursive style with a long horizontal stroke at the end.

Eldon Heaston
Executive Director

cc: Director, Office of Air Division USEPA Region IX
Chief, Stationary Source Division CARB
Jon B. Roberts, City of Victorville
Thomas M. Barnett, Inland Energy
John J. Head, ENSR
Doc Morse, National Park Service
Mike McCorison, Forest Service