

CIWMB Tasks


DOCKET
06-BAP-1

DATE JUN 11 2007

RECD. JUN 12 2007

1. Identify and quantify the amount of material currently being landfilled and assess biofuel potential.
2. Establish goals for 2010 and beyond for the use of landfill-bound residuals.
3. Identify state and private revenue sources of grant and incentive program research activities.
4. Identify and quantify the potential of using landfill gas as a biofuel.

Amount and types of material landfilled



Source: Cascadia Consulting Group. (2004). "Statewide waste characterization study." Contractor's report to IWMB. Publication #340-04-005

Characterization and Potential Energy

	Landfilled (million tons)	Fraction of total chemical energy (%)	Oil equivalent (million barrels)	Electricity potential (MWe)
Paper/Cardboard	8.6	30	20.2	791
Food	6.0	6	3.7	204
Leaves and Grass	3.9	2	1.5	42
Prunings, trimmings, branches, stumps, and Green ADC	3.7	9	6.1	240
Other Organics	1.8	3	2.3	88
C&D Lumber	1.7	15	9.8	384
Bio mass Components (Subtotal)	26	65	44	1750
All non-Film Plastic	2.1	10	6.8	264
Film Plastic	1.8	18	11.9	466
Textiles	1.8	7	4.7	184
Non-Bio mass Organic Components (Subtotal)	6	35	23	914
Other C&D	4.9	—	—	—
Metal	3.1	—	—	—
Other Mixed and Mineralized	3.1	—	—	—
Glass	0.9	—	—	—
Inorganic Components (Subtotal)	12	—	—	—
TOTAL	44	100	67	2664

Source: Adapted from “*Biomass in Solid Waste in California, Utilization and Policy Alternatives.*” Rob Williams, California Biomass Collaborative. Prepared under contract to California Energy Commission, Publication Number 500-01-016

Liquid Fuel Potential

Ethanol Scenario	Gross Biomass (million BDT)	Tech. Avail. Factor	Technical Annual amount (million BDT)	Ethanol yield (gal/dry ton)	Potential Ethanol	
					(million gallons/y)	(million gallons gasoline equivalent)
Landfilled mixed paper/cardboard	7.9	0.5	3.97	70	278	185
Landfilled wood & green (+ ADC)	6.7	0.4	2.68	70	188	125
Totals					466	310
-Alternative Scenario -						
Conversion to Fischer-Tropsch Liquids (hydrocarbons)				FT Liquid yield (gal/dry ton)		(million gallons gasoline equivalent)
Landfilled mixed paper/cardboard	7.9	0.5	3.97	50		198
Landfilled wood & green (+ ADC)	6.7	0.4	2.68	50		134
Total						333

Source: "Biofuels from Municipal Wastes- Background Discussion Paper 28 March 2007." Prepared by Robert B. Williams Department of Biological and Agricultural Engineering University of California, Davis and California Biomass Collaborative

Goals for Landfill-Bound Material

- By 2010, divert 10 percent of the biomass residuals and 20 percent of the non-biomass organic residuals
- By 2020, divert 40 percent of the biomass residuals and 60 percent of the non-biomass organic residuals

Revenue Sources

- Number of potential revenue sources from all sectors
- Examples include:
 - Energy Foundation: <http://www.ef.org/home>
 - U.S. Department of Energy (DOE):
http://www.eere.energy.gov/inventions/energytechnet/funding/public_sector.html
http://www.eere.energy.gov/inventions/energytechnet/funding/private_sector.html
 - Public Interest Energy Research Program
 - CalPERS Green Investment Program
 - SCAQMD Technology Advancement Program

Landfill Gas As A Biofuel

- Currently 366 landfills generating LFG
- Total landfill gas generated - Between 118 and 156 billion cubic feet per year (BCF/y)
- LFG to biofuels include:
 - Compressed Natural Gas
 - Liquid Natural Gas
 - Hydrogen
- Production of vehicle fuel from LFG negligible

Landfill As A Biofuel

- Compressed Natural Gas
 - County Sanitation Districts of Los Angeles
 - Sonoma County
- Liquid Natural Gas
 - Frank Bowerman Landfill – Orange County
 - Kiefer Landfill – Sacramento County
 - Altamont Landfill – Alameda County
- Hydrogen
 - CIWMB funded study

CIWMB Strategic Policy Committee

- Scheduled for July 10th
- Biofuels Discussion
 - On The Road: Current Activities
 - Road Blocks: Challenges to Biofuels Implementation
 - The Road Ahead
- Committee Discussion