

### 2009 IEPR - Energy Storage Technologies Docket No. 09-IEP-1G Water Storage as Energy Storage Opportunities in California



Lon W. House, Ph.D. ACWA Energy Advisor 530.676.8956 lonwhouse@waterandenergyconsulting.com




Workshop on Energy Storage Technologies and Policies Needed to Support California's Renewable Portfolio Standard (RPS) Goals of 2020

> April 2, 2009 Sacramento, CA

| DOCKET<br>09-IEP-1G |               |
|---------------------|---------------|
| DATE                | April 02 2009 |
| RECD.               | Mar 31 2009   |

# Subject of this Testimony



- Water stored at elevation is stored energy.
- There are large water pumped storage facilities in operation within water agencies (e.g., San Diego County Water Authority) and others being planned (e.g., Lake Elsinore, Olivenhain)
- Testimony today is not about those, but about smaller (<10 MW each) opportunities available in most water districts

## Water Agency Storage




- All water agencies that supply treated water have some storage
- Storage added to optimize water system not for electrical generation or demand reduction
- Water storage is at elevation if possible provides pressure to system
- Existing storage is used to meet bimodal daily peak water deliveries and smooth out treatment plant production
- However, it can be used to "store" energy by using energy to fill storage, or releasing energy when storage drained

Examples of Types of Water Storage Opportunities




- Water storage with hydroelectric generation
  e.g., Calleguas MWD
- Water storage with treatment plant and pumps e.g., El Dorado
- Groundwater storage can work very similarly e.g., Semitropic, Arvin Edison

#### EID El Dorado Hills Raw Water and Treatment Plant - July 15-21, 2006



#### EID El Dorado Hills Raw Water and Treatment Plant - July 22-31, 2006



# Potential for Smaller Water Storage as Energy Storage



- Currently approximately 400 MW of electric load is dropped during on-peak period by water agencies in the state
- Existing facilities reoperation
  - + 250 MW
    - vagaries/instability of demand response programs have not encouraged reoperation of water storage facilities
- New storage facilities and retrofit of existing facilities with reversible pump turbines
  - -+500 to 750 MW
    - economics uncertain. no long term contracts for recovery of investment
    - integration with current water system operation needs to be evaluated

## Water Storage as Energy Storage Facilities

- Advantages
  - Proven technology



- Less expensive than other storage technologies
- Easy to site multiple locations already reserved for additional water storage
- Locations close to load centers
- Provides dual advantages improves water and energy infrastructure efficiency
- Disadvantages
  - Smaller size (2-10 MW typical)
  - Existing storage integral to water system operations, will need modified operation protocols
  - Current economics discouraging no long term contracts for recovery of investment available

## Additional Information Needed

- Water storage response to ISO needs
- How quickly can water storage respond
  - shift from pumping to draining/generating
- What water agency operational protocols need to be changed and how
- Economics of operation for energy rather than for water use
- Economics of new construction
  - reversible pump/turbines replacement of current pumps
  - construction of new storage tanks



## Conclusions



- Exotic energy storage technologies are nice, but don't ignore simple, readily available existing technology
- Water agencies storage opportunities could add 1,000 MW of additional energy storage
  - Proven technology, least expensive storage option, locations readily available, improve water as well as energy infrastructure
- Needed -
  - information on water system operation changes necessary for use as energy storage facility
  - economics of replacing pumps with reversible pump turbines
  - economics of new storage construction for energy use