

# DOCKET

09-AFC-5

DATE \_\_\_\_\_

RECD. JUN 22 2010

ccc/bdc number	date	time	remarks
98010253	02/18/1998	1041	MISC 040 , HARPER LAKE RD AT THE LUZ SOLAR PLANT.
98012783	03/01/1998	0931	TEXT 031 FX LEG / MEET RP AT POWER PLANT
98032684	06/09/1998	1336	TEXT 053 UNKN TYPE ALARM AT THE POWER PLANT / PER LLU SECURITY
98060460	10/19/1998	0844	MISC 070 (M4203) E125 , FIRE AT LUZ SOLAR PLANT//ADVISED OF PERMIT REQUIREMENTS
98063549	11/04/1998	0703	TEXT 050 SOLAR PLANT // LARGE FLAMES // LOTS OF BLACK SMOKE
98064220	11/07/1998	1341	DISP 061 (H0664) E40 AMR31 , AT THE POWER PLANT....SOMEONE WILL DIRECT
98064225	11/07/1998	1408	TEXT 090 BACK INJ//LZ AT THE POWER PLANT AT THE HELOSPOT....CONTACT BE48 ON CALCO RD...TB 4565 F7
99011628	02/26/1999	1812	CHGLOC 033 SOLAR PLANT/ZZZ TO 35100 SANTE FE
99019822	04/07/1999	2221	TEXT 031 UNIV POWER PLANT - POSS HEART -
99025686	05/07/1999	1208	TEXT 041 ELECTRICAL FIRE AT THE MIDDLE POWER PLANT
99025843	05/08/1999	0620	TEXT 054 MALE FELL BACKWARDS/HIT HEAD ON RAILING/AT POWER PLANT
99030487	05/31/1999	1430	MISC 044 , TAKE THE Y NORTH AWAY FROM THE POWER PLANT
99038079	07/06/1999	2206	MISC 068 (10546) , S/O ADVISES ARCING LINES BEHIND POWER PLANT AT 810 3RD ST.
99051027	09/15/1999	0604	ADVISED 083 PASSING A KIDNEY STONE/ MOJAVE SIPHON POWER PLANT 16001 HWY 173/ DSRT COM ADVISED
13824	03/12/2000	1724	TEXT 029 THE POWER PLANT/ GEN FIRE ALM
25326	05/15/2000	1103	TEXT 046 FIRE AT THE KRAMER SOLAR PLANT, E89 RESPONDING
25326	05/15/2000	1237	MISC 095 (H2744) , DAVE RIB, AN EMPLOYEE REP SOLAR PLANT GAVE THE FOLLOWING INFORMATION ON THE INCIDENT. MISC 377 (H2744) , FIRE WAS IN A PUMP LOCATED IN SEGS ( SOLAR ELECTRICAL GENERATING SYSTEMS) "FIVE". THERE ARE 5 SEGS IN THIS SOLAR PLANT. FIRE WAS CAUSED BY AFLASH AND DOLL
25326	05/15/2000	1245	\$10,000 PER DAVE RIB.. ANYMEDIA REQ FOR MORE INFO, THEY CAN CONTACT MR RIB AT THE PLANT AT 760-762-5562 EXT 246...FIRE WAS CONTAINED BY ON SITE FIRE APPARATUS. NO HAZMAT INVC
31488	06/16/2000	1745	MOVEOS 023 (F1435) E53 SOLARION IC
50537	09/15/2000	1015	TEXT 043 BUS-SOLAR INK/MANUAL PULL ON FIRE COMMAND 2
59683	11/01/2000	0017	TEXT 021 POWER PLANT EXPLOSION
1001805	01/09/2001	0342	MISC 095 (M4203) E31 , CORNER OF BUSH AND O ST...2ND REPORT ADVISING POWER POLE ON FIRE NOT POWER PLANT
1012121	02/26/2001	0147	TEXT 075 SOLAR PLANT - MALE 36/ AMPUTATED FINGERS/ SUBJ BEING BROUGHT TO MAIN OFFICE
1023952	04/25/2001	1438	TEXT 046 AT SOLARIS HOLDING//ZONE 5 WATERFLOW 2ND FLOOR
1029392	05/21/2001	1735	MOVEOS 025 (H2744) AC4101 "SOLAR IC"
1029392	05/21/2001	2120	MOVEOS 022 (A7909) BC140 SOLAR IC
1029392	05/21/2001	2127	MISC 063 (A7909) , PER NOAH AT DES COMM BC140 HAS NOW ASSUMED "SOLAR IC"
1029392	05/21/2001	2319	MOVEOS 022 (C0662) C4100 SOLAR IC
1038564	07/01/2001	1708	TEXT 053 GEN FIRE AT THE POWER PLANT TB 647-B1 CROSS TAYLOR ST
1042388	07/17/2001	1029	TEXT 038 SOLAR PLANT IN DAGGETT..POSS STRUCTURE
1045426	07/31/2001	1436	TEXT 064 SOLAR LINK INTL...ME138 ON FIRE COMMAND 2 ..REQ E74..MANUAL PULL
1046896	08/07/2001	1334	TEXT 073 GENERAL FIRE ALARM AT THE POWER PLANT / ALSO SHOWS ADDRESS OF 11040 TAYLOR
1048135	08/13/2001	0643	TEXT 052 COOL WATER SOLAR PLANT- FALL VICTIM FROM 40 FT TOWER
1048141	08/13/2001	0709	TEXT 048 FALL VICT 3762 D1//SOLAR PLANT AIR OPS ON CALCOR
1064022	10/24/2001	0545	TEXT 049 TWO LARGE BLAST NEAR THE POWER PLANT, NO ADD INFO
1068227	11/12/2001	2025	TEXT 101 PASSERBY SAW A FLASH AT THE POWER PLANT - POWER WENT OFF MOMENTAIRLY THENCAME BACK ON - SEES NO FIRE
2007551	02/05/2002	1658	TEXT 044 POWER PLANT X-ANDERSON /GENERAL FIRE ALARM /
2012325	02/26/2002	0610	TEXT 028 SOUTHWEST END OF POWER PLANT
2013243	03/02/2002	0743	TEXT 040 SOLAR PLANT FIRE, LARGE OUTSIDE OIL FIRE
2024007	04/21/2002	1042	TEXT 105 NEAR SOLAR PLANT...POSS CROSS OF HARPER LAKE RD X ROY...OUT OF CONTROL BURNOB...RP PHONE # 760-7625424
2036894	06/19/2002	0014	MISC 072 (B2816) , LL ON CALL FOR WATER PAGED TO CALL THE DANA AT THE POWER PLANT
2037295	06/20/2002	1733	TEXT 044 1/2 E OF SOLAR PLANT...LARGE COLUMN OF SMOKE
2041718	07/08/2002	1658	TEXT 064 POWER PLANT..GENERAL FIRE....PERSON TO MEET YOU AT UNIVERSITY CT
2041887	07/09/2002	1334	TEXT 059 POWER PLANT...GENERAL FIRE ALARM MADE ACCESS OFF UNIVERSITY
2044039	07/18/2002	1928	TEXT 043 AT THE POWER PLANT, GEN FIRE ALARM NO RESET
2052135	08/24/2002	2200	NEWLOC 026 (F1435) RED SOLAR INCIDENT
2052135	08/24/2002	2202	MOVEOS 021 (F1435) E125 SOLAR IC
2052135	08/24/2002	2220	MOVEOS 022 (F1435) BC149 SOLAR IC

2059978 09/28/2002 2328 TEXT 085 NEAR AZ 95 AT COURTRIGHT, NEAR THE SOUTH POINT POWER PLANT, REQ AMBULANCE.TB 352 D10

2075159 12/09/2002 1118 MISC 091 (A7910) ME62 , EDISON POWER PLANT NOTHING SHOWING DID HAVE AN EXPLOSION WITHA POWER OUTAGE

3014343 03/04/2003 1439 TEXT 018 AT THE POWER PLANT

3022802 04/12/2003 1559 TEXT 085 NEAR LG POWER PLANT, TOWARDS END OF ESCONDIDO, NEAR LARGE BUSH, NUMEROUSDRUMS DUMPED

3029305 05/12/2003 2012 TEXT 118 E911 TIME: 201002 SEVERAL EXPLOSIONS HEARD AT EDISON SUB POWER PLANT ACROSSFROM THIS ADDRESS :ELECTRICITY OUT IN AREA

3044743 07/15/2003 1517 TEXT 026 POWER PLANT SMOKE DETECTOR

3073855 11/14/2003 1302 **TEXT 086 POWER PLANT-GENERAL FIRE ALARM-POSS SMOKE FROM A WELDER OR DUST IN THE AREA-RP UNSURE**

3078657 12/05/2003 1422 TEXT 038 POWER PLANT..GENERAL ALARM..X PROSPECT

3084807 12/29/2003 0812 TEXT 061 E911 TIME: 081017 RP SEE SMOKE BEHIND THE FONTANA POWER PLANT

3085269 12/31/2003 0947 TEXT 122 PROSPECT BTWN ANDERSON AND THE FIRST DRIVEWAY ON THE NORTH SIDE OF THESTREET \ \ WATER LEAKING INTO THE POWER PLANT TUNNEL

4015231 03/08/2004 1900 **TEXT 070 LARGE FLASH OF LIGHT SEEN FROM THE POWER PLANT / POSS TRANSFORMER FIRE**

4037936 06/17/2004 1131 **TEXT 089 E911 TIME: 113004 AT THE CONSTRUCTION AREA OF THE POWER PLANT, 40 Y/O MAN,POSSIBLE HEART**

4045870 07/20/2004 1017 **TEXT 060 E911 TIME: 101550 40Y FEM,FALL ARM INJ/EMPLOYEE, POWER PLANT**

4060317 09/20/2004 1931 TEXT 091 NEAR POWER PLANT, MC T/C 1 MALE SUBJ, REQ'G AMB, BETWEEN NORTH DYKE ENTRANCEAND CORTWRIGHT

4067327 10/20/2004 2218 MISC 040 (B5541) E4 , STEAM FROM POWER PLANT - MI

4071679 11/09/2004 0725 TEXT 126 E911 TIME: 072133 ILL 51 YOM, HI BP, AT THE POWER PLANT. MEET RP IN A SMALLWHT P/U AT THE CORNER OF SAN BERNARDINO & MTN VIEW

4072656 11/13/2004 2126 MISC 078 (O0407) E127 , ALL THE POWER IS OFF ST THE POWER PLANT - BACK UP LIGHTS AREON

4075684 11/27/2004 0920 MISC 048 (A7909) E40 , STAGE AT POWER PLANT AND ESCONDIDO

4075684 11/27/2004 0924 MISC 069 (A7909) E40 , NEED A/S ME301 GC CALCOR LZ ON ESONDIDO, BY POWER PLANT

5007686 02/01/2005 0923 **TEXT 034 POWER PLANT GENERAL BLG FIRE ALARM**

5041246 06/25/2005 1324 TEXT 164 ON 58 10 MILES EAST OF KRAMER JUNCTION/RP WILL MEET ON RED HONDA DIRT BIKENEAR SOLAR PANELS/50 YOM OFF RD TC/DISORIENTED/INJURED RIGHT WRISTS ANDSHOULDER/HIT I

5047481 07/18/2005 0841 ADVISD 090 POWER PLANT UNDER CONSTRUCTION/POSS HEART, X OF THE SANTA ANA WASH, CALLGIVEN TO CITY FIRE

5047482 07/18/2005 0845 MISC 021 (B5541) , POWER PLANT

5047854 07/19/2005 1554 CHGLOC 051 KECK SOLAR PLANT, DAGGETT TO 35100 SANTA FE ST ,DAG

5047854 07/19/2005 1604 **MISC 168 (H2744) , | VEG FIRE/LIGHTNING STRIKES- DAGGETT AREA/OLD SEGS 1 SOLAR PLANT-70 PLUS ACRES AT THIS TIME AT THE RIVER BOTTOM.HAS BEEN SENT TO THEFOLLOWING PAGER(S):9**

5050516 07/30/2005 0347 **TEXT 037 EXPLOSION FROM A POWER PLANT BUILDING**

5054917 08/17/2005 1029 TEXT 095 AT THE POWER PLANT, FEMALE WAS FOUND ON PROPERTY, ALOC, SHE WALKED TO LOCFROM HER DISABLED VEH

5069994 10/21/2005 1759 **TEXT 143 CHECK AT THE SOLAR PLANT- REPORTS OF CLOUD ABOVE IT- PLANT STATES ITS HEATTRANSFER FLUID- PASSERBYS ARE HAVING ISSUES- IRRITATING TO THE EYES-**

5073831 11/08/2005 0232 MISC 042 (F1435) DES1 , ACROSS FROM THE POWER PLANT

5085786 12/29/2005 1751 TEXT 136 FLAMES FROM VEG ON AN OLD RANCH 8 MILES NORTH OF 58 ON HARPER LAKE RD/ RPCALLING FROM THE SOLAR PLANT AND IS VISIBLE FROM THIS LOCATION

6002347 01/09/2006 1807 **TEXT 118 SOLAR PLANT, NOTIFICATION ONLY 75 GAL MONSANO VP1 HEAT TXFER FLUID SPILL,CLEAN UP CREW OS, X282 ALSO CELL #7609649862**

6005946 01/25/2006 1443 TEXT 082 GENERATOR ACTIVATION AT BLDG JUST OUTSIDE POWER PLANT. X-ANDERSON.. DID NOTVERIFY

6008209 02/04/2006 1627 TEXT 094 E911 TIME: 162501 \*STAND BY\* SO ENRT // RIVERSIDE CANAL POWER PLANT / 5150MALE COMP OF PAIN /  
TITLE:CAD Narrative [CRLF]CAD Inc #: 06008209 Sheriff Inc#: ALS MEDICAL AID E911 TIME: 162501 \*STAND BY\* SO ENRT // RIVERSIDE CANAL POWER PLANT / 5150 MALE COMP OF I

6004975 02/04/2006 0001 [CRLF]At 1627 hours on Saturday February 4, 2006 we were dispatched to an EMS call. Two units were assigned to this incident. Two personnel responded. We arrived on scene at 1633 hours and cleared at 1653 hours

6010688 02/15/2006 1158 TEXT 069 RP ADV CHEM SPRAY OVER US 395 FROM SOLAR PLANT JNO KRAMER JCT, CHP ER

6010688 02/15/2006 1206 MISC 141 (F1435) , RP HAS LEFT THE AREA, GOING TOWARDS ADELANTO, THIS WAS A GAS, NOTA LIQUID, WAS NEAR THE SOLAR PLANT, RP CELL PHONE IS 949-212-2548

6006421 02/15/2006 0000 TITLE:CAD Narrative [CRLF]CAD Inc #: 06010688 Sheriff Inc#: HAZARDOUS MATERIALS RP ADV CHEM SPRAY OVER US 395 FROM SOLAR PLANT JNO KRAMER JCT, CHP ER[CRLF]

6011266 02/18/2006 0231 TEXT 029 SMOKE COMING FROM POWER PLANT

6022083 04/06/2006 1440 MISC 066 (H2730) , RED BC STS POSSIBLY NEAR THE POWER PLANT NEAR RED BORDER

6034449 05/30/2006 1136 TEXT 033 GEN FIRE ALARM AT THE POWER PLANT

6034449 05/30/2006 1146 MISC 044 (M4694) MS251 , POWER PLANT NO9THING SHOWING

6038705 06/17/2006 0956 TEXT 029 VEG FIRE NEAR THE POWER PLANT

6075556 11/18/2006 0930 MISC 163 (C5205) , \*\*\* PER RO: HOLE IS ON HELENDALE BTWN STATE 58 AND SILVER LAKES,RP WAS CALLING FROM THE SOLAR POWER PLANT, MAKE CONTACT W/ANYONE AT CB# IFANY QUESTION:

6075556 11/18/2006 0930 MISC 163 (C5205) , \*\*\* PER RO: HOLE IS ON HELENDALE BTWN STATE 58 AND SILVER LAKES,RP WAS CALLING FROM THE SOLAR POWER PLANT, MAKE CONTACT W/ANYONE AT CB# IFANY QUESTION:

7017023 03/10/2007 2026 ADVISD 203 REF CAD #014, FEM SUBJ FROM INC WAS W/ 2 MALE SUBJ ALSO LOST SOMEWHERE ONTHE BASE PAST THE SOLAR PANELS IN A VAN OR MOTORHOME W/2 FLATS, PER SBSO RP#7144216

7012220 03/22/2007 0001 TITLE:CAD Narrative [CRLF]CAD Inc #: 07019896 Sheriff Inc#: FALSE ALARM FONTANA TRUCK STOP: AIR DUCT SMOKE DET/ PREM 909-829-6671SOLAR SYSTEM 455 80022805

7027251 04/24/2007 1245 TEXT 024 FIRE ALARM - POWER PLANT

7055255 08/19/2007 1020 MISC 069 S4 , MET WITH RP FROM SOLAR PLANT, DIRECTING FURTHER TO POSS LOCATION

7062835 09/19/2007 2310 TEXT 039 IN POWER PLANT / RP WILL MEET AND GUIDE

7066984 10/08/2007 1900 MISC 053 (B8165) BP125 , IN AREA - MAKING ACES TO SOLAR PLANT

7070089 10/22/2007 0528 ONSCNE 062 (B8165) C-3600 , BEST ACCESS GRASS VALLEY RD TO POWER PLANT RD

7084685 12/22/2007 1147 TEXT 020 NEAR THE POWER PLANT  
TITLE:CAD Narrative [CRLF]CAD Inc #: 07084685 Sheriff Inc#: TC W/NO INJURIES NEAR THE POWER PLANTRIVER MEDICAL RHONDA 7025214818[CRLF][CRLF]TITLE:N

7052032 12/22/2007 0000 Saturday December 22, 2007 we were dispatched to a vehicle accident with no injuries. Four units were assigned to this incident. We arrived on scene at 1159 hours and cleared at 1215 hours. The incident occurred at O

8012798 02/20/2008 0931 ADVISD 155 STATES HE IS LOOKING ACROSS THE RIVER AND STATES THERE IS A VEG FIRE NEXT TOTHE POWER PLANT. ADV MOJAVE VLY WHO STATES THEY HAVE SEVERAL BURNS IN THE AREA

8020933 03/25/2008 2227 TEXT 042 ELECTRICAL POWER PLANT / RP # 909-208-6521

8012751 03/25/2008 0001 TITLE:CAD Narrative [CRLF]CAD Inc #: 08020933 Sheriff Inc#: UNABLE TO LOCATE ELECTRICAL POWER PLANT / RP # 909-208-6521SBSO[CRLF]

8031076 05/08/2008 1407 TEXT 041 VEH INTO BLDG, POWER PLANT, BLUE CORVETTE

8018734 05/08/2008 0001 TITLE:CAD Narrative [CRLF]CAD Inc #: 08031076 Sheriff Inc#: TC W/EXTRICATION NEEDED VEH INTO BLDG, POWER PLANT, BLUE CORVETTECHP TXFER 9098253414[CRLF]

8038613 06/07/2008 1641 MISC 068 (D8247) , PER MOHAVE VALLEY THIS IS GOING TO BE NEAR THE POWER PLANT

8038613 06/07/2008 1653 MISC 138 (D8247) , PER MOHAVE VALLEY FIRE GAVE UPDATED ADDRESS TO FIRE / THIS ISGOING TO BE NEAR THE POWER PLANT AT 3775 COURTWRIGHT RD X VIEW LN.

8042653 06/23/2008 1339 MISC 121 (10546) , S.O UNIT ADVISED ON SCENE NORTH END / OF EDISON POWER PLANT - SEESA PROBLEM NOT ABLE TO CONFIRM FIRE OR SMOKE/

8044143 06/29/2008 1857 TEXT 063 35MALE / SOLAR POWER PLANT - 395 2 MILE N/O JUNCTION / EXT. 700

8044143 06/29/2008 1857 TEXT 063 35MALE / SOLAR POWER PLANT - 395 2 MILE N/O JUNCTION / EXT. 700

8044143 06/29/2008 1910 MISC 047 (B6449) , SOLAR PLANT WILL MEET AT 58/HELENDAL

8046564 07/08/2008 1641 TEXT 050 TWO FIRES BURNING BY THE SOLAR PLANTS/ CHP IN AREA

8046564 07/08/2008 1659 MISC 044 (B6449) BE4 , IN AREA OF THE SOLAR PLANT UTL

8027875 07/08/2008 0001 TITLE:CAD Narrative [CRLF]CAD Inc #: 08046564 Sheriff Inc#: UNABLE TO LOCATE TWO FIRES BURNING BY THE SOLAR PLANTS/ CHP IN AREACHP[CRLF]

8067935 10/05/2008 1850 **TEXT 033 POWER PLANT FIRE ALARM ACTIVATION**

8067935 10/05/2008 1856 MISC 042 T251 , 2 STORY POWER PLANT NOTHING SHOWING

8074656 11/02/2008 1457 TEXT 127 TRANSFORMER FROM EDISON POWER PLANT EXPLODED, TRAFFIC LIGHTS IN THE AREA NOWOUT, CHP ADV WILL NOTIFY EDISON, ALSO REQ CO ROADS  
TITLE:CAD Narrative [CRLF]CAD Inc #: 08074656 Sheriff Inc#: ELEC INCIDENT - OUTSIDE TRANSFORMER FROM EDISON POWER PLANT EXPLODED, TRAFFIC LIGHTS IN THE AREA NOW I

8044802 11/02/2008 0001 ALSO REQ CO ROADSCHP[CRLF][CRLF]TITLE:ME10 [CRLF]At 1457 hours on Sunday November 2, 2008 we were dispatched to an electrical wiring/equipment problem. One unit was assigned to this incident

8085249 12/17/2008 1720 TEXT 021 SOLAR PLANT, 64YM SOB  
TITLE:CAD Narrative [CRLF]VERIZON WIRELESS 800 451 5242 Master Incident Number:09-011167 ON WIRELESS 800 451 BDC 09005650 Primary Jurisdiction Inc.#: BDC 09005650 Dis

9005650 02/07/2009 0001 Permit # 02/07/2009 18:56:29B8165 W/O SOLAR PLANT OFF RDWY IN DESERT 02/07/2009 18:53:54SYS WPH2 LAT:34.99401900 LON:-117.567379 METERS:57 %:095 02/07/2009 18:53:54SYS  
TITLE:CAD Narrative [CRLF]JULIE Master Incident Number:09-023604 BDC 09011634 Primary Jurisdiction Inc.#: BDC 09011634 Disposition:03/20/2009 15:05:54SYS

9011634 03/20/2009 0001 15:05:52S3402 LARGE COLUMN OF BLACK SMOKE, POSS NEAR THE SOLAR PLANT 03/20/2009 15:05:58S3402 604 03/20/2009 15:06:16TSSIntRMS: Confire SunproExternal Case Number  
TITLE:CAD Narrative [CRLF]CAD Master Incident Number:09-032897 BDC 09016020 Primary Jurisdiction Inc.#: COL 09001508 Disposition:04/20/2009 15:48:06TSS Alarm Perr

9016020 04/20/2009 0001 BRUSH FIRE POWER PLANTS CUTTING BRUSH 04/20/2009 15:48:52B6449 1 ACRE 04/20/2009 15:49:20B6449 POWER PLANT WAS CUTTING BRUSH AND STARTED THE FIRE ABOUT 1  
TITLE:CAD Narrative [CRLF]VVSU Master Incident Number:09-046123 BDC 09022469 Primary Jurisdiction Inc.#: BDC 09022469 Disposition:06/02/2009 23:50:4

9022469 06/02/2009 0001 23:50:47H0664 S.O. ER ...REPT BONFIRE IN THE AREA OF THE POWER PLANT 06/02/2009 23:51:15TSSIntRMS: Confire SunproExternal Case Number 'BDC 09022469' added for San Bernardino Count  
TITLE:CAD Narrative [CRLF]CAD Master Incident Number:09-086249 BDC 09041365 Primary Jurisdiction Inc.#: BDC 09041365 Disposition:09/15/2009 05:33:10TSS Alarm Perr

9041365 09/15/2009 0000 ATTHE ENDOF HAR;PER DY LAKE BY THE SOLAR PLANT GOING NORTH OF HY 58 09/15/2009 05:32:59H0664 249 09/15/2009 05:33:48TSSIntRMS: Confire SunproExternal Case Number 'BDC 090-