

Antelope Valley Air Quality Management District 43301 Division St., Suite 206 Lancaster, CA 93535-4649

661.723.8070 Fax 661.723.3450

Eldon Heaston, Executive Director

December 15, 2010

Gerardo Rios Chief, Permits Office U.S. Environmental Protection Agency, Region IX 75 Hawthorne Street San Francisco, CA 94105 DOCKET

08-AFC-9

DATE RECD. DEC 15 2010

RECD. DEC 22 2010

Re: Palmdale Hybrid Power Project ERCs from SJVAPCD

Dear Mr. Rios:

Thank you for your October 26, 2010 letter regarding the Final Determination of Compliance (FDOC) for the Palmdale Hybrid Power Project (PHPP). In your letter, you request additional information regarding whether or not NOx and VOC emission reduction credits (ERCs), created in the San Joaquin Valley Air Pollution Control District (SJVAPCD), and identified for use to offset PHPP emissions on an inter-district, inter-basin basis, will be RACT adjusted at the time of use. For the reasons set forth below, the Antelope Valley Air Quality Management District (District) does not believe that further adjustment of the subject ERCs is necessary.

As you point out in your letter, the SJVAPCD uses a tracking system to annually demonstrate that its New Source Review (NSR) program, including provisions related to emission offsets, is in the aggregate equivalent to federal non-attainment NSR requirements. Because the SJVAPCD NSR program has different offsetting requirements than federal requirements (more stringent in some areas and less stringent in others), EPA requires the SJVAPCD to demonstrate, on an annual basis, that the overall offsetting requirements are at least as stringent as the federal requirements. As part of this demonstration, the SJVAPCD tracks the ERCs in its NSR program, and makes an annual demonstration that the ERCs in the program are equivalent to both the amount of surplus ERCs, and the total amount of ERCs, which would be available under a federal NSR offsetting program.


The annual offset equivalency demonstration is required by Section 7 of SJVAPCD Rule 2201. Section 7 of Rule 2201 specifies the tracking and reporting actions involved with the annual equivalency demonstration and steps to be taken to correct any ERC shortfalls. This section also

http://www.valleyair.org/Board_meetings/GB/agenda_minutes/Agenda/2010/December/Final_GB%20Agenda_%20121610.pdf

PROOF OF SERVICE (REVISED 10/6/10) FILED WITH ORIGINAL MAILED FROM SACRAMENTO ON 12/22/10

TKG





¹ The SJVAPCD 2010 Equivalency Demonstration is available via the posted agenda for the SJVAPCD Dec. 16, 2010 Board meeting at:

details the required actions to be taken if an ERC shortfall were to occur. Rule 2201 has a self-implementing offset shortfall remedy procedure which entails following the federal offsetting requirements directly until the shortfall is eliminated.

Since SJVAPCD offsets are tracked, and if necessary adjusted, on a programmatic basis, there is no need to impose an additional RACT adjustment on any specific ERCs, including those that have been identified for use by the PHPP. The District does not see any basis for treating these ERCs differently in this respect from ERCs that might be used to offset emissions from projects located within the SJVAPCD. Of course, until such time as the subject ERCs are transferred from the SJVAPCD to the District, pursuant to procedures set forth in the California Health & Safety Code, they remain subject to any adjustment that might be imposed on a programmatic basis, just like any other SJVAPCD ERC. However, having been subject to the annual programmatic equivalency demonstration, including any RACT adjustment that might be imposed in connection with that demonstration, the District does not see any basis for conducting additional analysis, or imposing additional adjustments, on the subject ERCs.

Thank you for your attention to this matter. Please call me at (760) 245-1661 extension 6726 if you have any questions regarding this letter.

Sincerely,

Alan J. De Salvio

Supervising Air Quality Engineer

Cc: Manny Aquitania, USEPA Region IX

Mike Tollstrup, CARB Matthew Layton, CEC Felicia Miller, CEC

Tom Barnett, Inland Energy

Sara Head, AECOM

Mike Carroll, Latham & Watkins, LLP

AJD

SJVAPCD ERC Response.doc



BEFORE THE ENERGY RESOURCES CONSERVATION AND DEVELOPMENT COMMISSION OF THE STATE OF CALIFORNIA

1516 NINTH STREET, SACRAMENTO, CA 95814 1-800-822-6228 – www.ENERGY.CA.GOV

APPLICATION FOR CERTIFICATION For the PALMDALE HYBRID POWER PROJECT

Docket No. 08-AFC-9

PROOF OF SERVICE

(Revised 10/6/2010)

<u>APPLICANT</u>

Thomas M. Barnett
Executive Vice President
Inland Energy, Inc.
3501 Jamboree Road
South Tower, Suite 606
Newport Beach, CA 92660
tbarnett@inlandenergy.com

Antonio D. Penna Jr.
Vice President
Inland Energy
18570 Kamana Road
Apple Valley, CA 92307
tonypenna@inlandenergy.com

Laurie Lile Assistant City Manager City of Palmdale 38300 North Sierra Highway, Suite A Palmdale, CA 93550 Ilile@cityofpalmdale.org

APPLICANT'S CONSULTANTS

Sara J. Head, QEP Vice President AECOM Environment 1220 Avenida Acaso Camarillo, CA 93012 sara.head@aecom.com

COUNSEL FOR APPLICANT

Michael J. Carroll
Marc Campopiano
Latham & Watkins, LLP
650 Town Center Drive, Ste. 2000
Costa Mesa, CA 92626
michael.carroll@lw.com
marc.campopiano@lw.com

INTERESTED AGENCIES

Ronald E. Cleaves, Lt. Col, USAF Commander ASC Det 1 Air Force Plant 42 2503 East Avenue P Palmdale, CA 93550 Ronald.Cleaves@edwards.af.mil

Erinn Wilson Staff Environmental Scientist Department of Fish & Game 18627 Brookhurst Street, #559 Fountain Valley, CA 92708 E-mail preferred ewilson@dfg.ca.gov

Richard W. Booth, Sr. Geologist Lahontan Regional Water Quality Control Board 2501 Lake Tahoe Blvd. South Lake Tahoe, CA 96150-2306 rbooth@waterboards.ca.gov

Rick Buckingham
3310 El Camino Avenue, LL-90
State Water Project
Power & Risk Office
Sacramento, CA 95821
E-mail preferred
rbucking@water.ca.gov

Manuel Alvarez Southern California Edison 1201 K Street Sacramento, CA 95814 Manuel.Alvarez@sce.com Robert C. Neal, P.E. Public Works Director City of Lancaster 44933 Fern Avenue Lancaster, CA 93534-2461 rneal@cityoflancasterca.org

California ISO *E-mail Preferred*<u>e-recipient@caiso.com</u>

Robert J. Tucker Southern California Edison 1 Innovation Drive Pomona, CA 91768 Robert.Tucker@sce.com

Christian Anderson
Air Quality Engineer
Antelope Valley AQMD
43301 Division St, Suite 206
Lancaster, CA 93535
E-mail preferred
canderson@avaqmd.ca.gov

Keith Roderick
Air Resources Engineer
Energy Section/Stationary Sources
California Air Resources Board
P.O. Box 2815
Sacramento, California 95812
E-mail preferred
kroderic@arb.ca.gov

ENERGY COMMISSION

JEFFREY D. BYRON Commissioner and Presiding Member <u>jbyron@energy.state.ca.us</u>

ANTHONY EGGERT Commissioner and Associate Member aeggert@energy.state.ca.us

*Ken Celli Hearing Officer kcelli@energy.state.ca.us

Kristy Chew Advisor to Commissioner Byron *E-mail preferred* kchew@energy.state.ca.us

Lorraine White Advisor to Commissioner Eggert *E-mail preferred* <u>lwhite@energy.state.ca.us</u>

Felicia Miller Project Manager fmiller@energy.state.ca.us

Lisa DeCarlo Staff Counsel Idecarlo@energy.state.ca.us

Jennifer Jennings
Public Adviser *E-mail Preferred*publicadviser@energy.state.ca.us

DECLARATION OF SERVICE

I, Teraja` Golston, declare that on, December 22, 2010, I served and filed copies of the attached (08-AFC-9) Palmdale - Antelope Valley AQMD Comments on ERC's. The original document, filed with the Docket Unit, is accompanied by a copy of the most recent Proof of Service list, located on the web page for this project at: [http://www.energy.ca.gov/sitingcases/palmdale/index.html]. The document has been sent to both the other parties in this proceeding (as shown on the Proof of Service list) and to the Commission's Docket Unit, in the following manner:

(Check all that Apply)	
For serv	ice to all other parties:
X	sent electronically to all email addresses on the Proof of Service list;
	by personal delivery;
	by delivering on this date, for mailing with the United States Postal Service with first-class postage thereon fully prepaid, to the name and address of the person served, for mailing that same day in the ordinary course of business; that the envelope was sealed and placed for collection and mailing on that date to those addresses NOT marked "email preferred."
AND	
For filing	g with the Energy Commission:
	nding an original paper copy and one electronic copy, mailed and emailed respectively, to the address below referred method);
<i>OR</i> depo	ositing in the mail an original and 12 paper copies, as follows:
	CALIFORNIA ENERGY COMMISSION Attn: Docket No. 08-AFC-9 1516 Ninth Street, MS-4 Sacramento, CA 95814-5512 docket@energy.state.ca.us
	under penalty of perjury that the foregoing is true and correct, that I am employed in the county where this occurred, and that I am over the age of 18 years and not a party to the proceeding.

Original Signature in Dockets

Teraja` Golston