

ATTORNEYS AT LAW

SOO Capitol Mall. Suite 1600 Sacramento, California 95814 main 916 447.0700 fax 916 447 4781 win 5toel.com

MELISSA A. FOSTER Direct (916) 319-4673 mafoster@stoel.com

VIA EMAIL

October 14, 2011

Mr. Eric Solorio, Siting Project Manager California Energy Commission 1516 Ninth Street Sacramento, CA 95814 DOCKET

11-AFC-1

DATE OCT 14 2011

RECD. OCT 14 2011

Re:Pio Pico Energy Center Project (11-AFC-01)

Traffic and Transportation: Responses to Kristin Ford's October 11, 2011 Inquiry

Dear Mr. Solorio:

On behalf of Applicant Pio Pico Energy Center, LLC, please find enclosed herein Applicant's response to Kristin Ford's October 11, 2011 informal data request relating to the number of truck deliveries of aqueous ammonia to the plant site during plant operations.

Should you have any questions relating to this response, please do not hesitate to contact Maggie Fitzgerald or me.

Very truly yours,

Melissa A. Foster

MAF:jmw

cc: See Proof of Service

PIO PICO ENERGY CENTER PROJECT 11-AFC-01

SUPPLEMENTAL RESPONSES TO TRAFFIC & TRANSPORTATION DATA REQUESTS RESPONSES TO EMAIL CORRESPONDENCE FROM CEC STAFF KRISTIN FORD REQUEST DATED OCTOBER 11, 2011

1. CEC Data Request from Kristen Ford, dated October 11, 2011

I need your help in determining how many truck deliveries of Aqueous ammonia there will be during operation and at what frequency. Please feel free to contact me if I can provide you additional information.

Response:

Each unit uses 0.4 gallons per minute (gpm) of ammonia at full load output, for a total maximum of 1,728 gallons per day (gpd) for all three units. PPEC will operate a maximum of 4,000 hours per year, therefore the plant will require a maximum of 288,000 gallons per year (gpy) of ammonia. Thus, 288,000 gallons per year divided by 6,000 gallons per truck equals 48 trucks per year (or 0.132 truck trips per day on average). This equates to one truck trip approximately every 7.5 days.

If PPEC ran at full capacity 24 hours per day, 7 days per week, one truck trip every 3.5 days would be required.

BEFORE THE ENERGY RESOURCES CONSERVATION AND DEVELOPMENT COMMISSION OF THE STATE OF CALIFORNIA 1516 NINTH STREET, SACRAMENTO, CA 95814 1-800-822-6228—www.energy.ca.gov

APPLICATION FOR CERTIFICATION FOR THE *PIO PICO ENERGY CENTER, LLC* Docket No. 11-AFC-1 PROOF OF SERVICE (Revised 5/15111)

Pio Pico Energy Center, LLC

Letter to Eric Solorio, Siting Project Manager, California Energy Commission, dated October 14, 2011 re Traffic and Transportation: Responses to Kristin Ford's October 11, 2011 Inquiry

APPLICANT

Gary Chandler, President Pio Pico Energy Center P.O. Box 95592 South Jordan, UT 84095 crchandler0,apexpowerciroup.com

David Jenkins, Project Manager Pio Pico Energy Center, LLC 1293 E. Jessup Way Mooresville, IN 46158 dienkins(a,apexpowergroup.com

APPLICANT'S CONSULTANTS

Maggie Fitzgerald, Project Manager URS Corporation 2020 East 1st Street, Suite 400 Santa Ana, CA 92705 maggie fitzgerald@urscorp.com

COUNSEL FOR APPLICANT

John A. McKinsey
Melissa A. Foster
Stoel Rives, LLP
500 Capitol Mall, Suite 1600
Sacramento, CA 95814
jamckinseNastoel.com
mafosterstoel.com

INTERESTED AGENCIES

California ISO E-mail Preferred e-recipient

ENERGY COMMISSION

CARLA PETERMAN
Commissioner and Presiding Member
cpeterma@enemy.state.ca.us

Jim Bartridge
Adviser to Commissioner Peterman
ibartrid enerostate.ca.us

KAREN DOUGLAS Commissioner and Associate Member kldougla(a.enercly.state.ca.us

Galen Lemei Adviser to Commissioner Douglas <u>q lemea,enerciy.state.ca. us</u>

Raoul Renaud Hearing Officer rrenaud energy.state.ca.us

Eric Solorio
Siting Project Manager
<u>esolorio</u> <u>enerciy.state.ca.us</u>

Kevin W. Bell Staff Counsel kwbeWenerov.state.ca.us

Jennifer Jennings
Public Adviser
E-mail preferred
publicadviser energy.state.ca.us

DECLARATION OF SERVICE

I, Judith M. Warmuth, declare that on October 14, 2011, I deposited copies of the aforementioned document and, if applicable, a disc containing the aforementioned document in the United States mail at 500 Capitol Mall, Suite 1600, Sacramento, California 95814, with first-class postage thereon fully prepaid and addressed to those identified on the Proof of Service list above.

AND/OR

Transmission via electronic mail, personal delivery and first class U.S. mail were consistent with the requirements of California Code of Regulations, Title 20, sections 1209, 1209.5, and 1210. All electronic copies were sent to all those identified on the Proof of Service list above.

correct.

www. Kcet

I declare under penalty of perjury that the foregoing is

2