

ANSI A118.10—99 Specifications for Load Bearing, Bonded, Waterproof Membranes for Thin Set Ceramic Tile and Dimension Stone Installation

ANSI Z4.3—95 Minimum Requirements for Nonsewered Waste-disposal Systems

ANSI Z21.22—99 (R2003) Relief Valves for Hot Water Supply Systems with Addenda

ANSI Z21.22a-2000 (R2003) and Z21.22b-2001 (R2003)

ANSI Z124.1.2—2005 Plastic Bathtub Units and Shower Units

ANSI Z124.3—95 Plastic Lavatories

ANSI Z124.4—96 Plastic Water Closet Bowls and Tanks

ANSI Z124.6—97 Plastic Sinks

ANSI Z124.9—94 Plastic Urinal Fixtures

AHRI 1010—02 Self-contained, Mechanically Refrigerated Drinking-Water Coolers

ASME A112.1.2—2004 Air Gaps in Plumbing Systems

ASME A112.1.3—2000 (Reaffirmed 2005) Air Gap Fittings for Use with Plumbing Fixtures, Appliances and Appurtenances

ASME A112.3.1—2007 Stainless Steel Drainage Systems for Sanitary, DWV, Storm and Vacuum Applications Above and Below Ground

ASME A112.3.4—2000 (Reaffirmed 2004) Macerating Toilet Systems and Related Components

ASME A112.4.1—1993 (R2002) Water Heater Relief Valve Drain Tubes

ASME A112.4.2—2003(R2008) Water Closet Personal Hygiene Devices

ASME A112.4.3—1999 (Reaffirmed 2004) Plastic Fittings for Connecting Water Closets to the Sanitary Drainage System

ASME A112.6.1M—1997 (R2002) Floor-affixed Supports for Off-the-floor Plumbing Fixtures for Public Use

ASME A112.6.2—2000 (Reaffirmed 2004) Framing-affixed Supports for Off-the-floor Water Closets with Concealed Tanks

ASME A112.6.3—2001 (Reaffirmed 2007) Floor and Trench Drains

ASME A112.6.4—2003 (R2008) Roof, Deck, and Balcony Drains

ASME A112.6.7—2001 (Reaffirmed 2007) Enameled and Epoxy-coated Cast-iron and PVC Plastic Sanitary Floor Sinks

ASME A112.6.9—05 Siphonic Roof Drains

ASME A112.14.1—2003 Backwater Valves

ASME A112.14.3—2000 Grease Interceptors

ASME A112.14.4—2001 (Reaffirmed 2007) Grease Removal Devices

ASME A112.18.1—2005/ CSA B125.1—2005 Plumbing Supply Fittings

ASME A112.18.2—2005/ CSA B125.1—2010 Plumbing Waste Fittings with 2007 and 2008 Supplements

ASME A112.18.3—2002 (Reaffirmed 2008) Performance Requirements for Backflow Protection Devices and Systems in Plumbing Fixture Fittings

ASME A112.18.6/ CSA B125.6—2010 Flexible Water Connectors

ASME A112.18.7—1999 (Reaffirmed 2004) Deck mounted Bath/Shower Transfer Valves with Integral Backflow Protection

ASME A112.19.1M/ CSA B45.2—2008 Enameled Cast Iron and Enameled Steel Plumbing Fixtures

ASME A112.19.2—2008/ CSA B45.1—08 Ceramic Plumbing Fixtures

ASME A112.19.3M—2008/ CSA B45.4—08 Stainless Steel Plumbing Fixtures

ASME A112.19.5/ CSA B45.15—2009 Trim for Water-closet Bowls, Tanks and Urinals

ASME A112.19.7M/ CSA B45.10—2009 Hydromassage Bathtub Appliances

ASME A112.19.9M—1991 (R2002) Nonvitreous Ceramic Plumbing Fixtures with 2002 Supplement

ASME A112.19.12—2006 Wall Mounted and Pedestal Mounted, Adjustable, Elevating, Tilting and Pivoting Lavatory, Sink and Shampoo Bowl Carrier Systems and Drain Systems

ASME A112.19.15—2005 Bathtub/Whirlpool Bathtubs with Pressure Sealed Doors

ASME A112.19.19—2006 Vitreous China Nonwater Urinals

ASME A112.36.2M—1991 (R2008) Cleanouts

ASME B 1.20.1—1983(R2006) Pipe Threads, General Purpose (inch)

ASME B 16.3—2006 Malleable Iron Threaded Fittings Classes 150 and 300

ASME B 16.4—2006 Gray Iron Threaded Fittings Classes 125 and 250

ASME B 16.9—2007 Factory-made Wrought Steel Buttwelding Fittings

ASME B 16.11—2005 Forged Fittings, Socket-welding and Threaded

California Energy Commission

**DOCKETED
12-AAER-2C**

TN 71270

JUN 13 2013

ASME B16.12—1998 (Reaffirmed 2006) Cast-iron Threaded Drainage Fittings
ASME B16.15—2006 Cast Bronze Threaded Fittings
ASME B 16.18—2001 (Reaffirmed 2005) Cast Copper Alloy Solder Joint Pressure Fittings
ASME B16.22—2001 (Reaffirmed 2005) Wrought Copper and Copper Alloy Solder Joint Pressure Fittings
ASME B16.23—2002 (Reaffirmed 2006) Cast Copper Alloy Solder Joint Drainage Fittings DWV
ASME B 16.26—2006 Cast Copper Alloy Fittings for Flared Copper Tubes
ASME B 16.28—1994 Wrought Steel Buttwelding Short Radius Elbows and Returns
ASME B 16.29—2007 Wrought Copper and Wrought Copper Alloy Solder Joint Drainage Fittings (DWV)
ASPE 45—2007 Siphonic Roof Drainage Systems
ASSE 1001—08 Performance Requirements for Atmospheric Type Vacuum Breakers
ASSE 1002—08 Performance Requirements for Antisiphon Fill Valves (Ballcocks) for Gravity Water Closet Flush Tanks
ASSE 1003—09 Performance Requirements for Water Pressure Reducing Valves
ASSE 1004—08 Performance Requirements for Backflow Prevention Requirements for Commercial Dishwashing Machines
ASSE 1005—99 Performance Requirements for Water Heater Drain Valves
ASSE 1008—06 Performance Requirements for Plumbing Aspects of Food Waste Disposer Units
ASSE 1010—04 Performance Requirements for Water Hammer Arresters
ASSE 1011—04 Performance Requirements for Hose Connection Vacuum Breakers
ASSE 1012—09 Performance Requirements for Backflow Preventers with Intermediate Atmospheric Vent
ASSE 1013—09 Performance Requirements for Reduced Pressure Principle Backflow Preventers and Reduced Pressure Principle Fire Protection Backflow Preventers
ASSE 1015—09 Performance Requirements for Double Check Backflow Prevention Assemblies and Double Check Fire Protection Backflow Prevention Assemblies
ASSE 1016—2010 Performance Requirements for Individual Thermostatic, Pressure Balancing and Combination Control Valves for Individual Fixture Fittings
ASSE 1017—2010 Performance Requirements for Temperature Actuated Mixing Valves for Hot Water Distribution Systems
ASSE 1018—2010 Performance Requirements for Trap Seal Primer Valves; Potable Water Supplied
ASSE 1019—2010 Performance Requirements for Vacuum Breaker Wall Hydrants, Freeze Resistant, Automatic Draining Type
ASSE 1020—04 Performance Requirements for Pressure Vacuum Breaker Assembly
ASSE 1022—03 Performance Requirements for Backflow Preventer for Beverage Dispensing Equipment.
ASSE 1024—04 Performance Requirements for Dual Check Valve Type Backflow Preventers (for Residential Supply Service or Individual Outlets).
ASSE 1035—08 Performance Requirements for Laboratory Faucet Backflow Preventers
ASSE 1037—90 Performance Requirements for Pressurized Flushing Devices for Plumbing Fixtures
ASSE 1044—2010 Performance Requirements for Trap Seal Primer Devices Drainage Types and Electronic Design Types
ASSE 1047—2009 Performance Requirements for Reduced Pressure Detector Fire Protection Backflow Prevention Assemblies
ASSE 1048—2009 Performance Requirements for Double Check Detector Fire Protection Backflow Prevention Assemblies
ASSE 1049—2009 Performance Requirements for Individual and Branch Type Air Admittance Valves for Chemical Waste Systems
ASSE 1050—2009 Performance Requirements for Stack Air Admittance Valves for Sanitary Drainage Systems
ASSE 1051—2009 Performance Requirements for Individual and Branch Type Air Admittance Valves for Sanitary Drainage Systems-fixture and Branch Devices
ASSE 1052—04 Performance Requirements for Hose Connection Backflow Preventers
ASSE 1055—2009 Performance Requirements for Chemical Dispensing Systems
ASSE 1056—2010 Performance Requirements for Spill Resistant Vacuum Breaker
ASSE 1060—2006 Performance Requirements for Outdoor Enclosures for Fluid Conveying Components
ASSE 1061—2010 Performance Requirements for Removable and Nonremovable Push Fit Fittings Table
ASSE 1062—2006 Performance Requirements for Temperature Actuated, Flow Reduction Valves to Individual Fixture Fittings

ASSE 1066—97 Performance Requirements for Individual Pressure Balancing In-line Valves for Individual Fixture Fittings

ASSE 1069—05 Performance Requirements for Automatic Temperature Control Mixing Valves

ASSE 1070—04 Performance Requirements for Water-temperature Limiting Devices

ASSE 1079—2005 Performance Requirements for Dielectric Pipe Unions

ASSE 5013—2009 Performance Requirements for Testing Reduced Pressure Principle Backflow Prevention Assembly (RPA) and Reduced Pressure Fire Protection Backflow Preventers (RFP)

ASSE 5015—2009 Performance Requirements for Testing Double Check Valve Backflow Prevention Assemblies (DC) and Double Check Fire Protection Backflow Prevention Assemblies (DCF)

ASSE 5020—2009 Performance Requirements for Testing Pressure Vacuum Breaker Assemblies (PVBA)

ASSE 5047—98 Performance Requirements for Testing Reduced Pressure Detector Fire Protection Backflow Prevention Assemblies (RPDA)

ASSE 5048—2009 Performance Requirements for Testing Double Check Valve Detector Assembly (DCDA)

ASSE 5052—98 Performance Requirements for Testing Hose Connection Backflow Preventers

ASSE 5056—98 Performance Requirements for Testing Spill Resistant Vacuum Breaker (SRVB)

ASTM A 53/A 53M—07 Specification for Pipe, Steel, Black and Hot-dipped, Zinc-coated Welded and Seamless

ASTM A 74—09 Specification for Cast-iron Soil Pipe and Fittings

ASTM A 312/A 312M—08a Specification for Seamless and Welded, And Heavily Cold Worked Austenitic Stainless Steel Pipes

ASTM A 733—03 Specification for Welded and Seamless Carbon Steel and Austenitic Stainless Steel Pipe Nipples

ASTM A 778—01 Specification for Welded Unannealed Austenitic Stainless Steel Tubular Products

ASTM A 888—09 Specification for Hubless Cast-iron Soil Pipe and Fittings for Sanitary and Storm Drain, Waste, and Vent Piping Application

ASTM B 32—08 Specification for Solder Metal

ASTM B 42—02e01 Specification for Seamless Copper Pipe, Standard Sizes

ASTM B 43—98(2004) Specification for Seamless Red Brass Pipe, Standard Sizes

ASTM B 75—02 Specification for Seamless Copper Tube

ASTM B 88—03 Specification for Seamless Copper Water Tube

ASTM B 152/B 152M—06a Specification for Copper Sheet, Strip Plate and Rolled Bar

ASTM B 251—02e01 Specification for General Requirements for Wrought Seamless Copper and Copper-alloy Tube

ASTM B 302—07 Specification for Threadless Copper Pipe, Standard Sizes Table 605.3, Table 605.4, Table 702.1

ASTM B 306—09 Specification for Copper Drainage Tube (DWV) Table 702.1, Table 702.2, Table 1102.4

ASTM B 447—07 Specification for Welded Copper Tube Table 605.3, Table 605.4

ASTM B 687—99(2005)e01 Specification for Brass, Copper and Chromium-plated Pipe Nipples Table 605.8

ASTM B 813—00(2009) Specification for Liquid and Paste Fluxes for Soldering of Copper and Copper Alloy Tube

ASTM B 828—02 Practice for Making Capillary Joints by Soldering of Copper and Copper Alloy Tube and Fittings

ASTM C 4—04e01 Specification for Clay Drain Tile and Perforated Clay Drain Tile

ASTM C 14—07 Specification for Nonreinforced Concrete Sewer, Storm Drain and Culvert Pipe

ASTM C 76—08a Specification for Reinforced Concrete Culvert, Storm Drain and Sewer Pipe

ASTM C 296—00(2004) Specification for Asbestos-cement Pressure Pipe

ASTM C 425—04 Specification for Compression Joints for Vitrified Clay Pipe and Fittings 705.15, 705.19

ASTM C 428—05(2006) Specification for Asbestos-cement Nonpressure Sewer Pipe Table 702.2, Table 702.3, Table 702.4, Table 1102.4

ASTM C 443—05a Specification for Joints for Concrete Pipe and Manholes, Using Rubber Gaskets 705.6, 705.19

ASTM C 508—00(2004) Specification for Asbestos-cement Underdrain Pipe

ASTM C 564—08 Specification for Rubber Gaskets for Cast-iron Soil Pipe and Fittings

ASTM C 700—07a Specification for Vitrified Clay Pipe, Extra Strength, Standard Strength, and Perforated

ASTM C 1053—00(2005) Specification for Borosilicate Glass Pipe and Fittings for Drain, Waste, and Vent (DWV) Applications

ASTM C 1173—08 Specification for Flexible Transition Couplings for Underground Piping System

ASTM C 1277—08 Specification for Shielded Coupling Joining Hubless Cast-iron Soil Pipe and Fittings

ASTM C 1440—08 Specification for Thermoplastic Elastomeric (TPE) Gasket Materials for Drain, Waste, and Vent (DWV), Sewer, Sanitary and Storm Plumbing Systems

ASTM C 1460—08 Specification for Shielded Transition Couplings for Use with Dissimilar DWV Pipe and Fittings Above Ground

ASTM C 1461—06 Specification for Mechanical Couplings Using Thermoplastic Elastomeric (TPE) Gaskets for Joining Drain, Waste and Vent (DWV) Sewer, Sanitary and Storm Plumbing Systems for Above and Below Ground Use

ASTM C 1540—08 Specification for Heavy Duty Shielded Couplings Joining Hubless Cast-iron Soil Pipe and Fittings

ASTM C 1563—08 Standard Test Method for Gaskets for Use in Connection with Hub and Spigot Cast Iron Soil Pipe and Fittings for Sanitary Drain, Waste, Vent and Storm Piping Applications

ASTM D 1527—99(2005) Specification for Acrylonitrile-Butadiene-Styrene (ABS) Plastic Pipe, Schedules 40 and 80

ASTM D 1785—06 Specification for Poly (Vinyl Chloride) (PVC) Plastic Pipe, Schedules 40, 80 and 120

ASTM D 1869—95(2005)e1 Specification for Rubber Rings for Asbestos-cement Pipe

ASTM D 2235—04 Specification for Solvent Cement for Acrylonitrile-Butadiene-Styrene (ABS) Plastic Pipe and Fittings

ASTM D 2239—03 Specification for Polyethylene (PE) Plastic Pipe (SDR-PR) Based on Controlled Inside Diameter

ASTM D 2241—05 Specification for Poly (Vinyl Chloride) (PVC) Pressure-rated Pipe (SDR-Series)

ASTM D 2282—99e01(2005) Specification for Acrylonitrile-Butadiene-Styrene (ABS) Plastic Pipe (SDR-PR)

ASTM D 2464—06 Specification for Threaded Poly (Vinyl Chloride) (PVC) Plastic Pipe Fittings, Schedule 80

ASTM D 2466—06 Specification for Poly (Vinyl Chloride) (PVC) Plastic Pipe Fittings, Schedule 40

ASTM D 2467—06 Specification for Poly (Vinyl Chloride) (PVC) Plastic Pipe Fittings, Schedule 80

ASTM D 2468—96a Specification for Acrylonitrile-Butadiene-Styrene (ABS) Plastic Pipe Fittings, Schedule 40

ASTM D 2564—04e01 Specification for Solvent Cements for Poly (Vinyl Chloride) (PVC) Plastic Piping Systems

ASTM D 2609—02(2008) Specification for Plastic Insert Fittings for Polyethylene (PE) Plastic Pipe

ASTM D 2657—07 Practice for Heat Fusion-joining of Polyolefin Pipe and Fitting Waste, and Vent Pipe and Fittings

ASTM D 2661—08 Specification for Acrylonitrile-Butadiene-Styrene (ABS) Schedule 40 Plastic Drain, Waste, and Vent Pipe and Fittings

ASTM D 2665—09 Specification for Poly (Vinyl Chloride) (PVC) Plastic Drain, Waste, and Vent Pipe and Fittings

ASTM D 2672—96a(2003) Specification for Joints for IPS PVC Pipe Using Solvent Cement

ASTM D 2683—04 Standard Specification for Socket-type Polyethylene fittings for Outside Diameter-controlled Polyethylene Pipe and Tubing

ASTM D 2729—03 Specification for Poly (Vinyl Chloride) (PVC) Sewer Pipe and Fittings

ASTM D 2737—03 Specification for Polyethylene (PE) Plastic Tubing

ASTM D 2751—05 Specification for Acrylonitrile-Butadiene-Styrene (ABS) Sewer Pipe and Fittings

ASTM D 2846/D 2846M—09 Specification for Chlorinated Poly (Vinyl Chloride) (CPVC) Plastic Hot and Cold Water Distribution Systems

ASTM D 2855—96(2002) Standard Practice for Making Solvent-cemented Joints with Poly (Vinyl Chloride) (PVC) Pipe and Fittings

ASTM D 2949—01a(2008) Specification for 3.25-in Outside Diameter Poly (Vinyl Chloride) (PVC) Plastic Drain, Waste, and Vent Pipe and Fittings

ASTM D 3034—08 Specification for Type PSM Poly (Vinyl Chloride) (PVC) Sewer Pipe and Fittings

ASTM D 3035-08 Standard Specification for Polyethylene (PE) Plastic Pipe (DR-PR) Based on Controlled Outside Diameter

ASTM D 3139—98(2005) Specification for Joints for Plastic Pressure Pipes Using Flexible Elastomeric Seals

ASTM D 3212—07 Specification for Joints for Drain and Sewer Plastic Pipes Using Flexible Elastomeric Seals

ASTM D 3261—03 Specification for Butt Heat Fusion Polyethylene (PE) Plastic fittings for Polyethylene (PE) Plastic Pipe and Tubing

ASTM D 3311—08 Specification for Drain, Waste and Vent (DWV) Plastic Fittings Patterns

ASTM D 4068—01 Specification for Chlorinated Polyethylene (CPE) Sheeting for Concealed Water-containment Membrane

ASTM D 4551—96(2008)e1 Specification for Poly (Vinyl Chloride) (PVC) Plastic Flexible Concealed Water-containment Membrane

ASTM F 405—05 Specification for Corrugated Polyethylene (PE) Pipe and Fittings

ASTM F 409—02(2008) Specification for Thermoplastic Accessible and Replaceable Plastic Tube and Tubular Fittings

ASTM F 437—06 Specification for Threaded Chlorinated Poly (Vinyl Chloride) (CPVC) Plastic Pipe Fittings, Schedule 80

ASTM F 438—04 Specification for Socket-type Chlorinated Poly (Vinyl Chloride) (CPVC) Plastic Pipe Fittings, Schedule 40

ASTM F 439—06 Standard Specification for Chlorinated Poly (Vinyl Chloride) (CPVC) Plastic Pipe Fittings, Schedule 80

ASTM F 441/F 441M—02(2008) Specification for Chlorinated Poly (Vinyl Chloride) (CPVC) Plastic Pipe, Schedules 40 and 80

ASTM F 442/F 442M—99(2005)e1 Specification for Chlorinated Poly (Vinyl Chloride) (CPVC) Plastic Pipe (SDR-PR)

ASTM F 477—08 Specification for Elastomeric Seals (Gaskets) for Joining Plastic Pipe

ASTM F 493—04 Specification for Solvent Cements for Chlorinated Poly (Vinyl Chloride) (CPVC) Plastic Pipe and Fittings

ASTM F 628—08 Specification for Acrylonitrile-Butadiene-Styrene (ABS) Schedule 40 Plastic Drain, Waste, and Vent Pipe with a Cellular Core

ASTM F 656—08 Specification for Primers for Use in Solvent Cement Joints of Poly (Vinyl Chloride) (PVC) Plastic Pipe and Fittings

ASTM F 714—08 Specification for Polyethylene (PE) Plastic Pipe (SDR-PR) Based on Outside Diameter

ASTM F 876—08b Specification for Cross-linked Polyethylene (PEX) Tubing

ASTM F 877—07 Specification for Cross-linked Polyethylene (PEX) Plastic Hot and Cold Water Distribution Systems

ASTM F 891—07 Specification for Coextruded Poly (Vinyl Chloride) (PVC) Plastic Pipe with a Cellular Core

ASTM F 1055—98(2006) Standard Specification for Electrofusion Type Polyethylene Fittings for Outside Diameter Controlled Polyethylene Pipe and Tubing

ASTM F 1281—07 Specification for Cross-linked Polyethylene/Aluminum/ Cross-linked Polyethylene (PEX-AL-PEX) Pressure Pipe

ASTM F 1282—06 Specification for Polyethylene/Aluminum/Polyethylene (PE-AL-PE) Composite Pressure Pipe

ASTM F 1412—09 Specification for Polyolefin Pipe and Fittings for Corrosive Waste Drainage

ASTM F 1488—03 Specification for Coextruded Composite Pipe

ASTM F 1673—04 Polyvinylidene Fluoride (PVDF) Corrosive Waste Drainage Systems

ASTM F 1807—08 Specification for Metal Insert Fittings Utilizing a Copper Crimp Ring for SDR9 Cross-linked Polyethylene (PEX) Tubing

ASTM F 1866—07 Specification for Poly (Vinyl Chloride) (PVC) Plastic Schedule 40 Drainage and DWV Fabricated Fittings

ASTM F 1960—09 Specification for Cold Expansion Fittings with PEX Reinforcing Rings for use with Cross-linked Polyethylene (PEX) Tubing

ASTM F 1974—08 Specification for Metal Insert Fittings for Polyethylene/Aluminum/Polyethylene and Cross-linked Polyethylene/Aluminum/Cross-linked Polyethylene Composite Pressure Pipe

ASTM F 1986—01(2006) Specification for Multilayer Pipe, Type 2, Compression Fittings and Compression Joints for Hot and Cold Drinking Water Systems

ASTM F 2080—08 Specifications for Cold-expansion Fittings with Metal Compression-sleeves for Cross-linked Polyethylene (PEX) Pipe

ASTM F 2098—08 Standard specification for Stainless Steel Clamps for Securing SDR9 Cross-linked Polyethylene (PEX) Tubing to Metal Insert Fittings

ASTM F 2159—05 Specification for Plastic Insert Fittings Utilizing a Copper Crimp Ring for SDR9 Cross-linked Polyethylene (PEX) Tubing

ASTM F 2262—05 Specification for Cross-linked Polyethylene/Aluminum/Cross-linked Polyethylene Tubing OD Controlled SDR9

ASTM F 2306/F 2306M—08 12" to 60" Annular Corrugated Profile-wall Polyethylene (PE) Pipe and Fittings for Gravity Flow Storm Sewer and Subsurface Drainage Applications

ASTM F 2389—07e1 Specification for Pressure-rated Polypropylene (PP) Piping Systems

ASTM F 2434—08 Standard Specification for Metal Insert Fittings Utilizing a Copper Crimp Ring for SDR9 Cross-linked Polyethylene (PEX) Tubing and SDR9 Cross-linked Polyethylene/Aluminum/ Cross-linked Polyethylene (PEX AL-PEX) Tubing

ASTM F 2735—09 Standard Specification for SDR9 Cross-linked Polyethylene (PEX) and Raised Temperature (PE-RT) Tubing

ASTM F 2769—09 Polyethylene or Raised Temperature (PE-RT) Plastic Hot and Cold Water Tubing and Distribution Systems

AWS A5.8—04 Specifications for Filler Metals for Brazing and Braze Welding

AWWA C104—98 Standard for Cement-mortar Lining for Ductile-iron Pipe and Fittings for Water

AWWA C110—/A21.10—03 Standard for Ductile-iron and Gray-iron Fittings, 3 Inches through 48 Inches, for Water

AWWA C111—00 Standard for Rubber-gasket Joints for Ductile-iron Pressure Pipe and Fittings

AWWA C115/A21.15—99 Standard for Flanged Ductile-iron Pipe with Ductile-iron or Gray-iron Threaded Flanges
AWWA C151/A21.51—02 Standard for Ductile-iron Pipe, Centrifugally Cast for Water
AWWA C153—00/A21.53—00 Standard for Ductile-iron Compact Fittings for Water Service
AWWA C510—00 Double Check Valve Backflow Prevention Assembly
AWWA C511—00 Reduced-pressure Principle Backflow Prevention Assembly
AWWA C651—99 Disinfecting Water Mains
AWWA C652—02 Disinfection of Water-storage Facilities
AWWA C901—08 Polyethylene (PE) Pressure Pipe and Tubing 1/2 inch (13 mm) Through 3 inch (76 mm) for Water Service
AWWA C904—08 Cross-linked Polyethylene (PEX) Pressure Pipe 1/2 inch (13 mm) Through 3 inch (76 mm) for Water Service
CISPI 301—04a Specification for Hubless Cast-iron Soil Pipe and Fittings for Sanitary and Storm Drain, Waste and Vent Piping Applications
CISPI 310—04 Specification for Coupling for Use in Connection with Hubless Cast-iron Soil Pipe and Fittings for Sanitary and Storm Drain, Waste and Vent Piping Applications
CSA A257.1M—92 Circular Concrete Culvert, Storm Drain, Sewer Pipe and Fittings
CSA A257.2M—92 Reinforced Circular Concrete Culvert, Storm Drain, Sewer Pipe and Fittings
CSA A257.3M—92 Joints for Circular Concrete Sewer and Culvert Pipe, Manhole Sections and Fittings Using Rubber Gaskets
ASME A112.18.1/ CSA B125.1—05 Plumbing Supply Fittings
ASME A112.18.2/ CSA B125.2—05 Plumbing Waste Fittings
ASME A112.9.2/CSA B45.1—08 Ceramic Plumbing Fixtures
ASME A112.19.1/ CSA B45.2—08 Enameled Cast-iron and Enameled Steel Plumbing Fixtures ASME A112.19.3/
CSA B45.4—08 Stainless-steel Plumbing Fixtures
ASME A112.19.5/ CSA B45.15—09 Trim for Water Closet Bowls and Tanks
ASME A112.19.7/ CSA B45.10—09 Hydromassage Bathtub Appliances
CSA B45.5—02(R2008) Plastic Plumbing Fixtures
CSA B45.9—99(R2008) Macerating Systems and Related Components
CSA B64.1.1—01 Vacuum Breakers, Atmospheric Type (AVB)
CSA B64.1.2—07 Pressure Vacuum Breakers, (PVB)
CSA B64.1.3—07 Spill Resistant Pressure Vacuum Breaks (SRPVB)
CSA B64.2—01 Vacuum Breakers, Hose Connection Type (HCVB)
CSA B64.2.1—07 Vacuum Breakers, Hose Connection (HCVB) with Manual Draining Feature
CSA B64.2.1.1—07 Hose Connection Dual Check Vacuum Breakers, (HCDVB)
CSA B64.2.2—01 Vacuum Breakers, Hose Connection Type (HCVB) with Automatic Draining Feature
CSA B64.3—01 Backflow Preventers, Dual Check Valve Type with Atmospheric Port (DCAP)
CSA B64.4—01 Backflow Preventers, Reduced Pressure Principle Type (RP)
CSA B64.4.1—07 Reduced Pressure Principle for Fire Sprinklers (RPF)
CSA B64.5—07 Double Check Backflow Preventers (DCVA)
CSA B64.5.1—07 Double Check Valve Backflow Preventer for Fire Systems (DCVAF)
CSA B64.6—07 Dual Check Backflow Preventers Valve (DuC)
CSA B64.7—07 Laboratory Faucet Vacuum Breakers (LFVB)
CSA B64.10—07 Manual for the Selection and Installation of Backflow Prevention Devices
CSA B64.10—01 Manual for the Selection, Installation, Maintenance and Field Testing of Backflow Prevention Devices
CSA B79—08 Commercial and Residential Drains, and Cleanouts
CSA B125.3—2005 Plumbing Fittings
CSA B137.1—05 Polyethylene (PE) Pipe, Tubing and Fittings for Cold Water Pressure Services
CSA B137.2—05 Polyvinylchloride PVC Injection-moulded Gasketed Fittings for Pressure Applications
CSA B137.3—05 Rigid Poly (Vinyl Chloride) (PVC) Pipe for Pressure Applications
CSA B137.5—05 Cross-linked Polyethylene (PEX) Tubing Systems for Pressure Applications
CSA B137.6—05 CPVC Pipe, Tubing and Fittings for Hot and Cold Water Distribution Systems
CSA B137.9—02 Polyethylene/Aluminum/Polyethylene Composite Pressure Pipe Systems

CSA B137.10M—02 Cross-linked Polyethylene/Aluminum/Polyethylene Composite Pressure Pipe Systems
CSA B137.11—05 Polypropylene (PP-R) Pipe and Fittings for Pressure Applications
CSA B181.1—06 Acrylonitrile-butadiene-styrene ABS Drain, Waste and Vent Pipe and Pipe Fittings
CSA B 181.2—06 Polyvinylchloride PVC and chlorinated polyvinylchloride (CPVC) Drain, Waste, and Vent Pipe and Pipe Fittings
CSA B181.3—02 Polyolefin Laboratory Drainage Systems
CSA B182.1—06 Plastic Drain and Sewer Pipe and Pipe Fittings
CSA B182.2—06 PSM Type Polyvinylchloride PVC Sewer Pipe and Fittings
CSA B182.4—02 Profile PVC Sewer Pipe and Fittings
CSA B182.4—06 Profile Polyvinylchloride PVC Sewer Pipe and Fittings
CSA B182.6—06 Profile Polyethylene Sewer Pipe and Fittings
CSA B182.8—06 Profile Polyethylene (PE) Storm Sewer and Drainage Pipe and Fittings
CSA B356—00(2005) Water Pressure Reducing Valves for Domestic Water Systems
CSA B483.1—07 Drinking Water Treatment Units
CSA B481.3 Sizing, Selection, Location and Installation of Grease Interceptors
CSA B481.1—07 Testing and Rating of Grease interceptors Using Lard
CSA B602—02 Mechanical Couplings for Drain, Waste and Vent Pipe and Sewer Pipe
ISEA Z358.1—98 Emergency Eyewash and Shower Equipment
NFPA 50—01 Bulk Oxygen Systems at Consumer Sites
NFPA 51—07 Design and Installation of Oxygen-fuel Gas Systems for Welding, Cutting and Allied Processes
NFPA 70—08 National Electric Code
NFPA 99C—05 Gas and Vacuum Systems
NSF 3—2008 Commercial Warewashing Equipment
NSF 14—2008e Plastic Piping System Components and Related Materials
NSF 18—2007 Manual Food and Beverage Dispensing Equipment
NSF 42—2007ae Drinking Water Treatment Units—Aesthetic Effects
NSF 44—2007 Residential Cation Exchange Water Softeners
NSF 53—2007a Drinking Water Treatment Units—Health Effects
NSF 58—2007 Reverse Osmosis Drinking Water Treatment Systems
NSF 61—2008 Drinking Water System Components—Health Effects
NSF 62—2007 Drinking Water Distillation Systems
PDA G101(2003) Testing and Rating Procedure for Grease Interceptors with Appendix of Sizing and Installation Data
PDA G102 Testing and Certification for Grease Interceptors with Fog Sensing and Alarm Devices
UL 508—99 Industrial Control Equipment - with revision through April 2010