DOCKETI	E D
Docket Number:	16-AAER-02
Project Title:	Appliance Efficiency Rulemaking for Computers, Computer Monitors, and Signage Displays
TN #:	213550
Document Title:	2016 Appliance Efficiency Rulemaking, Express Terms Computers, Computer Monitors, and Signage Displays.
Description:	Proposed Regulatory Language: Express Terms Computers Computer Monitors and Signage Displays, Docket No. 16-AAER-02
Filer:	Harinder Singh
Organization:	California Energy Commission
Submitter Role:	Commission Staff
Submission Date:	9/9/2016 9:23:22 AM
Docketed Date:	9/9/2016

Proposed Regulatory Language

Proposed new language appears as underline (<u>example</u>) and proposed deletions appear as strikeout (<u>example</u>). Existing language appears as plain text. Three dots or "…" represents the substance of the regulations that exists between the proposed language and current language.

1601. Scope.

. . .

(v) <u>Computers, computer monitors, Tt</u>elevisions, and consumer audio and video equipment, which are compact audio products, digital versatile disc players, and digital versatile disc recorders.

• • •

- (w) Battery charger systems, except those:
- (1) used to charge a motor vehicle that is powered by an electric motor drawing current from rechargeable storage batteries, fuel cells, or other portable sources of electrical current, and which may include a nonelectrical source of power designed to charge batteries and components thereof. This exception does not apply to forklifts and autoettes, electric personal assistive mobility devices, golf carts, or low speed vehicles, as those vehicles are defined in Division 1 of the California Vehicle Code;
- (2) that are classified as Class II or Class III devices for human use under the Federal Food, Drug, and Cosmetic Act and require U.S. Food and Drug Administration listing and approval as a medical device;
- (3) used to charge a battery or batteries in an illuminated exit sign, as defined in Section 1602(*l*);
- (4) with input that is three phase of line-to-line 300 volts root mean square or more and is designed for a stationary power application;
- (5) that are battery analyzers; or
- (6) that are voltage independent or voltage and frequency independent uninterruptible power supplies as defined by IEC 62040-3 ed.2.0 (March 2011); or
- (7) that are contained completely within a larger product and that:
 - (a) provide power for data storage or for continuity within volatile cache or memory systems;
 - (b) maintain information for system use; and
 - (c) the battery is not capable of powering full operation of the product when AC mains power is removed.

Note: Authority cited: Sections 25213, 25218(e), 25402(a)-25402(c) and 25960, Public Resources Code; and sections 16, 26 and 30, Governor's Exec. Order No. B-29-15 (April 1, 2015). Reference: Sections 25216.5(d), 25402(a)-25402(c), 25402.5.4 and 25960, Public Resources Code; and section 16, Governor's Exec. Order No. B-29-15 (April 1, 2015).

1602. Definitions.

(a) General.

. . .

"Basic model" of a computer means a group of computer models that are made by a single manufacturer and that have the same chassis, power supply, motherboard, and expandability score. The chassis shall be considered the same if the energy use characteristics are not modified by variations in the chassis, such as a change in color.

. . .

(v) Computers, Computer Monitors, Televisions, and Consumer Audio and Video Equipment.

"Add-in card" means a removable device that can be installed in a computer peripheral component interconnect (PCI) or other slot. Add-in card does not include hard-disks, system memory, or removable devices that are intended to operate outside of a computer chassis. It also does not include cards that split, physically extend, or convert a slot type.

"Computer" means a device that performs logical operations and processes data. A computer includes both stationary and portable units and includes a desktop computer, a portable all-in-one, a notebook computer, a mobile gaming system, a high expandability computer, a small-scale server, a thin client, and a workstation. Although a computer is capable of using input devices and displays, such devices are not required to be included with the computer when the computer is shipped. A computer is composed of, at a minimum:

- (1) A central processing unit (CPU) to perform operations or, if no CPU is present, then the device must function as a client gateway to a server and the server acts as a computational CPU;
- (2) Ability to support user input devices such as a keyboard, mouse, or touchpad; and
- (3) An integrated display screen or the ability to support an external display screen to output information.

The term "computer" does not include a tablet, a game console, a television, a small computer device, a server other than a small-scale server, or an industrial computer.

"Computer monitor" means an analog or digital device of size greater than or equal to 17 inches and less than or equal to 61 inches, that has a pixel density of greater than 5000 pixels per square inch, and that is designed primarily for the display of computer generated signals not marketed for use as a television for viewing by one person in a desk-based environment. A computer monitor is composed of a display screen and associated electronics.

A computer monitor does not include:

- (1) Displays with integrated or replaceable batteries designed to support primary operation without AC mains or external DC power, (e.g., electronic readers, mobile phones, portable tablets, battery-powered digital picture frames).
- (2) A television or a signage display.

"Computer monitor off mode" means the computer monitor is connected to a power source, produces no visual information, and cannot be switched into any other mode with a remote control unit, an internal signal, or an external signal.

- "Computer monitor sleep mode" means a low-power mode in which the computer monitor provides one or more non-primary protective functions or continuous functions.
- "Desktop computer" means a computer whose main unit is designed to be located in a fixed location, often on a desk or on the floor. A desktop computer includes an integrated desktop computer. A workstation, a high expandability computer, or a small-scale server is not a desktop computer.
- "Digital Cinema Initiative (DCI)-P3" means a red-green-blue (RGB) color space that features the widest color gamut of all of the emulated color spaces and that is wider than standard RGB (sRGB).
- "Discrete Graphics" or "Discrete Graphics GPU" means a graphics processing unit (GPU) with a local memory controller interface and local graphics-specific memory.
- "Energy-Efficient Ethernet capability" means Ethernet interfaces that are capable of reducing power consumption during times of low data throughput, as specified in *IEEE 802.3az-2010*.
- "Enhanced-performance display (EPD)" means a computer monitor that has all of the following features and functionalities:
 - (1) A contrast ratio of at least 60:1 measured at a horizontal viewing angle of at least 85°, with or without a screen cover glass;
 - (2) A native resolution equal to or greater than 2.3 megapixels (MP); and
 - (3) A color gamut size of at least sRGB as defined by *IEC 61966-2.1:1999*. Shifts in color space are allowable as long as 99 percent or more of defined sRGB colors are supported.
- "Expandability score" means the results of a calculation designed to estimate a computer's power supply capacity based on the power draw if each interface present in the system were operated at their designed maximum voltage and current.
- "Frame buffer bandwidth" means the rate at which data can be read from or stored within discrete, integrated, or hybrid graphics, expressed in gigabytes per second (GB/s).
- "Game console" means a device that is designed and marketed primarily for video game usage and that does not have the ability to add or remove system memory or a central processing unit.
- "Gaming monitor" means a computer monitor that is capable of adjusting the monitor refresh rate with the frame rate of the video content, and supports a continuously variable refresh rate ranging across a factor of at least 1.75 times the minimum supported (for example a variable refresh rate of at least 40Hz to 70Hz if the minimum supported refresh rate is 40Hz); the monitor may include an incremental hardware-based assistance.
- "Graphical user interface (GUI)" means a user interface, beyond a text-based interface, that allows users to interact with electronic devices through graphical icons and visual indicators.
- "Graphics processing unit (GPU)" means an integrated circuit, separate from the CPU, designed to accelerate the rendering of two-dimensional or three-dimensional content to displays. A GPU may be either integrated with the CPU or discrete.

"High expandability computer" means a computer with any of the following:

- (1) An expandability score of more than 690;
- (2) If the computer is manufactured before January 1, 2020, a power supply of 600 watts or greater and a discrete or integrated graphics with a frame buffer bandwidth of 400 gigabytes per second (GB/s) or greater; or
- (3) If the computer is manufactured on or after January 1, 2020, a power supply of 600 watts or greater and a discrete or integrated graphics with frame buffer bandwidth of 600 gigabytes per second (GB/s) or greater.

"Hybrid graphics" means a functionality that allows Discrete Graphics to enter a low-power state when not required in favor of Integrated Graphics. This functionality allows graphics rendering by lower power and lower capability integrated GPUs while on battery or when the output graphics are not overly complex while then allowing the more power consumptive but more capable discrete GPU to provide rendering capability when the system requires it.

"Idle condition" means an active state of a computer where no user interaction is occurring and where no user-prescribed task is underway.

"Industrial computer" means any of the following:

- (1) A process controller that is designed specifically to automate an industrial, medical, or laboratory process.
- (2) A computer that is integrated into the chassis of industrial, medical, or laboratory equipment that contains more than a computer, and that is designed specifically to perform logical operations and process data for an industrial, medical, or laboratory product using product-specific software.

"Integrated desktop computer" means a desktop computer in which the computing hardware and display are integrated into a single housing, and which is connected to AC power through a single cable. Integrated desktop computers come in one of two forms: (1) a system where the display and computer are physically combined into a single unit; or (2) a system packaged as a single system where the display is separate but is connected to the main chassis by a DC power cord, and both the computer and display are powered from a single power supply.

"Integrated graphics" means a graphics solution that does not contain discrete graphics.

"Keyboard, video, and mouse (KVM)" or "keyboard, mouse, and monitor (KMM)" means a computer monitor that is designed to be used in a server rack for use solely in a data center.

"Limited capability operating system" means an operating system that performs basic operations and that does not:

- (1) Have automatic power management features;
- (2) Support USB devices;
- (3) Have Graphical User Interface (GUI); or
- (4) Support multiple user profiles or distinguish between users.

"Long-idle mode" means a state where the computer has reached an idle condition 15 minutes after operating system boot, after completing an active workload, or after resuming from sleep mode, and the primary computer display has entered a low-power state where screen contents cannot be observed (for example, backlight has been turned off) but remains in the working mode ACPI GO.

"Mobile gaming system" means a computer that is primarily used for gaming and that is designed specifically for portability and to be operated for extended periods both with and without a direct connection to an AC mains power source. A mobile gaming system is sold with an integrated display and a physical keyboard, and has all of the following criteria:

- 1) <u>Discrete video card with frame buffer bandwidth of 128 gigabytes per second or greater;</u>
- 2) System memory of 16 gigabytes or more;
- 3) AC adaptor size of 150 watts or greater; and
- 4) Total battery capacity of 90 watt-hours or greater.

"Mobile thin client" means a notebook computer that relies on a connection to remote computing resources, such as a computer server or a remote workstation, to obtain primary functionality, and does not have integral rotational storage media.

"Mobile workstation" means a high-performance, single-user computer primarily used for graphics, computer-aided design (CAD), software development, financial, or scientific applications, among other computation intensive tasks, excluding game play, and that is designed specifically for portability and to be operated for extended periods of time either with or without a direct connection to an external power source. Mobile workstations utilize an integrated display and are capable of operation on an integrated battery. A mobile workstation may use an external power supply and have an integrated keyboard and pointing device. In addition, a mobile workstation must meet all of the following criteria:

- (1) Has a mean time between failures (MTBF) of at least 13,000 hours;
- (2) Has qualified or is currently being reviewed for qualification by two or more independent software vendor (ISV) product certifications;
- (3) Has at least one integrated or discrete graphics processing unit with frame buffer bandwidth of 134 gigabytes per second or greater;
- (4) Supports the inclusion of three or more internal storage devices; and
- (5) Supports at least 32 gigabytes of system memory.

"Monitor screen area" means the viewable screen area of the computer monitor, calculated by multiplying the viewable image width by the viewable image height. For curved screens, the measurements shall be made along the curvature on the face of the screen rather than along a straight line or chord.

"Native resolution" means the physically present number and size of pixels in a display panel.

"Notebook computer" means a computer designed specifically for portability and to be operated for extended periods both with and without a direct connection to an AC mains power source. A notebook computer is sold with an integrated display and a physical keyboard. The term "notebook computer" includes two-in-one notebooks, mobile

thin clients, and notebook computer models with touch-sensitive screens. Notebook computer does not include mobile workstations or mobile gaming systems.

"Off mode" means an ACPI System Level S5 state.

"Organic light-emitting diode (OLED) monitor" means a monitor in which the emissive electroluminescent layer of the light-emitting diode is a film of organic compound that emits light in response to an electric current.

"Portable all-in-one" means a computer designed for limited portability that meets all of the following criteria:

- (1) Includes an integrated display with a diagonal size greater than or equal to 17.4 inches;
- (2) Does not have a keyboard integrated into the physical housing of the product in its as-shipped configuration;
- (3) Includes and primarily relies on touch-screen input, with optional keyboard;
- (4) Includes the capacity to connect to a wireless network; and
- (5) Includes an internal battery that can power the computer's primary functions.

"Primary storage" means the largest capacity non-volatile storage device present in the system.

"Professional signage display" means an electronic display that is:

- (1) Composed of an area greater than 1,400 square inches;
- (2) Composed of two or more display panels, each with a diagonal size greater than 12 inches;
- (3) Designed to be operated by an external data controller; and
- (4) <u>Designed and marketed for viewing by multiple people in a non-desk-based environment. Examples of</u> such environments include stadiums, airports, and convention centers.

"Rack-mounted workstation" means a workstation that is designed to be natively rack mounted as described in *IEC* 60297-3-101:2004. The rack-mounted workstation may be accessed locally by direct connection to the workstation and display or accessed remotely across a network by one or more users.

"Short-idle mode" means a state where the computer has reached an idle condition five minutes after operating system boot, after completing an active workload, or after resuming from sleep mode, and the primary computer display is on and the computer remains in the working mode ACPI GO (SO).

"Signage display" means an analog or digital device designed primarily for the display of computer-generated signals that is not marketed for use as a computer monitor or a television.

"Sleep mode" means a low-power mode that the computer enters automatically after a period of inactivity or by manual selection. A computer with sleep capability can quickly "wake" in response to network connections or user interface devices with a latency of less than or equal to five seconds from initiation of the wake event to the system becoming fully usable, including rendering of display. For systems where ACPI standards are applicable, sleep mode is ACPI System Level S3 (suspend to RAM) state. Some computers utilize an alternative sleep mode to ACPI S3.

"Small computer device" means a computer system with an integrated and primary display that has a screen area of 20 square inches or less.

"Small-scale server" means a computer that uses desktop components in a desktop form factor but that is designed to be a storage host for other computers. A small-scale server is designed to perform functions such as providing network infrastructure services (for example, archiving) and hosting data and media. This product is not designed to process information for other systems or run Web servers as a primary function. A small-scale server has all the following characteristics:

- (1) Designed in a pedestal, tower, or other form factor similar to those of desktop computers such that all data processing, storage, and network interfacing is contained within one box or product;
 - (2) Designed to operate continuously, except for maintenance;
- (3) Capable of operating in a simultaneous multi-user environment serving several users through networked client units; and
- (4) Designed for an industry-accepted operating system for home or low-end server applications (e.g., Windows Home Server, Mac OS X Server, Linux, UNIX, Solaris).
- "Small volume manufacturer" means a manufacturer that meets all of the following criteria:
- (1) The manufacturer's gross revenues from the 12-month period preceding the certification, from all of the entity's operations, including operations of any other person or business entity that controls, is controlled by, or is under common control of the entity, is \$2,000,000 or less;
 - (2) The manufacturer assembles and sells the computers at the same location; and.
- (3) The manufacturer has certified as a small volume manufacturer to the Energy Commission under Section 1606(k).

"System memory bandwidth" means the rate at which data can be read from or stored into the computer system's memory, expressed in gigabytes per second (GB/s).

"Tablet" means a device that is designed for portability and that meets all of the following criteria:

- (1) Has an integrated display with a diagonal size less than 17.4 inches;
- (2) Does not have an integrated, physically attached keyboard in its as-shipped configuration;
- (3) Has and primarily relies on touch-screen input;
- (4) Has and primarily relies on a wireless network connection; and
- (5) Has and is primarily powered by an internal battery with connection to an AC mains power source for battery charging and not for primary powering of the device.

A tablet may be referred to as a slate.

"Thin client" means an independently powered computer that relies on a connection to remote computing resources (for example, a computer server or a remote workstation) to obtain primary functionality. Main computing functions (for example, program execution, data storage, interaction with other internet resources) are provided by remote computing resources. A thin client does not have integral rotational storage media and is designed for use in a fixed location during operation.

"Two-in-one notebook" means a notebook computer which has a clam shell form factor, but has a detachable keyboard. The keyboard and display portions of the product must be shipped as an integrated unit.

"Very high performance monitors" means a computer monitor that meets all of the following criteria:

- (1) Has a diagonal screen size of 27 inches or greater;
- (2) Has a resolution equal to or greater than either 3840x2160 pixels or 8.2 Megapixels; and
- (3) <u>Has a color space greater than 99 percent of defined AdobeRGB color or greater than 99 percent of Digital Cinema Initiative (DCI)-P3 colors.</u>

"Workstation" means a computer used for graphics, computer-aided design (CAD), software development, financial, or scientific applications, among other computation intensive tasks. A workstation covered by this specification must meet the following criteria:

- (1) Product as shipped does not support altering frequency or voltage beyond the computer processing unit and GPU manufacturers' operating specifications;
- (2) Has system hardware that supports error-correcting code (ECC) that detects and corrects errors with dedicated circuitry on and across the CPU, interconnect, and system memory; and
- (3) Meets two or more of the following criteria:
 - A) Supports one or more discrete graphic or discrete compute accelerators.
 - B) Supports four or more lanes of PCI-express, other than discrete graphics, connected to accessory expansion slots or ports where each lane has a bandwidth of 8 gigabytes per second (GB/s) or more.
 - <u>C) Provides multi-processor support for two or more physically separate processor packages or sockets. This requirement cannot be met with support for a single multi-core processor.</u>
 - D) Has qualified or is currently being reviewed for qualification by two or more independent software vendor (ISV) product certifications.

. . .

The following documents are incorporated by reference in Section 1602.

Number Title

ADOBE SYSTEMS INCORPORATED

Adobe RGB (1998) Adobe RGB (1998) Color Image Encoding Version

2005-05 (May 2005)

Copies available from: Adobe Systems Incorporated

Corporate Headquarters

345 Park Avenue

San Jose, CA 95110-2704

(408) 536-6000

http://www.adobe.com

INSTITUTE OF ELECTRICAL AND ELECTRONICS ENGINEERS (IEEE)

<u>IEEE 802.3az-2010</u> <u>IEEE Standard for Information technology-- Local and</u>

metropolitan area networks-- Specific requirements--Part 3: CSMA/CD Access Method and Physical Layer Specifications Amendment 5: Media Access Control Parameters, Physical Layers, and Management Parameters for Energy-Efficient Ethernet

Copies available from: IEEE (TechStreet)

Publications Office

10662 Los Vaqueros Circle

PO Box 3014

Los Alamitos, CA 90720-1264 http://www.techstreet.com/ieee http://standards.ieee.org

. . .

INTERNATIONAL ELECTROTECHNICAL COMMISSION (IEC)

. . .

<u>IEC 60297-3-101:2004</u> <u>Mechanical structures for electronic equipment – </u>

<u>Dimensions of mechanical structures of the 482,6 mm</u> (19 in) series – Part 3-101: Subracks and associated plug-

in units

IEC 61966 2-1:1999 Multimedia systems and equipment –Colour

measurement and management. Part 2-1: Colour management - Default RGB colour space - sRGB

Copies available from: International Electrotechnical Commission

3, Rue de Varembé

P.O. Box 131 CH - 1211 Geneva 20

Switzerland http://www.iec.ch

Phone: +41 22 919 02 11 Fax: +41 22 919 03 00

UNIFIED EXTENSIBLE FIRMWARE INTERFACE FORUM

Advanced Configuration and Power Interface Specification Revision 5.0 (December 6, 2011) and Advanced Configuration and Power Interface

Specification Revision 5.0 Errata A (November 13,

2013)

<u>Advanced Configuration and Power Interface</u> <u>Specification</u>

Copies available from:

UEFI Forum Administration
3855 SW 153rd Drive
Beaverton, OR 97003 USA
http://www.uefi.org

Phone: +1 503-619-0864 Fax: +1 503-644-6708

. . .

Note: Authority cited: Sections 25213, 25218(e), 25402(a)-25402(c) and 25960, Public Resources Code; and sections 16, 26 and 30, Governor's Exec. Order No. B-29-15 (April 1, 2015). Reference: Sections 25216.5(d), 25402(a)-25402(c), 25402.5.4 and 25960, Public Resources Code; and section 16, Governor's Exec. Order No. B-29-15 (April 1, 2015).

1604. Test Methods for Specific Appliances.

(v) Computers, Computer Monitors, Televisions, and Consumer Audio and Video Equipment.

...

(2) The test method for televisions <u>and signage displays</u> manufactured on or after April 2, 2014 is 10 C.F.R. Sections 430.23(h) (Appendix H to Subpart B of part 430).

...

- (4) The test method for computer monitors is the ENERGY STAR Program Requirements for Displays, Final Test Method (September 2015), with the following modifications:
 - (A) On mode measurements shall be made using the *IEC* 62087: 2011 and computer monitor sleep mode and computer monitor off mode measurements shall be made using the *IEC* 62301:2011, as specified in the *ENERGY STAR Program Requirements for Displays, Final Test Method (September 2015)*.
 - (B) A computer monitor shall be tested as required by the test procedure only for each of the following:
 - 1. On mode power consumption.
 - 2. Sleep mode power consumption.
 - 3. Off mode power consumption.
 - (C) Product features and functions not specifically addressed by the test method shall be turned off or disconnected. Built-in speakers shall be muted or turned down to their lowest volume setting for the on mode power consumption test.
 - (D) Before starting the test procedure for measuring on mode power consumption, any feature unrelated to the display of images (for example USB hubs, webcams, speakers, LAN connections, and SD card readers) shall be turned off.

- (5) The test method for computers is the ENERGY STAR Program Requirements for Computers, Final Test Method (Rev. March-2016), with the following modifications:
 - (A) Settings regarding hard-disk spinning shall not be altered from the default as-shipped settings.
 - (B) The total power consumption of a computer shall be calculated using Equation 1 in Section 3 of the ENERGY STAR Program Requirements for Computers, Eligibility Criteria Version 6.1 (Rev. March-2016).
 - 1. Computers manufactured before July 1, 2021 shall use the "conventional" mode weighting of Table 3 for a desktop computer, a mobile gaming system, or a thin client, or Table 4 for a notebook computer or portable all-in-one computer, contained within Section 3 of the ENERGY STAR Program Requirements for Computers, Final Test Method (Rev. March-2016), unless they meet the criteria to use "full capability" mode weighting, below.
 - 2. In order to use the "full capability" mode weighting a computer shall have the following features enabled as shipped:
 - i. Maintain Ethernet (*IEEE 802.3-2015*) or wireless (*IEEE 802.11-2012*) network addresses and network connection capability while in ACPI System Level S3 Sleep Mode or an alternative to ACPI S3 sleep mode;
 - <u>ii.</u> Resume from ACPI System Level S3 Sleep Mode or an alternative to ACPI S3 sleep mode upon request from outside the local network; and
 - <u>iii.</u> Support advertising host services and network name while in ACPI System Level S3 Sleep Mode or an alternative to ACPI S3 sleep mode.
 - 3. Computers manufactured on or after July 1, 2021, shall use the "conventional" mode weighting of Table 3 for a desktop computer, a mobile gaming system, or a thin client, or Table 4 for a notebook computer or portable all-in-one computer, contained within Section 3 of the ENERGY STAR Program Requirements for Computers, Eligibility Criteria Version 6.1 (Rev. March-2016).
 - (C) The expandability score calculation shall be included in test reports and shall be calculated as follows:
 - 1. Sum the product of each interface score as determined by Table V-1 multiplied by the number of such interfaces present in the system as sold or offered for sale.
 - 2. Each individual interface may only receive one score.
 - 3. Add 100 to the score.

<u>Table V-1</u> <u>Interface Types and Scores for Expandability Score Calculation</u>

Interface Type Interface Score	Interface Type	Interface Score
----------------------------------	----------------	-----------------

USB 2.0 or less	<u>5</u>
<u>USB 3.0 or 3.1 Gen 1</u>	10
<u>USB 3.1 Gen 2</u>	<u>15</u>
USB ports that can provide 100 or more watts of power	<u>100</u>
USB ports that can provide between 60 and up to 100	<u>60</u>
watts of power	
USB ports that can provide between 30 and up to 60	<u>30</u>
watts of power	
<u>Unconnected USB 2.0 motherboard header</u>	10 per header
<u>Unconnected USB 3.0 or 3.1 Gen 1 motherboard header</u>	20 per header
PCI slot other than PCIe x16 (only count mechanical	<u>25</u>
slots)	
PCIe x16 or higher (only count mechanical slots)	<u>75</u>
Thunderbolt 2.0 or less	<u>20</u>
Thunderbolt 3.0 or greater	<u>100</u>
M.2 (except key M)	<u>10</u>
<u>IDE, SATA, eSATA</u>	<u>15</u>
M.2 key M, SATA express, U.2	<u>25</u>
Integrated liquid cooling	50
CPU Support for 4-channels of memory or a 256 bit or	100
greater memory interface	

- (D) A computer monitor used in the testing of desktop computers shall have a native resolution of 1920x1080 pixels and use progressive scanning. The computer operating system shall be set to operate at 1920x1080 pixels and progressive scanning. If multiple display connections are available on the computer, choose the correct connection using the following criteria:
 - 1. If hybrid graphics are available, choose the port that enables hybrid graphics.
 - 2. If a discrete graphics GPU is installed, choose a connection to the primary discrete graphic GPU, except for where it conflicts with subdivision (D)(1) of this section.
 - 3. If no discrete graphics GPU is installed, choose a connection to a port integrated into the motherboard.
 - 4. If there are multiple connector ports to choose from pursuant to subdivisons (D)(1) through (D)(3) of this section, connect the display to a port using the first available from the port types listed below:
 - i. Display Port
 - <u>ii.</u> HDMI
 - <u>iii.</u> DVI
 - iv. VGA
 - v. Other

- (E) An integrated desktop computer, mobile gaming system, or notebook shall be tested using the integrated display's native resolution.
- (F) During testing, a notebook computer, mobile gaming system, portable all-in-one, or integrated desktop shall proceed using Section 5.2(A)(1) and ignore the direction not to disable automatic brightness control as described in Section 5.2(A) of the ENERGY STAR Program Requirements for Computers, Final Test Method (Rev. March-2016). If automatic brightness control is not enabled by default or the luminous emittance of the display is less than described in the ENERGY STAR Program Requirements for Computers, Final Test Method (Rev. March-2016) Section 5.2(E), then configure luminous emittance of the display per Section 5.2(E) of the ENERGY STAR Program Requirements for Computers, Final Test Method (Rev. March-2016).
- (G) For purposes of providing data as required in Section 1606, desktop computers, thin clients, mobile gaming systems, notebook computers, and portable all-in-ones shall be tested by selecting the configuration that has the greatest allowable energy consumption as provided for in Section 1605.3(v)(5). If multiple configurations exist that meet this criteria, select the configuration that will yield the greatest annual energy consumption as measured by the test procedure.
- (H) The sleep mode power measurement shall be tested in a modified manner from the test procedure described in IEC 62623:2012. Instead of measuring power after manually entering sleep mode, the power measurement shall begin no sooner than 30 minutes and no later than 31 minutes of user inactivity on the unit under test. This measurement shall follow the long-idle test without altering the unit under test.
- (I) The power factor of a computer and compliance with Table V-9 in Section 1605.3(v)(6) shall both be determined by the following test procedure: Generalized Test Protocol for Calculating the Energy Efficiency of Internal Ac-Dc and Dc-Dc Power Supplies Revision 6.7 (March 1, 2014). In addition the median power factor during long-idle measurements shall be recorded in the test report.

The following documents are incorporated by reference in Section 1604.

Number Title

FEDERAL TEST METHODS

ENERGY STAR Program Requirements for Computers, subparts Eligibility Criteria Version 6.1 (Rev. March-2016) and Final Test Method (Rev. March-2016)

ENERGY STAR Program Requirements for Displays, subpart Final Test Method (Rev. Sep-2015)

Copies available from:

US EPA Climate Protection Partnership ENERGY STAR Programs Hotline & Distribution

(MS-6202J) 1200 Pennsylvania Ave NW Washington, DC 20460

www.energystar.gov

ECOVA

<u>Generalized Test Protocol for Calculating the Energy</u> <u>Efficiency of Internal Ac-Dc and Dc-Dc Power Supplies</u>

Revision 6.7 (March 1, 2014)

Copies available from: Plug Load Solutions by Ecova

www.plugloadsolutions.com Phone: (971) 201-4180

. .

INSTITUTE OF ELECTRICAL AND ELECTRONICS ENGINEERS (IEEE)

. . .

<u>IEEE 802.3-2015</u> <u>IEEE Standard for Ethernet</u>

IEEE 802.11-2012 IEEE Standard for Wireless LANs

Copies available from: IEEE (TechStreet)

Publications Office

10662 Los Vaqueros Circle

PO Box 3014

Los Alamitos, CA 90720-1264 http://www.techstreet.com/ieee

. . .

INTERNATIONAL ELECTROTECHNICAL COMMISSION (IEC)

. . .

<u>IEC 62087: 2011</u> <u>Methods of measurement for the power consumption of </u>

audio, video and related equipment

<u>IEC 62301:2011</u> <u>Household electrical appliances – Measurement of</u>

standby power

<u>IEC 62623:2012</u> <u>Desktop and notebook computers – Measurement of</u>

energy consumption

Copies available from: International Electrotechnical Commission

3, Rue de Varembé

P.O. Box 131 CH - 1211 Geneva 20

Switzerland

http://www.iec.ch

Phone: +41 22 919 02 11 Fax: +41 22 919 03 00

. . .

UNIFIED EXTENSIBLE FIRMWARE INTERFACE FORUM

Advanced Configuration and Power Interface Specification Revision 5.0 (December 6, 2011) and Advanced Configuration and Power Interface Specification Revision 5.0 Errata A (November 13, 2013) Advanced Configuration and Power Interface Specification

Copies available from:

<u>UEFI Forum Administration</u> 3855 SW 153rd Drive Beaverton, OR 97003 USA http://www.uefi.org Phone: +1 503-619-0864 Fax: +1 503-644-6708

. . .

Note: Authority cited: Sections 25213, 25218(e), 25402(a)-25402(c) and 25960, Public Resources Code; and sections 16, 26 and 30, Governor's Exec. Order No. B-29-15 (April 1, 2015). Reference: Sections 25216.5(d), 25402(a)-25402(c) and 25960, Public Resources Code; and section 16, Governor's Exec. Order No. B-29-15 (April 1, 2015).

1605.1. Federal and State Standards for Federally-Regulated Appliances.

...

(v) Computers, Computer Monitors, Televisions, and Consumer Audio and Video Equipment.

See Section 1605.3(v) for energy efficiency standards for <u>computers</u>, <u>computer monitors</u>, televisions, and consumer audio and video equipment.

. . .

Note: Authority cited: Sections 25213, 25218(e), 25402(a)-25402(c) and 25960, Public Resources Code; and sections 16, 26 and 30, Governor's Exec. Order No. B-29-15 (April 1, 2015). Reference: Sections 25216.5(d), 25402(a)-25402(c) and 25960, Public Resources Code; and section 16, Governor's Exec. Order No. B-29-15 (April 1, 2015).

1605.2. State Standards for Federally-Regulated Appliances.

. . .

(v) Computers, Computer Monitors, Televisions, and Consumer Audio and Video Equipment.

See Section 1605.3(v) for energy efficiency standards for <u>computers</u>, <u>computer monitors</u>, televisions, and consumer audio and video equipment.

• • •

Note: Authority cited: Sections 25213, 25218(e), 25402(a)-25402(c) and 25960, Public Resources Code; and sections 16, 26 and 30, Governor's Exec. Order No. B-29-15 (April 1, 2015). Reference: Sections 25216.5(d), 25402(a)-25402(c) and 25960, Public Resources Code; and section 16, Governor's Exec. Order No. B-29-15 (April 1, 2015).

. . .

1605.3. State Standards for Non-Federally-Regulated Appliances.

. . .

- (v) Computers, Computer Monitors, Televisions, and Consumer Audio and Video Equipment.
- (1) Consumer Audio and Video Equipment. The power usage of consumer audio and video equipment manufactured on or after the effective dates shown shall be not greater than the applicable values shown in Table V-12. For equipment that consists of more than one individually powered product, each with a separate main plug, the individually powered products shall each have a power usage not greater than the applicable values shown in Table V-12.

Table V-12

Standards for Consumer Audio and Video Equipment

[Table omitted]

. . .

- (2) Televisions <u>and Signage Displays</u>. All televisions <u>and signage displays</u> manufactured on or after the effective dates shall meet the requirements shown in Table V-23.
- (3) In addition, televisions <u>and signage displays</u> manufactured on or after January 1, 2011 shall meet the requirements shown in Sections 1605.3(v)(3)(A) and 1605.3(v)(3)(B) and 1605.3(v)(3)(C) of this Article.
 - (A) A television or signage display shall automatically enter TV standby-passive mode or standby-active mode after a maximum of 15 minutes without video or audio input on the selected input mode.
 - (B) A television or signage display shall enter TV standby-passive mode when turned off by remote or integrated button/switch.
 - (C) The peak luminance of the product in "home" mode, or in the default mode as shipped, shall not be less than 65% of the peak luminance of the "retail" mode, or the brightest selectable preset mode, of the product.

Table V-23 Standards for Televisions and Signage Displays

Effective Date	Screen Size (area A in square inches)	Maximum TV <u>and</u> <u>Signage Display</u> Standby-passive Mode Power Usage (watts)	Maximum On Mode Power Usage (P in Watts)	Minimum Power Factor for $(P \ge 100W)$
January 1, 2006	All	3 W	No standard	No standard
January 1, 2011	A < 1400	1W	$P \le 0.20 \text{ x A} + 32$	0.9
January 1, 2013	A < 1400	1W	$P \le 0.12 \text{ X A} + 25$	0.9

- (D) EXCEPTIONS to Sections 1605.3(v)(2) and 1605.3(v)(3):
 - 1. Professional signage displays.
- (4) Computer monitors. Computer monitors manufactured on or after July 1, 2019, shall comply with all of the following:
 - (A) Comply with the maximum on-mode standards in Table V-4.
 - (B) Comply with at least one of the following requirements:
 - 1. Consume less than or equal to 0.7 watt in sleep mode and less than or equal to 0.5 watt in off mode; or
 - 2. Consume less than or equal to 1.2 watts in sleep mode and off mode power combined.
 - (C) Be shipped with a screen luminance less than or equal to $200 \text{ cd/m}^2 \pm 35 \text{ percent.}$ A manufacturer may ship with additional features enabled, even if they were turned off in testing.
 - (D) Computer monitors with touch screen capability are allowed an additional 1 watt allowance per mode in on, sleep, and off modes.

<u>Table V-4</u>

<u>Power Consumption Standards for Computer Monitors</u>

	Diagonal Screen Size (d) in Inches	Maximum Computer Monitor On Mode Power Consumption in Watts
<u>Resolution ≤ 5 MP</u>	<u>17''≤d≤20''</u>	[(6.0*r) + (0.025*A) + 3.7]* applicable adder in Table V-5
	20" <d<23"< td=""><td>[(4.2*r) + (0.02*A) + 2.2] * applicable adder in Table V-5</td></d<23"<>	[(4.2*r) + (0.02*A) + 2.2] * applicable adder in Table V-5
	<u>23"≤d<25"</u>	[(4.2*r) + (0.04*A) – 2.4] * applicable adder in Table V-5
	<u>25"≤d<30"</u>	[(4.2*r) + (0.07*A) - 10.2] * applicable adder in Table V-5
	<u>30"≤d≤61"</u>	[(6.0*r) + (0.1*A) - 14.5] * applicable adder in Table V-5
Resolution > 5.0 MP	<u>17"≤d≤20"</u>	[25 + (0.025*A) +3.7] * applicable adder in Table V-5
	20" <d<23"< td=""><td>$\frac{[25 + (0.02*A) + 2.2] *}{\text{applicable adder in Table V-5}}$</td></d<23"<>	$\frac{[25 + (0.02*A) + 2.2] *}{\text{applicable adder in Table V-5}}$
	<u>23"≤d<25"</u>	$\frac{[25 + (0.04*A) - 2.4] *}{\text{applicable adder in Table V-5}}$
	<u>25"≤d<30"</u>	$\frac{[25 + (0.07*A) - 10.2]*}{\text{applicable adder in Table V-5}}$

<u>30"≤d≤61"</u>	[25 + (0.1*A) – 14.5] *
	applicable adder in Table V-5

(E) Manufacturers shall apply no more than one applicable adder from Table V-5 to determine the maximum on-mode wattage.

Table V-5 List of Potentially Applicable Adders

Computer Monitor Type	Models manufactured on or after July 1, 2019, and before January 1, 2021	Models manufactured on or after January 1, 2021
Enhanced Performance Display with a color gamut support of 32.9% of CIELUV or greater (99% or more of defined sRGB colors)	1.30	1.20
Enhanced Performance Display with a color gamut support of 38.4% of CIELUV or greater (99% or more of defined Adobe RGB colors)	1.75	<u>1.60</u>
Gaming Monitors without incremental hardware-based assistance	1.30	1.20
Gaming Monitors with incremental hardware-based assistance	1.35	1.35
OLED monitor	1.30	1.20
<u>Curved monitor</u>	1.30	1.20

- (F) EXCEPTIONS to Section 1605.3(v)(4): The following computer monitors are not required to comply with Section 1605.3(v)(4) but shall comply with the test procedures in Section 1604(v)(4), the certification requirements in Section 1606, and the marking requirements in Section 1607:
 - <u>1.</u> KVMs.
 - 2. KMMs.

[&]quot;A" is the viewable screen area in square inches
"d" is the diagonal measurement of the display in inches

[&]quot;r" is the megapixel resolution of the display.

- 3. Computer monitors that are classified for use as medical devices by the United States Food and Drug Administration.
- 4. Very high performance monitors.
- (5) Desktop computers, thin clients, mobile gaming systems, portable all-in-ones, and notebook computers. Desktop computers, thin clients, mobile gaming systems, portable all-in-ones, and notebook computers manufactured on or after January 1, 2019, shall:
 - (A) Comply with Table V-7; and
 - (B) Be shipped with power management settings that do both of the following:
 - 1. Transition the computer into either the sleep mode or off mode measured in Section 1604(v)(5) within 30 minutes of user inactivity. If the transition is to a sleep mode, that sleep mode shall either:
 - i. Be a sleep mode as described in ACPI as S3; or
 - ii. Consume power less than or equal to the values shown in Table V-6.
 - 2. Transition connected displays into sleep mode within 15 minutes of user inactivity.
 - (C) If the model is shipped at the purchaser's request with either a limited capability operating system or without an operating system, the model is not required to comply with Section 1605.3(v)(5)(B).
 - (D) Desktop computers and thin clients assembled before July 1, 2021, entirely from parts manufactured before September 1, 2018, are not required to comply with Section 1605.3(v)(5)(A).

Table V-6

Alternative Sleep Mode Power Limits Computer Type Maximum Power Consumption (watts) 10 + 0.03 * C where C is the system memory capacity in Workstations, Mobile Workstations, High Expandability Computers, Small-Scale Servers gigabytes minus 32 gigabytes. If C is less than zero, use zero for the value of C. 5 + 0.03 * C where C is the system memory capacity in Desktop Computers, Thin Clients, Mobile gigabytes minus 32 gigabytes. If C is less than zero, use Gaming Systems zero for the value of C. Notebook Computers, Portable All-In-Ones 2.5 + 0.03 * C where C is the system memory capacity in gigabytes minus 16 gigabytes. If C is less than zero, use zero for the value of C. If a discrete graphics GPU is present in the system, the maximum power consumption limit shall be increased by an additional 2 watts.

<u>Table V-7</u>

<u>Energy Consumption Standards for Desktop Computers, Thin Clients, Notebook Computers, Mobile Gaming Systems, and Portable All-in-Ones</u>

	and rotable this in Olics	
Computer Type	For models manufactured on or	For models manufactured on or
	after January 1, 2019, and before	after July 1, 2021, the measured
	July 1, 2021, the measured	annual energy consumption shall
	annual energy consumption shall	be less than or equal to the
	be less than or equal to the	<u>values below.</u>
	<u>values below.</u>	
Desktop Computers, mobile gaming	50 kWh/yr + applicable adders in	50 kWh/yr + applicable adders in
systems, and thin clients with an ES	Table V-8	<u>Table V-8</u>
of 250 or less		
Desktop Computers, mobile gaming	80 kWh/yr + applicable adders in	60 kWh/yr + applicable adders in
systems, and thin clients with an ES	Table V-8	Table V-8
of more than 250 but no more than		
<u>425</u>		
Desktop Computers, mobile gaming	100 kWh/yr + applicable adders	75 kWh/yr + applicable adders in
systems, and thin clients with an ES	in Table V-8	<u>Table V-8</u>
of more than 425 but no more than		
<u>690</u>		
Notebook computers and portable all-	30 kWh/yr + applicable adders in	30 kWh/yr + applicable adders in
<u>in-ones</u>	Table V-8	<u>Table V-8</u>
Minimum power factor of a computer	0.9 measured at full load	0.9 measured at full load
power supply that is not a federally-		
regulated external power supply		

20

Table V-8

1 40	ne v o
List of Potentially	y Applicable Adders

Function	Desktop Computer, Mobile Gaming	Notebook Computers and Portable
<u> </u>	System, and Thin Client Adder	All-In-One Adder (kWh/yr)
	(kWh/yr)	<u> </u>
System Memory	4 + 0.15 * C where C is the capacity	4 + 0.15 * C where C is the capacity
	in GB.	in GB.
Energy-Efficient Ethernet	0.9	0.9
	3.5-inch Drive: 26	2.6 per storage device
	2.5-inch Drive: 4.5	
Storage device other than primary storage	Solid-State Drive (SSD): 0.5	
device	Solid-State Hybrid Drive (SSHD):	
	1.0	
	Other: 26 per storage device	
	For d≤20: (8.76*0.35*(1+EP)*	
	[(4.2*r)+5.7])*0.8	
	For 20 <d<23: (8.76*0.35*(1+ep)*<="" td=""><td></td></d<23:>	
	${[(4.2*r)+(0.02*A)+2.2])*0.8}$	
	For 23\le d<25: (8.76*0.35*(1+EP)*	
	[(4.2*r)+(0.04*A)-2.4])*0.8	
		O Table Other TDV
Integrated Display	For 25≤d: (8.76*0.35*(1+EP)*	8.76*0.3*(1+EP)*
Where:	[(4.2*r)+(0.07*A)-10.2])*0.8	[(0.43*r)+(0.0263*A)]
"d" is the diagonal measurement of the		
display in inches	Resolutions greater than 6	Resolutions greater than 6
"r" is the megapixel resolution of the	megapixels shall use 6 for r.	megapixels shall use 6 for r.
display		
"A" is the viewable screen area in square	On or after July 1, 2019: EP=0.3 for	EP=0.4 for displays with a color
inches	displays with a color gamut support	gamut support of 38.4% of CIELUV
EP=0 for displays that are not enhanced	of 32.9% of CIELUV or greater	or greater (99% or more of defined
performance displays	(99% or more of defined sRGB	Adobe RGB colors).
	colors); and	
	EP=0.75 for displays with a color	
	gamut support of 38.4% of CIELUV	
	or greater (99% or more of defined	
	Adobe RGB colors).	
	On or after January 1, 2021: EP=0.2	
	for displays with a color gamut	
	support of 32.9% of CIELUV or	
	greater (99% or more of defined	

		T
	sRGB colors); and	
	EP=0.6 for displays with a color	
	gamut support of 38.4% of CIELUV	
	or greater (99% or more of defined	
	Adobe RGB colors).	
First Discrete Graphics GPU (on or after		
January 1, 2019 and before July 1, 2021)		
Where "B" is frame buffer bandwidth	58.6*tanh(0.0038*B-0.137)+26.8	29.3*tanh(0.0038*B-0.137)+13.4
measured in GB/s		
First Discrete Graphics GPU (on or after		
July 1, 2021)	29.4*tanh(0.008*B-	14.7*tanh(0.008*B-
Where "B" is frame buffer bandwidth	0.03)+11+(0.011*B)	0.03)+5.5+(0.0055*B)
measured in GB/s	<u>0.03/+11+(0.011-1)/</u>	<u>5.65/15.5+(6.6655-11)</u>
Additional Discrete Graphics GPU	11 per unit	5.5 per unit
Add-in Cards	10 per card	5 per card
Video Surveillance Card	25	12.5
Wired Ethernet or Fiber Card with a	25	12.5
transmit rate of 10 Gb/s or greater	<u>25</u>	<u>12.5</u>
High bandwidth system memory, where		
"S" is system memory bandwidth		
measured in GB/s.		
This adder does not apply to a computer		
that meets any of the following criteria:		
1) Expandability score includes a credit		
for 4-channel memory.		
2) <u>System memory bandwidth is less than</u>	22.78*tanh[0.006*(S-70)+0.15]-	
<u>134 GB/s.</u>	12.33	9.11*tanh[0.006*(S-70)+0.15]-4.45
3) Majority of system memory capacity	12.55	
(in gigabytes) has a bandwith less than		
134 GB/s and either:		
a) Has an integrated display with a		
resolution of 9 megapixels or less;		
<u>or</u>		
b) <u>Does not have an integrated</u>		
<u>display.</u>		
4) <u>Uses an adder for a first discrete</u>		
graphics GPU.		

- (6) Small-scale servers, high expandability computers, mobile workstations, and workstations. Small-scale servers, high expandability computers, mobile workstations, and workstations manufactured on or after January 1, 2018, shall:
 - (A) Be powered by a power supply that meets or exceeds the standards in Table V-9, or an external power supply that meets the level VI of efficiency described in the *International Efficiency Marking Protocol for External Power Supplies Version 3.0* (Sept. 2013);
 - (B) Incorporate Energy-Efficient Ethernet functionality;
 - (C) Transition connected displays into sleep mode within 15 minutes of user inactivity; and
 - (D) Transition the computer into either the sleep mode or off mode measured in Section 1604(v)(5) within 30 minutes of user inactivity. If the transition is to a sleep mode, that sleep mode shall either:
 - 1. Be a sleep mode as described in ACPI as S3; or
 - 2. Consume power less than or equal to the values shown in Table V-6.

Small-scale servers and rack-mounted workstations are not required to comply with Section 1605.3(v)(6)(D).

Table V-9

Power Supply Requirements for Small-scale Servers, High expandability Computers, Mobile Workstations, and Workstations

115V power supplies				
10% load	20% load	50% load	100% load	Power Factor Correction
-	87%	90%	87%	0.9 at 50% load
230V power supplies				
10% load	20% load	50% load	100% load	Power Factor Correction
-	88%	92%	88%	0.9 at 50% load

(7) Small volume manufacturers. Computers manufactured on or after January 1, 2019, by a small volume manufacturer in quantities of 40 or fewer units of a basic model shall comply with the power management settings identified in Sections 1605.3(v)(5)(B), 1605.3(v)(6)(C), and 1605.3(v)(6)(D), and are exempt from all other requirements for computers. If a small volume manufacturer produces more than 40 units of a basic model, the manufacturer shall certify those units as meeting the requirements in Sections 1603, 1604(v)(5), 1605.3(v)(5) or 1605.3(v)(6), 1606, and 1607.

. . .

The following documents are incorporated by reference in Section 1605.3:

Number Title

UNITED STATES DEPARTMENT OF ENERGY

<u>International Efficiency Marking Protocol for External Power Supplies Version 3.0 (September 2013)</u>

Copies available from:

US Department of Energy
Office of Energy Efficiency and Renewable Energy,
Forrestal Building, Mail Station EE-2J
1000 Independence Ave SW
Washington, DC 20585-0121
202-586-5000
www.energy.gov

. . .

Note: Authority cited: Sections 25213, 25218(e), 25402(a)-25402(c) and 25960, Public Resources Code; and sections 16, 26 and 30, Governor's Exec. Order No. B-29-15 (April 1, 2015). Reference: Sections 25216.5(d), 25402(a)-25402(c), 25402.5.4 and 25960, Public Resources Code; and section 16, Governor's Exec. Order No. B-29-15 (April 1, 2015).

1606. Filing by Manufacturers; Listing of Appliances in Database.

Table X Data Submittal Requirements

	Appliance	Required Information	Permissible Answers
<u>V</u>	Computer Monitors	Technology Type	CCCFL, LED, OLED, Quantum Dots
		Monitor Type	Computer Monitor, EPD sRGB, EPD Adobe RGB, OLED, Gaming Monitor w/ Incremental Hardware, Gaming Monitor w/o Incremental hardware, "Keyboard, Video, Mouse," "Keyboard, Mouse, Monitor," Very High Performance
		Viewable Screen area (square inches)	mainten, 1 try mgn 2 triormantee
		Screen size (diagonal inches)	
		Automatic Brightness Control	True/False
		Automatic Brightness Control Enabled when Shipped	<u>True/False</u>
		Screen Luminance (Candelas Per Square Meter)	
		Native Resolution (megapixels)	
		Power Consumed in Computer Monitor On Mode (watts)	
		Power Consumed in Computer Monitor Sleep Mode (watts)	
		Power Consumed in Computer Monitor Off Mode (watts)	
		Touch Screen	<u>True/False</u>

Color Gamut	32.9% of CIELUV or greater, (99% or
	more of defined sRGB colors),
	38.4% of CIELUV or greater (99% or
	more of defined Adobe RGB colors),
	Less than 32.9% of CIELUV

Table X Continued - Data Submittal Requirements

	Table X Continued - Data Submittal Requirements				
* 7	Appliance	Required Information	Permissible Answers		
<u>V</u>	<u>Computers</u>	Computer Type	Desktop, Notebook, Small-Scale Server,		
			Workstation, Thin Client, Portable All-In-		
			One, Mobile Gaming System, Mobile		
			Workstation, High Expandability		
		On anoting System Tyme	Computer Name Limited Compbility Operating		
		Operating System Type	None, Limited Capability Operating System, Other		
		Operating System (Provide the operating	<u>System, Other</u>		
		system used during testing to calculate energy			
		consumption.)			
		Core Speed (gigahertz)			
		Number of Cores			
		Number of 3.5" hard-disk drives and Others			
		(other than primary storage)			
		Number of 2.5" hard-disk drives (other than			
		primary storage)			
		Number of solid-state drives (other than			
		primary storage)			
		Number of hybrid solid-state drives (other than			
		primary storage)			
		AC Adapter Size (watts) (notebook computers			
		only)			
		Total Battery Capacity (watt-hours) (notebook			
		computers only)			
		Discrete graphics processing unit(s) present in	<u>True/False</u>		
		<u>system</u>			
		First Discrete Graphics Frame Buffer			
		Bandwidth (rounded to nearest gigabyte per			
		second)			
		Total Number of Discrete Graphics Processing			
		<u>Units</u>	m		
		Integrated Display	True/False		
		Color Gamut (if computer has integrated	38.4% of CIELUV or greater (99% of		
		<u>display)</u>	Adobe RGB), Less than 38.4% of CIELUV		
		Diagonal screen size (inches) (if computer has	<u>CILLU Y</u>		
		integrated display)			
		Viewable screen area (square inches) (if			
		computer has integrated display)			
		Resolution (megapixels) (if computer has			
		integrated display)			
		Enhanced Performance (if computer has	True/False		
		integrated display)			
		Length of time of user inactivity before			
		entering sleep (minutes). Do not report a			
		number if the model does not enter sleep.			

Length of time of user inactivity before placing	
display into sleep (minutes). Do not report a	
number if the model does not enter sleep.	
Energy Efficient Ethernet Capability	True/False
Total Number of Add-in Cards	
Video Surveillance Card	True/False
Wired Ethernet or Fiber Card with a transmit	True/False
rate of 10 GB/s or greater	
System Memory (gigabytes)	
System memory bandwidth (gigabytes/second)	
Sleep mode type	ACPI S3, Other
Off mode power (watts)	
Sleep mode power (watts)	
Long-idle power (watts)	
Short-idle power (watts)	
Expandability Score	
Meets full capability mode weighting criteria	<u>True/False</u>
Total Annual Energy Consumption (kilowatt	
<u>hours per year)</u>	
Power Supply Meets Table V-9 or Level VI	<u>True/False</u>
Small Volume Manufacturer	<u>True/False</u>
Motherboard model number	
Power supply model number	

• • •

(e) Modified and Discontinued Appliances.

. . .

(3) If a manufacturer of a computer fails to obtain two ISV certifications within 60 days of certifying a computer model or loses ISV certifications such that the computer model no longer meets the definition of a workstation or mobile workstation, that manufacturer shall either file to remove the appliance from the database as described in Section 1606(e)(2) or shall modify the model certification as described in Section 1606(e)(1) to comply as a different computer type.

. . .

(k) Small Volume Manufacturers.

- (1) Entities seeking to be designated as a "small volume manufacturer" for purposes of Section 1605.3(v)(7) shall certify and retain records to demonstrate the following information:
 - (A) Gross revenues from the 12-month period preceding the certification, from all of the entity's operations, including operations of any other person or business entity that controls, is controlled by, or is under common control of the entity, is \$2,000,000 or less; and
 - (B) The manufacturer assembles and sells the computers at the same location.
- (2) If a small volume manufacturer no longer meets one of the requirements to be a small volume manufacturer, the entity shall file to remove itself from the database as a small volume manufacturer within 90 days.

...

Note: Authority cited: Sections 25213, 25218(e), 25402(a)-25402(c) and 25960, Public Resources Code; and sections 16, 26 and 30, Governor's Exec. Order No. B-29-15 (April 1, 2015). Reference: Sections 25216.5(d), 25402(a)-25402(c), 25402.5.4 and 25960, Public Resources Code; and section 16, Governor's Exec. Order No. B-29-15 (April 1, 2015).